



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5121.120	41.44	1.38	42.82	54.00	-11.18	AVG
2	5150.000	41.21	1.42	42.63	54.00	-11.37	AVG
3*	5350.000	49.87	1.08	50.95	54.00	-3.05	AVG
4	5351.520	49.68	1.09	50.77	54.00	-3.23	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5122.080	41.30	1.38	42.68	54.00	-11.32	AVG
2	5150.000	41.40	1.42	42.82	54.00	-11.18	AVG
3*	5350.000	50.25	1.08	51.33	54.00	-2.67	AVG
4	5351.520	49.07	1.09	50.16	54.00	-3.84	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	50.35	1.08	51.43	54.00	-2.57	AVG
2	5351.040	50.05	1.09	51.14	54.00	-2.86	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.61	1.08	52.69	54.00	-1.31	AVG
2	5351.760	50.94	1.09	52.03	54.00	-1.97	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.280	49.21	1.72	50.93	54.00	-3.07	AVG
2*	5460.000	49.50	1.73	51.23	54.00	-2.77	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.040	50.45	1.72	52.17	54.00	-1.83	AVG
2*	5460.000	51.19	1.73	52.92	54.00	-1.08	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.800	44.52	1.73	46.25	54.00	-7.75	AVG
2	5460.000	44.47	1.73	46.20	54.00	-7.80	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.650	45.10	1.73	46.83	54.00	-7.17	AVG
2*	5460.000	45.14	1.73	46.87	54.00	-7.13	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5445.625	48.10	1.70	49.80	54.00	-4.20	AVG
2	5460.000	47.87	1.73	49.60	54.00	-4.40	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5438.750	48.20	1.68	49.88	54.00	-4.12	AVG
2	5460.000	47.81	1.73	49.54	54.00	-4.46	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.480	48.87	1.41	50.28	54.00	-3.72	AVG
2*	5150.000	49.04	1.42	50.46	54.00	-3.54	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.000	50.51	1.42	51.93	54.00	-2.07	AVG
2*	5150.000	51.25	1.42	52.67	54.00	-1.33	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.960	49.90	1.42	51.32	54.00	-2.68	AVG
2*	5150.000	50.46	1.42	51.88	54.00	-2.12	AVG
3	5350.000	42.45	1.08	43.53	54.00	-10.47	AVG
4	5351.520	42.67	1.09	43.76	54.00	-10.24	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	50.01	1.42	51.43	54.00	-2.57	AVG
2*	5150.000	51.07	1.42	52.49	54.00	-1.51	AVG
3	5350.000	42.33	1.08	43.41	54.00	-10.59	AVG
4	5352.480	42.64	1.10	43.74	54.00	-10.26	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	44.30	1.42	45.72	54.00	-8.28	AVG
2	5150.000	44.58	1.42	46.00	54.00	-8.00	AVG
3*	5350.000	51.89	1.08	52.97	54.00	-1.03	AVG
4	5351.520	51.51	1.09	52.60	54.00	-1.40	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	44.46	1.42	45.88	54.00	-8.12	AVG
2	5150.000	44.64	1.42	46.06	54.00	-7.94	AVG
3*	5350.000	51.39	1.08	52.47	54.00	-1.53	AVG
4	5351.520	50.96	1.09	52.05	54.00	-1.95	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	49.35	1.08	50.43	54.00	-3.57	AVG
2	5353.920	48.96	1.11	50.07	54.00	-3.93	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.88	1.08	52.96	54.00	-1.04	AVG
2	5352.480	51.53	1.10	52.63	54.00	-1.37	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.000	48.98	1.72	50.70	54.00	-3.30	AVG
2*	5460.000	49.14	1.73	50.87	54.00	-3.13	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.720	50.91	1.73	52.64	54.00	-1.36	AVG
2*	5460.000	51.22	1.73	52.95	54.00	-1.05	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.375	50.44	1.73	52.17	54.00	-1.83	AVG
2	5460.000	50.41	1.73	52.14	54.00	-1.86	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5459.225	51.09	1.73	52.82	54.00	-1.18	AVG
2	5460.000	50.41	1.73	52.14	54.00	-1.86	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5441.250	48.06	1.68	49.74	54.00	-4.26	AVG
2	5460.000	47.63	1.73	49.36	54.00	-4.64	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5425.625	48.44	1.64	50.08	54.00	-3.92	AVG
2	5460.000	47.95	1.73	49.68	54.00	-4.32	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.240	49.03	1.41	50.44	54.00	-3.56	AVG
2*	5150.000	49.46	1.42	50.88	54.00	-3.12	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.240	50.30	1.41	51.71	54.00	-2.29	AVG
2*	5150.000	51.32	1.42	52.74	54.00	-1.26	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	49.50	1.08	50.58	54.00	-3.42	AVG
2	5353.920	49.16	1.11	50.27	54.00	-3.73	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.81	1.08	52.89	54.00	-1.11	AVG
2	5354.880	51.03	1.13	52.16	54.00	-1.84	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5452.960	49.37	1.72	51.09	54.00	-2.91	AVG
2	5460.000	48.76	1.73	50.49	54.00	-3.51	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.760	51.27	1.72	52.99	54.00	-1.01	AVG
2	5460.000	50.61	1.73	52.34	54.00	-1.66	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.275	49.24	1.72	50.96	54.00	-3.04	AVG
2	5460.000	48.78	1.73	50.51	54.00	-3.49	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5452.850	50.34	1.72	52.06	54.00	-1.94	AVG
2*	5460.000	50.57	1.73	52.30	54.00	-1.70	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5424.375	48.82	1.63	50.45	54.00	-3.55	AVG
2	5460.000	48.20	1.73	49.93	54.00	-4.07	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5444.375	49.30	1.70	51.00	54.00	-3.00	AVG
2	5460.000	49.08	1.73	50.81	54.00	-3.19	AVG

Beamforming on

Harmonic


Above 1 GHz

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	34.22	13.82	48.04	68.20	-20.16	peak
2	15540.000	33.41	16.74	50.15	74.00	-23.85	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	33.19	13.82	47.01	68.20	-21.19	peak
2	15540.000	33.29	16.74	50.03	74.00	-23.97	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	33.97	14.05	48.02	68.20	-20.18	peak
2	15600.000	31.96	16.51	48.47	74.00	-25.53	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	33.89	14.05	47.94	68.20	-20.26	peak
2	15600.000	32.78	16.51	49.29	74.00	-24.71	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	33.52	14.26	47.78	68.20	-20.42	peak
2	15720.000	31.89	16.48	48.37	74.00	-25.63	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	34.63	14.26	48.89	68.20	-19.31	peak
2	15720.000	32.36	16.48	48.84	74.00	-25.16	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	32.65	14.31	46.96	68.20	-21.24	peak
2	15780.000	31.51	16.38	47.89	74.00	-26.11	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	32.76	14.31	47.07	68.20	-21.13	peak
2	15780.000	31.94	16.38	48.32	74.00	-25.68	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	32.07	14.31	46.38	68.20	-21.82	peak
2	15840.000	31.16	16.18	47.34	74.00	-26.66	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	33.22	14.31	47.53	68.20	-20.67	peak
2	15840.000	31.32	16.18	47.50	74.00	-26.50	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10640.000	32.97	14.19	47.16	74.00	-26.84	peak
2	15960.000	30.89	15.77	46.66	74.00	-27.34	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	32.35	14.19	46.54	74.00	-27.46	peak
2*	15960.000	32.95	15.77	48.72	74.00	-25.28	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	32.59	14.22	46.81	74.00	-27.19	peak
2*	16500.000	31.18	16.87	48.05	68.20	-20.15	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	32.32	14.22	46.54	74.00	-27.46	peak
2*	16500.000	31.77	16.87	48.64	68.20	-19.56	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	34.03	14.49	48.52	74.00	-25.48	peak
2*	16680.000	31.54	17.98	49.52	68.20	-18.68	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	34.16	14.49	48.65	74.00	-25.35	peak
2*	16680.000	33.32	17.98	51.30	68.20	-16.90	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	31.51	14.26	45.77	74.00	-28.23	peak
2*	17100.000	32.50	20.69	53.19	68.20	-15.01	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	32.73	14.26	46.99	74.00	-27.01	peak
2*	17100.000	32.02	20.69	52.71	68.20	-15.49	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	31.64	14.56	46.20	74.00	-27.80	peak
2*	17160.000	31.13	21.09	52.22	68.20	-15.98	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	32.43	14.56	46.99	74.00	-27.01	peak
2*	17160.000	31.05	21.09	52.14	68.20	-16.06	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	31.83	14.93	46.76	74.00	-27.24	peak
2*	17235.000	31.52	21.70	53.22	68.20	-14.98	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	32.57	14.93	47.50	74.00	-26.50	peak
2*	17235.000	31.04	21.70	52.74	68.20	-15.46	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	32.86	14.60	47.46	74.00	-26.54	peak
2*	17355.000	31.52	22.64	54.16	68.20	-14.04	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	31.28	14.60	45.88	74.00	-28.12	peak
2*	17355.000	31.41	22.64	54.05	68.20	-14.15	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	31.56	14.39	45.95	74.00	-28.05	peak
2*	17475.000	30.86	23.92	54.78	68.20	-13.42	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	31.06	14.39	45.45	74.00	-28.55	peak
2*	17475.000	31.75	23.92	55.67	68.20	-12.53	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	33.75	13.93	47.68	68.20	-20.52	peak
2	15570.000	32.81	16.62	49.43	74.00	-24.57	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	32.82	13.93	46.75	68.20	-21.45	peak
2	15570.000	31.83	16.62	48.45	74.00	-25.55	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	32.18	14.20	46.38	68.20	-21.82	peak
2	15690.000	31.75	16.52	48.27	74.00	-25.73	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	33.68	14.20	47.88	68.20	-20.32	peak
2	15690.000	31.92	16.52	48.44	74.00	-25.56	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	32.51	14.32	46.83	68.20	-21.37	peak
2	15810.000	31.40	16.29	47.69	74.00	-26.31	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	33.13	14.32	47.45	68.20	-20.75	peak
2	15810.000	31.44	16.29	47.73	74.00	-26.27	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10620.000	33.12	14.26	47.38	74.00	-26.62	peak
2	15930.000	31.28	15.86	47.14	74.00	-26.86	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10620.000	32.93	14.26	47.19	74.00	-26.81	peak
2	15930.000	30.84	15.86	46.70	74.00	-27.30	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	32.23	14.29	46.52	74.00	-27.48	peak
2*	16530.000	31.63	17.05	48.68	68.20	-19.52	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	33.53	14.29	47.82	74.00	-26.18	peak
2*	16530.000	32.25	17.05	49.30	68.20	-18.90	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	32.89	14.56	47.45	74.00	-26.55	peak
2*	16650.000	31.32	17.78	49.10	68.20	-19.10	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	32.77	14.56	47.33	74.00	-26.67	peak
2*	16650.000	31.65	17.78	49.43	68.20	-18.77	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	32.06	14.36	46.42	74.00	-27.58	peak
2*	17010.000	32.11	19.92	52.03	68.20	-16.17	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	33.51	14.36	47.87	74.00	-26.13	peak
2*	17010.000	31.41	19.92	51.33	68.20	-16.87	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	31.88	14.41	46.29	74.00	-27.71	peak
2*	17130.000	31.83	20.89	52.72	68.20	-15.48	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	32.15	14.41	46.56	74.00	-27.44	peak
2*	17130.000	31.99	20.89	52.88	68.20	-15.32	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	31.60	14.94	46.54	74.00	-27.46	peak
2*	17265.000	31.44	21.98	53.42	68.20	-14.78	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	31.98	14.94	46.92	74.00	-27.08	peak
2*	17265.000	31.26	21.98	53.24	68.20	-14.96	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	33.03	14.49	47.52	74.00	-26.48	peak
2*	17385.000	31.29	22.80	54.09	68.20	-14.11	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	32.54	14.49	47.03	74.00	-26.97	peak
2*	17385.000	31.48	22.80	54.28	68.20	-13.92	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	33.41	14.10	47.51	68.20	-20.69	peak
2	15630.000	32.22	16.52	48.74	74.00	-25.26	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	33.54	14.10	47.64	68.20	-20.56	peak
2	15630.000	31.89	16.52	48.41	74.00	-25.59	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	33.22	14.32	47.54	68.20	-20.66	peak
2	15870.000	32.75	16.06	48.81	74.00	-25.19	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	32.98	14.32	47.30	68.20	-20.90	peak
2	15870.000	31.04	16.06	47.10	74.00	-26.90	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	32.78	14.42	47.20	74.00	-26.80	peak
2*	16590.000	33.04	17.39	50.43	68.20	-17.77	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	32.02	14.42	46.44	74.00	-27.56	peak
2*	16590.000	32.52	17.39	49.91	68.20	-18.29	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	32.48	14.24	46.72	74.00	-27.28	peak
2*	16830.000	32.12	19.09	51.21	68.20	-16.99	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	32.42	14.24	46.66	74.00	-27.34	peak
2*	16830.000	32.26	19.09	51.35	68.20	-16.85	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	32.63	14.29	46.92	74.00	-27.08	peak
2*	17070.000	31.89	20.43	52.32	68.20	-15.88	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	32.53	14.29	46.82	74.00	-27.18	peak
2*	17070.000	31.59	20.43	52.02	68.20	-16.18	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	31.59	14.71	46.30	74.00	-27.70	peak
2*	17325.000	33.07	22.46	55.53	68.20	-12.67	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	32.51	14.71	47.22	74.00	-26.78	peak
2*	17325.000	31.53	22.46	53.99	68.20	-14.21	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	31.50	13.99	45.49	68.20	-22.71	peak
2	15540.000	31.11	17.31	48.42	74.00	-25.58	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10360.000	30.78	13.99	44.77	68.20	-23.43	peak
2	15540.000	31.39	17.31	48.70	74.00	-25.30	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	32.39	14.10	46.49	68.20	-21.71	peak
2	15600.000	31.91	17.01	48.92	74.00	-25.08	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10400.000	32.47	14.10	46.57	68.20	-21.63	peak
2	15600.000	33.44	17.01	50.45	74.00	-23.55	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	32.55	14.54	47.09	68.20	-21.11	peak
2	15720.000	31.90	17.34	49.24	74.00	-24.76	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10480.000	32.28	14.54	46.82	68.20	-21.38	peak
2	15720.000	31.36	17.34	48.70	74.00	-25.30	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	32.99	14.60	47.59	68.20	-20.61	peak
2	15780.000	32.24	17.10	49.34	74.00	-24.66	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10520.000	32.12	14.60	46.72	68.20	-21.48	peak
2	15780.000	31.66	17.10	48.76	74.00	-25.24	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	32.56	14.48	47.04	68.20	-21.16	peak
2	15840.000	33.85	16.90	50.75	74.00	-23.25	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10560.000	31.95	14.48	46.43	68.20	-21.77	peak
2	15840.000	32.36	16.90	49.26	74.00	-24.74	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	33.53	14.41	47.94	74.00	-26.06	peak
2*	15960.000	33.18	16.55	49.73	74.00	-24.27	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	32.52	14.41	46.93	74.00	-27.07	peak
2*	15960.000	32.85	16.55	49.40	74.00	-24.60	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	31.99	14.73	46.72	74.00	-27.28	peak
2*	16500.000	31.95	17.77	49.72	68.20	-18.48	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	31.92	14.73	46.65	74.00	-27.35	peak
2*	16500.000	32.74	17.77	50.51	68.20	-17.69	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	35.92	14.79	50.71	74.00	-23.29	peak
2*	16680.000	42.56	18.61	61.17	68.20	-7.03	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11120.000	32.87	14.79	47.66	74.00	-26.34	peak
2*	16680.000	36.90	18.61	55.51	68.20	-12.69	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	31.66	15.07	46.73	74.00	-27.27	peak
2*	17100.000	31.56	20.64	52.20	68.20	-16.00	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	32.70	15.07	47.77	74.00	-26.23	peak
2*	17100.000	31.66	20.64	52.30	68.20	-15.90	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	33.65	15.23	48.88	74.00	-25.12	peak
2*	17160.000	31.91	21.25	53.16	68.20	-15.04	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11440.000	32.76	15.23	47.99	74.00	-26.01	peak
2*	17160.000	32.19	21.25	53.44	68.20	-14.76	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	33.21	15.42	48.63	74.00	-25.37	peak
2*	17235.000	31.45	22.01	53.46	68.20	-14.74	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	32.43	15.42	47.85	74.00	-26.15	peak
2*	17235.000	32.87	22.01	54.88	68.20	-13.32	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	35.24	15.21	50.45	74.00	-23.55	peak
2*	17355.000	31.42	22.96	54.38	68.20	-13.82	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	34.45	15.21	49.66	74.00	-24.34	peak
2*	17355.000	31.51	22.96	54.47	68.20	-13.73	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	34.80	15.04	49.84	74.00	-24.16	peak
2*	17475.000	33.53	23.95	57.48	68.20	-10.72	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	34.39	15.04	49.43	74.00	-24.57	peak
2*	17475.000	32.75	23.95	56.70	68.20	-11.50	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	34.67	14.04	48.71	68.20	-19.49	peak
2	15570.000	33.78	17.16	50.94	74.00	-23.06	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10380.000	34.93	14.04	48.97	68.20	-19.23	peak
2	15570.000	33.39	17.16	50.55	74.00	-23.45	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	35.07	14.43	49.50	68.20	-18.70	peak
2	15690.000	33.27	17.37	50.64	74.00	-23.36	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10460.000	34.46	14.43	48.89	68.20	-19.31	peak
2	15690.000	33.47	17.37	50.84	74.00	-23.16	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	34.38	14.55	48.93	68.20	-19.27	peak
2	15810.000	33.83	17.00	50.83	74.00	-23.17	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10540.000	34.80	14.55	49.35	68.20	-18.85	peak
2	15810.000	33.58	17.00	50.58	74.00	-23.42	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	34.58	14.40	48.98	74.00	-25.02	peak
2*	15930.000	33.72	16.64	50.36	74.00	-23.64	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	34.74	14.40	49.14	74.00	-24.86	peak
2*	15930.000	34.28	16.64	50.92	74.00	-23.08	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	35.00	14.75	49.75	74.00	-24.25	peak
2*	16530.000	35.26	17.92	53.18	68.20	-15.02	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	34.77	14.75	49.52	74.00	-24.48	peak
2*	16530.000	33.56	17.92	51.48	68.20	-16.72	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	34.50	14.82	49.32	74.00	-24.68	peak
2*	16650.000	34.32	18.49	52.81	68.20	-15.39	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11100.000	34.35	14.82	49.17	74.00	-24.83	peak
2*	16650.000	34.90	18.49	53.39	68.20	-14.81	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	35.07	14.84	49.91	74.00	-24.09	peak
2*	17010.000	33.30	20.09	53.39	68.20	-14.81	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	35.29	14.84	50.13	74.00	-23.87	peak
2*	17010.000	34.41	20.09	54.50	68.20	-13.70	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	34.77	15.15	49.92	74.00	-24.08	peak
2*	17130.000	33.78	20.95	54.73	68.20	-13.47	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11420.000	34.46	15.15	49.61	74.00	-24.39	peak
2*	17130.000	34.21	20.95	55.16	68.20	-13.04	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	33.88	15.42	49.30	74.00	-24.70	peak
2*	17265.000	35.33	22.32	57.65	68.20	-10.55	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	35.35	15.42	50.77	74.00	-23.23	peak
2*	17265.000	34.61	22.32	56.93	68.20	-11.27	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	33.27	15.14	48.41	74.00	-25.59	peak
2*	17385.000	32.43	23.11	55.54	68.20	-12.66	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	34.15	15.14	49.29	74.00	-24.71	peak
2*	17385.000	32.10	23.11	55.21	68.20	-12.99	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	35.17	14.20	49.37	68.20	-18.83	peak
2	15630.000	33.69	17.14	50.83	74.00	-23.17	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10420.000	35.19	14.20	49.39	68.20	-18.81	peak
2	15630.000	33.71	17.14	50.85	74.00	-23.15	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	34.62	14.43	49.05	68.20	-19.15	peak
2	15870.000	34.01	16.81	50.82	74.00	-23.18	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	10580.000	35.43	14.43	49.86	68.20	-18.34	peak
2	15870.000	34.18	16.81	50.99	74.00	-23.01	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	35.43	14.78	50.21	74.00	-23.79	peak
2*	16590.000	34.28	18.23	52.51	68.20	-15.69	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11060.000	35.60	14.78	50.38	74.00	-23.62	peak
2*	16590.000	35.41	18.23	53.64	68.20	-14.56	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	34.03	14.70	48.73	74.00	-25.27	peak
2*	16830.000	34.82	19.36	54.18	68.20	-14.02	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11220.000	35.10	14.70	49.80	74.00	-24.20	peak
2*	16830.000	33.85	19.36	53.21	68.20	-14.99	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	35.58	15.00	50.58	74.00	-23.42	peak
2*	17070.000	34.41	20.46	54.87	68.20	-13.33	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11380.000	35.34	15.00	50.34	74.00	-23.66	peak
2*	17070.000	35.09	20.46	55.55	68.20	-12.65	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	33.48	15.28	48.76	74.00	-25.24	peak
2*	17325.000	32.93	22.79	55.72	68.20	-12.48	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11550.000	33.43	15.28	48.71	74.00	-25.29	peak
2*	17325.000	32.84	22.79	55.63	68.20	-12.57	peak

Band Edge


Beamforming on - Peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5095.840	60.53	1.11	61.64	74.00	-12.36	peak
2	5150.000	58.73	1.13	59.86	74.00	-14.14	peak
3*	5180.960	105.34	0.94	106.28	68.20	38.08	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5008.440	61.66	0.53	62.19	74.00	-11.81	peak
2	5150.000	57.13	1.13	58.26	74.00	-15.74	peak
3*	5177.920	107.47	0.96	108.43	68.20	40.23	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5142.240	59.15	1.13	60.28	74.00	-13.72	peak
2	5150.000	59.20	1.13	60.33	74.00	-13.67	peak
3*	5197.920	111.45	0.83	112.28	68.20	44.08	peak
4	5350.000	50.31	0.89	51.20	74.00	-22.80	peak
5	5399.520	52.01	1.27	53.28	74.00	-20.72	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5133.600	55.37	1.12	56.49	74.00	-17.51	peak
2	5150.000	58.65	1.13	59.78	74.00	-14.22	peak
3*	5202.720	112.04	0.81	112.85	68.20	44.65	peak
4	5350.000	49.40	0.89	50.29	74.00	-23.71	peak
5	5374.560	52.64	1.08	53.72	74.00	-20.28	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5129.760	53.30	1.13	54.43	74.00	-19.57	peak
2	5150.000	54.47	1.13	55.60	74.00	-18.40	peak
3*	5244.000	111.75	0.80	112.55	68.20	44.35	peak
4	5350.000	51.36	0.89	52.25	74.00	-21.75	peak
5	5399.520	52.88	1.27	54.15	74.00	-19.85	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5124.960	53.64	1.13	54.77	74.00	-19.23	peak
2	5150.000	52.68	1.13	53.81	74.00	-20.19	peak
3*	5241.120	114.97	0.81	115.78	68.20	47.58	peak
4	5350.000	51.00	0.89	51.89	74.00	-22.11	peak
5	5402.400	53.29	1.30	54.59	74.00	-19.41	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5105.760	53.80	1.14	54.94	74.00	-19.06	peak
2	5150.000	52.29	1.13	53.42	74.00	-20.58	peak
3*	5261.280	112.69	0.78	113.47	68.20	45.27	peak
4	5350.000	51.38	0.89	52.27	74.00	-21.73	peak
5	5383.200	53.03	1.14	54.17	74.00	-19.83	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5138.400	53.70	1.13	54.83	74.00	-19.17	peak
2	5150.000	50.29	1.13	51.42	74.00	-22.58	peak
3*	5258.400	112.27	0.79	113.06	68.20	44.86	peak
4	5350.000	54.10	0.89	54.99	74.00	-19.01	peak
5	5418.720	52.77	1.46	54.23	74.00	-19.77	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5128.800	53.30	1.13	54.43	74.00	-19.57	peak
2	5150.000	51.52	1.13	52.65	74.00	-21.35	peak
3*	5277.600	113.71	0.75	114.46	68.20	46.26	peak
4	5350.000	61.62	0.89	62.51	74.00	-11.49	peak
5	5364.960	60.52	1.00	61.52	74.00	-12.48	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5093.280	53.40	1.10	54.50	74.00	-19.50	peak
2	5150.000	53.32	1.13	54.45	74.00	-19.55	peak
3*	5278.560	114.24	0.75	114.99	68.20	46.79	peak
4	5350.000	60.49	0.89	61.38	74.00	-12.62	peak
5	5358.240	62.00	0.95	62.95	74.00	-11.05	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5318.160	108.57	0.77	109.34	68.20	41.14	peak
2	5350.000	60.46	0.89	61.35	74.00	-12.65	peak
3	5353.680	60.93	0.91	61.84	74.00	-12.16	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5320.560	109.45	0.78	110.23	68.20	42.03	peak
2	5350.000	58.09	0.89	58.98	74.00	-15.02	peak
3	5352.480	59.76	0.90	60.66	74.00	-13.34	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5452.480	58.54	1.77	60.31	74.00	-13.69	peak
2	5460.000	56.19	1.79	57.98	74.00	-16.02	peak
3	5466.400	61.71	1.79	63.50	68.20	-4.70	peak
4	5470.000	59.60	1.80	61.40	68.20	-6.80	peak
5*	5498.800	108.25	1.85	110.10	68.20	41.90	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5428.960	58.28	1.55	59.83	74.00	-14.17	peak
2	5460.000	57.08	1.79	58.87	74.00	-15.13	peak
3	5467.360	62.57	1.79	64.36	68.20	-3.84	peak
4	5470.000	60.64	1.80	62.44	68.20	-5.76	peak
5*	5502.160	109.10	1.85	110.95	68.20	42.75	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.525	54.77	1.77	56.54	74.00	-17.46	peak
2	5460.000	52.19	1.79	53.98	74.00	-20.02	peak
3	5462.200	56.83	1.79	58.62	68.20	-9.58	peak
4*	5470.000	52.12	1.80	53.92	68.20	-14.28	peak
5*	5561.650	111.95	1.68	113.63	68.20	45.43	peak
6	5725.000	49.93	1.89	51.82	68.20	-16.38	peak
7	5767.775	51.81	2.34	54.15	68.20	-14.05	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.525	54.49	1.77	56.26	74.00	-17.74	peak
2	5460.000	51.52	1.79	53.31	74.00	-20.69	peak
3	5466.450	57.50	1.79	59.29	68.20	-8.91	peak
4	5470.000	57.44	1.80	59.24	68.20	-8.96	peak
5*	5558.250	111.88	1.68	113.56	68.20	45.36	peak
6	5725.000	50.94	1.89	52.83	68.20	-15.37	peak
7	5726.975	52.85	1.92	54.77	68.20	-13.43	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5701.775	101.61	1.60	103.21	68.20	35.01	peak
2	5725.000	57.85	1.89	59.74	68.20	-8.46	peak
3	5732.080	59.87	1.98	61.85	68.20	-6.35	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5700 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5699.020	107.47	1.58	109.05	68.20	40.85	peak
2	5725.000	61.10	1.89	62.99	68.20	-5.21	peak
3	5725.265	62.53	1.89	64.42	68.20	-3.78	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5423.750	58.64	1.51	60.15	74.00	-13.85	peak
2	5460.000	55.68	1.79	57.47	74.00	-16.53	peak
3	5466.875	58.24	1.79	60.03	68.20	-8.17	peak
4	5470.000	56.66	1.80	58.46	68.20	-9.74	peak
5*	5718.750	108.64	1.81	110.45	68.20	42.25	peak
6	5850.000	57.26	2.57	59.83	68.20	-8.37	peak
7	5867.500	59.44	2.62	62.06	68.20	-6.14	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5443.125	57.96	1.70	59.66	74.00	-14.34	peak
2	5460.000	55.57	1.79	57.36	74.00	-16.64	peak
3	5470.000	55.67	1.80	57.47	68.20	-10.73	peak
4*	5717.500	113.48	1.80	115.28	68.20	47.08	peak
5	5850.000	56.96	2.57	59.53	68.20	-8.67	peak
6	5924.375	60.52	2.58	63.10	68.20	-5.10	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5745 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5637.125	59.65	1.64	61.29	68.20	-6.91	peak
2	5650.000	57.05	1.65	58.70	68.20	-9.50	peak
3	5700.000	71.28	1.58	72.86	105.20	-32.34	peak
4	5720.000	89.47	1.83	91.30	110.80	-19.50	peak
5	5725.000	94.38	1.89	96.27	122.20	-25.93	peak
6	5747.375	116.63	2.18	118.81	131.20	-12.39	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5745 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5632.250	59.66	1.64	61.30	68.20	-6.90	peak
2	5650.000	57.02	1.65	58.67	68.20	-9.53	peak
3	5700.000	72.11	1.58	73.69	105.20	-31.51	peak
4	5720.000	87.72	1.83	89.55	110.80	-21.25	peak
5	5725.000	93.94	1.89	95.83	122.20	-26.37	peak
6	5746.625	118.26	2.17	120.43	131.20	-10.77	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5613.125	58.70	1.63	60.33	68.20	-7.87	peak
2	5650.000	57.33	1.65	58.98	68.20	-9.22	peak
3	5700.000	59.30	1.58	60.88	105.20	-44.32	peak
4	5720.000	65.23	1.83	67.06	110.80	-43.74	peak
5	5725.000	68.54	1.89	70.43	122.20	-51.77	peak
6	5786.375	115.59	2.46	118.05	131.20	-13.15	peak
7	5850.000	65.12	2.57	67.69	122.20	-54.51	peak
8	5855.000	64.35	2.59	66.94	110.80	-43.86	peak
9	5875.000	58.27	2.64	60.91	105.20	-44.29	peak
10	5925.000	59.31	2.58	61.89	68.20	-6.31	peak
11*	5969.000	59.71	2.49	62.20	68.20	-6.00	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5785 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5608.625	59.39	1.62	61.01	68.20	-7.19	peak
2	5650.000	56.66	1.65	58.31	68.20	-9.89	peak
3	5700.000	59.75	1.58	61.33	105.20	-43.87	peak
4	5720.000	68.84	1.83	70.67	110.80	-40.13	peak
5	5725.000	70.00	1.89	71.89	122.20	-50.31	peak
6	5786.000	116.75	2.46	119.21	131.20	-11.99	peak
7	5850.000	70.04	2.57	72.61	122.20	-49.59	peak
8	5855.000	65.21	2.59	67.80	110.80	-43.00	peak
9	5875.000	61.33	2.64	63.97	105.20	-41.23	peak
10	5925.000	57.46	2.58	60.04	68.20	-8.16	peak
11*	5936.375	59.48	2.51	61.99	68.20	-6.21	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5828.000	116.87	2.56	119.43	131.20	-11.77	peak
2	5850.000	92.12	2.57	94.69	122.20	-27.51	peak
3	5855.000	85.80	2.59	88.39	110.80	-22.41	peak
4	5875.000	71.84	2.64	74.48	105.20	-30.72	peak
5	5925.000	51.89	2.58	54.47	68.20	-13.73	peak
6*	5929.625	54.52	2.55	57.07	68.20	-11.13	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5827.625	118.28	2.56	120.84	131.20	-10.36	peak
2	5850.000	87.54	2.57	90.11	122.20	-32.09	peak
3	5855.000	86.85	2.59	89.44	110.80	-21.36	peak
4	5875.000	70.78	2.64	73.42	105.20	-31.78	peak
5	5925.000	55.35	2.58	57.93	68.20	-10.27	peak
6*	5929.250	57.37	2.55	59.92	68.20	-8.28	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5126.240	61.37	1.14	62.51	74.00	-11.49	peak
2	5150.000	57.47	1.13	58.60	74.00	-15.40	peak
3*	5192.360	99.57	0.87	100.44	68.20	32.24	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.240	63.10	1.13	64.23	74.00	-9.77	peak
2	5150.000	58.50	1.13	59.63	74.00	-14.37	peak
3*	5186.280	103.85	0.90	104.75	68.20	36.55	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	63.04	1.13	64.17	74.00	-9.83	peak
2	5150.000	56.46	1.13	57.59	74.00	-16.41	peak
3*	5228.640	107.45	0.81	108.26	68.20	40.06	peak
4	5350.000	52.25	0.89	53.14	74.00	-20.86	peak
5	5358.240	53.95	0.95	54.90	74.00	-19.10	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	59.48	1.13	60.61	74.00	-13.39	peak
2	5150.000	59.56	1.13	60.69	74.00	-13.31	peak
3*	5228.640	107.08	0.81	107.89	68.20	39.69	peak
4	5350.000	50.69	0.89	51.58	74.00	-22.42	peak
5	5376.480	53.45	1.10	54.55	74.00	-19.45	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	55.39	1.13	56.52	74.00	-17.48	peak
2	5150.000	52.32	1.13	53.45	74.00	-20.55	peak
3*	5272.800	110.38	0.75	111.13	68.20	42.93	peak
4	5350.000	61.13	0.89	62.02	74.00	-11.98	peak
5	5357.280	60.95	0.94	61.89	74.00	-12.11	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5139.360	54.29	1.13	55.42	74.00	-18.58	peak
2	5150.000	53.34	1.13	54.47	74.00	-19.53	peak
3*	5274.720	111.22	0.76	111.98	68.20	43.78	peak
4	5350.000	61.15	0.89	62.04	74.00	-11.96	peak
5	5356.320	61.02	0.93	61.95	74.00	-12.05	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5306.400	102.69	0.72	103.41	68.20	35.21	peak
2	5350.000	58.80	0.89	59.69	74.00	-14.31	peak
3	5350.800	62.00	0.89	62.89	74.00	-11.11	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5308.320	107.54	0.73	108.27	68.20	40.07	peak
2	5350.000	59.87	0.89	60.76	74.00	-13.24	peak
3	5356.080	62.79	0.93	63.72	74.00	-10.28	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.240	59.89	1.78	61.67	74.00	-12.33	peak
2	5460.000	56.02	1.79	57.81	74.00	-16.19	peak
3	5467.600	62.75	1.80	64.55	68.20	-3.65	peak
4	5470.000	59.81	1.80	61.61	68.20	-6.59	peak
5*	5512.000	101.20	1.81	103.01	68.20	34.81	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.080	60.61	1.77	62.38	74.00	-11.62	peak
2	5460.000	57.99	1.79	59.78	74.00	-14.22	peak
3	5467.600	62.51	1.80	64.31	68.20	-3.89	peak
4	5470.000	58.97	1.80	60.77	68.20	-7.43	peak
5*	5506.000	105.67	1.84	107.51	68.20	39.31	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5450.300	58.14	1.77	59.91	74.00	-14.09	peak
2	5460.000	55.90	1.79	57.69	74.00	-16.31	peak
3	5466.025	61.35	1.79	63.14	68.20	-5.06	peak
4	5470.000	61.11	1.80	62.91	68.20	-5.29	peak
5*	5546.775	109.43	1.70	111.13	68.20	42.93	peak
6	5725.000	50.22	1.89	52.11	68.20	-16.09	peak
7	5747.800	52.51	2.18	54.69	68.20	-13.51	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5447.325	62.86	1.74	64.60	74.00	-9.40	peak
2	5460.000	57.38	1.79	59.17	74.00	-14.83	peak
3	5465.175	61.99	1.79	63.78	68.20	-4.42	peak
4	5470.000	59.37	1.80	61.17	68.20	-7.03	peak
5*	5553.575	110.13	1.68	111.81	68.20	43.61	peak
6	5725.000	52.59	1.89	54.48	68.20	-13.72	peak
7	5746.525	51.81	2.17	53.98	68.20	-14.22	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5667.990	104.28	1.62	105.90	68.20	37.70	peak
2	5725.000	57.26	1.89	59.15	68.20	-9.05	peak
3	5762.385	59.02	2.29	61.31	68.20	-6.89	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5672.485	107.09	1.63	108.72	68.20	40.52	peak
2	5725.000	59.23	1.89	61.12	68.20	-7.08	peak
3	5729.615	61.85	1.96	63.81	68.20	-4.39	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5443.125	57.61	1.70	59.31	74.00	-14.69	peak
2	5460.000	56.62	1.79	58.41	74.00	-15.59	peak
3	5470.000	55.37	1.80	57.17	68.20	-11.03	peak
4*	5713.750	106.33	1.75	108.08	68.20	39.88	peak
5	5850.000	57.72	2.57	60.29	68.20	-7.91	peak
6	5880.625	59.40	2.66	62.06	68.20	-6.14	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5445.000	58.66	1.72	60.38	74.00	-13.62	peak
2	5460.000	57.36	1.79	59.15	74.00	-14.85	peak
3	5470.000	56.56	1.80	58.36	68.20	-9.84	peak
4*	5706.875	108.69	1.66	110.35	68.20	42.15	peak
5	5850.000	57.18	2.57	59.75	68.20	-8.45	peak
6	5857.500	59.29	2.60	61.89	68.20	-6.31	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5637.875	61.05	1.64	62.69	68.20	-5.51	peak
2*	5650.000	62.82	1.65	64.47	68.20	-3.73	peak
3	5700.000	83.83	1.58	85.41	105.20	-19.79	peak
4	5720.000	90.92	1.83	92.75	110.80	-18.05	peak
5	5725.000	91.34	1.89	93.23	122.20	-28.97	peak
6	5757.875	113.59	2.27	115.86	131.20	-15.34	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5755 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5623.625	61.63	1.63	63.26	68.20	-4.94	peak
2	5650.000	58.72	1.65	60.37	68.20	-7.83	peak
3	5700.000	75.11	1.58	76.69	105.20	-28.51	peak
4	5720.000	88.76	1.83	90.59	110.80	-20.21	peak
5	5725.000	89.73	1.89	91.62	122.20	-30.58	peak
6	5757.125	114.37	2.26	116.63	131.20	-14.57	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5796.500	113.42	2.53	115.95	131.20	-15.25	peak
2	5850.000	76.66	2.57	79.23	122.20	-42.97	peak
3	5855.000	73.45	2.59	76.04	110.80	-34.76	peak
4	5875.000	67.50	2.64	70.14	105.20	-35.06	peak
5	5925.000	58.65	2.58	61.23	68.20	-6.97	peak
6*	5928.125	59.43	2.56	61.99	68.20	-6.21	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5795 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5796.875	113.51	2.53	116.04	131.20	-15.16	peak
2	5850.000	78.84	2.57	81.41	122.20	-40.79	peak
3	5855.000	76.05	2.59	78.64	110.80	-32.16	peak
4	5875.000	67.91	2.64	70.55	105.20	-34.65	peak
5	5925.000	57.12	2.58	59.70	68.20	-8.50	peak
6*	5931.500	59.50	2.54	62.04	68.20	-6.16	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5104.960	61.31	1.13	62.44	74.00	-11.56	peak
2	5150.000	57.89	1.13	59.02	74.00	-14.98	peak
3*	5214.400	96.42	0.81	97.23	68.20	29.03	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.000	60.54	1.13	61.67	74.00	-12.33	peak
2	5150.000	57.83	1.13	58.96	74.00	-15.04	peak
3*	5205.280	100.85	0.82	101.67	68.20	33.47	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5293.200	99.75	0.72	100.47	68.20	32.27	peak
2	5350.000	58.34	0.89	59.23	74.00	-14.77	peak
3	5360.160	59.20	0.97	60.17	74.00	-13.83	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5294.400	104.29	0.71	105.00	68.20	36.80	peak
2	5350.000	57.96	0.89	58.85	74.00	-15.15	peak
3	5352.960	60.45	0.91	61.36	74.00	-12.64	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.720	59.65	1.79	61.44	74.00	-12.56	peak
2	5460.000	59.34	1.79	61.13	74.00	-12.87	peak
3	5469.520	62.06	1.80	63.86	68.20	-4.34	peak
4	5470.000	58.55	1.80	60.35	68.20	-7.85	peak
5*	5528.320	98.69	1.77	100.46	68.20	32.26	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.640	59.58	1.77	61.35	74.00	-12.65	peak
2	5460.000	56.16	1.79	57.95	74.00	-16.05	peak
3	5464.720	61.10	1.79	62.89	68.20	-5.31	peak
4	5470.000	59.29	1.80	61.09	68.20	-7.11	peak
5*	5527.600	102.23	1.76	103.99	68.20	35.79	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.125	58.32	1.77	60.09	74.00	-13.91	peak
2	5460.000	56.02	1.79	57.81	74.00	-16.19	peak
3	5467.725	59.14	1.80	60.94	68.20	-7.26	peak
4	5470.000	57.06	1.80	58.86	68.20	-9.34	peak
5*	5605.850	103.11	1.62	104.73	68.20	36.53	peak
6	5725.000	61.34	1.89	63.23	68.20	-4.97	peak
7	5747.375	59.60	2.18	61.78	68.20	-6.42	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5408.650	58.45	1.36	59.81	74.00	-14.19	peak
2	5460.000	56.04	1.79	57.83	74.00	-16.17	peak
3	5470.000	57.26	1.80	59.06	68.20	-9.14	peak
4*	5606.275	105.44	1.62	107.06	68.20	38.86	peak
5	5725.000	58.41	1.89	60.30	68.20	-7.90	peak
6	5738.875	59.94	2.07	62.01	68.20	-6.19	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.750	58.15	1.77	59.92	74.00	-14.08	peak
2	5460.000	56.04	1.79	57.83	74.00	-16.17	peak
3	5470.000	56.21	1.80	58.01	68.20	-10.19	peak
4*	5693.750	103.62	1.58	105.20	68.20	37.00	peak
5	5850.000	58.67	2.57	61.24	68.20	-6.96	peak
6	5853.750	60.09	2.59	62.68	68.20	-5.52	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5371.875	58.55	1.05	59.60	74.00	-14.40	peak
2	5460.000	56.55	1.79	58.34	74.00	-15.66	peak
3	5470.000	58.83	1.80	60.63	68.20	-7.57	peak
4*	5692.500	107.55	1.59	109.14	68.20	40.94	peak
5	5850.000	60.07	2.57	62.64	68.20	-5.56	peak
6	5869.375	61.01	2.63	63.64	68.20	-4.56	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5642.750	60.59	1.65	62.24	68.20	-5.96	peak
2*	5650.000	60.83	1.65	62.48	68.20	-5.72	peak
3	5700.000	72.25	1.58	73.83	105.20	-31.37	peak
4	5720.000	77.95	1.83	79.78	110.80	-31.02	peak
5	5725.000	80.26	1.89	82.15	122.20	-40.05	peak
6	5778.875	109.40	2.40	111.80	131.20	-19.40	peak
7	5850.000	75.70	2.57	78.27	122.20	-43.93	peak
8	5855.000	70.88	2.59	73.47	110.80	-37.33	peak
9	5875.000	67.34	2.64	69.98	105.20	-35.22	peak
10	5925.000	58.33	2.58	60.91	68.20	-7.29	peak
11!	5932.625	59.76	2.53	62.29	68.20	-5.91	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5775 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5644.250	62.39	1.65	64.04	68.20	-4.16	peak
2	5650.000	59.56	1.65	61.21	68.20	-6.99	peak
3	5700.000	73.44	1.58	75.02	105.20	-30.18	peak
4	5720.000	78.79	1.83	80.62	110.80	-30.18	peak
5	5725.000	80.60	1.89	82.49	122.20	-39.71	peak
6	5781.875	109.91	2.43	112.34	131.20	-18.86	peak
7	5850.000	76.81	2.57	79.38	122.20	-42.82	peak
8	5855.000	70.93	2.59	73.52	110.80	-37.28	peak
9	5875.000	63.28	2.64	65.92	105.20	-39.28	peak
10	5925.000	55.97	2.58	58.55	68.20	-9.65	peak
11~	5927.375	60.31	2.57	62.88	68.20	-5.32	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.760	65.95	1.42	67.37	74.00	-6.63	peak
2	5150.000	64.96	1.42	66.38	74.00	-7.62	peak
3*	5178.680	115.25	1.35	116.60	68.20	48.40	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.280	65.05	1.42	66.47	74.00	-7.53	peak
2	5150.000	63.77	1.42	65.19	74.00	-8.81	peak
3*	5177.160	113.35	1.35	114.70	68.20	46.50	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	65.30	1.42	66.72	74.00	-7.28	peak
2	5150.000	64.19	1.42	65.61	74.00	-8.39	peak
3*	5200.800	119.24	1.28	120.52	68.20	52.32	peak
4	5350.000	56.96	1.08	58.04	74.00	-15.96	peak
5	5437.920	58.59	1.68	60.27	74.00	-13.73	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	60.87	1.42	62.29	74.00	-11.71	peak
2	5150.000	61.72	1.42	63.14	74.00	-10.86	peak
3*	5200.800	118.28	1.28	119.56	68.20	51.36	peak
4	5350.000	56.76	1.08	57.84	74.00	-16.16	peak
5	5418.720	57.89	1.61	59.50	74.00	-14.50	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5083.680	61.20	1.26	62.46	74.00	-11.54	peak
2	5150.000	61.31	1.42	62.73	74.00	-11.27	peak
3*	5244.000	121.97	1.09	123.06	68.20	54.86	peak
4	5350.000	56.73	1.08	57.81	74.00	-16.19	peak
5	5388.000	59.42	1.43	60.85	74.00	-13.15	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5071.200	60.98	1.19	62.17	74.00	-11.83	peak
2	5150.000	58.61	1.42	60.03	74.00	-13.97	peak
3*	5242.080	120.74	1.09	121.83	68.20	53.63	peak
4	5350.000	56.61	1.08	57.69	74.00	-16.31	peak
5	5408.160	58.21	1.57	59.78	74.00	-14.22	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5115.360	61.40	1.37	62.77	74.00	-11.23	peak
2	5150.000	59.30	1.42	60.72	74.00	-13.28	peak
3*	5267.040	121.56	1.00	122.56	68.20	54.36	peak
4	5350.000	60.17	1.08	61.25	74.00	-12.75	peak
5	5386.080	58.53	1.42	59.95	74.00	-14.05	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5087.520	60.95	1.28	62.23	74.00	-11.77	peak
2	5150.000	58.84	1.42	60.26	74.00	-13.74	peak
3*	5260.320	120.26	1.03	121.29	68.20	53.09	peak
4	5350.000	58.75	1.08	59.83	74.00	-14.17	peak
5	5353.440	59.28	1.11	60.39	74.00	-13.61	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5118.240	60.64	1.38	62.02	74.00	-11.98	peak
2	5150.000	59.01	1.42	60.43	74.00	-13.57	peak
3*	5275.680	121.55	0.99	122.54	68.20	54.34	peak
4	5350.000	61.65	1.08	62.73	74.00	-11.27	peak
5	5353.440	62.71	1.11	63.82	74.00	-10.18	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5139.360	61.19	1.40	62.59	74.00	-11.41	peak
2	5150.000	58.91	1.42	60.33	74.00	-13.67	peak
3*	5270.880	121.58	1.00	122.58	68.20	54.38	peak
4	5350.000	62.69	1.08	63.77	74.00	-10.23	peak
5	5373.600	64.08	1.30	65.38	74.00	-8.62	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5318.400	116.62	0.98	117.60	68.20	49.40	peak
2	5350.000	65.33	1.08	66.41	74.00	-7.59	peak
3	5350.560	66.20	1.08	67.28	74.00	-6.72	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5318.400	115.17	0.98	116.15	68.20	47.95	peak
2	5350.000	64.16	1.08	65.24	74.00	-8.76	peak
3	5351.040	67.86	1.09	68.95	74.00	-5.05	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5406.880	60.00	1.56	61.56	74.00	-12.44	peak
2	5460.000	57.49	1.73	59.22	74.00	-14.78	peak
3	5469.520	65.45	1.74	67.19	68.20	-1.01	peak
4	5470.000	63.39	1.74	65.13	68.20	-3.07	peak
5*	5504.560	115.70	1.80	117.50	68.20	49.30	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.680	60.12	1.73	61.85	74.00	-12.15	peak
2	5460.000	58.30	1.73	60.03	74.00	-13.97	peak
3	5467.600	64.61	1.74	66.35	68.20	-1.85	peak
4	5470.000	63.30	1.74	65.04	68.20	-3.16	peak
5*	5492.800	116.20	1.77	117.97	68.20	49.77	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5429.050	59.26	1.65	60.91	74.00	-13.09	peak
2	5460.000	55.68	1.73	57.41	74.00	-16.59	peak
3	5463.900	59.09	1.73	60.82	68.20	-7.38	peak
4	5470.000	56.73	1.74	58.47	68.20	-9.73	peak
5*	5562.075	120.68	2.04	122.72	68.20	54.52	peak
6	5725.000	55.87	2.30	58.17	68.20	-10.03	peak
7	5772.025	58.94	2.67	61.61	68.20	-6.59	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.275	58.64	1.72	60.36	74.00	-13.64	peak
2	5460.000	55.79	1.73	57.52	74.00	-16.48	peak
3	5469.850	59.04	1.74	60.78	68.20	-7.42	peak
4	5470.000	57.68	1.74	59.42	68.20	-8.78	peak
5*	5565.475	120.37	2.05	122.42	68.20	54.22	peak
6	5725.000	56.75	2.30	59.05	68.20	-9.15	peak
7	5749.075	60.64	2.53	63.17	68.20	-5.03	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5700.470	112.82	2.06	114.88	68.20	46.68	peak
2	5725.000	62.26	2.30	64.56	68.20	-3.64	peak
3	5726.135	61.40	2.31	63.71	68.20	-4.49	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5700 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5707.865	112.14	2.14	114.28	68.20	46.08	peak
2	5725.000	58.61	2.30	60.91	68.20	-7.29	peak
3	5725.410	61.04	2.30	63.34	68.20	-4.86	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5432.500	57.94	1.65	59.59	74.00	-14.41	peak
2	5460.000	56.65	1.73	58.38	74.00	-15.62	peak
3	5466.875	57.39	1.74	59.13	68.20	-9.07	peak
4	5470.000	56.44	1.74	58.18	68.20	-10.02	peak
5*	5718.125	117.52	2.24	119.76	68.20	51.56	peak
6	5850.000	58.25	2.98	61.23	68.20	-6.97	peak
7	5928.750	60.26	3.09	63.35	68.20	-4.85	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5431.875	58.62	1.65	60.27	74.00	-13.73	peak
2	5460.000	55.08	1.73	56.81	74.00	-17.19	peak
3	5465.625	57.48	1.74	59.22	68.20	-8.98	peak
4	5470.000	55.82	1.74	57.56	68.20	-10.64	peak
5*	5716.875	119.95	2.23	122.18	68.20	53.98	peak
6	5850.000	60.00	2.98	62.98	68.20	-5.22	peak
7	5860.625	59.34	3.02	62.36	68.20	-5.84	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5633.750	59.41	1.94	61.35	68.20	-6.85	peak
2	5650.000	57.67	1.90	59.57	68.20	-8.63	peak
3	5700.000	75.46	2.06	77.52	105.20	-27.68	peak
4	5720.000	90.52	2.26	92.78	110.80	-18.02	peak
5	5725.000	96.68	2.30	98.98	122.20	-23.22	peak
6	5740.250	119.11	2.44	121.55	131.20	-9.65	peak
7	5850.000	59.21	2.98	62.19	122.20	-60.01	peak
8	5855.000	57.53	3.01	60.54	110.80	-50.26	peak
9	5875.000	56.37	3.07	59.44	105.20	-45.76	peak
10	5925.000	56.72	3.10	59.82	68.20	-8.38	peak
11*	5936.375	58.67	3.05	61.72	68.20	-6.48	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5745 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5615.375	60.68	1.98	62.66	68.20	-5.54	peak
2	5650.000	58.38	1.90	60.28	68.20	-7.92	peak
3	5700.000	72.50	2.06	74.56	105.20	-30.64	peak
4	5720.000	89.47	2.26	91.73	110.80	-19.07	peak
5	5725.000	95.52	2.30	97.82	122.20	-24.38	peak
6	5753.000	121.50	2.55	124.05	131.20	-7.15	peak
7	5850.000	58.11	2.98	61.09	122.20	-61.11	peak
8	5855.000	60.12	3.01	63.13	110.80	-47.67	peak
9	5875.000	58.45	3.07	61.52	105.20	-43.68	peak
10	5925.000	57.07	3.10	60.17	68.20	-8.03	peak
11	5943.500	58.74	3.05	61.79	68.20	-6.41	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5639.750	59.24	1.92	61.16	68.20	-7.04	peak
2	5650.000	57.42	1.90	59.32	68.20	-8.88	peak
3	5700.000	59.10	2.06	61.16	105.20	-44.04	peak
4	5720.000	64.34	2.26	66.60	110.80	-44.20	peak
5	5725.000	65.34	2.30	67.64	122.20	-54.56	peak
6	5790.125	119.68	2.76	122.44	131.20	-8.76	peak
7	5850.000	63.52	2.98	66.50	122.20	-55.70	peak
8	5855.000	61.67	3.01	64.68	110.80	-46.12	peak
9	5875.000	58.48	3.07	61.55	105.20	-43.65	peak
10	5925.000	56.23	3.10	59.33	68.20	-8.87	peak
11*	5967.875	58.58	3.13	61.71	68.20	-6.49	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5785 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5604.875	59.36	2.02	61.38	68.20	-6.82	peak
2	5650.000	57.11	1.90	59.01	68.20	-9.19	peak
3	5700.000	59.60	2.06	61.66	105.20	-43.54	peak
4	5720.000	66.79	2.26	69.05	110.80	-41.75	peak
5	5725.000	67.58	2.30	69.88	122.20	-52.32	peak
6	5788.250	119.87	2.75	122.62	131.20	-8.58	peak
7	5850.000	66.51	2.98	69.49	122.20	-52.71	peak
8	5855.000	66.11	3.01	69.12	110.80	-41.68	peak
9	5875.000	60.18	3.07	63.25	105.20	-41.95	peak
10	5925.000	55.69	3.10	58.79	68.20	-9.41	peak
11*	5928.125	58.71	3.09	61.80	68.20	-6.40	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5622.875	59.16	1.97	61.13	68.20	-7.07	peak
2	5650.000	59.03	1.90	60.93	68.20	-7.27	peak
3	5700.000	56.24	2.06	58.30	105.20	-46.90	peak
4	5720.000	56.55	2.26	58.81	110.80	-51.99	peak
5	5725.000	57.21	2.30	59.51	122.20	-62.69	peak
6	5824.250	118.63	2.89	121.52	131.20	-9.68	peak
7	5850.000	90.91	2.98	93.89	122.20	-28.31	peak
8	5855.000	85.92	3.01	88.93	110.80	-21.87	peak
9	5875.000	75.96	3.07	79.03	105.20	-26.17	peak
10	5925.000	56.33	3.10	59.43	68.20	-8.77	peak
11*	5927.000	59.37	3.09	62.46	68.20	-5.74	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5825 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5619.500	59.32	1.98	61.30	68.20	-6.90	peak
2	5650.000	56.98	1.90	58.88	68.20	-9.32	peak
3	5700.000	57.76	2.06	59.82	105.20	-45.38	peak
4	5720.000	56.69	2.26	58.95	110.80	-51.85	peak
5	5725.000	58.43	2.30	60.73	122.20	-61.47	peak
6	5828.375	119.39	2.92	122.31	131.20	-8.89	peak
7	5850.000	91.11	2.98	94.09	122.20	-28.11	peak
8	5855.000	85.24	3.01	88.25	110.80	-22.55	peak
9	5875.000	70.66	3.07	73.73	105.20	-31.47	peak
10!	5925.000	59.43	3.10	62.53	68.20	-5.67	peak
11*	5932.625	59.79	3.07	62.86	68.20	-5.34	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.000	64.11	1.42	65.53	74.00	-8.47	peak
2	5150.000	61.41	1.42	62.83	74.00	-11.17	peak
3*	5175.640	111.36	1.36	112.72	68.20	44.52	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.280	61.21	1.42	62.63	74.00	-11.37	peak
2	5150.000	59.05	1.42	60.47	74.00	-13.53	peak
3*	5180.200	108.67	1.34	110.01	68.20	41.81	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	64.06	1.42	65.48	74.00	-8.52	peak
2	5150.000	61.73	1.42	63.15	74.00	-10.85	peak
3*	5231.520	115.73	1.14	116.87	68.20	48.67	peak
4	5350.000	56.99	1.08	58.07	74.00	-15.93	peak
5	5370.720	58.64	1.28	59.92	74.00	-14.08	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5136.480	60.34	1.40	61.74	74.00	-12.26	peak
2	5150.000	60.08	1.42	61.50	74.00	-12.50	peak
3*	5228.640	113.64	1.15	114.79	68.20	46.59	peak
4	5350.000	57.20	1.08	58.28	74.00	-15.72	peak
5	5416.800	58.35	1.60	59.95	74.00	-14.05	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5105.760	61.61	1.36	62.97	74.00	-11.03	peak
2	5150.000	58.59	1.42	60.01	74.00	-13.99	peak
3*	5270.880	117.10	1.00	118.10	68.20	49.90	peak
4	5350.000	62.01	1.08	63.09	74.00	-10.91	peak
5	5353.440	63.68	1.11	64.79	74.00	-9.21	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5095.200	61.14	1.33	62.47	74.00	-11.53	peak
2	5150.000	58.12	1.42	59.54	74.00	-14.46	peak
3*	5270.880	115.33	1.00	116.33	68.20	48.13	peak
4	5350.000	66.39	1.08	67.47	74.00	-6.53	peak
5	5351.520	63.89	1.09	64.98	74.00	-9.02	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5303.520	111.72	0.93	112.65	68.20	44.45	peak
2	5350.000	65.44	1.08	66.52	74.00	-7.48	peak
3	5352.240	66.54	1.10	67.64	74.00	-6.36	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5318.160	111.91	0.98	112.89	68.20	44.69	peak
2	5350.000	64.97	1.08	66.05	74.00	-7.95	peak
3	5352.960	68.60	1.10	69.70	74.00	-4.30	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.000	62.88	1.72	64.60	74.00	-9.40	peak
2	5460.000	57.48	1.73	59.21	74.00	-14.79	peak
3	5462.560	61.39	1.73	63.12	68.20	-5.08	peak
4	5466.640	64.11	1.74	65.85	68.20	-2.35	peak
5	5470.000	60.44	1.74	62.18	68.20	-6.02	peak
6*	5506.000	109.08	1.80	110.88	68.20	42.68	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5452.000	58.84	1.72	60.56	74.00	-13.44	peak
2	5460.000	58.26	1.73	59.99	74.00	-14.01	peak
3	5463.760	61.23	1.73	62.96	68.20	-5.24	peak
4	5467.120	63.21	1.74	64.95	68.20	-3.25	peak
5	5468.800	63.97	1.74	65.71	68.20	-2.49	peak
6	5470.000	58.84	1.74	60.58	68.20	-7.62	peak
7*	5511.280	108.85	1.85	110.70	68.20	42.50	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.825	61.85	1.72	63.57	74.00	-10.43	peak
2	5460.000	59.03	1.73	60.76	74.00	-13.24	peak
3	5467.725	64.26	1.74	66.00	68.20	-2.20	peak
4	5470.000	63.25	1.74	64.99	68.20	-3.21	peak
5*	5555.700	117.87	2.05	119.92	68.20	51.72	peak
6	5725.000	57.71	2.30	60.01	68.20	-8.19	peak
7	5741.850	59.10	2.45	61.55	68.20	-6.65	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5448.175	63.01	1.71	64.72	74.00	-9.28	peak
2	5460.000	57.84	1.73	59.57	74.00	-14.43	peak
3	5460.925	65.11	1.73	66.84	68.20	-1.36	peak
4	5466.025	64.30	1.74	66.04	68.20	-2.16	peak
5	5470.000	62.23	1.74	63.97	68.20	-4.23	peak
6*	5553.575	114.65	2.05	116.70	68.20	48.50	peak
7	5725.000	57.05	2.30	59.35	68.20	-8.85	peak
8	5741.850	59.36	2.45	61.81	68.20	-6.39	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5670.890	112.34	1.96	114.30	68.20	46.10	peak
2	5725.000	58.93	2.30	61.23	68.20	-6.97	peak
3	5725.990	64.32	2.31	66.63	68.20	-1.57	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5670 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5673.645	113.98	1.99	115.97	68.20	47.77	peak
2	5725.000	58.92	2.30	61.22	68.20	-6.98	peak
3	5728.455	62.64	2.33	64.97	68.20	-3.23	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5426.875	58.78	1.64	60.42	74.00	-13.58	peak
2	5460.000	57.87	1.73	59.60	74.00	-14.40	peak
3	5470.000	56.61	1.74	58.35	68.20	-9.85	peak
4*	5712.500	115.93	2.18	118.11	68.20	49.91	peak
5	5850.000	60.28	2.98	63.26	68.20	-4.94	peak
6	5866.250	63.43	3.03	66.46	68.20	-1.74	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5366.875	58.53	1.23	59.76	74.00	-14.24	peak
2	5460.000	58.34	1.73	60.07	74.00	-13.93	peak
3	5465.000	58.36	1.73	60.09	68.20	-8.11	peak
4	5470.000	57.48	1.74	59.22	68.20	-8.98	peak
5*	5723.750	117.38	2.29	119.67	68.20	51.47	peak
6	5850.000	62.07	2.98	65.05	68.20	-3.15	peak
7	5879.375	63.06	3.08	66.14	68.20	-2.06	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5648.375	64.86	1.91	66.77	68.20	-1.43	peak
2!	5650.000	61.60	1.90	63.50	68.20	-4.70	peak
3	5700.000	77.51	2.06	79.57	105.20	-25.63	peak
4	5720.000	92.76	2.26	95.02	110.80	-15.78	peak
5	5725.000	92.95	2.30	95.25	122.20	-26.95	peak
6	5764.250	115.09	2.62	117.71	131.20	-13.49	peak
7	5850.000	64.40	2.98	67.38	122.20	-54.82	peak
8	5855.000	64.38	3.01	67.39	110.80	-43.41	peak
9	5875.000	60.34	3.07	63.41	105.20	-41.79	peak
10	5925.000	57.38	3.10	60.48	68.20	-7.72	peak
11!	5938.625	59.16	3.07	62.23	68.20	-5.97	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5755 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5648.375	65.56	1.91	67.47	68.20	-0.73	peak
2!	5650.000	63.30	1.90	65.20	68.20	-3.00	peak
3!	5664.125	75.09	1.95	77.04	78.65	-1.61	peak
4	5700.000	76.86	2.06	78.92	105.20	-26.28	peak
5	5720.000	93.12	2.26	95.38	110.80	-15.42	peak
6	5725.000	94.81	2.30	97.11	122.20	-25.09	peak
7	5764.250	117.93	2.62	120.55	131.20	-10.65	peak
8	5850.000	65.79	2.98	68.77	122.20	-53.43	peak
9	5855.000	66.05	3.01	69.06	110.80	-41.74	peak
10	5875.000	61.11	3.07	64.18	105.20	-41.02	peak
11	5925.000	57.20	3.10	60.30	68.20	-7.90	peak
12	5959.250	58.66	3.08	61.74	68.20	-6.46	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5623.250	62.96	1.97	64.93	68.20	-3.27	peak
2!	5650.000	62.04	1.90	63.94	68.20	-4.26	peak
3	5700.000	67.79	2.06	69.85	105.20	-35.35	peak
4	5720.000	73.78	2.26	76.04	110.80	-34.76	peak
5	5725.000	78.87	2.30	81.17	122.20	-41.03	peak
6	5789.375	116.74	2.76	119.50	131.20	-11.70	peak
7	5850.000	84.21	2.98	87.19	122.20	-35.01	peak
8	5855.000	79.93	3.01	82.94	110.80	-27.86	peak
9	5875.000	73.61	3.07	76.68	105.20	-28.52	peak
10!	5925.000	61.27	3.10	64.37	68.20	-3.83	peak
11*	5929.625	62.68	3.08	65.76	68.20	-2.44	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5795 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1!	5609.000	60.56	2.00	62.56	68.20	-5.64	peak
2	5650.000	58.55	1.90	60.45	68.20	-7.75	peak
3	5700.000	65.82	2.06	67.88	105.20	-37.32	peak
4	5720.000	77.88	2.26	80.14	110.80	-30.66	peak
5	5725.000	79.22	2.30	81.52	122.20	-40.68	peak
6	5800.250	119.11	2.82	121.93	131.20	-9.27	peak
7	5850.000	84.45	2.98	87.43	122.20	-34.77	peak
8	5855.000	81.30	3.01	84.31	110.80	-26.49	peak
9	5875.000	72.21	3.07	75.28	105.20	-29.92	peak
10*	5925.000	64.02	3.10	67.12	68.20	-1.08	peak
11!	5925.125	64.02	3.10	67.12	68.20	-1.08	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5136.880	62.94	1.40	64.34	74.00	-9.66	peak
2	5150.000	58.97	1.42	60.39	74.00	-13.61	peak
3*	5222.000	107.80	1.18	108.98	68.20	40.78	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5122.440	62.45	1.38	63.83	74.00	-10.17	peak
2	5150.000	59.18	1.42	60.60	74.00	-13.40	peak
3*	5207.560	103.86	1.24	105.10	68.20	36.90	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5274.960	105.93	0.98	106.91	68.20	38.71	peak
2	5350.000	59.54	1.08	60.62	74.00	-13.38	peak
3	5359.920	59.63	1.18	60.81	74.00	-13.19	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5302.560	104.49	0.93	105.42	68.20	37.22	peak
2	5350.000	58.72	1.08	59.80	74.00	-14.20	peak
3	5354.160	60.30	1.11	61.41	74.00	-12.59	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5452.960	65.17	1.72	66.89	74.00	-7.11	peak
2	5460.000	59.49	1.73	61.22	74.00	-12.78	peak
3	5465.920	63.03	1.74	64.77	68.20	-3.43	peak
4	5465.920	63.03	1.74	64.77	68.20	-3.43	peak
5	5469.520	64.08	1.74	65.82	68.20	-2.38	peak
6	5470.000	61.71	1.74	63.45	68.20	-4.75	peak
7*	5517.760	107.02	1.87	108.89	68.20	40.69	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5452.960	62.69	1.72	64.41	74.00	-9.59	peak
2	5460.000	60.29	1.73	62.02	74.00	-11.98	peak
3	5466.640	62.64	1.74	64.38	68.20	-3.82	peak
4	5470.000	59.18	1.74	60.92	68.20	-7.28	peak
5*	5528.080	106.32	1.93	108.25	68.20	40.05	peak