



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5435.425	61.05	1.66	62.71	74.00	-11.29	peak
2	5460.000	59.79	1.73	61.52	74.00	-12.48	peak
3	5463.475	61.27	1.73	63.00	68.20	-5.20	peak
4	5470.000	60.28	1.74	62.02	68.20	-6.18	peak
5*	5607.975	111.75	2.01	113.76	68.20	45.56	peak
6	5725.000	60.50	2.30	62.80	68.20	-5.40	peak
7	5725.700	63.46	2.31	65.77	68.20	-2.43	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.125	59.35	1.72	61.07	74.00	-12.93	peak
2	5460.000	56.86	1.73	58.59	74.00	-15.41	peak
3	5466.450	60.14	1.74	61.88	68.20	-6.32	peak
4	5470.000	57.42	1.74	59.16	68.20	-9.04	peak
5*	5608.825	110.34	2.00	112.34	68.20	44.14	peak
6	5725.000	61.76	2.30	64.06	68.20	-4.14	peak
7	5733.350	62.52	2.39	64.91	68.20	-3.29	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			


No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.750	58.67	1.72	60.39	74.00	-13.61	peak
2	5460.000	57.53	1.73	59.26	74.00	-14.74	peak
3	5466.250	59.99	1.74	61.73	68.20	-6.47	peak
4	5470.000	57.50	1.74	59.24	68.20	-8.96	peak
5*	5695.625	112.57	2.05	114.62	68.20	46.42	peak
6	5850.000	62.43	2.98	65.41	68.20	-2.79	peak
7	5856.250	63.43	3.01	66.44	68.20	-1.76	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.500	59.38	1.72	61.10	74.00	-12.90	peak
2	5460.000	58.01	1.73	59.74	74.00	-14.26	peak
3	5470.000	57.97	1.74	59.71	68.20	-8.49	peak
4*	5694.375	112.83	2.05	114.88	68.20	46.68	peak
5	5850.000	62.30	2.98	65.28	68.20	-2.92	peak
6	5864.375	64.11	3.03	67.14	68.20	-1.06	peak


Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			



Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5648.750	65.22	1.91	67.13	68.20	-1.07	peak
2!	5650.000	64.07	1.90	65.97	68.20	-2.23	peak
3	5700.000	78.28	2.06	80.34	105.20	-24.86	peak
4	5720.000	84.84	2.26	87.10	110.80	-23.70	peak
5	5725.000	84.15	2.30	86.45	122.20	-35.75	peak
6	5762.750	111.40	2.61	114.01	131.20	-17.19	peak
7	5850.000	80.14	2.98	83.12	122.20	-39.08	peak
8	5855.000	77.75	3.01	80.76	110.80	-30.04	peak
9	5875.000	72.30	3.07	75.37	105.20	-29.83	peak
10!	5925.000	59.77	3.10	62.87	68.20	-5.33	peak
11!	5930.000	63.45	3.08	66.53	68.20	-1.67	peak

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			




Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5775 MHz		
Remark:			

No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5646.875	65.19	1.91	67.10	68.20	-1.10	peak
2!	5650.000	62.28	1.90	64.18	68.20	-4.02	peak
3	5700.000	78.29	2.06	80.35	105.20	-24.85	peak
4	5720.000	84.81	2.26	87.07	110.80	-23.73	peak
5	5725.000	84.40	2.30	86.70	122.20	-35.50	peak
6	5761.625	113.01	2.61	115.62	131.20	-15.58	peak
7	5850.000	82.54	2.98	85.52	122.20	-36.68	peak
8	5855.000	82.93	3.01	85.94	110.80	-24.86	peak
9	5875.000	72.30	3.07	75.37	105.20	-29.83	peak
10!	5925.000	61.37	3.10	64.47	68.20	-3.73	peak
11!	5927.000	63.65	3.09	66.74	68.20	-1.46	peak


Beamforming on - Average

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5137.640	49.63	1.13	50.76	54.00	-3.24	AVG
2	5150.000	49.46	1.13	50.59	54.00	-3.41	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5142.960	50.04	1.12	51.16	54.00	-2.84	AVG
2	5150.000	49.54	1.13	50.67	54.00	-3.33	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	46.43	1.13	47.56	54.00	-6.44	AVG
2*	5150.000	47.59	1.13	48.72	54.00	-5.28	AVG
3	5350.000	42.00	0.89	42.89	54.00	-11.11	AVG
4	5360.160	42.55	0.97	43.52	54.00	-10.48	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	47.51	1.13	48.64	54.00	-5.36	AVG
2*	5150.000	49.05	1.13	50.18	54.00	-3.82	AVG
3	5350.000	41.46	0.89	42.35	54.00	-11.65	AVG
4	5362.080	42.60	0.98	43.58	54.00	-10.42	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5139.360	43.57	1.13	44.70	54.00	-9.30	AVG
2*	5150.000	43.78	1.13	44.91	54.00	-9.09	AVG
3	5350.000	42.06	0.89	42.95	54.00	-11.05	AVG
4	5399.520	42.88	1.27	44.15	54.00	-9.85	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5137.440	44.51	1.14	45.65	54.00	-8.35	AVG
2*	5150.000	44.78	1.13	45.91	54.00	-8.09	AVG
3	5350.000	42.51	0.89	43.40	54.00	-10.60	AVG
4	5402.400	42.93	1.30	44.23	54.00	-9.77	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5133.600	42.97	1.12	44.09	54.00	-9.91	AVG
2	5150.000	42.88	1.13	44.01	54.00	-9.99	AVG
3	5350.000	42.98	0.89	43.87	54.00	-10.13	AVG
4	5420.640	42.49	1.48	43.97	54.00	-10.03	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5100.000	43.09	1.14	44.23	54.00	-9.77	AVG
2	5150.000	42.98	1.13	44.11	54.00	-9.89	AVG
3	5350.000	42.44	0.89	43.33	54.00	-10.67	AVG
4	5421.600	42.44	1.49	43.93	54.00	-10.07	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5125.920	42.99	1.14	44.13	54.00	-9.87	AVG
2	5150.000	42.90	1.13	44.03	54.00	-9.97	AVG
3*	5350.000	49.10	0.89	49.99	54.00	-4.01	AVG
4	5356.320	48.29	0.93	49.22	54.00	-4.78	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5121.120	43.77	1.14	44.91	54.00	-9.09	AVG
2	5150.000	43.72	1.13	44.85	54.00	-9.15	AVG
3*	5350.000	48.95	0.89	49.84	54.00	-4.16	AVG
4	5356.320	47.54	0.93	48.47	54.00	-5.53	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	48.59	0.89	49.48	54.00	-4.52	AVG
2*	5352.240	48.79	0.90	49.69	54.00	-4.31	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	49.68	0.89	50.57	54.00	-3.43	AVG
2	5351.520	49.63	0.90	50.53	54.00	-3.47	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.000	49.11	1.78	50.89	54.00	-3.11	AVG
2	5460.000	49.10	1.79	50.89	54.00	-3.11	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5456.800	49.05	1.77	50.82	54.00	-3.18	AVG
2*	5460.000	49.12	1.79	50.91	54.00	-3.09	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.825	43.05	1.77	44.82	54.00	-9.18	AVG
2*	5460.000	43.25	1.79	45.04	54.00	-8.96	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5401.425	44.36	1.29	45.65	54.00	-8.35	AVG
2	5460.000	43.63	1.79	45.42	54.00	-8.58	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5451.875	47.16	1.77	48.93	54.00	-5.07	AVG
2	5460.000	46.91	1.79	48.70	54.00	-5.30	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5438.750	47.04	1.65	48.69	54.00	-5.31	AVG
2	5460.000	46.62	1.79	48.41	54.00	-5.59	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5123.200	49.94	1.13	51.07	54.00	-2.93	AVG
2*	5150.000	50.09	1.13	51.22	54.00	-2.78	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5108.760	50.24	1.14	51.38	54.00	-2.62	AVG
2*	5150.000	50.36	1.13	51.49	54.00	-2.51	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	48.25	1.13	49.38	54.00	-4.62	AVG
2*	5150.000	49.36	1.13	50.49	54.00	-3.51	AVG
3	5350.000	43.09	0.89	43.98	54.00	-10.02	AVG
4	5359.200	43.41	0.97	44.38	54.00	-9.62	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	50.09	1.13	51.22	54.00	-2.78	AVG
2*	5150.000	50.42	1.13	51.55	54.00	-2.45	AVG
3	5350.000	42.82	0.89	43.71	54.00	-10.29	AVG
4	5360.160	42.91	0.97	43.88	54.00	-10.12	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	44.70	1.13	45.83	54.00	-8.17	AVG
2	5150.000	44.69	1.13	45.82	54.00	-8.18	AVG
3	5350.000	50.68	0.89	51.57	54.00	-2.43	AVG
4*	5355.360	50.70	0.92	51.62	54.00	-2.38	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5146.080	45.11	1.13	46.24	54.00	-7.76	AVG
2	5150.000	45.27	1.13	46.40	54.00	-7.60	AVG
3*	5350.000	50.74	0.89	51.63	54.00	-2.37	AVG
4	5354.400	50.13	0.92	51.05	54.00	-2.95	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	49.09	0.89	49.98	54.00	-4.02	AVG
2*	5353.920	49.47	0.91	50.38	54.00	-3.62	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	49.75	0.89	50.64	54.00	-3.36	AVG
2*	5353.200	50.14	0.91	51.05	54.00	-2.95	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.040	48.47	1.77	50.24	54.00	-3.76	AVG
2	5460.000	48.17	1.79	49.96	54.00	-4.04	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.000	48.85	1.78	50.63	54.00	-3.37	AVG
2	5460.000	48.67	1.79	50.46	54.00	-3.54	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.525	48.42	1.77	50.19	54.00	-3.81	AVG
2*	5460.000	48.98	1.79	50.77	54.00	-3.23	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.375	48.72	1.79	50.51	54.00	-3.49	AVG
2	5460.000	48.60	1.79	50.39	54.00	-3.61	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.625	47.37	1.77	49.14	54.00	-4.86	AVG
2	5460.000	47.00	1.79	48.79	54.00	-5.21	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.000	47.45	1.77	49.22	54.00	-4.78	AVG
2	5460.000	46.96	1.79	48.75	54.00	-5.25	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5146.000	49.81	1.13	50.94	54.00	-3.06	AVG
2	5150.000	49.81	1.13	50.94	54.00	-3.06	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.240	50.19	1.13	51.32	54.00	-2.68	AVG
2*	5150.000	50.72	1.13	51.85	54.00	-2.15	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	49.35	0.89	50.24	54.00	-3.76	AVG
2*	5351.760	49.91	0.90	50.81	54.00	-3.19	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	49.84	0.89	50.73	54.00	-3.27	AVG
2*	5351.040	50.09	0.90	50.99	54.00	-3.01	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.520	49.12	1.77	50.89	54.00	-3.11	AVG
2	5460.000	48.15	1.79	49.94	54.00	-4.06	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.120	48.83	1.77	50.60	54.00	-3.40	AVG
2	5460.000	48.54	1.79	50.33	54.00	-3.67	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5454.975	48.80	1.77	50.57	54.00	-3.43	AVG
2	5460.000	48.47	1.79	50.26	54.00	-3.74	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.375	48.30	1.79	50.09	54.00	-3.91	AVG
2	5460.000	48.29	1.79	50.08	54.00	-3.92	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5449.375	48.79	1.77	50.56	54.00	-3.44	AVG
2	5460.000	48.59	1.79	50.38	54.00	-3.62	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ac VHT80 5690 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5441.875	48.72	1.69	50.41	54.00	-3.59	AVG
2	5460.000	48.48	1.79	50.27	54.00	-3.73	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	50.86	1.42	52.28	54.00	-1.72	AVG
2*	5150.000	51.32	1.42	52.74	54.00	-1.26	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5180 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.040	50.03	1.42	51.45	54.00	-2.55	AVG
2*	5150.000	50.59	1.42	52.01	54.00	-1.99	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	50.74	1.42	52.16	54.00	-1.84	AVG
2*	5150.000	51.22	1.42	52.64	54.00	-1.36	AVG
3	5350.000	46.37	1.08	47.45	54.00	-6.55	AVG
4	5460.000	46.06	1.73	47.79	54.00	-6.21	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5200 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	49.91	1.42	51.33	54.00	-2.67	AVG
2*	5150.000	50.45	1.42	51.87	54.00	-2.13	AVG
3	5350.000	46.49	1.08	47.57	54.00	-6.43	AVG
4	5356.320	46.64	1.14	47.78	54.00	-6.22	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5128.800	49.16	1.39	50.55	54.00	-3.45	AVG
2	5150.000	49.09	1.42	50.51	54.00	-3.49	AVG
3	5350.000	47.86	1.08	48.94	54.00	-5.06	AVG
4	5350.560	47.86	1.08	48.94	54.00	-5.06	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5240 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5128.800	49.49	1.39	50.88	54.00	-3.12	AVG
2	5150.000	49.10	1.42	50.52	54.00	-3.48	AVG
3	5350.000	47.47	1.08	48.55	54.00	-5.45	AVG
4	5351.520	47.44	1.09	48.53	54.00	-5.47	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5105.760	48.68	1.36	50.04	54.00	-3.96	AVG
2	5150.000	48.60	1.42	50.02	54.00	-3.98	AVG
3	5350.000	47.17	1.08	48.25	54.00	-5.75	AVG
4	5350.560	47.17	1.08	48.25	54.00	-5.75	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5260 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5149.920	48.71	1.42	50.13	54.00	-3.87	AVG
2	5150.000	48.38	1.42	49.80	54.00	-4.20	AVG
3	5350.000	47.11	1.08	48.19	54.00	-5.81	AVG
4	5356.320	47.03	1.14	48.17	54.00	-5.83	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5120.160	48.67	1.38	50.05	54.00	-3.95	AVG
2	5150.000	48.53	1.42	49.95	54.00	-4.05	AVG
3*	5350.000	50.20	1.08	51.28	54.00	-2.72	AVG
4	5351.520	50.07	1.09	51.16	54.00	-2.84	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5280 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	48.77	1.41	50.18	54.00	-3.82	AVG
2	5150.000	48.53	1.42	49.95	54.00	-4.05	AVG
3*	5350.000	51.59	1.08	52.67	54.00	-1.33	AVG
4	5351.520	51.11	1.09	52.20	54.00	-1.80	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	50.93	1.08	52.01	54.00	-1.99	AVG
2*	5350.320	50.95	1.08	52.03	54.00	-1.97	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5320 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	51.72	1.08	52.80	54.00	-1.20	AVG
2	5351.040	51.48	1.09	52.57	54.00	-1.43	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.680	48.26	1.73	49.99	54.00	-4.01	AVG
2*	5460.000	48.36	1.73	50.09	54.00	-3.91	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5500 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5458.720	48.30	1.73	50.03	54.00	-3.97	AVG
2	5460.000	47.97	1.73	49.70	54.00	-4.30	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5454.975	46.84	1.72	48.56	54.00	-5.44	AVG
2*	5460.000	46.86	1.73	48.59	54.00	-5.41	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5560 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5452.850	47.56	1.72	49.28	54.00	-4.72	AVG
2*	5460.000	47.65	1.73	49.38	54.00	-4.62	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.500	46.18	1.72	47.90	54.00	-6.10	AVG
2*	5460.000	46.22	1.73	47.95	54.00	-6.05	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5720 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.500	46.70	1.72	48.42	54.00	-5.58	AVG
2	5460.000	46.47	1.73	48.20	54.00	-5.80	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5149.800	51.40	1.42	52.82	54.00	-1.18	AVG
2	5150.000	51.28	1.42	52.70	54.00	-1.30	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5190 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5149.040	49.92	1.42	51.34	54.00	-2.66	AVG
2	5150.000	49.90	1.42	51.32	54.00	-2.68	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	50.99	1.41	52.40	54.00	-1.60	AVG
2*	5150.000	51.45	1.42	52.87	54.00	-1.13	AVG
3	5350.000	46.79	1.08	47.87	54.00	-6.13	AVG
4	5398.560	46.45	1.54	47.99	54.00	-6.01	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5230 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	50.43	1.42	51.85	54.00	-2.15	AVG
2*	5150.000	50.64	1.42	52.06	54.00	-1.94	AVG
3	5350.000	46.56	1.08	47.64	54.00	-6.36	AVG
4	5446.560	46.31	1.70	48.01	54.00	-5.99	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5147.040	49.40	1.42	50.82	54.00	-3.18	AVG
2	5150.000	49.56	1.42	50.98	54.00	-3.02	AVG
3*	5350.000	51.86	1.08	52.94	54.00	-1.06	AVG
4	5351.520	51.64	1.09	52.73	54.00	-1.27	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5270 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5144.160	48.81	1.41	50.22	54.00	-3.78	AVG
2	5150.000	48.81	1.42	50.23	54.00	-3.77	AVG
3	5350.000	51.56	1.08	52.64	54.00	-1.36	AVG
4*	5355.360	51.53	1.13	52.66	54.00	-1.34	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	51.13	1.08	52.21	54.00	-1.79	AVG
2*	5350.320	51.39	1.08	52.47	54.00	-1.53	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5310 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	50.39	1.08	51.47	54.00	-2.53	AVG
2*	5350.800	50.40	1.09	51.49	54.00	-2.51	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.840	47.65	1.72	49.37	54.00	-4.63	AVG
2*	5460.000	48.05	1.73	49.78	54.00	-4.22	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5510 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.760	47.33	1.72	49.05	54.00	-4.95	AVG
2	5460.000	46.97	1.73	48.70	54.00	-5.30	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.275	50.39	1.72	52.11	54.00	-1.89	AVG
2*	5460.000	50.44	1.73	52.17	54.00	-1.83	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5550 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5451.575	49.43	1.72	51.15	54.00	-2.85	AVG
2*	5460.000	49.80	1.73	51.53	54.00	-2.47	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5451.250	47.33	1.71	49.04	54.00	-4.96	AVG
2*	5460.000	47.47	1.73	49.20	54.00	-4.80	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5710 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5452.500	47.36	1.72	49.08	54.00	-4.92	AVG
2	5460.000	46.93	1.73	48.66	54.00	-5.34	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5146.760	51.49	1.42	52.91	54.00	-1.09	AVG
2	5150.000	50.91	1.42	52.33	54.00	-1.67	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5210 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.240	50.16	1.41	51.57	54.00	-2.43	AVG
2*	5150.000	51.16	1.42	52.58	54.00	-1.42	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	50.96	1.08	52.04	54.00	-1.96	AVG
2*	5354.640	51.03	1.13	52.16	54.00	-1.84	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5290 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5350.000	50.86	1.08	51.94	54.00	-2.06	AVG
2	5354.400	49.95	1.13	51.08	54.00	-2.92	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5457.280	50.57	1.72	52.29	54.00	-1.71	AVG
2	5460.000	49.54	1.73	51.27	54.00	-2.73	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5530 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5453.440	49.61	1.72	51.33	54.00	-2.67	AVG
2	5460.000	48.19	1.73	49.92	54.00	-4.08	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5455.825	48.56	1.72	50.28	54.00	-3.72	AVG
2	5460.000	48.25	1.73	49.98	54.00	-4.02	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5610 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5454.550	48.30	1.72	50.02	54.00	-3.98	AVG
2	5460.000	48.03	1.73	49.76	54.00	-4.24	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.125	47.62	1.72	49.34	54.00	-4.66	AVG
2*	5460.000	47.72	1.73	49.45	54.00	-4.55	AVG

Standard:	Part 15.407	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5690 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5450.625	47.62	1.71	49.33	54.00	-4.67	AVG
2*	5460.000	47.67	1.73	49.40	54.00	-4.60	AVG

5.3. Conducted Test Results

Duty cycle

Reference Appendix A / Appendix B

Maximum Conducted Output Power and Transmit power control Measurement

Reference Appendix A

26 dB RF Bandwidth Measurement & 99 % Occupied Bandwidth Measurement

Reference Appendix A / Appendix B

6 dB RF Bandwidth Measurement & 99 % Occupied Bandwidth Measurement

Reference Appendix A / Appendix B

Maximum Power Spectral Density Measurement

Reference Appendix A / Appendix B

---END---