


Appendix L : Test Graphs(Radiated Restricted Band Edge)

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant1		

Start of Test:2021-12-27 10:03:57

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	57.53	41.74	74.00	16.47	160	110	Horizontal
2	5179.03	96.31	41.90	74.00	-22.31	160	270	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant1		

Start of Test:2021-12-27 10:05:05

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	57.02	41.74	74.00	16.98	160	228	Vertical
2	5185.46	102.55	41.93	74.00	-28.55	160	343	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant1		

Start of Test:2021-12-27 10:19:35

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	51.74	41.74	54.00	2.26	160	142	Horizontal
2	5186.59	91.10	41.94	54.00	-37.10	160	296	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant1		

Start of Test:2021-12-27 10:20:27

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	52.08	41.74	54.00	1.92	160	350	Vertical
2	5185.60	97.95	41.93	54.00	-43.95	160	342	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant2		

Start of Test:2021-12-27 10:23:18

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	57.14	41.74	74.00	16.86	160	348	Horizontal
2	5182.90	92.36	41.92	74.00	-18.36	160	192	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant2		

Start of Test:2021-12-27 10:24:10

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	57.27	41.74	74.00	16.73	160	49	Vertical
2	5182.99	98.58	41.92	74.00	-24.58	160	15	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant2		

Start of Test:2021-12-27 10:27:32

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	51.50	41.74	54.00	2.50	160	290	Horizontal
2	5184.34	86.68	41.93	54.00	-32.68	160	188	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant2		

Start of Test:2021-12-27 10:28:25

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	51.20	41.74	54.00	2.80	160	5	Vertical
2	5183.44	92.82	41.92	54.00	-38.82	160	9	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant1+ Ant 2		

Start of Test:2021-12-27 10:37:02

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	56.59	41.74	74.00	17.41	160	357	Horizontal
2	5185.96	98.60	41.93	74.00	-24.60	160	190	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant1+ Ant 2		

Start of Test:2021-12-27 10:37:46

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	57.63	41.74	74.00	16.37	160	356	Vertical
2	5183.93	105.83	41.92	74.00	-31.83	160	3	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant1+ Ant 2		

Start of Test:2021-12-27 10:39:13

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	51.82	41.74	54.00	2.18	160	249	Horizontal
2	5186.36	94.24	41.94	54.00	-40.24	160	192	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5180MHz Ant1+ Ant 2		

Start of Test:2021-12-27 10:40:05

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	50.90	41.74	54.00	3.10	160	7	Vertical
2	5184.38	100.28	41.93	54.00	-46.28	160	344	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant1		

Start of Test:2021-12-27 11:27:07

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	57.56	41.74	74.00	16.44	160	24	Horizontal
2	5201.50	93.44	42.01	74.00	-19.44	160	292	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant1		

Start of Test:2021-12-27 11:27:59

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	57.84	41.74	74.00	16.16	160	270	Vertical
2	5179.25	100.22	41.90	74.00	-26.22	160	351	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant1		

Start of Test:2021-12-27 11:29:52

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	50.87	41.74	54.00	3.13	160	83	Horizontal
2	5194.10	86.63	41.98	54.00	-32.63	160	293	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant1		

Start of Test:2021-12-27 11:30:45

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	51.64	41.74	54.00	2.36	160	356	Vertical
2	5181.65	93.35	41.91	54.00	-39.35	160	350	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant2		

Start of Test:2021-12-27 11:37:00

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	56.89	41.74	74.00	17.11	160	24	Horizontal
2	5180.70	88.93	41.91	74.00	-14.93	160	185	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant2		

Start of Test:2021-12-27 11:37:52

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	57.26	41.74	74.00	16.74	160	53	Vertical
2	5182.30	95.54	41.91	74.00	-21.54	160	7	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant2		

Start of Test:2021-12-27 13:25:12

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	51.01	41.74	54.00	2.99	160	315	Horizontal
2	5185.90	82.98	41.93	54.00	-28.98	160	186	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant2		

Start of Test:2021-12-27 13:26:05

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	49.86	41.74	54.00	4.14	160	83	Vertical
2	5192.20	87.43	41.97	54.00	-33.43	160	2	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant1+ Ant 2		

Start of Test:2021-12-27 13:32:37

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	57.80	41.74	74.00	16.20	160	118	Horizontal
2	5179.85	95.65	41.90	74.00	-21.65	160	191	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant1+ Ant 2		

Start of Test:2021-12-27 13:33:30

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	58.14	41.74	74.00	15.86	160	350	Vertical
2	5179.35	101.88	41.90	74.00	-27.88	160	0	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant1+ Ant 2		

Start of Test:2021-12-27 13:34:56

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	52.03	41.74	54.00	1.97	160	217	Horizontal
2	5177.35	89.70	41.89	54.00	-35.70	160	194	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC40 at Channel 5190MHz Ant1+ Ant 2		

Start of Test:2021-12-27 13:35:48

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	51.65	41.74	54.00	2.35	160	57	Vertical
2	5195.00	95.87	41.98	54.00	-41.87	160	9	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant1		

Start of Test:2021-12-27 14:26:40

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	58.74	41.74	74.00	15.26	160	150	Horizontal
2	5208.77	90.67	42.03	74.00	-16.67	160	298	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant1		

Start of Test:2021-12-27 14:27:32

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	63.45	41.74	74.00	10.55	160	1	Vertical
2	5188.75	98.52	41.95	74.00	-24.52	160	345	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant1		

Start of Test:2021-12-27 14:35:01

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	49.68	41.74	54.00	4.32	160	190	Horizontal
2	5189.12	85.21	41.95	54.00	-31.21	160	190	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant1		

Start of Test:2021-12-27 14:35:53

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	53.26	41.74	54.00	0.74	160	328	Vertical
2	5189.12	90.15	41.95	54.00	-36.15	160	350	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant2		

Start of Test:2021-12-27 14:32:41

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	60.88	41.74	74.00	13.12	160	187	Horizontal
2	5188.67	93.88	41.95	74.00	-19.88	160	187	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant2		

Start of Test:2021-12-27 14:33:34

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	66.40	41.74	74.00	7.60	160	306	Vertical
2	5188.67	101.52	41.95	74.00	-27.52	160	6	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant2		

Start of Test:2021-12-27 14:37:08

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	51.53	41.74	54.00	2.47	160	294	Horizontal
2	5188.30	83.95	41.95	54.00	-29.95	160	301	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant2		

Start of Test:2021-12-27 14:38:01

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	53.03	41.74	54.00	0.97	160	301	Vertical
2	5186.65	89.71	41.94	54.00	-35.71	160	351	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant1+ Ant 2		

Start of Test:2021-12-27 14:30:07

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	57.50	41.74	74.00	16.50	160	118	Horizontal
2	5188.67	87.89	41.95	74.00	-13.89	160	184	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant1+ Ant 2		

Start of Test:2021-12-27 14:31:00

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	61.88	41.74	74.00	12.12	160	1	Vertical
2	5188.75	93.93	41.95	74.00	-19.93	160	9	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant1+ Ant 2		

Start of Test:2021-12-27 14:39:21

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	52.05	41.74	54.00	1.95	160	228	Horizontal
2	5188.22	80.68	41.95	54.00	-26.68	160	192	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5200MHz Ant1+ Ant 2		

Start of Test:2021-12-27 14:40:14

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5150.00	48.17	41.74	54.00	5.83	160	356	Vertical
2	5187.02	83.08	41.94	54.00	-29.08	160	9	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5825MHz Ant1		

Start of Test:2021-12-27 13:41:10

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5818.40	95.48	43.39	122.20	26.72	160	120	Horizontal
2	5850.00	60.31	43.40	122.15	61.84	160	245	Horizontal
3	5855.00	59.46	43.40	110.80	51.34	160	277	Horizontal
4	5875.00	59.10	43.42	105.19	46.09	160	222	Horizontal
5	5925.00	59.38	43.65	68.20	8.82	160	205	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5825MHz Ant1		

Start of Test:2021-12-27 13:42:04

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5820.18	97.59	43.39	122.20	24.61	160	47	Vertical
2	5850.00	59.30	43.40	122.15	62.85	160	171	Vertical
3	5855.00	58.45	43.40	110.80	52.35	160	1	Vertical
4	5875.00	59.20	43.42	105.19	45.99	160	352	Vertical
5	5925.00	59.59	43.65	68.20	8.61	160	328	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5825MHz Ant2		

Start of Test:2021-12-27 13:43:29

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5820.71	94.27	43.39	122.20	27.93	160	152	Horizontal
2	5850.00	59.04	43.40	122.15	63.11	160	239	Horizontal
3	5855.00	58.98	43.40	110.80	51.82	160	176	Horizontal
4	5875.00	59.23	43.42	105.19	45.96	160	193	Horizontal
5	5925.00	58.94	43.65	68.20	9.26	160	24	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5825MHz Ant2		

Start of Test:2021-12-27 13:44:23

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5819.68	97.67	43.39	122.20	24.53	160	235	Vertical
2	5850.00	59.34	43.40	122.15	62.81	160	319	Vertical
3	5855.00	59.74	43.40	110.80	51.06	160	82	Vertical
4	5875.00	59.34	43.42	105.19	45.85	160	105	Vertical
5	5925.00	58.84	43.65	68.20	9.36	160	51	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5825MHz Ant1+ Ant2		

Start of Test:2021-12-27 13:47:42

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5829.32	99.00	43.40	122.20	23.20	160	152	Horizontal
2	5850.00	58.74	43.40	122.15	63.41	160	144	Horizontal
3	5855.00	59.19	43.40	110.80	51.61	160	344	Horizontal
4	5875.00	60.28	43.42	105.19	44.91	160	91	Horizontal
5	5925.00	59.15	43.65	68.20	9.05	160	205	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC20 at Channel 5825MHz Ant1+ Ant2		

Start of Test:2021-12-27 13:48:36

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5826.64	99.65	43.40	122.20	22.55	160	204	Vertical
2	5850.00	60.15	43.40	122.15	62.00	160	58	Vertical
3	5855.00	59.26	43.40	110.80	51.54	160	171	Vertical
4	5875.00	59.88	43.42	105.19	45.31	160	124	Vertical
5	5925.00	59.75	43.65	68.20	8.45	160	49	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5775MHz Ant1		

Start of Test:2021-12-27 14:14:04

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5650.00	57.68	43.12	68.21	10.53	160	40	Horizontal
2	5700.00	58.24	43.13	105.20	46.96	160	145	Horizontal
3	5720.00	59.60	43.22	110.84	51.24	160	92	Horizontal
4	5725.00	59.08	43.24	122.20	63.12	160	207	Horizontal
5	5788.65	90.50	43.38	122.20	31.70	160	116	Horizontal
6	5850.00	60.69	43.40	122.12	61.43	160	247	Horizontal
7	5855.00	59.36	43.40	110.80	51.44	160	11	Horizontal
8	5875.00	59.57	43.42	105.19	45.62	160	301	Horizontal
9	5925.00	59.35	43.65	68.20	8.85	160	100	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5775MHz Ant1		

Start of Test:2021-12-27 14:14:58

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5650.00	57.29	43.12	68.21	10.92	160	335	Vertical
2	5700.00	59.60	43.13	105.20	45.60	160	294	Vertical
3	5720.00	59.07	43.22	110.84	51.77	160	11	Vertical
4	5725.00	60.93	43.24	122.20	61.27	160	326	Vertical
5	5768.53	93.58	43.36	122.20	28.62	160	23	Vertical
6	5850.00	58.91	43.40	122.12	63.21	160	1	Vertical
7	5855.00	58.59	43.40	110.80	52.21	160	287	Vertical
8	5875.00	59.17	43.42	105.19	46.02	160	46	Vertical
9	5925.00	59.43	43.65	68.20	8.77	160	69	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5775MHz Ant2		

Start of Test:2021-12-27 14:16:18

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5650.00	57.90	43.12	68.21	10.31	160	119	Horizontal
2	5700.00	59.56	43.13	105.20	45.64	160	81	Horizontal
3	5720.00	59.13	43.22	110.84	51.71	160	287	Horizontal
4	5725.00	58.52	43.24	122.20	63.68	160	303	Horizontal
5	5768.65	89.84	43.36	122.20	32.36	160	188	Horizontal
6	5850.00	59.45	43.40	122.12	62.67	160	242	Horizontal
7	5855.00	58.69	43.40	110.80	52.11	160	234	Horizontal
8	5875.00	59.31	43.42	105.19	45.88	160	342	Horizontal
9	5925.00	59.34	43.65	68.20	8.86	160	249	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5775MHz Ant2		

Start of Test:2021-12-27 14:17:12

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5650.00	57.44	43.12	68.21	10.77	160	126	Vertical
2	5700.00	57.84	43.13	105.20	47.36	160	227	Vertical
3	5720.00	58.92	43.22	110.84	51.92	160	110	Vertical
4	5725.00	58.94	43.24	122.20	63.26	160	236	Vertical
5	5768.53	91.84	43.36	122.20	30.36	160	227	Vertical
6	5850.00	58.74	43.40	122.12	63.38	160	56	Vertical
7	5855.00	59.56	43.40	110.80	51.24	160	103	Vertical
8	5875.00	58.49	43.42	105.19	46.70	160	272	Vertical
9	5925.00	59.63	43.65	68.20	8.57	160	70	Vertical

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5775MHz Ant1+ Ant2		

Start of Test:2021-12-27 14:20:15

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5650.00	58.14	43.12	68.21	10.07	160	346	Horizontal
2	5700.00	58.63	43.13	105.20	46.57	160	360	Horizontal
3	5720.00	58.20	43.22	110.84	52.64	160	19	Horizontal
4	5725.00	59.50	43.24	122.20	62.70	160	226	Horizontal
5	5768.59	93.63	43.36	122.20	28.57	160	95	Horizontal
6	5850.00	60.02	43.40	122.12	62.10	160	118	Horizontal
7	5855.00	60.08	43.40	110.80	50.72	160	11	Horizontal
8	5875.00	59.10	43.42	105.19	46.09	160	4	Horizontal
9	5925.00	59.36	43.65	68.20	8.84	160	294	Horizontal

Project Information			
EUT:	Dual Band 11AC Wireless Module	Model:	DR600VX
SN:	N/A	Voltage:	DC 3.3V
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11AC80 at Channel 5775MHz Ant1+ Ant2		

Start of Test:2021-12-27 14:21:10

Test Graph



Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5650.00	58.14	43.12	68.21	10.07	160	158	Vertical
2	5700.00	58.61	43.13	105.20	46.59	160	335	Vertical
3	5720.00	59.51	43.22	110.84	51.33	160	203	Vertical
4	5725.00	60.71	43.24	122.20	61.49	160	1	Vertical
5	5766.70	95.75	43.36	122.20	26.45	160	158	Vertical
6	5850.00	59.10	43.40	122.12	63.02	160	165	Vertical
7	5855.00	59.06	43.40	110.80	51.74	160	242	Vertical
8	5875.00	60.14	43.42	105.19	45.05	160	104	Vertical
9	5925.00	59.74	43.65	68.20	8.46	160	165	Vertical