




OBW NVNT ac20 5825MHz




OBW NVNT ac40 5755MHz




OBW NVNT ac40 5795MHz




OBW NVNT n20 5745MHz




OBW NVNT n20 5785MHz




OBW NVNT n20 5825MHz



OBW NVNT n40 5755MHz




OBW NVNT n40 5795MHz




Maximum Power Spectral Density Level

Mode	Frequency (MHz)	PSD (dBm/510KHz)	PSD (dBm/500KHz)	Limit (dBm/500KHz)	Verdict
a	5745	6.525	6.439	30.00	Pass
a	5785	6.507	6.421	30.00	Pass
a	5825	5.937	5.851	30.00	Pass
ac20	5745	6.168	6.082	28.23	Pass
ac20	5785	6.167	6.081	28.23	Pass
ac20	5825	5.601	5.515	28.23	Pass
ac40	5755	2.778	2.692	28.23	Pass
ac40	5795	2.663	2.577	28.23	Pass
n20	5745	6.128	6.042	28.23	Pass
n20	5785	5.970	5.884	28.23	Pass
n20	5825	5.533	5.447	28.23	Pass
n40	5755	2.867	2.781	28.23	Pass
n40	5795	2.766	2.680	28.23	Pass


PSD NVNT a 5745MHz




PSD NVNT a 5785MHz




PSD NVNT a 5825MHz




PSD NVNT ac20 5745MHz




PSD NVNT ac20 5785MHz




PSD NVNT ac20 5825MHz




PSD NVNT ac40 5755MHz




PSD NVNT ac40 5795MHz




PSD NVNT n20 5745MHz




PSD NVNT n20 5785MHz




PSD NVNT n20 5825MHz



PSD NVNT n40 5755MHz



PSD NVNT n40 5795MHz




Antenna 1

Band 1:


Duty Cycle

Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)
a	5180	99.8	0
a	5200	99.8	0
a	5240	99.8	0
ac20	5180	100	0
ac20	5200	100	0
ac20	5240	100	0
ac40	5190	99.82	0
ac40	5230	99.82	0
n20	5180	100	0
n20	5200	100	0
n20	5240	100	0
n40	5190	99.81	0
n40	5230	99.8	0


Duty Cycle NVNT a 5180MHz




Duty Cycle NVNT a 5200MHz




Duty Cycle NVNT a 5240MHz




Duty Cycle NVNT ac20 5180MHz




Duty Cycle NVNT ac20 5200MHz




Duty Cycle NVNT ac20 5240MHz




Duty Cycle NVNT ac40 5190MHz




Duty Cycle NVNT ac40 5230MHz




Duty Cycle NVNT n20 5180MHz




Duty Cycle NVNT n20 5200MHz




Duty Cycle NVNT n20 5240MHz



Duty Cycle NVNT n40 5190MHz




Duty Cycle NVNT n40 5230MHz




Maximum Conducted Output Power

Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
a	5180	19.292	30	Pass
a	5200	19.524	30	Pass
a	5240	18.837	30	Pass
ac20	5180	19.237	30	Pass
ac20	5200	19.475	30	Pass
ac20	5240	18.793	30	Pass
ac40	5190	18.586	30	Pass
ac40	5230	19.049	30	Pass
n20	5180	19.267	30	Pass
n20	5200	19.47	30	Pass
n20	5240	18.779	30	Pass
n40	5190	18.608	30	Pass
n40	5230	19.031	30	Pass


Power NVNT a 5180MHz



Power NVNT a 5200MHz




Power NVNT a 5240MHz




Power NVNT ac20 5180MHz




Power NVNT ac20 5200MHz




Power NVNT ac20 5240MHz




Power NVNT ac40 5190MHz




Power NVNT ac40 5230MHz




Power NVNT n20 5180MHz




Power NVNT n20 5200MHz




Power NVNT n20 5240MHz



Power NVNT n40 5190MHz




Power NVNT n40 5230MHz




-26dB Bandwidth

Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
a	5180	22.353	Within the authorized frequency band	Pass
a	5200	22.866		Pass
a	5240	22.226		Pass
ac20	5180	23.005		Pass
ac20	5200	23.643		Pass
ac20	5240	23.509		Pass
ac40	5190	44.747		Pass
ac40	5230	45.856		Pass
n20	5180	23.439		Pass
n20	5200	22.956		Pass
n20	5240	23.182		Pass
n40	5190	44.966		Pass
n40	5230	45.023		Pass


-26dB Bandwidth NVNT a 5180MHz




-26dB Bandwidth NVNT a 5200MHz




-26dB Bandwidth NVNT a 5240MHz




-26dB Bandwidth NVNT ac20 5180MHz




-26dB Bandwidth NVNT ac20 5200MHz




-26dB Bandwidth NVNT ac20 5240MHz




-26dB Bandwidth NVNT ac40 5190MHz




-26dB Bandwidth NVNT ac40 5230MHz




-26dB Bandwidth NVNT n20 5180MHz




-26dB Bandwidth NVNT n20 5200MHz




-26dB Bandwidth NVNT n20 5240MHz



-26dB Bandwidth NVNT n40 5190MHz




-26dB Bandwidth NVNT n40 5230MHz




Occupied Channel Bandwidth

Mode	Frequency (MHz)	99% OBW (MHz)
a	5180	16.65758684
a	5200	16.6761132
a	5240	16.6237184
ac20	5180	17.81074604
ac20	5200	17.82133073
ac20	5240	17.78263769
ac40	5190	36.41995652
ac40	5230	36.42171141
n20	5180	17.80027354
n20	5200	17.82501155
n20	5240	17.74997584
n40	5190	36.40776264
n40	5230	36.4364362


OBW NVNT a 5180MHz




OBW NVNT a 5200MHz




OBW NVNT a 5240MHz




OBW NVNT ac20 5180MHz




OBW NVNT ac20 5200MHz




OBW NVNT ac20 5240MHz




OBW NVNT ac40 5190MHz




OBW NVNT ac40 5230MHz




OBW NVNT n20 5180MHz




OBW NVNT n20 5200MHz




OBW NVNT n20 5240MHz



OBW NVNT n40 5190MHz




OBW NVNT n40 5230MHz




Maximum Power Spectral Density Level

Mode	Frequency (MHz)	Max PSD (dBm)	Limit (dBm)	Verdict
a	5180	7.993	17.00	Pass
a	5200	8.148	17.00	Pass
a	5240	7.399	17.00	Pass
ac20	5180	7.646	15.23	Pass
ac20	5200	7.886	15.23	Pass
ac20	5240	7.077	15.23	Pass
ac40	5190	3.984	15.23	Pass
ac40	5230	4.289	15.23	Pass
n20	5180	7.632	15.23	Pass
n20	5200	7.882	15.23	Pass
n20	5240	7.103	15.23	Pass
n40	5190	3.938	15.23	Pass
n40	5230	4.292	15.23	Pass


PSD NVNT a 5180MHz




PSD NVNT a 5200MHz




PSD NVNT a 5240MHz




PSD NVNT ac20 5180MHz




PSD NVNT ac20 5200MHz




PSD NVNT ac20 5240MHz




PSD NVNT ac40 5190MHz




PSD NVNT ac40 5230MHz




PSD NVNT n20 5180MHz




PSD NVNT n20 5200MHz




PSD NVNT n20 5240MHz



PSD NVNT n40 5190MHz



PSD NVNT n40 5230MHz




Band 2A:


Duty Cycle

Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)
a	5260	99.80	0
a	5300	99.84	0
a	5320	99.83	0
ac20	5260	99.80	0
ac20	5300	99.80	0
ac20	5320	99.75	0
ac40	5270	99.82	0
ac40	5310	99.75	0
n20	5260	99.82	0
n20	5300	99.77	0
n20	5320	99.82	0
n40	5270	99.80	0
n40	5310	99.80	0


Duty Cycle NVNT a 5260MHz




Duty Cycle NVNT a 5300MHz




Duty Cycle NVNT a 5320MHz




Duty Cycle NVNT ac20 5260MHz




Duty Cycle NVNT ac20 5300MHz




Duty Cycle NVNT ac20 5320MHz




Duty Cycle NVNT ac40 5270MHz




Duty Cycle NVNT ac40 5310MHz




Duty Cycle NVNT n20 5260MHz




Duty Cycle NVNT n20 5300MHz




Duty Cycle NVNT n20 5320MHz



Duty Cycle NVNT n40 5270MHz




Duty Cycle NVNT n40 5310MHz




Maximum Conducted Output Power

Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
a	5260	18.878	24	Pass
a	5300	18.462	24	Pass
a	5320	18.212	24	Pass
ac20	5260	16.071	24	Pass
ac20	5300	16.113	24	Pass
ac20	5320	15.867	24	Pass
ac40	5270	18.594	24	Pass
ac40	5310	17.856	24	Pass
n20	5260	15.627	24	Pass
n20	5300	15.577	24	Pass
n20	5320	15.719	24	Pass
n40	5270	18.582	24	Pass
n40	5310	17.83	24	Pass


Power NVNT a 5260MHz




Power NVNT a 5300MHz




Power NVNT a 5320MHz




Power NVNT ac20 5260MHz




Power NVNT ac20 5300MHz




Power NVNT ac20 5320MHz




Power NVNT ac40 5270MHz




Power NVNT ac40 5310MHz




Power NVNT n20 5260MHz




Power NVNT n20 5300MHz




Power NVNT n20 5320MHz



Power NVNT n40 5270MHz




Power NVNT n40 5310MHz




-26dB Bandwidth

Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
a	5260	23.539	Within the authorized frequency band	Pass
a	5300	23.44		Pass
a	5320	23.991		Pass
ac20	5260	22.997		Pass
ac20	5300	22.922		Pass
ac20	5320	22.887		Pass
ac40	5270	46.343		Pass
ac40	5310	44.431		Pass
n20	5260	23.062		Pass
n20	5300	23.193		Pass
n20	5320	23.221		Pass
n40	5270	46.917		Pass
n40	5310	45.872		Pass


-26dB Bandwidth NVNT a 5260MHz




-26dB Bandwidth NVNT a 5300MHz




-26dB Bandwidth NVNT a 5320MHz




-26dB Bandwidth NVNT ac20 5260MHz




-26dB Bandwidth NVNT ac20 5300MHz




-26dB Bandwidth NVNT ac20 5320MHz




-26dB Bandwidth NVNT ac40 5270MHz




-26dB Bandwidth NVNT ac40 5310MHz




-26dB Bandwidth NVNT n20 5260MHz




-26dB Bandwidth NVNT n20 5300MHz




-26dB Bandwidth NVNT n20 5320MHz



-26dB Bandwidth NVNT n40 5270MHz




-26dB Bandwidth NVNT n40 5310MHz




Occupied Channel Bandwidth

Mode	Frequency (MHz)	99% OBW (MHz)
a	5260	16.63381293
a	5300	16.60965608
a	5320	16.60944294
ac20	5260	17.74181549
ac20	5300	17.74977435
ac20	5320	17.75691134
ac40	5270	36.39575897
ac40	5310	36.36552392
n20	5260	17.74050036
n20	5300	17.74965628
n20	5320	17.7706425
n40	5270	36.4111858
n40	5310	36.39584129


OBW NVNT a 5260MHz




OBW NVNT a 5300MHz




OBW NVNT a 5320MHz




OBW NVNT ac20 5260MHz




OBW NVNT ac20 5300MHz




OBW NVNT ac20 5320MHz




OBW NVNT ac40 5270MHz




OBW NVNT ac40 5310MHz




OBW NVNT n20 5260MHz




OBW NVNT n20 5300MHz




OBW NVNT n20 5320MHz



OBW NVNT n40 5270MHz




OBW NVNT n40 5310MHz




Maximum Power Spectral Density Level

Mode	Frequency (MHz)	Max PSD (dBm)	Limit (dBm)	Verdict
a	5260	7.352	11.00	Pass
a	5300	6.942	11.00	Pass
a	5320	6.638	11.00	Pass
ac20	5260	4.364	9.23	Pass
ac20	5300	4.278	9.23	Pass
ac20	5320	3.995	9.23	Pass
ac40	5270	3.893	9.23	Pass
ac40	5310	2.985	9.23	Pass
n20	5260	3.925	9.23	Pass
n20	5300	3.768	9.23	Pass
n20	5320	3.935	9.23	Pass
n40	5270	3.911	9.23	Pass
n40	5310	3.013	9.23	Pass


PSD NVNT a 5260MHz




PSD NVNT a 5300MHz




PSD NVNT a 5320MHz




PSD NVNT ac20 5260MHz




PSD NVNT ac20 5300MHz




PSD NVNT ac20 5320MHz




PSD NVNT ac40 5270MHz




PSD NVNT ac40 5310MHz




PSD NVNT n20 5260MHz




PSD NVNT n20 5300MHz




PSD NVNT n20 5320MHz



PSD NVNT n40 5270MHz



PSD NVNT n40 5310MHz




Band 2C:


Duty Cycle

Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)
a	5500	99.8	0
a	5600	99.79	0
a	5700	99.8	0
ac20	5500	99.77	0
ac20	5600	99.8	0
ac20	5700	99.81	0
ac40	5510	99.8	0
ac40	5590	99.75	0
ac40	5670	99.77	0
n20	5500	99.81	0
n20	5600	99.82	0
n20	5700	99.82	0
n40	5510	99.82	0
n40	5590	99.8	0
n40	5670	99.8	0


Duty Cycle NVNT a 5500MHz




Duty Cycle NVNT a 5600MHz




Duty Cycle NVNT a 5700MHz




Duty Cycle NVNT ac20 5500MHz




Duty Cycle NVNT ac20 5600MHz




Duty Cycle NVNT ac20 5700MHz




Duty Cycle NVNT ac40 5510MHz




Duty Cycle NVNT ac40 5590MHz




Duty Cycle NVNT ac40 5670MHz




Duty Cycle NVNT n20 5500MHz




Duty Cycle NVNT n20 5600MHz




Duty Cycle NVNT n20 5700MHz




Duty Cycle NVNT n40 5510MHz



Duty Cycle NVNT n40 5590MHz



Duty Cycle NVNT n40 5670MHz



Maximum Conducted Output Power

Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
a	5500	19.235	24	Pass
a	5600	19.738	24	Pass
a	5700	19.597	24	Pass
ac20	5500	15.595	24	Pass
ac20	5600	15.537	24	Pass
ac20	5700	15.527	24	Pass
ac40	5510	18.308	24	Pass
ac40	5590	18.926	24	Pass
ac40	5670	17.917	24	Pass
n20	5500	15.584	24	Pass
n20	5600	16.027	24	Pass
n20	5700	15.504	24	Pass
n40	5510	18.265	24	Pass
n40	5590	18.636	24	Pass
n40	5670	18.002	24	Pass

Power NVNT a 5500MHz

