




Power NVNT a 5600MHz




Power NVNT a 5700MHz




Power NVNT ac20 5500MHz




Power NVNT ac20 5600MHz




Power NVNT ac20 5700MHz




Power NVNT ac40 5510MHz




Power NVNT ac40 5590MHz




Power NVNT ac40 5670MHz




Power NVNT n20 5500MHz




Power NVNT n20 5600MHz




Power NVNT n20 5700MHz




Power NVNT n40 5510MHz



Power NVNT n40 5590MHz




Power NVNT n40 5670MHz




-26dB Bandwidth

| Mode | Frequency (MHz) | -26 dB Bandwidth (MHz) | Limit -26 dB Bandwidth (MHz) | Verdict |
|------|-----------------|------------------------|--------------------------------------|---------|
| a | 5500 | 23.434 | Within the authorized frequency band | Pass |
| a | 5600 | 24.173 | | Pass |
| a | 5700 | 24.784 | | Pass |
| ac20 | 5500 | 22.923 | | Pass |
| ac20 | 5600 | 22.705 | | Pass |
| ac20 | 5700 | 22.75 | | Pass |
| ac40 | 5510 | 44.569 | | Pass |
| ac40 | 5590 | 45.495 | | Pass |
| ac40 | 5670 | 45.734 | | Pass |
| n20 | 5500 | 22.632 | | Pass |
| n20 | 5600 | 22.927 | | Pass |
| n20 | 5700 | 22.571 | | Pass |
| n40 | 5510 | 44.803 | | Pass |
| n40 | 5590 | 45.324 | | Pass |
| n40 | 5670 | 44.457 | | Pass |


-26dB Bandwidth NVNT a 5500MHz




-26dB Bandwidth NVNT a 5600MHz




-26dB Bandwidth NVNT a 5700MHz




-26dB Bandwidth NVNT ac20 5500MHz




-26dB Bandwidth NVNT ac20 5600MHz




-26dB Bandwidth NVNT ac20 5700MHz




-26dB Bandwidth NVNT ac40 5510MHz




-26dB Bandwidth NVNT ac40 5590MHz




-26dB Bandwidth NVNT ac40 5670MHz




-26dB Bandwidth NVNT n20 5500MHz




-26dB Bandwidth NVNT n20 5600MHz




-26dB Bandwidth NVNT n20 5700MHz




-26dB Bandwidth NVNT n40 5510MHz



-26dB Bandwidth NVNT n40 5590MHz




-26dB Bandwidth NVNT n40 5670MHz




Occupied Channel Bandwidth

| Mode | Frequency (MHz) | 99% OBW (MHz) |
|------|-----------------|---------------|
| a | 5500 | 16.60456961 |
| a | 5600 | 16.6658023 |
| a | 5700 | 16.6705161 |
| ac20 | 5500 | 17.77096327 |
| ac20 | 5600 | 17.76388873 |
| ac20 | 5700 | 17.77682473 |
| ac40 | 5510 | 36.45563981 |
| ac40 | 5590 | 36.40010979 |
| ac40 | 5670 | 36.44206304 |
| n20 | 5500 | 17.77263758 |
| n20 | 5600 | 17.75473461 |
| n20 | 5700 | 17.76046434 |
| n40 | 5510 | 36.43511219 |
| n40 | 5590 | 36.39716626 |
| n40 | 5670 | 36.43745141 |


OBW NVNT a 5500MHz




OBW NVNT a 5600MHz




OBW NVNT a 5700MHz




OBW NVNT ac20 5500MHz




OBW NVNT ac20 5600MHz




OBW NVNT ac20 5700MHz




OBW NVNT ac40 5510MHz




OBW NVNT ac40 5590MHz




OBW NVNT ac40 5670MHz




OBW NVNT n20 5500MHz




OBW NVNT n20 5600MHz




OBW NVNT n20 5700MHz




OBW NVNT n40 5510MHz



OBW NVNT n40 5590MHz




OBW NVNT n40 5670MHz




Maximum Power Spectral Density Level

| Mode | Frequency (MHz) | Max PSD (dBm) | Limit (dBm) | Verdict |
|------|-----------------|---------------|-------------|---------|
| a | 5500 | 8.042 | 11.00 | Pass |
| a | 5600 | 8.153 | 11.00 | Pass |
| a | 5700 | 8.353 | 11.00 | Pass |
| ac20 | 5500 | 4.153 | 9.23 | Pass |
| ac20 | 5600 | 3.772 | 9.23 | Pass |
| ac20 | 5700 | 4.056 | 9.23 | Pass |
| ac40 | 5510 | 4.067 | 9.23 | Pass |
| ac40 | 5590 | 4.005 | 9.23 | Pass |
| ac40 | 5670 | 3.638 | 9.23 | Pass |
| n20 | 5500 | 4.159 | 9.23 | Pass |
| n20 | 5600 | 4.200 | 9.23 | Pass |
| n20 | 5700 | 4.000 | 9.23 | Pass |
| n40 | 5510 | 4.097 | 9.23 | Pass |
| n40 | 5590 | 3.740 | 9.23 | Pass |
| n40 | 5670 | 3.781 | 9.23 | Pass |


PSD NVNT a 5500MHz




PSD NVNT a 5600MHz




PSD NVNT a 5700MHz




PSD NVNT ac20 5500MHz




PSD NVNT ac20 5600MHz




PSD NVNT ac20 5700MHz




PSD NVNT ac40 5510MHz




PSD NVNT ac40 5590MHz




PSD NVNT ac40 5670MHz




PSD NVNT n20 5500MHz




PSD NVNT n20 5600MHz




PSD NVNT n20 5700MHz




PSD NVNT n40 5510MHz



PSD NVNT n40 5590MHz



PSD NVNT n40 5670MHz




Band 3:


Duty Cycle

| Mode | Frequency (MHz) | Duty Cycle (%) | Correction Factor (dB) |
|------|-----------------|----------------|------------------------|
| a | 5745 | 99.75 | 0 |
| a | 5785 | 99.84 | 0 |
| a | 5825 | 99.75 | 0 |
| ac20 | 5745 | 99.76 | 0 |
| ac20 | 5785 | 99.80 | 0 |
| ac20 | 5825 | 99.80 | 0 |
| ac40 | 5755 | 99.82 | 0 |
| ac40 | 5795 | 99.82 | 0 |
| n20 | 5745 | 99.64 | 0 |
| n20 | 5785 | 99.05 | 0 |
| n20 | 5825 | 99.80 | 0 |
| n40 | 5755 | 99.80 | 0 |
| n40 | 5795 | 99.01 | 0 |


Duty Cycle NVNT a 5745MHz




Duty Cycle NVNT a 5785MHz




Duty Cycle NVNT a 5825MHz




Duty Cycle NVNT ac20 5745MHz




Duty Cycle NVNT ac20 5785MHz




Duty Cycle NVNT ac20 5825MHz




Duty Cycle NVNT ac40 5755MHz




Duty Cycle NVNT ac40 5795MHz




Duty Cycle NVNT n20 5745MHz




Duty Cycle NVNT n20 5785MHz




Duty Cycle NVNT n20 5825MHz



Duty Cycle NVNT n40 5755MHz




Duty Cycle NVNT n40 5795MHz




Maximum Conducted Output Power

| Mode | Frequency (MHz) | Conducted Power (dBm) | Limit (dBm) | Verdict |
|------|-----------------|-----------------------|-------------|---------|
| a | 5745 | 20.08 | 30 | Pass |
| a | 5785 | 20.566 | 30 | Pass |
| a | 5825 | 19.896 | 30 | Pass |
| ac20 | 5745 | 20.207 | 30 | Pass |
| ac20 | 5785 | 20.467 | 30 | Pass |
| ac20 | 5825 | 19.793 | 30 | Pass |
| ac40 | 5755 | 19.77 | 30 | Pass |
| ac40 | 5795 | 20.101 | 30 | Pass |
| n20 | 5745 | 20.248 | 30 | Pass |
| n20 | 5785 | 20.521 | 30 | Pass |
| n20 | 5825 | 19.72 | 30 | Pass |
| n40 | 5755 | 19.796 | 30 | Pass |
| n40 | 5795 | 20.099 | 30 | Pass |


Power NVNT a 5745MHz




Power NVNT a 5785MHz




Power NVNT a 5825MHz




Power NVNT ac20 5745MHz




Power NVNT ac20 5785MHz




Power NVNT ac20 5825MHz




Power NVNT ac40 5755MHz




Power NVNT ac40 5795MHz




Power NVNT n20 5745MHz




Power NVNT n20 5785MHz




Power NVNT n20 5825MHz



Power NVNT n40 5755MHz




Power NVNT n40 5795MHz




-6dB Bandwidth

| Mode | Frequency (MHz) | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|------|-----------------|-----------------------|-----------------------------|---------|
| a | 5745 | 16.426 | 0.5 | Pass |
| a | 5785 | 16.329 | 0.5 | Pass |
| a | 5825 | 16.534 | 0.5 | Pass |
| ac20 | 5745 | 17.594 | 0.5 | Pass |
| ac20 | 5785 | 17.771 | 0.5 | Pass |
| ac20 | 5825 | 17.615 | 0.5 | Pass |
| ac40 | 5755 | 36.383 | 0.5 | Pass |
| ac40 | 5795 | 36.371 | 0.5 | Pass |
| n20 | 5745 | 17.565 | 0.5 | Pass |
| n20 | 5785 | 17.181 | 0.5 | Pass |
| n20 | 5825 | 17.605 | 0.5 | Pass |
| n40 | 5755 | 36.071 | 0.5 | Pass |
| n40 | 5795 | 36.317 | 0.5 | Pass |


-6dB Bandwidth NVNT a 5745MHz




-6dB Bandwidth NVNT a 5785MHz




-6dB Bandwidth NVNT a 5825MHz




-6dB Bandwidth NVNT ac20 5745MHz




-6dB Bandwidth NVNT ac20 5785MHz




-6dB Bandwidth NVNT ac20 5825MHz




-6dB Bandwidth NVNT ac40 5755MHz




-6dB Bandwidth NVNT ac40 5795MHz




-6dB Bandwidth NVNT n20 5745MHz




-6dB Bandwidth NVNT n20 5785MHz




-6dB Bandwidth NVNT n20 5825MHz



-6dB Bandwidth NVNT n40 5755MHz




-6dB Bandwidth NVNT n40 5795MHz




Occupied Channel Bandwidth

| Mode | Frequency (MHz) | 99% OBW (MHz) |
|------|-----------------|---------------|
| a | 5745 | 16.73135822 |
| a | 5785 | 16.88655407 |
| a | 5825 | 16.78050161 |
| ac20 | 5745 | 17.92059664 |
| ac20 | 5785 | 17.97152747 |
| ac20 | 5825 | 17.90512131 |
| ac40 | 5755 | 36.579589 |
| ac40 | 5795 | 36.55759612 |
| n20 | 5745 | 17.90938611 |
| n20 | 5785 | 17.97371706 |
| n20 | 5825 | 17.8954941 |
| n40 | 5755 | 36.55431004 |
| n40 | 5795 | 36.57888807 |


OBW NVNT a 5745MHz




OBW NVNT a 5785MHz




OBW NVNT a 5825MHz




OBW NVNT ac20 5745MHz




OBW NVNT ac20 5785MHz




OBW NVNT ac20 5825MHz




OBW NVNT ac40 5755MHz




OBW NVNT ac40 5795MHz




OBW NVNT n20 5745MHz




OBW NVNT n20 5785MHz




OBW NVNT n20 5825MHz



OBW NVNT n40 5755MHz




OBW NVNT n40 5795MHz




Maximum Power Spectral Density Level

| Mode | Frequency (MHz) | PSD (dBm/510KHz) | PSD (dBm/500KHz) | Limit (dBm/500KHz) | Verdict |
|------|-----------------|------------------|------------------|--------------------|---------|
| a | 5745 | 5.812 | 5.726 | 30.00 | Pass |
| a | 5785 | 6.275 | 6.189 | 30.00 | Pass |
| a | 5825 | 5.643 | 5.557 | 30.00 | Pass |
| ac20 | 5745 | 5.733 | 5.647 | 28.23 | Pass |
| ac20 | 5785 | 5.870 | 5.784 | 28.23 | Pass |
| ac20 | 5825 | 5.251 | 5.165 | 28.23 | Pass |
| ac40 | 5755 | 2.312 | 2.226 | 28.23 | Pass |
| ac40 | 5795 | 2.562 | 2.476 | 28.23 | Pass |
| n20 | 5745 | 5.736 | 5.650 | 28.23 | Pass |
| n20 | 5785 | 5.934 | 5.848 | 28.23 | Pass |
| n20 | 5825 | 5.202 | 5.116 | 28.23 | Pass |
| n40 | 5755 | 2.284 | 2.198 | 28.23 | Pass |
| n40 | 5795 | 2.573 | 2.487 | 28.23 | Pass |


PSD NVNT a 5745MHz




PSD NVNT a 5785MHz




PSD NVNT a 5825MHz




PSD NVNT ac20 5745MHz




PSD NVNT ac20 5785MHz




PSD NVNT ac20 5825MHz




PSD NVNT ac40 5755MHz




PSD NVNT ac40 5795MHz




PSD NVNT n20 5745MHz




PSD NVNT n20 5785MHz




PSD NVNT n20 5825MHz



PSD NVNT n40 5755MHz



PSD NVNT n40 5795MHz




Antenna 2

Band 1:


Duty Cycle

| Mode | Frequency (MHz) | Duty Cycle (%) | Correction Factor (dB) |
|------|-----------------|----------------|------------------------|
| a | 5180 | 99.80 | 0 |
| a | 5200 | 99.82 | 0 |
| a | 5240 | 99.80 | 0 |
| ac20 | 5180 | 100 | 0 |
| ac20 | 5200 | 100 | 0 |
| ac20 | 5240 | 100 | 0 |
| ac40 | 5190 | 99.80 | 0 |
| ac40 | 5230 | 99.80 | 0 |
| n20 | 5180 | 100 | 0 |
| n20 | 5200 | 100 | 0 |
| n20 | 5240 | 100 | 0 |
| n40 | 5190 | 99.75 | 0 |
| n40 | 5230 | 99.75 | 0 |


Duty Cycle NVNT a 5180MHz




Duty Cycle NVNT a 5200MHz




Duty Cycle NVNT a 5240MHz




Duty Cycle NVNT ac20 5180MHz




Duty Cycle NVNT ac20 5200MHz




Duty Cycle NVNT ac20 5240MHz




Duty Cycle NVNT ac40 5190MHz




Duty Cycle NVNT ac40 5230MHz




Duty Cycle NVNT n20 5180MHz




Duty Cycle NVNT n20 5200MHz




Duty Cycle NVNT n20 5240MHz



Duty Cycle NVNT n40 5190MHz




Duty Cycle NVNT n40 5230MHz




Maximum Conducted Output Power

| Mode | Frequency (MHz) | Conducted Power (dBm) | Limit (dBm) | Verdict |
|------|-----------------|-----------------------|-------------|---------|
| a | 5180 | 18.809 | 30 | Pass |
| a | 5200 | 18.836 | 30 | Pass |
| a | 5240 | 18.876 | 30 | Pass |
| ac20 | 5180 | 18.737 | 30 | Pass |
| ac20 | 5200 | 18.768 | 30 | Pass |
| ac20 | 5240 | 18.775 | 30 | Pass |
| ac40 | 5190 | 17.839 | 30 | Pass |
| ac40 | 5230 | 17.935 | 30 | Pass |
| n20 | 5180 | 18.772 | 30 | Pass |
| n20 | 5200 | 18.812 | 30 | Pass |
| n20 | 5240 | 18.777 | 30 | Pass |
| n40 | 5190 | 17.825 | 30 | Pass |
| n40 | 5230 | 17.924 | 30 | Pass |


Power NVNT a 5180MHz




Power NVNT a 5200MHz




Power NVNT a 5240MHz




Power NVNT ac20 5180MHz




Power NVNT ac20 5200MHz




Power NVNT ac20 5240MHz




Power NVNT ac40 5190MHz




Power NVNT ac40 5230MHz




Power NVNT n20 5180MHz




Power NVNT n20 5200MHz




Power NVNT n20 5240MHz



Power NVNT n40 5190MHz




Power NVNT n40 5230MHz




-26dB Bandwidth

| Mode | Frequency (MHz) | -26 dB Bandwidth (MHz) | Limit -26 dB Bandwidth (MHz) | Verdict |
|------|-----------------|------------------------|--------------------------------------|---------|
| a | 5180 | 24.050 | Within the authorized frequency band | Pass |
| a | 5200 | 23.272 | | Pass |
| a | 5240 | 25.084 | | Pass |
| ac20 | 5180 | 24.139 | | Pass |
| ac20 | 5200 | 24.800 | | Pass |
| ac20 | 5240 | 25.771 | | Pass |
| ac40 | 5190 | 45.994 | | Pass |
| ac40 | 5230 | 45.245 | | Pass |
| n20 | 5180 | 24.209 | | Pass |
| n20 | 5200 | 24.198 | | Pass |
| n20 | 5240 | 24.879 | | Pass |
| n40 | 5190 | 44.640 | | Pass |
| n40 | 5230 | 45.796 | | Pass |


-26dB Bandwidth NVNT a 5180MHz




-26dB Bandwidth NVNT a 5200MHz




-26dB Bandwidth NVNT a 5240MHz




-26dB Bandwidth NVNT ac20 5180MHz




-26dB Bandwidth NVNT ac20 5200MHz




-26dB Bandwidth NVNT ac20 5240MHz




-26dB Bandwidth NVNT ac40 5190MHz




-26dB Bandwidth NVNT ac40 5230MHz




-26dB Bandwidth NVNT n20 5180MHz




-26dB Bandwidth NVNT n20 5200MHz




-26dB Bandwidth NVNT n20 5240MHz



-26dB Bandwidth NVNT n40 5190MHz




-26dB Bandwidth NVNT n40 5230MHz




Occupied Channel Bandwidth

| Mode | Frequency (MHz) | 99% OBW (MHz) |
|------|-----------------|---------------|
| a | 5180 | 16.64739766 |
| a | 5200 | 16.63869707 |
| a | 5240 | 16.65967649 |
| ac20 | 5180 | 17.78416618 |
| ac20 | 5200 | 17.7811073 |
| ac20 | 5240 | 17.79943899 |
| ac40 | 5190 | 36.38680562 |
| ac40 | 5230 | 36.40288695 |
| n20 | 5180 | 17.78909656 |
| n20 | 5200 | 17.79262694 |
| n20 | 5240 | 17.76625662 |
| n40 | 5190 | 36.40785789 |
| n40 | 5230 | 36.42285644 |


OBW NVNT a 5180MHz




OBW NVNT a 5200MHz



OBW NVNT a 5240MHz



OBW NVNT ac20 5180MHz



OBW NVNT ac20 5200MHz

