




BLE_125K-Ant1-2440-PASS



BLE_125K-Ant1-2480-PASS



BLE_500K-Ant1-2402-PASS




BLE_500K-Ant1-2440-PASS




Band edge measurements :

TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	8.47	-41.91	≤-11.53	PASS
BLE_1M	Ant1	High	2480	7.98	-48.33	≤-12.02	PASS
BLE_2M	Ant1	Low	2402	6.14	-24.37	≤-13.86	PASS
BLE_2M	Ant1	High	2480	5.57	-44.49	≤-14.43	PASS
BLE_125K	Ant1	Low	2402	6.00	-44.13	≤-14	PASS
BLE_125K	Ant1	High	2480	5.48	-48.01	≤-14.52	PASS
BLE_500K	Ant1	Low	2402	8.54	-43.3	≤-11.46	PASS
BLE_500K	Ant1	High	2480	8.09	-48.72	≤-11.91	PASS





BLE_1M-Ant1-2480-PASS



BLE_2M-Ant1-2402-PASS




BLE_2M-Ant1-2480-PASS




BLE_125K-Ant1-2402-PASS



BLE_125K-Ant1-2480-PASS



BLE_500K-Ant1-2402-PASS




Conducted Spurious Emission :

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	30~1000	8.47	-67.02	≤-11.53	PASS
BLE_1M	Ant1	2402	1000~3000	8.47	-66.22	≤-11.53	PASS
BLE_1M	Ant1	2402	3000~5000	8.47	-59.47	≤-11.53	PASS
BLE_1M	Ant1	2402	5000~7000	8.47	-65.32	≤-11.53	PASS
BLE_1M	Ant1	2402	7000~9000	8.47	-36.26	≤-11.53	PASS
BLE_1M	Ant1	2402	9000~11000	8.47	-65.52	≤-11.53	PASS
BLE_1M	Ant1	2402	11000~13000	8.47	-43.78	≤-11.53	PASS
BLE_1M	Ant1	2402	13000~15000	8.47	-64.38	≤-11.53	PASS
BLE_1M	Ant1	2402	15000~17000	8.47	-40.57	≤-11.53	PASS
BLE_1M	Ant1	2402	17000~19000	8.47	-63.55	≤-11.53	PASS
BLE_1M	Ant1	2402	19000~21000	8.47	-61.19	≤-11.53	PASS
BLE_1M	Ant1	2402	21000~23000	8.47	-53.92	≤-11.53	PASS
BLE_1M	Ant1	2402	23000~25000	8.47	-61.45	≤-11.53	PASS
BLE_1M	Ant1	2440	30~1000	8.32	-64.92	≤-11.68	PASS
BLE_1M	Ant1	2440	1000~3000	8.32	-66.38	≤-11.68	PASS
BLE_1M	Ant1	2440	3000~5000	8.32	-61.22	≤-11.68	PASS
BLE_1M	Ant1	2440	5000~7000	8.32	-64.33	≤-11.68	PASS
BLE_1M	Ant1	2440	7000~9000	8.32	-39.6	≤-11.68	PASS
BLE_1M	Ant1	2440	9000~11000	8.32	-65.06	≤-11.68	PASS
BLE_1M	Ant1	2440	11000~13000	8.32	-39.79	≤-11.68	PASS
BLE_1M	Ant1	2440	13000~15000	8.32	-63.53	≤-11.68	PASS
BLE_1M	Ant1	2440	15000~17000	8.32	-64.12	≤-11.68	PASS
BLE_1M	Ant1	2440	17000~19000	8.32	-37.75	≤-11.68	PASS
BLE_1M	Ant1	2440	19000~21000	8.32	-62.59	≤-11.68	PASS
BLE_1M	Ant1	2440	21000~23000	8.32	-48.66	≤-11.68	PASS
BLE_1M	Ant1	2440	23000~25000	8.32	-61.6	≤-11.68	PASS
BLE_1M	Ant1	2480	30~1000	7.98	-69.82	≤-12.02	PASS
BLE_1M	Ant1	2480	1000~3000	7.98	-65.59	≤-12.02	PASS


BLE_1M	Ant1	2480	3000~5000	7.98	-63.01	≤-12.02	PASS
BLE_1M	Ant1	2480	5000~7000	7.98	-65.55	≤-12.02	PASS
BLE_1M	Ant1	2480	7000~9000	7.98	-42.79	≤-12.02	PASS
BLE_1M	Ant1	2480	9000~11000	7.98	-64.88	≤-12.02	PASS
BLE_1M	Ant1	2480	11000~13000	7.98	-31.81	≤-12.02	PASS
BLE_1M	Ant1	2480	13000~15000	7.98	-63.83	≤-12.02	PASS
BLE_1M	Ant1	2480	15000~17000	7.98	-64.67	≤-12.02	PASS
BLE_1M	Ant1	2480	17000~19000	7.98	-38.59	≤-12.02	PASS
BLE_1M	Ant1	2480	19000~21000	7.98	-62.4	≤-12.02	PASS
BLE_1M	Ant1	2480	21000~23000	7.98	-51.2	≤-12.02	PASS
BLE_1M	Ant1	2480	23000~25000	7.98	-61.61	≤-12.02	PASS
BLE_2M	Ant1	2402	30~1000	6.14	-65.48	≤-13.86	PASS
BLE_2M	Ant1	2402	1000~3000	6.14	-66.06	≤-13.86	PASS
BLE_2M	Ant1	2402	3000~5000	6.14	-59.46	≤-13.86	PASS
BLE_2M	Ant1	2402	5000~7000	6.14	-65.34	≤-13.86	PASS
BLE_2M	Ant1	2402	7000~9000	6.14	-40.03	≤-13.86	PASS
BLE_2M	Ant1	2402	9000~11000	6.14	-64.55	≤-13.86	PASS
BLE_2M	Ant1	2402	11000~13000	6.14	-47.14	≤-13.86	PASS
BLE_2M	Ant1	2402	13000~15000	6.14	-63.88	≤-13.86	PASS
BLE_2M	Ant1	2402	15000~17000	6.14	-44.93	≤-13.86	PASS
BLE_2M	Ant1	2402	17000~19000	6.14	-63.4	≤-13.86	PASS
BLE_2M	Ant1	2402	19000~21000	6.14	-62.84	≤-13.86	PASS
BLE_2M	Ant1	2402	21000~23000	6.14	-57.4	≤-13.86	PASS
BLE_2M	Ant1	2402	23000~25000	6.14	-61.43	≤-13.86	PASS
BLE_2M	Ant1	2440	30~1000	5.89	-69.16	≤-14.11	PASS
BLE_2M	Ant1	2440	1000~3000	5.89	-66.04	≤-14.11	PASS
BLE_2M	Ant1	2440	3000~5000	5.89	-62.69	≤-14.11	PASS
BLE_2M	Ant1	2440	5000~7000	5.89	-64.01	≤-14.11	PASS
BLE_2M	Ant1	2440	7000~9000	5.89	-42.31	≤-14.11	PASS
BLE_2M	Ant1	2440	9000~11000	5.89	-65.49	≤-14.11	PASS
BLE_2M	Ant1	2440	11000~13000	5.89	-42.85	≤-14.11	PASS
BLE_2M	Ant1	2440	13000~15000	5.89	-64.01	≤-14.11	PASS
BLE_2M	Ant1	2440	15000~17000	5.89	-64.45	≤-14.11	PASS
BLE_2M	Ant1	2440	17000~19000	5.89	-40.95	≤-14.11	PASS
BLE_2M	Ant1	2440	19000~21000	5.89	-62.56	≤-14.11	PASS
BLE_2M	Ant1	2440	21000~23000	5.89	-53.54	≤-14.11	PASS
BLE_2M	Ant1	2440	23000~25000	5.89	-61.34	≤-14.11	PASS
BLE_2M	Ant1	2480	30~1000	5.57	-69.79	≤-14.43	PASS
BLE_2M	Ant1	2480	1000~3000	5.57	-66.28	≤-14.43	PASS
BLE_2M	Ant1	2480	3000~5000	5.57	-62.81	≤-14.43	PASS
BLE_2M	Ant1	2480	5000~7000	5.57	-64.84	≤-14.43	PASS
BLE_2M	Ant1	2480	7000~9000	5.57	-45.8	≤-14.43	PASS
BLE_2M	Ant1	2480	9000~11000	5.57	-65.35	≤-14.43	PASS
BLE_2M	Ant1	2480	11000~13000	5.57	-35.18	≤-14.43	PASS
BLE_2M	Ant1	2480	13000~15000	5.57	-64.27	≤-14.43	PASS
BLE_2M	Ant1	2480	15000~17000	5.57	-64.11	≤-14.43	PASS
BLE_2M	Ant1	2480	17000~19000	5.57	-41.54	≤-14.43	PASS
BLE_2M	Ant1	2480	19000~21000	5.57	-62.83	≤-14.43	PASS
BLE_2M	Ant1	2480	21000~23000	5.57	-54.96	≤-14.43	PASS
BLE_2M	Ant1	2480	23000~25000	5.57	-61.5	≤-14.43	PASS
BLE_125K	Ant1	2402	30~1000	6.00	-65.38	≤-14	PASS

BLE_125K	Ant1	2402	1000~3000	6.00	-65.41	≤-14	PASS
BLE_125K	Ant1	2402	3000~5000	6.00	-59.72	≤-14	PASS
BLE_125K	Ant1	2402	5000~7000	6.00	-64.13	≤-14	PASS
BLE_125K	Ant1	2402	7000~9000	6.00	-39.87	≤-14	PASS
BLE_125K	Ant1	2402	9000~11000	6.00	-64.71	≤-14	PASS
BLE_125K	Ant1	2402	11000~13000	6.00	-47.46	≤-14	PASS
BLE_125K	Ant1	2402	13000~15000	6.00	-64.39	≤-14	PASS
BLE_125K	Ant1	2402	15000~17000	6.00	-45.94	≤-14	PASS
BLE_125K	Ant1	2402	17000~19000	6.00	-63.77	≤-14	PASS
BLE_125K	Ant1	2402	19000~21000	6.00	-62.44	≤-14	PASS
BLE_125K	Ant1	2402	21000~23000	6.00	-57.96	≤-14	PASS
BLE_125K	Ant1	2402	23000~25000	6.00	-61.21	≤-14	PASS
BLE_125K	Ant1	2440	30~1000	5.74	-68.76	≤-14.26	PASS
BLE_125K	Ant1	2440	1000~3000	5.74	-66.19	≤-14.26	PASS
BLE_125K	Ant1	2440	3000~5000	5.74	-62.47	≤-14.26	PASS
BLE_125K	Ant1	2440	5000~7000	5.74	-60.12	≤-14.26	PASS
BLE_125K	Ant1	2440	7000~9000	5.74	-42.02	≤-14.26	PASS
BLE_125K	Ant1	2440	9000~11000	5.74	-65.09	≤-14.26	PASS
BLE_125K	Ant1	2440	11000~13000	5.74	-43.5	≤-14.26	PASS
BLE_125K	Ant1	2440	13000~15000	5.74	-64.14	≤-14.26	PASS
BLE_125K	Ant1	2440	15000~17000	5.74	-64.07	≤-14.26	PASS
BLE_125K	Ant1	2440	17000~19000	5.74	-42.22	≤-14.26	PASS
BLE_125K	Ant1	2440	19000~21000	5.74	-63.21	≤-14.26	PASS
BLE_125K	Ant1	2440	21000~23000	5.74	-53.45	≤-14.26	PASS
BLE_125K	Ant1	2440	23000~25000	5.74	-61.61	≤-14.26	PASS
BLE_125K	Ant1	2480	30~1000	5.48	-69.87	≤-14.52	PASS
BLE_125K	Ant1	2480	1000~3000	5.48	-66.07	≤-14.52	PASS
BLE_125K	Ant1	2480	3000~5000	5.48	-63.69	≤-14.52	PASS
BLE_125K	Ant1	2480	5000~7000	5.48	-65.1	≤-14.52	PASS
BLE_125K	Ant1	2480	7000~9000	5.48	-45.81	≤-14.52	PASS
BLE_125K	Ant1	2480	9000~11000	5.48	-65.48	≤-14.52	PASS
BLE_125K	Ant1	2480	11000~13000	5.48	-35.58	≤-14.52	PASS
BLE_125K	Ant1	2480	13000~15000	5.48	-64.4	≤-14.52	PASS
BLE_125K	Ant1	2480	15000~17000	5.48	-64.65	≤-14.52	PASS
BLE_125K	Ant1	2480	17000~19000	5.48	-42.09	≤-14.52	PASS
BLE_125K	Ant1	2480	19000~21000	5.48	-63.04	≤-14.52	PASS
BLE_125K	Ant1	2480	21000~23000	5.48	-54.53	≤-14.52	PASS
BLE_125K	Ant1	2480	23000~25000	5.48	-61.47	≤-14.52	PASS
BLE_500K	Ant1	2402	30~1000	8.54	-69.75	≤-11.46	PASS
BLE_500K	Ant1	2402	1000~3000	8.54	-66.17	≤-11.46	PASS
BLE_500K	Ant1	2402	3000~5000	8.54	-59.2	≤-11.46	PASS
BLE_500K	Ant1	2402	5000~7000	8.54	-64.95	≤-11.46	PASS
BLE_500K	Ant1	2402	7000~9000	8.54	-37.31	≤-11.46	PASS
BLE_500K	Ant1	2402	9000~11000	8.54	-65.67	≤-11.46	PASS
BLE_500K	Ant1	2402	11000~13000	8.54	-45.17	≤-11.46	PASS
BLE_500K	Ant1	2402	13000~15000	8.54	-64.64	≤-11.46	PASS
BLE_500K	Ant1	2402	15000~17000	8.54	-43.54	≤-11.46	PASS
BLE_500K	Ant1	2402	17000~19000	8.54	-64.04	≤-11.46	PASS
BLE_500K	Ant1	2402	19000~21000	8.54	-60.75	≤-11.46	PASS
BLE_500K	Ant1	2402	21000~23000	8.54	-55.13	≤-11.46	PASS
BLE_500K	Ant1	2402	23000~25000	8.54	-61.15	≤-11.46	PASS


BLE_500K	Ant1	2440	30~1000	8.33	-67.88	≤-11.67	PASS
BLE_500K	Ant1	2440	1000~3000	8.33	-66.48	≤-11.67	PASS
BLE_500K	Ant1	2440	3000~5000	8.33	-61.4	≤-11.67	PASS
BLE_500K	Ant1	2440	5000~7000	8.33	-63.81	≤-11.67	PASS
BLE_500K	Ant1	2440	7000~9000	8.33	-39.35	≤-11.67	PASS
BLE_500K	Ant1	2440	9000~11000	8.33	-65.39	≤-11.67	PASS
BLE_500K	Ant1	2440	11000~13000	8.33	-40.19	≤-11.67	PASS
BLE_500K	Ant1	2440	13000~15000	8.33	-64.31	≤-11.67	PASS
BLE_500K	Ant1	2440	15000~17000	8.33	-64.9	≤-11.67	PASS
BLE_500K	Ant1	2440	17000~19000	8.33	-38.4	≤-11.67	PASS
BLE_500K	Ant1	2440	19000~21000	8.33	-62.88	≤-11.67	PASS
BLE_500K	Ant1	2440	21000~23000	8.33	-49.65	≤-11.67	PASS
BLE_500K	Ant1	2440	23000~25000	8.33	-61.51	≤-11.67	PASS
BLE_500K	Ant1	2480	30~1000	8.09	-68.54	≤-11.91	PASS
BLE_500K	Ant1	2480	1000~3000	8.09	-65.4	≤-11.91	PASS
BLE_500K	Ant1	2480	3000~5000	8.09	-62.38	≤-11.91	PASS
BLE_500K	Ant1	2480	5000~7000	8.09	-65.5	≤-11.91	PASS
BLE_500K	Ant1	2480	7000~9000	8.09	-43.59	≤-11.91	PASS
BLE_500K	Ant1	2480	9000~11000	8.09	-65.6	≤-11.91	PASS
BLE_500K	Ant1	2480	11000~13000	8.09	-32.08	≤-11.91	PASS
BLE_500K	Ant1	2480	13000~15000	8.09	-64.08	≤-11.91	PASS
BLE_500K	Ant1	2480	15000~17000	8.09	-64.03	≤-11.91	PASS
BLE_500K	Ant1	2480	17000~19000	8.09	-38.2	≤-11.91	PASS
BLE_500K	Ant1	2480	19000~21000	8.09	-62.98	≤-11.91	PASS
BLE_500K	Ant1	2480	21000~23000	8.09	-49.48	≤-11.91	PASS
BLE_500K	Ant1	2480	23000~25000	8.09	-61.81	≤-11.91	PASS




BLE_1M-Ant1-2402-30~1000-PASS




BLE_1M-Ant1-2402-1000~3000-PASS




BLE_1M-Ant1-2402-3000~5000-PASS




BLE_1M-Ant1-2402-5000~7000-PASS




BLE_1M-Ant1-2402-7000~9000-PASS




BLE_1M-Ant1-2402-9000~11000-PASS




BLE_1M-Ant1-2402-11000~13000-PASS




BLE_1M-Ant1-2402-13000~15000-PASS




BLE_1M-Ant1-2402-15000~17000-PASS




BLE_1M-Ant1-2402-17000~19000-PASS




BLE_1M-Ant1-2402-19000~21000-PASS




BLE_1M-Ant1-2402-21000~23000-PASS




BLE_1M-Ant1-2440-1000~3000-PASS




BLE_1M-Ant1-2440-3000~5000-PASS




BLE_1M-Ant1-2440-5000~7000-PASS




BLE_1M-Ant1-2440-7000~9000-PASS




BLE_1M-Ant1-2440-9000~11000-PASS




BLE_1M-Ant1-2440-11000~13000-PASS




BLE_1M-Ant1-2440-17000~19000-PASS




BLE_1M-Ant1-2440-19000~21000-PASS




BLE_1M-Ant1-2440-21000~23000-PASS




BLE_1M-Ant1-2440-23000~25000-PASS




BLE_1M-Ant1-2480-30~1000-PASS




BLE_1M-Ant1-2480-1000~3000-PASS




BLE_1M-Ant1-2480-3000~5000-PASS




BLE_1M-Ant1-2480-5000~7000-PASS




BLE_1M-Ant1-2480-15000~17000-PASS




BLE_1M-Ant1-2480-17000~19000-PASS




BLE_1M-Ant1-2480-19000~21000-PASS




BLE_1M-Ant1-2480-21000~23000-PASS




BLE_1M-Ant1-2480-23000~25000-PASS




BLE_2M-Ant1-2402-30~1000-PASS




BLE_2M-Ant1-2402-1000~3000-PASS




BLE_2M-Ant1-2402-3000~5000-PASS




BLE_2M-Ant1-2402-5000~7000-PASS



BLE_2M-Ant1-2402-7000~9000-PASS



BLE_2M-Ant1-2402-9000~11000-PASS



BLE_2M-Ant1-2402-11000~13000-PASS