




BLE_2M-Ant1-2480-PASS




BLE_125K-Ant1-2402-PASS



BLE_125K-Ant1-2440-PASS



BLE_125K-Ant1-2480-PASS



BLE_500K-Ant1-2402-PASS




BLE_500K-Ant1-2440-PASS




Band edge measurements :


TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	9.57	-42.53	≤-10.43	PASS
BLE_1M	Ant1	High	2480	9.54	-46.59	≤-10.46	PASS
BLE_2M	Ant1	Low	2402	7.24	-21.99	≤-12.76	PASS
BLE_2M	Ant1	High	2480	7.19	-41.47	≤-12.81	PASS
BLE_125K	Ant1	Low	2402	7.07	-44.44	≤-12.93	PASS
BLE_125K	Ant1	High	2480	7.07	-47.28	≤-12.93	PASS
BLE_500K	Ant1	Low	2402	9.62	-42.31	≤-10.38	PASS
BLE_500K	Ant1	High	2480	9.69	-47.21	≤-10.31	PASS




BLE_1M-Ant1-2402-PASS




BLE_1M-Ant1-2480-PASS



BLE_2M-Ant1-2402-PASS



BLE_2M-Ant1-2480-PASS



BLE_125K-Ant1-2402-PASS



BLE_125K-Ant1-2480-PASS



BLE_500K-Ant1-2402-PASS



BLE_500K-Ant1-2480-PASS


Conducted Spurious Emission :

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	30~1000	9.57	-69.55	≤-10.43	PASS
BLE_1M	Ant1	2402	1000~3000	9.57	-65.98	≤-10.43	PASS
BLE_1M	Ant1	2402	3000~5000	9.57	-65.09	≤-10.43	PASS
BLE_1M	Ant1	2402	5000~7000	9.57	-65.85	≤-10.43	PASS
BLE_1M	Ant1	2402	7000~9000	9.57	-43.03	≤-10.43	PASS
BLE_1M	Ant1	2402	9000~11000	9.57	-65.77	≤-10.43	PASS
BLE_1M	Ant1	2402	11000~13000	9.57	-33.82	≤-10.43	PASS
BLE_1M	Ant1	2402	13000~15000	9.57	-62.45	≤-10.43	PASS
BLE_1M	Ant1	2402	15000~17000	9.57	-38.83	≤-10.43	PASS
BLE_1M	Ant1	2402	17000~19000	9.57	-64.04	≤-10.43	PASS
BLE_1M	Ant1	2402	19000~21000	9.57	-61.35	≤-10.43	PASS
BLE_1M	Ant1	2402	21000~23000	9.57	-54.51	≤-10.43	PASS
BLE_1M	Ant1	2402	23000~25000	9.57	-60.07	≤-10.43	PASS
BLE_1M	Ant1	2440	30~1000	9.74	-68.72	≤-10.26	PASS
BLE_1M	Ant1	2440	1000~3000	9.74	-66.16	≤-10.26	PASS
BLE_1M	Ant1	2440	3000~5000	9.74	-62.93	≤-10.26	PASS
BLE_1M	Ant1	2440	5000~7000	9.74	-64.2	≤-10.26	PASS
BLE_1M	Ant1	2440	7000~9000	9.74	-46.06	≤-10.26	PASS
BLE_1M	Ant1	2440	9000~11000	9.74	-64.97	≤-10.26	PASS
BLE_1M	Ant1	2440	11000~13000	9.74	-36.43	≤-10.26	PASS
BLE_1M	Ant1	2440	13000~15000	9.74	-59.36	≤-10.26	PASS
BLE_1M	Ant1	2440	15000~17000	9.74	-65.16	≤-10.26	PASS
BLE_1M	Ant1	2440	17000~19000	9.74	-35.68	≤-10.26	PASS
BLE_1M	Ant1	2440	19000~21000	9.74	-62.6	≤-10.26	PASS
BLE_1M	Ant1	2440	21000~23000	9.74	-49.23	≤-10.26	PASS
BLE_1M	Ant1	2440	23000~25000	9.74	-61.28	≤-10.26	PASS
BLE_1M	Ant1	2480	30~1000	9.54	-69.32	≤-10.46	PASS
BLE_1M	Ant1	2480	1000~3000	9.54	-65.48	≤-10.46	PASS
BLE_1M	Ant1	2480	3000~5000	9.54	-59.77	≤-10.46	PASS
BLE_1M	Ant1	2480	5000~7000	9.54	-65.16	≤-10.46	PASS
BLE_1M	Ant1	2480	7000~9000	9.54	-43.81	≤-10.46	PASS
BLE_1M	Ant1	2480	9000~11000	9.54	-65.55	≤-10.46	PASS
BLE_1M	Ant1	2480	11000~13000	9.54	-30.98	≤-10.46	PASS
BLE_1M	Ant1	2480	13000~15000	9.54	-62.27	≤-10.46	PASS
BLE_1M	Ant1	2480	15000~17000	9.54	-64.28	≤-10.46	PASS
BLE_1M	Ant1	2480	17000~19000	9.54	-37.77	≤-10.46	PASS
BLE_1M	Ant1	2480	19000~21000	9.54	-62.52	≤-10.46	PASS
BLE_1M	Ant1	2480	21000~23000	9.54	-50.17	≤-10.46	PASS
BLE_1M	Ant1	2480	23000~25000	9.54	-61.81	≤-10.46	PASS
BLE_2M	Ant1	2402	30~1000	7.24	-69.37	≤-12.76	PASS
BLE_2M	Ant1	2402	1000~3000	7.24	-65.58	≤-12.76	PASS
BLE_2M	Ant1	2402	3000~5000	7.24	-62.57	≤-12.76	PASS
BLE_2M	Ant1	2402	5000~7000	7.24	-65.81	≤-12.76	PASS
BLE_2M	Ant1	2402	7000~9000	7.24	-45.48	≤-12.76	PASS
BLE_2M	Ant1	2402	9000~11000	7.24	-64.96	≤-12.76	PASS


BLE_2M	Ant1	2402	11000~13000	7.24	-36.66	≤-12.76	PASS
BLE_2M	Ant1	2402	13000~15000	7.24	-63.61	≤-12.76	PASS
BLE_2M	Ant1	2402	15000~17000	7.24	-42.78	≤-12.76	PASS
BLE_2M	Ant1	2402	17000~19000	7.24	-63.99	≤-12.76	PASS
BLE_2M	Ant1	2402	19000~21000	7.24	-62.76	≤-12.76	PASS
BLE_2M	Ant1	2402	21000~23000	7.24	-58.55	≤-12.76	PASS
BLE_2M	Ant1	2402	23000~25000	7.24	-61.45	≤-12.76	PASS
BLE_2M	Ant1	2440	30~1000	7.40	-69.5	≤-12.6	PASS
BLE_2M	Ant1	2440	1000~3000	7.40	-65.97	≤-12.6	PASS
BLE_2M	Ant1	2440	3000~5000	7.40	-63.25	≤-12.6	PASS
BLE_2M	Ant1	2440	5000~7000	7.40	-65.37	≤-12.6	PASS
BLE_2M	Ant1	2440	7000~9000	7.40	-48.41	≤-12.6	PASS
BLE_2M	Ant1	2440	9000~11000	7.40	-65.32	≤-12.6	PASS
BLE_2M	Ant1	2440	11000~13000	7.40	-38.64	≤-12.6	PASS
BLE_2M	Ant1	2440	13000~15000	7.40	-60.98	≤-12.6	PASS
BLE_2M	Ant1	2440	15000~17000	7.40	-64.23	≤-12.6	PASS
BLE_2M	Ant1	2440	17000~19000	7.40	-38.99	≤-12.6	PASS
BLE_2M	Ant1	2440	19000~21000	7.40	-62.71	≤-12.6	PASS
BLE_2M	Ant1	2440	21000~23000	7.40	-53.28	≤-12.6	PASS
BLE_2M	Ant1	2440	23000~25000	7.40	-61.75	≤-12.6	PASS
BLE_2M	Ant1	2480	30~1000	7.19	-68.76	≤-12.81	PASS
BLE_2M	Ant1	2480	1000~3000	7.19	-66.31	≤-12.81	PASS
BLE_2M	Ant1	2480	3000~5000	7.19	-58.85	≤-12.81	PASS
BLE_2M	Ant1	2480	5000~7000	7.19	-65.25	≤-12.81	PASS
BLE_2M	Ant1	2480	7000~9000	7.19	-46.82	≤-12.81	PASS
BLE_2M	Ant1	2480	9000~11000	7.19	-65.42	≤-12.81	PASS
BLE_2M	Ant1	2480	11000~13000	7.19	-34.03	≤-12.81	PASS
BLE_2M	Ant1	2480	13000~15000	7.19	-64.05	≤-12.81	PASS
BLE_2M	Ant1	2480	15000~17000	7.19	-63.91	≤-12.81	PASS
BLE_2M	Ant1	2480	17000~19000	7.19	-39.56	≤-12.81	PASS
BLE_2M	Ant1	2480	19000~21000	7.19	-62.77	≤-12.81	PASS
BLE_2M	Ant1	2480	21000~23000	7.19	-53.26	≤-12.81	PASS
BLE_2M	Ant1	2480	23000~25000	7.19	-61.12	≤-12.81	PASS
BLE_125K	Ant1	2402	30~1000	7.07	-69.38	≤-12.93	PASS
BLE_125K	Ant1	2402	1000~3000	7.07	-65.95	≤-12.93	PASS
BLE_125K	Ant1	2402	3000~5000	7.07	-64.5	≤-12.93	PASS
BLE_125K	Ant1	2402	5000~7000	7.07	-64.66	≤-12.93	PASS
BLE_125K	Ant1	2402	7000~9000	7.07	-45.61	≤-12.93	PASS
BLE_125K	Ant1	2402	9000~11000	7.07	-65.23	≤-12.93	PASS
BLE_125K	Ant1	2402	11000~13000	7.07	-36.87	≤-12.93	PASS
BLE_125K	Ant1	2402	13000~15000	7.07	-63.06	≤-12.93	PASS
BLE_125K	Ant1	2402	15000~17000	7.07	-43.49	≤-12.93	PASS
BLE_125K	Ant1	2402	17000~19000	7.07	-63.32	≤-12.93	PASS
BLE_125K	Ant1	2402	19000~21000	7.07	-62.67	≤-12.93	PASS
BLE_125K	Ant1	2402	21000~23000	7.07	-58.27	≤-12.93	PASS
BLE_125K	Ant1	2402	23000~25000	7.07	-60.55	≤-12.93	PASS
BLE_125K	Ant1	2440	30~1000	7.32	-68.73	≤-12.68	PASS
BLE_125K	Ant1	2440	1000~3000	7.32	-65.27	≤-12.68	PASS
BLE_125K	Ant1	2440	3000~5000	7.32	-63	≤-12.68	PASS
BLE_125K	Ant1	2440	5000~7000	7.32	-65.23	≤-12.68	PASS
BLE_125K	Ant1	2440	7000~9000	7.32	-48.32	≤-12.68	PASS

BLE_125K	Ant1	2440	9000~11000	7.32	-65.39	≤-12.68	PASS
BLE_125K	Ant1	2440	11000~13000	7.32	-39.02	≤-12.68	PASS
BLE_125K	Ant1	2440	13000~15000	7.32	-61.87	≤-12.68	PASS
BLE_125K	Ant1	2440	15000~17000	7.32	-64.15	≤-12.68	PASS
BLE_125K	Ant1	2440	17000~19000	7.32	-40.37	≤-12.68	PASS
BLE_125K	Ant1	2440	19000~21000	7.32	-63.14	≤-12.68	PASS
BLE_125K	Ant1	2440	21000~23000	7.32	-54.36	≤-12.68	PASS
BLE_125K	Ant1	2440	23000~25000	7.32	-61.67	≤-12.68	PASS
BLE_125K	Ant1	2480	30~1000	7.07	-69.92	≤-12.93	PASS
BLE_125K	Ant1	2480	1000~3000	7.07	-66.18	≤-12.93	PASS
BLE_125K	Ant1	2480	3000~5000	7.07	-60.61	≤-12.93	PASS
BLE_125K	Ant1	2480	5000~7000	7.07	-65.58	≤-12.93	PASS
BLE_125K	Ant1	2480	7000~9000	7.07	-46.06	≤-12.93	PASS
BLE_125K	Ant1	2480	9000~11000	7.07	-65.62	≤-12.93	PASS
BLE_125K	Ant1	2480	11000~13000	7.07	-34.75	≤-12.93	PASS
BLE_125K	Ant1	2480	13000~15000	7.07	-61.83	≤-12.93	PASS
BLE_125K	Ant1	2480	15000~17000	7.07	-64.3	≤-12.93	PASS
BLE_125K	Ant1	2480	17000~19000	7.07	-40.79	≤-12.93	PASS
BLE_125K	Ant1	2480	19000~21000	7.07	-62.41	≤-12.93	PASS
BLE_125K	Ant1	2480	21000~23000	7.07	-54.18	≤-12.93	PASS
BLE_125K	Ant1	2480	23000~25000	7.07	-61.61	≤-12.93	PASS
BLE_500K	Ant1	2402	30~1000	9.62	-69.45	≤-10.38	PASS
BLE_500K	Ant1	2402	1000~3000	9.62	-66.08	≤-10.38	PASS
BLE_500K	Ant1	2402	3000~5000	9.62	-63.72	≤-10.38	PASS
BLE_500K	Ant1	2402	5000~7000	9.62	-65.52	≤-10.38	PASS
BLE_500K	Ant1	2402	7000~9000	9.62	-43.25	≤-10.38	PASS
BLE_500K	Ant1	2402	9000~11000	9.62	-65.41	≤-10.38	PASS
BLE_500K	Ant1	2402	11000~13000	9.62	-33.93	≤-10.38	PASS
BLE_500K	Ant1	2402	13000~15000	9.62	-62.32	≤-10.38	PASS
BLE_500K	Ant1	2402	15000~17000	9.62	-40.7	≤-10.38	PASS
BLE_500K	Ant1	2402	17000~19000	9.62	-63.74	≤-10.38	PASS
BLE_500K	Ant1	2402	19000~21000	9.62	-62.9	≤-10.38	PASS
BLE_500K	Ant1	2402	21000~23000	9.62	-56.24	≤-10.38	PASS
BLE_500K	Ant1	2402	23000~25000	9.62	-60.41	≤-10.38	PASS
BLE_500K	Ant1	2440	30~1000	9.82	-69.04	≤-10.18	PASS
BLE_500K	Ant1	2440	1000~3000	9.82	-66.2	≤-10.18	PASS
BLE_500K	Ant1	2440	3000~5000	9.82	-62.21	≤-10.18	PASS
BLE_500K	Ant1	2440	5000~7000	9.82	-64.44	≤-10.18	PASS
BLE_500K	Ant1	2440	7000~9000	9.82	-46.13	≤-10.18	PASS
BLE_500K	Ant1	2440	9000~11000	9.82	-65.65	≤-10.18	PASS
BLE_500K	Ant1	2440	11000~13000	9.82	-35.96	≤-10.18	PASS
BLE_500K	Ant1	2440	13000~15000	9.82	-61.18	≤-10.18	PASS
BLE_500K	Ant1	2440	15000~17000	9.82	-64.2	≤-10.18	PASS
BLE_500K	Ant1	2440	17000~19000	9.82	-35.87	≤-10.18	PASS
BLE_500K	Ant1	2440	19000~21000	9.82	-62.64	≤-10.18	PASS
BLE_500K	Ant1	2440	21000~23000	9.82	-50.43	≤-10.18	PASS
BLE_500K	Ant1	2440	23000~25000	9.82	-61.22	≤-10.18	PASS
BLE_500K	Ant1	2480	30~1000	9.69	-69.91	≤-10.31	PASS
BLE_500K	Ant1	2480	1000~3000	9.69	-66.03	≤-10.31	PASS
BLE_500K	Ant1	2480	3000~5000	9.69	-58.03	≤-10.31	PASS
BLE_500K	Ant1	2480	5000~7000	9.69	-65.28	≤-10.31	PASS


BLE_500K	Ant1	2480	7000~9000	9.69	-43.91	≤-10.31	PASS
BLE_500K	Ant1	2480	9000~11000	9.69	-65.7	≤-10.31	PASS
BLE_500K	Ant1	2480	11000~13000	9.69	-32.43	≤-10.31	PASS
BLE_500K	Ant1	2480	13000~15000	9.69	-62.43	≤-10.31	PASS
BLE_500K	Ant1	2480	15000~17000	9.69	-64.29	≤-10.31	PASS
BLE_500K	Ant1	2480	17000~19000	9.69	-37.11	≤-10.31	PASS
BLE_500K	Ant1	2480	19000~21000	9.69	-62.76	≤-10.31	PASS
BLE_500K	Ant1	2480	21000~23000	9.69	-50.69	≤-10.31	PASS
BLE_500K	Ant1	2480	23000~25000	9.69	-61.8	≤-10.31	PASS




BLE_1M-Ant1-2402-30~1000-PASS




BLE_1M-Ant1-2402-1000~3000-PASS




BLE_1M-Ant1-2402-3000~5000-PASS




BLE_1M-Ant1-2402-5000~7000-PASS




BLE_1M-Ant1-2402-7000~9000-PASS




BLE_1M-Ant1-2402-9000~11000-PASS




BLE_1M-Ant1-2402-11000~13000-PASS




BLE_1M-Ant1-2402-13000~15000-PASS




BLE_1M-Ant1-2402-15000~17000-PASS




BLE_1M-Ant1-2402-17000~19000-PASS




BLE_1M-Ant1-2402-19000~21000-PASS



BLE_1M-Ant1-2402-21000~23000-PASS




BLE_1M-Ant1-2402-23000~25000-PASS




BLE_1M-Ant1-2440-30~1000-PASS




BLE_1M-Ant1-2440-1000~3000-PASS




BLE_1M-Ant1-2440-3000~5000-PASS




BLE_1M-Ant1-2440-5000~7000-PASS




BLE_1M-Ant1-2440-7000~9000-PASS




BLE_1M-Ant1-2440-9000~11000-PASS




BLE_1M-Ant1-2440-11000~13000-PASS




BLE_1M-Ant1-2440-13000~15000-PASS




BLE_1M-Ant1-2440-15000~17000-PASS




BLE_1M-Ant1-2440-17000~19000-PASS




BLE_1M-Ant1-2440-19000~21000-PASS




BLE_1M-Ant1-2440-21000~23000-PASS




BLE_1M-Ant1-2440-23000~25000-PASS




BLE_1M-Ant1-2480-30~1000-PASS




BLE_1M-Ant1-2480-1000~3000-PASS




BLE_1M-Ant1-2480-3000~5000-PASS




BLE_1M-Ant1-2480-5000~7000-PASS




BLE_1M-Ant1-2480-7000~9000-PASS




BLE_1M-Ant1-2480-9000~11000-PASS




BLE_1M-Ant1-2480-11000~13000-PASS




BLE_1M-Ant1-2480-13000~15000-PASS




BLE_1M-Ant1-2480-15000~17000-PASS




BLE_1M-Ant1-2480-17000~19000-PASS




BLE_1M-Ant1-2480-19000~21000-PASS




BLE_1M-Ant1-2480-21000~23000-PASS




BLE_1M-Ant1-2480-23000~25000-PASS



BLE_2M-Ant1-2402-30~1000-PASS



BLE_2M-Ant1-2402-1000~3000-PASS



BLE_2M-Ant1-2402-3000~5000-PASS