



Profile: 2420073R	Page No.: 16
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/19 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: LED lamp	Power: 120Vac/60Hz
Note: Mode 3 : Transmit at 2440MHz by LE_Coded S=8	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4880.000	45.208	55.812	-28.792	74.000	-10.603	PK
2		7320.000	50.004	56.931	-23.996	74.000	-6.927	PK
3		9760.000	51.671	54.544	-22.329	74.000	-2.874	PK
4	*	12198.520	44.743	43.840	-9.257	54.000	0.903	AV
5		12200.000	54.696	53.775	-19.304	74.000	0.921	PK

Profile: 2420073R	Page No.: 17
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/19 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: LED lamp	Power: 120Vac/60Hz
Note: Mode 3 : Transmit at 2480MHz by LE_Coded S=8	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	43.266	53.972	-30.734	74.000	-10.707	PK
2		7440.000	47.458	54.237	-26.542	74.000	-6.779	PK
3		9920.000	50.006	51.828	-23.994	74.000	-1.821	PK
4	*	12400.000	52.227	49.553	-21.773	74.000	2.674	PK

Profile: 2420073R	Page No.: 18
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/19 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: LED lamp	Power: 120Vac/60Hz
Note: Mode 3 : Transmit at 2480MHz by LE_Coded S=8	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	46.682	57.388	-27.318	74.000	-10.707	PK
2		7440.000	49.512	56.291	-24.488	74.000	-6.779	PK
3		9920.000	52.836	54.658	-21.164	74.000	-1.821	PK
4		12400.000	56.055	53.381	-17.945	74.000	2.674	PK
5	*	12401.160	45.619	42.900	-8.381	54.000	2.719	AV

Profile: 2420073R	Page No.: 19
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/19 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: LED lamp	Power: 120Vac/60Hz
Note: Mode 4 : Transmit at 2402MHz by LE_Coded S=2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	41.355	53.243	-32.645	74.000	-11.888	PK
2		7206.000	48.502	54.668	-25.498	74.000	-6.166	PK
3		9608.000	49.115	52.338	-24.885	74.000	-3.222	PK
4	*	12010.000	52.568	52.259	-21.432	74.000	0.309	PK

Profile: 2420073R	Page No.: 20
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/19 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: LED lamp	Power: 120Vac/60Hz
Note: Mode 4 : Transmit at 2402MHz by LE_Coded S=2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	44.329	56.217	-29.671	74.000	-11.888	PK
2		7206.000	51.048	57.214	-22.952	74.000	-6.166	PK
3		9608.000	51.282	54.505	-22.718	74.000	-3.222	PK
4	*	12008.540	45.069	44.740	-8.931	54.000	0.329	AV
5		12010.000	53.246	52.937	-20.754	74.000	0.309	PK

Profile: 2420073R	Page No.: 21
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/19 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: LED lamp	Power: 120Vac/60Hz
Note: Mode 4 : Transmit at 2440MHz by LE_Coded S=2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4880.000	43.163	53.767	-30.837	74.000	-10.603	PK
2		7320.000	46.225	53.152	-27.775	74.000	-6.927	PK
3		9760.000	49.874	52.747	-24.126	74.000	-2.874	PK
4	*	12200.000	52.772	51.851	-21.228	74.000	0.921	PK

Profile: 2420073R	Page No.: 22
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/19 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: LED lamp	Power: 120Vac/60Hz
Note: Mode 4 : Transmit at 2440MHz by LE_Coded S=2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4880.000	43.155	53.759	-30.845	74.000	-10.603	PK
2		7320.000	45.319	52.246	-28.681	74.000	-6.927	PK
3		9760.000	49.774	52.647	-24.226	74.000	-2.874	PK
4	*	12198.670	45.421	44.516	-8.579	54.000	0.905	AV
5		12200.000	54.098	53.177	-19.902	74.000	0.921	PK

Profile: 2420073R	Page No.: 23
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/19 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: LED lamp	Power: 120Vac/60Hz
Note: Mode 4 : Transmit at 2480MHz by LE_Coded S=2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	43.192	53.898	-30.808	74.000	-10.707	PK
2		7440.000	45.775	52.554	-28.225	74.000	-6.779	PK
3		9920.000	49.800	51.622	-24.200	74.000	-1.821	PK
4	*	12400.000	52.616	49.942	-21.384	74.000	2.674	PK

Profile: 2420073R	Page No.: 24
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/19 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: LED lamp	Power: 120Vac/60Hz
Note: Mode 4 : Transmit at 2480MHz by LE_Coded S=2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	43.049	53.755	-30.951	74.000	-10.707	PK
2		7440.000	45.017	51.796	-28.983	74.000	-6.779	PK
3		9920.000	50.428	52.250	-23.572	74.000	-1.821	PK
4		12400.000	56.008	53.334	-17.992	74.000	2.674	PK
5	*	12402.180	45.502	42.743	-8.498	54.000	2.759	AV

Note:

1. The test frequency range, 9kHz~30MHz and Above 18GHz worst case are at least 6dB below the limits, therefore no data appear in the report.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).


The worst case of Radiated Emission below 1GHz:

Profile: 2420073R	Page No.: 57
Engineer: Pengchengyang	
Site: AC2	Time: 2024/01/17 - 08:16
Limit: FCC_Part 15.209_RE (3m)	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: LED lamp	Power: 120Vac/60Hz
Note: Mode 1 : Transmit at 2402MHz by LE_1Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		57.888	17.287	4.001	-22.713	40.000	13.286	QP
2		94.020	21.186	4.332	-22.314	43.500	16.854	QP
3		172.226	19.030	2.345	-24.470	43.500	16.685	QP
4		302.570	24.142	3.208	-21.858	46.000	20.934	QP
5		497.297	27.580	2.023	-18.420	46.000	25.557	QP
6	*	682.325	31.710	4.068	-14.290	46.000	27.642	QP

Profile: 2420073R	Page No.: 58
Engineer: Pengchengyang	
Site: AC2	Time: 2024/01/17 - 08:17
Limit: FCC_Part 15.209_RE (3m)	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Vertical
EUT: LED lamp	Power: 120Vac/60Hz
Note: Mode 1 : Transmit at 2402MHz by LE_1Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		58.494	16.419	3.188	-23.581	40.000	13.232	QP
2		111.844	21.753	2.636	-21.747	43.500	19.118	QP
3		158.040	19.670	2.605	-23.830	43.500	17.065	QP
4		256.737	23.228	2.693	-22.772	46.000	20.535	QP
5		434.369	26.237	1.913	-19.763	46.000	24.324	QP
6	*	862.503	32.596	3.228	-13.404	46.000	29.368	QP

Note:


1. All Readings below 1GHz are Quasi-Peak, above are performed with peak and/or average measurements as necessary.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

Appendix C: Duty cycle


TestMode	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]
Mode 1	2402	N/A	N/A	100
	2440	N/A	N/A	100
	2480	N/A	N/A	100
Mode 2	2402	N/A	N/A	100
	2440	N/A	N/A	100
	2480	N/A	N/A	100
Mode 3	2402	N/A	N/A	100
	2440	N/A	N/A	100
	2480	N/A	N/A	100
Mode4	2402	N/A	N/A	100
	2440	N/A	N/A	100
	2480	N/A	N/A	100

TEST GRAPHS:


BLE_1M_Ant1_2402




BLE_1M_Ant1_2440




BLE_1M_Ant1_2480




BLE_2M_Ant1_2402




BLE_2M_Ant1_2440




BLE_2M_Ant1_2480




BLE_125K_Ant1_2402




BLE_125K_Ant1_2440




BLE_125K_Ant1_2480




BLE_500K_Ant1_2402



BLE_500K_Ant1_2440



BLE_500K_Ant1_2480



Appendix D: Emissions in non-restricted frequency bands

TEST RESULT FOR BAND EDGE:

TestMode	Frequency [MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
Mode 1	2402	7.43	-43.44	≤-12.57	PASS
	2480	7.39	-43.79	≤-12.61	PASS
Mode 2	2402	5.20	-26.55	≤-14.8	PASS
	2480	5.18	-43.18	≤-14.82	PASS
Mode 3	2402	4.68	-42.53	≤-15.32	PASS
	2480	4.88	-43.87	≤-15.12	PASS
Mode 4	2402	7.25	-42.92	≤-12.75	PASS
	2480	7.41	-43.32	≤-12.59	PASS

TEST RESULT FOR SPURIOUS EMISSION:

TestMode	Frequency [MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
Mode 1	2402	30~1000	7.43	-53.46	≤-12.57	PASS
		1000~3000	7.43	-51.34	≤-12.57	PASS
		3000~5000	7.43	-49.63	≤-12.57	PASS
		5000~7000	7.43	-50.9	≤-12.57	PASS
		7000~9000	7.43	-51.4	≤-12.57	PASS
		9000~11000	7.43	-50.71	≤-12.57	PASS
		11000~13000	7.43	-51.41	≤-12.57	PASS
		13000~15000	7.43	-46.48	≤-12.57	PASS
		15000~17000	7.43	-44.76	≤-12.57	PASS
		17000~19000	7.43	-44.43	≤-12.57	PASS
		19000~21000	7.43	-42.6	≤-12.57	PASS
		21000~23000	7.43	-42.53	≤-12.57	PASS
	23000~25000	7.43	-41.41	≤-12.57	PASS	
	2440	30~1000	7.51	-53.49	≤-12.49	PASS
		1000~3000	7.51	-52.18	≤-12.49	PASS
		3000~5000	7.51	-50.63	≤-12.49	PASS
		5000~7000	7.51	-50.49	≤-12.49	PASS
		7000~9000	7.51	-52	≤-12.49	PASS
		9000~11000	7.51	-51.28	≤-12.49	PASS
		11000~13000	7.51	-51.64	≤-12.49	PASS
		13000~15000	7.51	-47.07	≤-12.49	PASS
		15000~17000	7.51	-44.88	≤-12.49	PASS
		17000~19000	7.51	-45.18	≤-12.49	PASS
		19000~21000	7.51	-42.07	≤-12.49	PASS
		21000~23000	7.51	-42.71	≤-12.49	PASS
	23000~25000	7.51	-41.39	≤-12.49	PASS	
	2480	30~1000	7.39	-53.66	≤-12.61	PASS
		1000~3000	7.39	-52.02	≤-12.61	PASS
		3000~5000	7.39	-50.15	≤-12.61	PASS
		5000~7000	7.39	-50.56	≤-12.61	PASS
		7000~9000	7.39	-51.63	≤-12.61	PASS

		9000~11000	7.39	-50.74	≤-12.61	PASS
		11000~13000	7.39	-51.88	≤-12.61	PASS
		13000~15000	7.39	-46.7	≤-12.61	PASS
		15000~17000	7.39	-44.8	≤-12.61	PASS
		17000~19000	7.39	-44.36	≤-12.61	PASS
		19000~21000	7.39	-43.23	≤-12.61	PASS
		21000~23000	7.39	-43.28	≤-12.61	PASS
		23000~25000	7.39	-41.57	≤-12.61	PASS
Mode 2	2402	30~1000	5.20	-53.26	≤-14.8	PASS
		1000~3000	5.20	-51.38	≤-14.8	PASS
		3000~5000	5.20	-50.33	≤-14.8	PASS
		5000~7000	5.20	-50.52	≤-14.8	PASS
		7000~9000	5.20	-52.08	≤-14.8	PASS
		9000~11000	5.20	-51.2	≤-14.8	PASS
		11000~13000	5.20	-51.12	≤-14.8	PASS
		13000~15000	5.20	-46.77	≤-14.8	PASS
		15000~17000	5.20	-45.21	≤-14.8	PASS
		17000~19000	5.20	-44.28	≤-14.8	PASS
		19000~21000	5.20	-41.91	≤-14.8	PASS
		21000~23000	5.20	-42.34	≤-14.8	PASS
	23000~25000	5.20	-41.62	≤-14.8	PASS	
	2440	30~1000	5.33	-53.28	≤-14.67	PASS
		1000~3000	5.33	-50.9	≤-14.67	PASS
		3000~5000	5.33	-50.1	≤-14.67	PASS
		5000~7000	5.33	-50.99	≤-14.67	PASS
		7000~9000	5.33	-51.85	≤-14.67	PASS
		9000~11000	5.33	-50.32	≤-14.67	PASS
		11000~13000	5.33	-50.86	≤-14.67	PASS
		13000~15000	5.33	-46.7	≤-14.67	PASS
		15000~17000	5.33	-45.44	≤-14.67	PASS
		17000~19000	5.33	-44.92	≤-14.67	PASS
		19000~21000	5.33	-42.98	≤-14.67	PASS
		21000~23000	5.33	-42.66	≤-14.67	PASS
	23000~25000	5.33	-41.29	≤-14.67	PASS	
	2480	30~1000	5.18	-52.55	≤-14.82	PASS
		1000~3000	5.18	-51.87	≤-14.82	PASS
		3000~5000	5.18	-50.26	≤-14.82	PASS
		5000~7000	5.18	-50.52	≤-14.82	PASS
		7000~9000	5.18	-52.18	≤-14.82	PASS
		9000~11000	5.18	-50.75	≤-14.82	PASS
		11000~13000	5.18	-51.67	≤-14.82	PASS
		13000~15000	5.18	-46.71	≤-14.82	PASS
		15000~17000	5.18	-45.27	≤-14.82	PASS
		17000~19000	5.18	-44.13	≤-14.82	PASS
19000~21000		5.18	-43.54	≤-14.82	PASS	
21000~23000		5.18	-42.87	≤-14.82	PASS	
23000~25000	5.18	-41.8	≤-14.82	PASS		
Mode 3	2402	30~1000	4.68	-53.57	≤-15.32	PASS
		1000~3000	4.68	-51.48	≤-15.32	PASS
		3000~5000	4.68	-48.93	≤-15.32	PASS
		5000~7000	4.68	-50.89	≤-15.32	PASS

		7000~9000	4.68	-51.94	≤-15.32	PASS
		9000~11000	4.68	-51	≤-15.32	PASS
		11000~13000	4.68	-51.57	≤-15.32	PASS
		13000~15000	4.68	-46.71	≤-15.32	PASS
		15000~17000	4.68	-44.78	≤-15.32	PASS
		17000~19000	4.68	-44.43	≤-15.32	PASS
		19000~21000	4.68	-42.37	≤-15.32	PASS
		21000~23000	4.68	-42.1	≤-15.32	PASS
		23000~25000	4.68	-41.26	≤-15.32	PASS
	2440	30~1000	5.00	-53.16	≤-15	PASS
		1000~3000	5.00	-52.01	≤-15	PASS
		3000~5000	5.00	-50.66	≤-15	PASS
		5000~7000	5.00	-51.09	≤-15	PASS
		7000~9000	5.00	-51.88	≤-15	PASS
		9000~11000	5.00	-51.29	≤-15	PASS
		11000~13000	5.00	-51.81	≤-15	PASS
		13000~15000	5.00	-46.73	≤-15	PASS
		15000~17000	5.00	-45.05	≤-15	PASS
		17000~19000	5.00	-44.67	≤-15	PASS
		19000~21000	5.00	-43.42	≤-15	PASS
		21000~23000	5.00	-43.04	≤-15	PASS
	23000~25000	5.00	-41.26	≤-15	PASS	
	2480	30~1000	4.88	-53.59	≤-15.12	PASS
		1000~3000	4.88	-51.3	≤-15.12	PASS
		3000~5000	4.88	-50.37	≤-15.12	PASS
		5000~7000	4.88	-51.11	≤-15.12	PASS
		7000~9000	4.88	-51.73	≤-15.12	PASS
		9000~11000	4.88	-50.71	≤-15.12	PASS
		11000~13000	4.88	-51.69	≤-15.12	PASS
		13000~15000	4.88	-46.92	≤-15.12	PASS
		15000~17000	4.88	-45.17	≤-15.12	PASS
		17000~19000	4.88	-44.91	≤-15.12	PASS
		19000~21000	4.88	-43.73	≤-15.12	PASS
21000~23000		4.88	-43.06	≤-15.12	PASS	
23000~25000	4.88	-41.46	≤-15.12	PASS		
Mode 4	2402	30~1000	7.25	-53.55	≤-12.75	PASS
		1000~3000	7.25	-51.42	≤-12.75	PASS
		3000~5000	7.25	-49.7	≤-12.75	PASS
		5000~7000	7.25	-50.68	≤-12.75	PASS
		7000~9000	7.25	-50.67	≤-12.75	PASS
		9000~11000	7.25	-50.74	≤-12.75	PASS
		11000~13000	7.25	-51.39	≤-12.75	PASS
		13000~15000	7.25	-46.6	≤-12.75	PASS
		15000~17000	7.25	-45.61	≤-12.75	PASS
		17000~19000	7.25	-44.79	≤-12.75	PASS
		19000~21000	7.25	-42.71	≤-12.75	PASS
		21000~23000	7.25	-42.53	≤-12.75	PASS
	23000~25000	7.25	-40.57	≤-12.75	PASS	
	2440	30~1000	7.53	-53.66	≤-12.47	PASS
		1000~3000	7.53	-51.24	≤-12.47	PASS
		3000~5000	7.53	-49.88	≤-12.47	PASS

		5000~7000	7.53	-50.13	≤-12.47	PASS
		7000~9000	7.53	-51.5	≤-12.47	PASS
		9000~11000	7.53	-51.25	≤-12.47	PASS
		11000~13000	7.53	-50.79	≤-12.47	PASS
		13000~15000	7.53	-46.98	≤-12.47	PASS
		15000~17000	7.53	-44.98	≤-12.47	PASS
		17000~19000	7.53	-44.5	≤-12.47	PASS
		19000~21000	7.53	-43.55	≤-12.47	PASS
		21000~23000	7.53	-43.21	≤-12.47	PASS
		23000~25000	7.53	-41.25	≤-12.47	PASS
	2480	30~1000	7.41	-53.79	≤-12.59	PASS
		1000~3000	7.41	-50.57	≤-12.59	PASS
		3000~5000	7.41	-50.4	≤-12.59	PASS
		5000~7000	7.41	-51.25	≤-12.59	PASS
		7000~9000	7.41	-52.08	≤-12.59	PASS
		9000~11000	7.41	-50.26	≤-12.59	PASS
		11000~13000	7.41	-51.23	≤-12.59	PASS
		13000~15000	7.41	-46.51	≤-12.59	PASS
		15000~17000	7.41	-44.56	≤-12.59	PASS
		17000~19000	7.41	-44.71	≤-12.59	PASS
		19000~21000	7.41	-43.02	≤-12.59	PASS
		21000~23000	7.41	-43.07	≤-12.59	PASS
		23000~25000	7.41	-41.44	≤-12.59	PASS

TEST GRAPHS FOR REFERENCE LEVEL


BLE_1M_Ant1_2402



BLE_1M_Ant1_2440



BLE_1M_Ant1_2480



BLE_2M_Ant1_2402




BLE_2M_Ant1_2440




BLE_2M_Ant1_2480



BLE_125K_Ant1_2402



BLE_125K_Ant1_2440




BLE_125K_Ant1_2480



BLE_500K_Ant1_2402



BLE_500K_Ant1_2440




BLE_500K_Ant1_2480




TEST GRAPHS FOR BAND EDGE


BLE_1M_Ant1_Low_2402




BLE_1M_Ant1_High_2480




BLE_2M_Ant1_Low_2402




BLE_2M_Ant1_High_2480




BLE_125K_Ant1_Low_2402




BLE_125K_Ant1_High_2480



BLE_500K_Ant1_Low_2402




BLE_500K_Ant1_High_2480




TEST GRAPHS FOR SPURIOUS EMISSION


BLE_1M_Ant1_2402_30~1000




BLE_1M_Ant1_2402_1000~3000




BLE_1M_Ant1_2402_3000~5000




BLE_1M_Ant1_2402_5000~7000




BLE_1M_Ant1_2402_7000~9000




BLE_1M_Ant1_2402_9000~11000




BLE_1M_Ant1_2402_11000~13000




BLE_1M_Ant1_2402_13000~15000




BLE_1M_Ant1_2402_15000~17000




BLE_1M_Ant1_2402_17000~19000




BLE_1M_Ant1_2402_19000~21000




BLE_1M_Ant1_2402_21000~23000




BLE_1M_Ant1_2402_23000~25000




BLE_1M_Ant1_2440_30~1000




BLE_1M_Ant1_2440_1000~3000




BLE_1M_Ant1_2440_3000~5000




BLE_1M_Ant1_2440_5000~7000




BLE_1M_Ant1_2440_7000~9000



BLE_1M_Ant1_2440_9000~11000



BLE_1M_Ant1_2440_11000~13000



BLE_1M_Ant1_2440_13000~15000