




BLE_1M-Ant1-2480-PASS




BLE_2M-Ant1-2402-PASS




BLE_2M-Ant1-2480-PASS




BLE_125K-Ant1-2402-PASS



BLE_125K-Ant1-2480-PASS



BLE_500K-Ant1-2402-PASS



BLE_500K-Ant1-2480-PASS


Conducted Spurious Emission :

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	30~1000	6.91	-53.65	≤-13.09	PASS
BLE_1M	Ant1	2402	1000~3000	6.91	-51.43	≤-13.09	PASS
BLE_1M	Ant1	2402	3000~5000	6.91	-49.26	≤-13.09	PASS
BLE_1M	Ant1	2402	5000~7000	6.91	-51.24	≤-13.09	PASS
BLE_1M	Ant1	2402	7000~9000	6.91	-51.94	≤-13.09	PASS
BLE_1M	Ant1	2402	9000~11000	6.91	-51.66	≤-13.09	PASS
BLE_1M	Ant1	2402	11000~13000	6.91	-51.13	≤-13.09	PASS
BLE_1M	Ant1	2402	13000~15000	6.91	-47.75	≤-13.09	PASS
BLE_1M	Ant1	2402	15000~17000	6.91	-45.93	≤-13.09	PASS
BLE_1M	Ant1	2402	17000~19000	6.91	-45.39	≤-13.09	PASS
BLE_1M	Ant1	2402	19000~21000	6.91	-43.1	≤-13.09	PASS
BLE_1M	Ant1	2402	21000~23000	6.91	-43.62	≤-13.09	PASS
BLE_1M	Ant1	2402	23000~25000	6.91	-41.57	≤-13.09	PASS
BLE_1M	Ant1	2440	30~1000	6.67	-53.78	≤-13.33	PASS
BLE_1M	Ant1	2440	1000~3000	6.67	-51.99	≤-13.33	PASS
BLE_1M	Ant1	2440	3000~5000	6.67	-51.13	≤-13.33	PASS
BLE_1M	Ant1	2440	5000~7000	6.67	-51.03	≤-13.33	PASS
BLE_1M	Ant1	2440	7000~9000	6.67	-51.43	≤-13.33	PASS
BLE_1M	Ant1	2440	9000~11000	6.67	-52.13	≤-13.33	PASS
BLE_1M	Ant1	2440	11000~13000	6.67	-51.08	≤-13.33	PASS
BLE_1M	Ant1	2440	13000~15000	6.67	-47.76	≤-13.33	PASS
BLE_1M	Ant1	2440	15000~17000	6.67	-46.04	≤-13.33	PASS
BLE_1M	Ant1	2440	17000~19000	6.67	-45.68	≤-13.33	PASS
BLE_1M	Ant1	2440	19000~21000	6.67	-44.26	≤-13.33	PASS
BLE_1M	Ant1	2440	21000~23000	6.67	-44.23	≤-13.33	PASS
BLE_1M	Ant1	2440	23000~25000	6.67	-40.96	≤-13.33	PASS
BLE_1M	Ant1	2480	30~1000	6.62	-53.84	≤-13.38	PASS
BLE_1M	Ant1	2480	1000~3000	6.62	-51.69	≤-13.38	PASS


BLE_1M	Ant1	2480	3000~5000	6.62	-50.92	≤-13.38	PASS
BLE_1M	Ant1	2480	5000~7000	6.62	-51.55	≤-13.38	PASS
BLE_1M	Ant1	2480	7000~9000	6.62	-51.84	≤-13.38	PASS
BLE_1M	Ant1	2480	9000~11000	6.62	-51.4	≤-13.38	PASS
BLE_1M	Ant1	2480	11000~13000	6.62	-50.54	≤-13.38	PASS
BLE_1M	Ant1	2480	13000~15000	6.62	-47.61	≤-13.38	PASS
BLE_1M	Ant1	2480	15000~17000	6.62	-45.4	≤-13.38	PASS
BLE_1M	Ant1	2480	17000~19000	6.62	-45.46	≤-13.38	PASS
BLE_1M	Ant1	2480	19000~21000	6.62	-43.7	≤-13.38	PASS
BLE_1M	Ant1	2480	21000~23000	6.62	-43.54	≤-13.38	PASS
BLE_1M	Ant1	2480	23000~25000	6.62	-41.64	≤-13.38	PASS
BLE_2M	Ant1	2402	30~1000	5.01	-52.73	≤-14.99	PASS
BLE_2M	Ant1	2402	1000~3000	5.01	-51.73	≤-14.99	PASS
BLE_2M	Ant1	2402	3000~5000	5.01	-48.66	≤-14.99	PASS
BLE_2M	Ant1	2402	5000~7000	5.01	-50.71	≤-14.99	PASS
BLE_2M	Ant1	2402	7000~9000	5.01	-51.9	≤-14.99	PASS
BLE_2M	Ant1	2402	9000~11000	5.01	-51.07	≤-14.99	PASS
BLE_2M	Ant1	2402	11000~13000	5.01	-50.98	≤-14.99	PASS
BLE_2M	Ant1	2402	13000~15000	5.01	-46.74	≤-14.99	PASS
BLE_2M	Ant1	2402	15000~17000	5.01	-45.32	≤-14.99	PASS
BLE_2M	Ant1	2402	17000~19000	5.01	-44.52	≤-14.99	PASS
BLE_2M	Ant1	2402	19000~21000	5.01	-43.81	≤-14.99	PASS
BLE_2M	Ant1	2402	21000~23000	5.01	-42.83	≤-14.99	PASS
BLE_2M	Ant1	2402	23000~25000	5.01	-41.55	≤-14.99	PASS
BLE_2M	Ant1	2440	30~1000	4.89	-53.35	≤-15.11	PASS
BLE_2M	Ant1	2440	1000~3000	4.89	-51.6	≤-15.11	PASS
BLE_2M	Ant1	2440	3000~5000	4.89	-50.89	≤-15.11	PASS
BLE_2M	Ant1	2440	5000~7000	4.89	-51.06	≤-15.11	PASS
BLE_2M	Ant1	2440	7000~9000	4.89	-52.11	≤-15.11	PASS
BLE_2M	Ant1	2440	9000~11000	4.89	-50.78	≤-15.11	PASS
BLE_2M	Ant1	2440	11000~13000	4.89	-50.58	≤-15.11	PASS
BLE_2M	Ant1	2440	13000~15000	4.89	-47.54	≤-15.11	PASS
BLE_2M	Ant1	2440	15000~17000	4.89	-45.75	≤-15.11	PASS
BLE_2M	Ant1	2440	17000~19000	4.89	-45.71	≤-15.11	PASS
BLE_2M	Ant1	2440	19000~21000	4.89	-43.82	≤-15.11	PASS
BLE_2M	Ant1	2440	21000~23000	4.89	-43.49	≤-15.11	PASS
BLE_2M	Ant1	2440	23000~25000	4.89	-41.16	≤-15.11	PASS
BLE_2M	Ant1	2480	30~1000	4.88	-53.09	≤-15.12	PASS
BLE_2M	Ant1	2480	1000~3000	4.88	-51.63	≤-15.12	PASS
BLE_2M	Ant1	2480	3000~5000	4.88	-50.87	≤-15.12	PASS
BLE_2M	Ant1	2480	5000~7000	4.88	-50.49	≤-15.12	PASS
BLE_2M	Ant1	2480	7000~9000	4.88	-51.81	≤-15.12	PASS
BLE_2M	Ant1	2480	9000~11000	4.88	-51.98	≤-15.12	PASS
BLE_2M	Ant1	2480	11000~13000	4.88	-50.82	≤-15.12	PASS
BLE_2M	Ant1	2480	13000~15000	4.88	-46.97	≤-15.12	PASS
BLE_2M	Ant1	2480	15000~17000	4.88	-44.76	≤-15.12	PASS
BLE_2M	Ant1	2480	17000~19000	4.88	-44.92	≤-15.12	PASS
BLE_2M	Ant1	2480	19000~21000	4.88	-43.88	≤-15.12	PASS
BLE_2M	Ant1	2480	21000~23000	4.88	-43.48	≤-15.12	PASS
BLE_2M	Ant1	2480	23000~25000	4.88	-41.86	≤-15.12	PASS
BLE_125K	Ant1	2402	30~1000	4.68	-52.91	≤-15.32	PASS

BLE_125K	Ant1	2402	1000~3000	4.68	-51.25	≤-15.32	PASS
BLE_125K	Ant1	2402	3000~5000	4.68	-50.65	≤-15.32	PASS
BLE_125K	Ant1	2402	5000~7000	4.68	-49.9	≤-15.32	PASS
BLE_125K	Ant1	2402	7000~9000	4.68	-52.09	≤-15.32	PASS
BLE_125K	Ant1	2402	9000~11000	4.68	-51.08	≤-15.32	PASS
BLE_125K	Ant1	2402	11000~13000	4.68	-50.58	≤-15.32	PASS
BLE_125K	Ant1	2402	13000~15000	4.68	-47.04	≤-15.32	PASS
BLE_125K	Ant1	2402	15000~17000	4.68	-45.28	≤-15.32	PASS
BLE_125K	Ant1	2402	17000~19000	4.68	-44.93	≤-15.32	PASS
BLE_125K	Ant1	2402	19000~21000	4.68	-43.72	≤-15.32	PASS
BLE_125K	Ant1	2402	21000~23000	4.68	-43.09	≤-15.32	PASS
BLE_125K	Ant1	2402	23000~25000	4.68	-41.67	≤-15.32	PASS
BLE_125K	Ant1	2440	30~1000	4.59	-53.49	≤-15.41	PASS
BLE_125K	Ant1	2440	1000~3000	4.59	-52.02	≤-15.41	PASS
BLE_125K	Ant1	2440	3000~5000	4.59	-50.38	≤-15.41	PASS
BLE_125K	Ant1	2440	5000~7000	4.59	-50.93	≤-15.41	PASS
BLE_125K	Ant1	2440	7000~9000	4.59	-52.23	≤-15.41	PASS
BLE_125K	Ant1	2440	9000~11000	4.59	-51.09	≤-15.41	PASS
BLE_125K	Ant1	2440	11000~13000	4.59	-50.95	≤-15.41	PASS
BLE_125K	Ant1	2440	13000~15000	4.59	-47.35	≤-15.41	PASS
BLE_125K	Ant1	2440	15000~17000	4.59	-46.14	≤-15.41	PASS
BLE_125K	Ant1	2440	17000~19000	4.59	-44.78	≤-15.41	PASS
BLE_125K	Ant1	2440	19000~21000	4.59	-44.02	≤-15.41	PASS
BLE_125K	Ant1	2440	21000~23000	4.59	-43.59	≤-15.41	PASS
BLE_125K	Ant1	2440	23000~25000	4.59	-42.16	≤-15.41	PASS
BLE_125K	Ant1	2480	30~1000	4.57	-53.79	≤-15.43	PASS
BLE_125K	Ant1	2480	1000~3000	4.57	-50.25	≤-15.43	PASS
BLE_125K	Ant1	2480	3000~5000	4.57	-51.54	≤-15.43	PASS
BLE_125K	Ant1	2480	5000~7000	4.57	-50.41	≤-15.43	PASS
BLE_125K	Ant1	2480	7000~9000	4.57	-51.79	≤-15.43	PASS
BLE_125K	Ant1	2480	9000~11000	4.57	-51.12	≤-15.43	PASS
BLE_125K	Ant1	2480	11000~13000	4.57	-50.05	≤-15.43	PASS
BLE_125K	Ant1	2480	13000~15000	4.57	-47.29	≤-15.43	PASS
BLE_125K	Ant1	2480	15000~17000	4.57	-45.03	≤-15.43	PASS
BLE_125K	Ant1	2480	17000~19000	4.57	-44.92	≤-15.43	PASS
BLE_125K	Ant1	2480	19000~21000	4.57	-43.93	≤-15.43	PASS
BLE_125K	Ant1	2480	21000~23000	4.57	-43.91	≤-15.43	PASS
BLE_125K	Ant1	2480	23000~25000	4.57	-41.62	≤-15.43	PASS
BLE_500K	Ant1	2402	30~1000	7.14	-53.07	≤-12.86	PASS
BLE_500K	Ant1	2402	1000~3000	7.14	-51.96	≤-12.86	PASS
BLE_500K	Ant1	2402	3000~5000	7.14	-50.44	≤-12.86	PASS
BLE_500K	Ant1	2402	5000~7000	7.14	-50.53	≤-12.86	PASS
BLE_500K	Ant1	2402	7000~9000	7.14	-51.48	≤-12.86	PASS
BLE_500K	Ant1	2402	9000~11000	7.14	-49.61	≤-12.86	PASS
BLE_500K	Ant1	2402	11000~13000	7.14	-50.67	≤-12.86	PASS
BLE_500K	Ant1	2402	13000~15000	7.14	-47.2	≤-12.86	PASS
BLE_500K	Ant1	2402	15000~17000	7.14	-45.57	≤-12.86	PASS
BLE_500K	Ant1	2402	17000~19000	7.14	-44.73	≤-12.86	PASS
BLE_500K	Ant1	2402	19000~21000	7.14	-43.77	≤-12.86	PASS
BLE_500K	Ant1	2402	21000~23000	7.14	-42.73	≤-12.86	PASS
BLE_500K	Ant1	2402	23000~25000	7.14	-42.34	≤-12.86	PASS


BLE_500K	Ant1	2440	30~1000	7.15	-54.21	≤-12.85	PASS
BLE_500K	Ant1	2440	1000~3000	7.15	-51.81	≤-12.85	PASS
BLE_500K	Ant1	2440	3000~5000	7.15	-50.69	≤-12.85	PASS
BLE_500K	Ant1	2440	5000~7000	7.15	-50.52	≤-12.85	PASS
BLE_500K	Ant1	2440	7000~9000	7.15	-51.61	≤-12.85	PASS
BLE_500K	Ant1	2440	9000~11000	7.15	-51.3	≤-12.85	PASS
BLE_500K	Ant1	2440	11000~13000	7.15	-50	≤-12.85	PASS
BLE_500K	Ant1	2440	13000~15000	7.15	-46.8	≤-12.85	PASS
BLE_500K	Ant1	2440	15000~17000	7.15	-45.6	≤-12.85	PASS
BLE_500K	Ant1	2440	17000~19000	7.15	-44.93	≤-12.85	PASS
BLE_500K	Ant1	2440	19000~21000	7.15	-44.18	≤-12.85	PASS
BLE_500K	Ant1	2440	21000~23000	7.15	-42.91	≤-12.85	PASS
BLE_500K	Ant1	2440	23000~25000	7.15	-41.21	≤-12.85	PASS
BLE_500K	Ant1	2480	30~1000	7.12	-53.1	≤-12.88	PASS
BLE_500K	Ant1	2480	1000~3000	7.12	-50.89	≤-12.88	PASS
BLE_500K	Ant1	2480	3000~5000	7.12	-50.44	≤-12.88	PASS
BLE_500K	Ant1	2480	5000~7000	7.12	-51.59	≤-12.88	PASS
BLE_500K	Ant1	2480	7000~9000	7.12	-51.88	≤-12.88	PASS
BLE_500K	Ant1	2480	9000~11000	7.12	-51.4	≤-12.88	PASS
BLE_500K	Ant1	2480	11000~13000	7.12	-50.89	≤-12.88	PASS
BLE_500K	Ant1	2480	13000~15000	7.12	-47.5	≤-12.88	PASS
BLE_500K	Ant1	2480	15000~17000	7.12	-45.91	≤-12.88	PASS
BLE_500K	Ant1	2480	17000~19000	7.12	-45.07	≤-12.88	PASS
BLE_500K	Ant1	2480	19000~21000	7.12	-43.99	≤-12.88	PASS
BLE_500K	Ant1	2480	21000~23000	7.12	-43.68	≤-12.88	PASS
BLE_500K	Ant1	2480	23000~25000	7.12	-41.71	≤-12.88	PASS




BLE_1M-Ant1-2402-30~1000-PASS




BLE_1M-Ant1-2402-1000~3000-PASS




BLE_1M-Ant1-2402-3000~5000-PASS




BLE_1M-Ant1-2402-5000~7000-PASS



BLE_1M-Ant1-2402-7000~9000-PASS




BLE_1M-Ant1-2402-9000~11000-PASS




BLE_1M-Ant1-2402-11000~13000-PASS




BLE_1M-Ant1-2402-13000~15000-PASS




BLE_1M-Ant1-2402-15000~17000-PASS




BLE_1M-Ant1-2402-17000~19000-PASS




BLE_1M-Ant1-2402-19000~21000-PASS




BLE_1M-Ant1-2402-21000~23000-PASS




BLE_1M-Ant1-2402-23000~25000-PASS




BLE_1M-Ant1-2440-30~1000-PASS




BLE_1M-Ant1-2440-1000~3000-PASS




BLE_1M-Ant1-2440-3000~5000-PASS




BLE_1M-Ant1-2440-5000~7000-PASS




BLE_1M-Ant1-2440-7000~9000-PASS




BLE_1M-Ant1-2440-9000~11000-PASS




BLE_1M-Ant1-2440-11000~13000-PASS




BLE_1M-Ant1-2440-13000~15000-PASS




BLE_1M-Ant1-2440-15000~17000-PASS




BLE_1M-Ant1-2440-17000~19000-PASS




BLE_1M-Ant1-2440-19000~21000-PASS




BLE_1M-Ant1-2440-21000~23000-PASS




BLE_1M-Ant1-2440-23000~25000-PASS




BLE_1M-Ant1-2480-30~1000-PASS




BLE_1M-Ant1-2480-1000~3000-PASS




BLE_1M-Ant1-2480-3000~5000-PASS




BLE_1M-Ant1-2480-5000~7000-PASS



BLE_1M-Ant1-2480-7000~9000-PASS



BLE_1M-Ant1-2480-9000~11000-PASS




BLE_1M-Ant1-2480-11000~13000-PASS




BLE_1M-Ant1-2480-13000~15000-PASS




BLE_1M-Ant1-2480-15000~17000-PASS




BLE_1M-Ant1-2480-17000~19000-PASS




BLE_1M-Ant1-2480-19000~21000-PASS




BLE_1M-Ant1-2480-21000~23000-PASS




BLE_1M-Ant1-2480-23000~25000-PASS




BLE_2M-Ant1-2402-30~1000-PASS




BLE_2M-Ant1-2402-1000~3000-PASS




BLE_2M-Ant1-2402-3000~5000-PASS




BLE_2M-Ant1-2402-5000~7000-PASS




BLE_2M-Ant1-2402-7000~9000-PASS



BLE_2M-Ant1-2402-9000~11000-PASS




BLE_2M-Ant1-2402-11000~13000-PASS




BLE_2M-Ant1-2402-13000~15000-PASS




BLE_2M-Ant1-2402-15000~17000-PASS




BLE_2M-Ant1-2402-17000~19000-PASS




BLE_2M-Ant1-2402-19000~21000-PASS




BLE_2M-Ant1-2402-21000~23000-PASS




BLE_2M-Ant1-2402-23000~25000-PASS




BLE_2M-Ant1-2440-30~1000-PASS




BLE_2M-Ant1-2440-1000~3000-PASS




BLE_2M-Ant1-2440-3000~5000-PASS




BLE_2M-Ant1-2440-5000~7000-PASS



BLE_2M-Ant1-2440-7000~9000-PASS




BLE_2M-Ant1-2440-9000~11000-PASS




BLE_2M-Ant1-2440-11000~13000-PASS



BLE_2M-Ant1-2440-13000~15000-PASS



BLE_2M-Ant1-2440-15000~17000-PASS



BLE_2M-Ant1-2440-17000~19000-PASS