




BLE\_2M-Ant1-2480-PASS




BLE\_125K-Ant1-2402-PASS



BLE\_125K-Ant1-2480-PASS



BLE\_500K-Ant1-2402-PASS



BLE\_500K-Ant1-2480-PASS


Conducted Spurious Emission :

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	30~1000	9.04	-53.68	≤-10.96	PASS
BLE_1M	Ant1	2402	1000~3000	9.04	-51.54	≤-10.96	PASS
BLE_1M	Ant1	2402	3000~5000	9.04	-49.7	≤-10.96	PASS
BLE_1M	Ant1	2402	5000~7000	9.04	-51.1	≤-10.96	PASS
BLE_1M	Ant1	2402	7000~9000	9.04	-52.26	≤-10.96	PASS
BLE_1M	Ant1	2402	9000~11000	9.04	-51.4	≤-10.96	PASS
BLE_1M	Ant1	2402	11000~13000	9.04	-50.23	≤-10.96	PASS
BLE_1M	Ant1	2402	13000~15000	9.04	-47.35	≤-10.96	PASS
BLE_1M	Ant1	2402	15000~17000	9.04	-44.81	≤-10.96	PASS
BLE_1M	Ant1	2402	17000~19000	9.04	-45.18	≤-10.96	PASS
BLE_1M	Ant1	2402	19000~21000	9.04	-43.57	≤-10.96	PASS
BLE_1M	Ant1	2402	21000~23000	9.04	-42.77	≤-10.96	PASS
BLE_1M	Ant1	2402	23000~25000	9.04	-41.09	≤-10.96	PASS
BLE_1M	Ant1	2440	30~1000	8.99	-53.01	≤-11.01	PASS
BLE_1M	Ant1	2440	1000~3000	8.99	-51.64	≤-11.01	PASS
BLE_1M	Ant1	2440	3000~5000	8.99	-51.17	≤-11.01	PASS
BLE_1M	Ant1	2440	5000~7000	8.99	-51.14	≤-11.01	PASS
BLE_1M	Ant1	2440	7000~9000	8.99	-52.69	≤-11.01	PASS
BLE_1M	Ant1	2440	9000~11000	8.99	-51.42	≤-11.01	PASS
BLE_1M	Ant1	2440	11000~13000	8.99	-50.35	≤-11.01	PASS
BLE_1M	Ant1	2440	13000~15000	8.99	-46.85	≤-11.01	PASS
BLE_1M	Ant1	2440	15000~17000	8.99	-45.61	≤-11.01	PASS
BLE_1M	Ant1	2440	17000~19000	8.99	-45.13	≤-11.01	PASS
BLE_1M	Ant1	2440	19000~21000	8.99	-43.84	≤-11.01	PASS
BLE_1M	Ant1	2440	21000~23000	8.99	-42.72	≤-11.01	PASS
BLE_1M	Ant1	2440	23000~25000	8.99	-41.61	≤-11.01	PASS
BLE_1M	Ant1	2480	30~1000	8.97	-53.88	≤-11.03	PASS
BLE_1M	Ant1	2480	1000~3000	8.97	-52.05	≤-11.03	PASS


BLE_1M	Ant1	2480	3000~5000	8.97	-50.54	≤-11.03	PASS
BLE_1M	Ant1	2480	5000~7000	8.97	-50.99	≤-11.03	PASS
BLE_1M	Ant1	2480	7000~9000	8.97	-51.76	≤-11.03	PASS
BLE_1M	Ant1	2480	9000~11000	8.97	-51.44	≤-11.03	PASS
BLE_1M	Ant1	2480	11000~13000	8.97	-51.07	≤-11.03	PASS
BLE_1M	Ant1	2480	13000~15000	8.97	-46.64	≤-11.03	PASS
BLE_1M	Ant1	2480	15000~17000	8.97	-45.33	≤-11.03	PASS
BLE_1M	Ant1	2480	17000~19000	8.97	-44.89	≤-11.03	PASS
BLE_1M	Ant1	2480	19000~21000	8.97	-43.91	≤-11.03	PASS
BLE_1M	Ant1	2480	21000~23000	8.97	-42.74	≤-11.03	PASS
BLE_1M	Ant1	2480	23000~25000	8.97	-41.45	≤-11.03	PASS
BLE_2M	Ant1	2402	30~1000	6.81	-53.2	≤-13.19	PASS
BLE_2M	Ant1	2402	1000~3000	6.81	-51.02	≤-13.19	PASS
BLE_2M	Ant1	2402	3000~5000	6.81	-50.7	≤-13.19	PASS
BLE_2M	Ant1	2402	5000~7000	6.81	-51.28	≤-13.19	PASS
BLE_2M	Ant1	2402	7000~9000	6.81	-51.84	≤-13.19	PASS
BLE_2M	Ant1	2402	9000~11000	6.81	-51.19	≤-13.19	PASS
BLE_2M	Ant1	2402	11000~13000	6.81	-50.52	≤-13.19	PASS
BLE_2M	Ant1	2402	13000~15000	6.81	-47.02	≤-13.19	PASS
BLE_2M	Ant1	2402	15000~17000	6.81	-44.93	≤-13.19	PASS
BLE_2M	Ant1	2402	17000~19000	6.81	-44.7	≤-13.19	PASS
BLE_2M	Ant1	2402	19000~21000	6.81	-42.91	≤-13.19	PASS
BLE_2M	Ant1	2402	21000~23000	6.81	-43.23	≤-13.19	PASS
BLE_2M	Ant1	2402	23000~25000	6.81	-40.84	≤-13.19	PASS
BLE_2M	Ant1	2440	30~1000	6.82	-53.11	≤-13.18	PASS
BLE_2M	Ant1	2440	1000~3000	6.82	-52.1	≤-13.18	PASS
BLE_2M	Ant1	2440	3000~5000	6.82	-50.7	≤-13.18	PASS
BLE_2M	Ant1	2440	5000~7000	6.82	-51.5	≤-13.18	PASS
BLE_2M	Ant1	2440	7000~9000	6.82	-52.15	≤-13.18	PASS
BLE_2M	Ant1	2440	9000~11000	6.82	-51.62	≤-13.18	PASS
BLE_2M	Ant1	2440	11000~13000	6.82	-50.17	≤-13.18	PASS
BLE_2M	Ant1	2440	13000~15000	6.82	-47.46	≤-13.18	PASS
BLE_2M	Ant1	2440	15000~17000	6.82	-45.71	≤-13.18	PASS
BLE_2M	Ant1	2440	17000~19000	6.82	-45.45	≤-13.18	PASS
BLE_2M	Ant1	2440	19000~21000	6.82	-42.13	≤-13.18	PASS
BLE_2M	Ant1	2440	21000~23000	6.82	-43.27	≤-13.18	PASS
BLE_2M	Ant1	2440	23000~25000	6.82	-41.54	≤-13.18	PASS
BLE_2M	Ant1	2480	30~1000	6.74	-53.34	≤-13.26	PASS
BLE_2M	Ant1	2480	1000~3000	6.74	-51.87	≤-13.26	PASS
BLE_2M	Ant1	2480	3000~5000	6.74	-50.69	≤-13.26	PASS
BLE_2M	Ant1	2480	5000~7000	6.74	-51.2	≤-13.26	PASS
BLE_2M	Ant1	2480	7000~9000	6.74	-52.6	≤-13.26	PASS
BLE_2M	Ant1	2480	9000~11000	6.74	-51.41	≤-13.26	PASS
BLE_2M	Ant1	2480	11000~13000	6.74	-50.94	≤-13.26	PASS
BLE_2M	Ant1	2480	13000~15000	6.74	-47.25	≤-13.26	PASS
BLE_2M	Ant1	2480	15000~17000	6.74	-46.06	≤-13.26	PASS
BLE_2M	Ant1	2480	17000~19000	6.74	-45.72	≤-13.26	PASS
BLE_2M	Ant1	2480	19000~21000	6.74	-43.4	≤-13.26	PASS
BLE_2M	Ant1	2480	21000~23000	6.74	-43.57	≤-13.26	PASS
BLE_2M	Ant1	2480	23000~25000	6.74	-41.4	≤-13.26	PASS
BLE_125K	Ant1	2402	30~1000	6.49	-53.66	≤-13.51	PASS

BLE_125K	Ant1	2402	1000~3000	6.49	-51.23	≤-13.51	PASS
BLE_125K	Ant1	2402	3000~5000	6.49	-50.45	≤-13.51	PASS
BLE_125K	Ant1	2402	5000~7000	6.49	-50.84	≤-13.51	PASS
BLE_125K	Ant1	2402	7000~9000	6.49	-50.91	≤-13.51	PASS
BLE_125K	Ant1	2402	9000~11000	6.49	-51.15	≤-13.51	PASS
BLE_125K	Ant1	2402	11000~13000	6.49	-50.4	≤-13.51	PASS
BLE_125K	Ant1	2402	13000~15000	6.49	-46.94	≤-13.51	PASS
BLE_125K	Ant1	2402	15000~17000	6.49	-45.37	≤-13.51	PASS
BLE_125K	Ant1	2402	17000~19000	6.49	-45.02	≤-13.51	PASS
BLE_125K	Ant1	2402	19000~21000	6.49	-42.9	≤-13.51	PASS
BLE_125K	Ant1	2402	21000~23000	6.49	-43.32	≤-13.51	PASS
BLE_125K	Ant1	2402	23000~25000	6.49	-40.58	≤-13.51	PASS
BLE_125K	Ant1	2440	30~1000	6.44	-53.75	≤-13.56	PASS
BLE_125K	Ant1	2440	1000~3000	6.44	-52.02	≤-13.56	PASS
BLE_125K	Ant1	2440	3000~5000	6.44	-50.78	≤-13.56	PASS
BLE_125K	Ant1	2440	5000~7000	6.44	-51.01	≤-13.56	PASS
BLE_125K	Ant1	2440	7000~9000	6.44	-52.45	≤-13.56	PASS
BLE_125K	Ant1	2440	9000~11000	6.44	-51.52	≤-13.56	PASS
BLE_125K	Ant1	2440	11000~13000	6.44	-50.69	≤-13.56	PASS
BLE_125K	Ant1	2440	13000~15000	6.44	-47.32	≤-13.56	PASS
BLE_125K	Ant1	2440	15000~17000	6.44	-45.33	≤-13.56	PASS
BLE_125K	Ant1	2440	17000~19000	6.44	-44.87	≤-13.56	PASS
BLE_125K	Ant1	2440	19000~21000	6.44	-42.96	≤-13.56	PASS
BLE_125K	Ant1	2440	21000~23000	6.44	-43.42	≤-13.56	PASS
BLE_125K	Ant1	2440	23000~25000	6.44	-41.03	≤-13.56	PASS
BLE_125K	Ant1	2480	30~1000	6.40	-53.14	≤-13.6	PASS
BLE_125K	Ant1	2480	1000~3000	6.40	-51.79	≤-13.6	PASS
BLE_125K	Ant1	2480	3000~5000	6.40	-50.5	≤-13.6	PASS
BLE_125K	Ant1	2480	5000~7000	6.40	-50.85	≤-13.6	PASS
BLE_125K	Ant1	2480	7000~9000	6.40	-52.16	≤-13.6	PASS
BLE_125K	Ant1	2480	9000~11000	6.40	-52.01	≤-13.6	PASS
BLE_125K	Ant1	2480	11000~13000	6.40	-50.68	≤-13.6	PASS
BLE_125K	Ant1	2480	13000~15000	6.40	-47.05	≤-13.6	PASS
BLE_125K	Ant1	2480	15000~17000	6.40	-45.6	≤-13.6	PASS
BLE_125K	Ant1	2480	17000~19000	6.40	-44.69	≤-13.6	PASS
BLE_125K	Ant1	2480	19000~21000	6.40	-44.01	≤-13.6	PASS
BLE_125K	Ant1	2480	21000~23000	6.40	-43.56	≤-13.6	PASS
BLE_125K	Ant1	2480	23000~25000	6.40	-41.39	≤-13.6	PASS
BLE_500K	Ant1	2402	30~1000	9.02	-53.79	≤-10.98	PASS
BLE_500K	Ant1	2402	1000~3000	9.02	-51.67	≤-10.98	PASS
BLE_500K	Ant1	2402	3000~5000	9.02	-50.64	≤-10.98	PASS
BLE_500K	Ant1	2402	5000~7000	9.02	-51.13	≤-10.98	PASS
BLE_500K	Ant1	2402	7000~9000	9.02	-52.29	≤-10.98	PASS
BLE_500K	Ant1	2402	9000~11000	9.02	-50.56	≤-10.98	PASS
BLE_500K	Ant1	2402	11000~13000	9.02	-50.14	≤-10.98	PASS
BLE_500K	Ant1	2402	13000~15000	9.02	-47.12	≤-10.98	PASS
BLE_500K	Ant1	2402	15000~17000	9.02	-45.13	≤-10.98	PASS
BLE_500K	Ant1	2402	17000~19000	9.02	-45.03	≤-10.98	PASS
BLE_500K	Ant1	2402	19000~21000	9.02	-43.67	≤-10.98	PASS
BLE_500K	Ant1	2402	21000~23000	9.02	-43.24	≤-10.98	PASS
BLE_500K	Ant1	2402	23000~25000	9.02	-41.24	≤-10.98	PASS


BLE_500K	Ant1	2440	30~1000	8.98	-53.95	≤-11.02	PASS
BLE_500K	Ant1	2440	1000~3000	8.98	-51.72	≤-11.02	PASS
BLE_500K	Ant1	2440	3000~5000	8.98	-49.67	≤-11.02	PASS
BLE_500K	Ant1	2440	5000~7000	8.98	-50.23	≤-11.02	PASS
BLE_500K	Ant1	2440	7000~9000	8.98	-51.99	≤-11.02	PASS
BLE_500K	Ant1	2440	9000~11000	8.98	-51.37	≤-11.02	PASS
BLE_500K	Ant1	2440	11000~13000	8.98	-50.67	≤-11.02	PASS
BLE_500K	Ant1	2440	13000~15000	8.98	-47.04	≤-11.02	PASS
BLE_500K	Ant1	2440	15000~17000	8.98	-45.16	≤-11.02	PASS
BLE_500K	Ant1	2440	17000~19000	8.98	-44.95	≤-11.02	PASS
BLE_500K	Ant1	2440	19000~21000	8.98	-43.51	≤-11.02	PASS
BLE_500K	Ant1	2440	21000~23000	8.98	-43.45	≤-11.02	PASS
BLE_500K	Ant1	2440	23000~25000	8.98	-41.29	≤-11.02	PASS
BLE_500K	Ant1	2480	30~1000	8.90	-54.47	≤-11.1	PASS
BLE_500K	Ant1	2480	1000~3000	8.90	-52.14	≤-11.1	PASS
BLE_500K	Ant1	2480	3000~5000	8.90	-50.25	≤-11.1	PASS
BLE_500K	Ant1	2480	5000~7000	8.90	-51.76	≤-11.1	PASS
BLE_500K	Ant1	2480	7000~9000	8.90	-53.01	≤-11.1	PASS
BLE_500K	Ant1	2480	9000~11000	8.90	-51.01	≤-11.1	PASS
BLE_500K	Ant1	2480	11000~13000	8.90	-51.04	≤-11.1	PASS
BLE_500K	Ant1	2480	13000~15000	8.90	-47.35	≤-11.1	PASS
BLE_500K	Ant1	2480	15000~17000	8.90	-45.39	≤-11.1	PASS
BLE_500K	Ant1	2480	17000~19000	8.90	-45.77	≤-11.1	PASS
BLE_500K	Ant1	2480	19000~21000	8.90	-43.18	≤-11.1	PASS
BLE_500K	Ant1	2480	21000~23000	8.90	-43.66	≤-11.1	PASS
BLE_500K	Ant1	2480	23000~25000	8.90	-40.42	≤-11.1	PASS




BLE\_1M-Ant1-2402-30~1000-PASS



BLE\_1M-Ant1-2402-1000~3000-PASS




BLE\_1M-Ant1-2402-3000~5000-PASS




BLE\_1M-Ant1-2402-5000~7000-PASS







BLE\_1M-Ant1-2402-7000~9000-PASS




BLE\_1M-Ant1-2402-9000~11000-PASS




BLE\_1M-Ant1-2402-11000~13000-PASS




BLE\_1M-Ant1-2402-13000~15000-PASS




BLE\_1M-Ant1-2402-15000~17000-PASS




BLE\_1M-Ant1-2402-17000~19000-PASS




BLE\_1M-Ant1-2402-19000~21000-PASS




BLE\_1M-Ant1-2402-21000~23000-PASS




BLE\_1M-Ant1-2402-23000~25000-PASS




BLE\_1M-Ant1-2440-30~1000-PASS




BLE\_1M-Ant1-2440-1000~3000-PASS




BLE\_1M-Ant1-2440-3000~5000-PASS




BLE\_1M-Ant1-2440-5000~7000-PASS



BLE\_1M-Ant1-2440-7000~9000-PASS




BLE\_1M-Ant1-2440-9000~11000-PASS




BLE\_1M-Ant1-2440-11000~13000-PASS







BLE\_1M-Ant1-2440-13000~15000-PASS




BLE\_1M-Ant1-2440-15000~17000-PASS




BLE\_1M-Ant1-2440-17000~19000-PASS




BLE\_1M-Ant1-2440-19000~21000-PASS




BLE\_1M-Ant1-2440-21000~23000-PASS




BLE\_1M-Ant1-2440-23000~25000-PASS




BLE\_1M-Ant1-2480-30~1000-PASS




BLE\_1M-Ant1-2480-1000~3000-PASS




BLE\_1M-Ant1-2480-3000~5000-PASS




BLE\_1M-Ant1-2480-5000~7000-PASS




BLE\_1M-Ant1-2480-7000~9000-PASS




BLE\_1M-Ant1-2480-9000~11000-PASS




BLE\_1M-Ant1-2480-11000~13000-PASS



BLE\_1M-Ant1-2480-13000~15000-PASS




BLE\_1M-Ant1-2480-15000~17000-PASS




BLE\_1M-Ant1-2480-17000~19000-PASS







BLE\_1M-Ant1-2480-19000~21000-PASS




BLE\_1M-Ant1-2480-21000~23000-PASS




BLE\_1M-Ant1-2480-23000~25000-PASS




BLE\_2M-Ant1-2402-30~1000-PASS




BLE\_2M-Ant1-2402-1000~3000-PASS




BLE\_2M-Ant1-2402-3000~5000-PASS




BLE\_2M-Ant1-2402-5000~7000-PASS




BLE\_2M-Ant1-2402-7000~9000-PASS




BLE\_2M-Ant1-2402-9000~11000-PASS




BLE\_2M-Ant1-2402-11000~13000-PASS




BLE\_2M-Ant1-2402-13000~15000-PASS




BLE\_2M-Ant1-2402-15000~17000-PASS




BLE\_2M-Ant1-2402-17000~19000-PASS



BLE\_2M-Ant1-2402-19000~21000-PASS




BLE\_2M-Ant1-2402-21000~23000-PASS




BLE\_2M-Ant1-2402-23000~25000-PASS







BLE\_2M-Ant1-2440-30~1000-PASS




BLE\_2M-Ant1-2440-1000~3000-PASS




BLE\_2M-Ant1-2440-3000~5000-PASS




BLE\_2M-Ant1-2440-5000~7000-PASS




BLE\_2M-Ant1-2440-7000~9000-PASS




BLE\_2M-Ant1-2440-9000~11000-PASS




BLE\_2M-Ant1-2440-11000~13000-PASS




BLE\_2M-Ant1-2440-13000~15000-PASS




BLE\_2M-Ant1-2440-15000~17000-PASS



BLE\_2M-Ant1-2440-17000~19000-PASS



BLE\_2M-Ant1-2440-19000~21000-PASS



BLE\_2M-Ant1-2440-21000~23000-PASS