

Effective (Isotropic) Radiated Power Output Data

Test Result

LTE Band 41 (Class 3)				Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
Bandwidth	Modulation	RB size	RB offset	Channel 39675	Channel 40620	Channel 41565	Channel 39675	Channel 40620	Channel 41565		
5MHz	QPSK	1	0	19.23	19.47	18.94	21.64	21.88	21.35	33.00	PASS
		1	13	19.35	19.48	19.24	21.76	21.89	21.65	33.00	PASS
		1	24	19.15	19.46	19.21	21.56	21.87	21.62	33.00	PASS
		12	0	19.25	19.49	19.11	21.66	21.90	21.52	33.00	PASS
		12	6	19.22	19.46	19.28	21.63	21.87	21.69	33.00	PASS
		12	13	19.30	19.42	19.26	21.71	21.83	21.67	33.00	PASS
		25	0	19.31	19.28	19.10	21.72	21.69	21.51	33.00	PASS
	16QAM	1	0	19.54	19.55	19.01	21.95	21.96	21.42	33.00	PASS
		1	13	19.28	19.47	19.18	21.69	21.88	21.59	33.00	PASS
		1	24	19.11	19.48	19.22	21.52	21.89	21.63	33.00	PASS
		12	0	19.56	19.46	19.17	21.97	21.87	21.58	33.00	PASS
		12	6	19.51	19.46	19.14	21.92	21.87	21.55	33.00	PASS
		12	13	19.53	19.46	19.25	21.94	21.87	21.66	33.00	PASS
		25	0	19.55	19.36	19.29	21.96	21.77	21.70	33.00	PASS
	64QAM	1	0	18.55	18.53	18.51	20.96	20.94	20.92	33.00	PASS
		1	13	18.43	18.50	18.46	20.84	20.91	20.87	33.00	PASS
		1	24	18.57	18.54	18.37	20.98	20.95	20.78	33.00	PASS
		12	0	18.44	18.46	18.38	20.85	20.87	20.79	33.00	PASS
		12	6	18.37	18.34	18.34	20.78	20.75	20.75	33.00	PASS
		12	13	18.58	18.59	18.36	20.99	21.00	20.77	33.00	PASS
		25	0	18.54	18.46	18.56	20.95	20.87	20.97	33.00	PASS
	256QAM	1	0	18.33	18.38	17.96	20.74	20.79	20.37	33.00	PASS
		1	13	18.62	18.66	18.41	21.03	21.07	20.82	33.00	PASS
		1	24	18.54	18.62	18.40	20.95	21.03	20.81	33.00	PASS
		12	0	18.20	18.43	18.32	20.61	20.84	20.73	33.00	PASS
		12	6	18.36	18.32	18.49	20.77	20.73	20.9	33.00	PASS
		12	13	18.45	18.47	18.64	20.86	20.88	21.05	33.00	PASS
		25	0	18.33	18.38	18.37	20.74	20.79	20.78	33.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel 39700	Channel 40620	Channel 41540	Channel 39700	Channel 40620	Channel 41540	Limit	Verdict
10MHz	QPSK	1	0	19.20	19.40	18.95	21.61	21.81	21.36	33.00	PASS
		1	25	19.31	19.49	19.32	21.72	21.90	21.73	33.00	PASS
		1	49	19.17	19.38	19.19	21.58	21.79	21.60	33.00	PASS
		25	0	19.16	19.46	19.16	21.57	21.87	21.57	33.00	PASS
		25	13	19.25	19.50	19.25	21.66	21.91	21.66	33.00	PASS
		25	25	19.25	19.45	19.33	21.66	21.86	21.74	33.00	PASS

		50	0	19.31	19.37	19.05	21.72	21.78	21.46	33.00	PASS
	16QAM	1	0	19.51	19.53	19.09	21.92	21.94	21.50	33.00	PASS
		1	25	19.33	19.54	19.21	21.74	21.95	21.62	33.00	PASS
		1	49	19.11	19.56	19.22	21.52	21.97	21.63	33.00	PASS
		25	0	19.52	19.39	19.13	21.93	21.80	21.54	33.00	PASS
		25	13	19.55	19.45	19.21	21.96	21.86	21.62	33.00	PASS
		25	25	19.54	19.45	19.22	21.95	21.86	21.63	33.00	PASS
		50	0	19.53	19.38	19.27	21.94	21.79	21.68	33.00	PASS
	64QAM	1	0	18.53	18.52	18.53	20.94	20.93	20.94	33.00	PASS
		1	25	18.42	18.40	18.34	20.83	20.81	20.75	33.00	PASS
		1	49	18.47	18.61	18.32	20.88	21.02	20.73	33.00	PASS
		25	0	18.42	18.48	18.33	20.83	20.89	20.74	33.00	PASS
		25	13	18.37	18.35	18.45	20.78	20.76	20.86	33.00	PASS
		25	25	18.53	18.49	18.46	20.94	20.90	20.87	33.00	PASS
		50	0	18.54	18.54	18.57	20.95	20.95	20.98	33.00	PASS
	256QAM	1	0	18.32	18.41	17.99	20.73	20.82	20.4	33.00	PASS
		1	25	18.59	18.51	18.51	21	20.92	20.92	33.00	PASS
		1	49	18.49	18.49	18.34	20.9	20.9	20.75	33.00	PASS
		25	0	18.34	18.49	18.22	20.75	20.9	20.63	33.00	PASS
		25	13	18.43	18.35	18.50	20.84	20.76	20.91	33.00	PASS
		25	25	18.37	18.61	18.63	20.78	21.02	21.04	33.00	PASS
		50	0	18.45	18.46	18.49	20.86	20.87	20.9	33.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				39725	40620	41515	39725	40620	41515		
15MHz	QPSK	1	0	19.16	19.44	18.93	21.57	21.85	21.34	33.00	PASS
		1	38	19.28	19.50	19.23	21.69	21.91	21.64	33.00	PASS
		1	74	19.17	19.50	19.13	21.58	21.91	21.54	33.00	PASS
		36	0	19.16	19.46	19.05	21.57	21.87	21.46	33.00	PASS
		36	18	19.24	19.52	19.35	21.65	21.93	21.76	33.00	PASS
		36	39	19.27	19.47	19.35	21.68	21.88	21.76	33.00	PASS
		75	0	19.26	19.39	19.08	21.67	21.80	21.49	33.00	PASS
	16QAM	1	0	19.56	19.56	19.09	21.97	21.97	21.50	33.00	PASS
		1	38	19.34	19.53	19.18	21.75	21.94	21.59	33.00	PASS
		1	74	19.14	19.56	19.16	21.55	21.97	21.57	33.00	PASS
		36	0	19.45	19.45	19.13	21.86	21.86	21.54	33.00	PASS
		36	18	19.50	19.54	19.18	21.91	21.95	21.59	33.00	PASS
		36	39	19.55	19.42	19.21	21.96	21.83	21.62	33.00	PASS
		75	0	19.53	19.42	19.18	21.94	21.83	21.59	33.00	PASS
	64QAM	1	0	18.58	18.57	18.62	20.99	20.98	21.03	33.00	PASS
		1	38	18.36	18.47	18.41	20.77	20.88	20.82	33.00	PASS
		1	74	18.55	18.56	18.40	20.96	20.97	20.81	33.00	PASS
		36	0	18.47	18.46	18.43	20.88	20.87	20.84	33.00	PASS
		36	18	18.43	18.38	18.45	20.84	20.79	20.86	33.00	PASS
		36	39	18.55	18.58	18.43	20.96	20.99	20.84	33.00	PASS
		75	0	18.50	18.54	18.50	20.91	20.95	20.91	33.00	PASS

	256QAM	1	0	18.19	18.28	17.98	20.6	20.69	20.39	33.00	PASS
		1	38	18.41	18.61	18.34	20.82	21.02	20.75	33.00	PASS
		1	74	18.44	18.42	18.42	20.85	20.83	20.83	33.00	PASS
		36	0	18.37	18.53	18.18	20.78	20.94	20.59	33.00	PASS
		36	18	18.50	18.40	18.46	20.91	20.81	20.87	33.00	PASS
		36	39	18.47	18.60	18.60	20.88	21.01	21.01	33.00	PASS
		75	0	18.44	18.34	18.43	20.85	20.75	20.84	33.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel 39750	Channel 40620	Channel 41490	Channel 39750	Channel 40620	Channel 41490	Limit	Verdict
20MHz	QPSK	1	0	19.27	19.52	19.05	21.68	21.93	21.46	33.00	PASS
		1	50	19.36	19.57	19.35	21.77	21.98	21.76	33.00	PASS
		1	99	19.24	19.51	19.23	21.65	21.92	21.64	33.00	PASS
		50	0	19.28	19.51	19.17	21.69	21.92	21.58	33.00	PASS
		50	25	19.35	19.54	19.38	21.76	21.95	21.79	33.00	PASS
		50	50	19.34	19.52	19.37	21.75	21.93	21.78	33.00	PASS
		100	0	19.33	19.41	19.17	21.74	21.82	21.58	33.00	PASS
	16QAM	1	0	19.47	19.52	19.11	21.88	21.93	21.52	33.00	PASS
		1	50	19.36	19.53	19.26	21.77	21.94	21.67	33.00	PASS
		1	99	19.21	19.51	19.29	21.62	21.92	21.7	33.00	PASS
		50	0	19.52	19.52	19.26	21.93	21.93	21.67	33.00	PASS
		50	25	19.49	19.56	19.23	21.9	21.97	21.64	33.00	PASS
		50	50	19.53	19.55	19.28	21.94	21.96	21.69	33.00	PASS
		100	0	19.46	19.47	19.31	21.87	21.88	21.72	33.00	PASS
	64QAM	1	0	18.66	18.65	18.64	21.07	21.06	21.05	33.00	PASS
		1	50	18.45	18.52	18.47	20.86	20.93	20.88	33.00	PASS
		1	99	18.59	18.62	18.44	21	21.03	20.85	33.00	PASS
		50	0	18.53	18.59	18.45	20.94	21	20.86	33.00	PASS
		50	25	18.45	18.47	18.47	20.86	20.88	20.88	33.00	PASS
		50	50	18.64	18.61	18.49	21.05	21.02	20.9	33.00	PASS
		100	0	18.57	18.59	18.60	20.98	21	21.01	33.00	PASS
	256QAM	1	0	18.21	18.33	18.04	20.62	20.74	20.45	33.00	PASS
		1	50	18.50	18.57	18.44	20.91	20.98	20.85	33.00	PASS
		1	99	18.51	18.50	18.31	20.92	20.91	20.72	33.00	PASS
		50	0	18.27	18.47	18.27	20.68	20.88	20.68	33.00	PASS
		50	25	18.38	18.42	18.51	20.79	20.83	20.92	33.00	PASS
		50	50	18.47	18.51	18.52	20.88	20.92	20.93	33.00	PASS
		100	0	18.36	18.42	18.42	20.77	20.83	20.83	33.00	PASS

LTE Band 41 (Class 2)				Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel		
				39675	40620	41565	39675	40620	41565		
5MHz	QPSK	1	0	20.30	20.63	20.07	22.71	23.04	22.48	33.00	PASS
		1	13	20.31	20.63	20.45	22.72	23.04	22.86	33.00	PASS
		1	24	20.36	20.60	20.28	22.77	23.01	22.69	33.00	PASS
		12	0	20.26	20.61	20.34	22.67	23.02	22.75	33.00	PASS
		12	6	20.36	20.64	20.44	22.77	23.05	22.85	33.00	PASS
		12	13	20.40	20.66	20.36	22.81	23.07	22.77	33.00	PASS
		25	0	20.29	20.64	20.35	22.7	23.05	22.76	33.00	PASS
	16QAM	1	0	20.69	20.74	20.15	23.1	23.15	22.56	33.00	PASS
		1	13	20.69	20.70	20.41	23.1	23.11	22.82	33.00	PASS
		1	24	20.67	20.69	20.34	23.08	23.1	22.75	33.00	PASS
		12	0	20.16	20.50	20.09	22.57	22.91	22.5	33.00	PASS
		12	6	20.28	20.59	20.25	22.69	23	22.66	33.00	PASS
		12	13	20.30	20.53	20.15	22.71	22.94	22.56	33.00	PASS
		25	0	20.23	20.58	20.08	22.64	22.99	22.49	33.00	PASS
	64QAM	1	0	19.80	19.81	19.89	22.21	22.22	22.3	33.00	PASS
		1	13	19.91	19.81	19.82	22.32	22.22	22.23	33.00	PASS
		1	24	19.92	19.83	19.89	22.33	22.24	22.3	33.00	PASS
		12	0	19.49	19.50	19.55	21.9	21.91	21.96	33.00	PASS
		12	6	19.32	19.45	19.51	21.73	21.86	21.92	33.00	PASS
		12	13	19.37	19.54	19.39	21.78	21.95	21.8	33.00	PASS
		25	0	19.33	19.55	19.36	21.74	21.96	21.77	33.00	PASS
	256QAM	1	0	19.73	19.81	19.80	22.14	22.22	22.21	33.00	PASS
		1	13	19.68	19.67	19.78	22.09	22.08	22.19	33.00	PASS
		1	24	19.53	19.69	19.66	21.94	22.1	22.07	33.00	PASS
		12	0	19.73	19.61	19.72	22.14	22.02	22.13	33.00	PASS
		12	6	19.79	19.69	19.53	22.2	22.1	21.94	33.00	PASS
		12	13	19.65	19.77	19.63	22.06	22.18	22.04	33.00	PASS
		25	0	19.44	19.60	19.59	21.85	22.01	22	33.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				39700	40620	41540	39700	40620	41540		
10MHz	QPSK	1	0	20.18	20.59	20.09	22.59	23	22.5	33.00	PASS
		1	25	20.32	20.72	20.43	22.73	23.13	22.84	33.00	PASS
		1	49	20.28	20.65	20.35	22.69	23.06	22.76	33.00	PASS
		25	0	20.25	20.53	20.31	22.66	22.94	22.72	33.00	PASS
		25	13	20.36	20.65	20.45	22.77	23.06	22.86	33.00	PASS
		25	25	20.39	20.63	20.45	22.8	23.04	22.86	33.00	PASS
		50	0	20.28	20.53	20.26	22.69	22.94	22.67	33.00	PASS
	16QAM	1	0	20.59	20.71	20.13	23	23.12	22.54	33.00	PASS
		1	25	20.72	20.69	20.38	23.13	23.1	22.79	33.00	PASS
		1	49	20.60	20.67	20.34	23.01	23.08	22.75	33.00	PASS
		25	0	20.18	20.57	20.00	22.59	22.98	22.41	33.00	PASS

		25	13	20.28	20.55	20.22	22.69	22.96	22.63	33.00	PASS
		25	25	20.21	20.59	20.17	22.62	23	22.58	33.00	PASS
		50	0	20.20	20.57	20.04	22.61	22.98	22.45	33.00	PASS
	64QAM	1	0	19.77	19.74	19.87	22.18	22.15	22.28	33.00	PASS
		1	25	19.85	19.89	19.91	22.26	22.3	22.32	33.00	PASS
		1	49	19.88	19.95	19.84	22.29	22.36	22.25	33.00	PASS
		25	0	19.59	19.51	19.48	22	21.92	21.89	33.00	PASS
		25	13	19.42	19.44	19.50	21.83	21.85	21.91	33.00	PASS
		25	25	19.43	19.54	19.41	21.84	21.95	21.82	33.00	PASS
		50	0	19.44	19.46	19.33	21.85	21.87	21.74	33.00	PASS
		50	0	19.44	19.46	19.33	21.85	21.87	21.74	33.00	PASS
	256QAM	1	0	19.77	19.84	19.65	22.18	22.25	22.06	33.00	PASS
		1	25	19.65	19.84	19.67	22.06	22.25	22.08	33.00	PASS
		1	49	19.60	19.74	19.54	22.01	22.15	21.95	33.00	PASS
		25	0	19.69	19.62	19.64	22.1	22.03	22.05	33.00	PASS
		25	13	19.66	19.65	19.68	22.07	22.06	22.09	33.00	PASS
		25	25	19.56	19.69	19.59	21.97	22.1	22	33.00	PASS
		50	0	19.50	19.57	19.54	21.91	21.98	21.95	33.00	PASS
		50	0	19.50	19.57	19.54	21.91	21.98	21.95	33.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				39725	40620	41515	39725	40620	41515		
15MHz	QPSK	1	0	20.23	20.59	20.13	22.64	23	22.54	33.00	PASS
		1	38	20.31	20.72	20.47	22.72	23.13	22.88	33.00	PASS
		1	74	20.33	20.67	20.37	22.74	23.08	22.78	33.00	PASS
		36	0	20.26	20.54	20.37	22.67	22.95	22.78	33.00	PASS
		36	18	20.35	20.61	20.42	22.76	23.02	22.83	33.00	PASS
		36	39	20.39	20.67	20.41	22.8	23.08	22.82	33.00	PASS
		75	0	20.34	20.63	20.28	22.75	23.04	22.69	33.00	PASS
	16QAM	1	0	20.63	20.74	20.19	23.04	23.15	22.6	33.00	PASS
		1	38	20.69	20.71	20.37	23.1	23.12	22.78	33.00	PASS
		1	74	20.68	20.75	20.32	23.09	23.16	22.73	33.00	PASS
		36	0	20.27	20.59	20.07	22.68	23	22.48	33.00	PASS
		36	18	20.36	20.59	20.24	22.77	23	22.65	33.00	PASS
		36	39	20.24	20.55	20.16	22.65	22.96	22.57	33.00	PASS
		75	0	20.20	20.55	20.06	22.61	22.96	22.47	33.00	PASS
	64QAM	1	0	19.75	19.79	19.79	22.16	22.2	22.2	33.00	PASS
		1	38	19.86	19.80	19.88	22.27	22.21	22.29	33.00	PASS
		1	74	19.86	19.84	19.83	22.27	22.25	22.24	33.00	PASS
		36	0	19.47	19.56	19.47	21.88	21.97	21.88	33.00	PASS
		36	18	19.42	19.52	19.43	21.83	21.93	21.84	33.00	PASS
		36	39	19.44	19.44	19.37	21.85	21.85	21.78	33.00	PASS
		75	0	19.33	19.44	19.36	21.74	21.85	21.77	33.00	PASS
	256QAM	1	0	19.62	19.72	19.81	22.03	22.13	22.22	33.00	PASS
		1	38	19.58	19.83	19.73	21.99	22.24	22.14	33.00	PASS
		1	74	19.59	19.62	19.72	22	22.03	22.13	33.00	PASS
		36	0	19.71	19.68	19.61	22.12	22.09	22.02	33.00	PASS
		36	18	19.77	19.50	19.54	22.18	21.91	21.95	33.00	PASS


		36	39	19.70	19.58	19.74	22.11	21.99	22.15	33.00	PASS
		75	0	19.55	19.64	19.70	21.96	22.05	22.11	33.00	PASS
Bandwidth	Modulation	RB	RB	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
		size	offset	39750	40620	41490	39750	40620	41490		
20MHz	QPSK	1	0	20.31	20.71	20.14	22.72	23.12	22.55	33.00	PASS
		1	50	20.43	20.74	20.52	22.84	23.15	22.93	33.00	PASS
		1	99	20.37	20.72	20.41	22.78	23.13	22.82	33.00	PASS
		50	0	20.33	20.62	20.39	22.74	23.03	22.8	33.00	PASS
		50	25	20.42	20.70	20.47	22.83	23.11	22.88	33.00	PASS
		50	50	20.41	20.69	20.46	22.82	23.1	22.87	33.00	PASS
		100	0	20.40	20.65	20.38	22.81	23.06	22.79	33.00	PASS
	16QAM	1	0	20.72	20.73	20.23	23.13	23.14	22.64	33.00	PASS
		1	50	20.71	20.70	20.47	23.12	23.11	22.88	33.00	PASS
		1	99	20.72	20.70	20.42	23.13	23.11	22.83	33.00	PASS
		50	0	20.29	20.61	20.12	22.7	23.02	22.53	33.00	PASS
		50	25	20.40	20.63	20.32	22.81	23.04	22.73	33.00	PASS
		50	50	20.32	20.64	20.19	22.73	23.05	22.6	33.00	PASS
		100	0	20.32	20.61	20.12	22.73	23.02	22.53	33.00	PASS
	64QAM	1	0	19.81	19.85	19.90	22.22	22.26	22.31	33.00	PASS
		1	50	19.98	19.93	19.94	22.39	22.34	22.35	33.00	PASS
		1	99	19.99	19.96	19.91	22.4	22.37	22.32	33.00	PASS
		50	0	19.60	19.63	19.60	22.01	22.04	22.01	33.00	PASS
		50	25	19.45	19.55	19.56	21.86	21.96	21.97	33.00	PASS
		50	50	19.46	19.57	19.47	21.87	21.98	21.88	33.00	PASS
		100	0	19.46	19.56	19.45	21.87	21.97	21.86	33.00	PASS
	256QAM	1	0	19.67	19.77	19.72	22.08	22.18	22.13	33.00	PASS
		1	50	19.68	19.72	19.66	22.09	22.13	22.07	33.00	PASS
		1	99	19.61	19.70	19.62	22.02	22.11	22.03	33.00	PASS
		50	0	19.62	19.68	19.60	22.03	22.09	22.01	33.00	PASS
		50	25	19.68	19.60	19.56	22.09	22.01	21.97	33.00	PASS
		50	50	19.66	19.65	19.62	22.07	22.06	22.03	33.00	PASS
		100	0	19.50	19.66	19.60	21.91	22.07	22.01	33.00	PASS

Field Strength of Spurious Radiation

Below 1GHz


Project Information			
Mode:	LTE	Band:	Band 41A
Bandwidth:	20M	Channel:	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X		
Test Standard: FCC PART 27			

Test Graph



Project Information			
Mode:	LTE	Band:	Band 41A
Bandwidth:	20M	Channel:	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X		
Test Standard: FCC PART 27			


Test Graph



Above 1GHz

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20M	Channel:	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	5071.875	63.05	-102.79	-39.74	-25.00	14.74	166	284	RMS	Horizontal	PASS
2	7608.75	55.39	-96.34	-40.95	-25.00	15.95	108	253	RMS	Horizontal	PASS
3	12680.62	49.42	-89.84	-40.42	-25.00	15.42	181	223	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20M	Channel:	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	5071.875	62.48	-102.79	-40.31	-25.00	15.31	212	191	RMS	Vertical	PASS
2	7608.75	60.93	-96.34	-35.41	-25.00	10.41	192	349	RMS	Vertical	PASS
3	12680.62	53.47	-89.84	-36.37	-25.00	11.37	205	317	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	5167.5	62.02	-102.03	-40.01	-25.00	15.01	175	255	RMS	Horizontal	PASS
2	7751.25	55.10	-96.49	-41.39	-25.00	16.39	142	348	RMS	Horizontal	PASS
3	12920.62	50.11	-90.16	-40.05	-25.00	15.05	258	254	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	5167.5	61.85	-102.03	-40.18	-25.00	15.18	195	191	RMS	Vertical	PASS
2	7753.125	61.56	-96.48	-34.92	-25.00	9.92	243	347	RMS	Vertical	PASS
3	12920.62	53.50	-90.16	-36.66	-25.00	11.66	104	347	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	5341.875	60.13	-101.95	-41.82	-25.00	16.82	179	255	RMS	Horizontal	PASS
2	8013.75	58.02	-95.38	-37.36	-25.00	12.36	112	224	RMS	Horizontal	PASS
3	13355.62	43.31	-89.13	-45.82	-25.00	20.82	205	348	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X		
Test Standard: FCC PART 27			

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	5341.875	59.49	-101.95	-42.46	-25.00	17.46	161	190	RMS	Vertical	PASS
2	8013.75	62.87	-95.38	-32.51	-25.00	7.51	136	221	RMS	Vertical	PASS
3	10683.75	51.51	-91.71	-40.20	-25.00	15.20	254	346	RMS	Vertical	PASS