

Report No.: SUZR/2022/1002202

Rev.: 02

Page: 58 of 76

Test Band = SA n2_ TM1 Test Channel = Mid Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3741	72.51	-110.87	-38.36	-13.00	25.36	261	146	Horizontal				
2	5611.5	60.31	-106.15	-45.84	-13.00	32.84	175	15	Horizontal				
3	7484.36	46.53	-100.43	-53.90	-13.00	40.90	100	108	Horizontal				
4	9355.45	48.00	-94.96	-46.96	-13.00	33.96	185	48	Horizontal				
5	11226.54	42.06	-90.95	-48.89	-13.00	35.89	264	134	Horizontal				
6	13097.63	44.14	-90.07	-45.93	-13.00	32.93	188	25	Horizontal				

Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3741	67.45	-110.87	-43.42	-13.00	30.42	264	27	Vertical			
2	5611.5	65.91	-106.15	-40.24	-13.00	27.24	175	297	Vertical			
3	7482	59.53	-100.44	-40.91	-13.00	27.91	264	246	Vertical			
4	9352.5	56.10	-94.96	-38.86	-13.00	25.86	178	357	Vertical			
5	11226.54	43.08	-90.95	-47.87	-13.00	34.87	264	175	Vertical			
6	13097.63	42.36	-90.07	-47.71	-13.00	34.71	112	175	Vertical			





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 59 of 76

Test Band = SA n2_TM1 Test Channel = High Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3780.75	65.85	-110.67	-44.82	-13.00	31.82	264	357	Horizontal				
2	5671.5	57.88	-105.89	-48.01	-13.00	35.01	175	165	Horizontal				
3	7561.5	52.69	-100.03	-47.34	-13.00	34.34	264	0	Horizontal				
4	9455.45	44.22	-94.86	-50.64	-13.00	37.64	185	41	Horizontal				
5	11346.54	42.54	-91.44	-48.90	-13.00	35.90	264	275	Horizontal				
6	13237.63	43.22	-90.49	-47.27	-13.00	34.27	111	252	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3781.5	66.91	-110.66	-43.75	-13.00	30.75	261	10	Vertical				
2	5671.5	69.29	-105.89	-36.60	-13.00	23.60	142	347	Vertical				
3	7561.5	59.63	-100.03	-40.40	-13.00	27.40	264	311	Vertical				
4	9453	55.33	-94.86	-39.53	-13.00	26.53	175	0	Vertical				
5	11346.54	41.57	-91.44	-49.87	-13.00	36.87	258	249	Vertical				
6	13237.63	43.47	-90.49	-47.02	-13.00	34.02	188	311	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 60 of 76

Test Band = NSA DC_5A_n2_ TM1 Test Channel = Low Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3701.25	66.50	-111.07	-44.57	-13.00	31.57	162	272	Horizontal				
2	5551.5	62.85	-106.37	-43.52	-13.00	30.52	175	272	Horizontal				
3	7402.5	56.04	-100.79	-44.75	-13.00	31.75	294	249	Horizontal				
4	9255.45	46.45	-95.08	-48.63	-13.00	35.63	241	126	Horizontal				
5	11106.54	42.85	-91.12	-48.27	-13.00	35.27	172	285	Horizontal				
6	12957.63	42.63	-90.60	-47.97	-13.00	34.97	264	17	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3701.25	67.88	-111.07	-43.19	-13.00	30.19	142	74	Vertical				
2	5551.5	64.35	-106.37	-42.02	-13.00	29.02	264	0	Vertical				
3	7401.75	59.48	-100.79	-41.31	-13.00	28.31	175	247	Vertical				
4	9252.75	53.16	-95.08	-41.92	-13.00	28.92	294	259	Vertical				
5	11106.54	41.76	-91.12	-49.36	-13.00	36.36	175	172	Vertical				
6	12957.63	43.88	-90.60	-46.72	-13.00	33.72	217	86	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 61 of 76

Test Band = NSA DC_5A_n2_ TM1 Test Channel = Mid Channel

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3741	72.51	-110.87	-38.36	-13.00	25.36	261	146	Horizontal				
2	5611.5	60.31	-106.15	-45.84	-13.00	32.84	175	15	Horizontal				
3	7484.36	46.53	-100.43	-53.90	-13.00	40.90	100	108	Horizontal				
4	9355.45	48.00	-94.96	-46.96	-13.00	33.96	185	48	Horizontal				
5	11226.54	42.06	-90.95	-48.89	-13.00	35.89	264	134	Horizontal				
6	13097.63	44.14	-90.07	-45.93	-13.00	32.93	188	25	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3741	67.45	-110.87	-43.42	-13.00	30.42	264	27	Vertical				
2	5611.5	65.91	-106.15	-40.24	-13.00	27.24	175	297	Vertical				
3	7482	59.53	-100.44	-40.91	-13.00	27.91	264	246	Vertical				
4	9352.5	56.10	-94.96	-38.86	-13.00	25.86	178	357	Vertical				
5	11226.54	43.08	-90.95	-47.87	-13.00	34.87	264	175	Vertical				
6	13097.63	42.36	-90.07	-47.71	-13.00	34.71	112	175	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 62 of 76

Test Band = NSA DC_5A_n2_ TM1 Test Channel = High Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3780.75	65.85	-110.67	-44.82	-13.00	31.82	264	357	Horizontal				
2	5671.5	57.88	-105.89	-48.01	-13.00	35.01	175	165	Horizontal				
3	7561.5	52.69	-100.03	-47.34	-13.00	34.34	264	0	Horizontal				
4	9455.45	44.22	-94.86	-50.64	-13.00	37.64	185	41	Horizontal				
5	11346.54	42.54	-91.44	-48.90	-13.00	35.90	264	275	Horizontal				
6	13237.63	43.22	-90.49	-47.27	-13.00	34.27	111	252	Horizontal				

Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3781.5	66.91	-110.66	-43.75	-13.00	30.75	261	10	Vertical			
2	5671.5	69.29	-105.89	-36.60	-13.00	23.60	142	347	Vertical			
3	7561.5	59.63	-100.03	-40.40	-13.00	27.40	264	311	Vertical			
4	9453	55.33	-94.86	-39.53	-13.00	26.53	175	0	Vertical			
5	11346.54	41.57	-91.44	-49.87	-13.00	36.87	258	249	Vertical			
6	13237.63	43.47	-90.49	-47.02	-13.00	34.02	188	311	Vertical			





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 63 of 76

Test Band = NSA DC_12A_n2_ TM1
Test Channel = Low Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3701.25	65.16	-111.07	-45.91	-13.00	32.91	263	212	Horizontal				
2	5551.5	54.52	-106.37	-51.85	-13.00	38.85	321	2	Horizontal				
3	7404.36	47.31	-100.78	-53.47	-13.00	40.47	185	279	Horizontal				
4	9255.45	47.66	-95.08	-47.42	-13.00	34.42	264	65	Horizontal				
5	11106.54	43.52	-91.12	-47.60	-13.00	34.60	145	22	Horizontal				
6	12957.63	41.80	-90.60	-48.80	-13.00	35.80	266	32	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3700.5	59.45	-111.08	-51.63	-13.00	38.63	214	86	Vertical				
2	5551.5	59.21	-106.37	-47.16	-13.00	34.16	163	153	Vertical				
3	7401.75	51.69	-100.79	-49.10	-13.00	36.10	285	38	Vertical				
4	9252.75	52.55	-95.08	-42.53	-13.00	29.53	264	247	Vertical				
5	11106.54	42.45	-91.12	-48.67	-13.00	35.67	175	184	Vertical				
6	12957.63	43.78	-90.60	-46.82	-13.00	33.82	264	184	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 64 of 76

Test Band = NSA DC_12A_n2_ TM1 Test Channel = Mid Channel

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolovitu				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3741	72.51	-110.87	-38.36	-13.00	25.36	211	146	Horizontal				
2	5611.5	60.31	-106.15	-45.84	-13.00	32.84	145	15	Horizontal				
3	7484.36	46.53	-100.43	-53.90	-13.00	40.90	264	108	Horizontal				
4	9355.45	48.00	-94.96	-46.96	-13.00	33.96	155	48	Horizontal				
5	11226.54	42.06	-90.95	-48.89	-13.00	35.89	264	134	Horizontal				
6	13097.63	44.14	-90.07	-45.93	-13.00	32.93	185	25	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3741	67.45	-110.87	-43.42	-13.00	30.42	233	27	Vertical				
2	5611.5	65.91	-106.15	-40.24	-13.00	27.24	211	297	Vertical				
3	7482	59.53	-100.44	-40.91	-13.00	27.91	145	246	Vertical				
4	9352.5	56.10	-94.96	-38.86	-13.00	25.86	264	357	Vertical				
5	11226.54	43.08	-90.95	-47.87	-13.00	34.87	211	175	Vertical				
6	13097.63	42.36	-90.07	-47.71	-13.00	34.71	162	175	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & carrificate, plaze contact us at telephone: (86-75) 8307 1443, or email: CN. Doccheck@sus.com



Report No.: SUZR/2022/1002202

Rev.: 02

Page: 65 of 76

Test Band = NSA DC_12A_n2_ TM1 Test Channel = High Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3780.75	65.85	-110.67	-44.82	-13.00	31.82	264	357	Horizontal				
2	5671.5	57.88	-105.89	-48.01	-13.00	35.01	175	165	Horizontal				
3	7561.5	52.69	-100.03	-47.34	-13.00	34.34	264	0	Horizontal				
4	9455.45	44.22	-94.86	-50.64	-13.00	37.64	185	41	Horizontal				
5	11346.54	42.54	-91.44	-48.90	-13.00	35.90	264	275	Horizontal				
6	13237.63	43.22	-90.49	-47.27	-13.00	34.27	111	252	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3781.5	66.91	-110.66	-43.75	-13.00	30.75	261	10	Vertical				
2	5671.5	69.29	-105.89	-36.60	-13.00	23.60	142	347	Vertical				
3	7561.5	59.63	-100.03	-40.40	-13.00	27.40	264	311	Vertical				
4	9453	55.33	-94.86	-39.53	-13.00	26.53	175	0	Vertical				
5	11346.54	41.57	-91.44	-49.87	-13.00	36.87	258	249	Vertical				
6	13237.63	43.47	-90.49	-47.02	-13.00	34.02	188	311	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 66 of 76

Test Band = NSA DC_13A_n2_ TM1 Test Channel = Low Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3700.5	67.93	-111.08	-43.15	-13.00	30.15	215	1	Horizontal				
2	5552.25	68.70	-106.37	-37.67	-13.00	24.67	163	132	Horizontal				
3	7402.5	59.83	-100.79	-40.96	-13.00	27.96	324	132	Horizontal				
4	9284.25	50.50	-95.08	-44.58	-13.00	31.58	175	357	Horizontal				
5	11106.54	42.16	-91.12	-48.96	-13.00	35.96	264	84	Horizontal				
6	12957.63	43.82	-90.60	-46.78	-13.00	33.78	175	9	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3701.25	69.96	-111.07	-41.11	-13.00	28.11	261	295	Vertical				
2	5551.5	63.75	-106.37	-42.62	-13.00	29.62	142	0	Vertical				
3	7402.5	60.24	-100.79	-40.55	-13.00	27.55	265	19	Vertical				
4	9252	54.02	-95.08	-41.06	-13.00	28.06	241	117	Vertical				
5	11106.54	41.75	-91.12	-49.37	-13.00	36.37	185	35	Vertical				
6	12957.63	41.55	-90.60	-49.05	-13.00	36.05	264	0	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 67 of 76

Test Band = NSA DC_13A_n2_ TM1 Test Channel = Mid Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3741.75	73.67	-110.87	-37.20	-13.00	24.20	261	102	Horizontal				
2	5611.5	65.39	-106.15	-40.76	-13.00	27.76	186	118	Horizontal				
3	7482	58.24	-100.44	-42.20	-13.00	29.20	241	332	Horizontal				
4	9355.45	46.22	-94.96	-48.74	-13.00	35.74	185	232	Horizontal				
5	11226.54	42.31	-90.95	-48.64	-13.00	35.64	264	357	Horizontal				
6	13097.63	42.78	-90.07	-47.29	-13.00	34.29	172	151	Horizontal				

Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3741.75	59.58	-110.87	-51.29	-13.00	38.29	263	199	Vertical			
2	5611.5	60.01	-106.15	-46.14	-13.00	33.14	241	357	Vertical			
3	7482	60.51	-100.44	-39.93	-13.00	26.93	152	248	Vertical			
4	9355.45	46.37	-94.96	-48.59	-13.00	35.59	217	0	Vertical			
5	11226.54	42.99	-90.95	-47.96	-13.00	34.96	296	282	Vertical			
6	13097.63	42.78	-90.07	-47.29	-13.00	34.29	274	0	Vertical			





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 68 of 76

Test Band = NSA DC_13A_n2_ TM1 Test Channel = High Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3780.75	73.57	-110.67	-37.10	-13.00	24.10	263	133	Horizontal				
2	5671.5	60.64	-105.89	-45.25	-13.00	32.25	214	198	Horizontal				
3	7563	51.90	-100.02	-48.12	-13.00	35.12	152	3	Horizontal				
4	9455.45	44.08	-94.86	-50.78	-13.00	37.78	264	101	Horizontal				
5	11346.54	42.51	-91.44	-48.93	-13.00	35.93	175	0	Horizontal				
6	13237.63	43.93	-90.49	-46.56	-13.00	33.56	264	345	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3780.75	69.25	-110.67	-41.42	-13.00	28.42	263	314	Vertical				
2	5672.25	66.01	-105.88	-39.87	-13.00	26.87	241	119	Vertical				
3	7562.25	61.25	-100.02	-38.77	-13.00	25.77	175	297	Vertical				
4	9455.45	43.82	-94.86	-51.04	-13.00	38.04	264	357	Vertical				
5	11346.54	44.47	-91.44	-46.97	-13.00	33.97	175	329	Vertical				
6	13237.63	44.33	-90.49	-46.16	-13.00	33.16	218	357	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 69 of 76

Test Band = NSA DC_30A_n2_ TM1 Test Channel = Low Channel

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3701.25	66.60	-111.07	-44.47	-13.00	31.47	214	215	Horizontal				
2	5553.27	49.42	-106.36	-56.94	-13.00	43.94	162	9	Horizontal				
3	7404.36	46.33	-100.78	-54.45	-13.00	41.45	265	102	Horizontal				
4	9255.45	46.49	-95.08	-48.59	-13.00	35.59	254	328	Horizontal				
5	11106.54	41.40	-91.12	-49.72	-13.00	36.72	175	34	Horizontal				
6	12957.63	43.10	-90.60	-47.50	-13.00	34.50	298	102	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3700.5	58.57	-111.08	-52.51	-13.00	39.51	263	0	Vertical				
2	5553.27	50.59	-106.36	-55.77	-13.00	42.77	314	8	Vertical				
3	7404.36	46.49	-100.78	-54.29	-13.00	41.29	265	357	Vertical				
4	9243	56.34	-95.08	-38.74	-13.00	25.74	265	182	Vertical				
5	11106.54	41.12	-91.12	-50.00	-13.00	37.00	175	99	Vertical				
6	12957.63	42.70	-90.60	-47.90	-13.00	34.90	222	3	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 70 of 76

Test Band = NSA DC_30A_n2_ TM1 Test Channel = Mid Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolovitu				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3741	61.18	-110.87	-49.69	-13.00	36.69	222	357	Horizontal				
2	5613.27	48.42	-106.14	-57.72	-13.00	44.72	263	296	Horizontal				
3	7484.36	48.05	-100.43	-52.38	-13.00	39.38	351	52	Horizontal				
4	9355.45	46.59	-94.96	-48.37	-13.00	35.37	142	135	Horizontal				
5	11226.54	41.44	-90.95	-49.51	-13.00	36.51	265	296	Horizontal				
6	13097.63	44.54	-90.07	-45.53	-13.00	32.53	214	296	Horizontal				

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3741	60.39	-110.87	-50.48	-13.00	37.48	241	346	Vertical			
2	5613.27	48.84	-106.14	-57.30	-13.00	44.30	162	118	Vertical			
3	7484.36	47.83	-100.43	-52.60	-13.00	39.60	241	182	Vertical			
4	9355.45	46.01	-94.96	-48.95	-13.00	35.95	185	68	Vertical			
5	11226.54	43.26	-90.95	-47.69	-13.00	34.69	264	87	Vertical			
6	13097.63	42.42	-90.07	-47.65	-13.00	34.65	175	0	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443.



Report No.: SUZR/2022/1002202

Rev.: 02

Page: 71 of 76

Test Band = NSA DC_30A_n2_ TM1 Test Channel = High Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3781.5	56.03	-110.66	-54.63	-13.00	41.63	216	357	Horizontal				
2	5673.27	48.65	-105.88	-57.23	-13.00	44.23	265	0	Horizontal				
3	7564.36	47.36	-100.01	-52.65	-13.00	39.65	148	2	Horizontal				
4	9455.45	45.81	-94.86	-49.05	-13.00	36.05	269	164	Horizontal				
5	11346.54	41.77	-91.44	-49.67	-13.00	36.67	244	18	Horizontal				
6	13237.63	42.68	-90.49	-47.81	-13.00	34.81	185	131	Horizontal				

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3782.18	47.59	-110.66	-63.07	-13.00	50.07	241	230	Vertical
2	5673.27	49.42	-105.88	-56.46	-13.00	43.46	162	83	Vertical
3	7564.36	47.69	-100.01	-52.32	-13.00	39.32	294	213	Vertical
4	9455.45	44.65	-94.86	-50.21	-13.00	37.21	175	0	Vertical
5	11346.54	41.52	-91.44	-49.92	-13.00	36.92	265	0	Vertical
6	13237.63	43.28	-90.49	-47.21	-13.00	34.21	144	33	Vertical





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 72 of 76

Test Band = NSA DC_66A_n2_ TM1 Test Channel = Low Channel

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3701.25	53.46	-111.07	-57.61	-13.00	44.61	241	87	Horizontal
2	5552.25	57.90	-106.37	-48.47	-13.00	35.47	162	135	Horizontal
3	7404.36	47.08	-100.78	-53.70	-13.00	40.70	265	0	Horizontal
4	9255.45	45.87	-95.08	-49.21	-13.00	36.21	144	248	Horizontal
5	11106.54	43.10	-91.12	-48.02	-13.00	35.02	188	166	Horizontal
6	12957.63	42.93	-90.60	-47.67	-13.00	34.67	264	329	Horizontal

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3700.5	52.80	-111.08	-58.28	-13.00	45.28	241	329	Vertical
2	5553.27	49.23	-106.36	-57.13	-13.00	44.13	162	181	Vertical
3	7404.36	47.36	-100.78	-53.42	-13.00	40.42	289	181	Vertical
4	9255.45	46.48	-95.08	-48.60	-13.00	35.60	244	65	Vertical
5	11106.54	42.83	-91.12	-48.29	-13.00	35.29	152	277	Vertical
6	12957.63	42.65	-90.60	-47.95	-13.00	34.95	268	0	Vertical





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 73 of 76

Test Band = NSA DC_66A_n2_ TM1 Test Channel = Mid Channel

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741.75	69.02	-110.87	-41.85	-13.00	28.85	211	35	Horizontal
2	5613.27	48.09	-106.14	-58.05	-13.00	45.05	152	216	Horizontal
3	7484.36	47.66	-100.43	-52.77	-13.00	39.77	265	280	Horizontal
4	9355.45	45.59	-94.96	-49.37	-13.00	36.37	142	149	Horizontal
5	11226.54	43.31	-90.95	-47.64	-13.00	34.64	295	9	Horizontal
6	13097.63	42.37	-90.07	-47.70	-13.00	34.70	175	357	Horizontal

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3741	59.69	-110.87	-51.18	-13.00	38.18	163	245	Vertical				
2	5613.27	49.10	-106.14	-57.04	-13.00	44.04	321	2	Vertical				
3	7484.36	46.99	-100.43	-53.44	-13.00	40.44	265	131	Vertical				
4	9355.45	47.00	-94.96	-47.96	-13.00	34.96	144	328	Vertical				
5	11226.54	42.14	-90.95	-48.81	-13.00	35.81	155	179	Vertical				
6	13097.63	42.37	-90.07	-47.70	-13.00	34.70	265	0	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 74 of 76

Test Band = NSA DC_66A_n2_ TM1 Test Channel = High Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3781.5	70.01	-110.66	-40.65	-13.00	27.65	241	231	Horizontal				
2	5673.27	48.87	-105.88	-57.01	-13.00	44.01	162	87	Horizontal				
3	7564.36	47.11	-100.01	-52.90	-13.00	39.90	274	168	Horizontal				
4	9455.45	44.60	-94.86	-50.26	-13.00	37.26	152	22	Horizontal				
5	11346.54	42.01	-91.44	-49.43	-13.00	36.43	144	22	Horizontal				
6	13237.63	43.06	-90.49	-47.43	-13.00	34.43	185	87	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3780.75	59.81	-110.67	-50.86	-13.00	37.86	142	134	Vertical				
2	5673.27	49.11	-105.88	-56.77	-13.00	43.77	265	134	Vertical				
3	7564.36	48.04	-100.01	-51.97	-13.00	38.97	175	10	Vertical				
4	9455.45	45.70	-94.86	-49.16	-13.00	36.16	286	357	Vertical				
5	11346.54	41.96	-91.44	-49.48	-13.00	36.48	294	182	Vertical				
6	13237.63	42.59	-90.49	-47.90	-13.00	34.90	145	249	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 75 of 76

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

	Voltage												
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict			
N2	15	20	DFT-PI2BPSK	М	Outer_Full	VH	NT	-2.200000	-0.001170	PASS			
N2	15	20	DFT-PI2BPSK	М	Outer_Full	VN	NT	-3.700000	-0.001968	PASS			
N2	15	20	DFT-PI2BPSK	М	Outer_Full	VL	NT	-6.100000	-0.003245	PASS			
N2	15	20	CP-QPSK	М	Outer_Full	VH	NT	4.500000	0.002394	PASS			
N2	15	20	CP-QPSK	М	Outer_Full	VN	NT	5.100000	0.002713	PASS			
N2	15	20	CP-QPSK	М	Outer_Full	VL	NT	2.400000	0.001277	PASS			





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 76 of 76

Frequency Error VS. Temperature

	Voltage													
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict				
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	-30	-0.100000	-0.000053	PASS				
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	- 20	0.600000	0.000319	PASS				
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	-10	-3.100000	-0.001649	PASS				
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	0	-2.900000	-0.001543	PASS				
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	10	-4.100000	-0.002181	PASS				
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	20	-2.800000	-0.001489	PASS				
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	30	-3.800000	-0.002021	PASS				
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	40	-1.700000	-0.000904	PASS				
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	50	-1.700000	-0.000904	PASS				
N2	15	20	CP-QPSK	М	Outer_Full	NV	-30	2.900000	0.001543	PASS				
N2	15	20	CP-QPSK	М	Outer_Full	NV	- 20	3.100000	0.001649	PASS				
N2	15	20	CP-QPSK	М	Outer_Full	NV	-10	5.400000	0.002872	PASS				
N2	15	20	CP-QPSK	М	Outer_Full	NV	0	1.300000	0.000691	PASS				
N2	15	20	CP-QPSK	М	Outer_Full	NV	10	5.200000	0.002766	PASS				
N2	15	20	CP-QPSK	М	Outer_Full	NV	20	2.800000	0.001489	PASS				
N2	15	20	CP-QPSK	М	Outer_Full	NV	30	1.300000	0.000691	PASS				
N2	15	20	CP-QPSK	М	Outer_Full	NV	40	2.100000	0.001117	PASS				
N2	15	20	CP-QPSK	М	Outer_Full	NV	50	1.100000	0.000585	PASS				

The End

