

Report No.: SUZR/2022/1002202

Rev.: 02

Page: 58 of 67

### Test Band = SA n71\_ TM1 Test Channel = Mid Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1342.6667	76.96	-118.52	-41.56	-13.00	28.56	264	25	Horizontal				
2	2012.8889	78.99	-116.39	-37.40	-13.00	24.40	178	200	Horizontal				
3	2684	70.17	-113.82	-43.65	-13.00	30.65	269	329	Horizontal				
4	3355.1111	59.15	-112.01	-52.86	-13.00	39.86	241	141	Horizontal				
5	4029.54	48.71	-110.09	-61.38	-13.00	48.38	175	188	Horizontal				
6	4701.13	50.22	-107.93	-57.71	-13.00	44.71	268	130	Horizontal				

Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1342.6667	73.16	-118.52	-45.36	-13.00	32.36	263	323	Vertical			
2	2012.8889	59.44	-116.39	-56.95	-13.00	43.95	241	56	Vertical			
3	2684	58.00	-113.82	-55.82	-13.00	42.82	302	2	Vertical			
4	3357.95	51.40	-112.01	-60.61	-13.00	47.61	264	196	Vertical			
5	4029.54	49.09	-110.09	-61.00	-13.00	48.00	175	207	Vertical			
6	4701.13	49.37	-107.93	-58.56	-13.00	45.56	298	253	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is darwn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, please contact us at telephone: (86-755) 8307 1443.



Report No.: SUZR/2022/1002202

Rev.: 02

Page: 59 of 67

# Test Band = SA n71\_ TM1 Test Channel = High Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1356.8889	88.59	-118.54	-29.95	-13.00	16.95	163	293	Horizontal				
2	2036	78.30	-116.30	-38.00	-13.00	25.00	241	360	Horizontal				
3	2714.2222	71.02	-113.64	-42.62	-13.00	29.62	168	106	Horizontal				
4	3392.4444	59.92	-112.08	-52.16	-13.00	39.16	175	327	Horizontal				
5	4071.1111	55.07	-109.98	-54.91	-13.00	41.91	244	246	Horizontal				
6	4753.63	51.51	-107.83	-56.32	-13.00	43.32	195	118	Horizontal				

Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1356.8889	65.38	-118.54	-53.16	-13.00	40.16	263	255	Vertical			
2	2035.1111	61.81	-116.30	-54.49	-13.00	41.49	175	63	Vertical			
3	2713.7778	63.30	-113.64	-50.34	-13.00	37.34	244	48	Vertical			
4	3395.45	50.06	-112.09	-62.03	-13.00	49.03	175	47	Vertical			
5	4074.54	49.14	-109.97	-60.83	-13.00	47.83	267	141	Vertical			
6	4753.63	50.21	-107.83	-57.62	-13.00	44.62	176	151	Vertical			





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 60 of 67

# Test Band = NSA DC\_2A\_n71\_ TM1 Test Channel = Low Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1328.18	40.60	-95.91	-55.31	-13.00	42.31	263	359	Horizontal				
2	1992.27	40.62	-93.45	-52.83	-13.00	39.83	142	104	Horizontal				
3	2656.36	39.66	-90.77	-51.11	-13.00	38.11	264	136	Horizontal				
4	3320.45	50.27	-111.68	-61.41	-13.00	48.41	206	0	Horizontal				
5	3984.54	48.51	-110.15	-61.64	-13.00	48.64	214	70	Horizontal				
6	4648.63	49.50	-107.87	-58.37	-13.00	45.37	186	0	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1328.18	39.62	-95.91	-56.29	-13.00	43.29	214	199	Vertical				
2	1992.27	39.05	-93.45	-54.40	-13.00	41.40	163	230	Vertical				
3	1992.27	39.05	-93.45	-54.40	-13.00	41.40	351	230	Vertical				
4	3320.45	51.68	-111.68	-60.00	-13.00	47.00	111	112	Vertical				
5	3984.54	48.75	-110.15	-61.40	-13.00	48.40	125	97	Vertical				
6	4648.63	47.98	-107.87	-59.89	-13.00	46.89	175	126	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 61 of 67

### Test Band = NSA DC\_2A\_n71\_ TM1 Test Channel = Mid Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1343.18	39.78	-95.86	-56.08	-13.00	43.08	210	239	Horizontal				
2	2014.77	41.06	-93.34	-52.28	-13.00	39.28	233	113	Horizontal				
3	2686.36	39.65	-90.61	-50.96	-13.00	37.96	211	133	Horizontal				
4	3357.95	50.08	-111.71	-61.63	-13.00	48.63	152	200	Horizontal				
5	4029.54	48.50	-109.93	-61.43	-13.00	48.43	265	3	Horizontal				
6	4701.13	50.36	-107.64	-57.28	-13.00	44.28	142	51	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1343.18	40.22	-95.86	-55.64	-13.00	42.64	201	156	Vertical				
2	2014.77	38.52	-93.34	-54.82	-13.00	41.82	163	104	Vertical				
3	2686.36	37.54	-90.61	-53.07	-13.00	40.07	352	360	Vertical				
4	3357.95	50.05	-111.71	-61.66	-13.00	48.66	142	41	Vertical				
5	4029.54	49.00	-109.93	-60.93	-13.00	47.93	264	321	Vertical				
6	4701.13	48.77	-107.64	-58.87	-13.00	45.87	152	0	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is darwn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, please contact us at telephone: (86-755) 8307 1443.



Report No.: SUZR/2022/1002202

Rev.: 02

Page: 62 of 67

# Test Band = NSA DC\_2A\_n71\_ TM1 Test Channel = High Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1358.18	40.49	-95.81	-55.32	-13.00	42.32	214	239	Horizontal				
2	2037.27	40.73	-93.27	-52.54	-13.00	39.54	163	124	Horizontal				
3	2716.36	38.14	-90.45	-52.31	-13.00	39.31	352	51	Horizontal				
4	3395.45	50.14	-111.75	-61.61	-13.00	48.61	142	174	Horizontal				
5	4074.54	48.12	-109.65	-61.53	-13.00	48.53	268	1	Horizontal				
6	4753.63	50.03	-107.61	-57.58	-13.00	44.58	172	268	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1358.18	39.96	-95.81	-55.85	-13.00	42.85	241	360	Vertical				
2	2037.27	38.55	-93.27	-54.72	-13.00	41.72	162	82	Vertical				
3	2716.36	37.57	-90.45	-52.88	-13.00	39.88	284	322	Vertical				
4	3395.45	50.35	-111.75	-61.40	-13.00	48.40	264	45	Vertical				
5	4074.54	47.90	-109.65	-61.75	-13.00	48.75	175	32	Vertical				
6	4753.63	50.35	-107.61	-57.26	-13.00	44.26	264	138	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 63 of 67

# Test Band = NSA DC\_66A\_n71\_ TM1 Test Channel = Low Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1328.18	48.47	-95.91	-47.44	-13.00	34.44	210	104	Horizontal				
2	1992.27	41.34	-93.45	-52.11	-13.00	39.11	236	240	Horizontal				
3	2660.5	71.71	-90.75	-19.04	-13.00	6.04	214	104	Horizontal				
4	3320.45	50.75	-111.68	-60.93	-13.00	47.93	185	320	Horizontal				
5	3984.54	48.16	-110.15	-61.99	-13.00	48.99	265	0	Horizontal				
6	4648.63	49.57	-107.87	-58.30	-13.00	45.30	215	108	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1328.18	39.33	-95.91	-56.58	-13.00	43.58	214	196	Vertical				
2	1992.27	39.16	-93.45	-54.29	-13.00	41.29	163	58	Vertical				
3	2656.36	37.51	-90.77	-53.26	-13.00	40.26	352	220	Vertical				
4	3320.45	50.34	-111.68	-61.34	-13.00	48.34	144	0	Vertical				
5	3984.54	49.11	-110.15	-61.04	-13.00	48.04	175	1	Vertical				
6	4648.63	48.55	-107.87	-59.32	-13.00	46.32	264	347	Vertical				





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 64 of 67

### Test Band = NSA DC\_66A\_n71\_ TM1 Test Channel = Mid Channel

Final Data List											
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1343.18	39.75	-95.86	-56.11	-13.00	41.30	214	229	Horizontal		
2	2014.77	39.98	-93.34	-53.36	-13.00	40.36	163	93	Horizontal		
3	2686.36	41.11	-90.61	-49.50	-13.00	37.74	241	114	Horizontal		
4	3357.95	50.07	-111.71	-61.64	-13.00	48.64	175	97	Horizontal		
5	4029.54	49.41	-109.93	-60.52	-13.00	47.52	264	178	Horizontal		
6	4701.13	49.77	-107.64	-57.87	-13.00	44.87	175	45	Horizontal		

Final Data List											
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1343.18	39.64	-95.86	-56.22	-13.00	43.22	263	28	Vertical		
2	2014.77	38.48	-93.34	-54.86	-13.00	41.86	214	3	Vertical		
3	2686.36	38.18	-90.61	-52.43	-13.00	39.43	185	19	Vertical		
4	3357.95	49.77	-111.71	-61.94	-13.00	48.94	264	111	Vertical		
5	4029.54	48.47	-109.93	-61.46	-13.00	48.46	175	70	Vertical		
6	4701.13	50.05	-107.64	-57.59	-13.00	44.59	264	201	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is darwn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, please contact us at telephone: (86-755) 8307 1443.



Report No.: SUZR/2022/1002202

Rev.: 02

Page: 65 of 67

# Test Band = NSA DC\_66A\_n71\_ TM1 Test Channel = High Channel

Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dalarita		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1358.18	41.17	-95.81	-54.64	-13.00	41.64	241	186	Horizontal		
2	2037.27	40.36	-93.27	-52.91	-13.00	39.91	162	144	Horizontal		
3	2716.36	40.43	-90.45	-50.02	-13.00	37.02	241	113	Horizontal		
4	3395.45	50.10	-111.75	-61.65	-13.00	48.65	111	96	Horizontal		
5	4074.54	48.55	-109.65	-61.10	-13.00	48.10	185	0	Horizontal		
6	4753.63	50.80	-107.61	-56.81	-13.00	43.81	264	162	Horizontal		

Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Delevite		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1358.18	39.80	-95.81	-56.01	-13.00	43.01	263	20	Vertical		
2	2037.27	39.10	-93.27	-54.17	-13.00	41.17	351	359	Vertical		
3	2716.36	37.51	-90.45	-52.94	-13.00	39.94	142	51	Vertical		
4	3395.45	49.76	-111.75	-61.99	-13.00	48.99	265	136	Vertical		
5	4074.54	49.64	-109.65	-60.01	-13.00	47.01	222	321	Vertical		
6	4753.63	49.12	-107.61	-58.49	-13.00	45.49	214	1	Vertical		





Report No.: SUZR/2022/1002202

Rev.: 02

Page: 66 of 67

#### Frequency Stability for SA

**Test Result** 

Frequency Error VS. Voltage

Voltage											
Band	scs	Bandwid th	Modulation	Cha nnel	RB Config	Voltage	Temp eratur e	Deviation(Hz )	Deviation (ppm)	Verdict	
N71	15	20	DFT-PI2BPSK	М	Outer_Full	VH	NT	-17.900000	-0.026304	PASS	
N71	15	20	DFT-PI2BPSK	М	Outer_Full	VN	NT	-19.200000	-0.028215	PASS	
N71	15	20	DFT-PI2BPSK	М	Outer_Full	VL	NT	-14.900000	-0.021896	PASS	
N71	15	20	CP-QPSK	М	Outer_Full	VH	NT	-0.600000	-0.000882	PASS	
N71	15	20	CP-QPSK	М	Outer_Full	VN	NT	-3.800000	-0.005584	PASS	
N71	15	20	CP-QPSK	М	Outer_Full	VL	NT	-3.700000	-0.005437	PASS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And-Cond



Report No.: SUZR/2022/1002202

Rev.: 02

Page: 67 of 67

#### Frequency Error VS. Temperature

	Temperature												
Band	scs	Bandwid th	Modulation	Cha nnel	RB Config	Voltage	Temp eratur e	Deviation(Hz )	Deviation (ppm)	Verdict			
N71	15	20	DFT-PI2BPSK	М	Outer_Full	NV	-30	-6.300000	-0.009258	PASS			
N71	15	20	DFT-PI2BPSK	М	Outer_Full	NV	-20	-12.500000	-0.018369	PASS			
N71	15	20	DFT-PI2BPSK	М	Outer_Full	NV	-10	-10.000000	-0.014695	PASS			
N71	15	20	DFT-PI2BPSK	М	Outer_Full	NV	0	-10.500000	-0.015430	PASS			
N71	15	20	DFT-PI2BPSK	М	Outer_Full	NV	10	-10.200000	-0.014989	PASS			
N71	15	20	DFT-PI2BPSK	М	Outer_Full	NV	20	-10.300000	-0.015136	PASS			
N71	15	20	DFT-PI2BPSK	М	Outer_Full	NV	30	-7.200000	-0.010580	PASS			
N71	15	20	DFT-PI2BPSK	М	Outer_Full	NV	40	-15.500000	-0.022777	PASS			
N71	15	20	DFT-PI2BPSK	М	Outer_Full	NV	50	-7.700000	-0.011315	PASS			
N71	15	20	CP-QPSK	М	Outer_Full	NV	-30	-0.300000	-0.000441	PASS			
N71	15	20	CP-QPSK	М	Outer_Full	NV	-20	-2.100000	-0.003086	PASS			
N71	15	20	CP-QPSK	М	Outer_Full	NV	-10	1.000000	0.001470	PASS			
N71	15	20	CP-QPSK	М	Outer_Full	NV	0	0.400000	0.000588	PASS			
N71	15	20	CP-QPSK	М	Outer_Full	NV	10	-0.700000	-0.001029	PASS			
N71	15	20	CP-QPSK	М	Outer_Full	NV	20	-0.900000	-0.001323	PASS			
N71	15	20	CP-QPSK	М	Outer_Full	NV	30	-3.000000	-0.004409	PASS			
N71	15	20	CP-QPSK	М	Outer_Full	NV	40	-0.700000	-0.001029	PASS			
N71	15	20	CP-QPSK	М	Outer_Full	NV	50	-1.000000	-0.001470	PASS			

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And-Cond