


Report No.: SUZR/2022/1002202

Rev.: 02

Page: 46 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sps.com/en/Terms-end-Conditions/Terms-en-Document as part to the first the special condition for Electronic Document as http://www.sps.com/en/Terms-end-Conditions/Terms-en-Document as part advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not except a part to the special contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not except a part to the special contained by the

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2022/1002202

Rev.: 02

Page: 47 of 49

Field Strength of Spurious Radiation

Test Band = SA n77UL MIMO 3450M-3550M_ TM1
Test Channel = Low Channel

Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity	
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]		
1	5449	53.43	-105.55	-52.12	-13.00	39.12	152	3	Horizontal	
2	6802.3333	77.76	-101.89	-24.13	-13.00	11.13	241	215	Horizontal	
3	10361.8333	51.26	-93.01	-41.75	-13.00	28.75	162	25	Horizontal	
4	13604	54.43	-89.73	-35.30	-13.00	22.30	274	215	Horizontal	
5	17025.45	39.72	-88.48	-48.76	-13.00	33.34	175	160	Horizontal	
6	17968.5	45.48	-84.06	-38.58	-13.00	25.58	266	38	Horizontal	

Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity	
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]		
1	5842.1667	54.09	-104.56	-50.47	-13.00	37.47	263	360	Vertical	
2	6944.6667	56.53	-101.44	-44.91	-13.00	31.91	241	302	Vertical	
3	9149.6667	47.40	-95.14	-47.74	-13.00	34.74	176	276	Vertical	
4	10252.1667	52.61	-93.21	-40.60	-13.00	27.60	284	350	Vertical	
5	13604	47.19	-89.73	-42.54	-13.00	29.54	178	118	Vertical	
6	17025.45	40.98	-88.48	-47.50	-13.00	34.50	266	170	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditions-And-Conditions-and-Co



Report No.: SUZR/2022/1002202

Rev.: 02

Page: 48 of 49

Test Band = SA n77 UL MIMO 3450M-3550M_ TM1 Test Channel = Mid Channel

Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity	
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]		
1	6156	53.43	-103.10	-49.67	-13.00	36.67	124	349	Horizontal	
2	6901.5	71.47	-101.40	-29.93	-13.00	16.93	172	39	Horizontal	
3	10353.6667	55.05	-93.04	-37.99	-13.00	24.99	261	198	Horizontal	
4	13804.6667	51.77	-90.48	-38.71	-13.00	25.71	148	236	Horizontal	
5	17275.45	38.73	-87.38	-48.65	-13.00	35.65	264	118	Horizontal	
6	17968.5	45.44	-84.06	-38.62	-13.00	25.62	186	198	Horizontal	

Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority	
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity	
1	5853.8333	54.35	-104.53	-50.18	-13.00	37.18	152	314	Vertical	
2	6901.5	73.53	-101.40	-27.87	-13.00	14.87	241	143	Vertical	
3	10361.8333	54.72	-93.01	-38.29	-13.00	25.29	176	261	Vertical	
4	13804.6667	51.74	-90.48	-38.74	-13.00	25.74	284	235	Vertical	
5	17275.45	38.69	-87.38	-48.69	-13.00	35.69	186	64	Vertical	
6	17903.1667	42.06	-84.23	-42.17	-13.00	29.17	266	235	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sps.com/en/Terms-end-Conditions/Terms-en-Document as part to the first the special condition for Electronic Document as http://www.sps.com/en/Terms-end-Conditions/Terms-en-Document as part advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not except a part to the special contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not except a part to the special contained by the



Report No.: SUZR/2022/1002202

Rev.: 02

Page: 49 of 49

Test Band = SA n77 UL MIMO 3450M-3550M_ TM1 Test Channel = High Channel

Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity	
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]		
1	5898.1667	61.36	-104.42	-43.06	-13.00	30.06	162	172	Horizontal	
2	7001.8333	66.82	-101.49	-34.67	-13.00	21.67	241	12	Horizontal	
3	9829.8333	57.93	-93.81	-35.88	-13.00	22.88	172	117	Horizontal	
4	10503	57.57	-92.65	-35.08	-13.00	22.08	269	331	Horizontal	
5	14020.36	41.90	-90.28	-48.38	-13.00	35.38	248	3	Horizontal	
6	17694.3333	48.71	-84.98	-36.27	-13.00	23.27	178	252	Horizontal	

Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity	
	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]		
1	7001.8333	65.30	-101.49	-36.19	-13.00	23.19	152	318	Vertical	
2	10503	54.38	-92.65	-38.27	-13.00	25.27	261	93	Vertical	
3	11796.8333	54.54	-91.87	-37.33	-13.00	24.33	174	238	Vertical	
4	14020.36	42.07	-90.28	-48.21	-13.00	35.21	186	159	Vertical	
5	17525.45	39.11	-86.44	-47.33	-13.00	34.33	294	52	Vertical	
6	17694.3333	43.26	-84.98	-41.72	-13.00	28.72	188	290	Vertical	

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sps.com/en/Terms-end-Conditions/Terms-en-Document as part to the first the special condition for Electronic Document as http://www.sps.com/en/Terms-end-Conditions/Terms-en-Document as part advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not except a part to the special contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not except a part to the special contained by the