

## Effective (Isotropic) Radiated Power Output Data

## Test Result

| N5 (Ant 0) |                         |         |              | Conducted Power(dBm) |         |         | ERP(dBm) |         |         | Limit | Verdict |
|------------|-------------------------|---------|--------------|----------------------|---------|---------|----------|---------|---------|-------|---------|
| SCS 15kHz  |                         |         |              |                      |         |         |          |         |         |       |         |
| Bandwidth  | Modulation              | RB size | RB<br>offset | Channel              | Channel | Channel | Channel  | Channel | Channel |       |         |
|            |                         |         |              | 166800               | 167300  | 167800  | 166800   | 167300  | 167800  |       |         |
| 20MHz      | DFT-s-OFDM<br>PI/2 BPSK | 1       | 1            | 23.21                | 23.23   | 23.12   | 17.44    | 17.46   | 17.35   | 38.45 | PASS    |
|            |                         | 1       | 53           | 23.66                | 23.63   | 23.59   | 17.89    | 17.86   | 17.82   | 38.45 | PASS    |
|            |                         | 1       | 104          | 23.65                | 23.65   | 23.71   | 17.88    | 17.88   | 17.94   | 38.45 | PASS    |
|            |                         | 50      | 0            | 23.12                | 23.05   | 23.02   | 17.35    | 17.28   | 17.25   | 38.45 | PASS    |
|            |                         | 50      | 28           | 23.58                | 23.49   | 23.49   | 17.81    | 17.72   | 17.72   | 38.45 | PASS    |
|            |                         | 50      | 56           | 23.11                | 23.07   | 23.16   | 17.34    | 17.30   | 17.39   | 38.45 | PASS    |
|            |                         | 100     | 0            | 23.09                | 23.15   | 22.99   | 17.32    | 17.38   | 17.22   | 38.45 | PASS    |
|            | DFT-s-OFDM<br>QPSK      | 1       | 1            | 23.60                | 23.66   | 23.63   | 17.83    | 17.89   | 17.86   | 38.45 | PASS    |
|            |                         | 1       | 53           | 23.64                | 23.65   | 23.64   | 17.87    | 17.88   | 17.87   | 38.45 | PASS    |
|            |                         | 1       | 104          | 23.57                | 23.58   | 23.55   | 17.80    | 17.81   | 17.78   | 38.45 | PASS    |
|            |                         | 50      | 0            | 22.68                | 22.60   | 22.75   | 16.91    | 16.83   | 16.98   | 38.45 | PASS    |
|            |                         | 50      | 28           | 23.66                | 23.75   | 23.72   | 17.89    | 17.98   | 17.95   | 38.45 | PASS    |
|            |                         | 50      | 56           | 22.69                | 22.74   | 22.72   | 16.92    | 16.97   | 16.95   | 38.45 | PASS    |
|            |                         | 100     | 0            | 22.65                | 22.59   | 22.61   | 16.88    | 16.82   | 16.84   | 38.45 | PASS    |
|            | DFT-s-OFDM<br>16QAM     | 1       | 1            | 22.57                | 22.57   | 22.57   | 16.80    | 16.80   | 16.80   | 38.45 | PASS    |
|            | DFT-s-OFDM<br>64QAM     | 1       | 1            | 21.31                | 21.22   | 21.38   | 15.54    | 15.45   | 15.61   | 38.45 | PASS    |
|            | DFT-s-OFDM<br>256QAM    | 1       | 1            | 19.15                | 19.21   | 19.25   | 13.38    | 13.44   | 13.48   | 38.45 | PASS    |
| Bandwidth  | Modulation              | RB size | RB<br>offset | Channel              | Channel | Channel | Channel  | Channel | Channel | Limit | Verdict |
|            |                         |         |              | 166800               | 167300  | 167800  | 166800   | 167300  | 167800  |       |         |
| 20MHz      | CP-OFDM<br>QPSK         | 1       | 1            | 22.11                | 22.18   | 22.14   | 16.34    | 16.41   | 16.37   | 38.45 | PASS    |
| Bandwidth  | Modulation              | RB size | RB<br>offset | Channel              | Channel | Channel | Channel  | Channel | Channel | Limit | Verdict |
|            |                         |         |              | 166300               | 167300  | 168300  | 166300   | 167300  | 168300  |       |         |
| 15MHz      | DFT-s-OFDM<br>QPSK      | 1       | 1            | 23.64                | 23.52   | 23.59   | 17.87    | 17.75   | 17.82   | 38.45 | PASS    |
| Bandwidth  | Modulation              | RB size | RB<br>offset | Channel              | Channel | Channel | Channel  | Channel | Channel | Limit | Verdict |
|            |                         |         |              | 165800               | 167300  | 168800  | 165800   | 167300  | 168800  |       |         |
| 10MHz      | DFT-s-OFDM<br>QPSK      | 1       | 1            | 23.57                | 23.45   | 23.54   | 17.80    | 17.68   | 17.77   | 38.45 | PASS    |
| Bandwidth  | Modulation              | RB size | RB<br>offset | Channel              | Channel | Channel | Channel  | Channel | Channel | Limit | Verdict |
|            |                         |         |              | 165300               | 167300  | 169300  | 165300   | 167300  | 169300  |       |         |
| 5MHz       | DFT-s-OFDM<br>QPSK      | 1       | 1            | 23.60                | 23.47   | 23.56   | 17.83    | 17.70   | 17.79   | 38.45 | PASS    |

| N5 (Ant 3) |                         |         |           | Conducted Power(dBm) |                |                | ERP(dBm)       |                |                | Limit | Verdict |
|------------|-------------------------|---------|-----------|----------------------|----------------|----------------|----------------|----------------|----------------|-------|---------|
| SCS 15kHz  |                         |         |           |                      |                |                |                |                |                |       |         |
| Bandwidth  | Modulation              | RB size | RB offset | Channel 166800       | Channel 167300 | Channel 167800 | Channel 166800 | Channel 167300 | Channel 167800 |       |         |
| 20MHz      | DFT-s-OFDM<br>PI/2 BPSK | 1       | 1         | 23.03                | 23.06          | 23.00          | 18.08          | 18.11          | 18.05          | 38.45 | PASS    |
|            |                         | 1       | 53        | 23.00                | 23.03          | 23.03          | 18.05          | 18.08          | 18.08          | 38.45 | PASS    |
|            |                         | 1       | 104       | 22.96                | 23.07          | 22.99          | 18.01          | 18.12          | 18.04          | 38.45 | PASS    |
|            |                         | 50      | 0         | 23.12                | 23.10          | 23.12          | 18.17          | 18.15          | 18.17          | 38.45 | PASS    |
|            |                         | 50      | 28        | 23.14                | 23.12          | 23.10          | 18.19          | 18.17          | 18.15          | 38.45 | PASS    |
|            |                         | 50      | 56        | 23.15                | 23.07          | 23.11          | 18.20          | 18.12          | 18.16          | 38.45 | PASS    |
|            |                         | 100     | 0         | 23.03                | 23.13          | 22.96          | 18.08          | 18.18          | 18.01          | 38.45 | PASS    |
|            | DFT-s-OFDM<br>QPSK      | 1       | 1         | 23.07                | 23.15          | 23.12          | 18.12          | 18.20          | 18.17          | 38.45 | PASS    |
|            |                         | 1       | 53        | 23.12                | 23.05          | 23.10          | 18.17          | 18.10          | 18.15          | 38.45 | PASS    |
|            |                         | 1       | 104       | 22.96                | 22.98          | 22.91          | 18.01          | 18.03          | 17.96          | 38.45 | PASS    |
|            |                         | 50      | 0         | 23.03                | 23.10          | 23.05          | 18.08          | 18.15          | 18.10          | 38.45 | PASS    |
|            |                         | 50      | 28        | 23.11                | 23.12          | 23.07          | 18.16          | 18.17          | 18.12          | 38.45 | PASS    |
|            |                         | 50      | 56        | 23.05                | 23.07          | 23.02          | 18.10          | 18.12          | 18.07          | 38.45 | PASS    |
|            |                         | 100     | 0         | 23.03                | 23.05          | 22.99          | 18.08          | 18.10          | 18.04          | 38.45 | PASS    |
|            | DFT-s-OFDM<br>16QAM     | 1       | 1         | 23.12                | 23.14          | 23.09          | 18.17          | 18.19          | 18.14          | 38.45 | PASS    |
|            | DFT-s-OFDM<br>64QAM     | 1       | 1         | 21.77                | 21.73          | 21.66          | 16.82          | 16.78          | 16.71          | 38.45 | PASS    |
|            | DFT-s-OFDM<br>256QAM    | 1       | 1         | 19.44                | 19.53          | 19.42          | 14.49          | 14.58          | 14.47          | 38.45 | PASS    |
| Bandwidth  | Modulation              | RB size | RB offset | Channel 166800       | Channel 167300 | Channel 167800 | Channel 166800 | Channel 167300 | Channel 167800 | Limit | Verdict |
| 20MHz      | CP-OFDM<br>QPSK         | 1       | 1         | 22.17                | 22.21          | 22.19          | 17.22          | 17.26          | 17.24          | 38.45 | PASS    |
| Bandwidth  | Modulation              | RB size | RB offset | Channel 166300       | Channel 167300 | Channel 168300 | Channel 166300 | Channel 167300 | Channel 168300 | Limit | Verdict |
| 15MHz      | DFT-s-OFDM<br>QPSK      | 1       | 1         | 22.99                | 23.06          | 23.10          | 18.04          | 18.11          | 18.15          | 38.45 | PASS    |
| Bandwidth  | Modulation              | RB size | RB offset | Channel 165800       | Channel 167300 | Channel 168800 | Channel 165800 | Channel 167300 | Channel 168800 | Limit | Verdict |
| 10MHz      | DFT-s-OFDM<br>QPSK      | 1       | 1         | 23.07                | 23.05          | 23.03          | 18.12          | 18.10          | 18.08          | 38.45 | PASS    |
| Bandwidth  | Modulation              | RB size | RB offset | Channel 165300       | Channel 167300 | Channel 169300 | Channel 165300 | Channel 167300 | Channel 169300 | Limit | Verdict |
| 5MHz       | DFT-s-OFDM<br>QPSK      | 1       | 1         | 23.03                | 23.02          | 23.08          | 18.08          | 18.07          | 18.13          | 38.45 | PASS    |


Reference module report (FCC ID: ZMOFM160NA), only spot check testing is conducted here.

## Field Strength of Spurious Radiation

### Below 1GHz(Ant 0)


| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Mid |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | Z               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |

#### Test Graph




| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Mid |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | Z               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |

### Test Graph




**Below 1GHz(Ant 3)**

| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Mid |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | X               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |

**Test Graph**

| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Mid |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | X               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |


### Test Graph



## Above 1GHz (Ant 0)

| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Low |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | Z               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |


## Test Graph



| Data List |             |                |             |             |             |             |             |           |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------------|-----------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Trace | Polarity   | Verdict |
| 1         | 2488        | 66.05          | -111.33     | -45.28      | -13.00      | 32.28       | 179         | 117       | RMS   | Horizontal | PASS    |
| 2         | 2902.8      | 49.78          | -108.88     | -59.10      | -13.00      | 46.10       | 124         | 293       | RMS   | Horizontal | PASS    |
| 3         | 3317.6      | 49.25          | -108.25     | -59.00      | -13.00      | 46.00       | 232         | 102       | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Low |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | Z               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |

### Test Graph




| Data List |                |                   |                |                |                |                |                |              |       |          |         |
|-----------|----------------|-------------------|----------------|----------------|----------------|----------------|----------------|--------------|-------|----------|---------|
| NO.       | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Trace | Polarity | Verdict |
| 1         | 1658.8         | 64.01             | -114.11        | -50.10         | -13.00         | 37.10          | 161            | 320          | RMS   | Vertical | PASS    |
| 2         | 2488.4         | 72.91             | -111.34        | -38.43         | -13.00         | 25.43          | 198            | 308          | RMS   | Vertical | PASS    |
| 3         | 3317.6         | 54.32             | -108.25        | -53.93         | -13.00         | 40.93          | 217            | 359          | RMS   | Vertical | PASS    |



| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Mid |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | Z               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |


### Test Graph



| Data List |             |                |             |             |             |             |             |           |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------------|-----------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Trace | Polarity   | Verdict |
| 1         | 1663.6      | 53.45          | -114.12     | -60.67      | -13.00      | 47.67       | 282         | 212       | RMS   | Horizontal | PASS    |
| 2         | 2495.6      | 65.39          | -111.38     | -45.99      | -13.00      | 32.99       | 230         | 115       | RMS   | Horizontal | PASS    |
| 3         | 3327.2      | 47.09          | -108.28     | -61.19      | -13.00      | 48.19       | 111         | 206       | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Mid |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | Z               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |


### Test Graph



| Data List |             |                |             |             |             |             |             |           |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------------|-----------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Trace | Polarity | Verdict |
| 1         | 1663.6      | 61.04          | -114.12     | -53.08      | -13.00      | 40.08       | 105         | 326       | RMS   | Vertical | PASS    |
| 2         | 2495.6      | 72.13          | -111.38     | -39.25      | -13.00      | 26.25       | 192         | 308       | RMS   | Vertical | PASS    |
| 3         | 3327.6      | 53.57          | -108.29     | -54.72      | -13.00      | 41.72       | 157         | 360       | RMS   | Vertical | PASS    |

| Project Information           |                 |           |      |
|-------------------------------|-----------------|-----------|------|
| Mode:                         | NR              | Band:     | n5   |
| Bandwidth:                    | 20MHZ           | Channel:  | High |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎  |
| Remark:                       | Z               |           |      |
| Test Standard: FCC PART 22/24 |                 |           |      |

### Test Graph




### Data List

| NO. | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Trace | Polarity   | Verdict |
|-----|----------------|-------------------|----------------|----------------|----------------|----------------|----------------|--------------|-------|------------|---------|
| 1   | 1668.8         | 54.18             | -114.13        | -59.95         | -13.00         | 46.95          | 290            | 213          | RMS   | Horizontal | PASS    |
| 2   | 2503.2         | 64.43             | -111.38        | -46.95         | -13.00         | 33.95          | 199            | 120          | RMS   | Horizontal | PASS    |
| 3   | 3337.6         | 46.95             | -108.33        | -61.38         | -13.00         | 48.38          | 149            | 188          | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |      |
|-------------------------------|-----------------|-----------|------|
| Mode:                         | NR              | Band:     | n5   |
| Bandwidth:                    | 20MHZ           | Channel:  | High |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎  |
| Remark:                       | Z               |           |      |
| Test Standard: FCC PART 22/24 |                 |           |      |

### Test Graph




| Data List |                |                   |                |                |                |                |                |              |       |          |         |
|-----------|----------------|-------------------|----------------|----------------|----------------|----------------|----------------|--------------|-------|----------|---------|
| NO.       | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Trace | Polarity | Verdict |
| 1         | 1668.8         | 61.26             | -114.13        | -52.87         | -13.00         | 39.87          | 106            | 329          | RMS   | Vertical | PASS    |
| 2         | 2503.2         | 67.47             | -111.38        | -43.91         | -13.00         | 30.91          | 231            | 317          | RMS   | Vertical | PASS    |
| 3         | 3337.6         | 52.76             | -108.33        | -55.57         | -13.00         | 42.57          | 161            | 7            | RMS   | Vertical | PASS    |

## Above 1GHz (Ant 3)

| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Low |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | X               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |


## Test Graph



| Data List |             |                |             |             |             |             |             |           |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------------|-----------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Trace | Polarity   | Verdict |
| 1         | 1648.8      | 51.49          | -114.09     | -62.60      | -13.00      | 49.60       | 161         | 206       | RMS   | Horizontal | PASS    |
| 2         | 6330        | 37.93          | -99.02      | -61.09      | -13.00      | 48.09       | 133         | 218       | RMS   | Horizontal | PASS    |
| 3         | 8851.2      | 36.09          | -92.89      | -56.80      | -13.00      | 43.80       | 109         | 243       | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Low |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | X               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |


### Test Graph



| Data List |                |                   |                |                |                |                |                |              |       |          |         |
|-----------|----------------|-------------------|----------------|----------------|----------------|----------------|----------------|--------------|-------|----------|---------|
| NO.       | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Trace | Polarity | Verdict |
| 1         | 1648.8         | 48.77             | -114.09        | -65.32         | -13.00         | 52.32          | 177            | 68           | RMS   | Vertical | PASS    |
| 2         | 6047.6         | 37.69             | -99.46         | -61.77         | -13.00         | 48.77          | 193            | 197          | RMS   | Vertical | PASS    |
| 3         | 8871.2         | 36.00             | -93.01         | -57.01         | -13.00         | 44.01          | 208            | 62           | RMS   | Vertical | PASS    |

| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Mid |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | X               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |


### Test Graph



| Data List |                |                   |                |                |                |                |                |              |       |            |         |
|-----------|----------------|-------------------|----------------|----------------|----------------|----------------|----------------|--------------|-------|------------|---------|
| NO.       | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Trace | Polarity   | Verdict |
| 1         | 1654           | 52.60             | -114.09        | -61.49         | -13.00         | 48.49          | 139            | 268          | RMS   | Horizontal | PASS    |
| 2         | 7017.2         | 37.37             | -97.32         | -59.95         | -13.00         | 46.95          | 160            | 336          | RMS   | Horizontal | PASS    |
| 3         | 8885.2         | 35.69             | -93.08         | -57.39         | -13.00         | 44.39          | 129            | 342          | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |     |
|-------------------------------|-----------------|-----------|-----|
| Mode:                         | NR              | Band:     | n5  |
| Bandwidth:                    | 20MHZ           | Channel:  | Mid |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎 |
| Remark:                       | X               |           |     |
| Test Standard: FCC PART 22/24 |                 |           |     |

### Test Graph




| Data List |                |                   |                |                |                |                |                |              |       |          |         |
|-----------|----------------|-------------------|----------------|----------------|----------------|----------------|----------------|--------------|-------|----------|---------|
| NO.       | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Trace | Polarity | Verdict |
| 1         | 1654           | 50.13             | -114.09        | -63.96         | -13.00         | 50.96          | 112            | 140          | RMS   | Vertical | PASS    |
| 2         | 7015.2         | 37.36             | -97.30         | -59.94         | -13.00         | 46.94          | 193            | 313          | RMS   | Vertical | PASS    |
| 3         | 8881.6         | 36.17             | -93.06         | -56.89         | -13.00         | 43.89          | 264            | 189          | RMS   | Vertical | PASS    |



| Project Information           |                 |           |      |
|-------------------------------|-----------------|-----------|------|
| Mode:                         | NR              | Band:     | n5   |
| Bandwidth:                    | 20MHZ           | Channel:  | High |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎  |
| Remark:                       | X               |           |      |
| Test Standard: FCC PART 22/24 |                 |           |      |


### Test Graph



| Data List |             |                |             |             |             |             |             |           |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------------|-----------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Trace | Polarity   | Verdict |
| 1         | 1658.8      | 56.06          | -114.11     | -58.05      | -13.00      | 45.05       | 251         | 206       | RMS   | Horizontal | PASS    |
| 2         | 2488.4      | 43.51          | -111.34     | -67.83      | -13.00      | 54.83       | 173         | 249       | RMS   | Horizontal | PASS    |
| 3         | 8889.6      | 35.83          | -93.11      | -57.28      | -13.00      | 44.28       | 142         | 360       | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |      |
|-------------------------------|-----------------|-----------|------|
| Mode:                         | NR              | Band:     | n5   |
| Bandwidth:                    | 20MHZ           | Channel:  | High |
| IMEI:                         | 862513050026243 | Engineer: | 欧树炎  |
| Remark:                       | X               |           |      |
| Test Standard: FCC PART 22/24 |                 |           |      |

### Test Graph



| Data List |             |                |             |             |             |             |             |           |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------------|-----------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Trace | Polarity | Verdict |
| 1         | 1658.8      | 50.25          | -114.11     | -63.86      | -13.00      | 50.86       | 195         | 191       | RMS   | Vertical | PASS    |
| 2         | 7387.6      | 37.01          | -96.57      | -59.56      | -13.00      | 46.56       | 134         | 130       | RMS   | Vertical | PASS    |
| 3         | 8905.6      | 35.65          | -93.27      | -57.62      | -13.00      | 44.62       | 180         | 37        | RMS   | Vertical | PASS    |