

Effective (Isotropic) Radiated Power Output Data

Test Result

N77 Class2/3 (Ant 0)				Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict	
SCS 30kHz(3450~3550)												
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel			
				/	633334	/	/	/	633334	/		
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	17.16	/	/	/	18.5	/	30.00	PASS
		1	137	/	17.17	/	/	/	18.51	/	30.00	PASS
		1	271	/	17.53	/	/	/	18.87	/	30.00	PASS
		135	0	/	17.16	/	/	/	18.5	/	30.00	PASS
		135	69	/	17.14	/	/	/	18.48	/	30.00	PASS
		135	138	/	17.21	/	/	/	18.55	/	30.00	PASS
		270	0	/	17.16	/	/	/	18.5	/	30.00	PASS
	DFT-s-OFDM QPSK	1	1	/	17.28	/	/	/	18.62	/	30.00	PASS
		1	137	/	17.27	/	/	/	18.61	/	30.00	PASS
		1	271	/	17.60	/	/	/	18.94	/	30.00	PASS
		135	0	/	17.16	/	/	/	18.5	/	30.00	PASS
		135	69	/	17.18	/	/	/	18.52	/	30.00	PASS
		135	138	/	17.15	/	/	/	18.49	/	30.00	PASS
		270	0	/	17.14	/	/	/	18.48	/	30.00	PASS
	DFT-s-OFDM 16QAM	1	1	/	17.15	/	/	/	18.49	/	30.00	PASS
	DFT-s-OFDM 64QAM	1	1	/	17.29	/	/	/	18.63	/	30.00	PASS
	DFT-s-OFDM 256QAM	1	1	/	17.20	/	/	/	18.54	/	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict	
				/	633334	/	/	/	633334	/		
100MHz	CP-OFDM QPSK	1	1	/	16.94	/	/	/	18.28	/	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict	
				633000	633334	633668	633000	633334	633668			
90MHz	DFT-s-OFDM QPSK	1	1	17.45	17.51	17.49	18.79	18.85	18.83	30.00	PASS	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict	
				632668	633334	634000	632668	633334	634000			
80MHz	DFT-s-OFDM QPSK	1	1	17.50	17.42	17.38	18.84	18.76	18.72	30.00	PASS	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict	
				632000	633334	634668	632000	633334	634668			
60MHz	DFT-s-OFDM QPSK	1	1	17.51	17.55	17.43	18.85	18.89	18.77	30.00	PASS	

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				631668	633334	635000	631668	633334	635000		
50MHz	DFT-s-OFDM QPSK	1	1	17.48	17.44	17.46	18.82	18.78	18.8	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				631334	633334	635334	631334	633334	635334		
40MHz	DFT-s-OFDM QPSK	1	1	17.42	17.50	17.48	18.76	18.84	18.82	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				630668	633334	636000	630668	633334	636000		
20MHz	DFT-s-OFDM QPSK	1	1	17.39	17.45	17.51	18.73	18.79	18.85	30.00	PASS

Reference module report (FCC ID: ZMOFM160NA), only spot check testing is conducted here.

N77 Class2/3 (Ant 0)				Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
SCS 30kHz(3700~3980)											
Bandwidth	Modulation	RB size	RB offset	Channel 650000	Channel 654800	Channel 662000	Channel 650000	Channel 654800	Channel 662000		
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	17.12	17.07	17.18	18.46	18.41	18.52	30.00	PASS
		1	137	17.25	17.16	17.28	18.59	18.50	18.62	30.00	PASS
		1	271	17.45	17.47	17.49	18.79	18.81	18.83	30.00	PASS
		135	0	17.06	17.06	17.17	18.40	18.40	18.51	30.00	PASS
		135	69	17.10	17.05	17.21	18.44	18.39	18.55	30.00	PASS
		135	138	17.11	17.12	17.12	18.45	18.46	18.46	30.00	PASS
		270	0	17.07	17.19	17.13	18.41	18.53	18.47	30.00	PASS
	DFT-s-OFDM QPSK	1	1	17.08	17.16	17.22	18.42	18.50	18.56	30.00	PASS
		1	137	17.21	17.24	17.27	18.55	18.58	18.61	30.00	PASS
		1	271	17.46	17.56	17.51	18.80	18.90	18.85	30.00	PASS
		135	0	17.10	17.15	17.19	18.44	18.49	18.53	30.00	PASS
		135	69	17.18	17.23	17.22	18.52	18.57	18.56	30.00	PASS
		135	138	17.12	17.14	17.11	18.46	18.48	18.45	30.00	PASS
		270	0	17.05	17.17	17.11	18.39	18.51	18.45	30.00	PASS
	DFT-s-OFDM 16QAM	1	1	17.26	17.05	17.35	18.60	18.39	18.69	30.00	PASS
	DFT-s-OFDM 64QAM	1	1	17.25	17.16	17.26	18.59	18.50	18.60	30.00	PASS
	DFT-s-OFDM 256QAM	1	1	17.11	17.09	17.08	18.45	18.43	18.42	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel 650000	Channel 654800	Channel 662000	Channel 650000	Channel 654800	Channel 662000	Limit	Verdict
100MHz	CP-OFDM QPSK	1	1	17.01	17.08	16.97	18.35	18.42	18.31	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel 649668	Channel 654734	Channel 662332	Channel 649668	Channel 654734	Channel 662332	Limit	Verdict
90MHz	DFT-s-OFDM QPSK	1	1	17.32	17.47	17.39	18.66	18.81	18.73	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel 649334	Channel 654668	Channel 662666	Channel 649334	Channel 654668	Channel 662666	Limit	Verdict
80MHz	DFT-s-OFDM QPSK	1	1	17.29	17.46	17.47	18.63	18.80	18.81	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel 648668	Channel 654534	Channel 663332	Channel 648668	Channel 654534	Channel 663332	Limit	Verdict
60MHz	DFT-s-OFDM QPSK	1	1	17.35	17.45	17.33	18.69	18.79	18.67	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 654468	Channel 663666	Channel 648334	Channel 654468	Channel 663666	Limit	Verdict
50MHz	DFT-s-OFDM QPSK	1	1	17.29	17.41	17.48	18.63	18.75	18.82	30.00	PASS
Bandwidth	Modulation	RB size		Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict

			RB offset	648000	654400	664000	648000	654400	664000		
40MHz	DFT-s-OFDM QPSK	1	1	17.38	17.37	17.41	18.72	18.71	18.75	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				647334	654268	664666	647334	654268	664666		
20MHz	DFT-s-OFDM QPSK	1	1	17.42	17.42	17.34	18.76	18.76	18.68	30.00	PASS

N77 (Ant 3)				Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
SCS 30kHz(3450~3550)											
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel		
				/	633334	/	/	633334	/		
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	13.64	/	/	17.55	/	30.00	PASS
		1	137	/	13.62	/	/	17.53	/	30.00	PASS
		1	271	/	14.11	/	/	18.02	/	30.00	PASS
		135	0	/	13.64	/	/	17.55	/	30.00	PASS
		135	69	/	13.61	/	/	17.52	/	30.00	PASS
		135	138	/	13.60	/	/	17.51	/	30.00	PASS
		270	0	/	13.61	/	/	17.52	/	30.00	PASS
	DFT-s-OFDM QPSK	1	1	/	13.65	/	/	17.56	/	30.00	PASS
		1	137	/	13.69	/	/	17.6	/	30.00	PASS
		1	271	/	14.13	/	/	18.04	/	30.00	PASS
		135	0	/	13.58	/	/	17.49	/	30.00	PASS
		135	69	/	13.78	/	/	17.69	/	30.00	PASS
		135	138	/	13.66	/	/	17.57	/	30.00	PASS
		270	0	/	13.60	/	/	17.51	/	30.00	PASS
	DFT-s-OFDM 16QAM	1	1	/	13.79	/	/	17.7	/	30.00	PASS
	DFT-s-OFDM 64QAM	1	1	/	13.75	/	/	17.66	/	30.00	PASS
	DFT-s-OFDM 256QAM	1	1	/	13.66	/	/	17.57	/	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				/	633334	/	/	633334	/		
100MHz	CP-OFDM QPSK	1	1	/	13.85	/	/	17.76	/	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				633000	633334	633668	633000	633334	633668		
90MHz	DFT-s-OFDM QPSK	1	1	13.70	13.61	13.65	17.61	17.52	17.56	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				632668	633334	634000	632668	633334	634000		
80MHz	DFT-s-OFDM QPSK	1	1	13.65	13.60	13.59	17.56	17.51	17.5	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				632000	633334	634668	632000	633334	634668		
60MHz	DFT-s-OFDM QPSK	1	1	13.57	13.63	13.56	17.48	17.54	17.47	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				631668	633334	635000	631668	633334	635000		
50MHz	DFT-s-OFDM QPSK	1	1	13.62	13.59	13.61	17.53	17.5	17.52	30.00	PASS
Bandwidth	Modulation			Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict

		RB size	RB offset	631334	633334	635334	631334	633334	635334		
40MHz	DFT-s-OFDM QPSK	1	1	13.67	13.60	13.58	17.58	17.51	17.49	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				630668	633334	636000	630668	633334	636000		
20MHz	DFT-s-OFDM QPSK	1	1	13.65	13.63	13.66	17.56	17.54	17.57	30.00	PASS

N77 (Ant 3)				Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
SCS 30kHz(3700~3980)											
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel		
				650000	654800	662000	650000	654800	662000		
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	13.75	13.65	13.72	17.66	17.56	17.63	30.00	PASS
		1	137	13.96	13.60	13.96	17.87	17.51	17.87	30.00	PASS
		1	271	14.17	14.01	14.16	18.08	17.92	18.07	30.00	PASS
		135	0	13.96	13.61	13.78	17.87	17.52	17.69	30.00	PASS
		135	69	14.00	13.57	13.87	17.91	17.48	17.78	30.00	PASS
		135	138	14.01	13.56	13.64	17.92	17.47	17.55	30.00	PASS
		270	0	13.97	13.54	13.69	17.88	17.45	17.6	30.00	PASS
	DFT-s-OFDM QPSK	1	1	13.82	13.56	13.79	17.73	17.47	17.7	30.00	PASS
		1	137	13.98	13.66	13.95	17.89	17.57	17.86	30.00	PASS
		1	271	14.20	14.21	14.19	18.11	18.12	18.1	30.00	PASS
		135	0	13.80	13.57	13.86	17.71	17.483	17.77	30.00	PASS
		135	69	13.84	13.89	13.87	17.75	17.8	17.78	30.00	PASS
		135	138	13.83	13.57	13.67	17.74	17.48	17.58	30.00	PASS
		270	0	13.96	13.55	13.71	17.87	17.46	17.62	30.00	PASS
	DFT-s-OFDM 16QAM	1	1	13.89	13.76	13.92	17.8	17.67	17.83	30.00	PASS
	DFT-s-OFDM 64QAM	1	1	13.91	13.75	13.87	17.82	17.66	17.78	30.00	PASS
	DFT-s-OFDM 256QAM	1	1	13.77	13.62	13.77	17.68	17.53	17.68	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				650000	654800	662000	650000	654800	662000		
100MHz	CP-OFDM QPSK	1	1	13.76	13.79	13.83	17.67	17.7	17.74	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				649668	654734	662332	649668	654734	662332		
90MHz	DFT-s-OFDM QPSK	1	1	13.71	13.59	13.72	17.62	17.5	17.63	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				649334	654668	662666	649334	654668	662666		
80MHz	DFT-s-OFDM QPSK	1	1	13.65	13.66	13.70	17.56	17.57	17.61	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				648668	654534	663332	648668	654534	663332		
60MHz	DFT-s-OFDM QPSK	1	1	13.60	13.74	13.67	17.51	17.65	17.58	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				648334	654468	663666	648334	654468	663666		
50MHz	DFT-s-OFDM QPSK	1	1	13.74	13.64	13.61	17.65	17.55	17.52	30.00	PASS
Bandwidth	Modulation			Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict

		RB size	RB offset	648000	654400	664000	648000	654400	664000		
40MHz	DFT-s-OFDM QPSK	1	1	13.70	13.78	13.73	17.61	17.69	17.64	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				647334	654268	664666	647334	654268	664666		
20MHz	DFT-s-OFDM QPSK	1	1	13.77	13.65	13.63	17.68	17.56	17.54	30.00	PASS


N77 MIMO Class 1.5/2/3 (MIMO)				Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
SCS 30kHz(3450~3550)											
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel		
				/	633334	/	/	/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	16.38	/	/	20.29	/	30.00	PASS
		1	137	/	16.25	/	/	20.16	/	30.00	PASS
		1	271	/	16.45	/	/	20.36	/	30.00	PASS
		135	0	/	16.68	/	/	20.59	/	30.00	PASS
		135	69	/	16.74	/	/	20.65	/	30.00	PASS
		135	138	/	16.68	/	/	20.59	/	30.00	PASS
		270	0	/	16.70	/	/	20.61	/	30.00	PASS
	CP-OFDM 16QAM	1	1	/	16.30	/	/	20.21	/	30.00	PASS
	CP-OFDM 64QAM	1	1	/	16.25	/	/	20.16	/	30.00	PASS
	CP-OFDM 256QAM	1	1	/	16.29	/	/	20.20	/	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				633000	633334	633668	633000	633334	633668		
90MHz	CP-OFDM QPSK	1	1	16.32	16.36	16.47	20.23	20.27	20.38	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				632668	633334	634000	632668	633334	634000		
80MHz	CP-OFDM QPSK	1	1	16.44	16.31	16.27	20.35	20.22	20.18	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				632000	633334	634668	632000	633334	634668		
60MHz	CP-OFDM QPSK	1	1	16.36	16.38	16.35	20.27	20.29	20.26	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				631668	633334	635000	631668	633334	635000		
50MHz	CP-OFDM QPSK	1	1	16.27	16.42	16.46	20.18	20.33	20.37	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				631334	633334	635334	631334	633334	635334		
40MHz	CP-OFDM QPSK	1	1	16.34	16.48	16.39	20.25	20.39	20.30	30.00	PASS
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Limit	Verdict
				630668	633334	636000	630668	633334	636000		
20MHz	CP-OFDM QPSK	1	1	16.31	16.33	16.38	20.22	20.24	20.29	30.00	PASS

Field Strength of Spurious Radiation

Below 1GHz


Project Information			
Mode:	NR	Band:	n77
Bandwidth:	100MHz	Channel:	Mid
IEMI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Project Information			
Mode:	NR	Band:	n77
Bandwidth:	100MHz	Channel:	Mid
IEMI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 27			

Test Graph




Note: Because MIMO has the highest power, we only reflect MIMO data.

Above 1GHz

Project Information			
Mode:	NR	Band:	n77
Bandwidth:	100M	Channel:	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X MIMO（3450-3550）MHZ		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	6902.116	66.09	-96.98	-30.89	-13.00	17.89	199	224	RMS	Horizontal	PASS
2	13804.41	38.30	-87.66	-49.36	-13.00	36.36	137	101	RMS	Horizontal	PASS
3	17984.28	32.27	-81.69	-49.42	-13.00	36.42	162	357	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77
Bandwidth:	100M	Channel:	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X MIMO（3450-3550）MHZ		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	6902.116	69.20	-96.98	-27.78	-13.00	14.78	123	298	RMS	Vertical	PASS
2	13804.41	38.97	-87.66	-48.69	-13.00	35.69	298	84	RMS	Vertical	PASS
3	17993.48	32.55	-81.57	-49.02	-13.00	36.02	197	262	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77
Bandwidth:	100M	Channel:	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X MIMO（3700-3980）MHZ		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	7401.983	68.61	-95.59	-26.98	-13.00	13.98	243	360	RMS	Horizontal	PASS
2	13699.38	32.95	-85.84	-52.89	-13.00	39.89	189	32	RMS	Horizontal	PASS
3	17995.4	32.06	-81.54	-49.48	-13.00	36.48	127	98	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77
Bandwidth:	100M	Channel:	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X MIMO（3700-3980）MHZ		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	7401.983	72.33	-95.59	-23.26	-13.00	10.26	206	104	RMS	Vertical	PASS
2	15059.83	33.11	-86.07	-52.96	-13.00	39.96	154	258	RMS	Vertical	PASS
3	17981.6	32.26	-81.73	-49.47	-13.00	36.47	167	352	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77
Bandwidth:	100M	Channel:	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X MIMO（3700-3980）MHZ		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	7582.15	67.25	-96.15	-28.90	-13.00	15.90	159	317	RMS	Horizontal	PASS
2	15250.35	32.28	-85.32	-53.04	-13.00	40.04	122	360	RMS	Horizontal	PASS
3	17835.93	32.45	-81.87	-49.42	-13.00	36.42	214	221	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77
Bandwidth:	100M	Channel:	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X MIMO（3700-3980）MHZ		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	7582.15	68.98	-96.15	-27.17	-13.00	14.17	188	359	RMS	Vertical	PASS
2	15245.75	32.50	-85.46	-52.96	-13.00	39.96	145	171	RMS	Vertical	PASS
3	17846.28	31.58	-81.43	-49.85	-13.00	36.85	206	84	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n77
Bandwidth:	100M	Channel:	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X MIMO（3700-3980）MHZ		
Test Standard: FCC PART 27			


Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	7761.933	68.15	-96.11	-27.96	-13.00	14.96	233	91	RMS	Horizontal	PASS
2	13697.46	32.93	-85.86	-52.93	-13.00	39.93	196	105	RMS	Horizontal	PASS
3	17995.01	32.28	-81.54	-49.26	-13.00	36.26	184	339	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n77
Bandwidth:	100M	Channel:	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	X MIMO（3700-3980）MHZ		
Test Standard: FCC PART 27			

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	7761.55	72.22	-96.12	-23.90	-13.00	10.90	164	10	RMS	Vertical	PASS
2	13667.56	33.44	-86.07	-52.63	-13.00	39.63	248	338	RMS	Vertical	PASS
3	17994.63	31.90	-81.55	-49.65	-13.00	36.65	260	316	RMS	Vertical	PASS

Note: Because MIMO has the highest power, we only reflect MIMO data.