


Field Strength of Spurious Radiation

Below 1GHz


Project Information			
Mode:	EN_DC	Band:	13A_n2A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			

Test Graph




Project Information			
Mode:	EN_DC	Band:	13A_n2A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			

Test Graph




Project Information			
Mode:	EN_DC	Band:	13A_n5A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			

Test Graph




Project Information			
Mode:	EN_DC	Band:	13A_n5A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			

Test Graph




Project Information			
Mode:	EN_DC	Band:	13A_n66A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	EN_DC	Band:	13A_n66A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	EN_DC	Band:	66A_n71A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	EN_DC	Band:	66A_n71A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph




Project Information			
Mode:	EN_DC	Band:	66A_n41A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Project Information			
Mode:	EN_DC	Band:	66A_n41A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph




Note: We evaluated the LTE power and selected the ENDC combination with the highest power for testing.

Above 1GHz

Project Information			
Mode:	EN_DC	Band:	13A_n2A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3701	58.57	-107.51	35.94	173	155	Horizontal
2	5551.5	57.71	-101.32	30.61	271	356	Horizontal
3	7402	42.78	-96.30	40.52	208	90	Horizontal

Project Information			
Mode:	EN_DC	Band:	13A_n2A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3701	63.82	-107.51	30.69	158	243	Vertical
2	5551.5	59.10	-101.32	29.22	181	309	Vertical
3	7402	53.95	-96.30	29.35	257	120	Vertical

Project Information			
Mode:	EN_DC	Band:	13A_n2A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3741	52.91	-107.44	41.53	169	156	Horizontal
2	5611.5	50.33	-101.21	37.88	111	316	Horizontal
3	7482	46.03	-96.85	37.82	243	10	Horizontal

Project Information			
Mode:	EN_DC	Band:	13A_n2A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3741	62.36	-107.44	32.08	149	235	Vertical
2	5611.5	55.82	-101.21	32.39	175	271	Vertical
3	7482	51.19	-96.85	32.66	155	286	Vertical

Project Information			
Mode:	EN_DC	Band:	13A_n2A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3781	56.52	-106.90	37.38	228	155	Horizontal
2	5671.5	50.54	-100.77	37.23	117	118	Horizontal
3	7562	49.99	-96.74	33.75	162	24	Horizontal

Project Information			
Mode:	EN_DC	Band:	13A_n2A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3781	61.78	-106.90	32.12	177	256	Vertical
2	5671.5	60.16	-100.77	27.61	272	307	Vertical
3	7562	53.92	-96.74	29.82	176	279	Vertical

Project Information			
Mode:	EN_DC	Band:	13A_n66A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3421	56.25	-107.54	38.29	259	313	Horizontal
2	5132	41.76	-102.23	47.47	113	139	Horizontal
3	17975	31.99	-82.15	37.16	164	14	Horizontal

Project Information			
Mode:	EN_DC	Band:	13A_n66A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3421	54.46	-107.54	40.08	193	270	Vertical
2	5132	48.45	-102.23	40.78	156	277	Vertical
3	6842.5	41.24	-97.68	43.44	226	132	Vertical

Project Information			
Mode:	EN_DC	Band:	13A_n66A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3451	61.65	-107.28	32.63	192	313	Horizontal
2	5176.5	53.35	-102.08	35.73	117	349	Horizontal
3	8628	43.26	-94.51	38.25	241	145	Horizontal

Project Information			
Mode:	EN_DC	Band:	13A_n66A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3451.5	64.21	-107.27	30.06	168	277	Vertical
2	5177	56.57	-102.08	32.51	200	196	Vertical
3	12079.5	43.96	-90.31	33.35	186	314	Vertical

Project Information			
Mode:	EN_DC	Band:	13A_n66A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3481.5	59.66	-107.09	34.43	177	320	Horizontal
2	5222	49.65	-102.18	39.53	193	305	Horizontal
3	8703.5	39.61	-94.01	41.40	254	122	Horizontal

Project Information			
Mode:	EN_DC	Band:	13A_n66A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3481	62.92	-107.09	31.17	145	298	Vertical
2	5222	53.55	-102.18	35.63	207	305	Vertical
3	6962.5	49.77	-97.65	34.88	171	116	Vertical


Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6901.73333	47.24	-96.97	36.73	165	150	Horizontal
2	15074.0166	33.94	-86.13	39.19	142	327	Horizontal
3	17847.8166	31.72	-81.36	36.64	258	150	Horizontal


Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph

Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6901.73333	51.50	-96.97	32.47	208	86	Vertical
2	13687.8833	33.34	-85.93	39.59	137	336	Vertical
3	17979.6833	32.40	-81.76	36.36	172	42	Vertical

Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7401.98333	54.71	-95.59	27.88	172	1	Horizontal
2	13701.3	33.50	-85.91	39.41	168	0	Horizontal
3	17996.1666	32.23	-81.53	36.30	185	350	Horizontal

Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7401.98333	58.31	-95.59	24.28	178	292	Vertical
2	15075.55	33.28	-86.14	39.86	158	57	Vertical
3	17857.0166	32.13	-81.37	36.24	241	1	Vertical

Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7582.15	45.72	-96.15	37.43	190	255	Horizontal
2	14368.3	33.40	-86.47	40.07	226	189	Horizontal
3	17994.25	31.90	-81.55	36.65	155	43	Horizontal


Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph




Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7581.76666	46.16	-96.15	36.99	168	151	Vertical
2	15079.7666	33.30	-86.16	39.86	185	307	Vertical
3	17883.0833	32.31	-81.70	36.39	155	218	Vertical

Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph

Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7761.93333	45.71	-96.11	37.40	251	21	Horizontal
2	13706.2833	33.50	-86.16	39.66	167	94	Horizontal
3	17982.75	31.93	-81.72	36.79	217	277	Horizontal


Project Information			
Mode:	EN_DC	Band:	13A_n77A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			

Test Graph

Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7761.93333	47.54	-96.11	35.57	287	0	Vertical
2	15246.5166	32.33	-85.43	40.10	215	313	Vertical
3	17845.1333	32.18	-81.48	36.30	175	92	Vertical

Project Information			
Mode:	EN_DC	Band:	66A_n41A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3481	54.84	-97.09	17.25	139	286	Horizontal
2	5221.5	58.24	-92.18	8.94	197	345	Horizontal
3	6962	45.23	-87.66	17.43	244	228	Horizontal

Project Information			
Mode:	EN_DC	Band:	66A_n41A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5221.5	57.58	-92.18	9.60	136	278	Vertical
2	6962.5	53.36	-87.65	9.29	172	294	Vertical
3	8703	44.94	-84.00	14.06	199	258	Vertical

Project Information			
Mode:	EN_DC	Band:	66A_n41A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3481	54.43	-97.09	17.66	190	279	Horizontal
2	5222	57.08	-92.18	10.10	235	337	Horizontal
3	6962.5	45.18	-87.65	17.47	153	272	Horizontal

Project Information			
Mode:	EN_DC	Band:	66A_n41A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5221.5	57.66	-92.18	9.52	209	39	Vertical
2	6962.5	53.09	-87.65	9.56	152	295	Vertical
3	8703	44.63	-84.00	14.37	212	258	Vertical

Project Information			
Mode:	EN_DC	Band:	66A_n41A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3481	53.92	-97.09	18.17	130	135	Horizontal
2	5222	58.38	-92.18	8.80	243	344	Horizontal
3	6962.5	45.59	-87.65	17.06	154	265	Horizontal

Project Information			
Mode:	EN_DC	Band:	66A_n41A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3481	57.06	-97.09	15.03	124	308	Vertical
2	5221.5	57.56	-92.18	9.62	228	47	Vertical
3	6962	51.82	-87.66	10.84	167	294	Vertical

Project Information			
Mode:	EN_DC	Band:	66A_n71A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3481	63.60	-107.09	30.49	160	281	Horizontal
2	5221.5	63.37	-102.18	25.81	124	355	Horizontal
3	8703	47.98	-94.00	33.02	180	244	Horizontal

Project Information			
Mode:	EN_DC	Band:	66A_n71A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3481	67.44	-107.09	26.65	201	280	Vertical
2	5222	64.94	-102.18	24.24	194	215	Vertical
3	6962.5	58.70	-97.65	25.95	135	127	Vertical

Project Information			
Mode:	EN_DC	Band:	66A_n71A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3481	61.86	-107.09	32.23	186	112	Horizontal
2	5222	60.06	-102.18	29.12	167	141	Horizontal
3	8703	46.78	-94.00	34.22	215	155	Horizontal

Project Information			
Mode:	EN_DC	Band:	66A_n71A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3483.5	58.10	-107.07	35.97	179	308	Vertical
2	5227.5	50.73	-102.17	38.44	124	126	Vertical
3	6971	48.68	-97.51	35.83	143	293	Vertical

Project Information			
Mode:	EN_DC	Band:	66A_n71A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3481	61.04	-107.09	33.05	141	279	Horizontal
2	5221.5	55.36	-102.18	33.82	223	352	Horizontal
3	6962.5	45.95	-97.65	38.70	183	17	Horizontal

Project Information			
Mode:	EN_DC	Band:	66A_n71A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 27			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3481	64.05	-107.09	30.04	171	266	Vertical
2	5222	57.87	-102.18	31.31	139	295	Vertical
3	6962	53.04	-97.66	31.62	232	142	Vertical

Project Information			
Mode:	EN_DC	Band:	13A_n5A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1648.8	52.58	-114.09	48.51	186	132	Horizontal
2	2473.6	49.43	-111.25	48.82	242	147	Horizontal
3	3298.4	46.52	-108.18	48.66	145	322	Horizontal

Project Information			
Mode:	EN_DC	Band:	13A_n5A
Bandwidth	MAX BW	Channel	Low
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2473.6	48.45	-111.25	49.80	179	93	Vertical
2	3298.4	51.13	-108.18	44.05	124	246	Vertical
3	4122.4	44.45	-105.74	48.29	143	42	Vertical

Project Information			
Mode:	EN_DC	Band:	13A_n5A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			


Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1236.8	53.57	-114.32	47.75	172	0	Horizontal
2	1711.2	54.30	-114.15	46.85	145	157	Horizontal
3	2473.6	50.21	-111.25	48.04	243	351	Horizontal


Project Information			
Mode:	EN_DC	Band:	13A_n5A
Bandwidth	MAX BW	Channel	Mid
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			

Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2332.8	51.13	-112.39	48.26	124	159	Vertical
2	3298.4	51.09	-108.18	44.09	228	270	Vertical
3	4122.4	43.74	-105.74	49.00	167	254	Vertical


Project Information			
Mode:	EN_DC	Band:	13A_n5A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			

Test Graph

Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1244	53.31	-114.34	48.03	154	352	Horizontal
2	2435.2	51.58	-111.45	46.87	212	137	Horizontal
3	3318.4	48.81	-108.25	46.44	139	352	Horizontal

Project Information			
Mode:	EN_DC	Band:	13A_n5A
Bandwidth	MAX BW	Channel	High
IMEI:	862513050026243	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			

Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1659.2	50.00	-114.11	51.11	152	199	Vertical
2	3318.4	49.30	-108.25	45.95	121	53	Vertical
3	3401.6	47.82	-107.50	46.68	234	359	Vertical

Note: We evaluated the LTE power and selected the ENDC combination with the highest power for testing.