

Appendix J: Test Data for LTE Band 66

Product Name: TT1001 10.1 inch Tablet

Test Model: TT1001V2

J1. Effective (Isotropic) Radiated Power Output Data

J1.1 Test Result

Test Band: 66 _ 1.4MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	22.72	23.12	23.80	/	1.00	23.72	24.12	24.80	30.00	PASS	
		2	22.94	23.10	23.81	/	1.00	23.94	24.10	24.81	30.00	PASS	
		5	22.84	23.15	23.92	/	1.00	23.84	24.15	24.92	30.00	PASS	
	3	0	22.80	23.33	23.95	/	1.00	23.80	24.33	24.95	30.00	PASS	
		2	22.90	23.21	24.02	/	1.00	23.90	24.21	25.02	30.00	PASS	
		3	22.88	23.21	23.86	/	1.00	23.88	24.21	24.86	30.00	PASS	
16QAM	6	0	21.90	22.17	22.96	/	1.00	22.90	23.17	23.96	30.00	PASS	
		1	21.60	22.32	22.52	/	1.00	22.60	23.32	23.52	30.00	PASS	
		2	21.52	22.61	22.80	/	1.00	22.52	23.61	23.80	30.00	PASS	
	1	5	21.41	22.29	22.58	/	1.00	22.41	23.29	23.58	30.00	PASS	
		0	21.85	21.85	22.60	/	1.00	22.85	22.85	23.60	30.00	PASS	
		2	21.90	21.90	22.21	/	1.00	22.90	22.90	23.21	30.00	PASS	
	3	3	21.87	21.87	22.15	/	1.00	22.87	22.87	23.15	30.00	PASS	
		6	0	20.96	21.09	21.67	/	1.00	21.96	22.09	22.67	30.00	PASS

Note:
 1) dBd = dBi - 2.15
 2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 66 _ 3MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	22.78	23.14	23.55	/	1.00	23.78	24.14	24.55	30.00	PASS	
		7	22.88	23.34	23.59	/	1.00	23.88	24.34	24.59	30.00	PASS	
		14	23.08	23.44	23.68	/	1.00	24.08	24.44	24.68	30.00	PASS	
	8	0	21.82	22.21	22.79	/	1.00	22.82	23.21	23.79	30.00	PASS	
		4	21.86	22.16	22.77	/	1.00	22.86	23.16	23.77	30.00	PASS	
		7	22.08	22.22	22.77	/	1.00	23.08	23.22	23.77	30.00	PASS	
16QAM	15	0	22.00	22.18	22.82	/	1.00	23.00	23.18	23.82	30.00	PASS	
		1	21.55	22.14	22.44	/	1.00	22.55	23.14	23.44	30.00	PASS	
		7	21.65	22.42	22.69	/	1.00	22.65	23.42	23.69	30.00	PASS	
	1	14	21.76	23.01	22.51	/	1.00	22.76	24.01	23.51	30.00	PASS	
		0	20.72	21.64	21.51	/	1.00	21.72	22.64	22.51	30.00	PASS	
		4	20.72	21.40	21.55	/	1.00	21.72	22.40	22.55	30.00	PASS	
	8	7	20.78	21.45	21.56	/	1.00	21.78	22.45	22.56	30.00	PASS	
		15	0	20.71	21.35	21.74	/	1.00	21.71	22.35	22.74	30.00	PASS

Note:
 1) dBd = dBi - 2.15
 2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 66 _ 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.85	22.92	23.34	/	1.00	23.85	23.92	24.34	30.00	PASS
		13	23.06	23.12	23.56	/	1.00	24.06	24.12	24.56	30.00	PASS
		24	23.20	23.36	23.69	/	1.00	24.20	24.36	24.69	30.00	PASS
	12	0	21.89	22.10	22.60	/	1.00	22.89	23.10	23.60	30.00	PASS
		6	22.01	22.16	22.58	/	1.00	23.01	23.16	23.58	30.00	PASS
		13	22.05	22.31	22.76	/	1.00	23.05	23.31	23.76	30.00	PASS
25	0	22.03	22.11	22.63	/	1.00	23.03	23.11	23.63	30.00	PASS	
16QAM	1		21.39	22.10	21.98	/	1.00	22.39	23.10	22.98	30.00	PASS
		13	21.65	22.33	22.19	/	1.00	22.65	23.33	23.19	30.00	PASS
		24	21.85	22.50	22.23	/	1.00	22.85	23.50	23.23	30.00	PASS
	12	0	20.73	20.99	21.30	/	1.00	21.73	21.99	22.30	30.00	PASS
		6	20.95	21.10	21.54	/	1.00	21.95	22.10	22.54	30.00	PASS
		13	20.91	21.22	21.68	/	1.00	21.91	22.22	22.68	30.00	PASS
	25	0	21.03	21.11	21.63	/	1.00	22.03	22.11	22.63	30.00	PASS

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 66 _ 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.79	22.88	22.90	/	1.00	23.79	23.88	23.90	30.00	PASS
		25	23.40	23.78	23.41	/	1.00	24.40	24.78	24.41	30.00	PASS
		49	23.33	23.73	23.69	/	1.00	24.33	24.73	24.69	30.00	PASS
	25	0	22.26	22.09	22.26	/	1.00	23.26	23.09	23.26	30.00	PASS
		13	22.37	22.22	22.33	/	1.00	23.37	23.22	23.33	30.00	PASS
		25	22.53	22.40	22.50	/	1.00	23.53	23.40	23.50	30.00	PASS
50	0	22.33	22.22	22.43	/	1.00	23.33	23.22	23.43	30.00	PASS	
16QAM	1		21.75	22.16	21.71	/	1.00	22.75	23.16	22.71	30.00	PASS
		25	22.04	22.94	22.19	/	1.00	23.04	23.94	23.19	30.00	PASS
		49	22.21	23.00	22.44	/	1.00	23.21	24.00	23.44	30.00	PASS
	25	0	21.02	21.22	21.15	/	1.00	22.02	22.22	22.15	30.00	PASS
		13	21.16	21.39	21.28	/	1.00	22.16	22.39	22.28	30.00	PASS
		25	21.31	21.53	21.47	/	1.00	22.31	22.53	22.47	30.00	PASS
	50	0	21.19	21.34	21.37	/	1.00	22.19	22.34	22.37	30.00	PASS

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)

Test Band: 66 _ 15MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	22.82	22.80	22.85	/	1.00	23.82	23.80	23.85	30.00	PASS
		38	23.39	23.36	23.06	/	1.00	24.39	24.36	24.06	30.00	PASS
		74	23.42	23.76	23.63	/	1.00	24.42	24.76	24.63	30.00	PASS
	36	0	22.29	21.95	21.95	/	1.00	23.29	22.95	22.95	30.00	PASS
		18	22.57	22.26	22.18	/	1.00	23.57	23.26	23.18	30.00	PASS
		39	22.60	22.47	22.36	/	1.00	23.60	23.47	23.36	30.00	PASS
75	0	22.42	22.23	22.24	/	1.00	23.42	23.23	23.24	30.00	PASS	
16QAM	1		21.86	21.96	21.22	/	1.00	22.86	22.96	22.22	30.00	PASS
		38	22.27	23.04	21.86	/	1.00	23.27	24.04	22.86	30.00	PASS
		74	21.88	22.93	22.49	/	1.00	22.88	23.93	23.49	30.00	PASS
	36	0	21.13	21.04	20.90	/	1.00	22.13	22.04	21.90	30.00	PASS
		18	21.54	21.37	21.24	/	1.00	22.54	22.37	22.24	30.00	PASS

		39	21.51	21.50	21.38	/	1.00	22.51	22.50	22.38	30.00	PASS
	75	0	21.38	21.20	21.13	/	1.00	22.38	22.20	22.13	30.00	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

Test Band: 66 20MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	22.88	22.77	23.08	/	1.00	23.88	23.77	24.08	30.00	PASS	
		50	23.85	23.47	23.12	/	1.00	24.85	24.47	24.12	30.00	PASS	
		99	23.11	23.77	23.71	/	1.00	24.11	24.77	24.71	30.00	PASS	
	50	0	22.42	21.96	21.90	/	1.00	23.42	22.96	22.90	30.00	PASS	
		25	22.75	22.39	22.05	/	1.00	23.75	23.39	23.05	30.00	PASS	
		50	22.51	22.50	22.19	/	1.00	23.51	23.50	23.19	30.00	PASS	
16QAM	100	0	22.46	22.27	22.03	/	1.00	23.46	23.27	23.03	30.00	PASS	
			22.09	21.47	21.97	/	1.00	23.09	22.47	22.97	30.00	PASS	
		50	23.16	22.09	22.62	/	1.00	24.16	23.09	23.62	30.00	PASS	
	1	99	22.51	22.04	22.62	/	1.00	23.51	23.04	23.62	30.00	PASS	
		50	0	21.40	20.97	20.94	/	1.00	22.40	21.97	21.94	30.00	PASS
			25	21.73	21.50	21.06	/	1.00	22.73	22.50	22.06	30.00	PASS
	50		21.37	21.50	21.27	/	1.00	22.37	22.50	22.27	30.00	PASS	
	100	0	21.51	21.24	20.99	/	1.00	22.51	22.24	21.99	30.00	PASS	
	Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)												

J2. Frequency stability

J2.1 Test Result

Test Band: 66 _ 1.4MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	6	0	NT	LV	0.1860	-6.1941	-0.6866	0.0001	-0.0035	-0.0004	2.50	PASS
				NV	0.2003	-4.4918	0.9871	0.0001	-0.0026	0.0006	2.50	PASS
				HV	0.1431	-5.5933	-0.6437	0.0001	-0.0032	-0.0004	2.50	PASS
16QAM	6	0	NT	LV	2.1315	-2.5463	-0.5436	0.0012	-0.0015	-0.0003	2.50	PASS
				NV	0.5293	-2.3317	0.8011	0.0003	-0.0013	0.0005	2.50	PASS
				HV	3.6621	-3.2187	0.7582	0.0021	-0.0018	0.0004	2.50	PASS

Test Band: 66 _ 1.4MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	6	0	NV	-30.00	-0.8154	-4.1342	0.1860	-0.0005	-0.0024	0.0001	2.50	PASS
				-20.00	1.4448	-3.4475	-0.6437	0.0008	-0.0020	-0.0004	2.50	PASS
				-10.00	1.8597	-1.9741	-0.2718	0.0011	-0.0011	-0.0002	2.50	PASS
				0.00	0.3576	-5.3787	0.3290	0.0002	-0.0031	0.0002	2.50	PASS
				10.00	2.4033	-3.2043	-0.3290	0.0014	-0.0018	-0.0002	2.50	PASS
				20.00	2.2888	-1.4305	1.4305	0.0013	-0.0008	0.0008	2.50	PASS
				30.00	1.7309	-4.7922	1.5450	0.0010	-0.0027	0.0009	2.50	PASS
				40.00	1.5593	-3.7909	-1.3161	0.0009	-0.0022	-0.0007	2.50	PASS
16QAM	6	0	NV	50.00	2.7752	-2.3603	-0.3004	0.0016	-0.0014	-0.0002	2.50	PASS
				-30.00	0.2432	-4.3631	0.0143	0.0001	-0.0025	0.0000	2.50	PASS
				-20.00	-0.0143	-3.2616	-1.7452	0.0000	-0.0019	-0.0010	2.50	PASS
				-10.00	0.8869	-2.7180	-1.4448	0.0005	-0.0016	-0.0008	2.50	PASS
				0.00	1.0729	-3.3474	0.3576	0.0006	-0.0019	0.0002	2.50	PASS
				10.00	-0.1574	-0.2146	0.9584	-0.0001	-0.0001	0.0005	2.50	PASS
				20.00	0.8726	-0.6294	2.2316	0.0005	-0.0004	0.0013	2.50	PASS
				30.00	1.3590	-1.9169	-0.2289	0.0008	-0.0011	-0.0001	2.50	PASS
40.00	-0.0858	-3.0613	-0.6723	-0.0001	-0.0018	-0.0004	2.50	PASS				
50.00	1.1873	-4.3631	-0.0858	0.0007	-0.0025	0.0000	2.50	PASS				

Test Band: 66 _ 3MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	15	0	NT	LV	0.2003	-2.9469	0.9441	0.0001	-0.0017	0.0005	2.50	PASS
				NV	0.5007	-3.1185	0.7582	0.0003	-0.0018	0.0004	2.50	PASS
				HV	-0.7582	-4.3774	1.1158	-0.0004	-0.0025	0.0006	2.50	PASS
16QAM	15	0	NT	LV	0.0286	-3.5048	-0.3719	0.0000	-0.0020	-0.0002	2.50	PASS
				NV	1.3161	-1.8454	0.9155	0.0008	-0.0011	0.0005	2.50	PASS
				HV	0.1860	-3.1328	1.1015	0.0001	-0.0018	0.0006	2.50	PASS

Test Band: 66 _ 3MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	15	0	NV	-30.00	-1.6308	-4.6062	0.6008	-0.0010	-0.0026	0.0003	2.50	PASS
				-20.00	0.1287	-2.1029	2.6894	0.0001	-0.0012	0.0015	2.50	PASS
				-10.00	0.6866	-3.7622	2.9469	0.0004	-0.0022	0.0017	2.50	PASS

16QAM	15	0	NV	0.00	-0.8583	-4.4203	2.0313	-0.0005	-0.0025	0.0011	2.50	PASS
				10.00	-0.7582	-4.1771	1.4734	-0.0004	-0.0024	0.0008	2.50	PASS
				20.00	-0.9441	-1.3447	0.9155	-0.0006	-0.0008	0.0005	2.50	PASS
				30.00	-0.2718	-3.3331	0.5865	-0.0002	-0.0019	0.0003	2.50	PASS
				40.00	1.5020	-3.9482	0.0429	0.0009	-0.0023	0.0000	2.50	PASS
				50.00	0.1287	-3.8195	0.3147	0.0001	-0.0022	0.0002	2.50	PASS
				-30.00	-0.8440	-3.1328	1.9884	-0.0005	-0.0018	0.0011	2.50	PASS
				-20.00	1.7452	-2.7180	0.3576	0.0010	-0.0016	0.0002	2.50	PASS
				-10.00	0.9727	-3.8195	2.3317	0.0006	-0.0022	0.0013	2.50	PASS
				0.00	-0.0429	-2.1029	0.9298	0.0000	-0.0012	0.0005	2.50	PASS
				10.00	1.8168	-4.0913	-0.7725	0.0011	-0.0023	-0.0004	2.50	PASS
				20.00	2.1744	-2.6464	1.1444	0.0013	-0.0015	0.0006	2.50	PASS
				30.00	0.6151	-3.0756	1.3161	0.0004	-0.0018	0.0007	2.50	PASS
				40.00	0.2718	-3.2043	-0.8011	0.0002	-0.0018	-0.0005	2.50	PASS
50.00	-0.1431	-3.8910	0.3433	-0.0001	-0.0022	0.0002	2.50	PASS				

Test Band: 66 _ 5MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	NT	LV	0.5150	-2.4319	-1.7309	0.0003	-0.0014	-0.0010	2.50	PASS
				NV	0.9871	-3.1185	1.7452	0.0006	-0.0018	0.0010	2.50	PASS
				HV	2.6321	-2.6894	-0.3290	0.0015	-0.0015	-0.0002	2.50	PASS
16QAM	25	0	NT	LV	1.4019	-3.7193	-1.1158	0.0008	-0.0021	-0.0006	2.50	PASS
				NV	1.4305	-2.5034	-0.3147	0.0008	-0.0014	-0.0002	2.50	PASS
				HV	0.5293	-3.8910	0.2861	0.0003	-0.0022	0.0002	2.50	PASS

Test Band: 66 _ 5MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	NV	-30.00	0.4435	-3.3617	0.8869	0.0003	-0.0019	0.0005	2.50	PASS
				-20.00	0.4005	-3.3188	0.5150	0.0002	-0.0019	0.0003	2.50	PASS
				-10.00	0.8440	-4.5919	-0.6580	0.0005	-0.0026	-0.0004	2.50	PASS
				0.00	-0.5007	-3.9625	1.6594	-0.0003	-0.0023	0.0009	2.50	PASS
				10.00	0.7010	-3.8910	0.4292	0.0004	-0.0022	0.0002	2.50	PASS
				20.00	1.2159	-3.7050	1.0586	0.0007	-0.0021	0.0006	2.50	PASS
				30.00	-0.6580	-3.2187	-0.6437	-0.0004	-0.0018	-0.0004	2.50	PASS
				40.00	0.7010	-2.7895	-0.4148	0.0004	-0.0016	-0.0002	2.50	PASS
				50.00	1.0586	-2.8753	-0.2146	0.0006	-0.0016	-0.0001	2.50	PASS
16QAM	25	0	NV	-30.00	0.7296	-2.0170	-0.9584	0.0004	-0.0012	-0.0005	2.50	PASS
				-20.00	2.3890	-3.1042	-0.1717	0.0014	-0.0018	-0.0001	2.50	PASS
				-10.00	1.8883	-3.9911	0.1717	0.0011	-0.0023	0.0001	2.50	PASS
				0.00	0.4578	-1.9169	1.2159	0.0003	-0.0011	0.0007	2.50	PASS
				10.00	2.2030	-2.3746	1.0014	0.0013	-0.0014	0.0006	2.50	PASS
				20.00	1.3590	-3.7336	-0.9584	0.0008	-0.0021	-0.0005	2.50	PASS
				30.00	1.1158	-3.1471	-0.2432	0.0007	-0.0018	-0.0001	2.50	PASS
				40.00	1.7166	-2.8753	-1.4448	0.0010	-0.0016	-0.0008	2.50	PASS
				50.00	0.1717	-3.5048	-0.1860	0.0001	-0.0020	-0.0001	2.50	PASS

Test Band: 66 _ 10MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	50	0	NT	LV	-3.3045	-3.6049	-2.5034	-0.0019	-0.0021	-0.0014	2.50	PASS
				NV	-3.1900	-3.2330	-3.1614	-0.0019	-0.0019	-0.0018	2.50	PASS
				HV	-2.2459	-2.2745	-2.9469	-0.0013	-0.0013	-0.0017	2.50	PASS
16QAM	50	0	NT	LV	-0.8869	-3.0613	-2.8181	-0.0005	-0.0018	-0.0016	2.50	PASS

			NV	-2.1744	-2.9755	-3.7909	-0.0013	-0.0017	-0.0021	2.50	PASS
			HV	-1.5879	-3.1185	-3.1185	-0.0009	-0.0018	-0.0018	2.50	PASS

Test Band: 66 _ 10MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	50	0	NV	-30.00	-3.7193	-2.2173	-3.3474	-0.0022	-0.0013	-0.0019	2.50	PASS
				-20.00	-1.8883	-2.6751	-2.4605	-0.0011	-0.0015	-0.0014	2.50	PASS
				-10.00	-3.7622	-3.4189	-4.3774	-0.0022	-0.0020	-0.0025	2.50	PASS
				0.00	-3.8195	-2.5463	-3.0899	-0.0022	-0.0015	-0.0017	2.50	PASS
				10.00	-2.4748	-3.8767	-4.2343	-0.0014	-0.0022	-0.0024	2.50	PASS
				20.00	-2.2459	-2.7037	-3.4618	-0.0013	-0.0015	-0.0020	2.50	PASS
				30.00	-3.3617	-3.1757	-3.2473	-0.0020	-0.0018	-0.0018	2.50	PASS
				40.00	-2.8038	-4.2486	-3.4189	-0.0016	-0.0024	-0.0019	2.50	PASS
16QAM	50	0	NV	50.00	-3.8195	-2.8467	-2.0456	-0.0022	-0.0016	-0.0012	2.50	PASS
				-30.00	-1.9884	-4.1914	-4.6635	-0.0012	-0.0024	-0.0026	2.50	PASS
				-20.00	-3.0041	-4.1771	-3.3617	-0.0018	-0.0024	-0.0019	2.50	PASS
				-10.00	-2.7752	-4.1485	-4.5633	-0.0016	-0.0024	-0.0026	2.50	PASS
				0.00	-4.1485	-2.6608	-3.7479	-0.0024	-0.0015	-0.0021	2.50	PASS
				10.00	-3.8624	-3.4189	-3.0899	-0.0023	-0.0020	-0.0017	2.50	PASS
				20.00	-3.5477	-4.7779	-2.6608	-0.0021	-0.0027	-0.0015	2.50	PASS
				30.00	-3.4189	-3.1757	-5.0068	-0.0020	-0.0018	-0.0028	2.50	PASS
16QAM	50	0	NV	40.00	-2.9755	-4.5633	-2.9182	-0.0017	-0.0026	-0.0016	2.50	PASS
				50.00	-3.1042	-2.3031	-2.9755	-0.0018	-0.0013	-0.0017	2.50	PASS

Test Band: 66 _ 15MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	75	0	NT	LV	-0.0715	-2.0885	2.2316	0.0000	-0.0012	0.0013	2.50	PASS
				NV	1.2159	-2.9325	0.9727	0.0007	-0.0017	0.0005	2.50	PASS
				HV	-0.4005	-2.0170	0.7582	-0.0002	-0.0012	0.0004	2.50	PASS
16QAM	75	0	NT	LV	0.3290	-1.6737	1.0157	0.0002	-0.0010	0.0006	2.50	PASS
				NV	-0.5436	-2.3174	0.9727	-0.0003	-0.0013	0.0005	2.50	PASS
				HV	0.1144	-3.5763	0.1287	0.0001	-0.0020	0.0001	2.50	PASS

Test Band: 66 _ 15MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	75	0	NV	-30.00	-0.0858	-3.0470	0.3147	0.0000	-0.0017	0.0002	2.50	PASS
				-20.00	-1.0586	-1.5879	1.1015	-0.0006	-0.0009	0.0006	2.50	PASS
				-10.00	-1.9312	-1.6594	1.2302	-0.0011	-0.0010	0.0007	2.50	PASS
				0.00	-1.1301	-3.5477	0.5579	-0.0007	-0.0020	0.0003	2.50	PASS
				10.00	-1.7166	-1.5450	1.8454	-0.0010	-0.0009	0.0010	2.50	PASS
				20.00	-0.9298	-2.7895	0.5436	-0.0005	-0.0016	0.0003	2.50	PASS
				30.00	-1.5020	-4.1771	1.5593	-0.0009	-0.0024	0.0009	2.50	PASS
				40.00	-0.5150	-0.9441	1.4734	-0.0003	-0.0005	0.0008	2.50	PASS
16QAM	75	0	NV	50.00	-0.0286	-3.4475	0.1717	0.0000	-0.0020	0.0001	2.50	PASS
				-30.00	0.3433	-3.0899	1.6451	0.0002	-0.0018	0.0009	2.50	PASS
				-20.00	0.5436	-4.0913	0.5579	0.0003	-0.0023	0.0003	2.50	PASS
				-10.00	-0.0286	-4.3201	-0.2432	0.0000	-0.0025	-0.0001	2.50	PASS
				0.00	0.3290	-2.6035	-0.3004	0.0002	-0.0015	-0.0002	2.50	PASS
				10.00	-0.0143	-3.4046	0.3719	0.0000	-0.0020	0.0002	2.50	PASS
				20.00	-1.3304	-4.3774	0.7868	-0.0008	-0.0025	0.0004	2.50	PASS
				30.00	0.1144	-2.6035	0.9155	0.0001	-0.0015	0.0005	2.50	PASS
16QAM	75	0	NV	40.00	-0.2861	-2.7752	0.9584	-0.0002	-0.0016	0.0005	2.50	PASS


				50.00	-0.0143	-3.7479	0.4435	0.0000	-0.0021	0.0003	2.50	PASS
--	--	--	--	-------	---------	---------	--------	--------	---------	--------	------	------



Test Band: 66 _ 20MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	100	0	NT	LV	1.4305	-2.8038	0.4721	0.0008	-0.0016	0.0003	2.50	PASS
				NV	1.0586	-2.8181	0.9298	0.0006	-0.0016	0.0005	2.50	PASS
				HV	0.9441	-3.2187	0.7153	0.0005	-0.0018	0.0004	2.50	PASS
16QAM	100	0	NT	LV	1.8597	-2.1744	0.3147	0.0011	-0.0012	0.0002	2.50	PASS
				NV	0.6437	-4.0054	0.2003	0.0004	-0.0023	0.0001	2.50	PASS
				HV	1.4448	-2.3603	0.6151	0.0008	-0.0014	0.0003	2.50	PASS



Test Band: 66 _ 20MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	100	0	NV	-30.00	2.0742	-2.6608	0.5722	0.0012	-0.0015	0.0003	2.50	PASS
				-20.00	1.0729	-3.3617	0.3004	0.0006	-0.0019	0.0002	2.50	PASS
				-10.00	1.0157	-2.0456	0.8869	0.0006	-0.0012	0.0005	2.50	PASS
				0.00	0.1001	-4.0197	0.3862	0.0001	-0.0023	0.0002	2.50	PASS
				10.00	2.3031	-3.6764	-0.4005	0.0013	-0.0021	-0.0002	2.50	PASS
				20.00	0.8440	-4.2343	0.0715	0.0005	-0.0024	0.0000	2.50	PASS
				30.00	0.4005	-4.6492	-0.4578	0.0002	-0.0027	-0.0003	2.50	PASS
				40.00	0.6866	-3.1757	0.4005	0.0004	-0.0018	0.0002	2.50	PASS
				50.00	1.7166	-3.2330	-0.1001	0.0010	-0.0019	-0.0001	2.50	PASS
16QAM	100	0	NV	-30.00	1.3590	-2.7180	0.2575	0.0008	-0.0016	0.0001	2.50	PASS
				-20.00	2.6178	-3.0041	1.1301	0.0015	-0.0017	0.0006	2.50	PASS
				-10.00	1.1301	-3.2902	-0.1431	0.0007	-0.0019	-0.0001	2.50	PASS
				0.00	-1.2159	-2.0599	0.0715	-0.0007	-0.0012	0.0000	2.50	PASS
				10.00	1.9741	-3.9053	0.0429	0.0011	-0.0022	0.0000	2.50	PASS
				20.00	0.9871	-2.4748	-0.5865	0.0006	-0.0014	-0.0003	2.50	PASS
				30.00	0.5007	-3.0184	-0.3290	0.0003	-0.0017	-0.0002	2.50	PASS
				40.00	0.5150	-1.3590	0.3719	0.0003	-0.0008	0.0002	2.50	PASS
				50.00	1.5450	-2.9325	-1.3590	0.0009	-0.0017	-0.0008	2.50	PASS


J3. 99% & 26dB Bandwidth


J3.1 Test Result







































































































































































J4. Peak-Average Ratio


J4.1 Test Result


Test Band: 66 _ 1.4MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	6	0	4.59	5.05	3.89	13	PASS
16QAM	6	0	5.40	5.91	4.73	13	PASS












































































J5. Spurious Emission

J5.1 Test Graph

