

Appendix K: Test Data for LTE Band 71

Product Name: TT1001 10.1 inch Tablet

Test Model: TT1001V2

K1. Effective (Isotropic) Radiated Power Output Data

K1.1 Test Result

Test Band: 71 _ 5MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	24.18	22.66	24.03	-1.15	1.00	23.03	21.51	22.88	34.77	PASS
		13	24.15	22.98	24.03	-1.15	1.00	23.00	21.83	22.88	34.77	PASS
		24	23.92	23.17	23.82	-1.15	1.00	22.77	22.02	22.67	34.77	PASS
	12	0	23.06	21.75	23.16	-1.15	1.00	21.91	20.60	22.01	34.77	PASS
		6	23.08	21.89	23.17	-1.15	1.00	21.93	20.74	22.02	34.77	PASS
		13	22.83	22.07	23.13	-1.15	1.00	21.68	20.92	21.98	34.77	PASS
16QAM	1	0	22.92	21.82	23.20	-1.15	1.00	21.77	20.67	22.05	34.77	PASS
		13	23.00	21.91	22.82	-1.15	1.00	21.85	20.76	21.67	34.77	PASS
		24	23.17	22.19	22.73	-1.15	1.00	22.02	21.04	21.58	34.77	PASS
	12	0	22.02	20.58	22.24	-1.15	1.00	20.87	19.43	21.09	34.77	PASS
		6	22.02	20.66	22.14	-1.15	1.00	20.87	19.51	20.99	34.77	PASS
		13	22.04	20.73	22.12	-1.15	1.00	20.89	19.58	20.97	34.77	PASS
25	0	21.97	20.88	22.10	-1.15	1.00	20.82	19.73	20.95	34.77	PASS	

Note:
 1) dBd = dBi - 2.15
 2) EIRP = Conducted output power + Antenna gain (dBi)
 3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 71 _ 10MHz Bandwidth												
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
QPSK	1	0	24.07	22.69	23.88	-1.15	1.00	22.92	21.54	22.73	34.77	PASS
		25	23.93	23.28	24.07	-1.15	1.00	22.78	22.13	22.92	34.77	PASS
		49	23.24	23.45	23.91	-1.15	1.00	22.09	22.30	22.76	34.77	PASS
	25	0	22.92	21.76	22.99	-1.15	1.00	21.77	20.61	21.84	34.77	PASS
		13	22.67	21.97	23.18	-1.15	1.00	21.52	20.82	22.03	34.77	PASS
		25	22.52	22.14	23.18	-1.15	1.00	21.37	20.99	22.04	34.77	PASS
16QAM	1	0	22.69	21.87	23.01	-1.15	1.00	21.54	20.72	21.86	34.77	PASS
		25	23.20	22.01	22.12	-1.15	1.00	22.05	20.86	20.97	34.77	PASS
		49	22.80	22.29	23.19	-1.15	1.00	21.65	21.14	22.04	34.77	PASS
	25	0	21.90	20.88	22.00	-1.15	1.00	20.75	19.73	20.85	34.77	PASS
		13	21.60	20.93	22.01	-1.15	1.00	20.45	19.78	20.86	34.77	PASS
		25	21.45	21.19	22.01	-1.15	1.00	20.30	20.04	20.86	34.77	PASS
50	0	21.67	21.09	22.12	-1.15	1.00	20.52	19.94	20.97	34.77	PASS	

Note:
 1) dBd = dBi - 2.15
 2) EIRP = Conducted output power + Antenna gain (dBi)
 3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 71 15MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	24.05	22.90	23.26	-1.15	1.00	22.90	21.75	22.11	34.77	PASS	
		38	23.33	22.79	23.97	-1.15	1.00	22.18	21.64	22.82	34.77	PASS	
		74	22.74	23.39	24.06	-1.15	1.00	21.59	22.24	22.91	34.77	PASS	
	36	0	22.85	21.89	22.52	-1.15	1.00	21.70	20.74	21.37	34.77	PASS	
		18	22.42	21.93	22.92	-1.15	1.00	21.27	20.78	21.77	34.77	PASS	
		39	21.95	22.27	23.14	-1.15	1.00	20.80	21.12	21.99	34.77	PASS	
	75	0	22.37	22.01	22.75	-1.15	1.00	21.22	20.86	21.60	34.77	PASS	
	16QAM	1	0	23.31	21.63	21.65	-1.15	1.00	22.16	20.48	20.50	34.77	PASS
			38	22.50	21.66	22.92	-1.15	1.00	21.35	20.51	21.77	34.77	PASS
74			21.86	21.97	23.24	-1.15	1.00	20.71	20.82	22.09	34.77	PASS	
36		0	21.74	20.72	21.44	-1.15	1.00	20.59	19.57	20.29	34.77	PASS	
		18	21.35	20.88	21.76	-1.15	1.00	20.20	19.73	20.60	34.77	PASS	
		39	20.95	21.20	22.26	-1.15	1.00	19.80	20.05	21.11	34.77	PASS	
75		0	21.33	20.90	21.82	-1.15	1.00	20.18	19.75	20.67	34.77	PASS	

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)
3) ERP = Conducted output power + Antenna gain (dBd)

Test Band: 71 20MHz Bandwidth													
Modulation	RB Allocation		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict	
	Size	Offset	LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH			
QPSK	1	0	24.00	23.09	22.56	-1.15	1.00	22.85	21.94	21.41	34.77	PASS	
		50	23.26	22.99	23.76	-1.15	1.00	22.11	21.84	22.61	34.77	PASS	
		99	23.26	23.69	24.12	-1.15	1.00	22.11	22.54	22.97	34.77	PASS	
	50	0	22.57	21.89	22.20	-1.15	1.00	21.42	20.74	21.05	34.77	PASS	
		25	22.12	21.96	22.65	-1.15	1.00	20.97	20.81	21.50	34.77	PASS	
		50	21.88	22.27	23.16	-1.15	1.00	20.73	21.12	22.01	34.77	PASS	
	100	0	22.19	22.19	22.76	-1.15	1.00	21.04	21.04	21.61	34.77	PASS	
	16QAM	1	0	23.24	22.13	21.94	-1.15	1.00	22.09	20.98	20.79	34.77	PASS
			50	22.52	21.70	23.51	-1.15	1.00	21.37	20.55	22.36	34.77	PASS
99			22.49	22.11	23.51	-1.15	1.00	21.34	20.96	22.36	34.77	PASS	
50		0	21.67	20.85	21.30	-1.15	1.00	20.52	19.70	20.15	34.77	PASS	
		25	21.22	21.00	21.77	-1.15	1.00	20.07	19.85	20.62	34.77	PASS	
		50	20.68	21.37	22.18	-1.15	1.00	19.53	20.22	21.03	34.77	PASS	
100		0	21.08	21.05	21.74	-1.15	1.00	19.93	19.90	20.59	34.77	PASS	

Note:
1) dBd = dBi - 2.15
2) EIRP = Conducted output power + Antenna gain (dBi)
3) ERP = Conducted output power + Antenna gain (dBd)

K2. Frequency stability

K2.1 Test Result

Test Band: 71 _ 5MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	NT	LV	-1.2588	-0.9441	-1.8311	-0.0019	-0.0014	-0.0026	2.50	PASS
				NV	-1.8454	-1.6022	-2.3890	-0.0028	-0.0024	-0.0034	2.50	PASS
				HV	-2.5463	-2.0027	-1.0300	-0.0038	-0.0029	-0.0015	2.50	PASS
16QAM	25	0	NT	LV	-1.5736	-2.0313	-2.2888	-0.0024	-0.0030	-0.0033	2.50	PASS
				NV	-2.3031	-2.1315	-1.9312	-0.0035	-0.0031	-0.0028	2.50	PASS
				HV	-1.5879	-1.9455	-1.9598	-0.0024	-0.0029	-0.0028	2.50	PASS

Test Band: 71 _ 5MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	NV	-30.00	-1.6022	-1.9026	-1.7452	-0.0024	-0.0028	-0.0025	2.50	PASS
				-20.00	-1.8311	-2.6321	-1.3447	-0.0028	-0.0039	-0.0019	2.50	PASS
				-10.00	-2.6464	-1.7738	-2.3603	-0.0040	-0.0026	-0.0034	2.50	PASS
				0.00	-1.4591	-0.6723	-1.3161	-0.0022	-0.0010	-0.0019	2.50	PASS
				10.00	-1.8024	-0.3290	-2.1315	-0.0027	-0.0005	-0.0031	2.50	PASS
				20.00	-2.0456	-1.6022	-2.2030	-0.0031	-0.0024	-0.0032	2.50	PASS
				30.00	-1.8597	-2.3603	-2.3890	-0.0028	-0.0035	-0.0034	2.50	PASS
				40.00	-2.3603	-2.4033	-3.0756	-0.0035	-0.0035	-0.0044	2.50	PASS
16QAM	25	0	NV	50.00	-2.7752	-2.5606	-1.6165	-0.0042	-0.0038	-0.0023	2.50	PASS
				-30.00	-2.1172	-1.7881	-2.4176	-0.0032	-0.0026	-0.0035	2.50	PASS
				-20.00	-2.3603	-2.8181	-1.1730	-0.0035	-0.0041	-0.0017	2.50	PASS
				-10.00	-1.9741	-2.4605	-2.0742	-0.0030	-0.0036	-0.0030	2.50	PASS
				0.00	-1.8454	-1.5736	-1.7738	-0.0028	-0.0023	-0.0026	2.50	PASS
				10.00	-2.2745	-1.3876	-2.2745	-0.0034	-0.0020	-0.0033	2.50	PASS
				20.00	-1.2732	-1.5879	-1.5879	-0.0019	-0.0023	-0.0023	2.50	PASS
				30.00	-1.9884	-2.3460	-1.8597	-0.0030	-0.0034	-0.0027	2.50	PASS
16QAM	25	0	NV	40.00	-2.2030	-1.6880	-1.7738	-0.0033	-0.0025	-0.0026	2.50	PASS
				50.00	-2.4605	-2.3746	-1.5450	-0.0037	-0.0035	-0.0022	2.50	PASS

Test Band: 71 _ 10MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	50	0	NT	LV	-2.4033	-1.2875	-2.2888	-0.0036	-0.0019	-0.0033	2.50	PASS
				NV	-2.7323	-1.5593	-2.3890	-0.0041	-0.0023	-0.0034	2.50	PASS
				HV	-2.5034	-1.3733	-2.0027	-0.0037	-0.0020	-0.0029	2.50	PASS
16QAM	50	0	NT	LV	-2.4033	-2.1315	-1.5306	-0.0036	-0.0031	-0.0022	2.50	PASS
				NV	-2.2173	-2.0885	-1.4591	-0.0033	-0.0031	-0.0021	2.50	PASS
				HV	-2.5320	-2.2459	-0.9584	-0.0038	-0.0033	-0.0014	2.50	PASS

Test Band: 71 _ 10MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	50	0	NV	-30.00	-1.3876	-1.4877	-1.7881	-0.0021	-0.0022	-0.0026	2.50	PASS
				-20.00	-1.7452	-1.2588	-1.0729	-0.0026	-0.0018	-0.0015	2.50	PASS
				-10.00	-2.2602	-1.2159	-0.7296	-0.0034	-0.0018	-0.0011	2.50	PASS
				0.00	-2.5892	-0.5722	-1.8740	-0.0039	-0.0008	-0.0027	2.50	PASS
				10.00	-2.8753	-0.4864	-2.0313	-0.0043	-0.0007	-0.0029	2.50	PASS

				20.00	-1.5593	-0.1717	-1.8168	-0.0023	-0.0003	-0.0026	2.50	PASS
				30.00	-2.0170	0.3147	-1.2732	-0.0030	0.0005	-0.0018	2.50	PASS
				40.00	-1.1444	-0.9155	-1.1444	-0.0017	-0.0013	-0.0017	2.50	PASS
				50.00	-3.0613	-2.1029	-1.3161	-0.0046	-0.0031	-0.0019	2.50	PASS
16QAM	50	0	NV	-30.00	-2.8324	-1.5593	-1.4877	-0.0042	-0.0023	-0.0021	2.50	PASS
				-20.00	-2.1172	-2.1172	-1.6451	-0.0032	-0.0031	-0.0024	2.50	PASS
				-10.00	-1.9312	-2.1887	-1.2875	-0.0029	-0.0032	-0.0019	2.50	PASS
				0.00	-3.1471	-1.8024	-2.1601	-0.0047	-0.0026	-0.0031	2.50	PASS
				10.00	-1.8454	-1.6308	-2.1601	-0.0028	-0.0024	-0.0031	2.50	PASS
				20.00	-1.9169	-1.3018	-2.3460	-0.0029	-0.0019	-0.0034	2.50	PASS
				30.00	-3.3188	-1.0157	-2.0170	-0.0050	-0.0015	-0.0029	2.50	PASS
				40.00	-2.8467	-1.8024	-1.7595	-0.0043	-0.0026	-0.0025	2.50	PASS
				50.00	-2.6321	-1.7166	-1.1730	-0.0039	-0.0025	-0.0017	2.50	PASS

Test Band: 71 _ 15MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	75	0	NT	LV	-0.9012	-1.7309	-1.9455	-0.0013	-0.0025	-0.0028	2.50	PASS
				NV	-1.0872	-0.8583	-0.8440	-0.0016	-0.0013	-0.0012	2.50	PASS
				HV	-1.6880	-2.1172	-0.8011	-0.0025	-0.0031	-0.0012	2.50	PASS
16QAM	75	0	NT	LV	-1.5450	-0.5150	-1.9741	-0.0023	-0.0008	-0.0029	2.50	PASS
				NV	-1.4877	-1.0014	-1.0157	-0.0022	-0.0015	-0.0015	2.50	PASS
				HV	-2.1458	-1.2016	-1.9169	-0.0032	-0.0018	-0.0028	2.50	PASS


Test Band: 71 _ 15MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	75	0	NV	-30.00	-1.2875	-1.7452	0.0143	-0.0019	-0.0026	0.0000	2.50	PASS
				-20.00	-1.6308	-1.9026	-0.5007	-0.0024	-0.0028	-0.0007	2.50	PASS
				-10.00	-2.0885	-0.8154	-2.0027	-0.0031	-0.0012	-0.0029	2.50	PASS
				0.00	-1.8024	-1.4734	-2.0599	-0.0027	-0.0022	-0.0030	2.50	PASS
				10.00	-1.6022	-0.2575	-1.3161	-0.0024	-0.0004	-0.0019	2.50	PASS
				20.00	-1.9312	-1.2732	-0.9441	-0.0029	-0.0019	-0.0014	2.50	PASS
				30.00	-1.2159	-0.7582	-0.4005	-0.0018	-0.0011	-0.0006	2.50	PASS
				40.00	-1.9455	-0.1144	-0.8583	-0.0029	-0.0002	-0.0012	2.50	PASS
16QAM	75	0	NV	50.00	-2.1601	-1.2159	-1.5593	-0.0032	-0.0018	-0.0023	2.50	PASS
				-30.00	-1.9884	-0.8440	-0.8440	-0.0030	-0.0012	-0.0012	2.50	PASS
				-20.00	-2.1601	-1.9455	-0.1574	-0.0032	-0.0029	-0.0002	2.50	PASS
				-10.00	-1.7738	-0.5293	-2.3031	-0.0026	-0.0008	-0.0033	2.50	PASS
				0.00	-1.5450	-0.9871	-1.4877	-0.0023	-0.0015	-0.0022	2.50	PASS
				10.00	-1.3733	-1.3590	-0.5865	-0.0020	-0.0020	-0.0008	2.50	PASS
				20.00	-1.7595	-1.2445	-3.0470	-0.0026	-0.0018	-0.0044	2.50	PASS
				30.00	-1.1158	-0.6866	-1.8597	-0.0017	-0.0010	-0.0027	2.50	PASS
16QAM	75	0	NV	40.00	-1.0300	-1.0586	-1.5306	-0.0015	-0.0016	-0.0022	2.50	PASS
				50.00	-2.1744	-1.6308	-1.8883	-0.0032	-0.0024	-0.0027	2.50	PASS



Test Band: 71 _ 20MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	100	0	NT	LV	-5.3501	-0.3719	-0.9584	-0.0079	-0.0005	-0.0014	2.50	PASS
				NV	-6.1512	-1.7595	-0.0858	-0.0091	-0.0026	-0.0001	2.50	PASS
				HV	-4.6778	-1.3447	-2.3890	-0.0070	-0.0020	-0.0035	2.50	PASS
16QAM	100	0	NT	LV	-4.1485	-0.9298	-2.4319	-0.0062	-0.0014	-0.0035	2.50	PASS
				NV	-3.8195	-0.4721	-2.7609	-0.0057	-0.0007	-0.0040	2.50	PASS
				HV	-3.6907	-2.2030	-2.8610	-0.0055	-0.0032	-0.0042	2.50	PASS



Test Band: 71 _ 20MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	100	0	NV	-30.00	-4.4203	-1.2445	-1.7309	-0.0066	-0.0018	-0.0025	2.50	PASS
				-20.00	-4.8637	-1.0443	-1.8740	-0.0072	-0.0015	-0.0027	2.50	PASS
				-10.00	-5.4216	-2.1601	-1.9312	-0.0081	-0.0032	-0.0028	2.50	PASS
				0.00	-5.9509	-0.9584	-0.5007	-0.0088	-0.0014	-0.0007	2.50	PASS
				10.00	-4.6062	-2.1744	-1.8454	-0.0068	-0.0032	-0.0027	2.50	PASS
				20.00	-4.5347	-1.3590	-1.6594	-0.0067	-0.0020	-0.0024	2.50	PASS
				30.00	-6.0368	-0.6151	-0.8154	-0.0090	-0.0009	-0.0012	2.50	PASS
				40.00	-6.7091	-0.9584	-1.4591	-0.0100	-0.0014	-0.0021	2.50	PASS
50.00	-5.9509	-1.0443	-0.2003	-0.0088	-0.0015	-0.0003	2.50	PASS				
16QAM	100	0	NV	-30.00	-3.7622	-1.3590	-3.1042	-0.0056	-0.0020	-0.0045	2.50	PASS
				-20.00	-6.1369	-2.1172	-2.4319	-0.0091	-0.0031	-0.0035	2.50	PASS
				-10.00	-4.4060	-1.3018	-1.7166	-0.0065	-0.0019	-0.0025	2.50	PASS
				0.00	-4.4632	-1.7023	-1.9598	-0.0066	-0.0025	-0.0028	2.50	PASS
				10.00	-5.7364	-1.6880	-2.4891	-0.0085	-0.0025	-0.0036	2.50	PASS
				20.00	-5.0354	-0.9441	-1.9455	-0.0075	-0.0014	-0.0028	2.50	PASS
				30.00	-4.9067	-1.3304	-1.4877	-0.0073	-0.0020	-0.0022	2.50	PASS
				40.00	-5.2071	-0.4292	-1.3733	-0.0077	-0.0006	-0.0020	2.50	PASS
50.00	-4.2343	-2.1887	-1.2016	-0.0063	-0.0032	-0.0017	2.50	PASS				


K3. 99% & 26dB Bandwidth


K3.1 Test Result














































































































K4. Peak-Average Ratio


K4.1 Test Result


Test Band: 71_5MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	4.91	5.10	5.13	13	PASS
16QAM	25	0	5.66	5.85	5.89	13	PASS


















































K5. Spurious Emission

K5.1 Test Graph

