Brand Name:BYM

User Manual

Model Name: B32, B31, B33, B35,

B36, B37, B38, B39, B40, B41

B42, B43, B45, B46, B50, B51

B52, B53, B55, B56, B57, B58,

B59, B60, B61, B62, B63, B65 B66, B67, B68, B69

Appearance



◆ How To Charge?

2.Use the charger aim at the touch spots for charging.

be safe for the fitness tracker.

(Do not use power bank over 2A to charge, otherwise it may damage the fitness tracker.)



D. Open Bluetooth in your cellphone and go to the APP to find the device name and

NOTE: Please do not use Android phone's Bluetooth directly connecting with the bracele otherwise the bracelet's function can not be used normally . You need go into the APP to

2. Functions Introduction

Operating Instruction

As the picture below shows:

1. Find the charging touch spot at the back of the bracelet

We suggest you charge it by connecting your computer USB port which we



Cellphone System Version Requirement: 1. Android 4.4 or Above. Bluetooth 4.0 or Above.

4. Bracelet's Connection

Time Heart Pedometer Calories Distance Sleep Blood Remote Information ①1. Open the application "Hero band" on mobile phone to enter into its home

Hero Band

HeroBandII

NOTE: Please do not use smart phone's Bluetooth directly pairing with the bracelet

pop up a note " Please open Hero Band message reminder" please click " OK". b. Then turn on the button in your phone "setting" to allow " Hero Band" to visit.



A. Long press the "Hidden Finger touch area" till the screen light up, then it is starting up B. If the screen can't be light up, charge it for 2-3 hours, then try to re-start it up.

a. For Android phones, when you first go to this app by android phones, the bracelet will

5. Main Function Specification

start up. long press the

"hidden finger touch area" ke

otherwise the bracelet 's functions can not be used normally as following picture

2. IOS 9.0 or Above.

②Choose "connect device" then click "Binding Management", the application

will search for the smart bracelet .users will find a blue-tooth device named

of the calls' coming and SMS and social APP messages. (As image 2 below)]

"C6xxxxx" click and bind with it (As image 1 below).

in the screen middle bottom. witch band to heart rate interface or shutdown, click the screen ong press the touch area to start to the detection on the bracelet will not be saved 2.Monitor by "Hero Band" APP on cellphone. seconds till screen turn dark. Click heart rate measurement or one-ker

be automatically saved to the phone.

Steps for Today

Users could also turn on the blood pressure

saved to the phone.

monitoring switch on the APP side and set the monitoring time as required. Then bracelet will start to measure every hour as he setting time. The measurement data can Measuring interval

of the detection on the bracelet will not be saved.

nformation storage: manual automatic storage of the last three historical Examination on the APP here the results will messages. It can be long pressed into view on the hand ring

1. When you begin to monitoring the heart rate, please make sure the bracelet worn close to your wrist skin. Heart Rate Data is not correct when you are doing intense

start testing, then the green light on the back of the bracelet will light up, results

sports. We suggest you monitor the data when you are quiet and feel peaceful, then [NOTE: If users use smart phone with IOS system , when finished connection, please the data would be more reference valuable. This device can't compare with click "Pair" in the pop-up pairing request, otherwise bracelet will not provide the reminde professional medical tool, just for reference, data can't guarantee for 100% correct. It exists some error. Please know.



Monitor by "Hero Band" APP on cellphone.

measurement or one-key Examination on the

APP, here the results will be automatically

You can also click blood pressure

vibrate to remind you have some Please operate App as

This function needs to open

and set at APP when the

bracelet monitoring you are

reaching the setting value

Connect Device — General

bracelet was disconnected

rn intelligent alert on, when

than 2 meters deep

Bluetooth Pairing Request Search for the smart bracelet 60proAFD2" would like to pair w

6. APP Operate Introduction 3 Left slide the page again to enter into health page .click One-key ① When finished the binding .enter into the steps page .drop the page down

to synchronize information with bracelet, check the current day's sport information .Click the running icon on steps page ,it will start to recording detail moving trail at same time .



Movement target

② Left slide the page to enter into the sleep page .vou could check the use sleep data last night including deep sleep time / light sleep time / total sleep



This product waterproof grade is IPX7 users can wear it when ettings — Intelligent Anti-lost washing hands or in the rain. Intelligent alert, users need shower or swim in water no more.

Deep Time Light Time

with smart phone, the bracelet will vibrate for a long time or use it in hot water bath Records of sleep last night

fatigue .(Data only for reference, not for medical use.)

Sleep Time



@Personalized interface: in the APP according to personal preferences, the hand ring is raised with a bright screen, open machine, and turn off the picture, set as custom pictures, text and so on.

Poor quality (2)



(5) Click connect device-Reminder Setting to set clock alarm/ Sedent Examination to check the current blood oxygen .heart rate .blood pressur Drinking water/ Calls coming / SMS coming/ We-chat / QQ message com Tips:clock alarm/Sedentary /Drinking water need be set with detail cycle reminde



APP side to open the heart rate measured regularly, bracelets to every 5 minutes at a time measurement, the

rate + display interface to curve, must be in the interface dropdown refresh will be synchronized to the APP. (note that open heart rate monitoring

will significantly reduce the battery life after each charge.) See below:



6Monitor the heart rate regularly. In

The firmware is the software of the bracelet. When the APP has show a red

dot, it indicates that a new firmware version needs to be upgraded. In order to have a better experience for the bracelet, please upgrade it to the latest version as soon as possible.

> When the firmware is upgraded, the bracelet must be close to the phone, do not operate the mobile phone, keep the network open, and keep the phone screen bright. there is an upgrade failure, you can research the connecting Bracelet in APP and continue to click the firmware upgrade. If fail many times after upgrading, it is

> > Latest Firmware Version Number

2018-04-19



® Palming Bright Screen Function. Click connect device then click general setting, it will turn palming bright

Bracelet Display.

screen function. When Palming or raising hand, make the screen face to your eyes try to keep your eyes sight and the screen in a line, it will increase the probability of bright screen .



Turn the wrist to display the

watch interface

Click connect device then click bracelet display users will turn palming bright 5. Why I can't find the bracelet name on APP? screen function then bracelet will show a very cool watch interface

a.Check if you have open the Bluetooth function.

bracelet's APP get the authority to visit your GPS location c.If still failed, power off the bracelet for some time, and then try to re-start your phone's

This function only can work when users have open this function at APP. In order to

increase the probability of bright screen, keep your eye sight and the bracelet screen at





When detecting, your wrist's back skin need get tightly close with the bracelet so that the sensor can monitor the more correct data. And put your wrist at the same height of your heart when monitoring.

message "Bluetooth pairing"on mobile phone .users must click pairing .

3 Why the Remote Photograph function doesn't work? When bracelet was bind with mobile phone, make sure the APP has authority to control

your phone's camera. And when use the mobile phone with IOS system users need enter into any page of the App in advance, then long press touch key of bracelet in camera page

1 Why the bracelet cannot receive the calls/SMS/QQ/We-chat message reminder?

b. For Android system phones, when you log in the APP for first time ,it will pop up a alert

notification on mobile phone, click "OK" / "Yes" to authorize and allow "Hero band" APP to

a. For IOS system phones, when you connect it with bracelet for first time ,it will pop-up a

4. Why the Bracelet 's calls coming reminder or SMS coming reminder didn't work or screen did not show the caller 's name?

Open all the permission in your mobile phone "Setting"—" Application Management "-"Hero band", including phones, message, phone book

b. Some of phones with Android system 6.0 or above must open GPS function and let the

6. Why Pedometer 's function doesn't work?

Bracelet need bind with APP before using it, when users finish synchronizing time, bracele will start recording steps and do other functions.

7. Why Palming bright screen function can't work well?

the same horizontal direction.

FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.