

Label & Location



Label position

Label

75mm



AUTOMATE™

Li-ion 2.0 ARC Motor
[Ø28mm/2.0Nm/20rpm (Skyline)]
MT01-1328-069001-S
FCC ID: 2AGGZ003B9ACA4B
IC: 21769-003B9ACA4B

5V DC	2.6Ah	MADE IN PRC	I.C.L.A	12min
433.92MHz	1.6A	22W	0.97kg	IP20

Conforms to ANSI/CAN/UL325
CAN ICES-3 (B)/NMB-3(B)


ARC RECOGNIZED COMPONENT
ETL C-CLASSIFIED US Intertek 5005833

FC UK CA

CE III

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

⚠ WARNING: Please charge the motor fully before first time use.
Motors are required to be charged every 18 months in storage.



32mm

75mm



AUTOMATE™

Li-ion 2.0 ARC Motor
 [Ø28mm/2.0Nm/20rpm (S45)]
 MT01-1328-069002-S
 FCC ID: 2AGGZ003B9ACA4B
 IC: 21769-003B9ACA4B

Conforms to ANSI/CAN/UL325
CAN ICES-3 (B)/NMB-3(B)

ARC RECOGNIZED COMPONENT

5V DC	2.6Ah	MADE IN PRC	I.C.L.A	12min
433.92MHz	1.6A	22W	0.97kg	IP20

ETL Intertek 5005833

CE III

UK CA

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

WARNING: Please charge the motor fully before first time use. Motors are required to be charged every 18 months in storage.

32mm

75mm



AUTOMATE™

Li-ion 2.0 ARC Motor
 [Ø28mm/2.0Nm/28rpm (Skyline)]
 MT01-1328-069006-S
 FCC ID: 2AGGZ003B9ACA4B
 IC: 21769-003B9ACA4B

Conforms to ANSI/CAN/UL325
CAN ICES-3 (B)/NMB-3(B)

ARC RECOGNIZED COMPONENT

5V DC	2.6Ah	MADE IN PRC	I.C.L.A	12min
433.92MHz	1.6A	22W	0.97kg	IP20

ETL Intertek 5005833

CE III

UK CA

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

WARNING: Please charge the motor fully before first time use. Motors are required to be charged every 18 months in storage.

32mm

75mm



AUTOMATE™

Li-ion 2.0 ARC Motor
[Ø28mm/2.0Nm/28rpm (UNV)]
MT01-1328-069007-S
FCC ID: 2AGGZ003B9ACA4B
IC: 21769-003B9ACA4B

Conforms to ANSI/CAN/UL325
CAN ICES-3 (B)/NMB-3(B)

ARC RECOGNIZED COMPONENT

5V DC	2.6Ah	MADE IN PRC	I.C.L.A	12min
433.92MHz	1.6A	22W	0.97kg	IP20

Intertek 5005833

CE III

UK CA

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

⚠ WARNING: Please charge the motor fully before first time use.
Motors are required to be charged every 18 months in storage.

32mm

A vertical dimension line with arrows at both ends, indicating a height of 32mm.