

Annex 1: Measurement diagrams to
PARTIAL TEST REPORT
 No.: 17-1-0221001T20a-A1

According to:
FCC Regulations
 Part 22, Part 24, Part 27

ISED-Regulations
 RSS-132 Issue 3, RSS-133 Issue 6,
 RSS-Gen Issue 5

for
ACTIA Nordic AB

Telematic Device
ACUII-06

FCC ID: 2AGKKACUII-06H2
ISED: 20839-ACUII06H2







Laboratory Accreditation and Listings		
 <p>Accredited EMC-Test Laboratory</p>	 <p>Industry Canada Reg. No.: 3462D-1 Reg. No.: 3462D-2 Reg. No.: 3462D-3</p>	 <p>Voluntary Controls for Electromagnetic Emissions Reg. No.: R-4452, C-20009, T-20006, G-20013</p>
 <p>AUTHORIZED RF LABORATORY</p>	 <p>Lab Code: 20011130-00</p>	 <p>MRA US-EU 0003</p>
accredited according to DIN EN ISO/IEC 17025		
<p align="center">CETECOM GmbH Laboratory Radio Communications & Electromagnetic Compatibility Im Teelbruch 116 • 45219 Essen • Germany Registered in Essen, Germany, Reg. No.: HRB Essen 8984 Tel.: + 49 (0) 20 54 / 95 19-954 • Fax: + 49 (0) 20 54 / 95 19-964 E-mail: info@cetecom.com • Internet: www.cetecom.com</p>		
Laboratory Accreditation and Listings		

Table of contents

1. MEASUREMENT DIAGRAMS.....	3
1.1. Magnetic field emissions radiated (LTE Band II, IV, V and XVII transmitting mode)	3
1.2. External Antenna	3
1.3. Internal Antenna	11
1.4. Spurious emissions radiated (LTE Band II, IV, V and XVII transmitting mode).....	19
1.5. Spurious emissions radiated (LTE Band II, IV, V and XVII transmitting mode).....	23
1.6. Spurious emissions radiated (LTE Band II, IV, V and XVII transmitting mode).....	27
1.7. Spurious emissions radiated (LTE Band II, IV, V and XVII transmitting mode).....	31
1.8. Band-edge LTE Band 2	37
1.9. Band-edge LTE Band 4	41
1.10. Band-edge LTE Band 5	45
1.11. Band-Edge LTE Band 17.....	49

1. Measurement diagrams

1.1. Magnetic field emissions radiated (LTE Band 2, 4, 5 and 17 transmitting mode)

1.2. External Antenna

Diagram 2.01a

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_2_Channel_18900_BW_5M_1RB_low_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Standing, External Antenna

EUT Information

Manufacturer:	Actia nordic AB
Model:	ACUII-06
Type:	Telematic Device
HW version:	H2
SW version:	14
Serial number:	30207090/22726872069718
Power Supply:	13.8VDC




Diagram 2.01b

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_2_Channel_18900_BW_5M_1RB_low_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Laying, External Antenna

EUT Information

Please see Diagram 2.01a




Diagram 2.02a

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_4_Channel_20175_BW_10M_1RB_high_QPSK
Operator:	TFR/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Standing, External Antenna

EUT Information

Please see Diagram 2.01a




Diagram 2.02b

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_4_Channel_20175_BW_10M_1RB_high_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Laying, External Antenna

EUT Information

Please see Diagram 2.01a




Diagram 2.03a

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_5_Channel_20415_BW_3M_1RB_low_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Standing, External Antenna

EUT Information

Please see Diagram 2.01a




Diagram 2.03b

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_5_Channel_20415_BW_3M_1RB_low_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Laying, External Antenna

EUT Information

Please see Diagram 2.01a




Diagram 2.04a

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_17_Channel_23790_BW_5M_1RB_low_QPSK
Operator:	TFR/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Standing, External Antenna

EUT Information

Please see Diagram 2.01a





Diagram 2.04b

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_17_Channel_23790_BW_5M_1RB_low_QPSK
Operator:	TFR/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Laying, External Antenna

EUT Information

Please see Diagram 2.01a



1.3. Internal Antenna

Diagram 2.05a

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_2_Channel_18900_BW_5M_1RB_low_QPSK
Operator:	TFR/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Standing, Internal Antenna

EUT Information

Please see Diagram 2.01a




Diagram 2.05b

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_2_Channel_18900_BW_5M_1RB_low_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Laying, Internal Antenna

EUT Information

Please see Diagram 2.01a




Diagram 2.06a

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_4_Channel_20175_BW_10M_1RB_high_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Standing, Internal Antenna

EUT Information

Please see Diagram 2.01a




Diagram 2.06b

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band_4_Channel_20175_BW_10M_1RB_high_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Laying, Internal Antenna

EUT Information

Please see Diagram 2.01a




Diagram 2.07a

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band5_Channel_20415_BW_3M_1RB_low_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Standing, Internal Antenna

EUT Information

Please see Diagram 2.01a




Diagram 2.07b

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band5_Channel_20415_BW_3M_1RB_low_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Laying, Internal Antenna

EUT Information

Please see Diagram 2.01a




Diagram 2.08a

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band-17_Channel_23790_BW_5M_1RB_low_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Standing, Internal Antenna

EUT Information

Please see Diagram 2.01a





Diagram 2.08b

Common Information

Test description:	Magnetic Field Strength Measurement related to 30/300 m distance
Test site and distance:	Ref.-Nr. 441 Semi Anechoic Room (SAR) with 3 m measurement distance
Version of Testsoftware:	EMC.V9.25.00
Distance correction:	used accord. table, pls. see test report
Rec. antenna (pre-scan):	height 1.00 m, parallel and 90° to EUT polarisation
Test specification:	FCC 15.205 § 15.209; RSS-Gen: Issue 5
Operation Mode	LTE_Band-17_Channel_23790_BW_5M_1RB_low_QPSK
Operator:	TFr/LKu
Power during tests:	13.8 V DC
Comment 1:	DUT Laying, Internal Antenna

EUT Information

Please see Diagram 2.01a



1.4. Spurious emissions radiated (LTE Band II, IV, V and XVII transmitting mode) 1.4.1. Radiated emissions on LTE Band II - External Antenna

Diagram 8.01a

Common Information

Test Description:	Radiated emission
Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version:	EMC32 V9.26.0
Operation mode:	LTE_FDD2_BW5_1RB_low_CH18900_Modulation_QPSK
Operator Name:	HEI
Comment:	EUT Standing_External Antenna

EUT Information

Please see Diagram 2.01a

Full Spectrum




Diagram 8.01b


Common Information

Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version	EMC32 V9.26.0
Operation mode:	LTE_FDD2_BW5_1RB_low_CH18900_Modulation_QPSK
Operator Name:	HEI
Comment:	EUT Laying_External Antenna

EUT Information

Please see Diagram 2.01a

Full Spectrum



1.4.2. Radiated emissions on LTE Band II - Internal Antenna

Diagram 8.05a


Common Information

Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version	EMC32 V9.26.0
Operation mode:	LTE_FDD2_BW5_1RB_low_CH18900_Modulation_QPSK
Operator Name:	HEI
Comment:	EUT Standing_Internal Antenna

EUT Information

Please see Diagram 2.01a

Full Spectrum



Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margi n (dB)	Meas . Time	Bandwidt h (kHz)	Heigh t (cm)	Pol	Azimut h (deg)	Elevatio n (deg)
3755.683333	-45.33	-13.00	32.33	100.0	1000.000	154.0	H	45.0	0.0


Diagram 8.05b

Common Information

Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version	EMC32 V9.26.0
Operation mode:	LTE_FDD2_BW5_1RB_low_CH18900_Modulation_QPSK
Operator Name:	HEI
Comment:	EUT Laying_Internal Antenna

EUT Information

Please see Diagram 2.01a



1.5. Spurious emissions radiated (LTE Band II, IV, V and XVII transmitting mode)

1.5.1. Radiated emissions on LTE Band IV - External Antenna

Diagram 8.02a

Common Information

Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version	EMC32 V9.26.0
Operation mode:	LTE_FDD4_BW10_1RB_high_CH20175_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Standing_Internal Antenna

EUT Information

Please see Diagram 2.01a





Diagram 8.02b

Common Information

Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version	EMC32 V9.26.0
Operation mode:	LTE_FDD4_BW10_1RB_high_CH20175_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Laying Internal Antenna

EUT Information

Please see Diagram 2.01a



1.5.2. Radiated emissions on LTE Band IV - Internal Antenna

Diagram 8.06a

Common Information

Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version:	EMC32 V9.26.0
Operation mode:	LTE_FDD4_BW10_1RB_high_CH20175_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Standing_Internal Antenna

EUT Information

Please see Diagram 2.01a





Diagram 8.06b

Common Information

Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version	EMC32 V9.26.0
Operation mode:	LTE_FDD4_BW10_1RB_high_CH20175_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Laying_Internal Antenna

EUT Information

Please see Diagram 2.01a



1.6. Spurious emissions radiated (LTE Band II, IV, V and XVII transmitting mode)

1.6.1. Radiated emissions on LTE Band V - External Antenna

Diagram 8.03a

Common Information

Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version:	EMC32 V9.26.0
Operation mode:	LTE_FDD5_BW_3M_1RB_low_CH20415_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Standing_External Antenna

EUT Information

Please see Diagram 2.01a





Diagram 8.03b

Common Information

Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version	EMC32 V9.26.0
Operation mode:	LTE_FDD5_BW_3M_1RB_low_CH20415_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Laying_External Antenna

EUT Information

Please see Diagram 2.01a



1.6.2. Radiated emissions on LTE Band V - Internal Antenna


Diagram 8.07a

Common Information

Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version:	EMC32 V9.26.0
Operation mode:	LTE_FDD5_BW_3M_1RB_low_CH20415_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Standing_Internal Antenna

EUT Information

Please see Diagram 2.01a



Final Result

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)
3296.975000	-59.52	-13.00	46.52	100.0	100.000	154.0	H	54.0


Diagram 8.07b

Common Information

Test Site:	Fully-Anechoic Room
Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version:	EMC32 V9.26.0
Operation mode:	LTE_FDD5_BW_3M_1RB_low_CH20415_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Laying_Internal Antenna

EUT Information

Please see Diagram 2.01a



1.7. Spurious emissions radiated (LTE Band II, IV, V and XVII transmitting mode)

1.7.1. Radiated emissions on LTE Band XVII - External Antenna

Diagram 8.04a

Common Information

Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version:	EMC32 V9.26.0
Operation mode:	LTE_FDD_17_BW_5M_1RB_low_CH23790_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Standing_External Antenna

EUT Information

Please see Diagram 2.01a

Full Spectrum




Diagram 8.04b


Common Information

Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version:	EMC32 V9.26.0
Operation mode:	LTE_FDD_17_BW_5M_1RB_low_CH23790_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Laying_External Antenna

EUT Information

Please see Diagram 2.01a

Full Spectrum



1.7.2. Radiated emissions on LTE Band XVII - Internal Antenna

Diagram 8.08a


Common Information

Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version	EMC32 V9.26.0
Operation mode:	LTE_FDD_17_BW_5M_1RB_low_CH23790_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Standing_Internal Antenna

EUT Information

Please see Diagram 2.01a

Full Spectrum



Remarks:

Please see next Page for **1GHz-9GHz** Measurement

Full Spectrum




Diagram 8.08b


Common Information

Test Standard:	FCC FCC Part 27.53(h) AWS emission limits / RSS-139, Issue 3
Antenna polarisation:	vertical / horizontal
Measurement software version:	EMC32 V9.26.0
Operation mode:	LTE_FDD_17_BW_5M_1RB_low_CH23790_Modulation_QPSK
Operator Name:	Hel
Comment:	EUT Laying_Internal Antenna

EUT Information

Please see Diagram 2.01a


Full Spectrum



Remarks:

Please see next Page for **1GHz-9GHz** Measurement


Full Spectrum




1.8. Band-edge LTE Band 2

1.8.1. Low band-edge


37.203a_BE_Band2_CH18615_BW-3MHz_RB1_QPSK_Low




37.203b_BE_Band2_CH18615_BW-3MHz_RB1_16QAM_Low



37.204a_BE_Band2_CH18615_BW-3MHz_RB15_QPSK_Low




37.204b_BE_Band2_CH18615_BW-3MHz_RB15_16QAM_Low




1.8.2. High band-edge


37.215a_BE_Band2_CH19185_BW-3MHz_RB1_QPSK_High




37.215b_BE_Band2_CH19185_BW-3MHz_RB1_16QAM_High



37.216a_BE_Band2_CH19185_BW-3MHz_RB15_QPSK_High




37.216b_BE_Band2_CH19185_BW-3MHz_RB15_16QAM_High




1.9. Band-edge LTE Band 4

1.9.1. Low band-edge


37.409a_BE_Band4_CH20025_BW-15MHz_RB1_QPSK_Low




37.409b_BE_Band4_CH20025_BW-15MHz_RB1_16QAM_Low



37.410a_BE_Band4_CH20025_BW-15MHz_RB75_QPSK_Low




37.410b_BE_Band4_CH20025_BW-15MHz_RB75_16QAM_Low




1.9.2. High band-edge


37.421a_BE_Band4_CH20325_BW-15MHz_RB1_QPSK_High




37.421b_BE_Band4_CH20325_BW-15MHz_RB1_16QAM_High



37.422a_BE_Band4_CH20325_BW-15MHz_RB75_QPSK_High




37.422b_BE_Band4_CH20325_BW-15MHz_RB75_16QAM_High




1.10. Band-edge LTE Band 5

1.10.1. Low band-edge


37.503a_BE_Band5_CH20415_BW-3MHz_RB1_QPSK_Low




37.503b_BE_Band5_CH20415_BW-3MHz_RB1_16QAM_Low



37.504a_BE_Band5_CH20415_BW-3MHz_RB15_QPSK_Low




37.504b_BE_Band5_CH20415_BW-3MHz_RB15_16QAM_Low




1.10.2. High band-edge


37.512a_BE_Band5_CH20635_BW-3MHz_RB1_QPSK_High




37.512b_BE_Band5_CH20635_BW-3MHz_RB1_16QAM_High



37.513a_BE_Band5_CH20635_BW-3MHz_RB15_QPSK_High




37.513b_BE_Band5_CH20635_BW-3MHz_RB15_16QAM_High




1.11. Band-Edge LTE Band 17

1.11.1. Low band-edge


37.171a_BE_Band17_CH23755_BW-5MHz_RB1_QPSK_Low




37.171b_BE_Band17_CH23755_BW-5MHz_RB1_16QAM_Low



37.172a_BE_Band17_CH23755_BW-5MHz_RB25_QPSK_Low




37.172b_BE_Band17_CH23755_BW-5MHz_RB25_16QAM_Low




1.11.2. High band-edge


37.175a_BE_Band17_CH23825_BW-5MHz_RB1_QPSK_High



37.175b_BE_Band17_CH23825_BW-5MHz_RB1_16QAM_High



37.176a_BE_Band17_CH23825_BW-5MHz_RB25_QPSK_High



37.176b_BE_Band17_CH23825_BW-5MHz_RB25_16QAM_High

