

CHIPSEA TECHNOLOGIES(SHENZHEN) CORP.

Limited Single Modular Approval

FCC ID: 2AGM5CSM92F30

| Modular Approval Requirement | Yes | No |
|---|--|----------------------------------|
| (i) The radio elements of the modular transmitter must have their own shielding. The physical crystal and tuning capacitors may be located external to the shielded radio elements. | | NO, not shielding for both side. |
| (ii) The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with part 15 requirements under conditions of excessive data rates or over-modulation. | All inputs to the modules are buffered through logic and microprocessor inputs | |
| (iii) The modular transmitter must have its own power supply regulation. | Module chipset incorporates voltage regulation to transceiver circuitry | |
| (iv) The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b) and 15.204(c). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section. | The User Manual has Guiding businesses use by PCB antenna. | |
| (v) The modular transmitter must be tested in a stand-alone configuration | Device is tested in a test fixture in a stand alone configuration | |
| (vi) The modular transmitter must be equipped with either a permanently affixed label or must be capable of electronically displaying its FCC identification number. | FCC ID label format will be included in | |

CHIPSEA TECHNOLOGIES(SHENZHEN) CORP.

| | | |
|---|--|--|
| | the filling. Host ID label will be displayed on the host system. | |
| (vii) The modular transmitter must comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. | Please refer to "User Manual" Exhibit | |
| (viii) The modular transmitter must comply with any applicable RF exposure requirements in its final configuration. | RF exposure is evaluated for MPE. | |

Signature: 

Printed name: Weihang Zhang