Verisure Securitas Direct GWL-SVK (Siren Voice Keypad for LatAm)

Manufactured at VIDEOTON (Hungary)

Verisure Item 481179 TD P/N PROD1072DLxx

Labelling summary

Version v1.2: add addtional notes for Product label on page 10.

August, 16th 2023



--- PCBA Label ---

PCBA LABEL(1/2)

PCBA internal traceability label

TD unique PCBA number (laser engraved, top-right corner)

Using following internal TD traceability system/numbering YWWnnnnF888Z

→ Included in a 2D barcode (size 6x6mm)

On the right side of each 2D barcode, 3 lines:

Line-1: YWW (Manufacturing Week WW of Year xxxY)

Line-2: nnnnn (unique PCB number within a week)

Line-3: F (Factory code*)

+ 888 (The last 3 digits of the PCB board BORD0XXX**)

+ Z (PCB revision – Letter from A-Z)


(*) Factory code : F → 1 = Videoton Székesfehérvar (Hungary)

(**) PCB Board number : 888 → see list next page



Verisure Serial number (printed on label)

Unique Verisure Unit Serial Number ABCD EFGH + code EAN128





PCBA LABEL(2/2)

PCBA internal traceability label


TD Product P/N	Associated TD PCB board P/N	Current PCB Revision	Associated Schematics & Layout	Comments
PROD1072A001/A002	BORD0343	Р	SVK13	Manufactured in China
PROD1072A003/A004	BORD0396	В	SVK13L	Manufactured in China
PROD1072A005/A006	BORD0412	В	SVK14L	Manufactured in China
PROD1072A007/A008	BORD0414	В	SVK14	Manufactured in China
PROD1072D001	BORD0397	В	SVK13	Manufactured in Hungary
PROD1072D003	BORD0398	В	SVK13L	Manufactured in Hungary
PROD1072D005	BORD0413	В	SVK14L	Manufactured in Hungary
PROD1072D007	BORD0415	В	SVK14	Manufactured in Hungary
PROD1072AL05/AL06	BORD0422	В	SVK14L	Manufactured in China
PROD1072AL07/AL08	BORD0424	В	SVK14	Manufactured in China
PROD1072DL05	BORD0423	А	SVK14L	Manufactured in Hungary
PROD1072DL07	BORD0425	Α	SVK14	Manufactured in Hungary
	PROD1072A001/A002 PROD1072A003/A004 PROD1072A005/A006 PROD1072A007/A008 PROD1072D001 PROD1072D003 PROD1072D005 PROD1072D007 PROD1072AL05/AL06 PROD1072AL05/AL08 PROD1072DL05	TD Product P/N PROD1072A001/A002 PROD1072A003/A004 PROD1072A005/A006 PROD1072A007/A008 BORD0412 PROD1072D001 PROD1072D003 PROD1072D003 PROD1072D005 PROD1072D007 BORD0413 PROD1072D007 BORD0415 PROD1072AL05/AL06 PROD1072AL05/AL08 BORD0422 PROD1072DL05 BORD0423	ID Product P/N TD PCB board P/N PCB Revision PROD1072A001/A002 BORD0343 P PROD1072A003/A004 BORD0396 B PROD1072A005/A006 BORD0412 B PROD1072A007/A008 BORD0414 B PROD1072D001 BORD0397 B PROD1072D003 BORD0398 B PROD1072D005 BORD0413 B PROD1072D007 BORD0415 B PROD1072AL05/AL06 BORD0422 B PROD1072AL07/AL08 BORD0424 B PROD1072DL05 BORD0423 A	Product P/N TD PCB board P/N PCB Revision Schematics & Layout PROD1072A001/A002 BORD0343 P SVK13 PROD1072A003/A004 BORD0396 B SVK13L PROD1072A005/A006 BORD0412 B SVK14L PROD1072A007/A008 BORD0414 B SVK14 PROD1072D001 BORD0397 B SVK13 PROD1072D003 BORD0398 B SVK13L PROD1072D005 BORD0413 B SVK14L PROD1072D007 BORD0415 B SVK14 PROD1072AL05/AL06 BORD0422 B SVK14L PROD1072AL07/AL08 BORD0424 B SVK14 PROD1072DL05 BORD0423 A SVK14L



--- Product Label ---

PRODUCT LABEL (1/6)


Label Size & Location



Located behind Back Cover Assy on dedicated embossed area

Mandatory Text Fonts

Fira Sans Fira Sans Book Fira Sans Medium Fira Sans SemiBold





PRODUCT LABEL (2/6)

GWL-SVK LATAM Product Label

(according to Verisure Specification 'GWL-SVK. Product Label. Rev B.doc')

Verisure serial number (9 characters): XXXX XXXX

Verisure Item Description: Siren Voice Keypad

Verisure Item Name: GWL-SVK

Verisure Item Number: 481179
Verisure Item Revision: NN

Verisure Item Assembly version: 00 (for Front Face 1K) // 01 (for Front Face 2K)

Manufacturing Date: YYMMDD

Manufacturer name: Telecom Design

FFC ID: 2AGMK-GWL-SVK (from Step 1*)

RAMATEL Number: X-00000 (from Step 2**)

ANATEL Number: XXXXX-XX-XXXXX (from Step 3***)

Country of origin: Manufactured in Hungary (F=1)

EAN 13 bar code (size 12.5x6mm): 3700935600906

RAMATEL Logo (from Step 2**)

Verisure serial number, S/N (9 characters): S/N XXXX XXXX

Serial number bar code (size 34x6mm): XXXX XXXX in EAN128

Read-the-manual symbol + Input Voltage

Includes: Verisure serial number, Verisure item name, Verisure item number, Item revision, Manufacturing date.

Example: XXXX XXXX GWL-SVK 481179 NN YYMMDD

- (*) Step 1 = Chile (Q4 2023) & Peru (2024)
- (**) Step 2 = once local Homologation in Argentina is passed (2024 TdC)
- (**) Step 3 = once local Homologation in Brazil is passed (2024 TBC)





QR-Code (size 6x6mm):

PRODUCT LABEL (4/6)

➢ GWL-SVK LATAM Product Label → Different Artworks for different steps

PVT/MP Chile	PVT/MP Peru
Q3 2023	TBC 2024
Step 1	Serial number: 2CHF G5L7 Siren Voice Keypad GWL-SVK 481179 1D 00 FCC ID: 2AGMK-GWL-SVK 221123 Manufactured by: Telecom Design Manufactured in Hungary 3 700935 600906 S/N: 2CHF G5L7

	PVT/MP Argentina	PVT/MP Brazil
	TbC 2024	TbC 2024
Step 2	Serial number: 2CHF G5L7 Siren Voice Keypad GWL-SVK 481179 1D 00 221123 FCC ID: 2AGMK-GWL-SVK RAMATEL: X-00000 Manufactured by: Telecom Design Manufactured in Hungary J*700935*600906 S/N: 2CHF G5L7	Serial number: 2CHF G5L7 Siren Voice Keypad GWL-SVK 481179 1D 00 221123 FCC ID: 2AGMK-GWL-SVK RAMATEL: X-00000 ANATEL: XXXXX-XX-XXXXXX Manufactured by: Telecom Design Manufactured in Hungary 3 1700935 6009906 S/N: 2CHF G5L7



GWL-SVK LABELS DEFINITION PRODUCT LABEL (5/6)

View of label stuck on product back





GWL-SVK LABELS DEFINITION PRODUCT LABEL (6/6)

Additional Notes

The product label is located under the bracket of the device

- Before the installation, the bracket is accessible without the use of any tools as the bracket slides upwards.
- After the installation, the label can be accessible by unmounting the device from the bracket.

To do so:

- turn counterclockwise the lock key at the bottom
- remove the battery lid
- unscrew the 2 lock screws on both sides
- detach the device from the bracket.

In this link, you will find an example on how to remove the bracket after installation:

https://www.youtube.com/watch?v=v0eOhvE5zso



--- White Box Label ---

GWL-SVK LABELS DEFINITION SINGLE BOX LABEL (1/3)

Label Size & Location






Mandatory Text Fonts

Fira Sans Fira Sans Book Fira Sans Medium Fira Sans SemiBold



WHITE BOX LABEL (2/3)

Firmware and Audio package versions: FW:X.Y.Z cc_CC A.B.





GWL-SVK LABELS DEFINITION SINGLE BOX LABEL (3/3)

> Proposal for LATAM White Box label

(according to Verisure Specification 'GWL-SVK. Product Label. Rev B.doc')

Label proposal for GWL-SVK (certified)						
Step 1	Step 2	Step 3				
Only FCC ID for Chile and Peru	Add RAMATEL ID and logo for Argentina	Add ANATEL ID for Brazil				
Serial number: 2CHF G5L7 Wanufactured by: Telecom Design 481179 1D 00 221123 FW:4.7.3 es_CL 3.1 FCC ID: 2AGMK-GWL-SVK GWL-SVK Siren Voice Keypad	Serial number: 2CHF G5L7 Wanufactured by: Telecom Design 481179 1D 00 221123 FW:4.7.3 es_CL 3.1 FCC ID: 2AGMK-GWL-SVK RAMATEL: X-00000 GWL-SVK Siren Voice Keypad	Serial number: 2CHF G5L7 William Wanufactured by: Telecom Design 481179 1D 00 221123 FW:4.7.3 es_CL 3.1 FCC ID: 2AGMK-GWL-SVK RAMATEL: XXXXXXXXXX GWL-SVK Siren Voice Keypad Manufactured by: Telecom Design Manufactured in Hungary 3 700935 600906 RRAMATEL RAMATEL				



--- Multibox label ---

MULTIBOX LABEL

Current Label Description & Content

Supplier: TELECOM DESIGN
Verisure item number: 481179

• Verisure Item Description: Siren Voice Kpd

• Verisure Item name: GWL-SVK

Item revision: NN

• Firmware an audio package version: FW:X.Y.Z cc_CC M.n

Postal Address of Supplier: 2Bis rue Nully Harcourt

33610 Canéjan - FRANCE

Country of Origin: Hungary

Units per Box: 1Number of Boxes: 15

Manufacturing date (4 digits): YYMM

· Company name: Verisure Sàrl

• Company address: Chemin Jean-Baptiste Vandelle 3, CH -1290 Versoix, Switzerland

• QR code with the following information :

Verisure serial number for every unit in the box,

Verisure product name, Verisure item number,

Item revision, Unit quantity,

Manufacturing date

Each output is separated with a blank space

Example:

WWWW WWWW XXXX XXXX ... YYYY YYYY ZZZZ ZZZZ GWL-SVK 481179 1D 15 231015

- RAMATEL Logo: Only from Step 2, once local homologation in Argentina is passed.
- Barcode (type: EAN13) EAN code of Item
- Barcode (type: Code 128) with the following information Verisure item number, Item revision, Unit quantity, Manufacturing date.

Verisure item number
Verisure Item revision
Unit quantity in the shipping box
Manufacturing date YYMMDD

Each output is separated with a blank space

Example: 481179 1D 15 231015



Label size 102x152mm



--- Pallet label ---

PALLET LABEL

Current Label Description & Content

Supplier: TELECOM DESIGN
Verisure item number: 481179

• Verisure Item Description: Siren Voice Kpd

Verisure Item name: GWL-SVK

Item revision: NN

• Firmware an audio package version: FW:X.Y.Z cc_CC M.n

Postal Address of Supplier: 2Bis rue Nully Harcourt

33610 Canéjan - FRANCE

Country of Origin: China

Units per Box: 15Number of Boxes: 66

Manufacturing date (4 digits): YYMM

• Company name: Verisure Sàrl

• Company address : Chemin Jean-Baptiste Vandelle 3, CH -1290 Versoix, Switzerland

• QR code with the following information :

Verisure product name, Verisure item number, Item revision, Unit quantity, Manufacturing date

Each output is separated with a blank space

Example: GWL-SVK 481179 1D 990 231015

- RAMATEL Logo: Only from Step 2, once local homologation in Argentina is passed.
- Barcode (type: EAN 13) EAN code of Item
- Barcode (type: Code 128) with the following information Verisure item number, Item revision, Unit quantity, Manufacturing date

Verisure item number
Verisure Item revision
Unit quantity per pallet
Manufacturing date YYMMDD

Each output is separated with a blank space

Example: 481179 1D 990 231015




Label size 102x152mm




GWL-SVK LABELS DEFINITION MULTI BOX & PALLET LABEL LOCATIONS

Multibox (Shipping box)





> Pallet



Pallets with heights less than 40 cm:

It should be located as high as possible, without the location negatively affects reading. And will be placed more than 50 mm from the vertical edge. The location in two adjacent faces is recommended.

Pallets with heights greater than 40 cm:

Labels should be located at a height of between 400 mm and 800 mm from the base of the pallet and more than 50 mm from the vertical edge.

Pallets should include a shrink wrap in transparent film with visibility of merchandise indoor. A shrink wrapping in transparent film with visibility of a uniform and well-made pallet is Securitas Direct requirement in its deliveries.

Maximum weight by pallet shall not exceed 300 kilograms.

Expected weight by pallet ~420kg Same as current CE version (131179)

Width 0.80M / Long 1.20M. / High 1.60M.

