





Test Mode :	802.11ax HE20_52RU	Test Channel :	13
--------------------	--------------------	-----------------------	----






Test Mode :	802.11ax HE20_106RU	Test Channel :	01
-------------	---------------------	----------------	----






Test Mode :	802.11ax HE20_106RU	Test Channel :	02
--------------------	---------------------	-----------------------	----






Test Mode :	802.11ax HE20_106RU	Test Channel :	06
--------------------	---------------------	-----------------------	----






Test Mode :	802.11ax HE20_106RU	Test Channel :	10
-------------	---------------------	----------------	----






Test Mode :	802.11ax HE20_106RU	Test Channel :	11
-------------	---------------------	----------------	----






Test Mode :	802.11ax HE20_106RU	Test Channel :	12
--------------------	---------------------	-----------------------	----






Test Mode :	802.11ax HE20_106RU	Test Channel :	13
--------------------	---------------------	-----------------------	----






Test Mode :	802.11ax HE20_242RU	Test Channel :	01
-------------	---------------------	----------------	----






Test Mode :	802.11ax HE20_242RU	Test Channel :	02
-------------	---------------------	----------------	----






Test Mode :	802.11ax HE20_242RU	Test Channel :	06
-------------	---------------------	----------------	----






Test Mode :	802.11ax HE20_242RU	Test Channel :	10
-------------	---------------------	----------------	----






Test Mode :	802.11ax HE20_242RU	Test Channel :	11
-------------	---------------------	----------------	----






Test Mode :	802.11ax HE20_242RU	Test Channel :	12
--------------------	---------------------	-----------------------	----





Test Mode :	802.11ax HE20_242RU	Test Channel :	13
--------------------	---------------------	-----------------------	----






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	23.4~24.6°C
		Relative Humidity :	48.3~55.7%

EUT Information

Report NO : 413013-01
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum



Final_Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.156750	---	46.22	55.63	9.41	L1	OFF	19.9
0.156750	62.13	---	65.63	3.50	L1	OFF	19.9
0.187350	---	38.54	54.15	15.61	L1	OFF	19.9
0.187350	56.01	---	64.15	8.14	L1	OFF	19.9
0.220380	---	36.61	52.81	16.20	L1	OFF	19.9
0.220380	52.66	---	62.81	10.15	L1	OFF	19.9
0.238110	---	34.26	52.16	17.90	L1	OFF	19.9
0.238110	50.25	---	62.16	11.91	L1	OFF	19.9
0.265920	---	33.16	51.24	18.08	L1	OFF	19.9
0.265920	48.45	---	61.24	12.79	L1	OFF	19.9
0.319920	---	31.03	49.71	18.68	L1	OFF	19.9
0.319920	46.06	---	59.71	13.65	L1	OFF	19.9
0.365460	---	30.72	48.60	17.88	L1	OFF	19.9
0.365460	46.10	---	58.60	12.50	L1	OFF	19.9
0.414600	---	27.86	47.56	19.70	L1	OFF	19.9
0.414600	43.62	---	57.56	13.94	L1	OFF	19.9
0.477510	---	27.29	46.38	19.09	L1	OFF	19.9
0.477510	44.35	---	56.38	12.03	L1	OFF	19.9
0.523500	---	27.16	46.00	18.84	L1	OFF	19.9

0.523500	40.61	---	56.00	15.39	L1	OFF	19.9
0.552750	---	20.38	46.00	25.62	L1	OFF	19.9
0.552750	37.37	---	56.00	18.63	L1	OFF	19.9
0.634560	---	24.28	46.00	21.72	L1	OFF	19.9
0.634560	37.92	---	56.00	18.08	L1	OFF	19.9
0.711330	---	22.28	46.00	23.72	L1	OFF	19.9
0.711330	35.02	---	56.00	20.98	L1	OFF	19.9
0.763620	---	23.80	46.00	22.20	L1	OFF	19.9
0.763620	35.34	---	56.00	20.66	L1	OFF	19.9
0.854970	---	22.35	46.00	23.65	L1	OFF	19.9
0.854970	35.15	---	56.00	20.85	L1	OFF	19.9
0.985740	---	21.70	46.00	24.30	L1	OFF	19.9
0.985740	34.68	---	56.00	21.32	L1	OFF	19.9
1.142700	---	22.31	46.00	23.69	L1	OFF	19.9
1.142700	35.00	---	56.00	21.00	L1	OFF	19.9
1.442490	---	22.77	46.00	23.23	L1	OFF	19.9
1.442490	34.63	---	56.00	21.37	L1	OFF	19.9
1.829310	---	23.02	46.00	22.98	L1	OFF	19.9
1.829310	34.36	---	56.00	21.64	L1	OFF	19.9
2.323500	---	23.07	46.00	22.93	L1	OFF	20.0
2.323500	34.51	---	56.00	21.49	L1	OFF	20.0
2.760090	---	25.87	46.00	20.13	L1	OFF	20.0
2.760090	34.68	---	56.00	21.32	L1	OFF	20.0
3.745140	---	21.46	46.00	24.54	L1	OFF	20.0
3.745140	30.21	---	56.00	25.79	L1	OFF	20.0
12.518250	---	24.53	50.00	25.47	L1	OFF	20.1
12.518250	33.00	---	60.00	27.00	L1	OFF	20.1
22.051500	---	26.79	50.00	23.21	L1	OFF	20.1
22.051500	33.42	---	60.00	26.58	L1	OFF	20.1

EUT Information

Report NO : 413013-01
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.156750	---	39.85	55.63	15.78	N	OFF	19.9
0.156750	55.65	---	65.63	9.98	N	OFF	19.9
0.181500	---	32.86	54.42	21.56	N	OFF	19.9
0.181500	50.00	---	64.42	14.42	N	OFF	19.9
0.186900	---	31.24	54.17	22.93	N	OFF	19.9
0.186900	47.11	---	64.17	17.06	N	OFF	19.9
0.214620	---	32.71	53.03	20.32	N	OFF	19.9
0.214620	49.31	---	63.03	13.72	N	OFF	19.9
0.235500	---	29.20	52.25	23.05	N	OFF	19.9
0.235500	45.58	---	62.25	16.67	N	OFF	19.9
0.267900	---	27.57	51.18	23.61	N	OFF	19.9
0.267900	42.70	---	61.18	18.48	N	OFF	19.9
0.312000	---	26.03	49.92	23.89	N	OFF	19.9
0.312000	40.71	---	59.92	19.21	N	OFF	19.9
0.332430	---	23.31	49.39	26.08	N	OFF	19.9
0.332430	38.25	---	59.39	21.14	N	OFF	19.9
0.375000	---	27.30	48.39	21.09	N	OFF	19.9
0.375000	43.04	---	58.39	15.35	N	OFF	19.9
0.402000	---	21.03	47.81	26.78	N	OFF	19.9

0.402000	35.18	---	57.81	22.63	N	OFF	19.9
0.474630	---	23.73	46.43	22.70	N	OFF	19.9
0.474630	40.28	---	56.43	16.15	N	OFF	19.9
0.526650	---	25.59	46.00	20.41	N	OFF	19.9
0.526650	40.07	---	56.00	15.93	N	OFF	19.9
0.604500	---	20.62	46.00	25.38	N	OFF	19.9
0.604500	36.77	---	56.00	19.23	N	OFF	19.9
0.658500	---	22.13	46.00	23.87	N	OFF	19.9
0.658500	36.84	---	56.00	19.16	N	OFF	19.9
0.771720	---	22.50	46.00	23.50	N	OFF	19.9
0.771720	35.42	---	56.00	20.58	N	OFF	19.9
0.820500	---	22.16	46.00	23.84	N	OFF	19.9
0.820500	34.59	---	56.00	21.41	N	OFF	19.9
0.912750	---	22.65	46.00	23.35	N	OFF	19.9
0.912750	35.30	---	56.00	20.70	N	OFF	19.9
0.998880	---	20.94	46.00	25.06	N	OFF	19.9
0.998880	34.86	---	56.00	21.14	N	OFF	19.9
1.627350	---	22.21	46.00	23.79	N	OFF	19.9
1.627350	33.98	---	56.00	22.02	N	OFF	19.9
2.767110	---	25.66	46.00	20.34	N	OFF	20.0
2.767110	33.06	---	56.00	22.94	N	OFF	20.0



Appendix C. Radiated Spurious Emission

Test Engineer :	Jacky Hung, Mancy Chou and Rain Lee	Temperature :	20~26°C
		Relative Humidity :	40~65%

<Sample 1>

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11b CH 01 2412MHz		2367.855	53.28	-20.72	74	48.47	27.3	14.6	37.09	100	225	P	H	
		2389.38	42.34	-11.66	54	37.31	27.49	14.62	37.08	100	225	A	H	
	*	2412	110.32	-	-	105.26	27.5	14.64	37.08	100	225	P	H	
	*	2412	107.19	-	-	102.13	27.5	14.64	37.08	100	225	A	H	
													H	
														H
			2389.065	54.45	-19.55	74	49.42	27.49	14.62	37.08	199	154	P	V
			2389.38	44.24	-9.76	54	39.21	27.49	14.62	37.08	199	154	A	V
	*		2412	115.68	-	-	110.62	27.5	14.64	37.08	199	154	P	V
	*		2412	112.5	-	-	107.44	27.5	14.64	37.08	199	154	A	V
														V
														V
802.11b CH 06 2437MHz		2331.28	53.17	-20.83	74	48.5	27.2	14.56	37.09	109	224	P	H	
		2389.94	41.88	-12.12	54	36.84	27.5	14.62	37.08	109	224	A	H	
	*	2437	110.28	-	-	105.09	27.6	14.67	37.08	109	224	P	H	
	*	2437	107.08	-	-	101.89	27.6	14.67	37.08	109	224	A	H	
			2487.85	54.79	-19.21	74	49.33	27.8	14.73	37.07	109	224	P	H
			2485.15	42.68	-11.32	54	37.23	27.8	14.72	37.07	109	224	A	H
			2388.54	53.06	-20.94	74	48.03	27.49	14.62	37.08	218	152	P	V
			2388.54	42.34	-11.66	54	37.31	27.49	14.62	37.08	218	152	A	V
	*		2437	115.41	-	-	110.22	27.6	14.67	37.08	218	152	P	V
	*		2437	112.19	-	-	107	27.6	14.67	37.08	218	152	A	V
			2485.06	53.38	-20.62	74	47.93	27.8	14.72	37.07	218	152	P	V
			2485.06	43.01	-10.99	54	37.56	27.8	14.72	37.07	218	152	A	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz	*	2462	109.92	-	-	104.67	27.62	14.7	37.07	101	223	P	H
	*	2462	106.74	-	-	101.49	27.62	14.7	37.07	101	223	A	H
		2487.2	51.22	-22.78	74	45.76	27.8	14.73	37.07	101	223	P	H
		2487.56	41.2	-12.8	54	35.74	27.8	14.73	37.07	101	223	A	H
													H
													H
	*	2462	114.47	-	-	109.22	27.62	14.7	37.07	145	157	P	V
	*	2462	110.97	-	-	105.72	27.62	14.7	37.07	145	157	A	V
		2488.48	52.36	-21.64	74	46.9	27.8	14.73	37.07	145	157	P	V
		2487.44	43.38	-10.62	54	37.92	27.8	14.73	37.07	145	157	A	V
													V
													V
802.11b CH 12 2467MHz	*	2467	107.84	-	-	102.54	27.67	14.7	37.07	100	227	P	H
	*	2467	104.58	-	-	99.28	27.67	14.7	37.07	100	227	A	H
		2483.6	53.52	-20.48	74	48.07	27.8	14.72	37.07	100	227	P	H
		2485.08	41.28	-12.72	54	35.83	27.8	14.72	37.07	100	227	A	H
													H
													H
	*	2467	112.54	-	-	107.24	27.67	14.7	37.07	145	159	P	V
	*	2467	109.31	-	-	104.01	27.67	14.7	37.07	145	159	A	V
		2483.72	58.06	-15.94	74	52.61	27.8	14.72	37.07	145	159	P	V
		2485	43.34	-10.66	54	37.89	27.8	14.72	37.07	145	159	A	V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 13 2472MHz	*	2472	104.14	-	-	98.78	27.72	14.71	37.07	110	225	P	H
	*	2472	101.17	-	-	95.81	27.72	14.71	37.07	110	225	A	H
		2483.52	61.31	-12.69	74	55.86	27.8	14.72	37.07	110	225	P	H
		2485.8	44.96	-9.04	54	39.51	27.8	14.72	37.07	110	225	A	H
													H
													H
	*	2472	109.73	-	-	104.37	27.72	14.71	37.07	159	158	P	V
	*	2472	106.67	-	-	101.31	27.72	14.71	37.07	159	158	A	V
		2483.56	67.94	-6.06	74	62.49	27.8	14.72	37.07	159	158	P	V
		2485.6	49.29	-4.71	54	43.84	27.8	14.72	37.07	159	158	A	V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	42.59	-31.41	74	60.14	32.44	7.35	57.34	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	43.66	-30.34	74	61.21	32.44	7.35	57.34	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	41.96	-32.04	74	59	32.65	7.51	57.2	-	-	P	H
		7311	46.96	-27.04	74	57.35	36.96	9.48	56.83	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	44.02	-29.98	74	61.06	32.65	7.51	57.2	-	-	P
		7311	47.05	-26.95	74	57.44	36.96	9.48	56.83	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	41.03	-32.97	74	57.59	32.84	7.66	57.06	-	-	P	H
		7386	46.8	-27.2	74	57.73	36.58	9.45	56.96	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	45.66	-28.34	74	62.22	32.84	7.66	57.06	-	-	P
		7386	46.51	-27.49	74	57.44	36.58	9.45	56.96	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2389.905	56.83	-17.17	74	51.79	27.5	14.62	37.08	165	6	P	H	
		2390	45.45	-8.55	54	40.41	27.5	14.62	37.08	165	6	A	H	
	*	2412	109.68	-	-	104.62	27.5	14.64	37.08	165	6	P	H	
	*	2412	102	-	-	96.94	27.5	14.64	37.08	165	6	A	H	
													H	
														H
			2389.59	63.1	-10.9	74	58.06	27.5	14.62	37.08	148	139	P	V
			2390	50.52	-3.48	54	45.48	27.5	14.62	37.08	148	139	A	V
	*		2412	116.05	-	-	110.99	27.5	14.64	37.08	148	139	P	V
	*		2412	108.47	-	-	103.41	27.5	14.64	37.08	148	139	A	V
														V
														V
802.11g CH 06 2437MHz		2389.94	52.94	-21.06	74	47.9	27.5	14.62	37.08	111	219	P	H	
		2389.52	42.51	-11.49	54	37.47	27.5	14.62	37.08	111	219	A	H	
	*	2437	114.91	-	-	109.72	27.6	14.67	37.08	111	219	P	H	
	*	2437	107.32	-	-	102.13	27.6	14.67	37.08	111	219	A	H	
			2484.34	56.13	-17.87	74	50.68	27.8	14.72	37.07	111	219	P	H
			2483.53	44.81	-9.19	54	39.36	27.8	14.72	37.07	111	219	A	H
			2388.96	56.62	-17.38	74	51.59	27.49	14.62	37.08	149	148	P	V
			2389.38	44.58	-9.42	54	39.55	27.49	14.62	37.08	149	148	A	V
	*		2437	119.45	-	-	114.26	27.6	14.67	37.08	149	148	P	V
	*		2437	112.14	-	-	106.95	27.6	14.67	37.08	149	148	A	V
			2483.89	57.18	-16.82	74	51.73	27.8	14.72	37.07	149	148	P	V
			2483.53	46.18	-7.82	54	40.73	27.8	14.72	37.07	149	148	A	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 11 2462MHz	*	2462	111.19	-	-	105.94	27.62	14.7	37.07	112	224	P	H	
	*	2462	103.66	-	-	98.41	27.62	14.7	37.07	112	224	A	H	
		2483.6	60.62	-13.38	74	55.17	27.8	14.72	37.07	112	224	P	H	
		2483.52	48.1	-5.9	54	42.65	27.8	14.72	37.07	112	224	A	H	
													H	
														H
	*	2462	115.4	-	-	110.15	27.62	14.7	37.07	100	156	P	V	
	*	2462	108.02	-	-	102.77	27.62	14.7	37.07	100	156	A	V	
		2483.8	64.76	-9.24	74	59.31	27.8	14.72	37.07	100	156	P	V	
		2483.52	51.24	-2.76	54	45.79	27.8	14.72	37.07	100	156	A	V	
														V
														V
802.11g CH 12 2467MHz	*	2467	110.13	-	-	104.83	27.67	14.7	37.07	100	220	P	H	
	*	2467	102.69	-	-	97.39	27.67	14.7	37.07	100	220	A	H	
		2483.76	58.34	-15.66	74	52.89	27.8	14.72	37.07	100	220	P	H	
		2483.52	47.97	-6.03	54	42.52	27.8	14.72	37.07	100	220	A	H	
														H
														H
	*	2467	115.09	-	-	109.79	27.67	14.7	37.07	162	148	P	V	
	*	2467	107.29	-	-	101.99	27.67	14.7	37.07	162	148	A	V	
		2483.92	63.39	-10.61	74	57.94	27.8	14.72	37.07	162	148	P	V	
		2483.52	52.31	-1.69	54	46.86	27.8	14.72	37.07	162	148	A	V	
														V
														V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 13 2472MHz	*	2472	95.96	-	-	90.6	27.72	14.71	37.07	100	218	P	H
	*	2472	88.45	-	-	83.09	27.72	14.71	37.07	100	218	A	H
		2483.68	58.58	-15.42	74	53.13	27.8	14.72	37.07	100	218	P	H
		2483.52	46.17	-7.83	54	40.72	27.8	14.72	37.07	100	218	A	H
													H
													H
	*	2472	101.61	-	-	96.25	27.72	14.71	37.07	160	149	P	V
	*	2472	93.72	-	-	88.36	27.72	14.71	37.07	160	149	A	V
		2483.72	63.43	-10.57	74	57.98	27.8	14.72	37.07	160	149	P	V
		2483.52	50.39	-3.61	54	44.94	27.8	14.72	37.07	160	149	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	41.32	-32.68	74	58.87	32.44	7.35	57.34	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	42.94	-31.06	74	60.49	32.44	7.35	57.34	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	42	-32	74	59.04	32.65	7.51	57.2	-	-	P	H
		7311	45.83	-28.17	74	56.22	36.96	9.48	56.83	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	41.01	-32.99	74	58.05	32.65	7.51	57.2	-	-	P
		7311	46.08	-27.92	74	56.47	36.96	9.48	56.83	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 11 2462MHz		4924	40.97	-33.03	74	57.53	32.84	7.66	57.06	-	-	P	H
		7386	46.03	-27.97	74	56.96	36.58	9.45	56.96	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	41.51	-32.49	74	58.07	32.84	7.66	57.06	-	-	P
		7386	44.86	-29.14	74	55.79	36.58	9.45	56.96	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 01 2412MHz		2389.8	55.39	-18.61	74	50.35	27.5	14.62	37.08	100	147	P	H	
		2390	44.85	-9.15	54	39.81	27.5	14.62	37.08	100	147	A	H	
	*	2412	108.37	-	-	103.31	27.5	14.64	37.08	100	147	P	H	
	*	2412	100.83	-	-	95.77	27.5	14.64	37.08	100	147	A	H	
													H	
													H	
			2390	59.13	-14.87	74	54.09	27.5	14.62	37.08	144	214	P	V
			2390	49.07	-4.93	54	44.03	27.5	14.62	37.08	144	214	A	V
		*	2412	114.42	-	-	109.36	27.5	14.64	37.08	144	214	P	V
		*	2412	106.7	-	-	101.64	27.5	14.64	37.08	144	214	A	V
													V	
													V	
802.11ac VHT20 CH 02 2417MHz		2389.59	52.83	-21.17	74	47.79	27.5	14.62	37.08	100	56	P	H	
		2390	42.93	-11.07	54	37.89	27.5	14.62	37.08	100	56	A	H	
	*	2417	112.36	-	-	107.29	27.5	14.65	37.08	100	56	P	H	
	*	2417	104.8	-	-	99.73	27.5	14.65	37.08	100	56	A	H	
													H	
													H	
			2390	61.04	-12.96	74	56	27.5	14.62	37.08	207	336	P	V
			2390	49.44	-4.56	54	44.4	27.5	14.62	37.08	207	336	A	V
		*	2417	117.23	-	-	112.16	27.5	14.65	37.08	207	336	P	V
		*	2417	110.08	-	-	105.01	27.5	14.65	37.08	207	336	A	V
													V	
													V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT20 CH 06 2437MHz		2389.94	54.01	-19.99	74	48.97	27.5	14.62	37.08	109	221	P	H
		2389.94	43.14	-10.86	54	38.1	27.5	14.62	37.08	109	221	A	H
	*	2437	115.4	-	-	110.21	27.6	14.67	37.08	109	221	P	H
	*	2437	107.18	-	-	101.99	27.6	14.67	37.08	109	221	A	H
		2486.23	55.66	-18.34	74	50.21	27.8	14.72	37.07	109	221	P	H
		2484.7	44.7	-9.3	54	39.25	27.8	14.72	37.07	109	221	A	H
		2389.52	58.13	-15.87	74	53.09	27.5	14.62	37.08	207	151	P	V
		2389.94	45.72	-8.28	54	40.68	27.5	14.62	37.08	207	151	A	V
	*	2437	119.45	-	-	114.26	27.6	14.67	37.08	207	151	P	V
	*	2437	111.46	-	-	106.27	27.6	14.67	37.08	207	151	A	V
		2484.97	57.54	-16.46	74	52.09	27.8	14.72	37.07	207	151	P	V
		2484.61	45.62	-8.38	54	40.17	27.8	14.72	37.07	207	151	A	V
802.11ac VHT20 CH 10 2457MHz	*	2457	112.09	-	-	106.91	27.57	14.69	37.08	105	46	P	H
	*	2457	104.35	-	-	99.17	27.57	14.69	37.08	105	46	A	H
		2483.64	52.11	-21.89	74	46.66	27.8	14.72	37.07	105	46	P	H
		2483.52	41.63	-12.37	54	36.18	27.8	14.72	37.07	105	46	A	H
													H
													H
	*	2457	116.79	-	-	111.61	27.57	14.69	37.08	202	340	P	V
	*	2457	109.54	-	-	104.36	27.57	14.69	37.08	202	340	A	V
		2483.52	55.32	-18.68	74	49.87	27.8	14.72	37.07	202	340	P	V
		2483.52	44.59	-9.41	54	39.14	27.8	14.72	37.07	202	340	A	V
												V	
												V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT20 CH 11 2462MHz	*	2462	110.19	-	-	104.94	27.62	14.7	37.07	100	227	P	H
	*	2462	102.43	-	-	97.18	27.62	14.7	37.07	100	227	A	H
		2483.92	56.16	-17.84	74	50.71	27.8	14.72	37.07	100	227	P	H
		2483.52	44.27	-9.73	54	38.82	27.8	14.72	37.07	100	227	A	H
													H
													H
	*	2462	115.26	-	-	110.01	27.62	14.7	37.07	163	160	P	V
	*	2462	107.64	-	-	102.39	27.62	14.7	37.07	163	160	A	V
		2483.84	59.24	-14.76	74	53.79	27.8	14.72	37.07	163	160	P	V
		2483.52	47.35	-6.65	54	41.9	27.8	14.72	37.07	163	160	A	V
												V	
												V	
802.11ac VHT20 CH 12 2467MHz	*	2467	108.5	-	-	103.2	27.67	14.7	37.07	100	224	P	H
	*	2467	100.48	-	-	95.18	27.67	14.7	37.07	100	224	A	H
		2485.08	54.69	-19.31	74	49.24	27.8	14.72	37.07	100	224	P	H
		2484.84	43.5	-10.5	54	38.05	27.8	14.72	37.07	100	224	A	H
													H
													H
	*	2467	112.86	-	-	107.56	27.67	14.7	37.07	155	160	P	V
	*	2467	104.95	-	-	99.65	27.67	14.7	37.07	155	160	A	V
		2485.52	57.58	-16.42	74	52.13	27.8	14.72	37.07	155	160	P	V
		2483.52	46.6	-7.4	54	41.15	27.8	14.72	37.07	155	160	A	V
												V	
												V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 13 2472MHz	*	2472	96.29	-	-	90.93	27.72	14.71	37.07	107	229	P	H	
	*	2472	88.6	-	-	83.24	27.72	14.71	37.07	107	229	A	H	
		2483.64	61.13	-12.87	74	55.68	27.8	14.72	37.07	107	229	P	H	
		2483.52	47.7	-6.3	54	42.25	27.8	14.72	37.07	107	229	A	H	
													H	
														H
	*	2472	101.37	-	-	96.01	27.72	14.71	37.07	157	157	P	V	
	*	2472	93.78	-	-	88.42	27.72	14.71	37.07	157	157	A	V	
		2483.56	64.68	-9.32	74	59.23	27.8	14.72	37.07	157	157	P	V	
		2483.52	52.14	-1.86	54	46.69	27.8	14.72	37.07	157	157	A	V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 													



2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT20 CH 01 2412MHz		4824	41.39	-32.61	74	58.94	32.44	7.35	57.34	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	41.6	-32.4	74	59.15	32.44	7.35	57.34	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 06 2437MHz		4874	44.27	-29.73	74	61.31	32.65	7.51	57.2	204	226	P	H	
		4874	33.39	-20.61	54	50.43	32.65	7.51	57.2	204	226	A	H	
		7311	50.08	-23.92	74	60.47	36.96	9.48	56.83	238	102	P	H	
		7311	38.35	-15.65	54	48.74	36.96	9.48	56.83	238	102	A	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4874	46.63	-27.37	74	63.67	32.65	7.51	57.2	151	177	P	V
			4874	36.11	-17.89	54	53.15	32.65	7.51	57.2	151	177	A	V
			7311	46.25	-27.75	74	56.64	36.96	9.48	56.83	-	-	P	V
														V
														V
														V
														V
														V
													V	
													V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT20 CH 11 2462MHz		4924	40.91	-33.09	74	57.47	32.84	7.66	57.06	-	-	P	H
		7386	46.18	-27.82	74	57.11	36.58	9.45	56.96	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	45.08	-28.92	74	61.64	32.84	7.66	57.06	173	177	P
		4924	34.71	-19.29	54	51.27	32.84	7.66	57.06	173	177	A	V
		7386	44.8	-29.2	74	55.73	36.58	9.45	56.96	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE20 Full CH 01 2412MHz		2387.385	53.65	-20.35	74	48.64	27.47	14.62	37.08	100	46	P	H	
		2390	42.6	-11.4	54	37.56	27.5	14.62	37.08	100	46	A	H	
	*	2412	111.9	-	-	106.84	27.5	14.64	37.08	100	46	P	H	
	*	2412	103	-	-	97.94	27.5	14.64	37.08	100	46	A	H	
													H	
														H
			2390	58.1	-15.9	74	53.06	27.5	14.62	37.08	202	339	P	V
			2390	47.67	-6.33	54	42.63	27.5	14.62	37.08	202	339	A	V
		*	2412	116.7	-	-	111.64	27.5	14.64	37.08	202	339	P	V
		*	2412	108.56	-	-	103.5	27.5	14.64	37.08	202	339	A	V
802.11ax HE20 Full CH 02 2417MHz		2389.695	54.73	-19.27	74	49.69	27.5	14.62	37.08	100	41	P	H	
		2390	45.09	-8.91	54	40.05	27.5	14.62	37.08	100	41	A	H	
	*	2417	115.32	-	-	110.25	27.5	14.65	37.08	100	41	P	H	
	*	2417	105.25	-	-	100.18	27.5	14.65	37.08	100	41	A	H	
													H	
														H
			2389.485	60.07	-13.93	74	55.04	27.49	14.62	37.08	207	335	P	V
			2390	49.21	-4.79	54	44.17	27.5	14.62	37.08	207	335	A	V
		*	2417	117.21	-	-	112.14	27.5	14.65	37.08	207	335	P	V
		*	2417	110.06	-	-	104.99	27.5	14.65	37.08	207	335	A	V
													V	
													V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 06 2437MHz		2389.8	50.67	-23.33	74	45.63	27.5	14.62	37.08	110	43	P	H
		2389.94	40.46	-13.54	54	35.42	27.5	14.62	37.08	110	43	A	H
	*	2437	115.35	-	-	110.16	27.6	14.67	37.08	110	43	P	H
	*	2437	106.52	-	-	101.33	27.6	14.67	37.08	110	43	A	H
		2485.3	55.01	-18.99	74	49.56	27.8	14.72	37.07	110	43	P	H
		2484.46	42.56	-11.44	54	37.11	27.8	14.72	37.07	110	43	A	H
		2389.1	53.64	-20.36	74	48.61	27.49	14.62	37.08	219	336	P	V
		2389.8	43.15	-10.85	54	38.11	27.5	14.62	37.08	219	336	A	V
	*	2437	118.32	-	-	113.13	27.6	14.67	37.08	219	336	P	V
	*	2437	111.08	-	-	105.89	27.6	14.67	37.08	219	336	A	V
		2486.14	57.95	-16.05	74	52.5	27.8	14.72	37.07	219	336	P	V
		2485.16	46.72	-7.28	54	41.27	27.8	14.72	37.07	219	336	A	V
802.11ax HE20 Full CH 10 2457MHz	*	2457	113.61	-	-	108.43	27.57	14.69	37.08	100	49	P	H
	*	2457	103.67	-	-	98.49	27.57	14.69	37.08	100	49	A	H
		2483.72	54.87	-19.13	74	49.42	27.8	14.72	37.07	100	49	P	H
		2483.52	42.78	-11.22	54	37.33	27.8	14.72	37.07	100	49	A	H
													H
													H
	*	2457	118.84	-	-	113.66	27.57	14.69	37.08	203	339	P	V
	*	2457	109.72	-	-	104.54	27.57	14.69	37.08	203	339	A	V
		2484.36	57.38	-16.62	74	51.93	27.8	14.72	37.07	203	339	P	V
		2483.52	45.81	-8.19	54	40.36	27.8	14.72	37.07	203	339	A	V
												V	
												V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 11 2462MHz	*	2462	111.9	-	-	106.65	27.62	14.7	37.07	100	223	P	H
	*	2462	102.89	-	-	97.64	27.62	14.7	37.07	100	223	A	H
		2485.6	59.21	-14.79	74	53.76	27.8	14.72	37.07	100	223	P	H
		2483.56	46.9	-7.1	54	41.45	27.8	14.72	37.07	100	223	A	H
													H
													H
	*	2462	115.42	-	-	110.17	27.62	14.7	37.07	161	160	P	V
	*	2462	107.35	-	-	102.1	27.62	14.7	37.07	161	160	A	V
		2484.4	62.36	-11.64	74	56.91	27.8	14.72	37.07	161	160	P	V
		2483.52	50.52	-3.48	54	45.07	27.8	14.72	37.07	161	160	A	V
												V	
												V	
802.11ax HE20 Full CH 12 2467MHz	*	2467	108.81	-	-	103.51	27.67	14.7	37.07	106	41	P	H
	*	2467	99.69	-	-	94.39	27.67	14.7	37.07	106	41	A	H
		2483.52	56.9	-17.1	74	51.45	27.8	14.72	37.07	106	41	P	H
		2485.68	43.18	-10.82	54	37.73	27.8	14.72	37.07	106	41	A	H
													H
													H
	*	2467	113.8	-	-	108.5	27.67	14.7	37.07	222	336	P	V
	*	2467	104.62	-	-	99.32	27.67	14.7	37.07	222	336	A	V
		2485.84	58.73	-15.27	74	53.28	27.8	14.72	37.07	222	336	P	V
		2485.52	47.34	-6.66	54	41.89	27.8	14.72	37.07	222	336	A	V
												V	
												V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 13 2472MHz	*	2472	96.21	-	-	90.85	27.72	14.71	37.07	107	43	P	H
	*	2472	87.73	-	-	82.37	27.72	14.71	37.07	107	43	A	H
		2483.64	57.77	-16.23	74	52.32	27.8	14.72	37.07	107	43	P	H
		2483.52	45.18	-8.82	54	39.73	27.8	14.72	37.07	107	43	A	H
													H
													H
	*	2472	102.58	-	-	97.22	27.72	14.71	37.07	191	337	P	V
	*	2472	93.53	-	-	88.17	27.72	14.71	37.07	191	337	A	V
		2483.6	65.61	-8.39	74	60.16	27.8	14.72	37.07	191	337	P	V
		2483.52	51.05	-2.95	54	45.6	27.8	14.72	37.07	191	337	A	V
												V	
												V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 2412MHz		4924	41.73	-32.27	74	58.29	32.84	7.66	57.06	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	40.73	-33.27	74	57.29	32.84	7.66	57.06	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 06 2437MHz		4874	41.76	-32.24	74	58.8	32.65	7.51	57.2	-	-	P	H
		7311	51.4	-22.6	74	61.79	36.96	9.48	56.83	234	110	P	H
		7311	39	-15	54	49.39	36.96	9.48	56.83	234	110	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	46.59	-27.41	74	63.63	32.65	7.51	57.2	168	173	P
		4874	36.29	-17.71	54	53.33	32.65	7.51	57.2	168	173	A	V
		7311	49.78	-24.22	74	60.17	36.96	9.48	56.83	100	181	P	V
		7311	37.94	-16.06	54	48.33	36.96	9.48	56.83	100	181	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WiFi Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE20 Full CH 11 2462MHz		4924	40.83	-33.17	74	57.39	32.84	7.66	57.06	-	-	P	H	
		7386	46.02	-27.98	74	56.95	36.58	9.45	56.96	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
	802.11ax HE20 Full CH 11 2462MHz		4924	41.91	-32.09	74	58.47	32.84	7.66	57.06	-	-	P	V
			7386	44.83	-29.17	74	55.76	36.58	9.45	56.96	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE20 Partial 26/0 CH 01 2412MHz		2389.856	51.6	-22.4	74	46.56	27.5	14.62	37.08	109	219	P	H	
		2389.52	40.15	-13.85	54	35.11	27.5	14.62	37.08	109	219	A	H	
	*	2412	115.97	-	-	110.91	27.5	14.64	37.08	109	219	P	H	
	*	2412	108.58	-	-	103.52	27.5	14.64	37.08	109	219	A	H	
													H	
														H
			2389.968	57.33	-16.67	74	52.29	27.5	14.62	37.08	233	150	P	V
			2389.408	44.36	-9.64	54	39.33	27.49	14.62	37.08	233	150	A	V
		*	2412	119.62	-	-	114.56	27.5	14.64	37.08	233	150	P	V
		*	2412	112.91	-	-	107.85	27.5	14.64	37.08	233	150	A	V
													V	
													V	
802.11ax HE20 Partial 26/0 CH 02 2417MHz		2362.416	49.66	-24.34	74	44.86	27.3	14.59	37.09	100	225	P	H	
		2389.968	39.45	-14.55	54	34.41	27.5	14.62	37.08	100	225	A	H	
		*	2417	114.61	-	-	109.54	27.5	14.65	37.08	100	225	P	H
		*	2417	108.1	-	-	103.03	27.5	14.65	37.08	100	225	A	H
														H
														H
			2389.968	52.3	-21.7	74	47.26	27.5	14.62	37.08	234	148	P	V
			2389.968	42.62	-11.38	54	37.58	27.5	14.62	37.08	234	148	A	V
		*	2417	119.37	-	-	114.3	27.5	14.65	37.08	234	148	P	V
		*	2417	112.26	-	-	107.19	27.5	14.65	37.08	234	148	A	V
													V	
													V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/4 CH 06 2437MHz		2389.1	49.38	-24.62	74	44.35	27.49	14.62	37.08	108	222	P	H
		2389.66	39.1	-14.9	54	34.06	27.5	14.62	37.08	108	222	A	H
	*	2437	119.17	-	-	113.98	27.6	14.67	37.08	108	222	P	H
	*	2437	111.22	-	-	106.03	27.6	14.67	37.08	108	222	A	H
		2484.39	50.35	-23.65	74	44.9	27.8	14.72	37.07	108	222	P	H
		2483.62	39.99	-14.01	54	34.54	27.8	14.72	37.07	108	222	A	H
		2389.94	51.37	-22.63	74	46.33	27.5	14.62	37.08	158	155	P	V
		2389.94	41.4	-12.6	54	36.36	27.5	14.62	37.08	158	155	A	V
	*	2437	121.25	-	-	116.06	27.6	14.67	37.08	158	155	P	V
	*	2437	114.51	-	-	109.32	27.6	14.67	37.08	158	155	A	V
		2483.69	52.51	-21.49	74	47.06	27.8	14.72	37.07	158	155	P	V
		2483.9	41.89	-12.11	54	36.44	27.8	14.72	37.07	158	155	A	V
802.11ax HE20 Partial 26/8 CH 10 2457MHz	*	2457	112.46	-	-	107.28	27.57	14.69	37.08	122	149	P	H
	*	2457	104.7	-	-	99.52	27.57	14.69	37.08	122	149	A	H
		2483.5	51.47	-22.53	74	46.02	27.8	14.72	37.07	122	149	P	H
		2483.536	40.98	-13.02	54	35.53	27.8	14.72	37.07	122	149	A	H
													H
													H
	*	2457	115.96	-	-	110.78	27.57	14.69	37.08	226	156	P	V
	*	2457	109.66	-	-	104.48	27.57	14.69	37.08	226	156	A	V
		2483.68	53.74	-20.26	74	48.29	27.8	14.72	37.07	226	156	P	V
		2483.536	43.84	-10.16	54	38.39	27.8	14.72	37.07	226	156	A	V
												V	
												V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE20 Partial 26/8 CH 11 2462MHz	*	2462	109.6	-	-	104.35	27.62	14.7	37.07	109	217	P	H	
	*	2462	103.29	-	-	98.04	27.62	14.7	37.07	109	217	A	H	
		2485.08	53.93	-20.07	74	48.48	27.8	14.72	37.07	109	217	P	H	
		2483.52	41.49	-12.51	54	36.04	27.8	14.72	37.07	109	217	A	H	
													H	
														H
	*	2462	118.79	-	-	113.54	27.62	14.7	37.07	160	160	P	V	
	*	2462	112.22	-	-	106.97	27.62	14.7	37.07	160	160	A	V	
		2483.92	57.16	-16.84	74	51.71	27.8	14.72	37.07	160	160	P	V	
		2485.36	44.35	-9.65	54	38.9	27.8	14.72	37.07	160	160	A	V	
													V	
													V	
802.11ax HE20 Partial 26/8 CH 12 2467MHz	*	2467	114.8	-	-	109.5	27.67	14.7	37.07	109	146	P	H	
	*	2467	107.94	-	-	102.64	27.67	14.7	37.07	109	146	A	H	
		2483.6	59.02	-14.98	74	53.57	27.8	14.72	37.07	109	146	P	H	
		2483.96	45.31	-8.69	54	39.86	27.8	14.72	37.07	109	146	A	H	
													H	
														H
	*	2467	119.81	-	-	114.51	27.67	14.7	37.07	180	209	P	V	
	*	2467	113.34	-	-	108.04	27.67	14.7	37.07	180	209	A	V	
		2483.68	64.68	-9.32	74	59.23	27.8	14.72	37.07	180	209	P	V	
		2484.12	50.42	-3.58	54	44.97	27.8	14.72	37.07	180	209	A	V	
													V	
													V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/8 CH 13 2472MHz	*	2472	95.31	-	-	89.95	27.72	14.71	37.07	126	145	P	H
	*	2472	87.6	-	-	82.24	27.72	14.71	37.07	126	145	A	H
		2483.56	62.82	-11.18	74	57.37	27.8	14.72	37.07	126	145	P	H
		2483.52	46.19	-7.81	54	40.74	27.8	14.72	37.07	126	145	A	H
													H
													H
	*	2472	98.47	-	-	93.11	27.72	14.71	37.07	184	209	P	V
	*	2472	91.52	-	-	86.16	27.72	14.71	37.07	184	209	A	V
		2483.52	67.64	-6.36	74	62.19	27.8	14.72	37.07	184	209	P	V
		2483.52	50.42	-3.58	54	44.97	27.8	14.72	37.07	184	209	A	V
												V	
												V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 26 (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/0		4824	41.95	-32.05	74	59.5	32.44	7.35	57.34	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
CH 01 2412MHz		4824	48.26	-25.74	74	65.81	32.44	7.35	57.34	160	175	P	V
		4824	39.19	-14.81	54	56.74	32.44	7.35	57.34	160	175	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE20 Partial 26/4 CH 06 2437MHz		4874	47.87	-26.13	74	64.91	32.65	7.51	57.2	240	228	P	H	
		4874	37.44	-16.56	54	54.48	32.65	7.51	57.2	240	228	A	H	
		7311	54.5	-19.5	74	64.89	36.96	9.48	56.83	239	103	P	H	
		7311	41.86	-12.14	54	52.25	36.96	9.48	56.83	239	103	A	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4874	50.41	-23.59	74	67.45	32.65	7.51	57.2	148	176	P	V
			4874	40.35	-13.65	54	57.39	32.65	7.51	57.2	148	176	A	V
		7311	53.53	-20.47	74	63.92	36.96	9.48	56.83	100	178	P	V	
		7311	40.15	-13.85	54	50.54	36.96	9.48	56.83	100	178	A	V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE20 Partial 26/8 CH 11 2462MHz		4924	41.61	-32.39	74	58.17	32.84	7.66	57.06	-	-	P	H	
		7386	46.39	-27.61	74	57.32	36.58	9.45	56.96	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
	802.11ax HE20 Partial 26/8 CH 11 2462MHz		4924	40.52	-33.48	74	57.08	32.84	7.66	57.06	-	-	P	V
			7386	44.49	-29.51	74	55.42	36.58	9.45	56.96	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE20 Partial 52/37 CH 01 2412MHz		2389.072	50.08	-23.92	74	45.05	27.49	14.62	37.08	110	220	P	H	
		2389.968	40.35	-13.65	54	35.31	27.5	14.62	37.08	110	220	A	H	
	*	2412	113.44	-	-	108.38	27.5	14.64	37.08	110	220	P	H	
	*	2412	105.9	-	-	100.84	27.5	14.64	37.08	110	220	A	H	
													H	
														H
			2388.96	56.06	-17.94	74	51.03	27.49	14.62	37.08	236	147	P	V
			2389.968	44.33	-9.67	54	39.29	27.5	14.62	37.08	236	147	A	V
	*		2412	118.43	-	-	113.37	27.5	14.64	37.08	236	147	P	V
	*		2412	110.1	-	-	105.04	27.5	14.64	37.08	236	147	A	V
													V	
													V	
802.11ax HE20 Partial 52/37 CH 02 2417MHz		2389.856	49.53	-24.47	74	44.49	27.5	14.62	37.08	101	221	P	H	
		2389.968	39.5	-14.5	54	34.46	27.5	14.62	37.08	101	221	A	H	
	*	2417	113.06	-	-	107.99	27.5	14.65	37.08	101	221	P	H	
	*	2417	105.55	-	-	100.48	27.5	14.65	37.08	101	221	A	H	
													H	
													H	
			2389.52	51.37	-22.63	74	46.33	27.5	14.62	37.08	200	153	P	V
			2389.856	41.81	-12.19	54	36.77	27.5	14.62	37.08	200	153	A	V
	*		2417	117.52	-	-	112.45	27.5	14.65	37.08	200	153	P	V
	*		2417	109.09	-	-	104.02	27.5	14.65	37.08	200	153	A	V
													V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/40 CH 10 2457MHz	*	2457	111.55	-	-	106.37	27.57	14.69	37.08	100	152	P	H
	*	2457	103.5	-	-	98.32	27.57	14.69	37.08	100	152	A	H
		2486.272	50.21	-23.79	74	44.76	27.8	14.72	37.07	100	152	P	H
		2483.824	40.45	-13.55	54	35	27.8	14.72	37.07	100	152	A	H
													H
													H
	*	2457	115.82	-	-	110.64	27.57	14.69	37.08	188	162	P	V
	*	2457	107.38	-	-	102.2	27.57	14.69	37.08	188	162	A	V
		2484.88	53.37	-20.63	74	47.92	27.8	14.72	37.07	188	162	P	V
		2483.968	42.84	-11.16	54	37.39	27.8	14.72	37.07	188	162	A	V
												V	
												V	
802.11ax HE20 Partial 52/40 CH 11 2462MHz	*	2462	112.18	-	-	106.93	27.62	14.7	37.07	100	232	P	H
	*	2462	103.63	-	-	98.38	27.62	14.7	37.07	100	232	A	H
		2483.92	52.42	-21.58	74	46.97	27.8	14.72	37.07	100	232	P	H
		2485.4	41.23	-12.77	54	35.78	27.8	14.72	37.07	100	232	A	H
													H
													H
	*	2462	115.24	-	-	109.99	27.62	14.7	37.07	157	152	P	V
	*	2462	107.64	-	-	102.39	27.62	14.7	37.07	157	152	A	V
		2483.64	56.26	-17.74	74	50.81	27.8	14.72	37.07	157	152	P	V
		2483.64	43.8	-10.2	54	38.35	27.8	14.72	37.07	157	152	A	V
												V	
												V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/40 CH 12 2467MHz	*	2467	115.02	-	-	109.72	27.67	14.7	37.07	106	145	P	H
	*	2467	106.35	-	-	101.05	27.67	14.7	37.07	106	145	A	H
		2483.52	58.32	-15.68	74	52.87	27.8	14.72	37.07	106	145	P	H
		2483.52	45.42	-8.58	54	39.97	27.8	14.72	37.07	106	145	A	H
													H
													H
	*	2467	117.77	-	-	112.47	27.67	14.7	37.07	100	207	P	V
	*	2467	109.85	-	-	104.55	27.67	14.7	37.07	100	207	A	V
		2485	62.4	-11.6	74	56.95	27.8	14.72	37.07	100	207	P	V
		2483.52	49.27	-4.73	54	43.82	27.8	14.72	37.07	100	207	A	V
													V
													V
802.11ax HE20 Partial 52/40 CH 13 2472MHz	*	2472	96.83	-	-	91.47	27.72	14.71	37.07	100	146	P	H
	*	2472	87.75	-	-	82.39	27.72	14.71	37.07	100	146	A	H
		2483.52	63.53	-10.47	74	58.08	27.8	14.72	37.07	100	146	P	H
		2483.52	45.62	-8.38	54	40.17	27.8	14.72	37.07	100	146	A	H
													H
													H
	*	2472	97.73	-	-	92.37	27.72	14.71	37.07	158	203	P	V
	*	2472	89.06	-	-	83.7	27.72	14.71	37.07	158	203	A	V
		2483.52	67.97	-6.03	74	62.52	27.8	14.72	37.07	158	203	P	V
		2483.52	50.42	-3.58	54	44.97	27.8	14.72	37.07	158	203	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE20 Partial 106/53 CH 01 2412MHz		2388.848	49.79	-24.21	74	44.76	27.49	14.62	37.08	115	223	P	H	
		2389.968	39.54	-14.46	54	34.5	27.5	14.62	37.08	115	223	A	H	
	*	2412	111.33	-	-	106.27	27.5	14.64	37.08	115	223	P	H	
	*	2412	102.56	-	-	97.5	27.5	14.64	37.08	115	223	A	H	
													H	
														H
			2389.856	56.86	-17.14	74	51.82	27.5	14.62	37.08	201	163	P	V
			2389.968	44.23	-9.77	54	39.19	27.5	14.62	37.08	201	163	A	V
	*		2412	117.62	-	-	112.56	27.5	14.64	37.08	201	163	P	V
	*		2412	109.34	-	-	104.28	27.5	14.64	37.08	201	163	A	V
														V
														V
802.11ax HE20 Partial 106/53 CH 02 2417MHz		2347.296	49.22	-24.78	74	44.46	27.27	14.58	37.09	100	232	P	H	
		2389.968	39.09	-14.91	54	34.05	27.5	14.62	37.08	100	232	A	H	
	*	2417	112.63	-	-	107.56	27.5	14.65	37.08	100	232	P	H	
	*	2417	103.32	-	-	98.25	27.5	14.65	37.08	100	232	A	H	
														H
														H
			2389.856	49.99	-24.01	74	44.95	27.5	14.62	37.08	204	168	P	V
			2389.968	40.57	-13.43	54	35.53	27.5	14.62	37.08	204	168	A	V
	*		2417	117.04	-	-	111.97	27.5	14.65	37.08	204	168	P	V
	*		2417	108.89	-	-	103.82	27.5	14.65	37.08	204	168	A	V
														V
														V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/54 CH 10 2457MHz	*	2457	110.61	-	-	105.43	27.57	14.69	37.08	100	156	P	H
	*	2457	100.81	-	-	95.63	27.57	14.69	37.08	100	156	A	H
		2486.224	51.18	-22.82	74	45.73	27.8	14.72	37.07	100	156	P	H
		2483.536	40.13	-13.87	54	34.68	27.8	14.72	37.07	100	156	A	H
													H
													H
	*	2457	114.25	-	-	109.07	27.57	14.69	37.08	180	220	P	V
	*	2457	105.35	-	-	100.17	27.57	14.69	37.08	180	220	A	V
		2483.584	51.71	-22.29	74	46.26	27.8	14.72	37.07	180	220	P	V
		2483.584	42.07	-11.93	54	36.62	27.8	14.72	37.07	180	220	A	V
												V	
												V	
802.11ax HE20 Partial 106/54 CH 11 2462MHz	*	2462	113.12	-	-	107.87	27.62	14.7	37.07	100	222	P	H
	*	2462	104	-	-	98.75	27.62	14.7	37.07	100	222	A	H
		2483.84	52.09	-21.91	74	46.64	27.8	14.72	37.07	100	222	P	H
		2483.52	41.7	-12.3	54	36.25	27.8	14.72	37.07	100	222	A	H
													H
													H
	*	2462	114.95	-	-	109.7	27.62	14.7	37.07	187	159	P	V
	*	2462	106.56	-	-	101.31	27.62	14.7	37.07	187	159	A	V
		2484.6	55.19	-18.81	74	49.74	27.8	14.72	37.07	187	159	P	V
		2483.52	43.8	-10.2	54	38.35	27.8	14.72	37.07	187	159	A	V
												V	
												V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/54 CH 12 2467MHz	*	2467	110.64	-	-	105.34	27.67	14.7	37.07	125	146	P	H
	*	2467	102.47	-	-	97.17	27.67	14.7	37.07	125	146	A	H
		2483.68	60.97	-13.03	74	55.52	27.8	14.72	37.07	125	146	P	H
		2483.52	47.4	-6.6	54	41.95	27.8	14.72	37.07	125	146	A	H
													H
													H
	*	2467	115.27	-	-	109.97	27.67	14.7	37.07	137	216	P	V
	*	2467	106.72	-	-	101.42	27.67	14.7	37.07	137	216	A	V
		2483.52	67.11	-6.89	74	61.66	27.8	14.72	37.07	137	216	P	V
		2483.52	52	-2	54	46.55	27.8	14.72	37.07	137	216	A	V
												V	
												V	
802.11ax HE20 Partial 106/54 CH 13 2472MHz	*	2472	98.01	-	-	92.65	27.72	14.71	37.07	100	231	P	H
	*	2472	88.77	-	-	83.41	27.72	14.71	37.07	100	231	A	H
		2483.6	62.32	-11.68	74	56.87	27.8	14.72	37.07	100	231	P	H
		2483.52	46.17	-7.83	54	40.72	27.8	14.72	37.07	100	231	A	H
													H
													H
	*	2472	101.58	-	-	96.22	27.72	14.71	37.07	100	202	P	V
	*	2472	91.75	-	-	86.39	27.72	14.71	37.07	100	202	A	V
		2483.52	68.1	-5.9	74	62.65	27.8	14.72	37.07	100	202	P	V
		2483.52	50.63	-3.37	54	45.18	27.8	14.72	37.07	100	202	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Partial 242 (Band Edge @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 242/61 CH 11 2462MHz	*	2462	110.53	-	-	105.28	27.62	14.7	37.07	111	223	P	H
	*	2462	101.99	-	-	96.74	27.62	14.7	37.07	111	223	A	H
		2485.56	59.92	-14.08	74	54.47	27.8	14.72	37.07	111	223	P	H
		2484.16	47.58	-6.42	54	42.13	27.8	14.72	37.07	111	223	A	H
													H
													H
	*	2462	115.08	-	-	109.83	27.62	14.7	37.07	138	213	P	V
	*	2462	105.86	-	-	100.61	27.62	14.7	37.07	138	213	A	V
		2484.36	63.47	-10.53	74	58.02	27.8	14.72	37.07	138	213	P	V
		2483.52	51.44	-2.56	54	45.99	27.8	14.72	37.07	138	213	A	V
												V	
												V	
802.11ax HE20 Partial 242/61 CH 12 2467MHz	*	2467	109.5	-	-	104.2	27.67	14.7	37.07	100	216	P	H
	*	2467	100.66	-	-	95.36	27.67	14.7	37.07	100	216	A	H
		2484.08	59.12	-14.88	74	53.67	27.8	14.72	37.07	100	216	P	H
		2483.56	46.85	-7.15	54	41.4	27.8	14.72	37.07	100	216	A	H
													H
													H
	*	2467	113.32	-	-	108.02	27.67	14.7	37.07	143	218	P	V
	*	2467	103.16	-	-	97.86	27.67	14.7	37.07	143	218	A	V
		2483.56	64.59	-9.41	74	59.14	27.8	14.72	37.07	143	218	P	V
		2483.52	52.39	-1.61	54	46.94	27.8	14.72	37.07	143	218	A	V
												V	
												V	



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 242/61 CH 13 2472MHz	*	2472	95.73	-	-	90.37	27.72	14.71	37.07	100	145	P	H
	*	2472	87.56	-	-	82.2	27.72	14.71	37.07	100	145	A	H
		2483.52	63.54	-10.46	74	58.09	27.8	14.72	37.07	100	145	P	H
		2483.52	47.67	-6.33	54	42.22	27.8	14.72	37.07	100	145	A	H
													H
													H
	*	2472	101.31	-	-	95.95	27.72	14.71	37.07	166	162	P	V
	*	2472	93.24	-	-	87.88	27.72	14.71	37.07	166	162	A	V
		2483.52	68.02	-5.98	74	62.57	27.8	14.72	37.07	166	162	P	V
		2483.52	52.5	-1.5	54	47.05	27.8	14.72	37.07	166	162	A	V
												V	
												V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



Emission above 18GHz

2.4GHz WIFI 802.11ax HE20 Partial 242 (SHF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11ax HE20 Partial 242 SHF		24762	40.84	-33.16	74	57.54	39.12	-2.42	53.4	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			23915	42.18	-31.82	74	60.36	38.42	-2.65	53.95	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Emission below 1GHz

2.4GHz WIFI 802.11ax HE20 Partial 242 (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11ax HE20 Partial 242 LF		45.39	24.01	-15.99	40	38.44	16.7	1.27	32.4	-	-	P	H	
		184.71	27.28	-16.22	43.5	42.95	14.8	1.8	32.27	-	-	P	H	
		271.38	26.41	-19.59	46	37.63	18.94	2.05	32.21	-	-	P	H	
		640.9	27.73	-18.27	46	30.67	26.5	2.78	32.22	-	-	P	H	
		730.5	30.15	-15.85	46	31.82	27.54	2.95	32.16	-	-	P	H	
		947.5	33.01	-12.99	46	29.94	30.9	3.31	31.14	-	-	P	H	
														H
														H
														H
														H
														H
														H
			45.12	33.37	-6.63	40	47.66	16.84	1.27	32.4	100	22	Q	V
			64.02	32.46	-7.54	40	51.39	12	1.37	32.3	-	-	P	V
			139.62	31.62	-11.88	43.5	44.81	17.48	1.62	32.29	-	-	P	V
			566	26.3	-19.7	46	29.84	26.06	2.65	32.25	-	-	P	V
			703.9	31.27	-14.73	46	33.88	26.66	2.9	32.17	-	-	P	V
			956.6	33.31	-12.69	46	30.05	31	3.32	31.06	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	

Remark

- No other spurious found.
- All results are PASS against limit line.
- The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.



<Sample 2>

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 242 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 242/61 CH 11 2462MHz	*	2462	111.57	-	-	106.32	27.62	14.7	37.07	102	209	P	H
	*	2462	103.14	-	-	97.89	27.62	14.7	37.07	102	209	A	H
		2483.52	59.42	-14.58	74	53.97	27.8	14.72	37.07	102	209	P	H
		2483.52	48.78	-5.22	54	43.33	27.8	14.72	37.07	102	209	A	H
													H
													H
	*	2462	116.88	-	-	111.63	27.62	14.7	37.07	199	154	P	V
	*	2462	107.82	-	-	102.57	27.62	14.7	37.07	199	154	A	V
		2483.6	61.23	-12.77	74	55.78	27.8	14.72	37.07	199	154	P	V
		2483.52	50.26	-3.74	54	44.81	27.8	14.72	37.07	199	154	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 242 (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 242/61 CH 11 2462MHz		4924	41.49	-32.51	74	58.05	32.84	7.66	57.06	-	-	P	H
		7386	45.84	-28.16	74	56.77	36.58	9.45	56.96	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
	802.11ax HE20 Partial 242/61 CH 11 2462MHz		4924	41.27	-32.73	74	57.83	32.84	7.66	57.06	-	-	P
		7386	46.33	-27.67	74	57.26	36.58	9.45	56.96	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Emission above 18GHz

2.4GHz WIFI 802.11ax HE20 Partial 242 (SHF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11ax HE20 Partial 242 SHF		24706	40.81	-33.19	74	57.36	39.28	-2.41	53.42	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			24720	40.61	-33.39	74	57.21	39.22	-2.41	53.41	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Emission below 1GHz

2.4GHz WIFI 802.11ax HE20 Partial 242 (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11ax HE20 Partial 242 LF		31.94	32.93	-7.07	40	40.01	24.14	1.12	32.34	-	-	P	H	
		89.17	32.31	-11.19	43.5	48.62	14.52	1.44	32.27	-	-	P	H	
		186.17	32.22	-11.28	43.5	47.9	14.72	1.8	32.2	-	-	P	H	
		268.62	33.44	-12.56	46	44.24	19.28	2.04	32.12	-	-	P	H	
		603.27	37.66	-8.34	46	41.57	25.6	2.72	32.23	-	-	P	H	
		852.56	33	-13	46	32.15	29.4	3.18	31.73	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			43.58	30.76	-9.24	40	44.21	17.58	1.26	32.29	100	159	Q	V
			64.92	33.53	-6.47	40	52.4	12	1.38	32.25	-	-	P	V
			196.84	35.13	-8.37	43.5	50.64	14.9	1.79	32.2	-	-	P	V
			453.89	28.33	-17.67	46	34.97	23.1	2.42	32.16	-	-	P	V
			759.44	31.24	-14.76	46	31.97	28.3	2.99	32.02	-	-	P	V
			896.21	36.01	-9.99	46	35.23	29	3.23	31.45	-	-	P	V
														V
													V	
													V	
													V	
													V	
													V	

Remark

- No other spurious found.
- All results are PASS against limit line.
- The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.



<Sample 3>

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 242 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 242/61 CH 11 2462MHz	*	2462	111.75	-	-	106.5	27.62	14.7	37.07	103	211	P	H
	*	2462	103.35	-	-	98.1	27.62	14.7	37.07	103	211	A	H
		2483.6	62.67	-11.33	74	57.22	27.8	14.72	37.07	103	211	P	H
		2483.52	52.12	-1.88	54	46.67	27.8	14.72	37.07	103	211	A	H
													H
													H
	*	2462	115.87	-	-	110.62	27.62	14.7	37.07	200	154	P	V
	*	2462	108.35	-	-	103.1	27.62	14.7	37.07	200	154	A	V
		2483.68	63.93	-10.07	74	58.48	27.8	14.72	37.07	200	154	P	V
		2483.52	52.91	-1.09	54	47.46	27.8	14.72	37.07	200	154	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 242 (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 242/61 CH 11 2462MHz		4924	40.21	-33.79	74	56.77	32.84	7.66	57.06	-	-	P	H
		7386	45.7	-28.3	74	56.63	36.58	9.45	56.96	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
	802.11ax HE20 Partial 242/61 CH 11 2462MHz		4924	40.25	-33.75	74	56.81	32.84	7.66	57.06	-	-	P
		7386	46.55	-27.45	74	57.48	36.58	9.45	56.96	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Emission above 18GHz

2.4GHz WIFI 802.11ax HE20 Partial 242 (SHF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11ax HE20 Partial 242 SHF		24433	41	-33	74	57.98	39	-2.43	53.55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			23964	42.15	-31.85	74	60.02	38.7	-2.65	53.92	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Emission below 1GHz

2.4GHz WIFI 802.11ax HE20 Partial 242 (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11ax HE20 Partial 242 LF		53.28	31.51	-8.49	40	49.51	12.99	1.24	32.23	-	-	P	H	
		158.04	28.59	-14.91	43.5	42.44	16.6	1.74	32.19	-	-	P	H	
		210.42	33.63	-9.87	43.5	48.92	15.07	1.83	32.19	-	-	P	H	
		305.48	25.84	-20.16	46	36.47	19.31	2.14	32.08	-	-	P	H	
		729.37	32.69	-13.31	46	34.34	27.49	2.95	32.09	-	-	P	H	
		903.97	37.16	-8.84	46	36.25	29.08	3.23	31.4	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30.97	32.43	-7.57	40	38.84	24.81	1.1	32.32	-	-	P	V
			43.58	30.11	-9.89	40	43.56	17.58	1.26	32.29	100	85	Q	V
			159.01	26.8	-16.7	43.5	40.64	16.6	1.75	32.19	-	-	P	V
			286.08	24.6	-21.4	46	35.67	18.94	2.09	32.1	-	-	P	V
			620.73	27.99	-18.01	46	31.42	26.04	2.75	32.22	-	-	P	V
			896.21	39.82	-6.18	46	39.04	29	3.23	31.45	-	-	P	V
														V
														V
													V	
													V	
													V	

Remark

- No other spurious found.
- All results are PASS against limit line.
- The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.



<Sample 4>

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 242 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 242/61 CH 11 2462MHz	*	2462	111.54	-	-	106.29	27.62	14.7	37.07	104	212	P	H
	*	2462	103.57	-	-	98.32	27.62	14.7	37.07	104	212	A	H
		2483.76	61.96	-12.04	74	56.51	27.8	14.72	37.07	104	212	P	H
		2483.52	49.96	-4.04	54	44.51	27.8	14.72	37.07	104	212	A	H
													H
													H
	*	2462	115.89	-	-	110.64	27.62	14.7	37.07	197	152	P	V
	*	2462	107.75	-	-	102.5	27.62	14.7	37.07	197	152	A	V
		2483.64	59.27	-14.73	74	53.82	27.8	14.72	37.07	197	152	P	V
		2483.52	49.72	-4.28	54	44.27	27.8	14.72	37.07	197	152	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 242 (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 242/61 CH 11 2472MHz		4924	41.98	-32.02	74	58.54	32.84	7.66	57.06	-	-	P	H
		7386	45.8	-28.2	74	56.73	36.58	9.45	56.96	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
	802.11ax HE20 Partial 242/61 CH 11 2472MHz		4924	40.76	-33.24	74	57.32	32.84	7.66	57.06	-	-	P
		7386	45.88	-28.12	74	56.81	36.58	9.45	56.96	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Emission above 18GHz

2.4GHz WIFI 802.11ax HE20 Partial 242 (SHF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11ax HE20 Partial 242 SHF		24664	41.07	-32.93	74	57.68	39.23	-2.41	53.43	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			23992	41.85	-32.15	74	59.7	38.7	-2.65	53.9	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Emission below 1GHz

2.4GHz WIFI 802.11ax HE20 Partial 242 (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11ax HE20 Partial 242 LF		53.28	29.51	-10.49	40	47.51	12.99	1.24	32.23	-	-	P	H	
		158.04	30.59	-12.91	43.5	44.44	16.6	1.74	32.19	-	-	P	H	
		188.11	28.48	-15.02	43.5	44.09	14.79	1.8	32.2	-	-	P	H	
		442.25	26.26	-19.74	46	33.13	22.9	2.39	32.16	-	-	P	H	
		729.37	32.69	-13.31	46	34.34	27.49	2.95	32.09	-	-	P	H	
		896.21	35.9	-10.1	46	35.12	29	3.23	31.45	-	-	P	H	
														H
														H
														H
														H
														H
														H
														H
			43.58	30.07	-9.93	40	43.52	17.58	1.26	32.29	100	135	Q	V
			120.21	28.49	-15.01	43.5	41.71	17.48	1.56	32.26	-	-	P	V
			184.23	22.66	-20.84	43.5	38.27	14.8	1.79	32.2	-	-	P	V
			260.86	23.28	-22.72	46	33.39	20	2.02	32.13	-	-	P	V
			798.24	32.05	-13.95	46	32.87	28.04	3.05	31.91	-	-	P	V
			899.12	36.5	-9.5	46	35.71	29	3.23	31.44	-	-	P	V
														V
													V	
													V	
													V	
													V	
													V	

Remark

- No other spurious found.
- All results are PASS against limit line.
- The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
2412MHz		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots

Test Engineer :	Jacky Hung, Mancy Chou and Rain Lee	Temperature :	20~26°C
		Relative Humidity :	40~65%

Note symbol

-L	Low channel location
-R	High channel location



<Sample 1>

2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
0+1	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left blank
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing a peak at 2467 MHz. The plot includes a red vertical line and a red horizontal line labeled 'PEAK_BE_74'. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 2460 to 2500 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing a sharp peak at 2467 MHz. The plot includes a red vertical line and a red horizontal line labeled 'PEAK_74'. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 2460 to 3000 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing an average spectrum with a peak at 2467 MHz. The plot includes a red vertical line and a red horizontal line labeled 'AVG_BE_54'. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 2460 to 2500 MHz.</p> <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot showing an average spectrum with a sharp peak at 2467 MHz. The plot includes a red vertical line and a red horizontal line labeled 'AVG_54'. The y-axis ranges from 10.0 to 140.0 dBm/100kHz, and the x-axis ranges from 2460 to 3000 MHz.</p> <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
0+1	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left Blank
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	Left Blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Level (dBV/m) vs Frequency (MHz) plot showing a peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBV/m, and the x-axis ranges from 2400 to 2500 MHz. A red horizontal line indicates the peak level at approximately 74 dBV/m.</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBV/m) vs Frequency (MHz) plot showing a sharp peak at 2462 MHz. The y-axis ranges from 0 to 140 dBV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the peak level at approximately 74 dBV/m.</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBV/m) vs Frequency (MHz) plot showing the average level. The y-axis ranges from 0 to 140 dBV/m, and the x-axis ranges from 2400 to 2500 MHz. A red horizontal line indicates the average level at approximately 54 dBV/m.</p> <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBV/m) vs Frequency (MHz) plot showing the average level. The y-axis ranges from 0 to 140 dBV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the average level at approximately 54 dBV/m.</p> <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	 <p>Date: 2024-04-11</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2024-04-11</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2024-04-11</p> <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Date: 2024-04-11</p> <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH02 2417MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH02 2417MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VH20 CH06 2437MHz - R	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left blank
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VH20 CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VH20 CH06 2437MHz - R	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left blank
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VH20 CH10 2457MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Level (dBV/m) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a signal level starting at approximately 100 dBV/m at 2400 MHz and decreasing to about 50 dBV/m at 2500 MHz. A red vertical line marks the peak at 2457 MHz, with a red horizontal line indicating the peak level at approximately 75 dBV/m. The x-axis ranges from 2400 to 2500 MHz, and the y-axis ranges from 0 to 140 dBV/m.</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a sharp peak at 2457 MHz with a level of approximately 110 dBV/m. The baseline level is around 40 dBV/m. A red vertical line marks the peak, and a red horizontal line indicates the peak level at approximately 75 dBV/m. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 0 to 140 dBV/m.</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBV/m) vs Frequency (MHz) plot for Avg Horizontal. The plot shows a signal level starting at approximately 90 dBV/m at 2400 MHz and decreasing to about 40 dBV/m at 2500 MHz. A red vertical line marks the peak at 2457 MHz, with a red horizontal line indicating the average level at approximately 55 dBV/m. The x-axis ranges from 2400 to 2500 MHz, and the y-axis ranges from 0 to 140 dBV/m.</p> <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a sharp peak at 2457 MHz with a level of approximately 110 dBV/m. The baseline level is around 40 dBV/m. A red vertical line marks the peak, and a red horizontal line indicates the average level at approximately 55 dBV/m. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 0 to 140 dBV/m.</p> <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VH20 CH10 2457MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VH20 CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



2.4GHz 2400~2483.5MHz





WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	<p>Date: 2024-04-18</p> <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Date: 2024-04-18</p> <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Date: 2024-04-18</p> <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	<p>Date: 2024-04-18</p> <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH02 2417Hz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH02 2417MHz	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
0+1	Horizontal	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left blank
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
0+1	Vertical	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWF:Auto</p>	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH10 2457MHz	
0+1	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AV6_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AV6_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>