

EX3DV4- SN:3617

January 23, 2017

10061-CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	X	2.68	78.58	21.15	2.04	110.0	± 9.6 %
		Y	2.26	74.92	19.75		110.0	
		Z	3.03	80.31	21.98		110.0	
10062-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	X	4.71	66.77	16.60	0.49	100.0	± 9.6 %
		Y	4.69	66.57	16.52		100.0	
		Z	4.74	66.66	16.60		100.0	
10063-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps)	X	4.72	66.82	16.65	0.72	100.0	± 9.6 %
		Y	4.71	66.64	16.60		100.0	
		Z	4.75	66.73	16.67		100.0	
10064-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps)	X	5.01	67.06	16.85	0.86	100.0	± 9.6 %
		Y	4.99	66.90	16.81		100.0	
		Z	5.06	67.01	16.89		100.0	
10065-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps)	X	4.86	66.91	16.90	1.21	100.0	± 9.6 %
		Y	4.85	66.76	16.87		100.0	
		Z	4.92	66.89	16.96		100.0	
10066-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps)	X	4.87	66.89	17.01	1.46	100.0	± 9.6 %
		Y	4.87	66.76	17.01		100.0	
		Z	4.93	66.89	17.10		100.0	
10067-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps)	X	5.14	66.95	17.36	2.04	100.0	± 9.6 %
		Y	5.15	66.90	17.40		100.0	
		Z	5.21	66.96	17.47		100.0	
10068-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps)	X	5.19	67.01	17.55	2.55	100.0	± 9.6 %
		Y	5.20	66.92	17.59		100.0	
		Z	5.27	67.07	17.70		100.0	
10069-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps)	X	5.27	66.97	17.72	2.67	100.0	± 9.6 %
		Y	5.28	66.93	17.78		100.0	
		Z	5.35	67.03	17.87		100.0	
10071-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 9 Mbps)	X	4.95	66.63	17.22	1.99	100.0	± 9.6 %
		Y	4.97	66.57	17.27		100.0	
		Z	5.01	66.63	17.33		100.0	
10072-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	X	4.93	66.93	17.40	2.30	100.0	± 9.6 %
		Y	4.95	66.86	17.44		100.0	
		Z	5.00	66.96	17.53		100.0	
10073-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 18 Mbps)	X	4.98	67.03	17.65	2.83	100.0	± 9.6 %
		Y	5.01	66.99	17.72		100.0	
		Z	5.05	67.09	17.81		100.0	
10074-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 24 Mbps)	X	4.96	66.89	17.76	3.30	100.0	± 9.6 %
		Y	5.00	66.87	17.85		100.0	
		Z	5.03	66.96	17.94		100.0	
10075-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	X	5.00	67.04	18.05	3.82	90.0	± 9.6 %
		Y	5.04	66.98	18.13		90.0	
		Z	5.08	67.13	18.26		90.0	
10076-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 48 Mbps)	X	5.01	66.79	18.13	4.15	90.0	± 9.6 %
		Y	5.06	66.78	18.24		90.0	
		Z	5.08	66.88	18.34		90.0	
10077-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	X	5.03	66.85	18.21	4.30	90.0	± 9.6 %
		Y	5.09	66.85	18.33		90.0	
		Z	5.10	66.93	18.42		90.0	

EX3DV4- SN:3617

January 23, 2017

10081-CAB	CDMA2000 (1xRTT, RC3)	X	1.28	72.27	16.16	0.00	150.0	± 9.6 %
		Y	0.88	66.49	12.93		150.0	
		Z	1.05	68.94	14.63		150.0	
10082-CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fullrate)	X	0.80	60.00	4.74	4.77	80.0	± 9.6 %
		Y	0.82	60.00	5.11		80.0	
		Z	0.84	60.00	4.95		80.0	
10090-DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	X	22.92	92.52	20.17	6.56	60.0	± 9.6 %
		Y	100.00	113.02	26.29		60.0	
		Z	100.00	111.02	25.32		60.0	
10097-CAB	UMTS-FDD (HSDPA)	X	2.04	69.81	17.10	0.00	150.0	± 9.6 %
		Y	1.86	67.78	15.85		150.0	
		Z	1.95	68.61	16.46		150.0	
10098-CAB	UMTS-FDD (HSUPA, Subtest 2)	X	2.00	69.79	17.08	0.00	150.0	± 9.6 %
		Y	1.82	67.71	15.81		150.0	
		Z	1.91	68.58	16.44		150.0	
10099-DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	X	9.48	90.15	30.93	9.56	60.0	± 9.6 %
		Y	7.24	83.35	28.39		60.0	
		Z	10.30	92.61	32.25		60.0	
10100-CAC	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	3.48	72.31	17.80	0.00	150.0	± 9.6 %
		Y	3.14	70.19	16.80		150.0	
		Z	3.35	71.32	17.31		150.0	
10101-CAC	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	3.38	68.40	16.53	0.00	150.0	± 9.6 %
		Y	3.26	67.43	16.02		150.0	
		Z	3.36	67.96	16.30		150.0	
10102-CAC	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	3.48	68.32	16.60	0.00	150.0	± 9.6 %
		Y	3.37	67.44	16.14		150.0	
		Z	3.46	67.90	16.38		150.0	
10103-CAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	5.99	74.15	19.45	3.98	65.0	± 9.6 %
		Y	4.70	70.15	18.03		65.0	
		Z	6.24	74.72	19.86		65.0	
10104-CAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	6.14	72.80	19.71	3.98	65.0	± 9.6 %
		Y	6.05	72.38	19.68		65.0	
		Z	6.43	73.50	20.19		65.0	
10105-CAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	5.79	71.53	19.45	3.98	65.0	± 9.6 %
		Y	4.53	66.90	17.47		65.0	
		Z	6.00	72.03	19.83		65.0	
10108-CAD	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	3.03	71.50	17.65	0.00	150.0	± 9.6 %
		Y	2.75	69.47	16.64		150.0	
		Z	2.93	70.53	17.15		150.0	
10109-CAD	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	3.05	68.38	16.54	0.00	150.0	± 9.6 %
		Y	2.92	67.34	15.95		150.0	
		Z	3.02	67.87	16.27		150.0	
10110-CAD	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	2.48	70.70	17.38	0.00	150.0	± 9.6 %
		Y	2.23	68.59	16.23		150.0	
		Z	2.39	69.66	16.84		150.0	
10111-CAD	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	2.83	69.72	17.15	0.00	150.0	± 9.6 %
		Y	2.66	68.42	16.36		150.0	
		Z	2.76	68.88	16.72		150.0	

EX3DV4- SN:3617

January 23, 2017

10112-CAD	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	3.17	68.30	16.56	0.00	150.0	± 9.6 %
		Y	3.05	67.36	16.02		150.0	
		Z	3.14	67.81	16.30		150.0	
10113-CAD	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	2.99	69.76	17.23	0.00	150.0	± 9.6 %
		Y	2.82	68.59	16.51		150.0	
		Z	2.92	68.96	16.82		150.0	
10114-CAB	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	X	5.19	67.46	16.66	0.00	150.0	± 9.6 %
		Y	5.18	67.24	16.58		150.0	
		Z	5.21	67.30	16.60		150.0	
10115-CAB	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	X	5.50	67.63	16.74	0.00	150.0	± 9.6 %
		Y	5.47	67.35	16.64		150.0	
		Z	5.54	67.53	16.71		150.0	
10116-CAB	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	X	5.30	67.68	16.70	0.00	150.0	± 9.6 %
		Y	5.27	67.42	16.60		150.0	
		Z	5.32	67.54	16.64		150.0	
10117-CAB	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	X	5.16	67.36	16.63	0.00	150.0	± 9.6 %
		Y	5.14	67.06	16.51		150.0	
		Z	5.18	67.21	16.57		150.0	
10118-CAB	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	X	5.58	67.82	16.84	0.00	150.0	± 9.6 %
		Y	5.56	67.59	16.77		150.0	
		Z	5.62	67.73	16.82		150.0	
10119-CAB	IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	X	5.27	67.62	16.67	0.00	150.0	± 9.6 %
		Y	5.26	67.38	16.59		150.0	
		Z	5.29	67.47	16.62		150.0	
10140-CAC	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	3.52	68.31	16.51	0.00	150.0	± 9.6 %
		Y	3.41	67.43	16.04		150.0	
		Z	3.50	67.90	16.29		150.0	
10141-CAC	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	3.64	68.37	16.66	0.00	150.0	± 9.6 %
		Y	3.53	67.56	16.23		150.0	
		Z	3.62	67.97	16.45		150.0	
10142-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	2.30	71.20	17.36	0.00	150.0	± 9.6 %
		Y	2.01	68.70	15.93		150.0	
		Z	2.19	69.88	16.69		150.0	
10143-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	2.83	71.25	17.29	0.00	150.0	± 9.6 %
		Y	2.54	69.34	16.12		150.0	
		Z	2.69	70.00	16.70		150.0	
10144-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	2.46	68.14	15.31	0.00	150.0	± 9.6 %
		Y	2.26	66.64	14.27		150.0	
		Z	2.41	67.42	14.96		150.0	
10145-CAD	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	1.66	69.46	14.52	0.00	150.0	± 9.6 %
		Y	1.24	65.29	11.91		150.0	
		Z	1.51	67.72	13.74		150.0	
10146-CAD	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	2.95	71.08	14.08	0.00	150.0	± 9.6 %
		Y	1.99	65.76	11.22		150.0	
		Z	2.53	69.27	13.59		150.0	
10147-CAD	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	4.49	76.38	16.33	0.00	150.0	± 9.6 %
		Y	2.30	67.48	12.18		150.0	
		Z	3.31	72.79	15.26		150.0	

EX3DV4- SN:3617

January 23, 2017

10149-CAC	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	3.06	68.45	16.59	0.00	150.0	± 9.6 %
		Y	2.93	67.41	16.00		150.0	
		Z	3.03	67.94	16.32		150.0	
10150-CAC	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	3.18	68.36	16.61	0.00	150.0	± 9.6 %
		Y	3.06	67.43	16.07		150.0	
		Z	3.15	67.87	16.34		150.0	
10151-CAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	6.20	76.17	20.35	3.98	65.0	± 9.6 %
		Y	6.06	75.79	20.40		65.0	
		Z	6.64	77.26	20.98		65.0	
10152-CAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	5.65	72.60	19.35	3.98	65.0	± 9.6 %
		Y	5.54	72.12	19.24		65.0	
		Z	5.95	73.38	19.87		65.0	
10153-CAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	6.01	73.54	20.13	3.98	65.0	± 9.6 %
		Y	5.94	73.23	20.12		65.0	
		Z	6.31	74.30	20.63		65.0	
10154-CAD	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	2.56	71.33	17.74	0.00	150.0	± 9.6 %
		Y	2.29	69.12	16.56		150.0	
		Z	2.46	70.20	17.16		150.0	
10155-CAD	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	2.84	69.72	17.16	0.00	150.0	± 9.6 %
		Y	2.66	68.42	16.37		150.0	
		Z	2.76	68.89	16.73		150.0	
10156-CAD	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	2.22	71.94	17.49	0.00	150.0	± 9.6 %
		Y	1.87	68.88	15.76		150.0	
		Z	2.07	70.31	16.70		150.0	
10157-CAD	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	2.38	69.38	15.71	0.00	150.0	± 9.6 %
		Y	2.11	67.30	14.35		150.0	
		Z	2.29	68.33	15.22		150.0	
10158-CAD	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	2.99	69.84	17.28	0.00	150.0	± 9.6 %
		Y	2.83	68.67	16.56		150.0	
		Z	2.92	69.03	16.87		150.0	
10159-CAD	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	2.54	70.06	16.09	0.00	150.0	± 9.6 %
		Y	2.22	67.84	14.68		150.0	
		Z	2.42	68.90	15.55		150.0	
10160-CAC	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	2.95	70.03	17.20	0.00	150.0	± 9.6 %
		Y	2.78	68.70	16.46		150.0	
		Z	2.89	69.33	16.83		150.0	
10161-CAC	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	3.08	68.35	16.58	0.00	150.0	± 9.6 %
		Y	2.95	67.40	16.00		150.0	
		Z	3.05	67.83	16.30		150.0	
10162-CAC	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	3.19	68.45	16.66	0.00	150.0	± 9.6 %
		Y	3.06	67.55	16.12		150.0	
		Z	3.16	67.93	16.39		150.0	
10166-CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	3.86	71.04	19.88	3.01	150.0	± 9.6 %
		Y	3.77	70.10	19.34		150.0	
		Z	3.73	69.96	19.40		150.0	
10167-CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	5.21	75.46	20.86	3.01	150.0	± 9.6 %
		Y	4.86	73.51	19.91		150.0	
		Z	4.73	73.33	20.03		150.0	

EX3DV4- SN:3617

January 23, 2017

10168-CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	6.08	78.76	22.59	3.01	150.0	± 9.6 %
		Y	5.66	76.82	21.72		150.0	
		Z	5.33	75.90	21.49		150.0	
10169-CAC	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	3.44	72.13	20.39	3.01	150.0	± 9.6 %
		Y	3.33	70.18	19.31		150.0	
		Z	3.20	70.24	19.55		150.0	
10170-CAC	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	6.38	83.53	24.57	3.01	150.0	± 9.6 %
		Y	5.22	78.18	22.37		150.0	
		Z	4.83	77.89	22.50		150.0	
10171-AAC	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	4.43	75.82	20.50	3.01	150.0	± 9.6 %
		Y	3.91	72.05	18.77		150.0	
		Z	3.77	72.61	19.29		150.0	
10172-CAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	8.12	88.67	26.63	6.02	65.0	± 9.6 %
		Y	3.21	71.03	20.20		65.0	
		Z	8.25	88.89	27.08		65.0	
10173-CAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	17.86	97.81	27.39	6.02	65.0	± 9.6 %
		Y	10.89	89.25	25.14		65.0	
		Z	16.01	96.63	27.62		65.0	
10174-CAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	11.04	88.84	24.09	6.02	65.0	± 9.6 %
		Y	3.40	70.70	18.24		65.0	
		Z	10.57	88.53	24.54		65.0	
10175-CAD	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	3.38	71.66	20.07	3.01	150.0	± 9.6 %
		Y	3.27	69.73	18.98		150.0	
		Z	3.16	69.87	19.27		150.0	
10176-CAD	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	6.40	83.57	24.59	3.01	150.0	± 9.6 %
		Y	5.23	78.21	22.39		150.0	
		Z	4.84	77.92	22.51		150.0	
10177-CAF	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	3.42	71.89	20.20	3.01	150.0	± 9.6 %
		Y	3.31	69.95	19.12		150.0	
		Z	3.19	70.05	19.38		150.0	
10178-CAD	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	6.25	83.08	24.38	3.01	150.0	± 9.6 %
		Y	5.14	77.81	22.20		150.0	
		Z	4.77	77.59	22.35		150.0	
10179-CAD	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	5.25	79.29	22.31	3.01	150.0	± 9.6 %
		Y	4.44	74.67	20.31		150.0	
		Z	4.24	75.04	20.73		150.0	
10180-CAD	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	4.40	75.67	20.42	3.01	150.0	± 9.6 %
		Y	3.89	71.94	18.70		150.0	
		Z	3.75	72.50	19.22		150.0	
10181-CAC	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	3.41	71.87	20.19	3.01	150.0	± 9.6 %
		Y	3.30	69.93	19.11		150.0	
		Z	3.18	70.03	19.37		150.0	
10182-CAC	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	6.23	83.04	24.36	3.01	150.0	± 9.6 %
		Y	5.13	77.78	22.18		150.0	
		Z	4.76	77.56	22.34		150.0	
10183-AAB	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	4.39	75.64	20.40	3.01	150.0	± 9.6 %
		Y	3.89	71.92	18.69		150.0	
		Z	3.75	72.48	19.21		150.0	

EX3DV4- SN:3617

January 23, 2017

10184-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	3.43	71.93	20.21	3.01	150.0	± 9.6 %
		Y	3.31	69.98	19.13		150.0	
		Z	3.19	70.08	19.40		150.0	
10185-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	6.28	83.17	24.41	3.01	150.0	± 9.6 %
		Y	5.16	77.88	22.23		150.0	
		Z	4.78	77.65	22.38		150.0	
10186-AAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	4.42	75.74	20.45	3.01	150.0	± 9.6 %
		Y	3.91	71.99	18.73		150.0	
		Z	3.77	72.55	19.25		150.0	
10187-CAD	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	3.44	71.99	20.28	3.01	150.0	± 9.6 %
		Y	3.32	70.04	19.20		150.0	
		Z	3.20	70.13	19.46		150.0	
10188-CAD	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	6.70	84.53	25.03	3.01	150.0	± 9.6 %
		Y	5.44	79.00	22.79		150.0	
		Z	4.99	78.56	22.85		150.0	
10189-AAD	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	4.59	76.48	20.85	3.01	150.0	± 9.6 %
		Y	4.02	72.54	19.06		150.0	
		Z	3.87	73.09	19.57		150.0	
10193-CAB	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	X	4.60	66.92	16.42	0.00	150.0	± 9.6 %
		Y	4.56	66.62	16.25		150.0	
		Z	4.61	66.73	16.34		150.0	
10194-CAB	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	X	4.78	67.25	16.54	0.00	150.0	± 9.6 %
		Y	4.73	66.93	16.38		150.0	
		Z	4.79	67.06	16.46		150.0	
10195-CAB	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	X	4.82	67.27	16.55	0.00	150.0	± 9.6 %
		Y	4.77	66.96	16.40		150.0	
		Z	4.83	67.08	16.47		150.0	
10196-CAB	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	X	4.60	67.00	16.45	0.00	150.0	± 9.6 %
		Y	4.56	66.68	16.27		150.0	
		Z	4.62	66.80	16.37		150.0	
10197-CAB	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	X	4.79	67.27	16.55	0.00	150.0	± 9.6 %
		Y	4.74	66.95	16.39		150.0	
		Z	4.81	67.08	16.47		150.0	
10198-CAB	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	X	4.82	67.29	16.56	0.00	150.0	± 9.6 %
		Y	4.77	66.98	16.41		150.0	
		Z	4.84	67.10	16.48		150.0	
10219-CAB	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	X	4.56	67.02	16.42	0.00	150.0	± 9.6 %
		Y	4.51	66.70	16.23		150.0	
		Z	4.57	66.82	16.33		150.0	
10220-CAB	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	X	4.78	67.24	16.54	0.00	150.0	± 9.6 %
		Y	4.73	66.92	16.38		150.0	
		Z	4.80	67.06	16.46		150.0	
10221-CAB	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	X	4.83	67.21	16.54	0.00	150.0	± 9.6 %
		Y	4.78	66.91	16.40		150.0	
		Z	4.84	67.03	16.47		150.0	
10222-CAB	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	X	5.14	67.37	16.63	0.00	150.0	± 9.6 %
		Y	5.11	67.07	16.51		150.0	
		Z	5.16	67.22	16.57		150.0	

EX3DV4-- SN:3617

January 23, 2017

10223-CAB	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	X	5.44	67.52	16.71	0.00	150.0	± 9.6 %
		Y	5.43	67.34	16.66		150.0	
		Z	5.47	67.40	16.67		150.0	
10224-CAB	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	X	5.19	67.49	16.61	0.00	150.0	± 9.6 %
		Y	5.16	67.19	16.49		150.0	
		Z	5.21	67.33	16.55		150.0	
10225-CAB	UMTS-FDD (HSPA+)	X	2.91	66.87	15.95	0.00	150.0	± 9.6 %
		Y	2.82	66.16	15.41		150.0	
		Z	2.90	66.46	15.74		150.0	
10226-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	19.74	99.65	28.04	6.02	65.0	± 9.6 %
		Y	11.71	90.61	25.68		65.0	
		Z	17.36	98.18	28.19		65.0	
10227-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	16.06	94.63	25.90	6.02	65.0	± 9.6 %
		Y	10.99	88.39	24.41		65.0	
		Z	14.98	94.15	26.35		65.0	
10228-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	10.70	94.02	28.48	6.02	65.0	± 9.6 %
		Y	7.72	87.19	26.35		65.0	
		Z	10.84	94.41	29.01		65.0	
10229-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	18.02	97.95	27.44	6.02	65.0	± 9.6 %
		Y	10.98	89.37	25.19		65.0	
		Z	16.13	96.75	27.67		65.0	
10230-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	14.81	93.21	25.39	6.02	65.0	± 9.6 %
		Y	10.31	87.26	23.96		65.0	
		Z	13.99	92.92	25.89		65.0	
10231-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	10.11	92.86	28.02	6.02	65.0	± 9.6 %
		Y	7.36	86.19	25.91		65.0	
		Z	10.30	93.33	28.58		65.0	
10232-CAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	17.99	97.93	27.43	6.02	65.0	± 9.6 %
		Y	10.96	89.35	25.18		65.0	
		Z	16.11	96.73	27.66		65.0	
10233-CAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	14.78	93.20	25.39	6.02	65.0	± 9.6 %
		Y	10.29	87.24	23.95		65.0	
		Z	13.96	92.90	25.88		65.0	
10234-CAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	9.61	91.75	27.53	6.02	65.0	± 9.6 %
		Y	7.06	85.28	25.47		65.0	
		Z	9.83	92.29	28.12		65.0	
10235-CAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	18.02	97.97	27.45	6.02	65.0	± 9.6 %
		Y	10.97	89.37	25.19		65.0	
		Z	16.13	96.77	27.68		65.0	
10236-CAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	14.94	93.35	25.42	6.02	65.0	± 9.6 %
		Y	10.37	87.34	23.98		65.0	
		Z	14.12	93.05	25.92		65.0	
10237-CAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	10.13	92.94	28.05	6.02	65.0	± 9.6 %
		Y	7.36	86.22	25.92		65.0	
		Z	10.32	93.41	28.60		65.0	
10238-CAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	17.95	97.90	27.42	6.02	65.0	± 9.6 %
		Y	10.93	89.32	25.17		65.0	
		Z	16.07	96.71	27.65		65.0	

EX3DV4- SN:3617

January 23, 2017

10239-CAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	14.74	93.17	25.38	6.02	65.0	± 9.6 %
		Y	10.26	87.20	23.94		65.0	
		Z	13.93	92.88	25.88		65.0	
10240-CAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	10.10	92.89	28.03	6.02	65.0	± 9.6 %
		Y	7.34	86.18	25.91		65.0	
		Z	10.29	93.36	28.58		65.0	
10241-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	8.35	80.97	24.80	6.98	65.0	± 9.6 %
		Y	8.13	79.85	24.36		65.0	
		Z	8.32	80.65	24.94		65.0	
10242-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	7.37	78.38	23.66	6.98	65.0	± 9.6 %
		Y	5.09	70.63	20.41		65.0	
		Z	7.33	77.97	23.73		65.0	
10243-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	5.84	74.65	22.96	6.98	65.0	± 9.6 %
		Y	4.33	67.93	19.88		65.0	
		Z	5.96	74.77	23.23		65.0	
10244-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	5.47	73.71	17.32	3.98	65.0	± 9.6 %
		Y	5.19	72.58	16.73		65.0	
		Z	5.90	74.92	18.18		65.0	
10245-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	5.39	73.23	17.07	3.98	65.0	± 9.6 %
		Y	5.11	72.10	16.47		65.0	
		Z	5.81	74.41	17.92		65.0	
10246-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	4.77	75.14	18.22	3.98	65.0	± 9.6 %
		Y	4.53	74.28	17.86		65.0	
		Z	5.50	77.31	19.38		65.0	
10247-CAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	4.74	72.22	17.68	3.98	65.0	± 9.6 %
		Y	4.63	71.73	17.41		65.0	
		Z	5.13	73.40	18.44		65.0	
10248-CAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	4.77	71.82	17.49	3.98	65.0	± 9.6 %
		Y	4.64	71.27	17.19		65.0	
		Z	5.14	72.94	18.23		65.0	
10249-CAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	5.75	78.05	20.22	3.98	65.0	± 9.6 %
		Y	5.49	77.31	20.00		65.0	
		Z	6.50	80.04	21.25		65.0	
10250-CAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	5.63	74.62	20.23	3.98	65.0	± 9.6 %
		Y	5.56	74.36	20.21		65.0	
		Z	5.98	75.59	20.85		65.0	
10251-CAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	5.42	72.76	19.09	3.98	65.0	± 9.6 %
		Y	5.31	72.31	18.93		65.0	
		Z	5.74	73.63	19.67		65.0	
10252-CAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	6.17	78.23	21.15	3.98	65.0	± 9.6 %
		Y	5.96	77.68	21.11		65.0	
		Z	6.75	79.71	21.95		65.0	
10253-CAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	5.54	72.09	19.13	3.98	65.0	± 9.6 %
		Y	5.45	71.69	19.03		65.0	
		Z	5.81	72.83	19.64		65.0	
10254-CAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	5.87	72.97	19.84	3.98	65.0	± 9.6 %
		Y	5.81	72.69	19.80		65.0	
		Z	6.16	73.70	20.34		65.0	