

External Photographs for the Model No. / PMN: BF-IDM30

1. Radiated Test Setup



Photo 1 Radiated Test Setup from 9 kHz to 30 MHz – EUT with Ferrite antenna (BIS VM-351-401-S4)




Photo 2 Radiated Test Setup from 9 kHz to 30 MHz – EUT with Ferrite antenna (BIS VM-351-401-S4)



Photo 3 Radiated Test Setup from 9 kHz to 30 MHz – EUT with PCB antenna (BIS VM-341-401-S4)




Photo 4 Radiated Test Setup from 9 kHz to 30 MHz – EUT with PCB antenna (BIS VM-341-401-S4)




Photo 5 Radiated Test Setup from 30 MHz to 1 GHz – EUT with Ferrite antenna (BIS VM-351-401-S4)




Photo 6 Radiated Test Setup from 30 MHz to 1 GHz – EUT with Ferrite antenna (BIS VM-351-401-S4)




Photo 7 Radiated Test Setup from 30 MHz to 1 GHz – EUT with PCB antenna (BIS VM-341-401-S4)



Photo 8 Radiated Test Setup from 30 MHz to 1 GHz – EUT with PCB antenna (BIS VM-341-401-S4)

2. Bench Tests Setup (99% / 20 dB Bandwidth + Frequency Stability)



Photo 9 Bench test set up for (99% / 20 dB Bandwidth and Frequency Stability) (@ Ambient + Extreme Temperature, as required)




Photo 10 Bench test set up for (99% / 20 dB Bandwidth and Frequency Stability) (@ Ambient + Extreme Temperature, as required)

3. AC Conducted Emission




Photo 11 AC conducted emission



Photo 12 AC conducted emission