

1 Cover Page

RF MPE REPORT

Application No.: KSEM20080000933CR
FCC ID: 2AH25NT313
Applicant: Shanghai Sunmi Technology Co.,Ltd.
Address of Applicant: Room 605,Block 7,KIC Plaza,No.388 Song Hu Road Yang Pu District,Shanghai,China
Manufacturer: Shanghai Sunmi Technology Co.,Ltd.
Address of Manufacturer: Room 605,Block 7,KIC Plaza,No.388 Song Hu Road Yang Pu District,Shanghai,China
Equipment Under Test (EUT):
EUT Name: Cloud POS Printer
Model No.: NT313
Standard(s) : FCC Rules 47 CFR §2.1091
 KDB447498 D01 General RF Exposure Guidance v06
Date of Receipt: 2020-08-03
Date of Test: 2020-08-14 to 2020-09-14
Date of Issue: 2020-09-16

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

Eric Lin
EMC Lab Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn
 t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

Revision Record			
Version	Description	Date	Remark
00	Original	2020-09-16	/

Authorized for issue by:			
		<i>Damon Zhou</i>	

		Damon Zhou / Project Engineer	
		<i>Eric Lin</i>	

		Eric Lin / Reviewer	



2 Contents

	Page
1 COVER PAGE.....	1
2 CONTENTS	3
3 GENERAL INFORMATION	4
3.1 GENERAL DESCRIPTION OF E.U.T.	4
3.2 TECHNICAL SPECIFICATIONS	4
3.3 TEST LOCATION	5
3.4 TEST FACILITY.....	5
4 TEST STANDARDS AND LIMITS	6
4.1 FCC RADIOFREQUENCY RADIATION EXPOSURE LIMITS:	6
5 MEASUREMENT AND CALCULATION	6
5.1 MAXIMUM TRANSMIT POWER	6
5.2 MPE CALCULATION	18

3 General Information

3.1 General Description of E.U.T.

Power supply:	DC 24V by Adapter Adapter Model:CYSE65-240250 INPUT:100-240V,50/60Hz 1.7A OUTPUT:24V,2.5A
---------------	--

3.2 Technical Specifications

3G

Operation Frequency Band:	UMTS Band2,Band5	
Operation Frequency	Band 2	TX: 1852.4~1907.6MHz; RX 1932.4~1987.6MHz
	Band 5	TX:826.4-846.6MHz;RX 871.4~891.6MHz
Modulation Type:	QPSK	
Antenna Type:	PIFA	
Antenna Gain:	UMTS Band 2: 0.96dBi	
	UMTS Band 5: -0.63dBi	

4G

LTE Operation Frequency Band:	LTE FDD Band 2, 4, 5, 12,13
Modulation Type:	QPSK, 16QAM
Antenna Type:	PIFA
Antenna Gain:	Band 2: 0.96dBi
	Band 4:-0.39dBi
	Band 5:-0.63dBi
	Band 12:-0.89dBi
	Band 13:-2.33dBi

3.3 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• **CNAS (No. CNAS L4354)**

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• **A2LA (Certificate No. 2541.01)**

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

• **FCC (Designation Number: CN1172)**

Compliance Certification Services Inc. has been recognized as an accredited testing laboratory. Designation Number: CN1172.

• **ISED (CAB identifier: CN0072)**

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory.

CAB Identifier: CN0072.

• **VCCI (Member No.: 1938)**

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-1600, C-1707, T-1499, G-10216 respectively.

4 Test Standards and Limits

4.1 FCC Radiofrequency radiation exposure limits:

According to §1.1310, the limit for general population/uncontrolled exposures

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

5 Measurement and Calculation

5.1 Maximum transmit power

Refer to KSEM200800093301; KSEM200800093302;

WCDMA Band 2

Test Mode		Conducted Power (dBm)			Conducted Power (mW)		
		LCH	MCH	HCH	LCH	MCH	HCH
HSUPA	Subtest 1	17.65	16.6	17.02	58.21	45.71	50.35
	Subtest 2	16.77	17.18	17.34	47.53	52.24	54.20
	Subtest 3	17.26	17.15	17.33	53.21	51.88	54.08
	Subtest 4	17.60	16.70	17.18	57.54	46.77	52.24
	Subtest 5	16.89	16.26	17.25	48.87	42.27	53.09
HSDPA	Subtest 1	17.01	16.53	16.43	50.23	44.98	43.95
	Subtest 2	16.60	16.79	17.35	45.71	47.75	54.33
	Subtest 3	16.92	16.76	17.05	49.20	47.42	50.70
	Subtest 4	16.38	16.26	16.99	43.45	42.27	50.00
RMC	12.2kbps RMC	20.66	20.42	20.66	116.41	110.15	116.41

WCDMA Band 5

Test Mode		Conducted Power (dBm)			Conducted Power (mW)		
		LCH	MCH	HCH	LCH	MCH	HCH
HSUPA	Subtest 1	18.27	19.60	19.33	67.14	91.20	85.70
	Subtest 2	18.81	19.06	17.95	76.03	80.54	62.37
	Subtest 3	18.30	19.00	19.30	67.61	79.43	85.11
	Subtest 4	19.11	18.84	19.54	81.47	76.56	89.95
	Subtest 5	18.92	19.22	18.53	77.98	83.56	71.29
HSDPA	Subtest 1	18.17	18.78	19.33	65.61	75.51	85.70
	Subtest 2	18.98	19.07	19.31	79.07	80.72	85.31
	Subtest 3	18.31	18.65	18.70	67.76	73.28	74.13
	Subtest 4	18.21	18.51	19.18	66.22	70.96	82.79
RMC	12.2kbps RMC	22.29	22.79	22.88	169.43	190.11	194.09

LTE BAND 2

Test Band: 2 _ 3MHz Bandwidth								
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH
QPSK	1	0	20.44	20.28	20.09	110.66	106.66	102.09
		2	20.71	20.36	20.23	117.76	108.64	105.44
		5	20.53	20.19	20.19	112.98	104.47	104.47
	3	0	20.56	20.33	20.2	113.76	107.89	104.71
		2	20.63	20.37	20.28	115.61	108.89	106.66
		3	20.55	20.33	20.28	113.50	107.89	106.66
16QAM	6	0	19.54	19.44	19.41	89.95	87.90	87.30
			19.69	19.89	19.14	93.11	97.50	82.04
		1	2	19.89	20.35	19.06	97.50	108.39
	3	5	19.79	19.91	18.72	95.28	97.95	74.47
		0	19.75	19.7	19.27	94.41	93.33	84.53
		2	19.85	19.78	19.29	96.61	95.06	84.92
	6	3	19.78	19.53	19.31	95.06	89.74	85.31
		0	18.42	18.49	18.44	69.50	70.63	69.82

Test Band: 2 _ 3MHz Bandwidth								
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH
QPSK	1	0	20.53	20.42	20.14	112.98	110.15	103.28
		7	20.63	20.45	20.50	115.61	110.92	112.20
		14	20.65	20.49	20.33	116.14	111.94	107.89
	8	0	19.73	19.48	19.36	93.97	88.72	86.30
		4	19.62	19.45	19.41	91.62	88.10	87.30
		7	19.63	19.57	19.41	91.83	90.57	87.30
16QAM	15	0	19.69	19.40	19.35	93.11	87.10	86.10
			19.09	18.88	18.96	81.10	77.27	78.70
		1	7	19.22	19.26	18.94	83.56	84.33
	8	14	19.12	19.44	19.72	81.66	87.90	93.76
		0	18.46	18.29	18.60	70.15	67.45	72.44
		4	18.30	18.40	18.59	67.61	69.18	72.28
	15	7	18.33	18.39	18.60	68.08	69.02	72.44
		0	18.48	18.30	18.13	70.47	67.61	65.01



Test Band: 2 _ 5MHz Bandwidth									
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)			
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	20.39	20.41	20.20	109.40	109.90	104.71	
		13	20.49	20.36	20.22	111.94	108.64	105.20	
		24	20.53	20.41	20.13	112.98	109.90	103.04	
	12	0	19.62	19.46	19.24	91.62	88.31	83.95	
		6	19.56	19.53	19.37	90.36	89.74	86.50	
		13	19.58	19.57	19.43	90.78	90.57	87.70	
25	0	19.70	19.49	19.37	93.33	88.92	86.50		
16QAM	1	0	19.37	19.11	19.37	86.50	81.47	86.50	
		13	19.52	19.24	19.39	89.54	83.95	86.90	
		24	19.38	19.42	19.64	86.70	87.50	92.04	
	12	0	18.59	18.15	18.22	72.28	65.31	66.37	
		6	18.53	18.19	18.16	71.29	65.92	65.46	
		13	18.64	18.44	18.19	73.11	69.82	65.92	
	25	0	18.46	18.39	18.19	70.15	69.02	65.92	
	Test Band: 2 _ 10MHz Bandwidth								
	Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
Size		Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	20.52	20.30	20.46	112.72	107.15	111.17	
		25	20.70	20.87	20.50	117.49	122.18	112.20	
		49	20.49	20.61	20.46	111.94	115.08	111.17	
	25	0	19.68	19.55	19.43	92.90	90.16	87.70	
		13	19.62	19.54	19.53	91.62	89.95	89.74	
		25	19.51	19.63	19.38	89.33	91.83	86.70	
50	0	19.71	19.46	19.23	93.54	88.31	83.75		
16QAM	1	0	19.44	19.45	19.23	87.90	88.10	83.75	
		25	19.38	19.10	19.04	86.70	81.28	80.17	
		49	19.07	19.10	19.01	80.72	81.28	79.62	
	25	0	18.65	18.50	18.37	73.28	70.79	68.71	
		13	18.61	18.55	18.54	72.61	71.61	71.45	
		25	18.58	18.59	18.63	72.11	72.28	72.95	
	50	25	19.48	19.30	19.13	88.72	85.11	81.85	



Test Band: 2 _ 15MHz Bandwidth									
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)			
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	20.56	20.17	20.46	113.76	103.99	111.17	
		38	20.47	20.21	20.50	111.43	104.95	112.20	
		74	20.60	20.00	20.46	114.82	100.00	111.17	
	36	0	19.60	19.57	19.43	91.20	90.57	87.70	
		18	19.57	19.47	19.53	90.57	88.51	89.74	
		39	19.45	19.38	19.38	88.10	86.70	86.70	
16QAM	1	0	19.52	19.32	19.23	89.54	85.51	83.75	
			20.16	20.03	19.23	103.75	100.69	83.75	
		38	19.26	20.49	19.76	84.33	111.94	94.62	
		74	18.91	19.63	19.84	77.80	91.83	96.38	
		36	0	19.48	19.50	20.37	88.72	89.13	108.89
			18	19.43	19.55	20.54	87.70	90.16	113.24
	39		19.52	19.59	20.63	89.54	90.99	115.61	
	75	0	19.48	19.30	20.13	88.72	85.11	103.04	
	Test Band: 2 _ 20MHz Bandwidth								
	Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
		Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH
	QPSK	1	0	20.56	20.17	20.46	113.76	103.99	111.17
50			20.47	20.21	20.50	111.43	104.95	112.20	
99			20.60	20.00	20.46	114.82	100.00	111.17	
50		0	19.60	19.57	19.43	91.20	90.57	87.70	
		25	19.57	19.47	19.53	90.57	88.51	89.74	
		50	19.45	19.38	19.38	88.10	86.70	86.70	
16QAM	1	0	19.52	19.32	19.23	89.54	85.51	83.75	
			20.16	20.03	19.23	103.75	100.69	83.75	
		50	19.26	20.49	19.76	84.33	111.94	94.62	
		99	18.91	19.63	19.84	77.80	91.83	96.38	
		36	0	19.48	19.50	20.37	88.72	89.13	108.89
			25	19.43	19.55	20.54	87.70	90.16	113.24
	50		19.52	19.59	20.63	89.54	90.99	115.61	
	75	50	19.48	19.30	20.13	88.72	85.11	103.04	

LTE BAND 4

Test Band: 4 _ 1.4MHz Bandwidth									
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)			
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	20.54	20.32	20.02	113.24	107.65	100.46	
		2	20.56	20.34	20.14	113.76	108.14	103.28	
		5	20.66	20.13	19.97	116.41	103.04	99.31	
	3	0	20.57	20.20	20.19	114.02	104.71	104.47	
		2	20.59	20.33	20.16	114.55	107.89	103.75	
		3	20.58	20.15	20.08	114.29	103.51	101.86	
16QAM	6	0	19.57	19.23	19.23	90.57	83.75	83.75	
			19.82	18.86	18.87	95.94	76.91	77.09	
		1	2	20.15	18.98	18.90	103.51	79.07	77.62
			5	19.80	19.05	18.85	95.50	80.35	76.74
			0	19.69	19.27	19.23	93.11	84.53	83.75
		3	2	19.87	19.31	19.18	97.05	85.31	82.79
	3		19.88	19.33	19.09	97.27	85.70	81.10	
	0		18.52	18.32	18.18	71.12	67.92	65.77	
	Test Band: 4 _ 3MHz Bandwidth								
	Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
		Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH
	QPSK	1	0	20.57	20.21	20.17	114.02	104.95	103.99
7			20.78	20.20	20.16	119.67	104.71	103.75	
14			20.94	20.47	19.90	124.17	111.43	97.72	
8		0	19.57	19.31	19.31	90.57	85.31	85.31	
		4	19.75	19.33	19.17	94.41	85.70	82.60	
		7	19.75	19.28	19.20	94.41	84.72	83.18	
16QAM	15	0	19.66	19.31	19.34	92.47	85.31	85.90	
			19.81	18.85	18.91	95.72	76.74	77.80	
		1	7	20.07	18.68	18.97	101.62	73.79	78.89
			14	19.75	18.83	18.73	94.41	76.38	74.64
			0	18.69	18.13	18.34	73.96	65.01	68.23
		8	4	18.80	18.06	18.29	75.86	63.97	67.45
	7		18.88	18.51	18.24	77.27	70.96	66.68	
	0		18.74	18.49	18.19	74.82	70.63	65.92	

Test Band: 4 _ 5MHz Bandwidth									
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)			
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	20.44	20.35	20.30	110.66	108.39	107.15	
		13	20.66	20.27	20.14	116.41	106.41	103.28	
		24	20.55	20.33	20.11	113.50	107.89	102.57	
	12	0	19.65	19.24	19.51	92.26	83.95	89.33	
		6	19.74	19.20	19.43	94.19	83.18	87.70	
		13	19.61	19.37	19.32	91.41	86.50	85.51	
	25	0	19.59	19.21	19.50	90.99	83.37	89.13	
	16QAM	1	0	19.35	19.31	19.33	86.10	85.31	85.70
			13	19.51	19.48	18.90	89.33	88.72	77.62
24			19.29	19.60	18.72	84.92	91.20	74.47	
12		0	18.40	18.15	18.19	69.18	65.31	65.92	
		6	18.58	18.26	18.28	72.11	66.99	67.30	
		13	18.63	18.23	18.16	72.95	66.53	65.46	
25		0	18.57	18.21	18.46	71.94	66.22	70.15	
Test Band: 4 _ 10MHz Bandwidth									
Modulation		RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	20.65	20.35	21.11	116.14	108.39	129.12	
		25	21.07	20.58	20.66	127.94	114.29	116.41	
		49	20.80	21.21	20.39	120.23	132.13	109.40	
	25	0	19.69	19.89	20.27	93.11	97.50	106.41	
		12	19.94	19.49	19.70	98.63	88.92	93.33	
		25	20.27	19.45	20.03	106.41	88.10	100.69	
	50	0	19.62	19.89	20.30	91.62	97.50	107.15	
	16QAM	1	0	19.89	19.95	19.76	97.50	98.86	94.62
			25	19.54	20.36	19.37	89.95	108.64	86.50
49			19.67	20.30	19.36	92.68	107.15	86.30	
25		0	19.31	18.94	18.34	85.31	78.34	68.23	
		12	18.70	19.26	18.71	74.13	84.33	74.30	
		25	19.12	19.18	18.98	81.66	82.79	79.07	
50		25	19.45	18.59	19.04	88.10	72.28	80.17	



Test Band: 4 _ 15MHz Bandwidth									
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)			
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	20.73	21.30	20.98	118.30	134.90	125.31	
		37	21.10	20.29	20.33	128.82	106.91	107.89	
		74	20.80	20.71	20.49	120.23	117.76	111.94	
	36	0	19.86	20.18	20.01	96.83	104.23	100.23	
		20	20.03	19.21	20.23	100.69	83.37	105.44	
		39	19.82	19.46	19.87	95.94	88.31	97.05	
	75	0	19.94	19.59	20.26	98.63	90.99	106.17	
	16QAM	1	0	20.21	20.17	19.36	104.95	103.99	86.30
			37	20.35	19.81	18.99	108.39	95.72	79.25
74			20.12	20.57	19.45	102.80	114.02	88.10	
36		0	18.66	18.41	19.03	73.45	69.34	79.98	
		20	19.19	18.75	18.33	82.99	74.99	68.08	
		39	19.53	18.79	18.16	89.74	75.68	65.46	
75		37	19.36	18.99	19.27	86.30	79.25	84.53	
Test Band: 4 _ 1.4MHz Bandwidth									
Modulation		RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	21.09	20.60	20.35	128.53	114.82	108.39	
		49	20.85	20.35	21.01	121.62	108.39	126.18	
		99	20.84	20.34	20.43	121.34	108.14	110.41	
	50	0	19.89	19.99	20.30	97.50	99.77	107.15	
		24	20.47	19.76	20.36	111.43	94.62	108.64	
		50	19.78	19.65	19.55	95.06	92.26	90.16	
	100	0	20.42	20.20	20.00	110.15	104.71	100.00	
	16QAM	1	0	19.69	19.94	19.93	93.11	98.63	98.40
			49	19.88	19.51	19.30	97.27	89.33	85.11
99			19.48	19.93	19.66	88.72	98.40	92.47	
50		0	19.03	18.53	18.64	79.98	71.29	73.11	
		24	19.56	19.00	18.52	90.36	79.43	71.12	
		50	19.56	18.72	18.18	90.36	74.47	65.77	
100		49	19.45	18.70	19.19	88.10	74.13	82.99	



LTE Band 5

Test Band: 5 _ 1.4MHz Bandwidth									
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)			
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	20.69	20.81	20.91	117.22	120.50	123.31	
		2	20.72	20.93	21.02	118.03	123.88	126.47	
		5	20.57	21.01	20.79	114.02	126.18	119.95	
	3	0	20.59	20.95	21.02	114.55	124.45	126.47	
		2	20.65	21.19	21.05	116.14	131.52	127.35	
		3	20.56	21.29	21.11	113.76	134.59	129.12	
	6	0	19.65	20.15	20.15	92.26	103.51	103.51	
	16QAM	1	0	19.77	19.52	20.46	94.84	89.54	111.17
			2	19.73	19.68	20.57	93.97	92.90	114.02
5			19.64	19.71	20.38	92.04	93.54	109.14	
3		0	19.85	19.56	20.44	96.61	90.36	110.66	
		2	19.58	19.67	20.32	90.78	92.68	107.65	
		3	19.51	19.76	20.30	89.33	94.62	107.15	
6		0	18.81	18.58	19.26	76.03	72.11	84.33	
Test Band: 5 _ 3MHz Bandwidth									
Modulation		RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	20.52	20.85	20.99	112.72	121.62	125.60	
		7	20.55	21.22	21.29	113.50	132.43	134.59	
		14	20.39	21.33	21.04	109.40	135.83	127.06	
	8	0	19.67	19.99	20.24	92.68	99.77	105.68	
		4	19.56	20.08	20.13	90.36	101.86	103.04	
		7	19.56	20.04	20.02	90.36	100.93	100.46	
	15	0	19.66	20.04	20.11	92.47	100.93	102.57	
	16QAM	1	0	19.96	19.74	20.46	99.08	94.19	111.17
			7	20.27	20.37	20.85	106.41	108.89	121.62
14			20.21	20.37	20.77	104.95	108.89	119.40	
8		0	18.90	18.95	19.34	77.62	78.52	85.90	
		4	18.83	19.23	19.39	76.38	83.75	86.90	
		7	18.45	18.96	19.38	69.98	78.70	86.70	
15		0	18.49	18.92	19.29	70.63	77.98	84.92	



Test Band: 5 _ 5MHz Bandwidth									
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)			
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	20.42	20.76	21.15	110.15	119.12	130.32	
		13	20.33	21.02	20.86	107.89	126.47	121.90	
		24	20.29	21.06	20.97	106.91	127.64	125.03	
	12	0	19.69	19.97	20.09	93.11	99.31	102.09	
		6	19.66	20.11	19.98	92.47	102.57	99.54	
		13	19.54	20.12	20.07	89.95	102.80	101.62	
	25	0	19.60	20.04	20.10	91.20	100.93	102.33	
	16QAM	1	0	19.93	19.17	19.79	98.40	82.60	95.28
			13	19.68	19.53	19.77	92.90	89.74	94.84
24			19.27	19.67	19.75	84.53	92.68	94.41	
12		0	18.54	18.97	19.08	71.45	78.89	80.91	
		6	18.44	18.93	18.80	69.82	78.16	75.86	
		13	18.42	19.02	19.08	69.50	79.80	80.91	
25		0	18.56	18.94	19.15	71.78	78.34	82.22	
Test Band: 5 _ 10MHz Bandwidth									
Modulation		RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	21.49	21.48	21.17	140.93	140.60	130.92	
		25	21.37	21.26	22.03	137.09	133.66	159.59	
		49	20.94	21.91	21.77	124.17	155.24	150.31	
	25	0	19.86	20.06	20.51	96.83	101.39	112.46	
		13	20.27	20.16	20.60	106.41	103.75	114.82	
		25	19.68	20.51	20.05	92.90	112.46	101.16	
	50	0	20.40	20.81	20.57	109.65	120.50	114.02	
	16QAM	1	0	20.71	19.97	20.49	117.76	99.31	111.94
			25	21.27	20.79	21.46	133.97	119.95	139.96
49			21.18	20.47	21.51	131.22	111.43	141.58	
25		0	19.71	19.08	19.77	93.54	80.91	94.84	
		13	19.76	19.57	20.36	94.62	90.57	108.64	
		25	19.40	19.89	20.00	87.10	97.50	100.00	
50		0	18.77	19.89	19.99	75.34	97.50	99.77	

LTE Band 12

Test Band: 12 _ 1.4MHz Bandwidth									
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)			
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	22.48	21.83	22.42	177.01	152.41	174.58	
		2	22.82	21.93	22.20	191.43	155.96	165.96	
		5	23.00	21.91	22.29	199.53	155.24	169.43	
	3	0	22.56	22.18	22.45	180.30	165.20	175.79	
		2	22.81	22.09	22.29	190.99	161.81	169.43	
		3	22.70	22.12	22.23	186.21	162.93	167.11	
16QAM	6	0	21.76	21.16	21.37	149.97	130.62	137.09	
			20.98	21.51	21.38	125.31	141.58	137.40	
		1	2	21.38	21.85	21.36	137.40	153.11	136.77
			5	21.58	21.66	21.37	143.88	146.55	137.09
			0	21.51	21.45	21.32	141.58	139.64	135.52
		3	2	21.83	21.39	21.14	152.41	137.72	130.02
	3		22.10	21.25	21.27	162.18	133.35	133.97	
	6		20.58	20.26	20.30	114.29	106.17	107.15	
	Test Band: 12 _ 3MHz Bandwidth								
	Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
		Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH
	QPSK	1	0	22.38	22.04	22.05	172.98	159.96	160.32
7			23.01	22.21	22.20	199.99	166.34	165.96	
14			22.63	22.01	22.19	183.23	158.85	165.58	
8		0	21.56	21.22	21.28	143.22	132.43	134.28	
		4	21.64	21.10	21.13	145.88	128.82	129.72	
		7	21.57	21.05	21.05	143.55	127.35	127.35	
16QAM	15	0	21.46	21.19	21.33	139.96	131.52	135.83	
			21.18	20.88	21.39	131.22	122.46	137.72	
		1	7	21.53	20.69	21.50	142.23	117.22	141.25
			14	21.64	20.52	21.09	145.88	112.72	128.53
			0	20.35	19.88	20.69	108.39	97.27	117.22
		8	4	20.67	19.86	20.42	116.68	96.83	110.15
	7		20.87	19.87	20.08	122.18	97.05	101.86	
	15		0	20.44	19.87	20.23	110.66	97.05	105.44

Test Band: 12 _ 5MHz Bandwidth									
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)			
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	22.33	22.12	22.06	171.00	162.93	160.69	
		13	22.52	21.90	22.18	178.65	154.88	165.20	
		24	22.20	21.90	22.09	165.96	154.88	161.81	
	12	0	21.49	21.14	21.12	140.93	130.02	129.42	
		6	21.50	21.05	21.06	141.25	127.35	127.64	
		13	21.31	21.01	21.07	135.21	126.18	127.94	
	25	0	21.42	21.15	21.19	138.68	130.32	131.52	
	16QAM	1		21.24	20.68	20.97	133.05	116.95	125.03
			13	21.91	20.33	21.00	155.24	107.89	125.89
24			21.52	20.28	20.88	141.91	106.66	122.46	
12		0	20.14	19.97	20.15	103.28	99.31	103.51	
		6	20.40	19.94	20.03	109.65	98.63	100.69	
		13	20.24	19.85	19.94	105.68	96.61	98.63	
25		0	20.28	20.12	20.14	106.66	102.80	103.28	
Test Band: 12 _ 10MHz Bandwidth									
Modulation		RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	22.41	23.08	22.89	174.18	203.24	194.54	
		25	23.33	22.81	22.21	215.28	190.99	166.34	
		49	22.73	22.71	22.74	187.50	186.64	187.93	
	25	0	22.16	21.57	21.19	164.44	143.55	131.52	
		13	21.86	21.69	21.76	153.46	147.57	149.97	
		25	21.69	21.83	21.29	147.57	152.41	134.59	
	50	0	21.64	21.37	21.91	145.88	137.09	155.24	
	16QAM	1		22.23	20.93	21.01	167.11	123.88	126.18
			25	22.88	21.27	21.51	194.09	133.97	141.58
49			22.31	20.82	21.02	170.22	120.78	126.47	
25		0	20.30	20.84	20.85	107.15	121.34	121.62	
		13	20.55	20.47	20.17	113.50	111.43	103.99	
		25	20.77	20.51	20.56	119.40	112.46	113.76	
50		0	21.25	20.55	20.94	133.35	113.50	124.17	



LTE Band 13

Test Band: 13 _ 5MHz Bandwidth									
Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)			
	Size	Offset	LCH	MCH	HCH	LCH	MCH	HCH	
QPSK	1	0	21.01	20.95	20.97	126.18	124.45	125.03	
		13	21.25	20.76	20.96	133.35	119.12	124.74	
		24	20.93	20.75	20.83	123.88	118.85	121.06	
	12	0	20.19	20.17	19.91	104.47	103.99	97.95	
		6	20.28	20.11	19.97	106.66	102.57	99.31	
		13	20.06	19.96	19.93	101.39	99.08	98.40	
25	0	20.19	20.13	19.92	104.47	103.04	98.17		
16QAM	1	0	19.84	20.35	19.11	96.38	108.39	81.47	
		13	20.22	19.68	19.24	105.20	92.90	83.95	
		24	19.63	19.94	19.39	91.83	98.63	86.90	
	12	0	19.21	18.98	18.80	83.37	79.07	75.86	
		6	19.25	18.77	18.93	84.14	75.34	78.16	
		13	18.79	18.75	18.88	75.68	74.99	77.27	
	25	0	19.12	18.99	18.84	81.66	79.25	76.56	
	Test Band: 13 _ 10MHz Bandwidth								
	Modulation	RB Allocation		Conducted Power (dBm)			Conducted Power (mW)		
Size		Offset	LCH	MCH	HCH	/	MCH	/	
QPSK	1	0	/	21.56	/	/	143.22	/	
		25	/	21.29	/	/	134.59	/	
		49	/	20.91	/	/	123.31	/	
	25	0	/	20.82	/	/	120.78	/	
		13	/	20.55	/	/	113.50	/	
		25	/	20.60	/	/	114.82	/	
50	0	/	20.63	/	/	115.61	/		
16QAM	1	0	/	20.53	/	/	112.98	/	
		25	/	19.69	/	/	93.11	/	
		49	/	20.94	/	/	124.17	/	
	25	0	/	19.24	/	/	83.95	/	
		13	/	19.52	/	/	89.54	/	
		25	/	19.26	/	/	84.33	/	
	50	0	/	19.79	/	/	95.28	/	

5.2 MPE Calculation

According to the formula $S=P/4\pi R^2$, we can calculate S which is MPE.

Note:

- 1) P (mW)
- 2) R = distance to the center of radiation of antenna (in meter) = 20cm
- 3) MPE limit = 1mW/cm²

4) Band Information	Antenna Gain (dBi)	Gain in Linear Scale G	Operation Distance R(cm)	Max Tune-up power (dBm)	Max Tune-up power (mW)	Power Density (mW/cm ²)	Limit (mW/cm ²)	Result
WCDMA Band 2	0.96	1.02	20	22	158.49	0.039	1	Pass
WCDMA Band 5	-0.63	0.86	20	23	199.53	0.034	0.55	Pass
LTE Band 2	0.96	1.02	20	21	125.89	0.031	1	Pass
LTE Band 4	-0.39	0.91	20	22	158.49	0.029	1	Pass
LTE Band 5	-0.63	0.86	20	23	199.53	0.034	0.55	Pass
LTE Band 12	-0.89	0.81	20	24	251.19	0.041	0.47	Pass
LTE Band 13	-2.33	0.58	20	22	158.49	0.018	0.52	Pass

According to the KDB447498 section 7.2 determine the device is exclusion from SAR test.

--End of the Report--