

HVIN: ND0Z0

SUNMI

扫码扩展底座 Scanner Cradle

品名/Name: 扫码扩展底座/Scanner Cradle
型号/Model: ND0Z0
输入/Input: 5V=2A
上海商米科技集团股份有限公司
Shanghai Sunmi Technology Co., Ltd.

FCC ID:2AH25SCRADLE
IC:22621-SCRADLE HVIN:ND0Z0



SN:XXXXXXXXXXXX

UK CA FCC
I CE

中国制造
Made in China



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

HVIN: ND0Z0A

SUNMI
扫码扩展底座 Scanner Cradle
品名/Name: 扫码扩展底座/Scanner Cradle
型号/Model: ND0Z0
输入/Input: 5V=2A
上海商米科技集团股份有限公司
Shanghai Sunmi Technology Co., Ltd.


FCC ID:2AH25SCRADLE
IC:22621-SCRADLE HVIN:ND0Z0A



SN:XXXXXXXXXXXX

UK CA FCC
CE

中国制造
Made in China



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

HVIN: ND0Y0

SUNMI

扫码扩展底座 Scanner Cradle

品名/Name: 扫码扩展底座/Scanner Cradle
型号/Model: ND0Y0
输入/Input: 5V=2A
上海商米科技集团股份有限公司
Shanghai Sunmi Technology Co., Ltd.

FCC ID:2AH25SCRADLE
IC:22621-SCRADLE HVIN:ND0Y0



SN:XXXXXXXXXXXX

UK
CA
FC
CE

中国制造
Made in China



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

HVIN: ND0Y0A

SUNMI

扫码扩展底座 Scanner Cradle

品名/Name: 扫码扩展底座/Scanner Cradle
型号/Model: ND0Y0
输入/Input: 5V=2A
上海商米科技集团股份有限公司
Shanghai Sunmi Technology Co., Ltd.

FCC ID:2AH25SCRADLE
IC:22621-SCRADLE HVIN:ND0Y0A



SN:XXXXXXXXXXXX

UK CA FCC CE

中国制造
Made in China



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.