

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 270 of 427

2. Bandwidth

2.1 OBW

2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	17.357	/	Pass
		5200	1	17.473	/	Pass
		5240	1	17.324	/	Pass
		5260	1	17.377	/	Pass
		5300	1	17.341	/	Pass
		5320	1	17.342	/	Pass
		5500	1	17.355	/	Pass
		5580	1	17.330	/	Pass
		5700	1	17.324	/	Pass
		5745	1	17.420	/	Pass
		5785	1	17.380	/	Pass
5825	1	17.285	/	Pass		
802.11n (HT20)	SISO	5180	1	18.497	/	Pass
		5200	1	18.493	/	Pass
		5240	1	18.421	/	Pass
		5260	1	18.459	/	Pass
		5300	1	18.487	/	Pass
		5320	1	18.416	/	Pass
		5500	1	18.507	/	Pass
		5580	1	18.439	/	Pass
		5700	1	18.426	/	Pass
		5745	1	18.472	/	Pass
		5785	1	18.447	/	Pass
5825	1	18.415	/	Pass		
802.11n (HT40)	SISO	5190	1	36.571	/	Pass
		5230	1	36.510	/	Pass
		5270	1	36.564	/	Pass
		5310	1	36.612	/	Pass
		5510	1	36.605	/	Pass
		5550	1	36.572	/	Pass
		5670	1	36.568	/	Pass
		5755	1	36.493	/	Pass
		5795	1	36.672	/	Pass
802.11ac (VHT20)	SISO	5180	1	18.500	/	Pass
		5200	1	18.472	/	Pass
		5240	1	18.443	/	Pass



Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504


Page: 271 of 427

		5260	1	18.416	/	Pass
		5300	1	18.440	/	Pass
		5320	1	18.408	/	Pass
		5500	1	18.437	/	Pass
		5580	1	18.466	/	Pass
		5700	1	18.430	/	Pass
		5745	1	18.459	/	Pass
		5785	1	18.462	/	Pass
		5825	1	18.411	/	Pass
802.11ac (VHT40)	SISO	5190	1	36.609	/	Pass
		5230	1	36.562	/	Pass
		5270	1	36.629	/	Pass
		5310	1	36.695	/	Pass
		5510	1	36.526	/	Pass
		5550	1	36.563	/	Pass
		5670	1	36.603	/	Pass
		5755	1	36.515	/	Pass
		5795	1	36.747	/	Pass
802.11ac (VHT80)	SISO	5210	1	76.273	/	Pass
		5290	1	76.403	/	Pass
		5530	1	76.339	/	Pass
		5610	1	76.275	/	Pass
		5775	1	76.237	/	Pass


2.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_MCH_5580MHz_Ant1_NTNV




802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




802.11n(HT40)_HCH_5670MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV






2.2 6dB BW


2.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	15.352	>=0.5	Pass
		5785	1	16.148	>=0.5	Pass
		5825	1	15.364	>=0.5	Pass
802.11n (HT20)	SISO	5745	1	16.302	>=0.5	Pass
		5785	1	16.922	>=0.5	Pass
		5825	1	15.158	>=0.5	Pass
802.11n (HT40)	SISO	5755	1	35.530	>=0.5	Pass
		5795	1	36.311	>=0.5	Pass
802.11ac (VHT20)	SISO	5745	1	15.383	>=0.5	Pass
		5785	1	15.183	>=0.5	Pass
		5825	1	15.143	>=0.5	Pass
802.11ac (VHT40)	SISO	5755	1	35.366	>=0.5	Pass
		5795	1	36.051	>=0.5	Pass
802.11ac (VHT80)	SISO	5775	1	75.203	>=0.5	Pass


2.2.2 Test Graph




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



2.3 26dB BW

2.3.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	21.603	/	Pass
		5200	1	22.569	/	Pass
		5240	1	22.058	/	Pass
		5260	1	23.046	/	Pass
		5300	1	21.961	/	Pass
		5320	1	21.846	/	Pass
		5500	1	21.962	/	Pass
		5580	1	22.068	/	Pass
		5700	1	21.867	/	Pass
802.11n (HT20)	SISO	5180	1	23.196	/	Pass
		5200	1	22.899	/	Pass
		5240	1	22.618	/	Pass
		5260	1	22.372	/	Pass
		5300	1	23.506	/	Pass
		5320	1	22.219	/	Pass
		5500	1	23.328	/	Pass
		5580	1	23.352	/	Pass
		5700	1	22.622	/	Pass
802.11n (HT40)	SISO	5190	1	41.839	/	Pass
		5230	1	41.031	/	Pass
		5270	1	41.057	/	Pass
		5310	1	41.347	/	Pass
		5510	1	41.292	/	Pass
		5550	1	41.524	/	Pass
		5670	1	41.612	/	Pass
802.11ac (VHT20)	SISO	5180	1	22.470	/	Pass
		5200	1	22.289	/	Pass
		5240	1	22.149	/	Pass
		5260	1	22.840	/	Pass
		5300	1	23.125	/	Pass
		5320	1	22.892	/	Pass
		5500	1	22.473	/	Pass
		5580	1	22.370	/	Pass
		5700	1	22.634	/	Pass
802.11ac (VHT40)	SISO	5190	1	41.534	/	Pass
		5230	1	41.615	/	Pass
		5270	1	41.250	/	Pass
		5310	1	41.145	/	Pass



Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504


Page: 310 of 427

		5510	1	41.393	/	Pass
		5550	1	41.708	/	Pass
		5670	1	41.251	/	Pass
802.11ac (VHT80)	SISO	5210	1	83.036	/	Pass
		5290	1	83.302	/	Pass
		5530	1	83.311	/	Pass
		5610	1	82.184	/	Pass


2.3.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_MCH_5580MHz_Ant1_NTNV




802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




802.11n(HT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	14.94	<=23.98	Pass
		5200	14.76	<=23.98	Pass
		5240	15.20	<=23.98	Pass
		5260	14.94	<=23.98	Pass
		5300	14.84	<=23.98	Pass
		5320	15.27	<=23.98	Pass
		5500	15.27	<=23.98	Pass
		5580	14.63	<=23.98	Pass
		5700	15.14	<=23.98	Pass
		5745	15.26	<=30	Pass
		5785	14.96	<=30	Pass
5825	15.23	<=30	Pass		
802.11n (HT20)	SISO	5180	14.14	<=23.98	Pass
		5200	13.95	<=23.98	Pass
		5240	14.35	<=23.98	Pass
		5260	14.17	<=23.98	Pass
		5300	13.94	<=23.98	Pass
		5320	14.17	<=23.98	Pass
		5500	14.30	<=23.98	Pass
		5580	13.99	<=23.98	Pass
		5700	14.02	<=23.98	Pass
		5745	14.20	<=30	Pass
		5785	13.93	<=30	Pass
5825	14.16	<=30	Pass		
802.11n (HT40)	SISO	5190	14.15	<=23.98	Pass
		5230	14.40	<=23.98	Pass
		5270	14.00	<=23.98	Pass
		5310	14.22	<=23.98	Pass
		5510	14.08	<=23.98	Pass
		5550	13.88	<=23.98	Pass
		5670	14.03	<=23.98	Pass
		5755	14.00	<=30	Pass
		5795	14.21	<=30	Pass
802.11ac (VHT20)	SISO	5180	12.82	<=23.98	Pass
		5200	12.93	<=23.98	Pass
		5240	13.28	<=23.98	Pass



Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504


Page: 335 of 427

		5260	13.04	<=23.98	Pass
		5300	12.82	<=23.98	Pass
		5320	13.19	<=23.98	Pass
		5500	13.02	<=23.98	Pass
		5580	12.83	<=23.98	Pass
		5700	13.13	<=23.98	Pass
		5745	13.00	<=30	Pass
		5785	13.05	<=30	Pass
		5825	13.23	<=30	Pass
802.11ac (VHT40)	SISO	5190	13.08	<=23.98	Pass
		5230	13.03	<=23.98	Pass
		5270	12.97	<=23.98	Pass
		5310	13.09	<=23.98	Pass
		5510	13.33	<=23.98	Pass
		5550	13.14	<=23.98	Pass
		5670	13.23	<=23.98	Pass
		5755	13.02	<=30	Pass
		5795	13.31	<=30	Pass
802.11ac (VHT80)	SISO	5210	12.39	<=23.98	Pass
		5290	12.09	<=23.98	Pass
		5530	12.41	<=23.98	Pass
		5610	12.28	<=23.98	Pass
		5775	12.26	<=30	Pass
Note1: U-NII-1:1.98dBi, U-NII-2A:2.07dBi, U-NII-2C:2.08dBi, U-NII-3:2.12dBi					


3.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_MCH_5580MHz_Ant1_NTNV




802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




802.11n(HT40)_HCH_5670MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



4. Maximum Power Spectral Density

4.1 PSD

4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	4.32	<=11	Pass
		5200	4.12	<=11	Pass
		5240	4.60	<=11	Pass
		5260	4.37	<=11	Pass
		5300	4.20	<=11	Pass
		5320	4.86	<=11	Pass
		5500	4.78	<=11	Pass
		5580	3.97	<=11	Pass
802.11n (HT20)	SISO	5700	4.57	<=11	Pass
		5180	3.37	<=11	Pass
		5200	3.05	<=11	Pass
		5240	3.46	<=11	Pass
		5260	3.37	<=11	Pass
		5300	3.16	<=11	Pass
		5320	3.30	<=11	Pass
		5500	3.42	<=11	Pass
802.11n (HT40)	SISO	5580	3.20	<=11	Pass
		5700	3.13	<=11	Pass
		5190	0.32	<=11	Pass
		5230	0.61	<=11	Pass
		5270	0.20	<=11	Pass
		5310	0.54	<=11	Pass
		5510	0.31	<=11	Pass
802.11ac (VHT20)	SISO	5550	0.08	<=11	Pass
		5670	0.29	<=11	Pass
		5180	2.09	<=11	Pass
		5200	2.19	<=11	Pass
		5240	2.49	<=11	Pass
		5260	2.18	<=11	Pass
		5300	2.09	<=11	Pass
		5320	2.39	<=11	Pass
		5500	2.16	<=11	Pass
802.11ac (VHT40)	SISO	5580	1.97	<=11	Pass
		5700	2.25	<=11	Pass
802.11ac (VHT40)	SISO	5190	-0.81	<=11	Pass
		5230	-0.61	<=11	Pass



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR230900174504

Page: 367 of 427


		5270	-0.83	<=11	Pass
		5310	-0.79	<=11	Pass
		5510	-0.48	<=11	Pass
		5550	-0.70	<=11	Pass
		5670	-0.57	<=11	Pass
802.11ac (VHT80)	SISO	5210	-4.57	<=11	Pass
		5290	-5.03	<=11	Pass
		5530	-4.46	<=11	Pass
		5610	-4.75	<=11	Pass

Note: U-NII-1:1.98dBi, U-NII-2A:2.07dBi, U-NII-2C:2.08dBi, U-NII-3:2.12dBi


4.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_MCH_5580MHz_Ant1_NTNV




802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




802.11n(HT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV







4.2 PSD-Band3

4.2.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	1.84	<=30	Pass
		5785	1.51	<=30	Pass
		5825	1.80	<=30	Pass
802.11n (HT20)	SISO	5745	0.60	<=30	Pass
		5785	0.23	<=30	Pass
		5825	0.60	<=30	Pass
802.11n (HT40)	SISO	5755	-2.56	<=30	Pass
		5795	-2.63	<=30	Pass
802.11ac (VHT20)	SISO	5745	-0.71	<=30	Pass
		5785	-0.58	<=30	Pass
		5825	-0.21	<=30	Pass
802.11ac (VHT40)	SISO	5755	-3.74	<=30	Pass
		5795	-3.52	<=30	Pass
802.11ac (VHT80)	SISO	5775	-7.63	<=30	Pass

Note1: Antenna Gain:2.12dBi;


4.2.2 Test Graph




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	6.12	5180.020	5150 to 5250	Pass
				7.20	5180.020	5150 to 5250	Pass
				8.28	5180.040	5150 to 5250	Pass
			-30	7.20	5180.060	5150 to 5250	Pass
			-20	7.20	5180.000	5150 to 5250	Pass
			-10	7.20	5180.040	5150 to 5250	Pass
			0	7.20	5180.080	5150 to 5250	Pass
			10	7.20	5180.060	5150 to 5250	Pass
			30	7.20	5180.020	5150 to 5250	Pass
			40	7.20	5180.100	5150 to 5250	Pass
			50	7.20	5180.060	5150 to 5250	Pass
			5200	20	6.12	5200.060	5150 to 5250
		7.20			5200.100	5150 to 5250	Pass
		8.28			5200.100	5150 to 5250	Pass
		-30		7.20	5200.040	5150 to 5250	Pass
		-20		7.20	5200.040	5150 to 5250	Pass
		-10		7.20	5200.080	5150 to 5250	Pass
		0		7.20	5200.020	5150 to 5250	Pass
		10		7.20	5200.100	5150 to 5250	Pass
		30		7.20	5200.080	5150 to 5250	Pass
		40		7.20	5200.060	5150 to 5250	Pass
		50		7.20	5200.060	5150 to 5250	Pass
		5240		20	6.12	5240.080	5150 to 5250
			7.20		5240.040	5150 to 5250	Pass
			8.28		5240.000	5150 to 5250	Pass
			-30	7.20	5240.060	5150 to 5250	Pass
			-20	7.20	5240.060	5150 to 5250	Pass
			-10	7.20	5240.060	5150 to 5250	Pass
			0	7.20	5240.100	5150 to 5250	Pass
			10	7.20	5240.080	5150 to 5250	Pass
			30	7.20	5240.120	5150 to 5250	Pass
			40	7.20	5240.060	5150 to 5250	Pass
			50	7.20	5240.060	5150 to 5250	Pass
			5260	20	6.12	5260.060	5250 to 5350
		7.20			5260.060	5250 to 5350	Pass



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 399 of 427

			8.28	5260.020	5250 to 5350	Pass	
		-30	7.20	5260.040	5250 to 5350	Pass	
		-20	7.20	5260.080	5250 to 5350	Pass	
		-10	7.20	5260.040	5250 to 5350	Pass	
		0	7.20	5260.060	5250 to 5350	Pass	
		10	7.20	5260.060	5250 to 5350	Pass	
		30	7.20	5260.100	5250 to 5350	Pass	
		40	7.20	5260.060	5250 to 5350	Pass	
		50	7.20	5260.040	5250 to 5350	Pass	
	5300	20	6.12	5300.000	5250 to 5350	Pass	
			7.20	5300.080	5250 to 5350	Pass	
			8.28	5300.060	5250 to 5350	Pass	
			-30	7.20	5300.040	5250 to 5350	Pass
			-20	7.20	5300.040	5250 to 5350	Pass
			-10	7.20	5300.020	5250 to 5350	Pass
			0	7.20	5300.120	5250 to 5350	Pass
			10	7.20	5300.060	5250 to 5350	Pass
			30	7.20	5300.080	5250 to 5350	Pass
			40	7.20	5300.100	5250 to 5350	Pass
			50	7.20	5300.100	5250 to 5350	Pass
		5320	20	6.12	5320.060	5250 to 5350	Pass
	7.20			5320.080	5250 to 5350	Pass	
	8.28			5320.120	5250 to 5350	Pass	
			-30	7.20	5320.100	5250 to 5350	Pass
			-20	7.20	5320.060	5250 to 5350	Pass
			-10	7.20	5320.060	5250 to 5350	Pass
			0	7.20	5320.060	5250 to 5350	Pass
			10	7.20	5320.060	5250 to 5350	Pass
			30	7.20	5320.060	5250 to 5350	Pass
			40	7.20	5320.060	5250 to 5350	Pass
		50	7.20	5320.100	5250 to 5350	Pass	
	5500	20	6.12	5500.000	5470 to 5725	Pass	
			7.20	5500.020	5470 to 5725	Pass	
			8.28	5500.020	5470 to 5725	Pass	
			-30	7.20	5500.000	5470 to 5725	Pass
			-20	7.20	5500.100	5470 to 5725	Pass
			-10	7.20	5500.020	5470 to 5725	Pass
			0	7.20	5500.020	5470 to 5725	Pass
			10	7.20	5500.060	5470 to 5725	Pass
			30	7.20	5500.060	5470 to 5725	Pass
			40	7.20	5500.060	5470 to 5725	Pass
		50	7.20	5500.040	5470 to 5725	Pass	
	5580	20	6.12	5580.000	5470 to 5725	Pass	
			7.20	5580.040	5470 to 5725	Pass	



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 400 of 427

			8.28	5580.060	5470 to 5725	Pass	
		-30	7.20	5580.100	5470 to 5725	Pass	
		-20	7.20	5579.960	5470 to 5725	Pass	
		-10	7.20	5580.000	5470 to 5725	Pass	
		0	7.20	5580.000	5470 to 5725	Pass	
		10	7.20	5580.040	5470 to 5725	Pass	
		30	7.20	5580.040	5470 to 5725	Pass	
		40	7.20	5580.100	5470 to 5725	Pass	
		50	7.20	5580.060	5470 to 5725	Pass	
	5700	20	6.12	5700.040	5470 to 5725	Pass	
			7.20	5700.120	5470 to 5725	Pass	
			8.28	5700.040	5470 to 5725	Pass	
			-30	7.20	5699.960	5470 to 5725	Pass
			-20	7.20	5700.060	5470 to 5725	Pass
			-10	7.20	5700.040	5470 to 5725	Pass
			0	7.20	5700.080	5470 to 5725	Pass
			10	7.20	5700.100	5470 to 5725	Pass
			30	7.20	5700.040	5470 to 5725	Pass
			40	7.20	5700.040	5470 to 5725	Pass
			50	7.20	5700.060	5470 to 5725	Pass
		5745	20	6.12	5745.100	5725 to 5850	Pass
	7.20			5745.060	5725 to 5850	Pass	
	8.28			5745.020	5725 to 5850	Pass	
			-30	7.20	5745.020	5725 to 5850	Pass
			-20	7.20	5745.040	5725 to 5850	Pass
			-10	7.20	5745.060	5725 to 5850	Pass
			0	7.20	5745.040	5725 to 5850	Pass
			10	7.20	5745.080	5725 to 5850	Pass
			30	7.20	5745.000	5725 to 5850	Pass
			40	7.20	5745.020	5725 to 5850	Pass
		50	7.20	5745.000	5725 to 5850	Pass	
	5785	20	6.12	5785.040	5725 to 5850	Pass	
			7.20	5785.020	5725 to 5850	Pass	
			8.28	5785.040	5725 to 5850	Pass	
			-30	7.20	5785.000	5725 to 5850	Pass
			-20	7.20	5784.980	5725 to 5850	Pass
			-10	7.20	5785.020	5725 to 5850	Pass
			0	7.20	5785.020	5725 to 5850	Pass
			10	7.20	5785.000	5725 to 5850	Pass
			30	7.20	5785.020	5725 to 5850	Pass
			40	7.20	5785.040	5725 to 5850	Pass
		50	7.20	5785.020	5725 to 5850	Pass	
	5825	20	6.12	5825.040	5725 to 5850	Pass	
			7.20	5825.100	5725 to 5850	Pass	



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 401 of 427

				8.28	5825.060	5725 to 5850	Pass
			-30	7.20	5825.020	5725 to 5850	Pass
			-20	7.20	5825.080	5725 to 5850	Pass
			-10	7.20	5825.040	5725 to 5850	Pass
			0	7.20	5825.020	5725 to 5850	Pass
			10	7.20	5825.100	5725 to 5850	Pass
			30	7.20	5825.020	5725 to 5850	Pass
			40	7.20	5825.000	5725 to 5850	Pass
			50	7.20	5825.060	5725 to 5850	Pass
			802.11n (HT20)	SISO	5180	20	6.12
7.20	5180.100	5150 to 5250					Pass
8.28	5180.000	5150 to 5250					Pass
-30	7.20	5180.060				5150 to 5250	Pass
-20	7.20	5180.020				5150 to 5250	Pass
-10	7.20	5180.040				5150 to 5250	Pass
0	7.20	5180.040				5150 to 5250	Pass
10	7.20	5180.060				5150 to 5250	Pass
30	7.20	5180.100				5150 to 5250	Pass
40	7.20	5180.040				5150 to 5250	Pass
50	7.20	5180.020				5150 to 5250	Pass
5200	20	6.12				5200.040	5150 to 5250
		7.20			5200.080	5150 to 5250	Pass
		8.28			5200.020	5150 to 5250	Pass
	-30	7.20			5200.080	5150 to 5250	Pass
	-20	7.20			5200.100	5150 to 5250	Pass
	-10	7.20			5200.080	5150 to 5250	Pass
	0	7.20			5200.120	5150 to 5250	Pass
	10	7.20			5200.020	5150 to 5250	Pass
	30	7.20			5200.060	5150 to 5250	Pass
	40	7.20			5200.040	5150 to 5250	Pass
	50	7.20			5200.100	5150 to 5250	Pass
	5240	20			6.12	5240.020	5150 to 5250
7.20					5240.040	5150 to 5250	Pass
8.28					5240.060	5150 to 5250	Pass
-30		7.20			5240.120	5150 to 5250	Pass
-20		7.20			5240.100	5150 to 5250	Pass
-10		7.20			5240.100	5150 to 5250	Pass
0		7.20			5240.040	5150 to 5250	Pass
10		7.20			5240.040	5150 to 5250	Pass
30		7.20	5240.060	5150 to 5250	Pass		
40		7.20	5240.080	5150 to 5250	Pass		
50		7.20	5240.040	5150 to 5250	Pass		
5260		20	6.12	5260.040	5250 to 5350	Pass	
	7.20		5259.980	5250 to 5350	Pass		



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 402 of 427

			8.28	5260.080	5250 to 5350	Pass	
		-30	7.20	5260.060	5250 to 5350	Pass	
		-20	7.20	5260.020	5250 to 5350	Pass	
		-10	7.20	5260.060	5250 to 5350	Pass	
		0	7.20	5260.000	5250 to 5350	Pass	
		10	7.20	5260.000	5250 to 5350	Pass	
		30	7.20	5259.980	5250 to 5350	Pass	
		40	7.20	5259.980	5250 to 5350	Pass	
		50	7.20	5260.060	5250 to 5350	Pass	
	5300	20	6.12	5300.080	5250 to 5350	Pass	
			7.20	5300.060	5250 to 5350	Pass	
			8.28	5300.080	5250 to 5350	Pass	
			-30	7.20	5300.040	5250 to 5350	Pass
			-20	7.20	5300.000	5250 to 5350	Pass
			-10	7.20	5300.040	5250 to 5350	Pass
			0	7.20	5300.080	5250 to 5350	Pass
			10	7.20	5300.100	5250 to 5350	Pass
			30	7.20	5300.100	5250 to 5350	Pass
			40	7.20	5300.080	5250 to 5350	Pass
			50	7.20	5300.040	5250 to 5350	Pass
		5320	20	6.12	5320.040	5250 to 5350	Pass
	7.20			5320.040	5250 to 5350	Pass	
	8.28			5320.040	5250 to 5350	Pass	
			-30	7.20	5320.080	5250 to 5350	Pass
			-20	7.20	5320.100	5250 to 5350	Pass
			-10	7.20	5320.040	5250 to 5350	Pass
			0	7.20	5320.120	5250 to 5350	Pass
			10	7.20	5320.020	5250 to 5350	Pass
			30	7.20	5320.080	5250 to 5350	Pass
			40	7.20	5320.080	5250 to 5350	Pass
		50	7.20	5320.120	5250 to 5350	Pass	
	5500	20	6.12	5500.020	5470 to 5725	Pass	
			7.20	5500.060	5470 to 5725	Pass	
			8.28	5500.080	5470 to 5725	Pass	
			-30	7.20	5500.120	5470 to 5725	Pass
			-20	7.20	5500.060	5470 to 5725	Pass
			-10	7.20	5499.960	5470 to 5725	Pass
			0	7.20	5500.060	5470 to 5725	Pass
			10	7.20	5500.020	5470 to 5725	Pass
			30	7.20	5500.060	5470 to 5725	Pass
			40	7.20	5500.060	5470 to 5725	Pass
		50	7.20	5500.020	5470 to 5725	Pass	
	5580	20	6.12	5580.000	5470 to 5725	Pass	
			7.20	5580.040	5470 to 5725	Pass	



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 403 of 427

			8.28	5580.000	5470 to 5725	Pass	
		-30	7.20	5580.000	5470 to 5725	Pass	
		-20	7.20	5580.040	5470 to 5725	Pass	
		-10	7.20	5580.080	5470 to 5725	Pass	
		0	7.20	5580.040	5470 to 5725	Pass	
		10	7.20	5580.040	5470 to 5725	Pass	
		30	7.20	5580.000	5470 to 5725	Pass	
		40	7.20	5580.040	5470 to 5725	Pass	
		50	7.20	5580.060	5470 to 5725	Pass	
	5700	20	6.12	5700.080	5470 to 5725	Pass	
			7.20	5700.000	5470 to 5725	Pass	
			8.28	5700.100	5470 to 5725	Pass	
			-30	7.20	5700.060	5470 to 5725	Pass
			-20	7.20	5700.020	5470 to 5725	Pass
			-10	7.20	5700.120	5470 to 5725	Pass
			0	7.20	5700.080	5470 to 5725	Pass
			10	7.20	5700.080	5470 to 5725	Pass
			30	7.20	5700.060	5470 to 5725	Pass
			40	7.20	5700.040	5470 to 5725	Pass
			50	7.20	5700.020	5470 to 5725	Pass
		5745	20	6.12	5745.020	5725 to 5850	Pass
	7.20			5745.060	5725 to 5850	Pass	
	8.28			5745.000	5725 to 5850	Pass	
			-30	7.20	5745.060	5725 to 5850	Pass
			-20	7.20	5745.080	5725 to 5850	Pass
			-10	7.20	5745.080	5725 to 5850	Pass
			0	7.20	5745.020	5725 to 5850	Pass
			10	7.20	5745.080	5725 to 5850	Pass
			30	7.20	5745.080	5725 to 5850	Pass
			40	7.20	5745.100	5725 to 5850	Pass
		50	7.20	5745.040	5725 to 5850	Pass	
	5785	20	6.12	5785.100	5725 to 5850	Pass	
			7.20	5785.060	5725 to 5850	Pass	
			8.28	5785.040	5725 to 5850	Pass	
			-30	7.20	5785.060	5725 to 5850	Pass
			-20	7.20	5785.000	5725 to 5850	Pass
			-10	7.20	5785.020	5725 to 5850	Pass
			0	7.20	5785.000	5725 to 5850	Pass
			10	7.20	5785.080	5725 to 5850	Pass
			30	7.20	5785.000	5725 to 5850	Pass
			40	7.20	5784.980	5725 to 5850	Pass
		50	7.20	5785.000	5725 to 5850	Pass	
	5825	20	6.12	5825.080	5725 to 5850	Pass	
			7.20	5825.080	5725 to 5850	Pass	



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 404 of 427

				8.28	5825.040	5725 to 5850	Pass
			-30	7.20	5825.040	5725 to 5850	Pass
			-20	7.20	5825.100	5725 to 5850	Pass
			-10	7.20	5825.000	5725 to 5850	Pass
			0	7.20	5825.060	5725 to 5850	Pass
			10	7.20	5825.040	5725 to 5850	Pass
			30	7.20	5825.000	5725 to 5850	Pass
			40	7.20	5825.040	5725 to 5850	Pass
			50	7.20	5825.040	5725 to 5850	Pass
			802.11n (HT40)	SISO	5190	20	6.12
7.20	5190.000	5150 to 5250					Pass
8.28	5190.080	5150 to 5250					Pass
-30	7.20	5190.160				5150 to 5250	Pass
-20	7.20	5190.040				5150 to 5250	Pass
-10	7.20	5190.200				5150 to 5250	Pass
0	7.20	5190.120				5150 to 5250	Pass
10	7.20	5190.000				5150 to 5250	Pass
30	7.20	5190.160				5150 to 5250	Pass
40	7.20	5190.080				5150 to 5250	Pass
50	7.20	5190.080				5150 to 5250	Pass
5230	20	6.12				5230.160	5150 to 5250
		7.20			5230.160	5150 to 5250	Pass
		8.28			5230.120	5150 to 5250	Pass
	-30	7.20			5230.160	5150 to 5250	Pass
	-20	7.20			5230.080	5150 to 5250	Pass
	-10	7.20			5230.200	5150 to 5250	Pass
	0	7.20			5230.160	5150 to 5250	Pass
	10	7.20			5230.000	5150 to 5250	Pass
	30	7.20			5230.120	5150 to 5250	Pass
	40	7.20			5230.160	5150 to 5250	Pass
	50	7.20			5230.120	5150 to 5250	Pass
	5270	20			6.12	5270.120	5250 to 5350
7.20					5270.120	5250 to 5350	Pass
8.28					5270.120	5250 to 5350	Pass
-30		7.20			5270.120	5250 to 5350	Pass
-20		7.20			5270.080	5250 to 5350	Pass
-10		7.20			5270.080	5250 to 5350	Pass
0		7.20			5270.120	5250 to 5350	Pass
10		7.20			5270.080	5250 to 5350	Pass
30		7.20	5270.160	5250 to 5350	Pass		
40		7.20	5270.120	5250 to 5350	Pass		
50		7.20	5270.080	5250 to 5350	Pass		
5310		20	6.12	5310.120	5250 to 5350	Pass	
	7.20		5310.200	5250 to 5350	Pass		



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 405 of 427

			8.28	5310.200	5250 to 5350	Pass	
		-30	7.20	5310.160	5250 to 5350	Pass	
		-20	7.20	5310.160	5250 to 5350	Pass	
		-10	7.20	5310.120	5250 to 5350	Pass	
		0	7.20	5310.160	5250 to 5350	Pass	
		10	7.20	5310.120	5250 to 5350	Pass	
		30	7.20	5310.200	5250 to 5350	Pass	
		40	7.20	5310.160	5250 to 5350	Pass	
		50	7.20	5310.200	5250 to 5350	Pass	
	5510	20	6.12	5510.160	5470 to 5725	Pass	
			7.20	5510.120	5470 to 5725	Pass	
			8.28	5510.120	5470 to 5725	Pass	
			-30	7.20	5510.080	5470 to 5725	Pass
			-20	7.20	5510.040	5470 to 5725	Pass
			-10	7.20	5510.120	5470 to 5725	Pass
			0	7.20	5510.080	5470 to 5725	Pass
			10	7.20	5510.120	5470 to 5725	Pass
			30	7.20	5510.040	5470 to 5725	Pass
			40	7.20	5510.120	5470 to 5725	Pass
			50	7.20	5510.040	5470 to 5725	Pass
		5550	20	6.12	5550.080	5470 to 5725	Pass
	7.20			5550.160	5470 to 5725	Pass	
	8.28			5550.080	5470 to 5725	Pass	
			-30	7.20	5550.120	5470 to 5725	Pass
			-20	7.20	5550.120	5470 to 5725	Pass
			-10	7.20	5550.120	5470 to 5725	Pass
			0	7.20	5550.160	5470 to 5725	Pass
			10	7.20	5550.000	5470 to 5725	Pass
			30	7.20	5550.120	5470 to 5725	Pass
			40	7.20	5550.160	5470 to 5725	Pass
		50	7.20	5550.120	5470 to 5725	Pass	
	5670	20	6.12	5670.160	5470 to 5725	Pass	
			7.20	5670.160	5470 to 5725	Pass	
			8.28	5670.160	5470 to 5725	Pass	
			-30	7.20	5670.160	5470 to 5725	Pass
			-20	7.20	5670.160	5470 to 5725	Pass
			-10	7.20	5670.080	5470 to 5725	Pass
			0	7.20	5670.200	5470 to 5725	Pass
			10	7.20	5670.120	5470 to 5725	Pass
			30	7.20	5670.160	5470 to 5725	Pass
			40	7.20	5670.160	5470 to 5725	Pass
		50	7.20	5670.120	5470 to 5725	Pass	
	5755	20	6.12	5755.080	5725 to 5850	Pass	
			7.20	5755.040	5725 to 5850	Pass	



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 406 of 427

				8.28	5755.120	5725 to 5850	Pass		
			-30	7.20	5755.120	5725 to 5850	Pass		
			-20	7.20	5755.080	5725 to 5850	Pass		
			-10	7.20	5755.040	5725 to 5850	Pass		
			0	7.20	5755.160	5725 to 5850	Pass		
			10	7.20	5755.080	5725 to 5850	Pass		
			30	7.20	5755.040	5725 to 5850	Pass		
			40	7.20	5755.080	5725 to 5850	Pass		
			50	7.20	5755.040	5725 to 5850	Pass		
		5795	20	6.12	5795.200	5725 to 5850	Pass		
				7.20	5795.120	5725 to 5850	Pass		
				8.28	5795.080	5725 to 5850	Pass		
			-30	7.20	5795.080	5725 to 5850	Pass		
			-20	7.20	5795.200	5725 to 5850	Pass		
			-10	7.20	5795.120	5725 to 5850	Pass		
			0	7.20	5795.120	5725 to 5850	Pass		
			10	7.20	5795.080	5725 to 5850	Pass		
			30	7.20	5795.080	5725 to 5850	Pass		
			40	7.20	5795.080	5725 to 5850	Pass		
			50	7.20	5795.120	5725 to 5850	Pass		
			802.11ac (VHT20)	SISO	5180	20	6.12	5180.020	5150 to 5250
		7.20					5180.020	5150 to 5250	Pass
		8.28					5180.080	5150 to 5250	Pass
		-30				7.20	5180.100	5150 to 5250	Pass
		-20				7.20	5180.040	5150 to 5250	Pass
		-10				7.20	5180.000	5150 to 5250	Pass
		0				7.20	5180.060	5150 to 5250	Pass
10	7.20	5180.060				5150 to 5250	Pass		
30	7.20	5180.000				5150 to 5250	Pass		
40	7.20	5180.020			5150 to 5250	Pass			
50	7.20	5180.020			5150 to 5250	Pass			
5200	20	6.12			5200.080	5150 to 5250	Pass		
		7.20			5200.020	5150 to 5250	Pass		
		8.28			5200.080	5150 to 5250	Pass		
	-30	7.20			5200.080	5150 to 5250	Pass		
	-20	7.20			5200.060	5150 to 5250	Pass		
	-10	7.20			5200.040	5150 to 5250	Pass		
	0	7.20			5200.060	5150 to 5250	Pass		
	10	7.20	5200.060	5150 to 5250	Pass				
	30	7.20	5200.120	5150 to 5250	Pass				
40	7.20	5200.060	5150 to 5250	Pass					
50	7.20	5200.080	5150 to 5250	Pass					
5240	20	6.12	5240.040	5150 to 5250	Pass				
		7.20	5240.080	5150 to 5250	Pass				



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 407 of 427

			8.28	5239.980	5150 to 5250	Pass	
		-30	7.20	5240.000	5150 to 5250	Pass	
		-20	7.20	5240.020	5150 to 5250	Pass	
		-10	7.20	5240.080	5150 to 5250	Pass	
		0	7.20	5239.980	5150 to 5250	Pass	
		10	7.20	5240.060	5150 to 5250	Pass	
		30	7.20	5240.040	5150 to 5250	Pass	
		40	7.20	5240.040	5150 to 5250	Pass	
		50	7.20	5240.060	5150 to 5250	Pass	
	5260	20	6.12	5260.000	5250 to 5350	Pass	
			7.20	5260.040	5250 to 5350	Pass	
			8.28	5260.040	5250 to 5350	Pass	
			-30	7.20	5260.020	5250 to 5350	Pass
			-20	7.20	5260.080	5250 to 5350	Pass
			-10	7.20	5260.020	5250 to 5350	Pass
			0	7.20	5260.080	5250 to 5350	Pass
			10	7.20	5260.020	5250 to 5350	Pass
			30	7.20	5260.080	5250 to 5350	Pass
			40	7.20	5260.000	5250 to 5350	Pass
			50	7.20	5260.000	5250 to 5350	Pass
		5300	20	6.12	5300.120	5250 to 5350	Pass
	7.20			5300.100	5250 to 5350	Pass	
	8.28			5300.080	5250 to 5350	Pass	
			-30	7.20	5300.040	5250 to 5350	Pass
			-20	7.20	5300.100	5250 to 5350	Pass
			-10	7.20	5300.040	5250 to 5350	Pass
			0	7.20	5300.080	5250 to 5350	Pass
			10	7.20	5300.100	5250 to 5350	Pass
			30	7.20	5300.100	5250 to 5350	Pass
			40	7.20	5300.080	5250 to 5350	Pass
		50	7.20	5300.060	5250 to 5350	Pass	
	5320	20	6.12	5320.000	5250 to 5350	Pass	
			7.20	5320.080	5250 to 5350	Pass	
			8.28	5320.100	5250 to 5350	Pass	
			-30	7.20	5320.080	5250 to 5350	Pass
			-20	7.20	5320.080	5250 to 5350	Pass
			-10	7.20	5320.120	5250 to 5350	Pass
			0	7.20	5320.080	5250 to 5350	Pass
			10	7.20	5319.980	5250 to 5350	Pass
			30	7.20	5320.060	5250 to 5350	Pass
			40	7.20	5320.080	5250 to 5350	Pass
		50	7.20	5320.060	5250 to 5350	Pass	
	5500	20	6.12	5500.060	5470 to 5725	Pass	
			7.20	5500.100	5470 to 5725	Pass	



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 408 of 427

			8.28	5500.060	5470 to 5725	Pass	
		-30	7.20	5500.000	5470 to 5725	Pass	
		-20	7.20	5500.080	5470 to 5725	Pass	
		-10	7.20	5500.120	5470 to 5725	Pass	
		0	7.20	5500.020	5470 to 5725	Pass	
		10	7.20	5500.000	5470 to 5725	Pass	
		30	7.20	5500.100	5470 to 5725	Pass	
		40	7.20	5500.020	5470 to 5725	Pass	
		50	7.20	5500.020	5470 to 5725	Pass	
	5580	20	6.12	5580.040	5470 to 5725	Pass	
			7.20	5580.040	5470 to 5725	Pass	
			8.28	5580.060	5470 to 5725	Pass	
			-30	7.20	5580.120	5470 to 5725	Pass
			-20	7.20	5580.020	5470 to 5725	Pass
			-10	7.20	5580.060	5470 to 5725	Pass
			0	7.20	5580.000	5470 to 5725	Pass
			10	7.20	5580.060	5470 to 5725	Pass
			30	7.20	5580.000	5470 to 5725	Pass
			40	7.20	5580.040	5470 to 5725	Pass
			50	7.20	5579.960	5470 to 5725	Pass
		5700	20	6.12	5700.060	5470 to 5725	Pass
	7.20			5700.060	5470 to 5725	Pass	
	8.28			5700.060	5470 to 5725	Pass	
			-30	7.20	5700.040	5470 to 5725	Pass
			-20	7.20	5700.100	5470 to 5725	Pass
			-10	7.20	5699.980	5470 to 5725	Pass
			0	7.20	5700.060	5470 to 5725	Pass
			10	7.20	5700.080	5470 to 5725	Pass
			30	7.20	5700.060	5470 to 5725	Pass
			40	7.20	5700.100	5470 to 5725	Pass
		50	7.20	5700.060	5470 to 5725	Pass	
	5745	20	6.12	5745.040	5725 to 5850	Pass	
			7.20	5745.040	5725 to 5850	Pass	
			8.28	5745.020	5725 to 5850	Pass	
			-30	7.20	5745.040	5725 to 5850	Pass
			-20	7.20	5745.060	5725 to 5850	Pass
			-10	7.20	5745.040	5725 to 5850	Pass
			0	7.20	5745.040	5725 to 5850	Pass
			10	7.20	5745.000	5725 to 5850	Pass
			30	7.20	5745.040	5725 to 5850	Pass
			40	7.20	5745.080	5725 to 5850	Pass
		50	7.20	5745.040	5725 to 5850	Pass	
	5785	20	6.12	5785.040	5725 to 5850	Pass	
			7.20	5784.980	5725 to 5850	Pass	



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 409 of 427

				8.28	5784.980	5725 to 5850	Pass		
			-30	7.20	5785.000	5725 to 5850	Pass		
			-20	7.20	5785.060	5725 to 5850	Pass		
			-10	7.20	5785.040	5725 to 5850	Pass		
			0	7.20	5784.980	5725 to 5850	Pass		
			10	7.20	5785.060	5725 to 5850	Pass		
			30	7.20	5785.000	5725 to 5850	Pass		
			40	7.20	5785.080	5725 to 5850	Pass		
			50	7.20	5785.000	5725 to 5850	Pass		
		5825	20	6.12	5825.060	5725 to 5850	Pass		
				7.20	5825.040	5725 to 5850	Pass		
				8.28	5825.080	5725 to 5850	Pass		
			-30	7.20	5825.060	5725 to 5850	Pass		
			-20	7.20	5825.100	5725 to 5850	Pass		
			-10	7.20	5825.060	5725 to 5850	Pass		
			0	7.20	5825.080	5725 to 5850	Pass		
			10	7.20	5825.040	5725 to 5850	Pass		
			30	7.20	5825.080	5725 to 5850	Pass		
			40	7.20	5825.060	5725 to 5850	Pass		
			50	7.20	5825.080	5725 to 5850	Pass		
			802.11ac (VHT40)	SISO	5190	20	6.12	5190.120	5150 to 5250
		7.20					5190.040	5150 to 5250	Pass
		8.28					5190.120	5150 to 5250	Pass
		-30				7.20	5190.120	5150 to 5250	Pass
		-20				7.20	5190.160	5150 to 5250	Pass
		-10				7.20	5190.080	5150 to 5250	Pass
		0				7.20	5190.120	5150 to 5250	Pass
10	7.20	5190.080				5150 to 5250	Pass		
30	7.20	5190.200				5150 to 5250	Pass		
40	7.20	5190.080			5150 to 5250	Pass			
50	7.20	5190.080			5150 to 5250	Pass			
5230	20	6.12			5230.120	5150 to 5250	Pass		
		7.20			5230.080	5150 to 5250	Pass		
		8.28			5230.120	5150 to 5250	Pass		
	-30	7.20			5230.080	5150 to 5250	Pass		
	-20	7.20			5230.160	5150 to 5250	Pass		
	-10	7.20			5230.160	5150 to 5250	Pass		
	0	7.20			5230.120	5150 to 5250	Pass		
	10	7.20	5230.120	5150 to 5250	Pass				
	30	7.20	5230.080	5150 to 5250	Pass				
40	7.20	5230.080	5150 to 5250	Pass					
50	7.20	5230.200	5150 to 5250	Pass					
5270	20	6.12	5270.080	5250 to 5350	Pass				
		7.20	5270.120	5250 to 5350	Pass				



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 410 of 427

			8.28	5270.080	5250 to 5350	Pass	
		-30	7.20	5270.080	5250 to 5350	Pass	
		-20	7.20	5270.120	5250 to 5350	Pass	
		-10	7.20	5270.080	5250 to 5350	Pass	
		0	7.20	5270.080	5250 to 5350	Pass	
		10	7.20	5270.120	5250 to 5350	Pass	
		30	7.20	5270.120	5250 to 5350	Pass	
		40	7.20	5270.080	5250 to 5350	Pass	
		50	7.20	5270.120	5250 to 5350	Pass	
	5310	20	6.12	5310.160	5250 to 5350	Pass	
			7.20	5310.160	5250 to 5350	Pass	
			8.28	5310.120	5250 to 5350	Pass	
			-30	7.20	5310.160	5250 to 5350	Pass
			-20	7.20	5310.080	5250 to 5350	Pass
			-10	7.20	5310.160	5250 to 5350	Pass
			0	7.20	5310.120	5250 to 5350	Pass
			10	7.20	5310.160	5250 to 5350	Pass
			30	7.20	5310.160	5250 to 5350	Pass
			40	7.20	5310.160	5250 to 5350	Pass
			50	7.20	5310.120	5250 to 5350	Pass
		5510	20	6.12	5510.080	5470 to 5725	Pass
	7.20			5510.000	5470 to 5725	Pass	
	8.28			5510.120	5470 to 5725	Pass	
			-30	7.20	5510.080	5470 to 5725	Pass
			-20	7.20	5510.120	5470 to 5725	Pass
			-10	7.20	5510.080	5470 to 5725	Pass
			0	7.20	5510.040	5470 to 5725	Pass
			10	7.20	5510.080	5470 to 5725	Pass
			30	7.20	5510.040	5470 to 5725	Pass
			40	7.20	5510.080	5470 to 5725	Pass
		50	7.20	5510.080	5470 to 5725	Pass	
	5550	20	6.12	5550.120	5470 to 5725	Pass	
			7.20	5550.120	5470 to 5725	Pass	
			8.28	5550.120	5470 to 5725	Pass	
			-30	7.20	5550.120	5470 to 5725	Pass
			-20	7.20	5550.120	5470 to 5725	Pass
			-10	7.20	5550.120	5470 to 5725	Pass
			0	7.20	5550.120	5470 to 5725	Pass
			10	7.20	5550.120	5470 to 5725	Pass
			30	7.20	5550.120	5470 to 5725	Pass
			40	7.20	5550.080	5470 to 5725	Pass
		50	7.20	5550.040	5470 to 5725	Pass	
	5670	20	6.12	5670.120	5470 to 5725	Pass	
			7.20	5670.120	5470 to 5725	Pass	



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 411 of 427

				8.28	5670.120	5470 to 5725	Pass		
			-30	7.20	5670.080	5470 to 5725	Pass		
			-20	7.20	5670.120	5470 to 5725	Pass		
			-10	7.20	5670.120	5470 to 5725	Pass		
			0	7.20	5670.160	5470 to 5725	Pass		
			10	7.20	5670.160	5470 to 5725	Pass		
			30	7.20	5670.160	5470 to 5725	Pass		
			40	7.20	5670.160	5470 to 5725	Pass		
			50	7.20	5670.080	5470 to 5725	Pass		
		5755	20	6.12	5755.040	5725 to 5850	Pass		
				7.20	5755.080	5725 to 5850	Pass		
				8.28	5755.080	5725 to 5850	Pass		
			-30	7.20	5755.040	5725 to 5850	Pass		
			-20	7.20	5755.120	5725 to 5850	Pass		
			-10	7.20	5755.120	5725 to 5850	Pass		
			0	7.20	5755.160	5725 to 5850	Pass		
			10	7.20	5755.080	5725 to 5850	Pass		
			30	7.20	5755.120	5725 to 5850	Pass		
			40	7.20	5755.160	5725 to 5850	Pass		
			50	7.20	5755.120	5725 to 5850	Pass		
			5795	20	6.12	5795.040	5725 to 5850	Pass	
		7.20			5795.120	5725 to 5850	Pass		
		8.28			5795.040	5725 to 5850	Pass		
		-30		7.20	5795.120	5725 to 5850	Pass		
		-20		7.20	5795.120	5725 to 5850	Pass		
		-10		7.20	5795.160	5725 to 5850	Pass		
		0		7.20	5795.000	5725 to 5850	Pass		
		10		7.20	5795.080	5725 to 5850	Pass		
		30		7.20	5795.120	5725 to 5850	Pass		
		40		7.20	5795.120	5725 to 5850	Pass		
		50	7.20	5795.080	5725 to 5850	Pass			
		802.11ac (VHT80)	SISO	5210	20	6.12	5210.225	5150 to 5250	Pass
						7.20	5210.225	5150 to 5250	Pass
8.28	5210.225					5150 to 5250	Pass		
-30	7.20				5210.150	5150 to 5250	Pass		
-20	7.20				5210.150	5150 to 5250	Pass		
-10	7.20				5210.150	5150 to 5250	Pass		
0	7.20				5210.225	5150 to 5250	Pass		
10	7.20				5210.225	5150 to 5250	Pass		
30	7.20				5210.150	5150 to 5250	Pass		
40	7.20				5210.225	5150 to 5250	Pass		
50	7.20			5210.150	5150 to 5250	Pass			
5290	20			6.12	5290.150	5250 to 5350	Pass		
				7.20	5290.225	5250 to 5350	Pass		



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 412 of 427

			8.28	5290.150	5250 to 5350	Pass	
		-30	7.20	5290.150	5250 to 5350	Pass	
		-20	7.20	5290.075	5250 to 5350	Pass	
		-10	7.20	5290.150	5250 to 5350	Pass	
		0	7.20	5290.075	5250 to 5350	Pass	
		10	7.20	5290.225	5250 to 5350	Pass	
		30	7.20	5290.225	5250 to 5350	Pass	
		40	7.20	5290.150	5250 to 5350	Pass	
		50	7.20	5290.225	5250 to 5350	Pass	
	5530	20	6.12	5530.150	5470 to 5725	Pass	
			7.20	5530.150	5470 to 5725	Pass	
			8.28	5530.150	5470 to 5725	Pass	
			-30	7.20	5530.075	5470 to 5725	Pass
			-20	7.20	5530.075	5470 to 5725	Pass
			-10	7.20	5530.150	5470 to 5725	Pass
			0	7.20	5530.075	5470 to 5725	Pass
			10	7.20	5530.075	5470 to 5725	Pass
			30	7.20	5530.225	5470 to 5725	Pass
			40	7.20	5530.075	5470 to 5725	Pass
			50	7.20	5530.150	5470 to 5725	Pass
		5610	20	6.12	5610.150	5470 to 5725	Pass
	7.20			5610.075	5470 to 5725	Pass	
	8.28			5610.150	5470 to 5725	Pass	
			-30	7.20	5610.150	5470 to 5725	Pass
			-20	7.20	5610.075	5470 to 5725	Pass
			-10	7.20	5610.150	5470 to 5725	Pass
			0	7.20	5610.075	5470 to 5725	Pass
			10	7.20	5610.075	5470 to 5725	Pass
			30	7.20	5610.150	5470 to 5725	Pass
			40	7.20	5610.150	5470 to 5725	Pass
		50	7.20	5610.075	5470 to 5725	Pass	
	5775	20	6.12	5775.075	5725 to 5850	Pass	
			7.20	5775.075	5725 to 5850	Pass	
			8.28	5775.075	5725 to 5850	Pass	
			-30	7.20	5775.075	5725 to 5850	Pass
			-20	7.20	5775.075	5725 to 5850	Pass
			-10	7.20	5775.075	5725 to 5850	Pass
			0	7.20	5775.075	5725 to 5850	Pass
			10	7.20	5775.075	5725 to 5850	Pass
			30	7.20	5775.075	5725 to 5850	Pass
			40	7.20	5775.075	5725 to 5850	Pass
		50	7.20	5775.150	5725 to 5850	Pass	



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 413 of 427

1. Signal Calibration


1.1 SC

1.1.1 Test Result


Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11ac (VHT80)	80	5290	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass

1.1.2 Test Graph


Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType0_Trial0




Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType1_Trial0




Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType2_Trial0




Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType3_Trial0




Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType4_Trial0



Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType5_Trial0






1.2 SC

1.2.1 Test Result


Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11ac (VHT80)	80	5530	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass

1.2.2 Test Graph


Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType0_Trial0




Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType1_Trial0




Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType2_Trial0




Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType3_Trial0



Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType4_Trial0



Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType5_Trial0






Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 421 of 427

Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType6_Trial0




2. Channel Loading (Payload)

2.1 Payload

2.1.1 Test Result

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5290	19.24	>=17	Pass

2.1.2 Test Graph





Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504


Page: 423 of 427

2.2 Payload

2.2.1 Test Result

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	21.89	>=17	Pass

2.2.2 Test Graph




3. Channel Move Time and Closing Transmission Time

3.1 CMT_CTT

3.1.1 Test Result

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5290	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 CMT_CTT

3.2.1 Test Result

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	Refer To Test Graph		Pass

3.2.2 Test Graph





Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504

Page: 426 of 427


4. Non-Occupancy Period

4.1 Period

4.1.1 Test Result

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5290	Refer To Test Graph		Pass

4.1.2 Test Graph





Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900174504


Page: 427 of 427

4.2 Period

4.2.1 Test Result

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	Refer To Test Graph		Pass

4.2.2 Test Graph



- End of the Report -