2. Bandwidth

2.1 OBW

2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	17.512	/	Pass
		5200	1	17.358	/	Pass
		5240	1	17.352	/	Pass
		5260	1	17.367	/	Pass
		5300	1	17.443	/	Pass
		5320	1	17.411	/	Pass
		5500	1	17.430	/	Pass
		5580	1	17.345	/	Pass
		5700	1	17.374	/	Pass
		5745	1	17.378	/	Pass
		5785	1	17.408	/	Pass
		5825	1	17.324	/	Pass
802.11n (HT20)	SISO	5180	1	18.471	/	Pass
		5200	1	18.468	/	Pass
		5240	1	18.412	/	Pass
		5260	1	18.415	/	Pass
		5300	1	18.478	/	Pass
		5320	1	18.476	/	Pass
		5500	1	18.505	/	Pass
		5580	1	18.471	/	Pass
		5700	1	18.484	/	Pass
		5745	1	18.424	/	Pass
		5785	1	18.520	/	Pass
		5825	1	18.433	/	Pass
802.11n (HT40)	SISO	5190	1	36.572	/	Pass
		5230	1	36.570	/	Pass
		5270	1	36.598	/	Pass
		5310	1	36.576	/	Pass
		5510	1	36.532	/	Pass
		5550	1	36.648	/	Pass
		5670	1	36.630	/	Pass
		5755	1	36.628	/	Pass
		5795	1	36.689	/	Pass
802.11ac (VHT20)	SISO	5180	1	18.462	/	Pass
		5200	1	18.437	/	Pass
		5240	1	18.394	/	Pass

		5260	1	18.441	/	Pass
		5300	1	18.461	/	Pass
		5320	1	18.416	/	Pass
		5500	1	18.449	/	Pass
		5580	1	18.484	/	Pass
		5700	1	18.488	/	Pass
		5745	1	18.390	/	Pass
		5785	1	18.433	/	Pass
		5825	1	18.465	/	Pass
802.11ac (VHT40)	SISO	5190	1	36.551	/	Pass
		5230	1	36.529	/	Pass
		5270	1	36.614	/	Pass
		5310	1	36.585	/	Pass
		5510	1	36.593	/	Pass
		5550	1	36.595	/	Pass
		5670	1	36.609	/	Pass
		5755	1	36.554	/	Pass
		5795	1	36.674	/	Pass
802.11ac (VHT80)	SISO	5210	1	76.175	/	Pass
		5290	1	76.190	/	Pass
		5530	1	76.043	/	Pass
		5610	1	76.187	/	Pass
		5775	1	76.172	/	Pass

2.1.2 Test Graph

802.11a_LCH_5180MHz_Ant1_NTNV



802.11a_MCH_5200MHz_Ant1_NTNV



802.11a_HCH_5240MHz_Ant1_NTNV



802.11a_LCH_5260MHz_Ant1_NTNV



802.11a_MCH_5300MHz_Ant1_NTNV



802.11a_HCH_5320MHz_Ant1_NTNV



802.11a_LCH_5500MHz_Ant1_NTNV



802.11a_MCH_5580MHz_Ant1_NTNV



802.11a_HCH_5700MHz_Ant1_NTNV



802.11a_LCH_5745MHz_Ant1_NTNV



802.11a_MCH_5785MHz_Ant1_NTNV



802.11a_HCH_5825MHz_Ant1_NTNV



802.11n(HT20)_LCH_5180MHz_Ant1_NTNV



802.11n(HT20)_MCH_5200MHz_Ant1_NTNV



802.11n(HT20)_HCH_5240MHz_Ant1_NTNV



802.11n(HT20)_LCH_5260MHz_Ant1_NTNV



802.11n(HT20)_MCH_5300MHz_Ant1_NTNV



802.11n(HT20)_HCH_5320MHz_Ant1_NTNV



802.11n(HT20)_LCH_5500MHz_Ant1_NTNV



802.11n(HT20)_MCH_5580MHz_Ant1_NTNV



802.11n(HT20)_HCH_5700MHz_Ant1_NTNV



802.11n(HT20)_LCH_5745MHz_Ant1_NTNV



802.11n(HT20)_MCH_5785MHz_Ant1_NTNV



802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5190MHz_Ant1_NTNV



802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



802.11n(HT40)_LCH_5270MHz_Ant1_NTNV



802.11n(HT40)_HCH_5310MHz_Ant1_NTNV



802.11n(HT40)_LCH_5510MHz_Ant1_NTNV



802.11n(HT40)_MCH_5550MHz_Ant1_NTNV



802.11n(HT40)_HCH_5670MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV



802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



2.2 6dB BW

2.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	15.168	>=0.5	Pass
		5785	1	16.043	>=0.5	Pass
		5825	1	15.318	>=0.5	Pass
802.11n (HT20)	SISO	5745	1	15.747	>=0.5	Pass
		5785	1	15.382	>=0.5	Pass
		5825	1	15.393	>=0.5	Pass
802.11n (HT40)	SISO	5755	1	35.940	>=0.5	Pass
		5795	1	36.313	>=0.5	Pass
802.11ac (VHT20)	SISO	5745	1	15.708	>=0.5	Pass
		5785	1	15.175	>=0.5	Pass
		5825	1	16.106	>=0.5	Pass
802.11ac (VHT40)	SISO	5755	1	35.786	>=0.5	Pass
		5795	1	36.334	>=0.5	Pass
802.11ac (VHT80)	SISO	5775	1	75.201	>=0.5	Pass

2.2.2 Test Graph

802.11a_LCH_5745MHz_Ant1_NTNV



802.11a_MCH_5785MHz_Ant1_NTNV



802.11a_HCH_5825MHz_Ant1_NTNV



802.11n(HT20)_LCH_5745MHz_Ant1_NTNV



802.11n(HT20)_MCH_5785MHz_Ant1_NTNV



802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



2.3 26dB BW

2.3.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	23.198	/	Pass
		5200	1	22.445	/	Pass
		5240	1	22.335	/	Pass
		5260	1	22.032	/	Pass
		5300	1	22.447	/	Pass
		5320	1	21.998	/	Pass
		5500	1	23.320	/	Pass
		5580	1	21.961	/	Pass
		5700	1	22.721	/	Pass
802.11n (HT20)	SISO	5180	1	22.456	/	Pass
		5200	1	23.351	/	Pass
		5240	1	22.812	/	Pass
		5260	1	22.878	/	Pass
		5300	1	23.277	/	Pass
		5320	1	23.276	/	Pass
		5500	1	23.456	/	Pass
		5580	1	22.279	/	Pass
		5700	1	22.718	/	Pass
802.11n (HT40)	SISO	5190	1	41.328	/	Pass
		5230	1	41.046	/	Pass
		5270	1	41.109	/	Pass
		5310	1	41.318	/	Pass

		5510	1	41.734	/	Pass
		5550	1	41.468	/	Pass
		5670	1	41.491	/	Pass
802.11ac (VHT20)	SISO	5180	1	22.708	/	Pass
		5200	1	22.499	/	Pass
		5240	1	21.949	/	Pass
		5260	1	23.073	/	Pass
		5300	1	22.343	/	Pass
		5320	1	23.220	/	Pass
		5500	1	23.080	/	Pass
		5580	1	23.279	/	Pass
		5700	1	24.087	/	Pass
802.11ac (VHT40)	SISO	5190	1	40.981	/	Pass
		5230	1	45.527	/	Pass
		5270	1	41.105	/	Pass
		5310	1	41.242	/	Pass
		5510	1	41.710	/	Pass
		5550	1	41.538	/	Pass
		5670	1	41.355	/	Pass
802.11ac (VHT80)	SISO	5210	1	83.418	/	Pass
		5290	1	82.745	/	Pass
		5530	1	82.894	/	Pass
		5610	1	82.939	/	Pass

2.3.2 Test Graph

802.11a_LCH_5180MHz_Ant1_NTNV



802.11a_MCH_5200MHz_Ant1_NTNV



802.11a_HCH_5240MHz_Ant1_NTNV



802.11a_LCH_5260MHz_Ant1_NTNV



802.11a_MCH_5300MHz_Ant1_NTNV



802.11a_HCH_5320MHz_Ant1_NTNV



802.11a_LCH_5500MHz_Ant1_NTNV



802.11a_MCH_5580MHz_Ant1_NTNV



802.11a_HCH_5700MHz_Ant1_NTNV



802.11n(HT20)_LCH_5180MHz_Ant1_NTNV



802.11n(HT20)_MCH_5200MHz_Ant1_NTNV



802.11n(HT20)_HCH_5240MHz_Ant1_NTNV



802.11n(HT20)_LCH_5260MHz_Ant1_NTNV



802.11n(HT20)_MCH_5300MHz_Ant1_NTNV



802.11n(HT20)_HCH_5320MHz_Ant1_NTNV



802.11n(HT20)_LCH_5500MHz_Ant1_NTNV



802.11n(HT20)_MCH_5580MHz_Ant1_NTNV



802.11n(HT20)_HCH_5700MHz_Ant1_NTNV



802.11n(HT40)_LCH_5190MHz_Ant1_NTNV



802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



802.11n(HT40)_LCH_5270MHz_Ant1_NTNV



802.11n(HT40)_HCH_5310MHz_Ant1_NTNV



802.11n(HT40)_LCH_5510MHz_Ant1_NTNV



802.11n(HT40)_MCH_5550MHz_Ant1_NTNV



802.11n(HT40)_HCH_5670MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV



802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	14.80	<=23.98	Pass
		5200	15.17	<=23.98	Pass
		5240	14.79	<=23.98	Pass
		5260	14.75	<=23.98	Pass
		5300	14.48	<=23.98	Pass
		5320	15.02	<=23.98	Pass
		5500	15.30	<=23.98	Pass
		5580	15.04	<=23.98	Pass
		5700	15.00	<=23.98	Pass
		5745	15.05	<=30	Pass
		5785	14.78	<=30	Pass
		5825	14.83	<=30	Pass
802.11n (HT20)	SISO	5180	14.07	<=23.98	Pass
		5200	13.98	<=23.98	Pass
		5240	14.07	<=23.98	Pass
		5260	14.07	<=23.98	Pass
		5300	13.80	<=23.98	Pass
		5320	13.86	<=23.98	Pass
		5500	14.14	<=23.98	Pass
		5580	14.24	<=23.98	Pass
		5700	14.02	<=23.98	Pass
		5745	14.14	<=30	Pass
		5785	13.97	<=30	Pass
		5825	13.93	<=30	Pass
802.11n (HT40)	SISO	5190	14.19	<=23.98	Pass
		5230	14.00	<=23.98	Pass
		5270	13.80	<=23.98	Pass
		5310	13.75	<=23.98	Pass
		5510	13.98	<=23.98	Pass
		5550	13.91	<=23.98	Pass
		5670	13.94	<=23.98	Pass
		5755	14.09	<=30	Pass
		5795	13.84	<=30	Pass
802.11ac (VHT20)	SISO	5180	12.79	<=23.98	Pass
		5200	12.81	<=23.98	Pass
		5240	12.99	<=23.98	Pass

		5260	13.02	<=23.98	Pass
		5300	12.79	<=23.98	Pass
		5320	13.27	<=23.98	Pass
		5500	12.89	<=23.98	Pass
		5580	12.98	<=23.98	Pass
		5700	13.08	<=23.98	Pass
		5745	13.17	<=30	Pass
		5785	13.06	<=30	Pass
		5825	12.83	<=30	Pass
802.11ac (VHT40)	SISO	5190	13.00	<=23.98	Pass
		5230	13.36	<=23.98	Pass
		5270	13.18	<=23.98	Pass
		5310	13.25	<=23.98	Pass
		5510	13.10	<=23.98	Pass
		5550	12.92	<=23.98	Pass
		5670	12.92	<=23.98	Pass
		5755	13.14	<=30	Pass
		5795	12.88	<=30	Pass
802.11ac (VHT80)	SISO	5210	12.17	<=23.98	Pass
		5290	11.85	<=23.98	Pass
		5530	11.73	<=23.98	Pass
		5610	12.02	<=23.98	Pass
		5775	12.01	<=30	Pass
Note1: Antenna Gain: U-NII-1:1.98dBi, U-NII-2A:2.07dBi, U-NII-2C:2.08dBi, U-NII-3:2.12dBi					

3.2 EIRP

3.2.1 Test Result

Mode	TX Type	Frequency (MHz)	E.I.R.P (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	16.78	<=22.43	Pass
		5200	17.15	<=22.39	Pass
		5240	16.77	<=22.39	Pass
		5260	16.82	<=29.4	Pass
		5300	16.55	<=29.42	Pass
		5320	17.09	<=29.41	Pass
		5500	17.38	<=29.41	Pass
		5580	17.12	<=29.39	Pass
		5700	17.08	<=29.4	Pass
		5745	17.17	/	Pass
		5785	16.90	/	Pass
		5825	16.95	/	Pass
802.11n (HT20)	SISO	5180	16.05	<=22.66	Pass
		5200	15.96	<=22.66	Pass

		5240	16.05	<=22.65	Pass
		5260	16.14	<=29.65	Pass
		5300	15.87	<=29.67	Pass
		5320	15.93	<=29.67	Pass
		5500	16.22	<=29.67	Pass
		5580	16.32	<=29.66	Pass
		5700	16.10	<=29.67	Pass
		5745	16.26	/	Pass
		5785	16.09	/	Pass
		5825	16.05	/	Pass
802.11n (HT40)	SISO	5190	16.17	<=23.01	Pass
		5230	15.98	<=23.01	Pass
		5270	15.87	<=30	Pass
		5310	15.82	<=30	Pass
		5510	16.06	<=30	Pass
		5550	15.99	<=30	Pass
		5670	16.02	<=30	Pass
		5755	16.21	/	Pass
		5795	15.96	/	Pass
802.11ac (VHT20)	SISO	5180	14.77	<=22.66	Pass
		5200	14.79	<=22.66	Pass
		5240	14.97	<=22.65	Pass
		5260	15.09	<=29.66	Pass
		5300	14.86	<=29.66	Pass
		5320	15.34	<=29.65	Pass
		5500	14.97	<=29.66	Pass
		5580	15.06	<=29.67	Pass
		5700	15.16	<=29.67	Pass
		5745	15.29	/	Pass
		5785	15.18	/	Pass
		5825	14.95	/	Pass
802.11ac (VHT40)	SISO	5190	14.98	<=23.01	Pass
		5230	15.34	<=23.01	Pass
		5270	15.25	<=30	Pass
		5310	15.32	<=30	Pass
		5510	15.18	<=30	Pass
		5550	15.00	<=30	Pass
		5670	15.00	<=30	Pass
		5755	15.26	/	Pass
		5795	15.00	/	Pass
802.11ac (VHT80)	SISO	5210	14.15	<=23.01	Pass
		5290	13.92	<=30	Pass
		5530	13.81	<=30	Pass
		5775	14.13	/	Pass

Note1: Antenna Gain: U-NII-1:1.98dBi, U-NII-2A:2.07dBi, U-NII-2C:2.08dBi, U-NII-3:2.12dBi Note2: E.I.R.P = Measured Power + Antenna Gain

3.2.2 Test Graph

802.11a_LCH_5180MHz_Ant1_NTNV



802.11a_MCH_5200MHz_Ant1_NTNV



802.11a_HCH_5240MHz_Ant1_NTNV



802.11a_LCH_5260MHz_Ant1_NTNV



802.11a_MCH_5300MHz_Ant1_NTNV



802.11a_HCH_5320MHz_Ant1_NTNV



802.11a_LCH_5500MHz_Ant1_NTNV



802.11a_MCH_5580MHz_Ant1_NTNV



802.11a_HCH_5700MHz_Ant1_NTNV



802.11a_LCH_5745MHz_Ant1_NTNV



802.11a_MCH_5785MHz_Ant1_NTNV



802.11a_HCH_5825MHz_Ant1_NTNV



802.11n(HT20)_LCH_5180MHz_Ant1_NTNV



802.11n(HT20)_MCH_5200MHz_Ant1_NTNV



802.11n(HT20)_HCH_5240MHz_Ant1_NTNV



802.11n(HT20)_LCH_5260MHz_Ant1_NTNV



802.11n(HT20)_MCH_5300MHz_Ant1_NTNV



802.11n(HT20)_HCH_5320MHz_Ant1_NTNV



802.11n(HT20)_LCH_5500MHz_Ant1_NTNV



802.11n(HT20)_MCH_5580MHz_Ant1_NTNV



802.11n(HT20)_HCH_5700MHz_Ant1_NTNV



802.11n(HT20)_LCH_5745MHz_Ant1_NTNV



802.11n(HT20)_MCH_5785MHz_Ant1_NTNV



802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5190MHz_Ant1_NTNV



802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



802.11n(HT40)_LCH_5270MHz_Ant1_NTNV



802.11n(HT40)_HCH_5310MHz_Ant1_NTNV



802.11n(HT40)_LCH_5510MHz_Ant1_NTNV



802.11n(HT40)_MCH_5550MHz_Ant1_NTNV



802.11n(HT40)_HCH_5670MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV



802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV


Ant: Ant1
CENT: 5775 MHz
Span: 160 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 301
SweepPoint: 1001
SweepTime: 1 ms
Sweep: Single
AverageType: RMS
CHP BW: 76.172MHz
CHP: 11.69dBm
DCCF: 0.32dB
Power: 12.01dBm
Trace
Level (dBm)
10
0
-10
-20
-30
-40
-50
-60
-70
-80
-90
5695.0
5855.0
Frequency (MHz)

4. Maximum Power Spectral Density

4.1 PSD

4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	4.23	<=11	Pass
		5200	4.59	<=11	Pass
		5240	4.30	<=11	Pass
		5260	4.23	<=11	Pass
		5300	3.90	<=11	Pass
		5320	4.37	<=11	Pass
		5500	4.77	<=11	Pass
		5580	4.45	<=11	Pass
		5700	4.51	<=11	Pass
802.11n (HT20)	SISO	5180	3.38	<=11	Pass
		5200	3.12	<=11	Pass
		5240	3.20	<=11	Pass
		5260	3.36	<=11	Pass
		5300	3.06	<=11	Pass
		5320	3.03	<=11	Pass
		5500	3.35	<=11	Pass
		5580	3.43	<=11	Pass
		5700	3.20	<=11	Pass
802.11n (HT40)	SISO	5190	0.50	<=11	Pass
		5230	0.35	<=11	Pass
		5270	0.08	<=11	Pass
		5310	-0.03	<=11	Pass
		5510	0.13	<=11	Pass
		5550	0.28	<=11	Pass
		5670	-0.08	<=11	Pass
802.11ac (VHT20)	SISO	5180	1.91	<=11	Pass
		5200	1.94	<=11	Pass
		5240	2.07	<=11	Pass
		5260	2.23	<=11	Pass
		5300	2.15	<=11	Pass
		5320	2.41	<=11	Pass
		5500	2.07	<=11	Pass
		5580	2.11	<=11	Pass
		5700	2.27	<=11	Pass
802.11ac (VHT40)	SISO	5190	-0.79	<=11	Pass
		5230	-0.48	<=11	Pass

		5270	-0.61	<=11	Pass
		5310	-0.63	<=11	Pass
		5510	-0.66	<=11	Pass
		5550	-0.97	<=11	Pass
		5670	-1.00	<=11	Pass
802.11ac (VHT80)	SISO	5210	-4.78	<=11	Pass
		5290	-5.17	<=11	Pass
		5530	-5.18	<=11	Pass
		5610	-5.10	<=11	Pass
Note1: Antenna Gain: U-NII-1:1.98dBi, U-NII-2A:2.07dBi, U-NII-2C:2.08dBi, U-NII-3:2.12dBi					

4.2 E.I.R.PSD

4.2.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum E.I.R.PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	6.21	<=10	Pass
		5200	6.57	<=10	Pass
		5240	6.28	<=10	Pass
802.11n (HT20)	SISO	5180	5.36	<=10	Pass
		5200	5.10	<=10	Pass
		5240	5.18	<=10	Pass
802.11n (HT40)	SISO	5190	2.48	<=10	Pass
		5230	2.33	<=10	Pass
802.11ac (VHT20)	SISO	5180	3.89	<=10	Pass
		5200	3.92	<=10	Pass
		5240	4.05	<=10	Pass
802.11ac (VHT40)	SISO	5190	1.19	<=10	Pass
		5230	1.50	<=10	Pass
802.11ac (VHT80)	SISO	5210	-2.80	<=10	Pass
Note1: Note1: Antenna Gain: U-NII-1:1.98dBi Note2: E.I.R.PSD = Measured PSD + Antenna Gain					

4.2.2 Test Graph

802.11a_LCH_5180MHz_Ant1_NTNV



802.11a_MCH_5200MHz_Ant1_NTNV



802.11a_HCH_5240MHz_Ant1_NTNV



802.11a_LCH_5260MHz_Ant1_NTNV



802.11a_MCH_5300MHz_Ant1_NTNV



802.11a_HCH_5320MHz_Ant1_NTNV



802.11a_LCH_5500MHz_Ant1_NTNV



802.11a_MCH_5580MHz_Ant1_NTNV



802.11a_HCH_5700MHz_Ant1_NTNV



802.11n(HT20)_LCH_5180MHz_Ant1_NTNV



802.11n(HT20)_MCH_5200MHz_Ant1_NTNV



802.11n(HT20)_HCH_5240MHz_Ant1_NTNV



802.11n(HT20)_LCH_5260MHz_Ant1_NTNV



802.11n(HT20)_MCH_5300MHz_Ant1_NTNV



802.11n(HT20)_HCH_5320MHz_Ant1_NTNV



802.11n(HT20)_LCH_5500MHz_Ant1_NTNV



802.11n(HT20)_MCH_5580MHz_Ant1_NTNV



802.11n(HT20)_HCH_5700MHz_Ant1_NTNV



802.11n(HT40)_LCH_5190MHz_Ant1_NTNV



802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



802.11n(HT40)_LCH_5270MHz_Ant1_NTNV



802.11n(HT40)_HCH_5310MHz_Ant1_NTNV



802.11n(HT40)_LCH_5510MHz_Ant1_NTNV



802.11n(HT40)_MCH_5550MHz_Ant1_NTNV



802.11n(HT40)_HCH_5670MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV



802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV


Ant: Ant1
CENT: 5610 MHz
Span: 160 MHz
RBW: 1 MHz
VBW: 3 MHz
Detector: RMS
TraceType: Average
AverageCount: 301
SweepPoint: 1001
SweepTime: 1 ms
Sweep: Single
AverageType: RMS
DCCF: 0.33 dB
PSD:
1: -5.10 dBm/MHz
Maker:
1 5602.640 MHz
-5.43 dBm
Trace
Level (dBm)
Frequency (MHz)
5530.0
5690.0

4.3 PSD-Band3

4.3.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	1.62	<=30	Pass
		5785	1.30	<=30	Pass
		5825	1.45	<=30	Pass
802.11n (HT20)	SISO	5745	0.26	<=30	Pass
		5785	0.24	<=30	Pass
		5825	0.21	<=30	Pass
802.11n (HT40)	SISO	5755	-2.64	<=30	Pass
		5795	-3.12	<=30	Pass
802.11ac (VHT20)	SISO	5745	-0.53	<=30	Pass
		5785	-0.80	<=30	Pass
		5825	-0.73	<=30	Pass
802.11ac (VHT40)	SISO	5755	-3.43	<=30	Pass
		5795	-3.75	<=30	Pass
802.11ac (VHT80)	SISO	5775	-7.87	<=30	Pass
Note1: Antenna Gain: U-NII-3:2.12dBi					

4.3.2 Test Graph

802.11a_LCH_5745MHz_Ant1_NTNV



802.11a_MCH_5785MHz_Ant1_NTNV



802.11a_HCH_5825MHz_Ant1_NTNV



802.11n(HT20)_LCH_5745MHz_Ant1_NTNV



802.11n(HT20)_MCH_5785MHz_Ant1_NTNV



802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV


Ant: Ant1
CENT: 5775 MHz
Span: 160 MHz
RBW: 300 kHz
VBW: 1 MHz
Detector: RMS
TraceType: Average
AverageCount: 301
SweepPoint: 1001
SweepTime: 2.2 ms
Sweep: Single
AverageType: RMS
DCCF: 0.32 dB
Factor RBW
2.22 dB
PSD:
1:
-7.87 dBm/500kHz
Maker:
1: 5771.320 MHz
-10.41 dBm
Trace
Level (dBm)
0
-10
-20
-30
-40
-50
-60
-70
-80
-90
-100
5695.0
5855.0
Frequency (MHz)

5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	20.4	5180.060	5150 to 5250	Pass
				24.0	5180.020	5150 to 5250	Pass
				27.6	5179.980	5150 to 5250	Pass
			-30	24.0	5180.060	5150 to 5250	Pass
			-20	24.0	5180.000	5150 to 5250	Pass
			-10	24.0	5180.020	5150 to 5250	Pass
			0	24.0	5180.000	5150 to 5250	Pass
			10	24.0	5179.960	5150 to 5250	Pass
			30	24.0	5180.000	5150 to 5250	Pass
			40	24.0	5179.980	5150 to 5250	Pass
			50	24.0	5180.020	5150 to 5250	Pass
		5200	20	20.4	5200.040	5150 to 5250	Pass
				24.0	5200.060	5150 to 5250	Pass
				27.6	5199.960	5150 to 5250	Pass
			-30	24.0	5199.960	5150 to 5250	Pass
			-20	24.0	5199.980	5150 to 5250	Pass
			-10	24.0	5199.980	5150 to 5250	Pass
			0	24.0	5200.000	5150 to 5250	Pass
			10	24.0	5200.000	5150 to 5250	Pass
			30	24.0	5199.960	5150 to 5250	Pass
			40	24.0	5200.060	5150 to 5250	Pass
			50	24.0	5200.020	5150 to 5250	Pass
		5240	20	20.4	5239.980	5150 to 5250	Pass
				24.0	5239.980	5150 to 5250	Pass
				27.6	5240.040	5150 to 5250	Pass
			-30	24.0	5240.060	5150 to 5250	Pass
			-20	24.0	5240.020	5150 to 5250	Pass
			-10	24.0	5239.980	5150 to 5250	Pass
			0	24.0	5240.020	5150 to 5250	Pass
			10	24.0	5240.020	5150 to 5250	Pass
			30	24.0	5240.040	5150 to 5250	Pass
			40	24.0	5240.060	5150 to 5250	Pass
			50	24.0	5240.040	5150 to 5250	Pass
		5260	20	20.4	5260.000	5250 to 5350	Pass
				24.0	5259.980	5250 to 5350	Pass

				27.6	5259.960	5250 to 5350	Pass
			-30	24.0	5260.000	5250 to 5350	Pass
			-20	24.0	5260.020	5250 to 5350	Pass
			-10	24.0	5260.040	5250 to 5350	Pass
			0	24.0	5260.040	5250 to 5350	Pass
			10	24.0	5260.060	5250 to 5350	Pass
			30	24.0	5260.080	5250 to 5350	Pass
			40	24.0	5260.020	5250 to 5350	Pass
			50	24.0	5260.000	5250 to 5350	Pass
		5300	20	20.4	5300.000	5250 to 5350	Pass
				24.0	5300.040	5250 to 5350	Pass
				27.6	5299.980	5250 to 5350	Pass
			-30	24.0	5300.040	5250 to 5350	Pass
			-20	24.0	5299.940	5250 to 5350	Pass
			-10	24.0	5300.020	5250 to 5350	Pass
			0	24.0	5300.040	5250 to 5350	Pass
			10	24.0	5300.040	5250 to 5350	Pass
			30	24.0	5300.020	5250 to 5350	Pass
			40	24.0	5300.040	5250 to 5350	Pass
			50	24.0	5300.000	5250 to 5350	Pass
		5320	20	20.4	5320.020	5250 to 5350	Pass
				24.0	5320.100	5250 to 5350	Pass
				27.6	5319.980	5250 to 5350	Pass
			-30	24.0	5320.040	5250 to 5350	Pass
			-20	24.0	5320.040	5250 to 5350	Pass
			-10	24.0	5320.040	5250 to 5350	Pass
			0	24.0	5320.000	5250 to 5350	Pass
			10	24.0	5320.060	5250 to 5350	Pass
			30	24.0	5320.000	5250 to 5350	Pass
			40	24.0	5320.000	5250 to 5350	Pass
			50	24.0	5320.000	5250 to 5350	Pass
		5500	20	20.4	5500.060	5470 to 5725	Pass
				24.0	5500.000	5470 to 5725	Pass
				27.6	5500.040	5470 to 5725	Pass
			-30	24.0	5499.980	5470 to 5725	Pass
			-20	24.0	5500.020	5470 to 5725	Pass
			-10	24.0	5500.040	5470 to 5725	Pass
			0	24.0	5500.040	5470 to 5725	Pass
			10	24.0	5499.980	5470 to 5725	Pass
			30	24.0	5500.000	5470 to 5725	Pass
			40	24.0	5500.000	5470 to 5725	Pass
			50	24.0	5500.100	5470 to 5725	Pass
		5580	20	20.4	5579.980	5470 to 5725	Pass
				24.0	5580.020	5470 to 5725	Pass

				27.6	5580.020	5470 to 5725	Pass
			-30	24.0	5579.980	5470 to 5725	Pass
			-20	24.0	5580.040	5470 to 5725	Pass
			-10	24.0	5579.980	5470 to 5725	Pass
			0	24.0	5580.020	5470 to 5725	Pass
			10	24.0	5580.000	5470 to 5725	Pass
			30	24.0	5580.020	5470 to 5725	Pass
			40	24.0	5580.000	5470 to 5725	Pass
			50	24.0	5580.040	5470 to 5725	Pass
		5700	20	20.4	5700.000	5470 to 5725	Pass
				24.0	5700.000	5470 to 5725	Pass
				27.6	5700.000	5470 to 5725	Pass
			-30	24.0	5700.000	5470 to 5725	Pass
			-20	24.0	5700.020	5470 to 5725	Pass
			-10	24.0	5700.000	5470 to 5725	Pass
			0	24.0	5700.020	5470 to 5725	Pass
			10	24.0	5700.060	5470 to 5725	Pass
			30	24.0	5700.000	5470 to 5725	Pass
			40	24.0	5699.960	5470 to 5725	Pass
			50	24.0	5700.020	5470 to 5725	Pass
		5745	20	20.4	5744.960	5725 to 5850	Pass
				24.0	5745.020	5725 to 5850	Pass
				27.6	5745.000	5725 to 5850	Pass
			-30	24.0	5745.000	5725 to 5850	Pass
			-20	24.0	5745.020	5725 to 5850	Pass
			-10	24.0	5745.080	5725 to 5850	Pass
			0	24.0	5744.980	5725 to 5850	Pass
			10	24.0	5745.020	5725 to 5850	Pass
			30	24.0	5744.940	5725 to 5850	Pass
			40	24.0	5744.960	5725 to 5850	Pass
			50	24.0	5745.000	5725 to 5850	Pass
		5785	20	20.4	5784.980	5725 to 5850	Pass
				24.0	5784.980	5725 to 5850	Pass
				27.6	5785.000	5725 to 5850	Pass
			-30	24.0	5785.020	5725 to 5850	Pass
			-20	24.0	5784.980	5725 to 5850	Pass
			-10	24.0	5785.060	5725 to 5850	Pass
			0	24.0	5784.900	5725 to 5850	Pass
			10	24.0	5784.980	5725 to 5850	Pass
			30	24.0	5785.000	5725 to 5850	Pass
			40	24.0	5785.020	5725 to 5850	Pass
			50	24.0	5785.000	5725 to 5850	Pass
		5825	20	20.4	5825.000	5725 to 5850	Pass
				24.0	5825.040	5725 to 5850	Pass

				27.6	5825.060	5725 to 5850	Pass
			-30	24.0	5825.040	5725 to 5850	Pass
			-20	24.0	5825.040	5725 to 5850	Pass
			-10	24.0	5825.060	5725 to 5850	Pass
			0	24.0	5825.080	5725 to 5850	Pass
			10	24.0	5824.980	5725 to 5850	Pass
			30	24.0	5824.920	5725 to 5850	Pass
			40	24.0	5825.040	5725 to 5850	Pass
			50	24.0	5825.000	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	20	20.4	5180.000	5150 to 5250	Pass
				24.0	5179.980	5150 to 5250	Pass
				27.6	5180.060	5150 to 5250	Pass
			-30	24.0	5179.980	5150 to 5250	Pass
			-20	24.0	5180.020	5150 to 5250	Pass
			-10	24.0	5180.020	5150 to 5250	Pass
			0	24.0	5180.000	5150 to 5250	Pass
			10	24.0	5180.020	5150 to 5250	Pass
			30	24.0	5180.000	5150 to 5250	Pass
			40	24.0	5180.000	5150 to 5250	Pass
			50	24.0	5180.000	5150 to 5250	Pass
		5200	20	20.4	5200.080	5150 to 5250	Pass
				24.0	5200.020	5150 to 5250	Pass
				27.6	5200.040	5150 to 5250	Pass
			-30	24.0	5200.040	5150 to 5250	Pass
			-20	24.0	5200.020	5150 to 5250	Pass
			-10	24.0	5200.020	5150 to 5250	Pass
			0	24.0	5200.000	5150 to 5250	Pass
			10	24.0	5200.020	5150 to 5250	Pass
			30	24.0	5200.040	5150 to 5250	Pass
			40	24.0	5200.020	5150 to 5250	Pass
			50	24.0	5200.040	5150 to 5250	Pass
		5240	20	20.4	5240.020	5150 to 5250	Pass
				24.0	5240.020	5150 to 5250	Pass
				27.6	5240.040	5150 to 5250	Pass
			-30	24.0	5240.020	5150 to 5250	Pass
			-20	24.0	5239.980	5150 to 5250	Pass
			-10	24.0	5240.040	5150 to 5250	Pass
			0	24.0	5240.040	5150 to 5250	Pass
			10	24.0	5240.040	5150 to 5250	Pass
			30	24.0	5240.020	5150 to 5250	Pass
			40	24.0	5240.000	5150 to 5250	Pass
			50	24.0	5239.980	5150 to 5250	Pass
		5260	20	20.4	5259.960	5250 to 5350	Pass
				24.0	5260.020	5250 to 5350	Pass

				27.6	5260.020	5250 to 5350	Pass
			-30	24.0	5260.020	5250 to 5350	Pass
			-20	24.0	5260.040	5250 to 5350	Pass
			-10	24.0	5260.020	5250 to 5350	Pass
			0	24.0	5260.040	5250 to 5350	Pass
			10	24.0	5260.020	5250 to 5350	Pass
			30	24.0	5260.040	5250 to 5350	Pass
			40	24.0	5259.960	5250 to 5350	Pass
			50	24.0	5260.000	5250 to 5350	Pass
		5300	20	20.4	5299.980	5250 to 5350	Pass
				24.0	5300.020	5250 to 5350	Pass
				27.6	5299.960	5250 to 5350	Pass
			-30	24.0	5300.040	5250 to 5350	Pass
			-20	24.0	5299.980	5250 to 5350	Pass
			-10	24.0	5300.000	5250 to 5350	Pass
			0	24.0	5300.020	5250 to 5350	Pass
			10	24.0	5299.980	5250 to 5350	Pass
			30	24.0	5300.020	5250 to 5350	Pass
			40	24.0	5300.000	5250 to 5350	Pass
			50	24.0	5300.020	5250 to 5350	Pass
		5320	20	20.4	5320.020	5250 to 5350	Pass
				24.0	5320.040	5250 to 5350	Pass
				27.6	5320.100	5250 to 5350	Pass
			-30	24.0	5320.020	5250 to 5350	Pass
			-20	24.0	5320.040	5250 to 5350	Pass
			-10	24.0	5319.980	5250 to 5350	Pass
			0	24.0	5320.020	5250 to 5350	Pass
			10	24.0	5320.040	5250 to 5350	Pass
			30	24.0	5320.100	5250 to 5350	Pass
			40	24.0	5320.040	5250 to 5350	Pass
			50	24.0	5320.020	5250 to 5350	Pass
		5500	20	20.4	5500.060	5470 to 5725	Pass
				24.0	5500.000	5470 to 5725	Pass
				27.6	5500.040	5470 to 5725	Pass
			-30	24.0	5499.980	5470 to 5725	Pass
			-20	24.0	5500.000	5470 to 5725	Pass
			-10	24.0	5500.020	5470 to 5725	Pass
			0	24.0	5500.000	5470 to 5725	Pass
			10	24.0	5500.080	5470 to 5725	Pass
			30	24.0	5500.060	5470 to 5725	Pass
			40	24.0	5500.020	5470 to 5725	Pass
			50	24.0	5500.080	5470 to 5725	Pass
		5580	20	20.4	5579.980	5470 to 5725	Pass
				24.0	5580.020	5470 to 5725	Pass

				27.6	5579.980	5470 to 5725	Pass
			-30	24.0	5580.000	5470 to 5725	Pass
			-20	24.0	5579.960	5470 to 5725	Pass
			-10	24.0	5579.980	5470 to 5725	Pass
			0	24.0	5579.980	5470 to 5725	Pass
			10	24.0	5580.000	5470 to 5725	Pass
			30	24.0	5580.020	5470 to 5725	Pass
			40	24.0	5580.040	5470 to 5725	Pass
			50	24.0	5580.020	5470 to 5725	Pass
		5700	20	20.4	5699.980	5470 to 5725	Pass
				24.0	5700.080	5470 to 5725	Pass
				27.6	5699.980	5470 to 5725	Pass
			-30	24.0	5700.080	5470 to 5725	Pass
			-20	24.0	5700.080	5470 to 5725	Pass
			-10	24.0	5700.000	5470 to 5725	Pass
			0	24.0	5699.980	5470 to 5725	Pass
			10	24.0	5699.980	5470 to 5725	Pass
			30	24.0	5699.960	5470 to 5725	Pass
			40	24.0	5700.020	5470 to 5725	Pass
			50	24.0	5700.040	5470 to 5725	Pass
		5745	20	20.4	5745.060	5725 to 5850	Pass
				24.0	5744.960	5725 to 5850	Pass
				27.6	5745.040	5725 to 5850	Pass
			-30	24.0	5744.960	5725 to 5850	Pass
			-20	24.0	5745.000	5725 to 5850	Pass
			-10	24.0	5745.020	5725 to 5850	Pass
			0	24.0	5745.100	5725 to 5850	Pass
			10	24.0	5745.020	5725 to 5850	Pass
			30	24.0	5744.980	5725 to 5850	Pass
			40	24.0	5745.020	5725 to 5850	Pass
			50	24.0	5745.000	5725 to 5850	Pass
		5785	20	20.4	5785.000	5725 to 5850	Pass
				24.0	5784.920	5725 to 5850	Pass
				27.6	5785.000	5725 to 5850	Pass
			-30	24.0	5784.960	5725 to 5850	Pass
			-20	24.0	5785.020	5725 to 5850	Pass
			-10	24.0	5785.020	5725 to 5850	Pass
			0	24.0	5785.000	5725 to 5850	Pass
			10	24.0	5784.980	5725 to 5850	Pass
			30	24.0	5784.980	5725 to 5850	Pass
			40	24.0	5785.040	5725 to 5850	Pass
			50	24.0	5784.940	5725 to 5850	Pass
		5825	20	20.4	5824.960	5725 to 5850	Pass
				24.0	5825.000	5725 to 5850	Pass

				27.6	5825.040	5725 to 5850	Pass
			-30	24.0	5824.980	5725 to 5850	Pass
			-20	24.0	5824.980	5725 to 5850	Pass
			-10	24.0	5825.040	5725 to 5850	Pass
			0	24.0	5824.960	5725 to 5850	Pass
			10	24.0	5825.040	5725 to 5850	Pass
			30	24.0	5825.040	5725 to 5850	Pass
			40	24.0	5825.020	5725 to 5850	Pass
			50	24.0	5825.000	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	20	20.4	5190.120	5150 to 5250	Pass
				24.0	5190.080	5150 to 5250	Pass
				27.6	5190.120	5150 to 5250	Pass
			-30	24.0	5190.000	5150 to 5250	Pass
			-20	24.0	5190.080	5150 to 5250	Pass
			-10	24.0	5190.040	5150 to 5250	Pass
			0	24.0	5190.080	5150 to 5250	Pass
			10	24.0	5190.120	5150 to 5250	Pass
			30	24.0	5190.080	5150 to 5250	Pass
			40	24.0	5190.080	5150 to 5250	Pass
			50	24.0	5190.040	5150 to 5250	Pass
		5230	20	20.4	5230.080	5150 to 5250	Pass
				24.0	5230.080	5150 to 5250	Pass
				27.6	5230.040	5150 to 5250	Pass
			-30	24.0	5230.120	5150 to 5250	Pass
			-20	24.0	5230.080	5150 to 5250	Pass
			-10	24.0	5230.120	5150 to 5250	Pass
			0	24.0	5230.080	5150 to 5250	Pass
			10	24.0	5230.120	5150 to 5250	Pass
			30	24.0	5230.120	5150 to 5250	Pass
			40	24.0	5229.960	5150 to 5250	Pass
			50	24.0	5230.080	5150 to 5250	Pass
		5270	20	20.4	5270.120	5250 to 5350	Pass
				24.0	5270.120	5250 to 5350	Pass
				27.6	5270.120	5250 to 5350	Pass
			-30	24.0	5270.080	5250 to 5350	Pass
			-20	24.0	5270.120	5250 to 5350	Pass
			-10	24.0	5270.040	5250 to 5350	Pass
			0	24.0	5270.080	5250 to 5350	Pass
			10	24.0	5270.120	5250 to 5350	Pass
			30	24.0	5270.080	5250 to 5350	Pass
			40	24.0	5270.120	5250 to 5350	Pass
			50	24.0	5270.120	5250 to 5350	Pass
		5310	20	20.4	5310.040	5250 to 5350	Pass
				24.0	5310.080	5250 to 5350	Pass

				27.6	5310.000	5250 to 5350	Pass
			-30	24.0	5310.120	5250 to 5350	Pass
			-20	24.0	5310.120	5250 to 5350	Pass
			-10	24.0	5310.040	5250 to 5350	Pass
			0	24.0	5310.080	5250 to 5350	Pass
			10	24.0	5310.040	5250 to 5350	Pass
			30	24.0	5310.040	5250 to 5350	Pass
			40	24.0	5310.080	5250 to 5350	Pass
			50	24.0	5310.040	5250 to 5350	Pass
		5510	20	20.4	5510.000	5470 to 5725	Pass
				24.0	5510.080	5470 to 5725	Pass
				27.6	5510.080	5470 to 5725	Pass
			-30	24.0	5510.000	5470 to 5725	Pass
			-20	24.0	5510.000	5470 to 5725	Pass
			-10	24.0	5510.120	5470 to 5725	Pass
			0	24.0	5510.080	5470 to 5725	Pass
			10	24.0	5510.000	5470 to 5725	Pass
			30	24.0	5510.000	5470 to 5725	Pass
			40	24.0	5510.040	5470 to 5725	Pass
			50	24.0	5510.080	5470 to 5725	Pass
		5550	20	20.4	5550.080	5470 to 5725	Pass
				24.0	5550.040	5470 to 5725	Pass
				27.6	5549.960	5470 to 5725	Pass
			-30	24.0	5550.000	5470 to 5725	Pass
			-20	24.0	5550.000	5470 to 5725	Pass
			-10	24.0	5550.080	5470 to 5725	Pass
			0	24.0	5550.080	5470 to 5725	Pass
			10	24.0	5550.080	5470 to 5725	Pass
			30	24.0	5550.000	5470 to 5725	Pass
			40	24.0	5550.000	5470 to 5725	Pass
			50	24.0	5550.080	5470 to 5725	Pass
		5670	20	20.4	5670.120	5470 to 5725	Pass
				24.0	5670.120	5470 to 5725	Pass
				27.6	5670.080	5470 to 5725	Pass
			-30	24.0	5670.120	5470 to 5725	Pass
			-20	24.0	5670.000	5470 to 5725	Pass
			-10	24.0	5670.000	5470 to 5725	Pass
			0	24.0	5670.120	5470 to 5725	Pass
			10	24.0	5670.080	5470 to 5725	Pass
			30	24.0	5670.160	5470 to 5725	Pass
			40	24.0	5670.080	5470 to 5725	Pass
			50	24.0	5670.080	5470 to 5725	Pass
		5755	20	20.4	5755.080	5725 to 5850	Pass
				24.0	5755.040	5725 to 5850	Pass

				27.6	5755.040	5725 to 5850	Pass
			-30	24.0	5755.040	5725 to 5850	Pass
			-20	24.0	5755.040	5725 to 5850	Pass
			-10	24.0	5755.040	5725 to 5850	Pass
			0	24.0	5755.000	5725 to 5850	Pass
			10	24.0	5755.000	5725 to 5850	Pass
			30	24.0	5754.960	5725 to 5850	Pass
			40	24.0	5755.000	5725 to 5850	Pass
			50	24.0	5755.040	5725 to 5850	Pass
		5795	20	20.4	5795.000	5725 to 5850	Pass
				24.0	5795.120	5725 to 5850	Pass
				27.6	5795.040	5725 to 5850	Pass
			-30	24.0	5795.000	5725 to 5850	Pass
			-20	24.0	5795.040	5725 to 5850	Pass
			-10	24.0	5795.000	5725 to 5850	Pass
			0	24.0	5795.120	5725 to 5850	Pass
			10	24.0	5795.040	5725 to 5850	Pass
			30	24.0	5795.080	5725 to 5850	Pass
			40	24.0	5795.000	5725 to 5850	Pass
			50	24.0	5795.120	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	20	20.4	5179.940	5150 to 5250	Pass
				24.0	5180.000	5150 to 5250	Pass
				27.6	5180.060	5150 to 5250	Pass
			-30	24.0	5180.060	5150 to 5250	Pass
			-20	24.0	5180.020	5150 to 5250	Pass
			-10	24.0	5180.060	5150 to 5250	Pass
			0	24.0	5180.020	5150 to 5250	Pass
			10	24.0	5179.960	5150 to 5250	Pass
			30	24.0	5180.060	5150 to 5250	Pass
			40	24.0	5180.060	5150 to 5250	Pass
			50	24.0	5180.040	5150 to 5250	Pass
		5200	20	20.4	5200.040	5150 to 5250	Pass
				24.0	5200.040	5150 to 5250	Pass
				27.6	5200.040	5150 to 5250	Pass
			-30	24.0	5200.000	5150 to 5250	Pass
			-20	24.0	5200.040	5150 to 5250	Pass
			-10	24.0	5200.040	5150 to 5250	Pass
			0	24.0	5200.000	5150 to 5250	Pass
			10	24.0	5200.000	5150 to 5250	Pass
			30	24.0	5200.000	5150 to 5250	Pass
			40	24.0	5199.940	5150 to 5250	Pass
			50	24.0	5200.020	5150 to 5250	Pass
		5240	20	20.4	5240.000	5150 to 5250	Pass
				24.0	5240.040	5150 to 5250	Pass

				27.6	5240.020	5150 to 5250	Pass
			-30	24.0	5240.000	5150 to 5250	Pass
			-20	24.0	5240.020	5150 to 5250	Pass
			-10	24.0	5240.040	5150 to 5250	Pass
			0	24.0	5240.080	5150 to 5250	Pass
			10	24.0	5240.000	5150 to 5250	Pass
			30	24.0	5239.980	5150 to 5250	Pass
			40	24.0	5240.000	5150 to 5250	Pass
			50	24.0	5240.000	5150 to 5250	Pass
		5260	20	20.4	5259.960	5250 to 5350	Pass
				24.0	5260.040	5250 to 5350	Pass
				27.6	5260.020	5250 to 5350	Pass
			-30	24.0	5260.020	5250 to 5350	Pass
			-20	24.0	5259.980	5250 to 5350	Pass
			-10	24.0	5260.000	5250 to 5350	Pass
			0	24.0	5260.000	5250 to 5350	Pass
			10	24.0	5260.040	5250 to 5350	Pass
			30	24.0	5260.080	5250 to 5350	Pass
			40	24.0	5259.980	5250 to 5350	Pass
			50	24.0	5260.000	5250 to 5350	Pass
		5300	20	20.4	5300.020	5250 to 5350	Pass
				24.0	5300.040	5250 to 5350	Pass
				27.6	5300.040	5250 to 5350	Pass
			-30	24.0	5300.060	5250 to 5350	Pass
			-20	24.0	5300.000	5250 to 5350	Pass
			-10	24.0	5300.020	5250 to 5350	Pass
			0	24.0	5300.020	5250 to 5350	Pass
			10	24.0	5299.980	5250 to 5350	Pass
			30	24.0	5300.020	5250 to 5350	Pass
			40	24.0	5300.020	5250 to 5350	Pass
			50	24.0	5300.060	5250 to 5350	Pass
		5320	20	20.4	5320.020	5250 to 5350	Pass
				24.0	5320.000	5250 to 5350	Pass
				27.6	5319.980	5250 to 5350	Pass
			-30	24.0	5320.020	5250 to 5350	Pass
			-20	24.0	5320.000	5250 to 5350	Pass
			-10	24.0	5320.000	5250 to 5350	Pass
			0	24.0	5319.980	5250 to 5350	Pass
			10	24.0	5320.020	5250 to 5350	Pass
			30	24.0	5320.000	5250 to 5350	Pass
			40	24.0	5320.080	5250 to 5350	Pass
			50	24.0	5320.020	5250 to 5350	Pass
		5500	20	20.4	5500.040	5470 to 5725	Pass
				24.0	5500.000	5470 to 5725	Pass

				27.6	5500.000	5470 to 5725	Pass
			-30	24.0	5500.020	5470 to 5725	Pass
			-20	24.0	5500.080	5470 to 5725	Pass
			-10	24.0	5500.000	5470 to 5725	Pass
			0	24.0	5499.980	5470 to 5725	Pass
			10	24.0	5500.040	5470 to 5725	Pass
			30	24.0	5500.040	5470 to 5725	Pass
			40	24.0	5500.040	5470 to 5725	Pass
			50	24.0	5499.980	5470 to 5725	Pass
		5580	20	20.4	5580.040	5470 to 5725	Pass
				24.0	5580.020	5470 to 5725	Pass
				27.6	5580.000	5470 to 5725	Pass
			-30	24.0	5579.980	5470 to 5725	Pass
			-20	24.0	5579.980	5470 to 5725	Pass
			-10	24.0	5580.040	5470 to 5725	Pass
			0	24.0	5580.020	5470 to 5725	Pass
			10	24.0	5580.020	5470 to 5725	Pass
			30	24.0	5580.040	5470 to 5725	Pass
			40	24.0	5580.000	5470 to 5725	Pass
			50	24.0	5580.060	5470 to 5725	Pass
		5700	20	20.4	5700.020	5470 to 5725	Pass
				24.0	5700.020	5470 to 5725	Pass
				27.6	5700.060	5470 to 5725	Pass
			-30	24.0	5699.980	5470 to 5725	Pass
			-20	24.0	5700.080	5470 to 5725	Pass
			-10	24.0	5699.980	5470 to 5725	Pass
			0	24.0	5699.980	5470 to 5725	Pass
			10	24.0	5699.960	5470 to 5725	Pass
			30	24.0	5700.060	5470 to 5725	Pass
			40	24.0	5700.000	5470 to 5725	Pass
			50	24.0	5700.020	5470 to 5725	Pass
		5745	20	20.4	5745.020	5725 to 5850	Pass
				24.0	5745.020	5725 to 5850	Pass
				27.6	5745.000	5725 to 5850	Pass
			-30	24.0	5745.060	5725 to 5850	Pass
			-20	24.0	5745.060	5725 to 5850	Pass
			-10	24.0	5745.060	5725 to 5850	Pass
			0	24.0	5745.060	5725 to 5850	Pass
			10	24.0	5745.000	5725 to 5850	Pass
			30	24.0	5745.000	5725 to 5850	Pass
			40	24.0	5745.000	5725 to 5850	Pass
			50	24.0	5744.960	5725 to 5850	Pass
		5785	20	20.4	5785.020	5725 to 5850	Pass
				24.0	5785.020	5725 to 5850	Pass

				27.6	5784.940	5725 to 5850	Pass
			-30	24.0	5785.060	5725 to 5850	Pass
			-20	24.0	5785.000	5725 to 5850	Pass
			-10	24.0	5784.980	5725 to 5850	Pass
			0	24.0	5784.960	5725 to 5850	Pass
			10	24.0	5784.980	5725 to 5850	Pass
			30	24.0	5784.960	5725 to 5850	Pass
			40	24.0	5785.060	5725 to 5850	Pass
			50	24.0	5785.020	5725 to 5850	Pass
		5825	20	20.4	5825.060	5725 to 5850	Pass
				24.0	5824.960	5725 to 5850	Pass
				27.6	5824.980	5725 to 5850	Pass
			-30	24.0	5825.040	5725 to 5850	Pass
			-20	24.0	5825.040	5725 to 5850	Pass
			-10	24.0	5825.020	5725 to 5850	Pass
			0	24.0	5825.060	5725 to 5850	Pass
			10	24.0	5825.060	5725 to 5850	Pass
			30	24.0	5824.980	5725 to 5850	Pass
			40	24.0	5825.000	5725 to 5850	Pass
			50	24.0	5825.000	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	20	20.4	5190.120	5150 to 5250	Pass
				24.0	5190.080	5150 to 5250	Pass
				27.6	5190.040	5150 to 5250	Pass
			-30	24.0	5190.120	5150 to 5250	Pass
			-20	24.0	5190.040	5150 to 5250	Pass
			-10	24.0	5190.080	5150 to 5250	Pass
			0	24.0	5190.080	5150 to 5250	Pass
			10	24.0	5190.080	5150 to 5250	Pass
			30	24.0	5190.160	5150 to 5250	Pass
			40	24.0	5190.040	5150 to 5250	Pass
			50	24.0	5190.040	5150 to 5250	Pass
		5230	20	20.4	5230.080	5150 to 5250	Pass
				24.0	5230.040	5150 to 5250	Pass
				27.6	5230.040	5150 to 5250	Pass
			-30	24.0	5230.120	5150 to 5250	Pass
			-20	24.0	5230.120	5150 to 5250	Pass
			-10	24.0	5230.000	5150 to 5250	Pass
			0	24.0	5230.000	5150 to 5250	Pass
			10	24.0	5230.120	5150 to 5250	Pass
			30	24.0	5230.120	5150 to 5250	Pass
			40	24.0	5230.120	5150 to 5250	Pass
			50	24.0	5230.080	5150 to 5250	Pass
		5270	20	20.4	5270.040	5250 to 5350	Pass
				24.0	5270.000	5250 to 5350	Pass

				27.6	5270.040	5250 to 5350	Pass
			-30	24.0	5270.040	5250 to 5350	Pass
			-20	24.0	5270.160	5250 to 5350	Pass
			-10	24.0	5270.040	5250 to 5350	Pass
			0	24.0	5270.080	5250 to 5350	Pass
			10	24.0	5270.120	5250 to 5350	Pass
			30	24.0	5270.040	5250 to 5350	Pass
			40	24.0	5270.080	5250 to 5350	Pass
			50	24.0	5270.080	5250 to 5350	Pass
		5310	20	20.4	5310.080	5250 to 5350	Pass
				24.0	5310.040	5250 to 5350	Pass
				27.6	5310.080	5250 to 5350	Pass
			-30	24.0	5310.040	5250 to 5350	Pass
			-20	24.0	5310.000	5250 to 5350	Pass
			-10	24.0	5310.120	5250 to 5350	Pass
			0	24.0	5310.040	5250 to 5350	Pass
			10	24.0	5310.080	5250 to 5350	Pass
			30	24.0	5310.080	5250 to 5350	Pass
			40	24.0	5310.080	5250 to 5350	Pass
			50	24.0	5310.120	5250 to 5350	Pass
		5510	20	20.4	5510.040	5470 to 5725	Pass
				24.0	5510.000	5470 to 5725	Pass
				27.6	5510.120	5470 to 5725	Pass
			-30	24.0	5510.120	5470 to 5725	Pass
			-20	24.0	5510.120	5470 to 5725	Pass
			-10	24.0	5510.040	5470 to 5725	Pass
			0	24.0	5509.960	5470 to 5725	Pass
			10	24.0	5510.040	5470 to 5725	Pass
			30	24.0	5510.000	5470 to 5725	Pass
			40	24.0	5510.040	5470 to 5725	Pass
			50	24.0	5510.080	5470 to 5725	Pass
		5550	20	20.4	5550.080	5470 to 5725	Pass
				24.0	5550.000	5470 to 5725	Pass
				27.6	5549.960	5470 to 5725	Pass
			-30	24.0	5550.040	5470 to 5725	Pass
			-20	24.0	5550.000	5470 to 5725	Pass
			-10	24.0	5550.000	5470 to 5725	Pass
			0	24.0	5550.000	5470 to 5725	Pass
			10	24.0	5550.040	5470 to 5725	Pass
			30	24.0	5550.040	5470 to 5725	Pass
			40	24.0	5550.040	5470 to 5725	Pass
			50	24.0	5550.080	5470 to 5725	Pass
		5670	20	20.4	5670.040	5470 to 5725	Pass
				24.0	5670.080	5470 to 5725	Pass

				27.6	5670.040	5470 to 5725	Pass
			-30	24.0	5670.000	5470 to 5725	Pass
			-20	24.0	5670.080	5470 to 5725	Pass
			-10	24.0	5670.040	5470 to 5725	Pass
			0	24.0	5670.000	5470 to 5725	Pass
			10	24.0	5670.040	5470 to 5725	Pass
			30	24.0	5670.040	5470 to 5725	Pass
			40	24.0	5670.080	5470 to 5725	Pass
			50	24.0	5670.120	5470 to 5725	Pass
		5755	20	20.4	5755.040	5725 to 5850	Pass
				24.0	5754.960	5725 to 5850	Pass
				27.6	5755.080	5725 to 5850	Pass
			-30	24.0	5755.000	5725 to 5850	Pass
			-20	24.0	5754.960	5725 to 5850	Pass
			-10	24.0	5755.040	5725 to 5850	Pass
			0	24.0	5755.040	5725 to 5850	Pass
			10	24.0	5755.080	5725 to 5850	Pass
			30	24.0	5755.000	5725 to 5850	Pass
			40	24.0	5755.040	5725 to 5850	Pass
			50	24.0	5755.000	5725 to 5850	Pass
		5795	20	20.4	5795.080	5725 to 5850	Pass
				24.0	5795.000	5725 to 5850	Pass
				27.6	5795.000	5725 to 5850	Pass
			-30	24.0	5795.000	5725 to 5850	Pass
			-20	24.0	5795.000	5725 to 5850	Pass
			-10	24.0	5795.080	5725 to 5850	Pass
			0	24.0	5795.120	5725 to 5850	Pass
			10	24.0	5795.040	5725 to 5850	Pass
			30	24.0	5795.000	5725 to 5850	Pass
			40	24.0	5794.960	5725 to 5850	Pass
			50	24.0	5795.000	5725 to 5850	Pass
802.11ac (VHT80)	SISO	5210	20	20.4	5210.150	5150 to 5250	Pass
				24.0	5210.075	5150 to 5250	Pass
				27.6	5210.075	5150 to 5250	Pass
			-30	24.0	5210.150	5150 to 5250	Pass
			-20	24.0	5210.075	5150 to 5250	Pass
			-10	24.0	5210.075	5150 to 5250	Pass
			0	24.0	5210.075	5150 to 5250	Pass
			10	24.0	5210.225	5150 to 5250	Pass
			30	24.0	5210.075	5150 to 5250	Pass
			40	24.0	5210.150	5150 to 5250	Pass
			50	24.0	5210.150	5150 to 5250	Pass
		5290	20	20.4	5290.150	5250 to 5350	Pass
				24.0	5290.075	5250 to 5350	Pass

				27.6	5290.075	5250 to 5350	Pass
			-30	24.0	5290.150	5250 to 5350	Pass
			-20	24.0	5290.150	5250 to 5350	Pass
			-10	24.0	5290.075	5250 to 5350	Pass
			0	24.0	5290.075	5250 to 5350	Pass
			10	24.0	5290.150	5250 to 5350	Pass
			30	24.0	5290.150	5250 to 5350	Pass
			40	24.0	5290.075	5250 to 5350	Pass
			50	24.0	5290.075	5250 to 5350	Pass
		5530	20	20.4	5530.075	5470 to 5725	Pass
				24.0	5530.000	5470 to 5725	Pass
				27.6	5530.000	5470 to 5725	Pass
			-30	24.0	5530.000	5470 to 5725	Pass
			-20	24.0	5530.075	5470 to 5725	Pass
			-10	24.0	5530.000	5470 to 5725	Pass
			0	24.0	5530.000	5470 to 5725	Pass
			10	24.0	5530.075	5470 to 5725	Pass
			30	24.0	5530.000	5470 to 5725	Pass
			40	24.0	5530.075	5470 to 5725	Pass
			50	24.0	5530.075	5470 to 5725	Pass
		5610	20	20.4	5610.075	5470 to 5725	Pass
				24.0	5610.075	5470 to 5725	Pass
				27.6	5610.075	5470 to 5725	Pass
			-30	24.0	5610.075	5470 to 5725	Pass
			-20	24.0	5610.075	5470 to 5725	Pass
			-10	24.0	5610.000	5470 to 5725	Pass
			0	24.0	5610.075	5470 to 5725	Pass
			10	24.0	5610.000	5470 to 5725	Pass
			30	24.0	5610.075	5470 to 5725	Pass
			40	24.0	5610.000	5470 to 5725	Pass
			50	24.0	5610.000	5470 to 5725	Pass
		5775	20	20.4	5775.000	5725 to 5850	Pass
				24.0	5775.000	5725 to 5850	Pass
				27.6	5775.075	5725 to 5850	Pass
			-30	24.0	5775.075	5725 to 5850	Pass
			-20	24.0	5775.000	5725 to 5850	Pass
			-10	24.0	5775.075	5725 to 5850	Pass
			0	24.0	5775.000	5725 to 5850	Pass
			10	24.0	5775.075	5725 to 5850	Pass
			30	24.0	5775.000	5725 to 5850	Pass
			40	24.0	5775.075	5725 to 5850	Pass
			50	24.0	5775.000	5725 to 5850	Pass

6. Signal Calibration

6.1 SC

6.1.1 Test Result

Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11ac (VHT80)	80	5290	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass

6.1.2 Test Graph

Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType0_Trial0



Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType1_Trial0



Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType2_Trial0



Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType3_Trial0



Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType4_Trial0



Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType5_Trial0



Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType6_Trial0



6.2 SC

6.2.1 Test Result

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11ac (VHT80)	80	5530	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass

6.2.2 Test Graph

Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType0_Trial0



Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType1_Trial0



Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType2_Trial0



Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType3_Trial0



Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType4_Trial0



Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType5_Trial0



Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType6_Trial0



7. Channel Loading (Payload)

7.1 Payload

7.1.1 Test Result

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5290	39.84	>=17	Pass

7.1.2 Test Graph

Channel Loading (Payload)_802.11ac(VHT80)_2A_5290MHz



7.2 Payload

7.2.1 Test Result

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	45.90	>=17	Pass

7.2.2 Test Graph

Channel Loading (Payload)_802.11ac(VHT80)_2C_5530MHz



8. Channel Move Time and Closing Transmission Time

8.1 CMT_CTT

8.1.1 Test Result

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5290	Refer To Test Graph		Pass

8.1.2 Test Graph

Channel Move Time and Closing Transmission Time_802.11ac(VHT80)_2A_5290MHz



8.2 CMT_CTT

8.2.1 Test Result

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	Refer To Test Graph		Pass

8.2.2 Test Graph

Channel Move Time and Closing Transmission Time_802.11ac(VHT80)_2C_5530MHz



- End of the Report -