

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 B26c\_15MHz\_ERP

#### 1.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	821.5	1	0	23.17	-0.36	20.66	<=38.45	Pass		
			38	23.32	-0.36	20.81	<=38.45	Pass		
			74	23.29	-0.36	20.78	<=38.45	Pass		
		36	0	22.43	-0.36	19.92	<=38.45	Pass		
			18	22.35	-0.36	19.84	<=38.45	Pass		
			39	22.43	-0.36	19.92	<=38.45	Pass		
		75	0	22.39	-0.36	19.88	<=38.45	Pass		
		831.5	1	0	23.27	-0.36	20.76	<=38.45	Pass	
				38	23.09	-0.36	20.58	<=38.45	Pass	
	74			23.22	-0.36	20.71	<=38.45	Pass		
	36		0	22.38	-0.36	19.87	<=38.45	Pass		
			18	22.35	-0.36	19.84	<=38.45	Pass		
			39	22.27	-0.36	19.76	<=38.45	Pass		
	75		0	22.27	-0.36	19.76	<=38.45	Pass		
	841.5		1	0	23.31	-0.36	20.80	<=38.45	Pass	
				38	23.33	-0.36	20.82	<=38.45	Pass	
		74		23.06	-0.36	20.55	<=38.45	Pass		
		36	0	22.24	-0.36	19.73	<=38.45	Pass		
			18	22.25	-0.36	19.74	<=38.45	Pass		
			39	22.20	-0.36	19.69	<=38.45	Pass		
		75	0	22.24	-0.36	19.73	<=38.45	Pass		
		16QAM	821.5	1	0	22.65	-0.36	20.14	<=38.45	Pass
					38	22.90	-0.36	20.39	<=38.45	Pass
	74				22.92	-0.36	20.41	<=38.45	Pass	
36	0			21.27	-0.36	18.76	<=38.45	Pass		
	18			21.40	-0.36	18.89	<=38.45	Pass		
	39			21.47	-0.36	18.96	<=38.45	Pass		
75	0			21.32	-0.36	18.81	<=38.45	Pass		
831.5	1			0	22.67	-0.36	20.16	<=38.45	Pass	
				38	23.00	-0.36	20.49	<=38.45	Pass	
			74	22.95	-0.36	20.44	<=38.45	Pass		
	36		0	21.39	-0.36	18.88	<=38.45	Pass		
			18	21.37	-0.36	18.86	<=38.45	Pass		
			39	21.30	-0.36	18.79	<=38.45	Pass		
	75		0	21.32	-0.36	18.81	<=38.45	Pass		
	841.5		1	0	22.24	-0.36	19.73	<=38.45	Pass	
				38	22.59	-0.36	20.08	<=38.45	Pass	
74				22.02	-0.36	19.51	<=38.45	Pass		
36			0	21.25	-0.36	18.74	<=38.45	Pass		
			18	21.17	-0.36	18.66	<=38.45	Pass		
			39	21.13	-0.36	18.62	<=38.45	Pass		
75			0	21.18	-0.36	18.67	<=38.45	Pass		
64QAM			821.5	1	0	21.19	-0.36	18.68	<=38.45	Pass
					38	21.27	-0.36	18.76	<=38.45	Pass
	74				21.94	-0.36	19.43	<=38.45	Pass	
	36	0		20.41	-0.36	17.90	<=38.45	Pass		
		18		20.23	-0.36	17.72	<=38.45	Pass		

	831.5	1	39	20.41	-0.36	17.90	<=38.45	Pass	
			75	0	20.17	-0.36	17.66	<=38.45	Pass
			36	0	21.03	-0.36	18.52	<=38.45	Pass
	38	21.09		-0.36	18.58	<=38.45	Pass		
	74	21.31		-0.36	18.80	<=38.45	Pass		
	841.5	1	0	20.44	-0.36	17.93	<=38.45	Pass	
			18	20.42	-0.36	17.91	<=38.45	Pass	
			39	20.32	-0.36	17.81	<=38.45	Pass	
		36	75	0	20.14	-0.36	17.63	<=38.45	Pass
			0	21.59	-0.36	19.08	<=38.45	Pass	
			38	21.51	-0.36	19.00	<=38.45	Pass	
		75	74	20.98	-0.36	18.47	<=38.45	Pass	
			0	20.14	-0.36	17.63	<=38.45	Pass	
			18	20.06	-0.36	17.55	<=38.45	Pass	
	75	39	20.20	-0.36	17.69	<=38.45	Pass		
		0	20.21	-0.36	17.70	<=38.45	Pass		
		75	0	20.21	-0.36	17.70	<=38.45	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 B26c\_15MHz

#### 2.1.1 Test Result

Band: 26c / Bandwidth: 15MHz												
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VAC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict			
		Size	Offset				Result	Limit				
QPSK	821.5	75	0	20	102	0.872	0.0011	-2.5 to 2.5	Pass			
					120	1.281	0.0016	-2.5 to 2.5	Pass			
					138	2.345	0.0029	-2.5 to 2.5	Pass			
				-30	120	1.904	0.0023	-2.5 to 2.5	Pass			
					-20	120	1.681	0.0020	-2.5 to 2.5	Pass		
					-10	120	1.206	0.0015	-2.5 to 2.5	Pass		
				0	120	0.074	0.0001	-2.5 to 2.5	Pass			
					10	120	1.137	0.0014	-2.5 to 2.5	Pass		
					30	120	0.702	0.0009	-2.5 to 2.5	Pass		
				40	120	0.877	0.0011	-2.5 to 2.5	Pass			
					50	120	0.986	0.0012	-2.5 to 2.5	Pass		
					831.5	75	0	20	102	1.260	0.0015	-2.5 to 2.5
				120					1.598	0.0019	-2.5 to 2.5	Pass
				138					1.395	0.0017	-2.5 to 2.5	Pass
				-30	120			2.097	0.0025	-2.5 to 2.5	Pass	
	-20	120	1.340		0.0016			-2.5 to 2.5	Pass			
	-10	120	0.828		0.0010			-2.5 to 2.5	Pass			
	0	120	1.531	0.0018	-2.5 to 2.5			Pass				
		10	120	1.701	0.0020			-2.5 to 2.5	Pass			
		30	120	1.635	0.0020			-2.5 to 2.5	Pass			
	40	120	0.111	0.0001	-2.5 to 2.5			Pass				
		50	120	0.618	0.0007			-2.5 to 2.5	Pass			
		841.5	75	0	20			102	-0.597	-0.0007	-2.5 to 2.5	Pass
	120							-0.606	-0.0007	-2.5 to 2.5	Pass	
	138							-0.144	-0.0002	-2.5 to 2.5	Pass	
	-30	120			0.029			0.0000	-2.5 to 2.5	Pass		
		-20			120	-0.986	-0.0012	-2.5 to 2.5	Pass			
		-10			120	-0.354	-0.0004	-2.5 to 2.5	Pass			

				0	120	-0.480	-0.0006	-2.5 to 2.5	Pass			
				10	120	-0.087	-0.0001	-2.5 to 2.5	Pass			
				30	120	-0.456	-0.0005	-2.5 to 2.5	Pass			
				40	120	-0.796	-0.0009	-2.5 to 2.5	Pass			
				50	120	0.285	0.0003	-2.5 to 2.5	Pass			
16QAM	821.5	75	0	20	102	1.304	0.0016	-2.5 to 2.5	Pass			
					120	1.083	0.0013	-2.5 to 2.5	Pass			
					138	1.348	0.0016	-2.5 to 2.5	Pass			
				-30	120	1.912	0.0023	-2.5 to 2.5	Pass			
				-20	120	1.203	0.0015	-2.5 to 2.5	Pass			
				-10	120	0.599	0.0007	-2.5 to 2.5	Pass			
				0	120	0.574	0.0007	-2.5 to 2.5	Pass			
				10	120	0.763	0.0009	-2.5 to 2.5	Pass			
				30	120	1.138	0.0014	-2.5 to 2.5	Pass			
				40	120	1.429	0.0017	-2.5 to 2.5	Pass			
				50	120	1.180	0.0014	-2.5 to 2.5	Pass			
				831.5	75	0	20	102	1.171	0.0014	-2.5 to 2.5	Pass
								120	0.776	0.0009	-2.5 to 2.5	Pass
								138	0.271	0.0003	-2.5 to 2.5	Pass
							-30	120	0.974	0.0012	-2.5 to 2.5	Pass
	-20	120	0.828				0.0010	-2.5 to 2.5	Pass			
	-10	120	0.783				0.0009	-2.5 to 2.5	Pass			
	0	120	-0.052				-0.0001	-2.5 to 2.5	Pass			
	10	120	0.703				0.0008	-2.5 to 2.5	Pass			
	30	120	0.790				0.0010	-2.5 to 2.5	Pass			
	40	120	0.623				0.0007	-2.5 to 2.5	Pass			
	50	120	0.007				0.0000	-2.5 to 2.5	Pass			
	841.5	75	0				20	102	-0.553	-0.0007	-2.5 to 2.5	Pass
								120	-0.494	-0.0006	-2.5 to 2.5	Pass
								138	-0.458	-0.0005	-2.5 to 2.5	Pass
							-30	120	-0.375	-0.0004	-2.5 to 2.5	Pass
				-20	120	-0.296	-0.0004	-2.5 to 2.5	Pass			
				-10	120	0.407	0.0005	-2.5 to 2.5	Pass			
				0	120	-0.623	-0.0007	-2.5 to 2.5	Pass			
				10	120	-0.768	-0.0009	-2.5 to 2.5	Pass			
30				120	-0.918	-0.0011	-2.5 to 2.5	Pass				
40				120	-0.686	-0.0008	-2.5 to 2.5	Pass				
50				120	-0.612	-0.0007	-2.5 to 2.5	Pass				
64QAM				821.5	75	0	20	102	1.374	0.0017	-2.5 to 2.5	Pass
								120	1.356	0.0017	-2.5 to 2.5	Pass
								138	1.122	0.0014	-2.5 to 2.5	Pass
							-30	120	0.965	0.0012	-2.5 to 2.5	Pass
	-20	120	0.678				0.0008	-2.5 to 2.5	Pass			
	-10	120	0.883				0.0011	-2.5 to 2.5	Pass			
	0	120	1.700				0.0021	-2.5 to 2.5	Pass			
	10	120	0.361				0.0004	-2.5 to 2.5	Pass			
	30	120	-0.381				-0.0005	-2.5 to 2.5	Pass			
	40	120	0.963				0.0012	-2.5 to 2.5	Pass			
	50	120	0.521				0.0006	-2.5 to 2.5	Pass			
	831.5	75	0				20	102	1.141	0.0014	-2.5 to 2.5	Pass
								120	0.998	0.0012	-2.5 to 2.5	Pass
								138	1.014	0.0012	-2.5 to 2.5	Pass
							-30	120	1.406	0.0017	-2.5 to 2.5	Pass
				-20	120	0.158	0.0002	-2.5 to 2.5	Pass			
				-10	120	0.321	0.0004	-2.5 to 2.5	Pass			
				0	120	-0.252	-0.0003	-2.5 to 2.5	Pass			
				10	120	0.250	0.0003	-2.5 to 2.5	Pass			
				30	120	0.553	0.0007	-2.5 to 2.5	Pass			

	841.5	75	0	40	120	0.076	0.0001	-2.5 to 2.5	Pass
				50	120	0.488	0.0006	-2.5 to 2.5	Pass
				20	102	-0.175	-0.0002	-2.5 to 2.5	Pass
					120	-0.123	-0.0001	-2.5 to 2.5	Pass
					138	-0.311	-0.0004	-2.5 to 2.5	Pass
				-30	120	-0.503	-0.0006	-2.5 to 2.5	Pass
				-20	120	-0.810	-0.0010	-2.5 to 2.5	Pass
				-10	120	-0.486	-0.0006	-2.5 to 2.5	Pass
				0	120	-0.437	-0.0005	-2.5 to 2.5	Pass
				10	120	-0.445	-0.0005	-2.5 to 2.5	Pass
				30	120	-0.099	-0.0001	-2.5 to 2.5	Pass
				40	120	-0.516	-0.0006	-2.5 to 2.5	Pass
				50	120	-1.115	-0.0013	-2.5 to 2.5	Pass


### 3. 99% & 26dB Bandwidth

#### 3.1 Band26c\_OBW


##### 3.1.1 Test Result

Band: 26c / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
15	QPSK	821.5	75	0	13.543	/	Pass
		831.5	75	0	13.481	/	Pass
		841.5	75	0	13.490	/	Pass
	16QAM	821.5	75	0	13.542	/	Pass
		831.5	75	0	13.535	/	Pass
		841.5	75	0	13.526	/	Pass
	64QAM	821.5	75	0	13.532	/	Pass
		831.5	75	0	13.496	/	Pass
		841.5	75	0	13.514	/	Pass


3.1.2 Test Graph




Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_16QAM\_MCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV



Band26c\_15MHz\_64QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_64QAM\_MCH\_831.5MHz\_RB\_75\_0\_NTNV





Band26c\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




### 3.2 Band26c\_XDB


#### 3.2.1 Test Result

Band: 26c / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
15	QPSK	821.5	75	0	14.983	/	Pass
		831.5	75	0	14.873	/	Pass
		841.5	75	0	14.863	/	Pass
	16QAM	821.5	75	0	14.881	/	Pass
		831.5	75	0	14.974	/	Pass
		841.5	75	0	14.907	/	Pass
	64QAM	821.5	75	0	14.923	/	Pass
		831.5	75	0	14.947	/	Pass
		841.5	75	0	14.900	/	Pass


3.2.2 Test Graph




Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_16QAM\_MCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_64QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV



Band26c\_15MHz\_64QAM\_MCH\_831.5MHz\_RB\_75\_0\_NTNV



Band26c\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV



#### 4. Peak-Average Ratio


##### 4.1 B26c\_15MHz

##### 4.1.1 Test Result


Band: 26c / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	75	0	5.15	<=13	Pass
	831.5	75	0	5.12	<=13	Pass
	841.5	75	0	5.13	<=13	Pass
16QAM	821.5	75	0	6.23	<=13	Pass
	831.5	75	0	6.21	<=13	Pass
	841.5	75	0	6.25	<=13	Pass
64QAM	821.5	75	0	6.48	<=13	Pass
	831.5	75	0	6.48	<=13	Pass
	841.5	75	0	6.48	<=13	Pass




4.1.2 Test Graph




Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_16QAM\_MCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_64QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV



Band26c\_15MHz\_64QAM\_MCH\_831.5MHz\_RB\_75\_0\_NTNV



Band26c\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




## 5. Spurious Emission

### 5.1 B26c\_15MHz


#### 5.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
64QAM	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.2 Test Graph




Band26c\_15MHz\_QPSK\_LCH\_821.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	811.510	-38.51	-13	Pass
813	814	0.15	/	2	814.000	-30.06	-20	Pass
814	829	0.15	/	/	/	/	/	/

Band26c\_15MHz\_QPSK\_MCH\_831.5MHz\_RB\_1\_0\_NTNV






Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_1\_0\_NTNV




Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_1\_74\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-42.85	-13	Pass
850	864	0.1	CHP	2	850.054	-46.60	-13	Pass

## Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.149	/	/	/	/	/	/
849	850	0.149	/	1	849.000	-31.19	-13	Pass
850	864	0.1	/	2	851.280	-42.22	-13	Pass

## Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	CHP	1	812.875	-47.98	-13	Pass
813	814	0.003	/	2	813.999	-42.62	-20	Pass
814	829	0.003	/	/	/	/	/	/

Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_1\_0\_NTNV




Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	809.590	-41.88	-13	Pass
813	814	0.149	/	2	814.000	-34.52	-20	Pass
814	829	0.149	/	/	/	/	/	/


Band26c\_15MHz\_16QAM\_MCH\_831.5MHz\_RB\_1\_0\_NTNV



Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_1\_0\_NTNV




## Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_1\_74\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-43.21	-13	Pass
850	864	0.1	CHP	2	850.068	-47.23	-13	Pass

## Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.149	/	/	/	/	/	/
849	850	0.149	/	1	849.000	-35.29	-13	Pass
850	864	0.1	/	2	851.310	-43.57	-13	Pass


Band26c\_15MHz\_64QAM\_LCH\_821.5MHz\_RB\_1\_0\_NTNV



Band26c\_15MHz\_64QAM\_LCH\_821.5MHz\_RB\_1\_0\_NTNV




Band26c\_15MHz\_64QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	811.750	-43.58	-13	Pass
813	814	0.149	/	2	813.970	-39.40	-20	Pass
814	829	0.149	/	/	/	/	/	/


Band26c\_15MHz\_64QAM\_MCH\_831.5MHz\_RB\_1\_0\_NTNV




Ant: Ant1  
 Start: 30 MHz  
 Stop: 8490 MHz  
 RBW: 1 MHz  
 VBW: 3 MHz  
 Detector: RMS  
 TraceType: Average  
 AverageCount: 30  
 SweepPoint: 16921  
 SweepTime: 14.66 ms  
 Sweep: Single

Marker:  
 1: 2633.500 MHz  
 -44.76 dBm

Band26c\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_1\_0\_NTNV




Band26c\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_1\_74\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-44.63	-13	Pass
850	864	0.1	CHP	2	850.052	-47.85	-13	Pass



Band26c\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.149	/	/	/	/	/	/
849	850	0.149	/	1	849.000	-37.52	-13	Pass
850	864	0.1	/	2	851.010	-45.96	-13	Pass