


The image displays two screenshots of the CMW 500 V 3.7.110 LTE Measurement software interface, showing the IQ Constellation plot and various measurement parameters.

Top Screenshot:

- Window Title: CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
- Mode: Multi Evaluation (PRACH, SRS)
- TDD: Freq: 2502.5 MHz, Ref. Level: 40.70 dBm, BW: 5.0 MHz, CP: Normal, Meas Subfr/Slot: 7 / All
- IQ Constellation: Shows a 16-QAM constellation plot with 16 points.
- Statistic Count: 20 / 20
- Out of Tolerance: 0.00 %
- Detected Modulation: 16-QAM
- Detected Channel Type: PUSCH
- View Filter Throughput: 100.0 %
- PS: Connection Established, RRC State: Connected
- Buttons: Go To Local, Show Remote Screen
- Right Panel: LTE, Multi Evaluation (RDY), RF Settings, Trigger, Display, Signaling Parameter, LTE Signaling (ON)

Bottom Screenshot:

- Window Title: CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
- Mode: Multi Evaluation (PRACH, SRS)
- TDD: Freq: 2595.0 MHz, Ref. Level: 39.50 dBm, BW: 5.0 MHz, CP: Normal, Meas Subfr/Slot: 3 / All
- IQ Constellation: Shows a 16-QAM constellation plot with 16 points.
- Statistic Count: 20 / 20
- Out of Tolerance: 0.00 %
- Detected Modulation: 16-QAM
- Detected Channel Type: PUSCH
- View Filter Throughput: 100.0 %
- PS: Connection Established, RRC State: Connected
- Buttons: Go To Local, Show Remote Screen
- Right Panel: LTE, Multi Evaluation (RDY), RF Settings, Trigger, Display, Signaling Parameter, LTE Signaling (ON)




CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
LTE

Multi Evaluation PRACH SRS

TDD Freq: 2595.0 MHz Ref. Level: 40.50 dBm BW: 5.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

IQ Constellation



Statistic Count
20 / 20

Out of Tolerance
0.00 %

Detected Modulation
QPSK

Detected Channel Type
PUSCH

View Filter Throughput
100.0 %

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
ON

PS: Connection Established
RRC State: Connected


Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
LTE

Multi Evaluation PRACH SRS

TDD Freq: 2687.5 MHz Ref. Level: 40.50 dBm BW: 5.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

IQ Constellation



Statistic Count
20 / 20

Out of Tolerance
0.00 %

Detected Modulation
QPSK

Detected Channel Type
PUSCH

View Filter Throughput
100.0 %

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
ON

PS: Connection Established
RRC State: Connected

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2505.0 MHz Ref. Level: 40.70 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 7 / All

LTE

Multi Evaluation PRACH SRS

Multi Evaluation
RDY

IQ Constellation

Statistic Count
 20 / 20
 Out of Tolerance
 0.00 %
 Detected Modulation
 16-QAM
 Detected Channel Type
 PUSCH
 View Filter Throughput
 100.0 %

PS: ● Connection Established
 RRC State: ● Connected

Display

Signaling Parameter

LTE Signaling
ON

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2595.0 MHz Ref. Level: 38.60 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 7 / All

LTE

Multi Evaluation PRACH SRS

Multi Evaluation
RDY

IQ Constellation

Statistic Count
 20 / 20
 Out of Tolerance
 0.00 %
 Detected Modulation
 16-QAM
 Detected Channel Type
 PUSCH
 View Filter Throughput
 100.0 %


PS: ● Connection Established
 RRC State: ● Connected


Display


Signaling Parameter

LTE Signaling
ON

Go To Local
Show Remote Screen







CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2682.5 MHz Ref. Level: 39.60 dBm BW: 15.0 MHz CP: Normal Meas Subfr/Slot: 3 / All

LTE

● Multi Evaluation PRACH SRS

Multi Evaluation
RDY

IQ Constellation

Statistic Count
 20 / 20
 Out of Tolerance
0.00 %
 Detected Modulation
16-QAM
 Detected Channel Type
PUSCH
 View Filter Throughput
100.0 %

PS: ● Connection Established
 RRC State: ● Connected

Display

Signaling Parameter

LTE Signaling
ON

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2507.5 MHz Ref. Level: 39.60 dBm BW: 15.0 MHz CP: Normal Meas Subfr/Slot: 7 / All

LTE

● Multi Evaluation PRACH SRS

Multi Evaluation
RDY

IQ Constellation

Statistic Count
 20 / 20
 Out of Tolerance
0.00 %
 Detected Modulation
QPSK
 Detected Channel Type
PUSCH
 View Filter Throughput
100.0 %

PS: ● Connection Established
 RRC State: ● Connected

Display

Signaling Parameter

LTE Signaling
ON

Go To Local
Show Remote Screen


The image displays two screenshots of the CMW 500 V 3.7.110 LTE Measurement software interface, showing the IQ Constellation plot and various measurement parameters.

Top Screenshot (Meas Subfr/Slot: 2 / All):

- Window Title: CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
- Mode: Multi Evaluation (PRACH, SRS)
- Parameters: TDD, Freq: 2595.0 MHz, Ref. Level: 40.40 dBm, BW: 15.0 MHz, CP: Normal, Meas Subfr/Slot: 2 / All
- IQ Constellation: Shows a QPSK constellation with four clusters of points in the corners of a square.
- Statistics:
 - Statistic Count: 20 / 20
 - Out of Tolerance: 0.00 %
 - Detected Modulation: QPSK
 - Detected Channel Type: PUSCH
 - View Filter Throughput: 100.0 %
- Navigation: Go To Local, Show Remote Screen
- Right Panel: LTE, Multi Evaluation (RDY), RF Settings, Trigger, Display, Signaling Parameter, LTE Signaling (ON)

Bottom Screenshot (Meas Subfr/Slot: 3 / All):

- Window Title: CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
- Mode: Multi Evaluation (PRACH, SRS)
- Parameters: TDD, Freq: 2682.5 MHz, Ref. Level: 40.30 dBm, BW: 15.0 MHz, CP: Normal, Meas Subfr/Slot: 3 / All
- IQ Constellation: Shows a QPSK constellation with four clusters of points in the corners of a square.
- Statistics:
 - Statistic Count: 20 / 20
 - Out of Tolerance: 0.00 %
 - Detected Modulation: QPSK
 - Detected Channel Type: PUSCH
 - View Filter Throughput: 100.0 %
- Navigation: Go To Local, Show Remote Screen
- Right Panel: LTE, Multi Evaluation (RDY), RF Settings, Trigger, Display, Signaling Parameter, LTE Signaling (ON)



CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2680.0 MHz Ref. Level: 39.60 dBm BW: 20.0 MHz CP: Normal Meas Subfr/Slot: 8 / All

LTE

Multi Evaluation PRACH SRS

Multi Evaluation
RDY

IQ Constellation

Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: 16-QAM
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Display

Signaling Parameter
LTE Signaling ON

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2510.0 MHz Ref. Level: 39.60 dBm BW: 20.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

LTE

Multi Evaluation PRACH SRS

Multi Evaluation
RDY

IQ Constellation


Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: QPSK
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected


Display

Signaling Parameter
LTE Signaling ON

Go To Local
Show Remote Screen



Band 41b



CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2652.5 MHz Ref. Level: 39.70 dBm BW: 5.0 MHz CP: Normal Meas Subfr/Slot: 8 / All

LTE

Multi Evaluation PRACH SRS

Multi Evaluation
RDY

IQ Constellation

Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: 16-QAM
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Display

Signaling Parameter
LTE Signaling ON

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2557.5 MHz Ref. Level: 39.40 dBm BW: 5.0 MHz CP: Normal Meas Subfr/Slot: 7 / All

LTE

Multi Evaluation PRACH SRS

Multi Evaluation
RDY

IQ Constellation

Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: QPSK
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Display

Signaling Parameter
LTE Signaling ON

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2605.0 MHz Ref. Level: 40.60 dBm BW: 5.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

LTE

Multi Evaluation PRACH SRS

RDY

IQ Constellation

Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: QPSK
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Display

Signaling Parameter

LTE Signaling ON

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2652.5 MHz Ref. Level: 40.70 dBm BW: 5.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

LTE

Multi Evaluation PRACH SRS

RDY

IQ Constellation

Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: QPSK
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Display

Signaling Parameter

LTE Signaling ON

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2560.0 MHz Ref. Level: 40.40 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 7 / All

LTE

Multi Evaluation PRACH SRS

Multi Evaluation
RDY

IQ Constellation

Statistic Count
 20 / 20
 Out of Tolerance
0.00 %
 Detected Modulation
16-QAM
 Detected Channel Type
PUSCH
 View Filter Throughput
100.0 %

PS: ● Connection Established
 RRC State: ● Connected

Display

Signaling Parameter

LTE Signaling
ON

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2605.0 MHz Ref. Level: 38.70 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

LTE

Multi Evaluation PRACH SRS

Multi Evaluation
RDY

IQ Constellation

Statistic Count
 20 / 20
 Out of Tolerance
0.00 %
 Detected Modulation
16-QAM
 Detected Channel Type
PUSCH
 View Filter Throughput
100.0 %


PS: ● Connection Established
 RRC State: ● Connected

Display

Signaling Parameter

LTE Signaling
ON

Go To Local
Show Remote Screen




CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2605.0 MHz Ref. Level: 40.70 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 7 / All

LTE

● Multi Evaluation PRACH SRS

IQ Constellation



Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

Multi Evaluation
RDY

PS: Connection Established
RRC State: Connected

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
ON


Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2650.0 MHz Ref. Level: 40.60 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 8 / All

LTE

● Multi Evaluation PRACH SRS

IQ Constellation



Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

Multi Evaluation
RDY

PS: Connection Established
RRC State: Connected

RF Settings


Trigger

Display

Signaling Parameter

LTE Signaling
ON

Go To Local
Show Remote Screen



CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2647.5 MHz Ref. Level: 39.60 dBm BW: 15.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

LTE

Multi Evaluation PRACH SRS

RDY

IQ Constellation

Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: 16-QAM
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: ● Connection Established
 RRC State: Connected

LTE Signaling: ON

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2562.5 MHz Ref. Level: 39.20 dBm BW: 15.0 MHz CP: Normal Meas Subfr/Slot: 8 / All

LTE

Multi Evaluation PRACH SRS

RDY

IQ Constellation

Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: QPSK
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: ● Connection Established
 RRC State: Connected

LTE Signaling: ON

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2605.0 MHz Ref. Level: 40.40 dBm BW: 15.0 MHz CP: Normal Meas Subfr/Slot: 8 / All

LTE

Multi Evaluation PRACH SRS

RDY

IQ Constellation

Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: QPSK
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Display

Signaling Parameter

LTE Signaling ON

Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
 TDD Freq: 2647.5 MHz Ref. Level: 40.40 dBm BW: 15.0 MHz CP: Normal Meas Subfr/Slot: 3 / All

LTE

Multi Evaluation PRACH SRS

RDY

IQ Constellation

Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: QPSK
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %


PS: Connection Established
 RRC State: Connected

Display

Signaling Parameter

LTE Signaling ON

Go To Local
Show Remote Screen




CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
LTE

Multi Evaluation PRACH SRS
Multi Evaluation

TDD Freq: 2645.0 MHz Ref. Level: 39.60 dBm BW: 20.0 MHz CP: Normal Meas Subfr/Slot: 2 / All
RDY

IQ Constellation



Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling ON

PS: Connection Established RRC State: Connected


Go To Local
Show Remote Screen

CMW 500 V 3.7.110 - LTE Measurement - V3.7.60 - TX Measurement
LTE

Multi Evaluation PRACH SRS
Multi Evaluation

TDD Freq: 2565.0 MHz Ref. Level: 39.60 dBm BW: 20.0 MHz CP: Normal Meas Subfr/Slot: 7 / All
RDY

IQ Constellation



Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

RF Settings

Trigger


Display

Signaling Parameter

LTE Signaling ON

PS: Connection Established RRC State: Connected

Go To Local
Show Remote Screen






4. Peak-Average Ratio



Band 2


Test Band: 2 _ 1.4MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	6	0	5.03	4.98	4.54	13	PASS
16QAM	6	0	5.87	5.86	5.42	13	PASS

1.2 Test Graph
















Test Band: 2 _ 3MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	15	0	5.17	5.06	4.71	13	PASS
16QAM	15	0	6.01	5.93	5.55	13	PASS












Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	5.37	5.31	5.08	13	PASS
16QAM	25	0	6.13	6.05	5.79	13	PASS
















Test Band: 2 _ 10MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	4.63	4.62	4.65	13	PASS
16QAM	50	0	6.14	6.02	6.09	13	PASS












Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	75	0	5.76	5.75	5.77	13	PASS
16QAM	75	0	6.90	6.82	6.81	13	PASS
















Test Band: 2 _ 20MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	100	0	6.43	6.45	6.46	13	PASS
16QAM	100	0	7.17	7.20	7.24	13	PASS












Test Band: 4 _ 1.4MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	6	0	5.08	5.37	3.89	13	PASS
16QAM	6	0	5.93	6.19	4.90	13	PASS
















Test Band: 4 _ 3MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	15	0	5.18	5.40	4.16	13	PASS
16QAM	15	0	6.06	6.28	5.11	13	PASS












Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	5.36	5.64	4.72	13	PASS
16QAM	25	0	6.15	6.33	5.47	13	PASS
















Test Band: 4 _ 10MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	4.60	4.66	4.63	13	PASS
16QAM	50	0	6.11	6.14	5.97	13	PASS












Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	75	0	5.77	5.77	5.81	13	PASS
16QAM	75	0	6.88	6.87	6.77	13	PASS
















Test Band: 4 _ 20MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	100	0	6.45	6.47	6.50	13	PASS
16QAM	100	0	7.15	7.26	7.21	13	PASS












Test Band: 5_ 1.4MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	6	0	5.04	5.54	5.47	13	PASS
16QAM	6	0	5.88	6.28	6.30	13	PASS
















Test Band: 5 _ 3MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	15	0	5.14	5.55	5.64	13	PASS
16QAM	15	0	5.98	6.41	6.46	13	PASS












Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	5.34	5.72	5.74	13	PASS
16QAM	25	0	6.08	6.43	6.42	13	PASS















Test Band: 5 _ 10MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	4.59	4.65	4.65	13	PASS
16QAM	50	0	6.08	6.12	6.17	13	PASS












Band 7

Test Band: 7_5MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	5.70	5.72	5.67	13	PASS
16QAM	25	0	6.47	6.45	6.36	13	PASS















Test Band: 7 _ 10MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	4.63	4.67	4.66	13	PASS
16QAM	50	0	6.21	6.14	6.19	13	PASS















Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	75	0	5.75	5.75	5.75	13	PASS
16QAM	75	0	6.91	6.89	6.78	13	PASS















Test Band: 7 _ 20MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	100	0	6.45	6.46	6.46	13	PASS
16QAM	100	0	7.17	7.25	7.21	13	PASS













Test Band: 13_ 5MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	5.25	5.41	5.54	13	PASS
16QAM	25	0	6.01	6.11	6.21	13	PASS

5.2 Test Graph
















Test Band: 13_ 10MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	/	4.60	/	13	PASS
16QAM	50	0	/	6.08	/	13	PASS




Test Band: 17_ 5MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	5.85	5.85	5.85	13	PASS
16QAM	25	0	6.56	6.51	6.50	13	PASS
















Test Band: 17_ 10MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	4.64	4.66	4.64	13	PASS
16QAM	50	0	6.21	6.15	6.19	13	PASS












Test Band: 38_5MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	9.26	9.21	9.11	13	PASS
16QAM	25	0	9.86	10.01	10.06	13	PASS
















Test Band: 38_ 10MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	8.45	8.45	8.33	13	PASS
16QAM	50	0	9.96	9.69	9.46	13	PASS












Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	75	0	9.41	9.54	9.47	13	PASS
16QAM	75	0	10.29	10.53	10.27	13	PASS
















Test Band: 38_20MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	100	0	10.13	10.25	9.83	13	PASS
16QAM	100	0	10.55	11.00	10.51	13	PASS












Test Band: 40a_5MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	9.13	8.98	9.18	13	PASS
16QAM	25	0	9.63	9.79	9.77	13	PASS














Test Band: 40a _ 10MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	/	8.42	/	13	PASS
16QAM	50	0	/	9.85	/	13	PASS






Band 40b

Test Band: 40b _ 5MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	8.83	8.68	8.71	13	PASS
16QAM	25	0	9.28	9.31	9.39	13	PASS
















Test Band: 40b _ 10MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	/	8.36	/	13	PASS
16QAM	50	0	/	9.43	/	13	PASS



Test Band: 41 _ 5MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	25	0	8.86	9.07	8.79	13	PASS
16QAM	25	0	9.34	9.92	9.39	13	PASS















Test Band: 41 _ 10MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	50	0	8.38	8.52	8.48	13	PASS
16QAM	50	0	9.75	9.56	9.61	13	PASS















Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	75	0	9.43	9.32	9.40	13	PASS
16QAM	75	0	10.41	10.36	10.28	13	PASS









Test Band: 41 _ 20MHz Bandwidth							
Test Mode	RB Allocation		Test result (dB)			Limit (dB)	Verdict
	Size	Offset	LCH	MCH	HCH		
QPSK	100	0	10.15	10.01	10.34	13	PASS
16QAM	100	0	10.61	10.93	10.58	13	PASS

