

CAPTION

- Cutting
- Cotation
- Crease

PRINTING INFORMATION

CMYK PROCESS COLORS :

C M Y K

Illuminant source : D50/2°
 Tolerance : dE* 2000 (2:1:1) ≤ 2.5
 Geometry : 45/0
 Filter: M0
 ISO 12647-2

FINISHING :

ACRYLIC VARNISH

Mate	Satin	Glossy	No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>


UV VARNISH :

210

210

297

ARTWORK PROJECT MANAGEMENT		DECATHLON	
FILE NAME	: CHN_4509751_SS22_330530_USG	RETRIEVAL_DATE	: 19/05/2021
PROJECT_MANAGER	: vincent.barcelonne@decathlon.com	VERSION	: 19/05/21 10:22
GRAPHIC_DESIGNER	: charlotte.lemaitre.partner@decathlon.com	SCALE	: 1 : 1
PACK_REF	: 4509751		
DSM_CODE	: 9810026020		
<small>Le composant ici décrit doit être conforme à la directive 94/62/CE et au décret français 98/538 : - Taux de rebond futur inférieur à 100gms. - Minimisation des substances dangereuses (Classification de la directive 67/548/CEE). - Les normes correspondantes sont EN 12428, EN 12429, EN 12430, EN 12431, EN 12432. Ce document est la propriété de DECATHLON. Tous les droits sont réservés. Ce produit devra respecter la dernière version de DECATHLON Toxicology Specifications</small>		<small>The component described here must comply with directive 94/62/EC and to the french decree 98/538 : - Heavy metal rate under 100gms. - In accordance with directive 67/548/EEC, the use of hazardous substances must be minimized. - The standards are EN 12428, EN 12429, EN 12430, EN 12431, EN 12432. This document is the property of DECATHLON. All rights reserved. This product should respect the last updated DECATHLON Toxicology specifications</small>	
<small>DECATHLON, 4 boulevard de Ners, 59650 VILLENEUVE D'ASCQ, FRANCE</small>			




210

222

105

210



210

222

ARTWORK PROJECT MANAGEMENT		DECATHLON	
FILE NAME : CHN_4509760_S222_330530_USG	RETRIEVAL DATE : 19/05/2021		
PROJECT MANAGER : vincent.barcellone@decathlon.com	VERSION : 19/05/21 15:26		
GRAPHIC DESIGNER : charlotte.mairiaux,parner@decathlon.com	SCALE : 1 : 1		
PACK_REF : 4509760			
DSM_CODE : 9810919210			

<p>The component described has been tested, with Decathlon S&S222 used as the bench device S&S222. - Do not mix hot and cold liquids. - Do not use the device near fire or open flames. - Do not use the device near water. - Do not use the device near children. - Do not use the device near electrical equipment. - Do not use the device near the edge of a table. - Do not use the device near the edge of a bench. - Do not use the device near the edge of a wall. - Do not use the device near the edge of a ceiling. - Do not use the device near the edge of a floor. - Do not use the device near the edge of a roof. - Do not use the device near the edge of a ground. - Do not use the device near the edge of a sky.</p>	<p>The component described has been tested, with Decathlon S&S222 used as the bench device S&S222. - Do not mix hot and cold liquids. - Do not use the device near fire or open flames. - Do not use the device near water. - Do not use the device near children. - Do not use the device near electrical equipment. - Do not use the device near the edge of a table. - Do not use the device near the edge of a bench. - Do not use the device near the edge of a wall. - Do not use the device near the edge of a ceiling. - Do not use the device near the edge of a floor. - Do not use the device near the edge of a roof. - Do not use the device near the edge of a ground. - Do not use the device near the edge of a sky.</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

CAPTION
Coloring
Outline
Crase

PRINTING INFORMATION
CMYK PROCESS COLORS : **K**
Dominant source : D50/2
Tolerance : 0/0 2000 (2:1) s 2.5
Geometry : 450
Filter : M0
Resolution : 1200/1200

FINISHING :
ACRYLIC VARNISH
Matt Satin Glossy No

UV VARNISH :



Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- . Reorient or relocate the receiving antenna.
- . Increase the separation between the equipment and receiver.
- . Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- . Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example - use only shielded interface cables when connecting to computer or peripheral devices).

FCC Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 0.5 centimeters between the radiator and your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The antennas used for this transmitter must be installed to provide a separation distance of at least 0.5 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

Industry Canada Statement

This device complies with Industry Canada licence-exempt RSS standard.

Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

IC Radiation Exposure Statement:

This equipment complies with IC RSS-102 radiation exposure limit set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0.5 cm between the radiator and your body.

Cet équipement est conforme aux CNR-102 d'Industrie Canada. Cet équipement doit être installé et utilisé avec une distance minimale de 0.5 centimètres entre le radiateur et votre corps. Cet émetteur ne doit pas être co-localisées ou opérant en conjonction avec autre antenne ou émetteur. Les antennes utilisées pour cet émetteur doivent être installés et fournir une distance de séparation d'au moins 0.5 centimètre de toute personne et doit pas être co-située ni fonctionner en conjonction avec une autre antenne ou émetteur.