


1. Drill the fitting holes at the place of installation (wall/ ceiling), make sure, that no cables or other lines are passing in place of drilling.
2. Put the screws in the holes and fix the lamp to the mounting place.
3. Insert the power cable (Type SJTW , 18A WG, min 80 °C) connected to the connector, through the bushing in the opening . (By slightly pulling, the position of the washer can be optimised)
4. When Connect the connector, Pay attention to the correct polarity **L and N**







Note: For Canada the power cable is connected to the lamp by manufacture.

Warning : Ensure the cable is connected well, and cover the outlet box with the canopy, be sure providing watertight seal between canopy and mounting surface by using silicone building sealant or ther similar caulking

5. The reflector should shall be permanently and reliably connected to the earthing terminal through the grouding wire.



6. Adjust the connect ing plate (7) and p ay attention that the inst allation cable is not touching the LED driver. The LED driver can become hot while in operation.
7. Assemble the clamps (11) at the designated position (See Fig. 2/ 3)
8. Put on the cover (10) and fix it with the clamps (11). All clamps should be used.



FCC STATEMENT

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference.

(2) This device must accept any interference received, including interference that may cause undesired operation.

2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.