

Radiated Test data

Radiated spurious emissions


For 9 kHz ~ 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

For 30 MHz \sim 1 GHz:

Note:

All modes have been tested, only worst case(DH5_2402MHz) mode was recorded in the test report if no any others.




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	39.4371	51.63	-29.42	22.21	40.00	-17.79	peak
2	97.1148	47.97	-33.94	14.03	43.50	-29.47	peak
3	133.1511	49.00	-30.67	18.33	43.50	-25.17	peak
4	290.0172	56.48	-28.67	27.81	46.00	-18.19	peak
5	480.5276	50.45	-23.95	26.50	46.00	-19.50	peak
6	768.7481	44.47	-18.28	26.19	46.00	-19.81	peak

Tel:+86(0)21-51298625 Web:www.atbl-lab.com Email:atbl@atbl-lab.com

[&]quot;Shanghai ATBL Technology Co., Ltd." hereby certifies that according to actual testing conditions. The test results or observations are provided in accordance with measured value, without taking risks caused by uncertainty into account. Without explicit stipulation in special agreements, standards, or regulations, ATBL shall not assume any responsibility. The test results or observations are applicable only to tested sample. Client shall be responsible for representativeness of the sample and authenticity of the material. This report will be void without authorized signature or special seal for testing report. Do not copied without authorization.






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1 *	41.4215	56.84	-29.32	27.52	40.00	-12.48	peak
2	49.5328	55.33	-28.97	26.36	40.00	-13.64	peak
3	91.4949	65.16	-34.75	30.41	43.50	-13.09	peak
4	121.5486	60.19	-31.83	28.36	43.50	-15.14	peak
5	286.9823	47.72	-28.81	18.91	46.00	-27.09	peak
6	768.7481	40.26	-18.28	21.98	46.00	-24.02	peak



For 1 GHz ~ 18GHz:

Note:

- 1. The all data rate modes had been test, but only worse test data was recorded in the test report.
- 2.In frequency ranges 18 ~25GHz no any other harmonic emissions detected which are tested to compliance with the limit. No recording in the test report. No any other emissions level which are attenuated less than 20dB below the limit. No recording in the test report.
- 3. We used the filter to test and the main frequency was filtered out.




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1289.000	62.89	-20.09	42.80	74.00	-31.20	peak
2	1306.000	51.91	-20.04	31.87	54.00	-22.13	AVG
3	3193.000	61.12	-11.78	49.34	74.00	-24.66	peak
4	3210.000	46.60	-11.76	34.84	54.00	-19.16	AVG
5	5403.000	53.73	-4.39	49.34	74.00	-24.66	peak
6 *	5403.000	40.69	-4.39	36.30	54.00	-17.70	AVG



Polarization	Vertical	Mode	1M_2402
34	Par E	By .	F3 35
).0 dBuV/m		F 25	2.0
			15C Above 1GHz-PK
		5	
1 X	3	T I	15C Aboxe A Silventive
m lin	and Joseph and was a format of the same of	Market Committee of	man and a state of the state of
Walnut International	and warmen and a second	Awa	
G QF			
0	.000 6100.000 7800.000 (MHz)		

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3193.000	68.51	-11.78	56.73	74.00	-17.27	peak
2	3210.000	51.84	-11.76	40.08	54.00	-13.92	AVG
3	5403.000	55.37	-4.39	50.98	74.00	-23.02	peak
4	5403.000	42.41	-4.39	38.02	54.00	-15.98	AVG
5	10384.000	58.67	5.78	64.45	74.00	-9.55	peak
6 *	10401.000	45.61	5.82	51.43	54.00	-2.57	AVG






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1595.000	63.65	-19.82	43.83	74.00	-30.17	peak
2	1612.000	49.43	-19.80	29.63	54.00	-24.37	AVG
3	3193.000	60.68	-11.78	48.90	74.00	-25.10	peak
4	3210.000	46.98	-11.76	35.22	54.00	-18.78	AVG
5	5403.000	53.82	-4.39	49.43	74.00	-24.57	peak
6 *	5403.000	40.54	-4.39	36.15	54.00	-17.85	AVG



Polarization	Vertical	Mode	1M_2440
3º F	By E	230	Es. W
),o dBuV/m	12" -	F 35	3
			15C Above 1GHz-PK
	20-07	<u> </u>	5 X
×	3 X	who had been to the way and the way are had	15C Abeve Laws
My Holy works wanted	3 man	white the same of	manual ma
Mymen made manual	and barrer of the second		
D			


No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3193.000	66.87	-11.78	55.09	74.00	-18.91	peak
2	3210.000	51.76	-11.76	40.00	54.00	-14.00	AVG
3	5216.000	62.21	-4.71	57.50	74.00	-16.50	peak
4	5233.000	45.22	-4.67	40.55	54.00	-13.45	AVG
5	15603.000	55.15	11.86	67.01	74.00	-6.99	peak
6 *	15620.000	41.37	11.87	53.24	54.00	-0.76	AVG






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2479.000	63.01	-15.32	47.69	74.00	-26.31	peak
2	2496.000	50.92	-15.21	35.71	54.00	-18.29	AVG
3	5403.000	53.55	-4.39	49.16	74.00	-24.84	peak
4	5403.000	40.79	-4.39	36.40	54.00	-17.60	AVG
5	9602.000	47.08	4.38	51.46	74.00	-22.54	peak
6 *	9619.000	35.17	4.41	39.58	54.00	-14.42	AVG





No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3193.000	63.67	-11.78	51.89	74.00	-22.11	peak
2	3193.000	63.67	-11.78	51.89	74.00	-22.11	peak
3	3210.000	46.17	-11.76	34.41	54.00	-19.59	AVG
4	5403.000	53.46	-4.39	49.07	74.00	-24.93	peak
5	5403.000	40.57	-4.39	36.18	54.00	-17.82	AVG
6	9602.000	46.38	4.38	50.76	74.00	-23.24	peak
7 *	9619.000	35.47	4.41	39.88	54.00	-14.12	AVG






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1595.000	67.87	-19.82	48.05	74.00	-25.95	peak
2	1612.000	48.07	-19.80	28.27	54.00	-25.73	AVG
3	5386.000	51.09	-4.41	46.68	74.00	-27.32	peak
4	5403.000	38.84	-4.39	34.45	54.00	-19.55	AVG
5	10401.000	55.04	5.82	60.86	74.00	-13.14	peak
6 *	10401.000	40.34	5.82	46.16	54.00	-7.84	AVG



Polarization	Vertical	Mode	2M_2402
3	33 x	30	F. W.
.o dBuV/m	12 -	F 33	5
			15C Above 1GHz-PK
		20	
3	11/2 1 1/2	5 X	15C Above makes parts
My Judy Judanumulad		burney bu	www.
What was a series of the serie	mbahaman manaman		
ur ur			
0			

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1595.000	69.87	-19.82	50.05	74.00	-23.95	peak
2	1612.000	53.44	-19.80	33.64	54.00	-20.36	AVG
3	3193.000	69.91	-11.78	58.13	74.00	-15.87	peak
4	3210.000	51.65	-11.76	39.89	54.00	-14.11	AVG
5	10384.000	51.32	5.78	57.10	74.00	-16.90	peak
6 *	10401.000	37.68	5.82	43.50	54.00	-10.50	AVG






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3193.000	61.33	-11.78	49.55	74.00	-24.45	peak
2	3210.000	44.59	-11.76	32.83	54.00	-21.17	AVG
3	5403.000	51.17	-4.39	46.78	74.00	-27.22	peak
4	5403.000	38.86	-4.39	34.47	54.00	-19.53	AVG
5	10741.000	43.90	6.44	50.34	74.00	-23.66	peak
6 *	10792.000	33.40	6.53	39.93	54.00	-14.07	AVG



Polarization	Vertical	Mode	2M_2440
DV F	Sp. E.	130	En S
g dBuV/m	137 -	F 3	5
			15C Above 1GHz-PK
1	3 X 5	de see the problems	15C Aboys, Little sphills
d y while war war	5 1 1 1 1 1 1 1	who have a sold too	war
William &	Manuel Ma		
000.000 2700.000 4400.00	O 6100.000 7800.000 (MHz)	11200.000 12900.0	00 14600.000 16300.0001800

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3193.000	66.33	-11.78	54.55	74.00	-19.45	peak
2	3210.000	46.25	-11.76	34.49	54.00	-19.51	AVG
3	5182.000	60.36	-4.78	55.58	74.00	-18.42	peak
4 *	5199.000	47.80	-4.74	43.06	54.00	-10.94	AVG
5	9602.000	48.02	4.38	52.40	74.00	-21.60	peak
6	9619.000	35.17	4.41	39.58	54.00	-14.42	AVG





No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1595.000	69.82	-19.82	50.00	74.00	-24.00	peak
2	1612.000	47.92	-19.80	28.12	54.00	-25.88	AVG
3	3193.000	59.73	-11.78	47.95	74.00	-26.05	peak
4	3210.000	44.58	-11.76	32.82	54.00	-21.18	AVG
5	10384.000	51.75	5.78	57.53	74.00	-16.47	peak
6 *	10401.000	38.32	5.82	44.14	54.00	-9.86	AVG




Polariza	ntion	n Vertical		Mode	2N	1_2480
3	F	37	FR	5 '	20	25
).O dBuV/m	· '	A'	1	.25 ^V		1
					15C Above	1GHz-PK
1	3 X	5	moneya Janay Jayay	a and object of	15C Above	LACILITY SHOWN
*	William many other photography	James March	mound my horman happy	Market with with .	Marine Marine	
S WANTY A	William Wall	I.	mulum	p/-0-0-0-1		
May broke to	A POLICE (A POLICE A CONTRACT A					
0 1000.000 2						

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1204.000	69.23	-20.31	48.92	74.00	-25.08	peak
2	1204.000	52.57	-20.31	32.26	54.00	-21.74	AVG
3 *	3193.000	71.72	-11.78	59.94	74.00	-14.06	peak
4	3210.000	49.28	-11.76	37.52	54.00	-16.48	AVG
5	5386.000	55.59	-4.41	51.18	74.00	-22.82	peak
6	5403.000	42.00	-4.39	37.61	54.00	-16.39	AVG



1.1.1. Test Result of Restricted Band




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	51.77	-15.88	35.89	74.00	-38.11	peak
2 *	2390.000	42.09	-15.88	26.21	54.00	-27.79	AVG



	Polarization	1	Vertical	Mode	1M_2402
15C Above 1GHz-PK 15C Above 1GHz-PK 15C Above 1GHz-AVG	3	FE	200	F CON	F 35
15C Above 16Hz-PK 15C Above 16Hz-PK 15C Above 16Hz-AVG	0.0 dBuV/m		A	F 25	2 .0
15C Above 1GHz-PK 15C Above 1GHz-PK 15C Above 1GHz-AVG					
15C Above 1GHz-AVG					15C/Above 1GHz-PK
About 15th About 16th 2 Avg					
mander mander for much representation and the second of th					15t Above 1GHz-AVG
Company and the second		,			
	AND TO SELECT THE PROPERTY OF	and market and a second	n Anatomorphoronomy and a contraction of the contra	manus made mangal di	hardlet the state of the state
		and when the state of the state		Zamendam hande	halmadam a
.0	0				2400.000 2405.000 2410.0

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	49.43	-15.88	33.55	74.00	-40.45	peak
2 *	2390.000	40.70	-15.88	24.82	54.00	-29.18	AVG






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2483.500	54.36	-15.30	39.06	74.00	-34.94	peak
2 *	2483.500	44.30	-15.30	29.00	54.00	-25.00	AVG




Polarization	Vertical	Mode	1M_2480
L.	237	E SE F	23



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2483.500	54.44	-15.30	39.14	74.00	-34.86	peak
2 *	2483.500	46.30	-15.30	31.00	54.00	-23.00	AVG






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	52.89	-15.88	37.01	74.00	-36.99	peak
2 *	2390.000	42.26	-15.88	26.38	54.00	-27.62	AVG



5	Polarization	Vertical	Mode	2M_2402
4	dBuV/m	Kan a	E EBE	E ASI
00.0	OBUY/III			(m)
)				15¢ Above 1GHz-PK
)				
				ISC Above IGHz-AVG
i	enchange shipped paper and the	Jahryman Jahr Mally Harles And Ha	radaltradhamangaydahma <mark>s</mark> edaltidhdahabangaadl	Historian Whistorian Red
			maretraphoras appropriate april a second and belleville	1. 7
i				
)				

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	54.08	-15.88	38.20	74.00	-35.80	peak
2 *	2390.000	44.17	-15.88	28.29	54.00	-25.71	AVG





No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2483.500	56.35	-15.30	41.05	74.00	-32.95	peak
2 *	2483.500	46.50	-15.30	31.20	54.00	-22.80	AVG



Polarization	Vertical	Mode	2M_2480
N F	23	200	23
Salv	F 133	F DV	L By
0.0 dBuV/m			
			15C Above 1GHz-PK
			ISC ADOTE IGITETY
			15C Above 1GHz-AVG
Name of the state			
8	with about the property of the	Auguston Street Hoof was with the conversely	work for the rest probability and before the contract and a second and the
X.,	war war of the first transfer to see or the separation of the first transfer and the transfer of the transfer	Marsh to stand and the second and the second and the second of the secon	war and a second of the property of the proper
0 2475 000 2490 500 3	2400 000 2401 500 2407 000 (441)	2500 000 2512 500	2510 000 2524 500 2520
2413.000 2400.000 2	:+00.000 Z431.300 Z437.000 (MTZ)	2300.000 2313.300	2313.000 2324.300 2330.0
0 2475.000 2480.500 2	2486.000 2491.500 2497.000 (MHz)	2508.000 2513.500	2519.000 2524.500 2

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2483.500	56.35	-15.30	41.05	74.00	-32.95	peak
2 *	2483.500	46.50	-15.30	31.20	54.00	-22.80	AVG

****END OF APPENDIX B****