


APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode	TX Mode
-----------	---------


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.0185	40.88	13.68	54.56	122.26	-67.70	AVG	
2		0.0300	35.19	12.95	48.14	118.06	-69.92	AVG	
3	*	0.0420	36.24	12.63	48.87	115.14	-66.27	AVG	

Test Mode	TX Mode
-----------	---------


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.8350	28.98	11.87	40.85	69.17	-28.32	QP	
2		1.5355	30.24	11.53	41.77	63.88	-22.11	QP	
3	*	2.1552	37.65	11.23	48.88	69.54	-20.66	QP	

Test Mode	TX Mode
-----------	---------


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	0.0186	45.18	13.65	58.83	122.21	-63.38	AVG	
2		0.0343	35.27	12.84	48.11	116.90	-68.79	AVG	
3		0.0603	30.06	12.48	42.54	112.00	-69.46	AVG	

Test Mode TX Mode

Ant 90°




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.7876	38.41	11.88	50.29	69.68	-19.39	QP	
2	*	1.0374	36.74	11.78	48.52	67.29	-18.77	QP	
3		2.2250	29.25	11.20	40.45	69.54	-29.09	QP	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode | LTE Band 4_TX CH20175_1.4M


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	78.985	-57.14	-18.17	-75.31	-13.00	-62.31	peak	
2	122.635	-59.72	-13.95	-73.67	-13.00	-60.67	peak	
3	209.935	-61.84	-15.22	-77.06	-13.00	-64.06	peak	
4	253.100	-66.75	-12.81	-79.56	-13.00	-66.56	peak	
5	518.395	-68.31	-6.31	-74.62	-13.00	-61.62	peak	
6 *	948.105	-68.45	1.74	-66.71	-13.00	-53.71	peak	

Test Mode | LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		119.240	-65.12	-14.22	-79.34	-13.00	-66.34	peak	
2		230.305	-67.25	-13.92	-81.17	-13.00	-68.17	peak	
3		433.520	-69.80	-7.86	-77.66	-13.00	-64.66	peak	
4		599.875	-69.13	-4.55	-73.68	-13.00	-60.68	peak	
5		831.220	-68.49	-0.66	-69.15	-13.00	-56.15	peak	
6	*	948.105	-69.04	1.74	-67.30	-13.00	-54.30	peak	


Test Mode | LTE Band 4_TX CH20175_5M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	67.830	-50.17	-15.77	-65.94	-13.00	-52.94	peak	
2		99.840	-50.73	-16.58	-67.31	-13.00	-54.31	peak	
3		122.635	-61.98	-13.95	-75.93	-13.00	-62.93	peak	
4		210.420	-63.74	-15.21	-78.95	-13.00	-65.95	peak	
5		254.070	-61.23	-12.78	-74.01	-13.00	-61.01	peak	
6		295.295	-61.45	-11.04	-72.49	-13.00	-59.49	peak	


Test Mode	LTE Band 4_TX CH20175_5M
-----------	--------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		159.980	-68.39	-12.37	-80.76	-13.00	-67.76	peak	
2		230.305	-66.10	-13.92	-80.02	-13.00	-67.02	peak	
3		497.540	-69.17	-6.58	-75.75	-13.00	-62.75	peak	
4		666.805	-68.96	-3.51	-72.47	-13.00	-59.47	peak	
5		833.160	-69.16	-0.66	-69.82	-13.00	-56.82	peak	
6	*	948.105	-68.83	1.74	-67.09	-13.00	-54.09	peak	

Test Mode	LTE Band 4_TX CH20175_20M
-----------	---------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.530	-59.47	-17.86	-77.33	-13.00	-64.33	peak	
2		112.935	-57.55	-14.78	-72.33	-13.00	-59.33	peak	
3		241.945	-65.17	-13.30	-78.47	-13.00	-65.47	peak	
4		486.385	-67.05	-6.77	-73.82	-13.00	-60.82	peak	
5		549.435	-67.60	-5.91	-73.51	-13.00	-60.51	peak	
6	*	948.105	-69.12	1.74	-67.38	-13.00	-54.38	peak	

Test Mode | LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		123.120	-66.01	-13.92	-79.93	-13.00	-66.93	peak	
2		159.980	-68.10	-12.37	-80.47	-13.00	-67.47	peak	
3		230.305	-66.47	-13.92	-80.39	-13.00	-67.39	peak	
4		599.875	-70.10	-4.55	-74.65	-13.00	-61.65	peak	
5		727.430	-70.10	-2.46	-72.56	-13.00	-59.56	peak	
6	*	948.105	-69.61	1.74	-67.87	-13.00	-54.87	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	82.865	-56.52	-18.55	-75.07	-13.00	-62.07	peak	
2	122.635	-59.33	-13.95	-73.28	-13.00	-60.28	peak	
3	229.335	-62.00	-13.99	-75.99	-13.00	-62.99	peak	
4	499.480	-68.76	-6.55	-75.31	-13.00	-62.31	peak	
5	731.795	-69.08	-2.36	-71.44	-13.00	-58.44	peak	
6 *	960.230	-69.08	1.81	-67.27	-13.00	-54.27	peak	


Test Mode: LTE Band 12_TX CH23095_1.4M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		119.725	-64.29	-14.18	-78.47	-13.00	-65.47	peak	
2		174.045	-64.87	-13.01	-77.88	-13.00	-64.88	peak	
3		202.660	-62.57	-15.37	-77.94	-13.00	-64.94	peak	
4		338.945	-67.14	-10.17	-77.31	-13.00	-64.31	peak	
5		596.965	-69.10	-4.63	-73.73	-13.00	-60.73	peak	
6	*	948.105	-69.23	1.74	-67.49	-13.00	-54.49	peak	


Test Mode: LTE Band 12_TX CH23095_5M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.530	-59.24	-17.86	-77.10	-13.00	-64.10	peak	
2		122.635	-60.34	-13.95	-74.29	-13.00	-61.29	peak	
3		365.135	-67.07	-9.61	-76.68	-13.00	-63.68	peak	
4		618.790	-64.83	-4.24	-69.07	-13.00	-56.07	peak	
5		764.775	-68.46	-1.57	-70.03	-13.00	-57.03	peak	
6	*	948.105	-70.02	1.74	-68.28	-13.00	-55.28	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		120.210	-64.41	-14.15	-78.56	-13.00	-65.56	peak	
2		230.305	-66.69	-13.92	-80.61	-13.00	-67.61	peak	
3		403.450	-69.91	-8.68	-78.59	-13.00	-65.59	peak	
4		628.975	-69.07	-4.08	-73.15	-13.00	-60.15	peak	
5		766.230	-68.74	-1.53	-70.27	-13.00	-57.27	peak	
6	*	909.790	-69.55	0.57	-68.98	-13.00	-55.98	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		86.260	-58.31	-18.63	-76.94	-13.00	-63.94	peak	
2		123.120	-60.50	-13.92	-74.42	-13.00	-61.42	peak	
3		184.230	-67.36	-14.19	-81.55	-13.00	-68.55	peak	
4		564.955	-70.20	-5.49	-75.69	-13.00	-62.69	peak	
5		821.035	-70.13	-0.66	-70.79	-13.00	-57.79	peak	
6	*	976.720	-70.60	1.83	-68.77	-13.00	-55.77	peak	


Test Mode: LTE Band 12_TX CH23095_10M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		78.985	-63.57	-18.17	-81.74	-13.00	-68.74	peak	
2		119.725	-65.40	-14.18	-79.58	-13.00	-66.58	peak	
3		230.305	-67.12	-13.92	-81.04	-13.00	-68.04	peak	
4		473.290	-69.63	-7.01	-76.64	-13.00	-63.64	peak	
5		743.435	-68.61	-2.09	-70.70	-13.00	-57.70	peak	
6	*	958.290	-69.46	1.81	-67.65	-13.00	-54.65	peak	


Test Mode: LTE Band 13_TX CH23230_5M



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	77.530	-59.70	-17.86	-77.56	-13.00	-64.56	peak	
2	121.665	-59.75	-14.03	-73.78	-13.00	-60.78	peak	
3	170.165	-63.94	-12.60	-76.54	-13.00	-63.54	peak	
4	236.125	-66.53	-13.59	-80.12	-13.00	-67.12	peak	
5 *	389.870	-60.83	-9.02	-69.85	-13.00	-56.85	peak	
6	774.960	-69.02	-1.32	-70.34	-13.00	-57.34	peak	

Test Mode: LTE Band 13_TX CH23230_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		119.725	-64.71	-14.18	-78.89	-13.00	-65.89	peak	
2		230.305	-66.99	-13.92	-80.91	-13.00	-67.91	peak	
3		495.600	-69.72	-6.62	-76.34	-13.00	-63.34	peak	
4		634.795	-69.07	-3.98	-73.05	-13.00	-60.05	peak	
5		810.850	-69.63	-0.67	-70.30	-13.00	-57.30	peak	
6	*	948.105	-68.92	1.74	-67.18	-13.00	-54.18	peak	

Test Mode: LTE Band 13_TX CH23230_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.530	-59.63	-17.86	-77.49	-13.00	-64.49	peak	
2		121.665	-60.17	-14.03	-74.20	-13.00	-61.20	peak	
3		320.030	-70.87	-10.52	-81.39	-13.00	-68.39	peak	
4		656.135	-70.09	-3.65	-73.74	-13.00	-60.74	peak	
5		793.390	-69.97	-0.84	-70.81	-13.00	-57.81	peak	
6	*	953.925	-69.25	1.81	-67.44	-13.00	-54.44	peak	

Test Mode: LTE Band 13_TX CH23230_10M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		119.725	-65.96	-14.18	-80.14	-13.00	-67.14	peak	
2		167.255	-65.07	-12.52	-77.59	-13.00	-64.59	peak	
3		230.305	-66.92	-13.92	-80.84	-13.00	-67.84	peak	
4	*	423.335	-58.55	-8.14	-66.69	-13.00	-53.69	peak	
5		647.890	-69.36	-3.78	-73.14	-13.00	-60.14	peak	
6		948.105	-69.75	1.74	-68.01	-13.00	-55.01	peak	

Test Mode	LTE Band 66_TX CH132322_1.4M
-----------	------------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		80.925	-58.05	-18.42	-76.47	-13.00	-63.47	peak	
2		120.210	-60.69	-14.15	-74.84	-13.00	-61.84	peak	
3		159.980	-63.62	-12.37	-75.99	-13.00	-62.99	peak	
4		233.215	-52.65	-13.75	-66.40	-13.00	-53.40	peak	
5		361.740	-62.13	-9.68	-71.81	-13.00	-58.81	peak	
6	*	948.105	-62.28	1.74	-60.54	-13.00	-47.54	peak	

Test Mode | LTE Band 66_TX CH132322_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-65.77	-13.95	-79.72	-13.00	-66.72	peak	
2		159.980	-61.98	-12.37	-74.35	-13.00	-61.35	peak	
3		468.440	-69.46	-7.09	-76.55	-13.00	-63.55	peak	
4		651.770	-69.47	-3.70	-73.17	-13.00	-60.17	peak	
5		791.450	-69.58	-0.90	-70.48	-13.00	-57.48	peak	
6	*	948.105	-62.90	1.74	-61.16	-13.00	-48.16	peak	


Test Mode	LTE Band 66_TX CH132322_5M
-----------	----------------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.530	-59.09	-17.86	-76.95	-13.00	-63.95	peak	
2		123.605	-63.15	-13.89	-77.04	-13.00	-64.04	peak	
3		159.980	-63.77	-12.37	-76.14	-13.00	-63.14	peak	
4		480.080	-69.35	-6.88	-76.23	-13.00	-63.23	peak	
5		693.480	-69.58	-3.15	-72.73	-13.00	-59.73	peak	
6	*	948.105	-62.71	1.74	-60.97	-13.00	-47.97	peak	


Test Mode | LTE Band 66_TX CH132322_5M



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	61.525	-66.94	-14.69	-81.63	-13.00	-68.63	peak	
2	159.980	-62.02	-12.37	-74.39	-13.00	-61.39	peak	
3	433.035	-69.96	-7.88	-77.84	-13.00	-64.84	peak	
4	686.205	-69.47	-3.25	-72.72	-13.00	-59.72	peak	
5	786.600	-69.10	-1.02	-70.12	-13.00	-57.12	peak	
6 *	948.105	-63.35	1.74	-61.61	-13.00	-48.61	peak	

Test Mode | LTE Band 66_TX CH132322_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.125	-56.89	-13.95	-70.84	-13.00	-57.84	peak	
2		74.620	-58.30	-17.23	-75.53	-13.00	-62.53	peak	
3		159.980	-63.09	-12.37	-75.46	-13.00	-62.46	peak	
4		433.520	-67.02	-7.86	-74.88	-13.00	-61.88	peak	
5		599.875	-68.34	-4.55	-72.89	-13.00	-59.89	peak	
6	*	948.105	-60.85	1.74	-59.11	-13.00	-46.11	peak	

Test Mode | LTE Band 66_TX CH132322_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		70.740	-62.61	-16.37	-78.98	-13.00	-65.98	peak	
2		159.980	-61.71	-12.37	-74.08	-13.00	-61.08	peak	
3		433.035	-69.09	-7.88	-76.97	-13.00	-63.97	peak	
4		666.320	-69.34	-3.51	-72.85	-13.00	-59.85	peak	
5		786.600	-68.72	-1.02	-69.74	-13.00	-56.74	peak	
6	*	948.105	-62.70	1.74	-60.96	-13.00	-47.96	peak	

Test Mode | LTE Band 85_TX CH134092_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.610	-64.32	-13.95	-78.27	-13.00	-65.27	peak	
2		120.210	-61.01	-14.15	-75.16	-13.00	-62.16	peak	
3		424.790	-69.47	-8.10	-77.57	-13.00	-64.57	peak	
4		591.145	-69.09	-4.79	-73.88	-13.00	-60.88	peak	
5		771.080	-69.43	-1.41	-70.84	-13.00	-57.84	peak	
6	*	948.105	-63.01	1.74	-61.27	-13.00	-48.27	peak	

Test Mode | LTE Band 85_TX CH134092_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		46.005	-66.70	-13.95	-80.65	-13.00	-67.65	peak	
2		159.980	-61.75	-12.37	-74.12	-13.00	-61.12	peak	
3		320.030	-69.65	-10.52	-80.17	-13.00	-67.17	peak	
4		542.160	-69.48	-6.00	-75.48	-13.00	-62.48	peak	
5		793.875	-69.22	-0.83	-70.05	-13.00	-57.05	peak	
6	*	948.105	-64.27	1.74	-62.53	-13.00	-49.53	peak	

Test Mode | LTE Band 85_TX CH134092_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		53.280	-63.31	-13.99	-77.30	-13.00	-64.30	peak	
2		120.210	-60.59	-14.15	-74.74	-13.00	-61.74	peak	
3		151.250	-63.06	-12.59	-75.65	-13.00	-62.65	peak	
4		458.740	-69.82	-7.25	-77.07	-13.00	-64.07	peak	
5		725.005	-69.48	-2.50	-71.98	-13.00	-58.98	peak	
6	*	948.105	-62.99	1.74	-61.25	-13.00	-48.25	peak	

Test Mode | LTE Band 85_TX CH134092_10M

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.675	-66.07	-14.19	-80.26	-13.00	-67.26	peak	
2		159.980	-61.24	-12.37	-73.61	-13.00	-60.61	peak	
3		398.115	-69.70	-8.82	-78.52	-13.00	-65.52	peak	
4		617.335	-69.84	-4.27	-74.11	-13.00	-61.11	peak	
5		789.995	-70.06	-0.93	-70.99	-13.00	-57.99	peak	
6	*	948.105	-63.56	1.74	-61.82	-13.00	-48.82	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode | LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1731.000	-48.63	-4.60	-53.23	-13.00	-40.23	peak	
2	*	8191.000	-54.80	10.62	-44.18	-13.00	-31.18	peak	

Test Mode | LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1731.000	-48.73	-4.60	-53.33	-13.00	-40.33	peak	
2	*	7519.500	-56.33	10.63	-45.70	-13.00	-32.70	peak	

Test Mode | LTE Band 4_TX CH20175_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1731.000	-47.69	-4.60	-52.29	-13.00	-39.29	peak	
2		3142.000	-52.78	-0.22	-53.00	-13.00	-40.00	peak	

Test Mode | LTE Band 4_TX CH20175_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1731.000	-46.73	-4.60	-51.33	-13.00	-38.33	peak	
2		3465.000	-53.29	1.17	-52.12	-13.00	-39.12	peak	

Test Mode | LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1722.500	-48.88	-4.66	-53.54	-13.00	-40.54	peak	
2	*	6771.500	-55.54	9.06	-46.48	-13.00	-33.48	peak	

Test Mode | LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1722.500	-49.66	-4.66	-54.32	-13.00	-41.32	peak	
2	*	7035.000	-55.64	9.85	-45.79	-13.00	-32.79	peak	

Test Mode | LTE Band 12_TX CH23095_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2054.000	-51.91	-2.70	-54.61	-13.00	-41.61	peak	
2	*	3992.000	-53.48	3.00	-50.48	-13.00	-37.48	peak	

Test Mode | LTE Band 12_TX CH23095_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2113.500	-52.96	-2.70	-55.66	-13.00	-42.66	peak	
2	*	3533.000	-54.03	1.44	-52.59	-13.00	-39.59	peak	

Test Mode | LTE Band 12_TX CH23095_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2079.500	-51.62	-2.70	-54.32	-13.00	-41.32	peak	
2	*	3966.500	-54.20	2.90	-51.30	-13.00	-38.30	peak	

Test Mode | LTE Band 12_TX CH23095_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2096.500	-52.25	-2.71	-54.96	-13.00	-41.96	peak	
2	*	10715.500	-55.71	12.55	-43.16	-13.00	-30.16	peak	

Test Mode | LTE Band 12_TX CH23095_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3975.000	-54.60	2.93	-51.67	-13.00	-38.67	peak	
2	*	7502.500	-56.19	10.64	-45.55	-13.00	-32.55	peak	

Test Mode | LTE Band 12_TX CH23095_10M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2088.000	-52.91	-2.70	-55.61	-13.00	-42.61	peak	
2	*	4969.500	-55.00	4.83	-50.17	-13.00	-37.17	peak	

Test Mode | LTE Band 13_TX CH23230_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2581.000	-52.51	-2.45	-54.96	-13.00	-41.96	peak	
2	*	7647.000	-55.28	10.53	-44.75	-13.00	-31.75	peak	

Test Mode | LTE Band 13_TX CH23230_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3507.500	-52.79	1.35	-51.44	-13.00	-38.44	peak	
2	*	7672.500	-54.93	10.52	-44.41	-13.00	-31.41	peak	

Test Mode | LTE Band 13_TX CH23230_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1986.000	-52.41	-2.78	-55.19	-13.00	-42.19	peak	
2	*	8743.500	-55.51	11.35	-44.16	-13.00	-31.16	peak	

Test Mode | LTE Band 13_TX CH23230_10M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2088.000	-51.84	-2.70	-54.54	-13.00	-41.54	peak	
2	*	8990.000	-55.04	11.52	-43.52	-13.00	-30.52	peak	

Test Mode | LTE Band 66_TX CH132322_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	10001.500	-56.22	13.16	-43.06	-13.00	-30.06	peak	

Test Mode	LTE Band 66_TX CH132322_1.4M
-----------	------------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	9984.500	-55.75	13.12	-42.63	-13.00	-29.63	peak	

Test Mode | LTE Band 66_TX CH132322_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	8480.000	-56.02	12.22	-43.80	-13.00	-30.80	peak	

Test Mode | LTE Band 66_TX CH132322_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	9406.500	-55.21	12.07	-43.14	-13.00	-30.14	peak	

Test Mode | LTE Band 66_TX CH132322_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	8573.500	-55.78	12.23	-43.55	-13.00	-30.55	peak	

Test Mode	LTE Band 66_TX CH132322_20M
-----------	-----------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	10851.500	-55.95	13.72	-42.23	-13.00	-29.23	peak	

Test Mode | LTE Band 85_TX CH134092_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	8344.000	-55.46	11.82	-43.64	-13.00	-30.64	peak	

Test Mode | LTE Band 85_TX CH134092_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	10095.000	-56.17	13.24	-42.93	-13.00	-29.93	peak	

Test Mode | LTE Band 85_TX CH134092_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	10146.000	-56.20	13.28	-42.92	-13.00	-29.92	peak	

Test Mode | LTE Band 85_TX CH134092_10M


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	10103.500	-56.58	13.25	-43.33	-13.00	-30.33	peak	


APPENDIX G - BAND EDGE

LTE Band 4_1.4M Spectrum Plot





6RB#0






LTE Band 4_5M Spectrum Plot







LTE Band 4_20M Spectrum Plot

