# 8. RADIO FREQUENCY EXPOSURE

## 8.1. Limit

According to \$1.1310 and \$2.1091 RF exposure is calculated.

#### Table: Limits for General Population/Uncontrolled Exposure

Frequency Range	Power Density (S)	
(MHz)	(mW/cm2)	
0.3–1.34	*(100)	
1.34–30	*(180/f <sup>2</sup> )	
30–300	0.2	
300–1500	f/1500	
1500–100,000	1.0	

F = frequency in MHz

\* = Plane-wave equivalent power density

## Maximum Permissible Exposure

The MPE was calculated at 20cm to show compliance with the power density limit.

- $S = PG/4\pi R^2$
- S = Power density
- P = power input to antenna
- G = power gain of the antenna in the direction of interest relative to an isotropic radiator
- $\mathbf{R}$  = distance to the center of radiation of the antenna.

Note:

- 1. Manufacturer declared that the maximum antenna gain is 3.7dBi(Max.).
- 2. Manufacturer declared that the nearest distance between human and the EUT is 20cm.
- 3. Only record worst case data.

#### SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.

FCC ID: 2AHARMIC-V6

Report No.: LCS1510160717M

Zigbee

Test Mode	Channel	Frequency (MHz)	ANT Power (dBm)	ANT Power Tune Up (dBm)
O-QPSK	Low	2405	16.91	$16 \pm 1.0$
	Middle	2440	16.72	$16 \pm 1.0$
	High	2480	16.43	16±1.0

#### WIFI

Test Mode	Channel	Frequency (MHz)	ANT Power (dBm)	ANT Power Tune Up (dBm)
	Low	2412	19.55	$19.0 \pm 1.0$
802.11b	Middle	2437	18.87	$19.0 \pm 1.0$
	High	2462	18.53	$19.0 \pm 1.0$
802.11g	Low	2412	18.65	$19.0 \pm 1.0$
	Middle	2437	18.80	$19.0 \pm 1.0$
	High	2462	19.29	$19.0 \pm 1.0$
802.11n HT20	Low	2412	18.58	$19.0 \pm 1.0$
	Middle	2437	18.66	$19.0 \pm 1.0$
	High	2462	19.37	$19.0 \pm 1.0$

SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.

FCC ID: 2AHARMIC-V6 Repo

Report No.: LCS1510160717M

# 8.2 Test Results

### Zigbee

Test Mode	Channel	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm <sup>2</sup> )	Limit (mW/cm²)
O-QPSK	Low	50.12	0.0233	1.0
	Middle	50.12	0.0233	1.0
	High	50.12	0.0233	1.0

#### WIFI

Test Mode	Channel	ANT Max. Tune Up Power (mW)	ANT MPE (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )
	Low	100	0.0466	1.0
802.11b	Middle	100	0.0466	1.0
	High	100	0.0466	1.0
802.11g	Low	100	0.0466	1.0
	Middle	100	0.0466	1.0
	High	100	0.0466	1.0
802.11n HT20	Low	100	0.0466	1.0
	Middle	100	0.0466	1.0
	High	100	0.0466	1.0

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.. Page 3 of 4 SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. FCC ID: 2AHARMIC-V6 Report No.: LCS1510160717M

### WIFI&Zigbee

Test Mode	ANT MPE (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )
802.11b+O-QPSK	0.0699	1.0
802.11g+O-QPSK	0.0699	1.0
802.11n HT20+O-QPSK	0.0699	1.0

Antenna Gain (typical): 3.7dBi, 2.34(numeric)

Prediction distance: >=20cm

The power density level worst case at 20 cm is below the uncontrolled exposure limit.