



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	35.82M	35.57	40.00	-4.43	3	Vertical	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	35.82M	35.57	40.00	-4.43	3	Vertical	0	1.00
2437MHz	Pass	PK	53.28M	33.89	40.00	-6.11	3	Vertical	0	1.00
2437MHz	Pass	PK	76.56M	28.98	40.00	-11.02	3	Vertical	0	1.00
2437MHz	Pass	PK	241.46M	36.75	46.00	-9.25	3	Vertical	0	1.00
2437MHz	Pass	PK	301.6M	33.00	46.00	-13.00	3	Vertical	0	1.00
2437MHz	Pass	PK	670.2M	30.24	46.00	-15.76	3	Vertical	0	1.00
2437MHz	Pass	PK	39.7M	25.14	40.00	-14.86	3	Horizontal	360	1.00
2437MHz	Pass	PK	111.48M	28.08	43.50	-15.42	3	Horizontal	360	1.00
2437MHz	Pass	PK	125.06M	28.31	43.50	-15.19	3	Horizontal	360	1.00
2437MHz	Pass	PK	192.96M	30.83	43.50	-12.67	3	Horizontal	360	1.00
2437MHz	Pass	PK	241.46M	40.66	46.00	-5.34	3	Horizontal	360	1.00
2437MHz	Pass	PK	398.6M	25.07	46.00	-20.93	3	Horizontal	360	1.00



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	35.57	40.00	-4.43	-15.70	3	Vertical	0	1.00	51.27	20.82	0.61	37.13
PK	53.28M	33.89	40.00	-6.11	-24.46	3	Vertical	0	1.00	58.35	11.90	0.74	37.10
PK	76.56M	28.98	40.00	-11.02	-23.85	3	Vertical	0	1.00	52.83	12.17	0.88	36.90
PK	241.46M	36.75	46.00	-9.25	-18.25	3	Vertical	0	1.00	55.00	16.59	1.60	36.44
PK	301.6M	33.00	46.00	-13.00	-16.24	3	Vertical	0	1.00	49.24	18.37	1.80	36.41
PK	670.2M	30.24	46.00	-15.76	-8.93	3	Vertical	0	1.00	39.17	25.51	2.80	37.24

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	25.14	40.00	-14.86	-17.69	3	Horizontal	360	1.00	42.83	18.79	0.65	37.13
PK	111.48M	28.08	43.50	-15.42	-19.42	3	Horizontal	360	1.00	47.50	16.15	1.06	36.63
PK	125.06M	28.31	43.50	-15.19	-18.62	3	Horizontal	360	1.00	46.93	16.83	1.13	36.58
PK	192.96M	30.83	43.50	-12.67	-20.88	3	Horizontal	360	1.00	51.71	14.02	1.44	36.34
PK	241.46M	40.66	46.00	-5.34	-18.25	3	Horizontal	360	1.00	58.91	16.59	1.60	36.44
PK	398.6M	25.07	46.00	-20.93	-13.52	3	Horizontal	360	1.00	38.59	20.86	2.13	36.51



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.3898G	49.74	54.00	-4.26	3	Horizontal	40	1.92
802.11g_Nss1,(6Mbps)_2TX	Pass	PK	2.3892G	73.85	74.00	-0.15	3	Horizontal	45	1.72
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.4836G	53.64	54.00	-0.36	3	Horizontal	44	1.93
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.484G	53.82	54.00	-0.18	3	Horizontal	48	1.71



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	47.39	54.00	-6.61	3	Vertical	335	2.93
2412MHz	Pass	AV	2.4112G	105.97	Inf	-Inf	3	Vertical	335	2.93
2412MHz	Pass	PK	2.3896G	58.01	74.00	-15.99	3	Vertical	335	2.93
2412MHz	Pass	PK	2.4112G	107.94	Inf	-Inf	3	Vertical	335	2.93
2412MHz	Pass	AV	2.3898G	49.74	54.00	-4.26	3	Horizontal	40	1.92
2412MHz	Pass	AV	2.4112G	110.19	Inf	-Inf	3	Horizontal	40	1.92
2412MHz	Pass	PK	2.39G	59.43	74.00	-14.57	3	Horizontal	40	1.92
2412MHz	Pass	PK	2.4128G	112.22	Inf	-Inf	3	Horizontal	40	1.92
2412MHz	Pass	AV	4.82394G	40.69	54.00	-13.31	3	Vertical	320	2.10
2412MHz	Pass	PK	4.82424G	47.60	74.00	-26.40	3	Vertical	320	2.10
2412MHz	Pass	AV	4.824G	41.56	54.00	-12.44	3	Horizontal	309	1.50
2412MHz	Pass	PK	4.82418G	47.58	74.00	-26.42	3	Horizontal	309	1.50
2437MHz	Pass	AV	2.3894G	45.15	54.00	-8.85	3	Vertical	205	1.32
2437MHz	Pass	AV	2.4362G	104.03	Inf	-Inf	3	Vertical	205	1.32
2437MHz	Pass	AV	2.4866G	45.95	54.00	-8.05	3	Vertical	205	1.32
2437MHz	Pass	PK	2.3726G	56.53	74.00	-17.47	3	Vertical	205	1.32
2437MHz	Pass	PK	2.4362G	105.87	Inf	-Inf	3	Vertical	205	1.32
2437MHz	Pass	PK	2.4938G	56.53	74.00	-17.47	3	Vertical	205	1.32
2437MHz	Pass	AV	2.389G	46.68	54.00	-7.32	3	Horizontal	309	1.67
2437MHz	Pass	AV	2.4362G	110.72	Inf	-Inf	3	Horizontal	309	1.67
2437MHz	Pass	AV	2.4918G	46.77	54.00	-7.23	3	Horizontal	309	1.67
2437MHz	Pass	PK	2.3514G	57.30	74.00	-16.70	3	Horizontal	309	1.67
2437MHz	Pass	PK	2.4362G	112.63	Inf	-Inf	3	Horizontal	309	1.67
2437MHz	Pass	PK	2.4922G	58.48	74.00	-15.52	3	Horizontal	309	1.67
2437MHz	Pass	AV	4.874G	41.19	54.00	-12.81	3	Vertical	322	2.18
2437MHz	Pass	AV	7.31016G	42.77	54.00	-11.23	3	Vertical	360	1.62
2437MHz	Pass	PK	4.87388G	47.51	74.00	-26.49	3	Vertical	322	2.18
2437MHz	Pass	PK	7.30914G	51.41	74.00	-22.59	3	Vertical	360	1.62
2437MHz	Pass	AV	4.874G	42.57	54.00	-11.43	3	Horizontal	303	3.00
2437MHz	Pass	AV	7.31022G	44.95	54.00	-9.05	3	Horizontal	312	1.70
2437MHz	Pass	PK	4.87394G	47.67	74.00	-26.33	3	Horizontal	303	3.00
2437MHz	Pass	PK	7.3101G	52.61	74.00	-21.39	3	Horizontal	312	1.70
2462MHz	Pass	AV	2.4612G	107.11	Inf	-Inf	3	Vertical	190	2.63
2462MHz	Pass	AV	2.486G	47.01	54.00	-6.99	3	Vertical	190	2.63
2462MHz	Pass	PK	2.461G	109.07	Inf	-Inf	3	Vertical	190	2.63
2462MHz	Pass	PK	2.4888G	58.22	74.00	-15.78	3	Vertical	190	2.63
2462MHz	Pass	AV	2.4612G	108.68	Inf	-Inf	3	Horizontal	66	1.01
2462MHz	Pass	AV	2.4836G	49.56	54.00	-4.44	3	Horizontal	66	1.01
2462MHz	Pass	PK	2.461G	110.76	Inf	-Inf	3	Horizontal	66	1.01
2462MHz	Pass	PK	2.4866G	60.67	74.00	-13.33	3	Horizontal	66	1.01
2462MHz	Pass	AV	4.93396G	33.97	54.00	-20.03	3	Vertical	80	1.50
2462MHz	Pass	AV	7.38966G	37.89	54.00	-16.11	3	Vertical	293	1.50
2462MHz	Pass	PK	4.93138G	45.33	74.00	-28.67	3	Vertical	80	1.50
2462MHz	Pass	PK	7.38534G	49.24	74.00	-24.76	3	Vertical	293	1.50
2462MHz	Pass	AV	4.9378G	33.88	54.00	-20.12	3	Horizontal	46	1.50
2462MHz	Pass	AV	7.38552G	37.75	54.00	-16.25	3	Horizontal	151	1.50
2462MHz	Pass	PK	4.91578G	45.77	74.00	-28.23	3	Horizontal	46	1.50
2462MHz	Pass	PK	7.39134G	48.88	74.00	-25.12	3	Horizontal	151	1.50
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.59	54.00	-2.41	3	Vertical	182	2.93
2412MHz	Pass	AV	2.41G	100.34	Inf	-Inf	3	Vertical	182	2.93
2412MHz	Pass	PK	2.39G	72.12	74.00	-1.88	3	Vertical	182	2.93
2412MHz	Pass	PK	2.4094G	108.00	Inf	-Inf	3	Vertical	182	2.93
2412MHz	Pass	AV	2.3894G	53.76	54.00	-0.24	3	Horizontal	45	1.72
2412MHz	Pass	AV	2.4078G	104.69	Inf	-Inf	3	Horizontal	45	1.72
2412MHz	Pass	PK	2.3892G	73.85	74.00	-0.15	3	Horizontal	45	1.72
2412MHz	Pass	PK	2.4128G	112.17	Inf	-Inf	3	Horizontal	45	1.72
2412MHz	Pass	AV	4.83702G	34.36	54.00	-19.64	3	Vertical	98	1.50
2412MHz	Pass	PK	4.80984G	45.60	74.00	-28.40	3	Vertical	98	1.50
2412MHz	Pass	AV	4.8285G	34.38	54.00	-19.62	3	Horizontal	119	1.50



RSE TX above 1GHz_Radio 1

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	4.83282G	46.21	74.00	-27.79	3	Horizontal	119	1.50
2417MHz	Pass	AV	2.3806G	46.75	54.00	-7.25	3	Vertical	200	1.48
2417MHz	Pass	AV	2.4402G	94.18	Inf	-Inf	3	Vertical	200	1.48
2417MHz	Pass	AV	2.485G	49.35	54.00	-4.65	3	Vertical	200	1.48
2417MHz	Pass	PK	2.3758G	57.35	74.00	-16.65	3	Vertical	200	1.48
2417MHz	Pass	PK	2.4522G	103.88	Inf	-Inf	3	Vertical	200	1.48
2417MHz	Pass	PK	2.485G	63.51	74.00	-10.49	3	Vertical	200	1.48
2417MHz	Pass	AV	2.3874G	48.24	54.00	-5.76	3	Horizontal	49	1.46
2417MHz	Pass	AV	2.4326G	100.43	Inf	-Inf	3	Horizontal	49	1.46
2417MHz	Pass	AV	2.4842G	53.13	54.00	-0.87	3	Horizontal	49	1.46
2417MHz	Pass	PK	2.3826G	58.44	74.00	-15.56	3	Horizontal	49	1.46
2417MHz	Pass	PK	2.4298G	110.25	Inf	-Inf	3	Horizontal	49	1.46
2417MHz	Pass	PK	2.485G	65.03	74.00	-8.97	3	Horizontal	49	1.46
2437MHz	Pass	AV	2.387G	46.14	54.00	-7.86	3	Vertical	197	1.47
2437MHz	Pass	AV	2.4382G	99.07	Inf	-Inf	3	Vertical	197	1.47
2437MHz	Pass	AV	2.4858G	46.69	54.00	-7.31	3	Vertical	197	1.47
2437MHz	Pass	PK	2.3874G	57.29	74.00	-16.71	3	Vertical	197	1.47
2437MHz	Pass	PK	2.4378G	106.43	Inf	-Inf	3	Vertical	197	1.47
2437MHz	Pass	PK	2.4938G	57.52	74.00	-16.48	3	Vertical	197	1.47
2437MHz	Pass	AV	2.389G	47.35	54.00	-6.65	3	Horizontal	46	1.46
2437MHz	Pass	AV	2.4326G	105.83	Inf	-Inf	3	Horizontal	46	1.46
2437MHz	Pass	AV	2.4846G	47.63	54.00	-6.37	3	Horizontal	46	1.46
2437MHz	Pass	PK	2.3882G	59.49	74.00	-14.51	3	Horizontal	46	1.46
2437MHz	Pass	PK	2.4326G	113.27	Inf	-Inf	3	Horizontal	46	1.46
2437MHz	Pass	PK	2.4862G	59.89	74.00	-14.11	3	Horizontal	46	1.46
2437MHz	Pass	AV	4.87406G	41.11	54.00	-12.89	3	Vertical	324	2.11
2437MHz	Pass	AV	7.31004G	43.04	54.00	-10.96	3	Vertical	0	1.62
2437MHz	Pass	PK	4.87418G	46.87	74.00	-27.13	3	Vertical	324	2.11
2437MHz	Pass	PK	7.31058G	51.84	74.00	-22.16	3	Vertical	0	1.62
2437MHz	Pass	AV	4.874G	42.52	54.00	-11.48	3	Horizontal	307	1.61
2437MHz	Pass	AV	7.31022G	44.66	54.00	-9.34	3	Horizontal	316	1.54
2437MHz	Pass	PK	4.87406G	48.09	74.00	-25.91	3	Horizontal	307	1.61
2437MHz	Pass	PK	7.31058G	52.81	74.00	-21.19	3	Horizontal	316	1.54
2457MHz	Pass	AV	2.4626G	102.85	Inf	-Inf	3	Vertical	340	3.00
2457MHz	Pass	AV	2.4835G	51.94	54.00	-2.06	3	Vertical	340	3.00
2457MHz	Pass	PK	2.4622G	110.73	Inf	-Inf	3	Vertical	340	3.00
2457MHz	Pass	PK	2.4864G	70.08	74.00	-3.92	3	Vertical	340	3.00
2457MHz	Pass	AV	2.4526G	106.12	Inf	-Inf	3	Horizontal	45	1.90
2457MHz	Pass	AV	2.4835G	53.30	54.00	-0.70	3	Horizontal	45	1.90
2457MHz	Pass	PK	2.4526G	113.55	Inf	-Inf	3	Horizontal	45	1.90
2457MHz	Pass	PK	2.4866G	72.73	74.00	-1.27	3	Horizontal	45	1.90
2462MHz	Pass	AV	2.4604G	101.39	Inf	-Inf	3	Vertical	339	3.00
2462MHz	Pass	AV	2.484G	49.48	54.00	-4.52	3	Vertical	339	3.00
2462MHz	Pass	PK	2.4604G	108.35	Inf	-Inf	3	Vertical	339	3.00
2462MHz	Pass	PK	2.4844G	71.03	74.00	-2.97	3	Vertical	339	3.00
2462MHz	Pass	AV	2.4602G	104.03	Inf	-Inf	3	Horizontal	44	1.94
2462MHz	Pass	AV	2.4835G	50.79	54.00	-3.21	3	Horizontal	44	1.94
2462MHz	Pass	PK	2.4552G	111.73	Inf	-Inf	3	Horizontal	44	1.94
2462MHz	Pass	PK	2.4842G	73.17	74.00	-0.83	3	Horizontal	44	1.94
2462MHz	Pass	AV	4.9366G	34.24	54.00	-19.76	3	Vertical	254	1.52
2462MHz	Pass	AV	7.38954G	38.21	54.00	-15.79	3	Vertical	135	1.50
2462MHz	Pass	PK	4.93852G	45.01	74.00	-28.99	3	Vertical	254	1.52
2462MHz	Pass	PK	7.39164G	49.04	74.00	-24.96	3	Vertical	135	1.50
2462MHz	Pass	AV	4.91932G	34.26	54.00	-19.74	3	Horizontal	38	1.22
2462MHz	Pass	AV	7.39212G	38.05	54.00	-15.95	3	Horizontal	186	1.00
2462MHz	Pass	PK	4.91944G	45.06	74.00	-28.94	3	Horizontal	38	1.22
2462MHz	Pass	PK	7.39332G	49.79	74.00	-24.21	3	Horizontal	186	1.00
802.11ax HEW20_Nss1 (MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.89	54.00	-2.11	3	Vertical	179	2.91
2412MHz	Pass	AV	2.4098G	98.48	Inf	-Inf	3	Vertical	179	2.91
2412MHz	Pass	PK	2.3898G	70.60	74.00	-3.40	3	Vertical	179	2.91
2412MHz	Pass	PK	2.4174G	108.92	Inf	-Inf	3	Vertical	179	2.91



RSE TX above 1GHz_Radio 1

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	AV	2.3894G	53.52	54.00	-0.48	3	Horizontal	47	2.03
2412MHz	Pass	AV	2.4112G	103.01	Inf	-Inf	3	Horizontal	47	2.03
2412MHz	Pass	PK	2.389G	70.66	74.00	-3.34	3	Horizontal	47	2.03
2412MHz	Pass	PK	2.4088G	113.89	Inf	-Inf	3	Horizontal	47	2.03
2412MHz	Pass	AV	4.83012G	34.51	54.00	-19.49	3	Vertical	204	1.50
2412MHz	Pass	PK	4.8387G	45.66	74.00	-28.34	3	Vertical	204	1.50
2412MHz	Pass	AV	4.83378G	34.44	54.00	-19.56	3	Horizontal	247	1.47
2412MHz	Pass	PK	4.81398G	45.44	74.00	-28.56	3	Horizontal	247	1.47
2417MHz	Pass	AV	2.3898G	48.94	54.00	-5.06	3	Vertical	335	2.26
2417MHz	Pass	AV	2.4198G	98.68	Inf	-Inf	3	Vertical	335	2.26
2417MHz	Pass	PK	2.3896G	65.48	74.00	-8.52	3	Vertical	335	2.26
2417MHz	Pass	PK	2.4224G	109.05	Inf	-Inf	3	Vertical	335	2.26
2417MHz	Pass	AV	2.39G	53.51	54.00	-0.49	3	Horizontal	46	1.77
2417MHz	Pass	AV	2.4198G	103.86	Inf	-Inf	3	Horizontal	46	1.77
2417MHz	Pass	PK	2.39G	70.74	74.00	-3.26	3	Horizontal	46	1.77
2417MHz	Pass	PK	2.41G	114.47	Inf	-Inf	3	Horizontal	46	1.77
2437MHz	Pass	AV	2.3898G	46.82	54.00	-7.18	3	Vertical	200	1.48
2437MHz	Pass	AV	2.4398G	99.07	Inf	-Inf	3	Vertical	200	1.48
2437MHz	Pass	AV	2.4842G	47.06	54.00	-6.94	3	Vertical	200	1.48
2437MHz	Pass	PK	2.3866G	59.00	74.00	-15.00	3	Vertical	200	1.48
2437MHz	Pass	PK	2.4402G	109.56	Inf	-Inf	3	Vertical	200	1.48
2437MHz	Pass	PK	2.493G	58.45	74.00	-15.55	3	Vertical	200	1.48
2437MHz	Pass	AV	2.3898G	49.54	54.00	-4.46	3	Horizontal	46	1.46
2437MHz	Pass	AV	2.4326G	105.66	Inf	-Inf	3	Horizontal	46	1.46
2437MHz	Pass	AV	2.4835G	49.07	54.00	-4.93	3	Horizontal	46	1.46
2437MHz	Pass	PK	2.389G	62.16	74.00	-11.84	3	Horizontal	46	1.46
2437MHz	Pass	PK	2.4302G	116.55	Inf	-Inf	3	Horizontal	46	1.46
2437MHz	Pass	PK	2.4842G	61.32	74.00	-12.68	3	Horizontal	46	1.46
2437MHz	Pass	AV	4.874G	41.21	54.00	-12.79	3	Vertical	323	2.18
2437MHz	Pass	AV	7.31022G	42.91	54.00	-11.09	3	Vertical	0	1.55
2437MHz	Pass	PK	4.87412G	47.26	74.00	-26.74	3	Vertical	323	2.18
2437MHz	Pass	PK	7.31088G	51.33	74.00	-22.67	3	Vertical	0	1.55
2437MHz	Pass	AV	4.87406G	42.08	54.00	-11.92	3	Horizontal	308	1.68
2437MHz	Pass	AV	7.31016G	45.17	54.00	-8.83	3	Horizontal	316	1.72
2437MHz	Pass	PK	4.87412G	47.72	74.00	-26.28	3	Horizontal	308	1.68
2437MHz	Pass	PK	7.31136G	52.09	74.00	-21.91	3	Horizontal	316	1.72
2457MHz	Pass	AV	2.4612G	101.31	Inf	-Inf	3	Vertical	341	3.00
2457MHz	Pass	AV	2.4838G	51.82	54.00	-2.18	3	Vertical	341	3.00
2457MHz	Pass	PK	2.4636G	111.82	Inf	-Inf	3	Vertical	341	3.00
2457MHz	Pass	PK	2.4835G	69.48	74.00	-4.52	3	Vertical	341	3.00
2457MHz	Pass	AV	2.456G	104.34	Inf	-Inf	3	Horizontal	44	1.93
2457MHz	Pass	AV	2.4836G	53.64	54.00	-0.36	3	Horizontal	44	1.93
2457MHz	Pass	PK	2.456G	115.32	Inf	-Inf	3	Horizontal	44	1.93
2457MHz	Pass	PK	2.4836G	71.82	74.00	-2.18	3	Horizontal	44	1.93
2462MHz	Pass	AV	2.4648G	99.11	Inf	-Inf	3	Vertical	338	3.00
2462MHz	Pass	AV	2.4848G	49.49	54.00	-4.51	3	Vertical	338	3.00
2462MHz	Pass	PK	2.455G	109.65	Inf	-Inf	3	Vertical	338	3.00
2462MHz	Pass	PK	2.4848G	71.77	74.00	-2.23	3	Vertical	338	3.00
2462MHz	Pass	AV	2.4648G	101.68	Inf	-Inf	3	Horizontal	40	1.97
2462MHz	Pass	AV	2.4844G	50.09	54.00	-3.91	3	Horizontal	40	1.97
2462MHz	Pass	PK	2.465G	112.49	Inf	-Inf	3	Horizontal	40	1.97
2462MHz	Pass	PK	2.4846G	73.23	74.00	-0.77	3	Horizontal	40	1.97
2462MHz	Pass	AV	4.93534G	34.32	54.00	-19.68	3	Vertical	132	2.40
2462MHz	Pass	AV	7.38438G	38.27	54.00	-15.73	3	Vertical	317	1.94
2462MHz	Pass	PK	4.93696G	45.55	74.00	-28.45	3	Vertical	132	2.40
2462MHz	Pass	PK	7.38048G	49.91	74.00	-24.09	3	Vertical	317	1.94
2462MHz	Pass	AV	4.92454G	34.40	54.00	-19.60	3	Horizontal	166	1.50
2462MHz	Pass	AV	7.38786G	38.07	54.00	-15.93	3	Horizontal	51	1.50
2462MHz	Pass	PK	4.93696G	45.78	74.00	-28.22	3	Horizontal	166	1.50
2462MHz	Pass	PK	7.38504G	50.09	74.00	-23.91	3	Horizontal	51	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3876G	48.59	54.00	-5.41	3	Vertical	338	2.79



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2422MHz	Pass	AV	2.4284G	95.67	Inf	-Inf	3	Vertical	338	2.79
2422MHz	Pass	AV	2.486G	47.88	54.00	-6.12	3	Vertical	338	2.79
2422MHz	Pass	PK	2.3872G	62.13	74.00	-11.87	3	Vertical	338	2.79
2422MHz	Pass	PK	2.4188G	105.94	Inf	-Inf	3	Vertical	338	2.79
2422MHz	Pass	PK	2.498G	57.79	74.00	-16.21	3	Vertical	338	2.79
2422MHz	Pass	AV	2.3892G	53.31	54.00	-0.69	3	Horizontal	44	1.61
2422MHz	Pass	AV	2.4188G	99.90	Inf	-Inf	3	Horizontal	44	1.61
2422MHz	Pass	AV	2.4888G	48.31	54.00	-5.69	3	Horizontal	44	1.61
2422MHz	Pass	PK	2.386G	68.33	74.00	-5.67	3	Horizontal	44	1.61
2422MHz	Pass	PK	2.4188G	110.71	Inf	-Inf	3	Horizontal	44	1.61
2422MHz	Pass	PK	2.486G	58.52	74.00	-15.48	3	Horizontal	44	1.61
2422MHz	Pass	AV	4.874G	40.84	54.00	-13.16	3	Vertical	326	2.18
2422MHz	Pass	AV	7.28952G	39.06	54.00	-14.94	3	Vertical	338	2.25
2422MHz	Pass	PK	4.874G	47.23	74.00	-26.77	3	Vertical	326	2.18
2422MHz	Pass	PK	7.27644G	49.97	74.00	-24.03	3	Vertical	338	2.25
2422MHz	Pass	AV	4.874G	42.53	54.00	-11.47	3	Horizontal	304	3.00
2422MHz	Pass	AV	7.27716G	39.24	54.00	-14.76	3	Horizontal	99	1.50
2422MHz	Pass	PK	4.874G	47.66	74.00	-26.34	3	Horizontal	304	3.00
2422MHz	Pass	PK	7.25088G	49.52	74.00	-24.48	3	Horizontal	99	1.50
2427MHz	Pass	AV	2.3886G	49.03	54.00	-4.97	3	Vertical	338	2.80
2427MHz	Pass	AV	2.4334G	96.65	Inf	-Inf	3	Vertical	338	2.80
2427MHz	Pass	AV	2.4982G	48.19	54.00	-5.81	3	Vertical	338	2.80
2427MHz	Pass	PK	2.3826G	61.42	74.00	-12.58	3	Vertical	338	2.80
2427MHz	Pass	PK	2.4238G	107.23	Inf	-Inf	3	Vertical	338	2.80
2427MHz	Pass	PK	2.4835G	61.21	74.00	-12.79	3	Vertical	338	2.80
2427MHz	Pass	AV	2.3894G	53.75	54.00	-0.25	3	Horizontal	46	1.59
2427MHz	Pass	AV	2.4238G	100.69	Inf	-Inf	3	Horizontal	46	1.59
2427MHz	Pass	AV	2.4882G	49.89	54.00	-4.11	3	Horizontal	46	1.59
2427MHz	Pass	PK	2.3894G	69.94	74.00	-4.06	3	Horizontal	46	1.59
2427MHz	Pass	PK	2.4238G	111.74	Inf	-Inf	3	Horizontal	46	1.59
2427MHz	Pass	PK	2.4835G	62.25	74.00	-11.75	3	Horizontal	46	1.59
2437MHz	Pass	AV	2.3898G	49.26	54.00	-4.74	3	Vertical	199	1.48
2437MHz	Pass	AV	2.4426G	94.40	Inf	-Inf	3	Vertical	199	1.48
2437MHz	Pass	AV	2.4835G	48.57	54.00	-5.43	3	Vertical	199	1.48
2437MHz	Pass	PK	2.3886G	61.20	74.00	-12.80	3	Vertical	199	1.48
2437MHz	Pass	PK	2.4422G	104.87	Inf	-Inf	3	Vertical	199	1.48
2437MHz	Pass	PK	2.4835G	60.80	74.00	-13.20	3	Vertical	199	1.48
2437MHz	Pass	AV	2.3898G	53.20	54.00	-0.80	3	Horizontal	46	1.46
2437MHz	Pass	AV	2.4326G	101.19	Inf	-Inf	3	Horizontal	46	1.46
2437MHz	Pass	AV	2.485G	51.42	54.00	-2.58	3	Horizontal	46	1.46
2437MHz	Pass	PK	2.389G	66.40	74.00	-7.60	3	Horizontal	46	1.46
2437MHz	Pass	PK	2.4422G	111.59	Inf	-Inf	3	Horizontal	46	1.46
2437MHz	Pass	PK	2.485G	66.42	74.00	-7.58	3	Horizontal	46	1.46
2437MHz	Pass	AV	4.874G	41.65	54.00	-12.35	3	Vertical	320	2.18
2437MHz	Pass	AV	7.31016G	43.57	54.00	-10.43	3	Vertical	356	1.67
2437MHz	Pass	PK	4.87424G	47.57	74.00	-26.43	3	Vertical	320	2.18
2437MHz	Pass	PK	7.30992G	51.23	74.00	-22.77	3	Vertical	356	1.67
2437MHz	Pass	AV	4.87412G	42.50	54.00	-11.50	3	Horizontal	304	3.00
2437MHz	Pass	AV	7.31208G	45.03	54.00	-8.97	3	Horizontal	311	1.55
2437MHz	Pass	PK	4.87388G	48.80	74.00	-25.20	3	Horizontal	304	3.00
2437MHz	Pass	PK	7.31112G	52.09	74.00	-21.91	3	Horizontal	311	1.55
2447MHz	Pass	AV	2.3806G	46.75	54.00	-7.25	3	Vertical	200	1.48
2447MHz	Pass	AV	2.4402G	94.18	Inf	-Inf	3	Vertical	200	1.48
2447MHz	Pass	AV	2.485G	49.35	54.00	-4.65	3	Vertical	200	1.48
2447MHz	Pass	PK	2.3758G	57.35	74.00	-16.65	3	Vertical	200	1.48
2447MHz	Pass	PK	2.4522G	103.88	Inf	-Inf	3	Vertical	200	1.48
2447MHz	Pass	PK	2.485G	63.51	74.00	-10.49	3	Vertical	200	1.48
2447MHz	Pass	AV	2.3874G	48.24	54.00	-5.76	3	Horizontal	49	1.46
2447MHz	Pass	AV	2.4326G	100.43	Inf	-Inf	3	Horizontal	49	1.46
2447MHz	Pass	AV	2.4842G	53.13	54.00	-0.87	3	Horizontal	49	1.46
2447MHz	Pass	PK	2.3826G	58.44	74.00	-15.56	3	Horizontal	49	1.46
2447MHz	Pass	PK	2.4298G	110.25	Inf	-Inf	3	Horizontal	49	1.46




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2447MHz	Pass	PK	2.485G	65.03	74.00	-8.97	3	Horizontal	49	1.46
2452MHz	Pass	AV	2.3864G	46.42	54.00	-7.58	3	Vertical	201	1.47
2452MHz	Pass	AV	2.4388G	93.06	Inf	-Inf	3	Vertical	201	1.47
2452MHz	Pass	AV	2.484G	48.94	54.00	-5.06	3	Vertical	201	1.47
2452MHz	Pass	PK	2.3636G	57.11	74.00	-16.89	3	Vertical	201	1.47
2452MHz	Pass	PK	2.4488G	103.35	Inf	-Inf	3	Vertical	201	1.47
2452MHz	Pass	PK	2.49G	59.68	74.00	-14.32	3	Vertical	201	1.47
2452MHz	Pass	AV	2.3884G	47.37	54.00	-6.63	3	Horizontal	48	1.71
2452MHz	Pass	AV	2.4488G	99.79	Inf	-Inf	3	Horizontal	48	1.71
2452MHz	Pass	AV	2.484G	53.82	54.00	-0.18	3	Horizontal	48	1.71
2452MHz	Pass	PK	2.3744G	58.14	74.00	-15.86	3	Horizontal	48	1.71
2452MHz	Pass	PK	2.4488G	110.70	Inf	-Inf	3	Horizontal	48	1.71
2452MHz	Pass	PK	2.4888G	65.49	74.00	-8.51	3	Horizontal	48	1.71
2452MHz	Pass	AV	4.874G	41.55	54.00	-12.45	3	Vertical	320	2.18
2452MHz	Pass	AV	7.33224G	39.07	54.00	-14.93	3	Vertical	50	1.50
2452MHz	Pass	PK	4.874G	46.54	74.00	-27.46	3	Vertical	320	2.18
2452MHz	Pass	PK	7.34472G	49.97	74.00	-24.03	3	Vertical	50	1.50
2452MHz	Pass	AV	4.874G	42.54	54.00	-11.46	3	Horizontal	306	1.71
2452MHz	Pass	AV	7.34064G	38.78	54.00	-15.22	3	Horizontal	39	2.14
2452MHz	Pass	PK	4.87412G	47.00	74.00	-27.00	3	Horizontal	306	1.71
2452MHz	Pass	PK	7.33068G	50.03	74.00	-23.97	3	Horizontal	39	2.14



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.39	54.00	-6.61	31.60	3	Vertical	335	2.93	15.79	27.44	4.16	-
AV	2.4112G	105.97	Inf	-Inf	31.70	3	Vertical	335	2.93	74.27	27.52	4.18	-
PK	2.3896G	58.01	74.00	-15.99	31.60	3	Vertical	335	2.93	26.41	27.44	4.16	-
PK	2.4112G	107.94	Inf	-Inf	31.70	3	Vertical	335	2.93	76.24	27.52	4.18	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.74	54.00	-4.26	31.60	3	Horizontal	40	1.92	18.14	27.44	4.16	-
AV	2.4112G	110.19	Inf	-Inf	31.70	3	Horizontal	40	1.92	78.49	27.52	4.18	-
PK	2.39G	59.43	74.00	-14.57	31.60	3	Horizontal	40	1.92	27.83	27.44	4.16	-
PK	2.4128G	112.22	Inf	-Inf	31.71	3	Horizontal	40	1.92	80.51	27.53	4.18	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82394G	40.69	54.00	-13.31	3.47	3	Vertical	320	2.10	37.22	32.44	5.68	34.65
PK	4.82424G	47.60	74.00	-26.40	3.48	3	Vertical	320	2.10	44.12	32.45	5.68	34.65

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	41.56	54.00	-12.44	3.47	3	Horizontal	309	1.50	38.09	32.44	5.68	34.65
PK	4.82418G	47.58	74.00	-26.42	3.48	3	Horizontal	309	1.50	44.10	32.45	5.68	34.65



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.15	54.00	-8.85	31.60	3	Vertical	205	1.32	13.55	27.44	4.16	-
AV	2.4362G	104.03	Inf	-Inf	31.76	3	Vertical	205	1.32	72.27	27.57	4.19	-
AV	2.4866G	45.95	54.00	-8.05	32.04	3	Vertical	205	1.32	13.91	27.82	4.22	-
PK	2.3726G	56.53	74.00	-17.47	31.48	3	Vertical	205	1.32	25.05	27.34	4.14	-
PK	2.4362G	105.87	Inf	-Inf	31.76	3	Vertical	205	1.32	74.11	27.57	4.19	-
PK	2.4938G	56.53	74.00	-17.47	32.09	3	Vertical	205	1.32	24.44	27.86	4.23	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.68	54.00	-7.32	31.59	3	Horizontal	309	1.67	15.09	27.43	4.16	-
AV	2.4362G	110.72	Inf	-Inf	31.76	3	Horizontal	309	1.67	78.96	27.57	4.19	-
AV	2.4918G	46.77	54.00	-7.23	32.08	3	Horizontal	309	1.67	14.69	27.85	4.23	-
PK	2.3514G	57.30	74.00	-16.70	31.33	3	Horizontal	309	1.67	25.97	27.21	4.12	-
PK	2.4362G	112.63	Inf	-Inf	31.76	3	Horizontal	309	1.67	80.87	27.57	4.19	-
PK	2.4922G	58.48	74.00	-15.52	32.08	3	Horizontal	309	1.67	26.40	27.85	4.23	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	41.19	54.00	-12.81	3.76	3	Vertical	322	2.18	37.43	32.70	5.71	34.65
AV	7.31016G	42.77	54.00	-11.23	8.78	3	Vertical	360	1.62	33.99	36.74	6.82	34.78
PK	4.87388G	47.51	74.00	-26.49	3.76	3	Vertical	322	2.18	43.75	32.70	5.71	34.65
PK	7.30914G	51.41	74.00	-22.59	8.79	3	Vertical	360	1.62	42.62	36.75	6.82	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	42.57	54.00	-11.43	3.76	3	Horizontal	303	3.00	38.81	32.70	5.71	34.65
AV	7.31022G	44.95	54.00	-9.05	8.78	3	Horizontal	312	1.70	36.17	36.74	6.82	34.78
PK	4.87394G	47.67	74.00	-26.33	3.76	3	Horizontal	303	3.00	43.91	32.70	5.71	34.65
PK	7.3101G	52.61	74.00	-21.39	8.78	3	Horizontal	312	1.70	43.83	36.74	6.82	34.78



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	107.11	Inf	-Inf	31.88	3	Vertical	190	2.63	75.23	27.67	4.21	-
AV	2.486G	47.01	54.00	-6.99	32.04	3	Vertical	190	2.63	14.97	27.82	4.22	-
PK	2.461G	109.07	Inf	-Inf	31.88	3	Vertical	190	2.63	77.19	27.67	4.21	-
PK	2.4888G	58.22	74.00	-15.78	32.05	3	Vertical	190	2.63	26.17	27.83	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	108.68	Inf	-Inf	31.88	3	Horizontal	66	1.01	76.80	27.67	4.21	-
AV	2.4836G	49.56	54.00	-4.44	32.02	3	Horizontal	66	1.01	17.54	27.80	4.22	-
PK	2.461G	110.76	Inf	-Inf	31.88	3	Horizontal	66	1.01	78.88	27.67	4.21	-
PK	2.4866G	60.67	74.00	-13.33	32.04	3	Horizontal	66	1.01	28.63	27.82	4.22	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93396G	33.97	54.00	-20.03	4.04	3	Vertical	80	1.50	29.93	32.94	5.75	34.65
AV	7.38966G	37.89	54.00	-16.11	8.42	3	Vertical	293	1.50	29.47	36.34	6.87	34.79
PK	4.93138G	45.33	74.00	-28.67	4.03	3	Vertical	80	1.50	41.30	32.93	5.75	34.65
PK	7.38534G	49.24	74.00	-24.76	8.44	3	Vertical	293	1.50	40.80	36.36	6.87	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9378G	33.88	54.00	-20.12	4.06	3	Horizontal	46	1.50	29.82	32.95	5.75	34.64
AV	7.38552G	37.75	54.00	-16.25	8.44	3	Horizontal	151	1.50	29.31	36.36	6.87	34.79
PK	4.91578G	45.77	74.00	-28.23	3.95	3	Horizontal	46	1.50	41.82	32.86	5.74	34.65
PK	7.39134G	48.88	74.00	-25.12	8.41	3	Horizontal	151	1.50	40.47	36.33	6.87	34.79



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.59	54.00	-2.41	31.60	3	Vertical	182	2.93	19.99	27.44	4.16	-
AV	2.41G	100.34	Inf	-Inf	31.70	3	Vertical	182	2.93	68.64	27.52	4.18	-
PK	2.39G	72.12	74.00	-1.88	31.60	3	Vertical	182	2.93	40.52	27.44	4.16	-
PK	2.4094G	108.00	Inf	-Inf	31.70	3	Vertical	182	2.93	76.30	27.52	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.76	54.00	-0.24	31.60	3	Horizontal	45	1.72	22.16	27.44	4.16	-
AV	2.4078G	104.69	Inf	-Inf	31.69	3	Horizontal	45	1.72	73.00	27.52	4.17	-
PK	2.3892G	73.85	74.00	-0.15	31.60	3	Horizontal	45	1.72	42.25	27.44	4.16	-
PK	2.4128G	112.17	Inf	-Inf	31.71	3	Horizontal	45	1.72	80.46	27.53	4.18	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83702G	34.36	54.00	-19.64	3.56	3	Vertical	98	1.50	30.80	32.52	5.69	34.65
PK	4.80984G	45.60	74.00	-28.40	3.38	3	Vertical	98	1.50	42.22	32.36	5.68	34.66

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8285G	34.38	54.00	-19.62	3.51	3	Horizontal	119	1.50	30.87	32.47	5.69	34.65
PK	4.83282G	46.21	74.00	-27.79	3.54	3	Horizontal	119	1.50	42.67	32.50	5.69	34.65



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.02	54.00	-5.98	31.60	3	Vertical	326	2.80	16.42	27.44	4.16	-
AV	2.4198G	99.89	Inf	-Inf	31.72	3	Vertical	326	2.80	68.17	27.54	4.18	-
PK	2.3862G	67.17	74.00	-6.83	31.58	3	Vertical	326	2.80	35.59	27.42	4.16	-
PK	2.4194G	106.89	Inf	-Inf	31.72	3	Vertical	326	2.80	75.17	27.54	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.16	54.00	-0.84	31.60	3	Horizontal	53	1.35	21.56	27.44	4.16	-
AV	2.4104G	104.74	Inf	-Inf	31.70	3	Horizontal	53	1.35	73.04	27.52	4.18	-
PK	2.386G	71.12	74.00	-2.88	31.58	3	Horizontal	53	1.35	39.54	27.42	4.16	-
PK	2.4102G	112.86	Inf	-Inf	31.70	3	Horizontal	53	1.35	81.16	27.52	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	46.14	54.00	-7.86	31.58	3	Vertical	197	1.47	14.56	27.42	4.16	-
AV	2.4382G	99.07	Inf	-Inf	31.77	3	Vertical	197	1.47	67.30	27.58	4.19	-
AV	2.4858G	46.69	54.00	-7.31	32.03	3	Vertical	197	1.47	14.66	27.81	4.22	-
PK	2.3874G	57.29	74.00	-16.71	31.58	3	Vertical	197	1.47	25.71	27.42	4.16	-
PK	2.4378G	106.43	Inf	-Inf	31.77	3	Vertical	197	1.47	74.66	27.58	4.19	-
PK	2.4938G	57.52	74.00	-16.48	32.09	3	Vertical	197	1.47	25.43	27.86	4.23	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.35	54.00	-6.65	31.59	3	Horizontal	46	1.46	15.76	27.43	4.16	-
AV	2.4326G	105.83	Inf	-Inf	31.76	3	Horizontal	46	1.46	74.07	27.57	4.19	-
AV	2.4846G	47.63	54.00	-6.37	32.03	3	Horizontal	46	1.46	15.60	27.81	4.22	-
PK	2.3882G	59.49	74.00	-14.51	31.59	3	Horizontal	46	1.46	27.90	27.43	4.16	-
PK	2.4326G	113.27	Inf	-Inf	31.76	3	Horizontal	46	1.46	81.51	27.57	4.19	-
PK	2.4862G	59.89	74.00	-14.11	32.04	3	Horizontal	46	1.46	27.85	27.82	4.22	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87406G	41.11	54.00	-12.89	3.76	3	Vertical	324	2.11	37.35	32.70	5.71	34.65
AV	7.31004G	43.04	54.00	-10.96	8.78	3	Vertical	0	1.62	34.26	36.74	6.82	34.78
PK	4.87418G	46.87	74.00	-27.13	3.76	3	Vertical	324	2.11	43.11	32.70	5.71	34.65
PK	7.31058G	51.84	74.00	-22.16	8.78	3	Vertical	0	1.62	43.06	36.74	6.82	34.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	42.52	54.00	-11.48	3.76	3	Horizontal	307	1.61	38.76	32.70	5.71	34.65
AV	7.31022G	44.66	54.00	-9.34	8.78	3	Horizontal	316	1.54	35.88	36.74	6.82	34.78
PK	4.87406G	48.09	74.00	-25.91	3.76	3	Horizontal	307	1.61	44.33	32.70	5.71	34.65
PK	7.31058G	52.81	74.00	-21.19	8.78	3	Horizontal	316	1.54	44.03	36.74	6.82	34.78



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4626G	102.85	Inf	-Inf	31.89	3	Vertical	340	3.00	70.96	27.68	4.21	-
AV	2.4835G	51.94	54.00	-2.06	32.02	3	Vertical	340	3.00	19.92	27.80	4.22	-
PK	2.4622G	110.73	Inf	-Inf	31.88	3	Vertical	340	3.00	78.85	27.67	4.21	-
PK	2.4864G	70.08	74.00	-3.92	32.04	3	Vertical	340	3.00	38.04	27.82	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4526G	106.12	Inf	-Inf	31.82	3	Horizontal	45	1.90	74.30	27.62	4.20	-
AV	2.4835G	53.30	54.00	-0.70	32.02	3	Horizontal	45	1.90	21.28	27.80	4.22	-
PK	2.4526G	113.55	Inf	-Inf	31.82	3	Horizontal	45	1.90	81.73	27.62	4.20	-
PK	2.4866G	72.73	74.00	-1.27	32.04	3	Horizontal	45	1.90	40.69	27.82	4.22	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




01/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4604G	101.39	Inf	-Inf	31.87	3	Vertical	339	3.00	69.52	27.66	4.21	-
AV	2.484G	49.48	54.00	-4.52	32.02	3	Vertical	339	3.00	17.46	27.80	4.22	-
PK	2.4604G	108.35	Inf	-Inf	31.87	3	Vertical	339	3.00	76.48	27.66	4.21	-
PK	2.4844G	71.03	74.00	-2.97	32.03	3	Vertical	339	3.00	39.00	27.81	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




01/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4602G	104.03	Inf	-Inf	31.87	3	Horizontal	44	1.94	72.16	27.66	4.21	-
AV	2.4835G	50.79	54.00	-3.21	32.02	3	Horizontal	44	1.94	18.77	27.80	4.22	-
PK	2.4552G	111.73	Inf	-Inf	31.83	3	Horizontal	44	1.94	79.90	27.63	4.20	-
PK	2.4842G	73.17	74.00	-0.83	32.03	3	Horizontal	44	1.94	41.14	27.81	4.22	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9366G	34.24	54.00	-19.76	4.05	3	Vertical	254	1.52	30.19	32.95	5.75	34.65
AV	7.38954G	38.21	54.00	-15.79	8.42	3	Vertical	135	1.50	29.79	36.34	6.87	34.79
PK	4.93852G	45.01	74.00	-28.99	4.06	3	Vertical	254	1.52	40.95	32.95	5.75	34.64
PK	7.39164G	49.04	74.00	-24.96	8.41	3	Vertical	135	1.50	40.63	36.33	6.87	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91932G	34.26	54.00	-19.74	3.97	3	Horizontal	38	1.22	30.29	32.88	5.74	34.65
AV	7.39212G	38.05	54.00	-15.95	8.41	3	Horizontal	186	1.00	29.64	36.33	6.87	34.79
PK	4.91944G	45.06	74.00	-28.94	3.97	3	Horizontal	38	1.22	41.09	32.88	5.74	34.65
PK	7.39332G	49.79	74.00	-24.21	8.42	3	Horizontal	186	1.00	41.37	36.33	6.88	34.79



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.89	54.00	-2.11	31.60	3	Vertical	179	2.91	20.29	27.44	4.16	-
AV	2.4098G	98.48	Inf	-Inf	31.70	3	Vertical	179	2.91	66.78	27.52	4.18	-
PK	2.3898G	70.60	74.00	-3.40	31.60	3	Vertical	179	2.91	39.00	27.44	4.16	-
PK	2.4174G	108.92	Inf	-Inf	31.71	3	Vertical	179	2.91	77.21	27.53	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.52	54.00	-0.48	31.60	3	Horizontal	47	2.03	21.92	27.44	4.16	-
AV	2.4112G	103.01	Inf	-Inf	31.70	3	Horizontal	47	2.03	71.31	27.52	4.18	-
PK	2.389G	70.66	74.00	-3.34	31.59	3	Horizontal	47	2.03	39.07	27.43	4.16	-
PK	2.4088G	113.89	Inf	-Inf	31.70	3	Horizontal	47	2.03	82.19	27.52	4.18	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83012G	34.51	54.00	-19.49	3.52	3	Vertical	204	1.50	30.99	32.48	5.69	34.65
PK	4.8387G	45.66	74.00	-28.34	3.57	3	Vertical	204	1.50	42.09	32.53	5.69	34.65

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83378G	34.44	54.00	-19.56	3.54	3	Horizontal	247	1.47	30.90	32.50	5.69	34.65
PK	4.81398G	45.44	74.00	-28.56	3.41	3	Horizontal	247	1.47	42.03	32.38	5.68	34.65

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.94	54.00	-5.06	31.60	3	Vertical	335	2.26	17.34	27.44	4.16	-
AV	2.4198G	98.68	Inf	-Inf	31.72	3	Vertical	335	2.26	66.96	27.54	4.18	-
PK	2.3896G	65.48	74.00	-8.52	31.60	3	Vertical	335	2.26	33.88	27.44	4.16	-
PK	2.4224G	109.05	Inf	-Inf	31.72	3	Vertical	335	2.26	77.33	27.54	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.51	54.00	-0.49	31.60	3	Horizontal	46	1.77	21.91	27.44	4.16	-
AV	2.4198G	103.86	Inf	-Inf	31.72	3	Horizontal	46	1.77	72.14	27.54	4.18	-
PK	2.39G	70.74	74.00	-3.26	31.60	3	Horizontal	46	1.77	39.14	27.44	4.16	-
PK	2.41G	114.47	Inf	-Inf	31.70	3	Horizontal	46	1.77	82.77	27.52	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.82	54.00	-7.18	31.60	3	Vertical	200	1.48	15.22	27.44	4.16	-
AV	2.4398G	99.07	Inf	-Inf	31.77	3	Vertical	200	1.48	67.30	27.58	4.19	-
AV	2.4842G	47.06	54.00	-6.94	32.03	3	Vertical	200	1.48	15.03	27.81	4.22	-
PK	2.3866G	59.00	74.00	-15.00	31.58	3	Vertical	200	1.48	27.42	27.42	4.16	-
PK	2.4402G	109.56	Inf	-Inf	31.77	3	Vertical	200	1.48	77.79	27.58	4.19	-
PK	2.493G	58.45	74.00	-15.55	32.09	3	Vertical	200	1.48	26.36	27.86	4.23	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.54	54.00	-4.46	31.60	3	Horizontal	46	1.46	17.94	27.44	4.16	-
AV	2.4326G	105.66	Inf	-Inf	31.76	3	Horizontal	46	1.46	73.90	27.57	4.19	-
AV	2.4835G	49.07	54.00	-4.93	32.02	3	Horizontal	46	1.46	17.05	27.80	4.22	-
PK	2.389G	62.16	74.00	-11.84	31.59	3	Horizontal	46	1.46	30.57	27.43	4.16	-
PK	2.4302G	116.55	Inf	-Inf	31.75	3	Horizontal	46	1.46	84.80	27.56	4.19	-
PK	2.4842G	61.32	74.00	-12.68	32.03	3	Horizontal	46	1.46	29.29	27.81	4.22	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	41.21	54.00	-12.79	3.76	3	Vertical	323	2.18	37.45	32.70	5.71	34.65
AV	7.31022G	42.91	54.00	-11.09	8.78	3	Vertical	0	1.55	34.13	36.74	6.82	34.78
PK	4.87412G	47.26	74.00	-26.74	3.76	3	Vertical	323	2.18	43.50	32.70	5.71	34.65
PK	7.31088G	51.33	74.00	-22.67	8.77	3	Vertical	0	1.55	42.56	36.73	6.82	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87406G	42.08	54.00	-11.92	3.76	3	Horizontal	308	1.68	38.32	32.70	5.71	34.65
AV	7.31016G	45.17	54.00	-8.83	8.78	3	Horizontal	316	1.72	36.39	36.74	6.82	34.78
PK	4.87412G	47.72	74.00	-26.28	3.76	3	Horizontal	308	1.68	43.96	32.70	5.71	34.65
PK	7.31136G	52.09	74.00	-21.91	8.77	3	Horizontal	316	1.72	43.32	36.73	6.82	34.78



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	101.31	Inf	-Inf	31.88	3	Vertical	341	3.00	69.43	27.67	4.21	-
AV	2.4838G	51.82	54.00	-2.18	32.02	3	Vertical	341	3.00	19.80	27.80	4.22	-
PK	2.4636G	111.82	Inf	-Inf	31.89	3	Vertical	341	3.00	79.93	27.68	4.21	-
PK	2.4835G	69.48	74.00	-4.52	32.02	3	Vertical	341	3.00	37.46	27.80	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.456G	104.34	Inf	-Inf	31.84	3	Horizontal	44	1.93	72.50	27.64	4.20	-
AV	2.4836G	53.64	54.00	-0.36	32.02	3	Horizontal	44	1.93	21.62	27.80	4.22	-
PK	2.456G	115.32	Inf	-Inf	31.84	3	Horizontal	44	1.93	83.48	27.64	4.20	-
PK	2.4836G	71.82	74.00	-2.18	32.02	3	Horizontal	44	1.93	39.80	27.80	4.22	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	99.11	Inf	-Inf	31.90	3	Vertical	338	3.00	67.21	27.69	4.21	-
AV	2.4848G	49.49	54.00	-4.51	32.03	3	Vertical	338	3.00	17.46	27.81	4.22	-
PK	2.455G	109.65	Inf	-Inf	31.83	3	Vertical	338	3.00	77.82	27.63	4.20	-
PK	2.4848G	71.77	74.00	-2.23	32.03	3	Vertical	338	3.00	39.74	27.81	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	101.68	Inf	-Inf	31.90	3	Horizontal	40	1.97	69.78	27.69	4.21	-
AV	2.4844G	50.09	54.00	-3.91	32.03	3	Horizontal	40	1.97	18.06	27.81	4.22	-
PK	2.465G	112.49	Inf	-Inf	31.90	3	Horizontal	40	1.97	80.59	27.69	4.21	-
PK	2.4846G	73.23	74.00	-0.77	32.03	3	Horizontal	40	1.97	41.20	27.81	4.22	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93534G	34.32	54.00	-19.68	4.04	3	Vertical	132	2.40	30.28	32.94	5.75	34.65
AV	7.38438G	38.27	54.00	-15.73	8.44	3	Vertical	317	1.94	29.83	36.36	6.87	34.79
PK	4.93696G	45.55	74.00	-28.45	4.05	3	Vertical	132	2.40	41.50	32.95	5.75	34.65
PK	7.38048G	49.91	74.00	-24.09	8.46	3	Vertical	317	1.94	41.45	36.38	6.87	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92454G	34.40	54.00	-19.60	3.99	3	Horizontal	166	1.50	30.41	32.90	5.74	34.65
AV	7.38786G	38.07	54.00	-15.93	8.43	3	Horizontal	51	1.50	29.64	36.35	6.87	34.79
PK	4.93696G	45.78	74.00	-28.22	4.05	3	Horizontal	166	1.50	41.73	32.95	5.75	34.65
PK	7.38504G	50.09	74.00	-23.91	8.44	3	Horizontal	51	1.50	41.65	36.36	6.87	34.79



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	48.59	54.00	-5.41	31.59	3	Vertical	338	2.79	17.00	27.43	4.16	-
AV	2.4284G	95.67	Inf	-Inf	31.75	3	Vertical	338	2.79	63.92	27.56	4.19	-
AV	2.486G	47.88	54.00	-6.12	32.04	3	Vertical	338	2.79	15.84	27.82	4.22	-
PK	2.3872G	62.13	74.00	-11.87	31.58	3	Vertical	338	2.79	30.55	27.42	4.16	-
PK	2.4188G	105.94	Inf	-Inf	31.72	3	Vertical	338	2.79	74.22	27.54	4.18	-
PK	2.498G	57.79	74.00	-16.21	32.12	3	Vertical	338	2.79	25.67	27.89	4.23	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	53.31	54.00	-0.69	31.60	3	Horizontal	44	1.61	21.71	27.44	4.16	-
AV	2.4188G	99.90	Inf	-Inf	31.72	3	Horizontal	44	1.61	68.18	27.54	4.18	-
AV	2.4888G	48.31	54.00	-5.69	32.05	3	Horizontal	44	1.61	16.26	27.83	4.22	-
PK	2.386G	68.33	74.00	-5.67	31.58	3	Horizontal	44	1.61	36.75	27.42	4.16	-
PK	2.4188G	110.71	Inf	-Inf	31.72	3	Horizontal	44	1.61	78.99	27.54	4.18	-
PK	2.486G	58.52	74.00	-15.48	32.04	3	Horizontal	44	1.61	26.48	27.82	4.22	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	40.84	54.00	-13.16	3.76	3	Vertical	326	2.18	37.08	32.70	5.71	34.65
AV	7.28952G	39.06	54.00	-14.94	8.84	3	Vertical	338	2.25	30.22	36.80	6.81	34.77
PK	4.874G	47.23	74.00	-26.77	3.76	3	Vertical	326	2.18	43.47	32.70	5.71	34.65
PK	7.27644G	49.97	74.00	-24.03	8.83	3	Vertical	338	2.25	41.14	36.80	6.80	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	42.53	54.00	-11.47	3.76	3	Horizontal	304	3.00	38.77	32.70	5.71	34.65
AV	7.27716G	39.24	54.00	-14.76	8.83	3	Horizontal	99	1.50	30.41	36.80	6.80	34.77
PK	4.874G	47.66	74.00	-26.34	3.76	3	Horizontal	304	3.00	43.90	32.70	5.71	34.65
PK	7.25088G	49.52	74.00	-24.48	8.81	3	Horizontal	99	1.50	40.71	36.80	6.78	34.77



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	49.03	54.00	-4.97	31.59	3	Vertical	338	2.80	17.44	27.43	4.16	-
AV	2.4334G	96.65	Inf	-Inf	31.76	3	Vertical	338	2.80	64.89	27.57	4.19	-
AV	2.4982G	48.19	54.00	-5.81	32.12	3	Vertical	338	2.80	16.07	27.89	4.23	-
PK	2.3826G	61.42	74.00	-12.58	31.55	3	Vertical	338	2.80	29.87	27.40	4.15	-
PK	2.4238G	107.23	Inf	-Inf	31.73	3	Vertical	338	2.80	75.50	27.55	4.18	-
PK	2.4835G	61.21	74.00	-12.79	32.02	3	Vertical	338	2.80	29.19	27.80	4.22	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.75	54.00	-0.25	31.60	3	Horizontal	46	1.59	22.15	27.44	4.16	-
AV	2.4238G	100.69	Inf	-Inf	31.73	3	Horizontal	46	1.59	68.96	27.55	4.18	-
AV	2.4882G	49.89	54.00	-4.11	32.05	3	Horizontal	46	1.59	17.84	27.83	4.22	-
PK	2.3894G	69.94	74.00	-4.06	31.60	3	Horizontal	46	1.59	38.34	27.44	4.16	-
PK	2.4238G	111.74	Inf	-Inf	31.73	3	Horizontal	46	1.59	80.01	27.55	4.18	-
PK	2.4835G	62.25	74.00	-11.75	32.02	3	Horizontal	46	1.59	30.23	27.80	4.22	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.26	54.00	-4.74	31.60	3	Vertical	199	1.48	17.66	27.44	4.16	-
AV	2.4426G	94.40	Inf	-Inf	31.79	3	Vertical	199	1.48	62.61	27.59	4.20	-
AV	2.4835G	48.57	54.00	-5.43	32.02	3	Vertical	199	1.48	16.55	27.80	4.22	-
PK	2.3886G	61.20	74.00	-12.80	31.59	3	Vertical	199	1.48	29.61	27.43	4.16	-
PK	2.4422G	104.87	Inf	-Inf	31.78	3	Vertical	199	1.48	73.09	27.58	4.20	-
PK	2.4835G	60.80	74.00	-13.20	32.02	3	Vertical	199	1.48	28.78	27.80	4.22	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.20	54.00	-0.80	31.60	3	Horizontal	46	1.46	21.60	27.44	4.16	-
AV	2.4326G	101.19	Inf	-Inf	31.76	3	Horizontal	46	1.46	69.43	27.57	4.19	-
AV	2.485G	51.42	54.00	-2.58	32.03	3	Horizontal	46	1.46	19.39	27.81	4.22	-
PK	2.389G	66.40	74.00	-7.60	31.59	3	Horizontal	46	1.46	34.81	27.43	4.16	-
PK	2.4422G	111.59	Inf	-Inf	31.78	3	Horizontal	46	1.46	79.81	27.58	4.20	-
PK	2.485G	66.42	74.00	-7.58	32.03	3	Horizontal	46	1.46	34.39	27.81	4.22	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	41.65	54.00	-12.35	3.76	3	Vertical	320	2.18	37.89	32.70	5.71	34.65
AV	7.31016G	43.57	54.00	-10.43	8.78	3	Vertical	356	1.67	34.79	36.74	6.82	34.78
PK	4.87424G	47.57	74.00	-26.43	3.76	3	Vertical	320	2.18	43.81	32.70	5.71	34.65
PK	7.30992G	51.23	74.00	-22.77	8.78	3	Vertical	356	1.67	42.45	36.74	6.82	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87412G	42.50	54.00	-11.50	3.76	3	Horizontal	304	3.00	38.74	32.70	5.71	34.65
AV	7.31208G	45.03	54.00	-8.97	8.77	3	Horizontal	311	1.55	36.26	36.73	6.82	34.78
PK	4.87388G	48.80	74.00	-25.20	3.76	3	Horizontal	304	3.00	45.04	32.70	5.71	34.65
PK	7.31112G	52.09	74.00	-21.91	8.77	3	Horizontal	311	1.55	43.32	36.73	6.82	34.78



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3806G	46.75	54.00	-7.25	31.53	3	Vertical	200	1.48	15.22	27.38	4.15	-
AV	2.4402G	94.18	Inf	-Inf	31.77	3	Vertical	200	1.48	62.41	27.58	4.19	-
AV	2.485G	49.35	54.00	-4.65	32.03	3	Vertical	200	1.48	17.32	27.81	4.22	-
PK	2.3758G	57.35	74.00	-16.65	31.50	3	Vertical	200	1.48	25.85	27.35	4.15	-
PK	2.4522G	103.88	Inf	-Inf	31.81	3	Vertical	200	1.48	72.07	27.61	4.20	-
PK	2.485G	63.51	74.00	-10.49	32.03	3	Vertical	200	1.48	31.48	27.81	4.22	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	48.24	54.00	-5.76	31.58	3	Horizontal	49	1.46	16.66	27.42	4.16	-
AV	2.4326G	100.43	Inf	-Inf	31.76	3	Horizontal	49	1.46	68.67	27.57	4.19	-
AV	2.4842G	53.13	54.00	-0.87	32.03	3	Horizontal	49	1.46	21.10	27.81	4.22	-
PK	2.3826G	58.44	74.00	-15.56	31.55	3	Horizontal	49	1.46	26.89	27.40	4.15	-
PK	2.4298G	110.25	Inf	-Inf	31.75	3	Horizontal	49	1.46	78.50	27.56	4.19	-
PK	2.485G	65.03	74.00	-8.97	32.03	3	Horizontal	49	1.46	33.00	27.81	4.22	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3864G	46.42	54.00	-7.58	31.58	3	Vertical	201	1.47	14.84	27.42	4.16	-
AV	2.4388G	93.06	Inf	-Inf	31.77	3	Vertical	201	1.47	61.29	27.58	4.19	-
AV	2.484G	48.94	54.00	-5.06	32.02	3	Vertical	201	1.47	16.92	27.80	4.22	-
PK	2.3636G	57.11	74.00	-16.89	31.42	3	Vertical	201	1.47	25.69	27.28	4.14	-
PK	2.4488G	103.35	Inf	-Inf	31.80	3	Vertical	201	1.47	71.55	27.60	4.20	-
PK	2.49G	59.68	74.00	-14.32	32.06	3	Vertical	201	1.47	27.62	27.84	4.22	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	47.37	54.00	-6.63	31.59	3	Horizontal	48	1.71	15.78	27.43	4.16	-
AV	2.4488G	99.79	Inf	-Inf	31.80	3	Horizontal	48	1.71	67.99	27.60	4.20	-
AV	2.484G	53.82	54.00	-0.18	32.02	3	Horizontal	48	1.71	21.80	27.80	4.22	-
PK	2.3744G	58.14	74.00	-15.86	31.50	3	Horizontal	48	1.71	26.64	27.35	4.15	-
PK	2.4488G	110.70	Inf	-Inf	31.80	3	Horizontal	48	1.71	78.90	27.60	4.20	-
PK	2.4888G	65.49	74.00	-8.51	32.05	3	Horizontal	48	1.71	33.44	27.83	4.22	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	41.55	54.00	-12.45	3.76	3	Vertical	320	2.18	37.79	32.70	5.71	34.65
AV	7.33224G	39.07	54.00	-14.93	8.67	3	Vertical	50	1.50	30.40	36.61	6.84	34.78
PK	4.874G	46.54	74.00	-27.46	3.76	3	Vertical	320	2.18	42.78	32.70	5.71	34.65
PK	7.34472G	49.97	74.00	-24.03	8.59	3	Vertical	50	1.50	41.38	36.53	6.84	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	42.54	54.00	-11.46	3.76	3	Horizontal	306	1.71	38.78	32.70	5.71	34.65
AV	7.34064G	38.78	54.00	-15.22	8.62	3	Horizontal	39	2.14	30.16	36.56	6.84	34.78
PK	4.87412G	47.00	74.00	-27.00	3.76	3	Horizontal	306	1.71	43.24	32.70	5.71	34.65
PK	7.33068G	50.03	74.00	-23.97	8.67	3	Horizontal	39	2.14	41.36	36.62	6.83	34.78



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	37.76M	34.97	40.00	-5.03	3	Vertical	0	1.00
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	37.76M	35.84	40.00	-4.16	3	Vertical	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	37.76M	34.97	40.00	-5.03	3	Vertical	0	1.00
2437MHz	Pass	PK	55.22M	33.67	40.00	-6.33	3	Vertical	0	1.00
2437MHz	Pass	PK	109.54M	27.20	43.50	-16.30	3	Vertical	0	1.00
2437MHz	Pass	PK	202.66M	31.98	43.50	-11.52	3	Vertical	0	1.00
2437MHz	Pass	PK	243.4M	36.68	46.00	-9.32	3	Vertical	0	1.00
2437MHz	Pass	PK	297.72M	30.76	46.00	-15.24	3	Vertical	0	1.00
2437MHz	Pass	PK	66.86M	25.18	40.00	-14.82	3	Horizontal	360	1.00
2437MHz	Pass	PK	111.48M	28.35	43.50	-15.15	3	Horizontal	360	1.00
2437MHz	Pass	PK	125.06M	28.65	43.50	-14.85	3	Horizontal	360	1.00
2437MHz	Pass	PK	181.32M	30.80	43.50	-12.70	3	Horizontal	360	1.00
2437MHz	Pass	PK	243.4M	36.69	46.00	-9.31	3	Horizontal	360	1.00
2437MHz	Pass	PK	299.66M	37.83	46.00	-8.17	3	Horizontal	360	1.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	37.76M	35.84	40.00	-4.16	3	Vertical	360	1.00
2437MHz	Pass	PK	51.34M	32.76	40.00	-7.24	3	Vertical	360	1.00
2437MHz	Pass	PK	70.74M	31.01	40.00	-8.99	3	Vertical	360	1.00
2437MHz	Pass	PK	171.62M	29.10	43.50	-14.40	3	Vertical	360	1.00
2437MHz	Pass	PK	243.4M	36.33	46.00	-9.67	3	Vertical	360	1.00
2437MHz	Pass	PK	293.84M	27.24	46.00	-18.76	3	Vertical	360	1.00
2437MHz	Pass	PK	51.34M	20.84	40.00	-19.16	3	Horizontal	360	1.00
2437MHz	Pass	PK	88M	24.95	40.00	-15.05	3	Horizontal	360	1.00
2437MHz	Pass	PK	111.48M	29.16	43.50	-14.34	3	Horizontal	360	1.00
2437MHz	Pass	PK	187.14M	31.62	43.50	-11.88	3	Horizontal	360	1.00
2437MHz	Pass	PK	241.46M	40.55	46.00	-5.45	3	Horizontal	360	1.00
2437MHz	Pass	PK	497.54M	29.22	46.00	-16.78	3	Horizontal	360	1.00



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	34.97	40.00	-5.03	-16.77	3	Vertical	0	1.00	51.74	19.73	0.63	37.13
PK	55.22M	33.67	40.00	-6.33	-24.82	3	Vertical	0	1.00	58.49	11.53	0.75	37.10
PK	109.54M	27.20	43.50	-16.30	-19.52	3	Vertical	0	1.00	46.72	16.06	1.05	36.63
PK	202.66M	31.98	43.50	-11.52	-20.52	3	Vertical	0	1.00	52.50	14.29	1.47	36.28
PK	243.4M	36.68	46.00	-9.32	-18.00	3	Vertical	0	1.00	54.68	16.84	1.61	36.45
PK	297.72M	30.76	46.00	-15.24	-16.29	3	Vertical	0	1.00	47.05	18.34	1.78	36.41

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	66.86M	25.18	40.00	-14.82	-24.91	3	Horizontal	360	1.00	50.09	11.27	0.82	37.00
PK	111.48M	28.35	43.50	-15.15	-19.42	3	Horizontal	360	1.00	47.77	16.15	1.06	36.63
PK	125.06M	28.65	43.50	-14.85	-18.62	3	Horizontal	360	1.00	47.27	16.83	1.13	36.58
PK	181.32M	30.80	43.50	-12.70	-20.88	3	Horizontal	360	1.00	51.68	14.19	1.40	36.47
PK	243.4M	36.69	46.00	-9.31	-18.00	3	Horizontal	360	1.00	54.69	16.84	1.61	36.45
PK	299.66M	37.83	46.00	-8.17	-16.26	3	Horizontal	360	1.00	54.09	18.36	1.79	36.41



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	35.84	40.00	-4.16	-16.77	3	Vertical	360	1.00	52.61	19.73	0.63	37.13
PK	51.34M	32.76	40.00	-7.24	-23.60	3	Vertical	360	1.00	56.36	12.77	0.72	37.09
PK	70.74M	31.01	40.00	-8.99	-24.57	3	Vertical	360	1.00	55.58	11.53	0.85	36.95
PK	171.62M	29.10	43.50	-14.40	-20.35	3	Vertical	360	1.00	49.45	14.74	1.36	36.45
PK	243.4M	36.33	46.00	-9.67	-18.00	3	Vertical	360	1.00	54.33	16.84	1.61	36.45
PK	293.84M	27.24	46.00	-18.76	-16.36	3	Vertical	360	1.00	43.60	18.29	1.77	36.42

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	51.34M	20.84	40.00	-19.16	-23.60	3	Horizontal	360	1.00	44.44	12.77	0.72	37.09
PK	88M	24.95	40.00	-15.05	-22.13	3	Horizontal	360	1.00	47.08	13.66	0.94	36.73
PK	111.48M	29.16	43.50	-14.34	-19.42	3	Horizontal	360	1.00	48.58	16.15	1.06	36.63
PK	187.14M	31.62	43.50	-11.88	-20.98	3	Horizontal	360	1.00	52.60	14.01	1.42	36.41
PK	241.46M	40.55	46.00	-5.45	-18.25	3	Horizontal	360	1.00	58.80	16.59	1.60	36.44
PK	497.54M	29.22	46.00	-16.78	-11.50	3	Horizontal	360	1.00	40.72	23.06	2.40	36.96



Summary

Mode	Result	Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	4.924G	52.33	54.00	-1.67	3	Horizontal	358	1.66
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	4.924G	51.98	54.00	-2.02	3	Horizontal	351	1.65
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.4836G	53.70	54.00	-0.30	3	Horizontal	48	2.38
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4835G	53.71	54.00	-0.29	3	Horizontal	54	2.24
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	2.4836G	73.79	74.00	-0.21	3	Horizontal	49	2.08
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.3882G	73.69	74.00	-0.31	3	Horizontal	48	1.02
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	2.3894G	53.73	54.00	-0.27	3	Horizontal	47	2.14
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.386G	53.79	54.00	-0.21	3	Horizontal	51	1.25



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	46.74	54.00	-7.26	3	Vertical	8	2.95
2412MHz	Pass	AV	2.4112G	105.79	Inf	-Inf	3	Vertical	8	2.95
2412MHz	Pass	PK	2.382G	57.74	74.00	-16.26	3	Vertical	8	2.95
2412MHz	Pass	PK	2.4112G	107.78	Inf	-Inf	3	Vertical	8	2.95
2412MHz	Pass	AV	2.39G	50.21	54.00	-3.79	3	Horizontal	43	2.13
2412MHz	Pass	AV	2.4112G	110.33	Inf	-Inf	3	Horizontal	43	2.13
2412MHz	Pass	PK	2.3792G	61.04	74.00	-12.96	3	Horizontal	43	2.13
2412MHz	Pass	PK	2.4112G	112.54	Inf	-Inf	3	Horizontal	43	2.13
2412MHz	Pass	AV	4.824G	46.69	54.00	-7.31	3	Vertical	8	1.54
2412MHz	Pass	PK	4.82382G	51.33	74.00	-22.67	3	Vertical	8	1.54
2412MHz	Pass	AV	4.824G	48.16	54.00	-5.84	3	Horizontal	3	1.50
2412MHz	Pass	PK	4.82394G	52.11	74.00	-21.89	3	Horizontal	3	1.50
2437MHz	Pass	AV	2.3898G	46.01	54.00	-7.99	3	Vertical	22	2.91
2437MHz	Pass	AV	2.4362G	104.12	Inf	-Inf	3	Vertical	22	2.91
2437MHz	Pass	AV	2.4958G	45.93	54.00	-8.07	3	Vertical	22	2.91
2437MHz	Pass	PK	2.3718G	57.29	74.00	-16.71	3	Vertical	22	2.91
2437MHz	Pass	PK	2.4362G	106.09	Inf	-Inf	3	Vertical	22	2.91
2437MHz	Pass	PK	2.4954G	57.43	74.00	-16.57	3	Vertical	22	2.91
2437MHz	Pass	AV	2.3894G	48.06	54.00	-5.94	3	Horizontal	45	2.36
2437MHz	Pass	AV	2.4378G	108.67	Inf	-Inf	3	Horizontal	45	2.36
2437MHz	Pass	AV	2.485G	46.44	54.00	-7.56	3	Horizontal	45	2.36
2437MHz	Pass	PK	2.3774G	59.44	74.00	-14.56	3	Horizontal	45	2.36
2437MHz	Pass	PK	2.4362G	111.38	Inf	-Inf	3	Horizontal	45	2.36
2437MHz	Pass	PK	2.4926G	57.79	74.00	-16.21	3	Horizontal	45	2.36
2437MHz	Pass	AV	4.874G	48.27	54.00	-5.73	3	Vertical	0	1.74
2437MHz	Pass	AV	7.31022G	47.32	54.00	-6.68	3	Vertical	299	1.89
2437MHz	Pass	PK	4.87382G	51.28	74.00	-22.72	3	Vertical	0	1.74
2437MHz	Pass	PK	7.31172G	54.32	74.00	-19.68	3	Vertical	299	1.89
2437MHz	Pass	AV	4.874G	50.44	54.00	-3.56	3	Horizontal	360	1.81
2437MHz	Pass	AV	7.31016G	45.45	54.00	-8.55	3	Horizontal	71	1.50
2437MHz	Pass	PK	4.87406G	53.64	74.00	-20.36	3	Horizontal	360	1.81
2437MHz	Pass	PK	7.31052G	52.56	74.00	-21.44	3	Horizontal	71	1.50
2462MHz	Pass	AV	2.4612G	105.14	Inf	-Inf	3	Vertical	341	2.87
2462MHz	Pass	AV	2.4882G	46.95	54.00	-7.05	3	Vertical	341	2.87
2462MHz	Pass	PK	2.461G	107.37	Inf	-Inf	3	Vertical	341	2.87
2462MHz	Pass	PK	2.4882G	58.85	74.00	-15.15	3	Vertical	341	2.87
2462MHz	Pass	AV	2.4612G	107.86	Inf	-Inf	3	Horizontal	47	2.30
2462MHz	Pass	AV	2.4836G	47.67	54.00	-6.33	3	Horizontal	47	2.30
2462MHz	Pass	PK	2.4612G	110.10	Inf	-Inf	3	Horizontal	47	2.30
2462MHz	Pass	PK	2.4902G	58.97	74.00	-15.03	3	Horizontal	47	2.30
2462MHz	Pass	AV	4.924G	51.39	54.00	-2.61	3	Vertical	359	1.81
2462MHz	Pass	AV	7.3851G	49.48	54.00	-4.52	3	Vertical	297	1.91
2462MHz	Pass	PK	4.92388G	53.41	74.00	-20.59	3	Vertical	359	1.81
2462MHz	Pass	PK	7.38744G	55.32	74.00	-18.68	3	Vertical	297	1.91
2462MHz	Pass	AV	4.924G	52.33	54.00	-1.67	3	Horizontal	358	1.66
2462MHz	Pass	AV	7.38678G	46.25	54.00	-7.75	3	Horizontal	61	1.58
2462MHz	Pass	PK	4.92394G	55.14	74.00	-18.86	3	Horizontal	358	1.66
2462MHz	Pass	PK	7.38558G	53.05	74.00	-20.95	3	Horizontal	61	1.58
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	47.81	54.00	-6.19	3	Vertical	9	2.95
2412MHz	Pass	AV	2.4092G	98.34	Inf	-Inf	3	Vertical	9	2.95
2412MHz	Pass	PK	2.39G	67.25	74.00	-6.75	3	Vertical	9	2.95
2412MHz	Pass	PK	2.4144G	106.66	Inf	-Inf	3	Vertical	9	2.95
2412MHz	Pass	AV	2.3898G	51.33	54.00	-2.67	3	Horizontal	43	2.12
2412MHz	Pass	AV	2.4074G	102.93	Inf	-Inf	3	Horizontal	43	2.12
2412MHz	Pass	PK	2.3896G	73.21	74.00	-0.79	3	Horizontal	43	2.12
2412MHz	Pass	PK	2.4144G	111.23	Inf	-Inf	3	Horizontal	43	2.12
2412MHz	Pass	AV	4.8249G	35.74	54.00	-18.26	3	Vertical	4	1.50
2412MHz	Pass	PK	4.81044G	47.28	74.00	-26.72	3	Vertical	4	1.50
2412MHz	Pass	AV	4.82598G	37.26	54.00	-16.74	3	Horizontal	1	1.62



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	4.827G	48.01	74.00	-25.99	3	Horizontal	1	1.62
2417MHz	Pass	AV	2.39G	48.61	54.00	-5.39	3	Vertical	37	2.96
2417MHz	Pass	AV	2.4122G	97.64	Inf	-Inf	3	Vertical	37	2.96
2417MHz	Pass	PK	2.386G	67.40	74.00	-6.60	3	Vertical	37	2.96
2417MHz	Pass	PK	2.4104G	105.99	Inf	-Inf	3	Vertical	37	2.96
2417MHz	Pass	AV	2.3894G	53.14	54.00	-0.86	3	Horizontal	45	2.15
2417MHz	Pass	AV	2.4124G	103.90	Inf	-Inf	3	Horizontal	45	2.15
2417MHz	Pass	PK	2.3868G	73.66	74.00	-0.34	3	Horizontal	45	2.15
2417MHz	Pass	PK	2.4122G	112.19	Inf	-Inf	3	Horizontal	45	2.15
2437MHz	Pass	AV	2.3874G	47.16	54.00	-6.84	3	Vertical	26	2.89
2437MHz	Pass	AV	2.4322G	99.20	Inf	-Inf	3	Vertical	26	2.89
2437MHz	Pass	AV	2.4986G	46.74	54.00	-7.26	3	Vertical	26	2.89
2437MHz	Pass	PK	2.3866G	58.14	74.00	-15.86	3	Vertical	26	2.89
2437MHz	Pass	PK	2.4306G	107.59	Inf	-Inf	3	Vertical	26	2.89
2437MHz	Pass	PK	2.4966G	58.58	74.00	-15.42	3	Vertical	26	2.89
2437MHz	Pass	AV	2.3898G	49.92	54.00	-4.08	3	Horizontal	49	2.36
2437MHz	Pass	AV	2.4406G	103.64	Inf	-Inf	3	Horizontal	49	2.36
2437MHz	Pass	AV	2.4835G	47.59	54.00	-6.41	3	Horizontal	49	2.36
2437MHz	Pass	PK	2.3874G	61.28	74.00	-12.72	3	Horizontal	49	2.36
2437MHz	Pass	PK	2.4394G	112.18	Inf	-Inf	3	Horizontal	49	2.36
2437MHz	Pass	PK	2.491G	58.55	74.00	-15.45	3	Horizontal	49	2.36
2437MHz	Pass	AV	4.8758G	37.44	54.00	-16.56	3	Vertical	5	1.74
2437MHz	Pass	AV	7.31142G	43.34	54.00	-10.66	3	Vertical	292	1.83
2437MHz	Pass	PK	4.88162G	46.10	74.00	-27.90	3	Vertical	5	1.74
2437MHz	Pass	PK	7.31232G	56.84	74.00	-17.16	3	Vertical	292	1.83
2437MHz	Pass	AV	4.87568G	38.35	54.00	-15.65	3	Horizontal	0	1.46
2437MHz	Pass	AV	7.3122G	42.59	54.00	-11.41	3	Horizontal	68	2.92
2437MHz	Pass	PK	4.87376G	50.26	74.00	-23.74	3	Horizontal	0	1.46
2437MHz	Pass	PK	7.31262G	55.80	74.00	-18.20	3	Horizontal	68	2.92
2457MHz	Pass	AV	2.4588G	100.05	Inf	-Inf	3	Vertical	344	2.86
2457MHz	Pass	AV	2.4835G	52.87	54.00	-1.13	3	Vertical	344	2.86
2457MHz	Pass	PK	2.4594G	108.71	Inf	-Inf	3	Vertical	344	2.86
2457MHz	Pass	PK	2.4836G	69.13	74.00	-4.87	3	Vertical	344	2.86
2457MHz	Pass	AV	2.4522G	103.53	Inf	-Inf	3	Horizontal	48	2.38
2457MHz	Pass	AV	2.4836G	53.70	54.00	-0.30	3	Horizontal	48	2.38
2457MHz	Pass	PK	2.4522G	112.38	Inf	-Inf	3	Horizontal	48	2.38
2457MHz	Pass	PK	2.4838G	69.86	74.00	-4.14	3	Horizontal	48	2.38
2462MHz	Pass	AV	2.4574G	98.46	Inf	-Inf	3	Vertical	345	2.86
2462MHz	Pass	AV	2.4835G	50.00	54.00	-4.00	3	Vertical	345	2.86
2462MHz	Pass	PK	2.4572G	106.85	Inf	-Inf	3	Vertical	345	2.86
2462MHz	Pass	PK	2.4842G	71.51	74.00	-2.49	3	Vertical	345	2.86
2462MHz	Pass	AV	2.4544G	101.19	Inf	-Inf	3	Horizontal	51	2.29
2462MHz	Pass	AV	2.4836G	51.32	54.00	-2.68	3	Horizontal	51	2.29
2462MHz	Pass	PK	2.4572G	109.69	Inf	-Inf	3	Horizontal	51	2.29
2462MHz	Pass	PK	2.4836G	73.39	74.00	-0.61	3	Horizontal	51	2.29
2462MHz	Pass	AV	4.92292G	38.62	54.00	-15.38	3	Vertical	0	1.79
2462MHz	Pass	AV	7.38738G	42.31	54.00	-11.69	3	Vertical	299	1.92
2462MHz	Pass	PK	4.92478G	47.79	74.00	-26.21	3	Vertical	0	1.79
2462MHz	Pass	PK	7.3872G	55.00	74.00	-19.00	3	Vertical	299	1.92
2462MHz	Pass	AV	4.9231G	39.07	54.00	-14.93	3	Horizontal	0	1.50
2462MHz	Pass	AV	7.38546G	40.74	54.00	-13.26	3	Horizontal	62	2.95
2462MHz	Pass	PK	4.92406G	50.23	74.00	-23.77	3	Horizontal	0	1.50
2462MHz	Pass	PK	7.38732G	53.79	74.00	-20.21	3	Horizontal	62	2.95
802.11ax HEW20_Nss1_(MCS0)_TTX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	46.32	54.00	-7.68	3	Vertical	12	2.95
2412MHz	Pass	AV	2.4102G	95.47	Inf	-Inf	3	Vertical	12	2.95
2412MHz	Pass	PK	2.3894G	67.99	74.00	-6.01	3	Vertical	12	2.95
2412MHz	Pass	PK	2.4146G	107.57	Inf	-Inf	3	Vertical	12	2.95
2412MHz	Pass	AV	2.39G	49.26	54.00	-4.74	3	Horizontal	44	2.22
2412MHz	Pass	AV	2.4046G	100.10	Inf	-Inf	3	Horizontal	44	2.22
2412MHz	Pass	PK	2.3894G	73.55	74.00	-0.45	3	Horizontal	44	2.22
2412MHz	Pass	PK	2.4052G	111.65	Inf	-Inf	3	Horizontal	44	2.22



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	AV	4.82748G	34.90	54.00	-19.10	3	Vertical	1	1.49
2412MHz	Pass	PK	4.82388G	46.78	74.00	-27.22	3	Vertical	1	1.49
2412MHz	Pass	AV	4.82568G	35.40	54.00	-18.60	3	Horizontal	360	1.98
2412MHz	Pass	PK	4.8234G	47.80	74.00	-26.20	3	Horizontal	360	1.98
2417MHz	Pass	AV	2.39G	49.24	54.00	-4.76	3	Vertical	10	2.96
2417MHz	Pass	AV	2.4126G	98.39	Inf	-Inf	3	Vertical	10	2.96
2417MHz	Pass	PK	2.39G	67.31	74.00	-6.69	3	Vertical	10	2.96
2417MHz	Pass	PK	2.4198G	110.38	Inf	-Inf	3	Vertical	10	2.96
2417MHz	Pass	AV	2.3898G	53.75	54.00	-0.25	3	Horizontal	49	2.13
2417MHz	Pass	AV	2.4156G	102.96	Inf	-Inf	3	Horizontal	49	2.13
2417MHz	Pass	PK	2.3896G	72.49	74.00	-1.51	3	Horizontal	49	2.13
2417MHz	Pass	PK	2.42G	114.99	Inf	-Inf	3	Horizontal	49	2.13
2437MHz	Pass	AV	2.3898G	46.89	54.00	-7.11	3	Vertical	26	2.90
2437MHz	Pass	AV	2.4326G	98.66	Inf	-Inf	3	Vertical	26	2.90
2437MHz	Pass	AV	2.4842G	46.14	54.00	-7.86	3	Vertical	26	2.90
2437MHz	Pass	PK	2.3898G	59.47	74.00	-14.53	3	Vertical	26	2.90
2437MHz	Pass	PK	2.4338G	110.30	Inf	-Inf	3	Vertical	26	2.90
2437MHz	Pass	PK	2.4854G	59.57	74.00	-14.43	3	Vertical	26	2.90
2437MHz	Pass	AV	2.3898G	49.81	54.00	-4.19	3	Horizontal	55	2.33
2437MHz	Pass	AV	2.4358G	102.91	Inf	-Inf	3	Horizontal	55	2.33
2437MHz	Pass	AV	2.4838G	47.40	54.00	-6.60	3	Horizontal	55	2.33
2437MHz	Pass	PK	2.389G	62.39	74.00	-11.61	3	Horizontal	55	2.33
2437MHz	Pass	PK	2.4338G	114.15	Inf	-Inf	3	Horizontal	55	2.33
2437MHz	Pass	PK	2.485G	62.90	74.00	-11.10	3	Horizontal	55	2.33
2437MHz	Pass	AV	4.87544G	36.03	54.00	-17.97	3	Vertical	11	1.50
2437MHz	Pass	AV	7.31178G	42.79	54.00	-11.21	3	Vertical	295	1.90
2437MHz	Pass	PK	4.88156G	45.36	74.00	-28.64	3	Vertical	11	1.50
2437MHz	Pass	PK	7.3023G	56.52	74.00	-17.48	3	Vertical	295	1.90
2437MHz	Pass	AV	4.877G	37.21	54.00	-16.79	3	Horizontal	358	1.50
2437MHz	Pass	AV	7.31058G	41.99	54.00	-12.01	3	Horizontal	78	2.32
2437MHz	Pass	PK	4.87652G	49.67	74.00	-24.33	3	Horizontal	358	1.50
2437MHz	Pass	PK	7.3185G	54.65	74.00	-19.35	3	Horizontal	78	2.32
2457MHz	Pass	AV	2.4598G	98.60	Inf	-Inf	3	Vertical	345	2.87
2457MHz	Pass	AV	2.4835G	52.28	54.00	-1.72	3	Vertical	345	2.87
2457MHz	Pass	PK	2.4598G	110.40	Inf	-Inf	3	Vertical	345	2.87
2457MHz	Pass	PK	2.4862G	69.59	74.00	-4.41	3	Vertical	345	2.87
2457MHz	Pass	AV	2.4518G	102.05	Inf	-Inf	3	Horizontal	49	2.38
2457MHz	Pass	AV	2.4835G	53.28	54.00	-0.72	3	Horizontal	49	2.38
2457MHz	Pass	PK	2.454G	113.39	Inf	-Inf	3	Horizontal	49	2.38
2457MHz	Pass	PK	2.4864G	69.68	74.00	-4.32	3	Horizontal	49	2.38
2462MHz	Pass	AV	2.4598G	96.94	Inf	-Inf	3	Vertical	344	2.87
2462MHz	Pass	AV	2.4835G	49.56	54.00	-4.44	3	Vertical	344	2.87
2462MHz	Pass	PK	2.4652G	108.75	Inf	-Inf	3	Vertical	344	2.87
2462MHz	Pass	PK	2.4835G	72.99	74.00	-1.01	3	Vertical	344	2.87
2462MHz	Pass	AV	2.4548G	99.61	Inf	-Inf	3	Horizontal	49	2.08
2462MHz	Pass	AV	2.4835G	50.61	54.00	-3.39	3	Horizontal	49	2.08
2462MHz	Pass	PK	2.4588G	110.88	Inf	-Inf	3	Horizontal	49	2.08
2462MHz	Pass	PK	2.4836G	73.79	74.00	-0.21	3	Horizontal	49	2.08
2462MHz	Pass	AV	4.9228G	37.38	54.00	-16.62	3	Vertical	358	1.81
2462MHz	Pass	AV	7.3857G	40.40	54.00	-13.60	3	Vertical	292	1.95
2462MHz	Pass	PK	4.93282G	46.82	74.00	-27.18	3	Vertical	358	1.81
2462MHz	Pass	PK	7.3905G	54.14	74.00	-19.86	3	Vertical	292	1.95
2462MHz	Pass	AV	4.92268G	37.73	54.00	-16.27	3	Horizontal	0	1.50
2462MHz	Pass	AV	7.38558G	39.19	54.00	-14.81	3	Horizontal	60	2.97
2462MHz	Pass	PK	4.92052G	50.22	74.00	-23.78	3	Horizontal	0	1.50
2462MHz	Pass	PK	7.38942G	52.15	74.00	-21.85	3	Horizontal	60	2.97
802.11ax HEW40_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3868G	48.85	54.00	-5.15	3	Vertical	38	2.95
2422MHz	Pass	AV	2.4084G	91.50	Inf	-Inf	3	Vertical	38	2.95
2422MHz	Pass	AV	2.4868G	47.14	54.00	-6.86	3	Vertical	38	2.95
2422MHz	Pass	PK	2.3876G	60.56	74.00	-13.44	3	Vertical	38	2.95
2422MHz	Pass	PK	2.4096G	101.81	Inf	-Inf	3	Vertical	38	2.95



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2422MHz	Pass	PK	2.494G	58.47	74.00	-15.53	3	Vertical	38	2.95
2422MHz	Pass	AV	2.3888G	53.05	54.00	-0.95	3	Horizontal	48	2.14
2422MHz	Pass	AV	2.4164G	97.76	Inf	-Inf	3	Horizontal	48	2.14
2422MHz	Pass	AV	2.4856G	47.75	54.00	-6.25	3	Horizontal	48	2.14
2422MHz	Pass	PK	2.388G	67.99	74.00	-6.01	3	Horizontal	48	2.14
2422MHz	Pass	PK	2.4188G	108.42	Inf	-Inf	3	Horizontal	48	2.14
2422MHz	Pass	PK	2.488G	58.23	74.00	-15.77	3	Horizontal	48	2.14
2422MHz	Pass	AV	4.85252G	35.25	54.00	-18.75	3	Vertical	0	1.74
2422MHz	Pass	AV	7.25112G	39.01	54.00	-14.99	3	Vertical	6	1.80
2422MHz	Pass	PK	4.862G	44.43	74.00	-29.57	3	Vertical	0	1.74
2422MHz	Pass	PK	7.2564G	49.30	74.00	-24.70	3	Vertical	6	1.80
2422MHz	Pass	AV	4.844G	35.74	54.00	-18.26	3	Horizontal	357	1.50
2422MHz	Pass	AV	7.25664G	39.44	54.00	-14.56	3	Horizontal	101	1.50
2422MHz	Pass	PK	4.84712G	46.28	74.00	-27.72	3	Horizontal	357	1.50
2422MHz	Pass	PK	7.28208G	50.08	74.00	-23.92	3	Horizontal	101	1.50
2427MHz	Pass	AV	2.3882G	49.43	54.00	-4.57	3	Vertical	29	2.96
2427MHz	Pass	AV	2.4198G	92.36	Inf	-Inf	3	Vertical	29	2.96
2427MHz	Pass	AV	2.4954G	47.44	54.00	-6.56	3	Vertical	29	2.96
2427MHz	Pass	PK	2.3886G	61.19	74.00	-12.81	3	Vertical	29	2.96
2427MHz	Pass	PK	2.4134G	103.87	Inf	-Inf	3	Vertical	29	2.96
2427MHz	Pass	PK	2.4914G	57.97	74.00	-16.03	3	Vertical	29	2.96
2427MHz	Pass	AV	2.3894G	53.46	54.00	-0.54	3	Horizontal	49	2.14
2427MHz	Pass	AV	2.4138G	97.91	Inf	-Inf	3	Horizontal	49	2.14
2427MHz	Pass	AV	2.4835G	47.67	54.00	-6.33	3	Horizontal	49	2.14
2427MHz	Pass	PK	2.3866G	65.71	74.00	-8.29	3	Horizontal	49	2.14
2427MHz	Pass	PK	2.4146G	108.49	Inf	-Inf	3	Horizontal	49	2.14
2427MHz	Pass	PK	2.4862G	57.88	74.00	-16.12	3	Horizontal	49	2.14
2437MHz	Pass	AV	2.3894G	50.43	54.00	-3.57	3	Vertical	24	2.98
2437MHz	Pass	AV	2.4234G	93.26	Inf	-Inf	3	Vertical	24	2.98
2437MHz	Pass	AV	2.4862G	47.85	54.00	-6.15	3	Vertical	24	2.98
2437MHz	Pass	PK	2.3886G	61.28	74.00	-12.72	3	Vertical	24	2.98
2437MHz	Pass	PK	2.4246G	103.46	Inf	-Inf	3	Vertical	24	2.98
2437MHz	Pass	PK	2.491G	58.40	74.00	-15.60	3	Vertical	24	2.98
2437MHz	Pass	AV	2.3894G	53.73	54.00	-0.27	3	Horizontal	47	2.14
2437MHz	Pass	AV	2.4198G	98.37	Inf	-Inf	3	Horizontal	47	2.14
2437MHz	Pass	AV	2.4838G	49.35	54.00	-4.65	3	Horizontal	47	2.14
2437MHz	Pass	PK	2.3898G	66.04	74.00	-7.96	3	Horizontal	47	2.14
2437MHz	Pass	PK	2.4246G	108.62	Inf	-Inf	3	Horizontal	47	2.14
2437MHz	Pass	PK	2.489G	60.64	74.00	-13.36	3	Horizontal	47	2.14
2437MHz	Pass	AV	4.89176G	35.78	54.00	-18.22	3	Vertical	1	1.66
2437MHz	Pass	AV	7.32204G	40.04	54.00	-13.96	3	Vertical	295	1.95
2437MHz	Pass	PK	4.89584G	44.45	74.00	-29.55	3	Vertical	1	1.66
2437MHz	Pass	PK	7.30776G	50.11	74.00	-23.89	3	Vertical	295	1.95
2437MHz	Pass	AV	4.87832G	36.46	54.00	-17.54	3	Horizontal	360	1.50
2437MHz	Pass	AV	7.2852G	39.20	54.00	-14.80	3	Horizontal	103	1.50
2437MHz	Pass	PK	4.8662G	46.25	74.00	-27.75	3	Horizontal	360	1.50
2437MHz	Pass	PK	7.32552G	50.18	74.00	-23.82	3	Horizontal	103	1.50
2452MHz	Pass	AV	2.3888G	47.83	54.00	-6.17	3	Vertical	22	2.90
2452MHz	Pass	AV	2.434G	92.87	Inf	-Inf	3	Vertical	22	2.90
2452MHz	Pass	AV	2.4856G	49.87	54.00	-4.13	3	Vertical	22	2.90
2452MHz	Pass	PK	2.3816G	57.87	74.00	-16.13	3	Vertical	22	2.90
2452MHz	Pass	PK	2.4396G	102.84	Inf	-Inf	3	Vertical	22	2.90
2452MHz	Pass	PK	2.484G	63.24	74.00	-10.76	3	Vertical	22	2.90
2452MHz	Pass	AV	2.3896G	50.10	54.00	-3.90	3	Horizontal	47	2.37
2452MHz	Pass	AV	2.4464G	98.33	Inf	-Inf	3	Horizontal	47	2.37
2452MHz	Pass	AV	2.4868G	53.47	54.00	-0.53	3	Horizontal	47	2.37
2452MHz	Pass	PK	2.388G	60.69	74.00	-13.31	3	Horizontal	47	2.37
2452MHz	Pass	PK	2.4488G	109.03	Inf	-Inf	3	Horizontal	47	2.37
2452MHz	Pass	PK	2.4848G	66.51	74.00	-7.49	3	Horizontal	47	2.37
2452MHz	Pass	AV	4.9052G	36.49	54.00	-17.51	3	Vertical	0	1.73
2452MHz	Pass	AV	7.35696G	42.47	54.00	-11.53	3	Vertical	295	1.93
2452MHz	Pass	PK	4.89296G	46.36	74.00	-27.64	3	Vertical	0	1.73



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2452MHz	Pass	PK	7.35204G	54.33	74.00	-19.67	3	Vertical	295	1.93
2452MHz	Pass	AV	4.9028G	37.10	54.00	-16.90	3	Horizontal	0	1.58
2452MHz	Pass	AV	7.3518G	41.12	54.00	-12.88	3	Horizontal	65	1.65
2452MHz	Pass	PK	4.89908G	48.51	74.00	-25.49	3	Horizontal	0	1.58
2452MHz	Pass	PK	7.35408G	52.99	74.00	-21.01	3	Horizontal	65	1.65
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3852G	46.10	54.00	-7.90	3	Vertical	1	1.18
2412MHz	Pass	AV	2.4112G	106.44	Inf	-Inf	3	Vertical	1	1.18
2412MHz	Pass	PK	2.3848G	57.46	74.00	-16.54	3	Vertical	1	1.18
2412MHz	Pass	PK	2.4112G	108.49	Inf	-Inf	3	Vertical	1	1.18
2412MHz	Pass	AV	2.3852G	49.81	54.00	-4.19	3	Horizontal	333	2.50
2412MHz	Pass	AV	2.4112G	110.83	Inf	-Inf	3	Horizontal	333	2.50
2412MHz	Pass	PK	2.3852G	59.86	74.00	-14.14	3	Horizontal	333	2.50
2412MHz	Pass	PK	2.411G	112.83	Inf	-Inf	3	Horizontal	333	2.50
2412MHz	Pass	AV	4.82404G	45.97	54.00	-8.03	3	Vertical	0	1.55
2412MHz	Pass	PK	4.82412G	49.12	74.00	-24.88	3	Vertical	0	1.55
2412MHz	Pass	AV	4.82404G	48.72	54.00	-5.28	3	Horizontal	356	1.49
2412MHz	Pass	PK	4.824G	51.48	74.00	-22.52	3	Horizontal	356	1.49
2437MHz	Pass	AV	2.389G	45.17	54.00	-8.83	3	Vertical	360	1.36
2437MHz	Pass	AV	2.4378G	105.80	Inf	-Inf	3	Vertical	360	1.36
2437MHz	Pass	AV	2.4835G	46.00	54.00	-8.00	3	Vertical	360	1.36
2437MHz	Pass	PK	2.3586G	56.92	74.00	-17.08	3	Vertical	360	1.36
2437MHz	Pass	PK	2.4378G	108.04	Inf	-Inf	3	Vertical	360	1.36
2437MHz	Pass	PK	2.4942G	57.47	74.00	-16.53	3	Vertical	360	1.36
2437MHz	Pass	AV	2.3878G	47.60	54.00	-6.40	3	Horizontal	65	2.58
2437MHz	Pass	AV	2.4362G	111.40	Inf	-Inf	3	Horizontal	65	2.58
2437MHz	Pass	AV	2.485G	46.77	54.00	-7.23	3	Horizontal	65	2.58
2437MHz	Pass	PK	2.3822G	59.33	74.00	-14.67	3	Horizontal	65	2.58
2437MHz	Pass	PK	2.4378G	113.65	Inf	-Inf	3	Horizontal	65	2.58
2437MHz	Pass	PK	2.4886G	58.60	74.00	-15.40	3	Horizontal	65	2.58
2437MHz	Pass	AV	4.874G	48.72	54.00	-5.28	3	Vertical	0	1.50
2437MHz	Pass	AV	7.31172G	47.47	54.00	-6.53	3	Vertical	20	1.71
2437MHz	Pass	PK	4.87394G	50.91	74.00	-23.09	3	Vertical	0	1.50
2437MHz	Pass	PK	7.31034G	53.66	74.00	-20.34	3	Vertical	20	1.71
2437MHz	Pass	AV	4.874G	51.12	54.00	-2.88	3	Horizontal	353	1.37
2437MHz	Pass	AV	7.31016G	49.42	54.00	-4.58	3	Horizontal	71	2.70
2437MHz	Pass	PK	4.87406G	53.81	74.00	-20.19	3	Horizontal	353	1.37
2437MHz	Pass	PK	7.31172G	54.90	74.00	-19.10	3	Horizontal	71	2.70
2462MHz	Pass	AV	2.4612G	103.96	Inf	-Inf	3	Vertical	227	2.38
2462MHz	Pass	AV	2.4846G	46.57	54.00	-7.43	3	Vertical	227	2.38
2462MHz	Pass	PK	2.461G	106.17	Inf	-Inf	3	Vertical	227	2.38
2462MHz	Pass	PK	2.4896G	58.05	74.00	-15.95	3	Vertical	227	2.38
2462MHz	Pass	AV	2.4612G	111.23	Inf	-Inf	3	Horizontal	42	1.00
2462MHz	Pass	AV	2.4848G	50.55	54.00	-3.45	3	Horizontal	42	1.00
2462MHz	Pass	PK	2.461G	113.24	Inf	-Inf	3	Horizontal	42	1.00
2462MHz	Pass	PK	2.4846G	60.76	74.00	-13.24	3	Horizontal	42	1.00
2462MHz	Pass	AV	4.924G	51.47	54.00	-2.53	3	Vertical	354	1.82
2462MHz	Pass	AV	7.38678G	49.21	54.00	-4.79	3	Vertical	17	1.65
2462MHz	Pass	PK	4.92388G	53.89	74.00	-20.11	3	Vertical	354	1.82
2462MHz	Pass	PK	7.38678G	54.93	74.00	-19.07	3	Vertical	17	1.65
2462MHz	Pass	AV	4.924G	51.98	54.00	-2.02	3	Horizontal	351	1.65
2462MHz	Pass	AV	7.3872G	45.63	54.00	-8.37	3	Horizontal	336	1.47
2462MHz	Pass	PK	4.92412G	54.70	74.00	-19.30	3	Horizontal	351	1.65
2462MHz	Pass	PK	7.38504G	52.67	74.00	-21.33	3	Horizontal	336	1.47
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3872G	48.64	54.00	-5.36	3	Vertical	359	2.85
2412MHz	Pass	AV	2.407G	101.47	Inf	-Inf	3	Vertical	359	2.85
2412MHz	Pass	PK	2.3872G	67.21	74.00	-6.79	3	Vertical	359	2.85
2412MHz	Pass	PK	2.417G	109.16	Inf	-Inf	3	Vertical	359	2.85
2412MHz	Pass	AV	2.3884G	51.90	54.00	-2.10	3	Horizontal	44	1.26
2412MHz	Pass	AV	2.4072G	106.27	Inf	-Inf	3	Horizontal	44	1.26
2412MHz	Pass	PK	2.3884G	73.05	74.00	-0.95	3	Horizontal	44	1.26



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	2.4076G	113.45	Inf	-Inf	3	Horizontal	44	1.26
2412MHz	Pass	AV	4.83372G	33.85	54.00	-20.15	3	Vertical	251	2.77
2412MHz	Pass	PK	4.83136G	45.53	74.00	-28.47	3	Vertical	251	2.77
2412MHz	Pass	AV	4.82324G	35.32	54.00	-18.68	3	Horizontal	44	2.47
2412MHz	Pass	PK	4.82588G	45.99	74.00	-28.01	3	Horizontal	44	2.47
2417MHz	Pass	AV	2.389G	47.98	54.00	-6.02	3	Vertical	360	2.87
2417MHz	Pass	AV	2.4196G	102.36	Inf	-Inf	3	Vertical	360	2.87
2417MHz	Pass	PK	2.3888G	66.25	74.00	-7.75	3	Vertical	360	2.87
2417MHz	Pass	PK	2.4144G	109.64	Inf	-Inf	3	Vertical	360	2.87
2417MHz	Pass	AV	2.3894G	51.26	54.00	-2.74	3	Horizontal	50	1.02
2417MHz	Pass	AV	2.4096G	106.32	Inf	-Inf	3	Horizontal	50	1.02
2417MHz	Pass	PK	2.3898G	71.45	74.00	-2.55	3	Horizontal	50	1.02
2417MHz	Pass	PK	2.4096G	113.81	Inf	-Inf	3	Horizontal	50	1.02
2437MHz	Pass	AV	2.3894G	47.78	54.00	-6.22	3	Vertical	0	2.90
2437MHz	Pass	AV	2.4298G	104.33	Inf	-Inf	3	Vertical	0	2.90
2437MHz	Pass	AV	2.4898G	47.46	54.00	-6.54	3	Vertical	0	2.90
2437MHz	Pass	PK	2.3894G	61.71	74.00	-12.29	3	Vertical	0	2.90
2437MHz	Pass	PK	2.4294G	111.95	Inf	-Inf	3	Vertical	0	2.90
2437MHz	Pass	PK	2.4962G	59.37	74.00	-14.63	3	Vertical	0	2.90
2437MHz	Pass	AV	2.3898G	50.83	54.00	-3.17	3	Horizontal	45	1.47
2437MHz	Pass	AV	2.4302G	108.01	Inf	-Inf	3	Horizontal	45	1.47
2437MHz	Pass	AV	2.4842G	48.09	54.00	-5.91	3	Horizontal	45	1.47
2437MHz	Pass	PK	2.3894G	65.80	74.00	-8.20	3	Horizontal	45	1.47
2437MHz	Pass	PK	2.4302G	115.82	Inf	-Inf	3	Horizontal	45	1.47
2437MHz	Pass	PK	2.4854G	61.94	74.00	-12.06	3	Horizontal	45	1.47
2437MHz	Pass	AV	4.87868G	35.13	54.00	-18.87	3	Vertical	266	1.56
2437MHz	Pass	AV	7.30752G	38.28	54.00	-15.72	3	Vertical	77	1.20
2437MHz	Pass	PK	4.8826G	47.01	74.00	-26.99	3	Vertical	266	1.56
2437MHz	Pass	PK	7.30464G	48.86	74.00	-25.14	3	Vertical	77	1.20
2437MHz	Pass	AV	4.87604G	33.80	54.00	-20.20	3	Horizontal	287	2.94
2437MHz	Pass	AV	7.31708G	38.66	54.00	-15.34	3	Horizontal	134	2.68
2437MHz	Pass	PK	4.87104G	45.04	74.00	-28.96	3	Horizontal	287	2.94
2437MHz	Pass	PK	7.31424G	48.83	74.00	-25.17	3	Horizontal	134	2.68
2457MHz	Pass	AV	2.4522G	102.21	Inf	-Inf	3	Vertical	3	2.85
2457MHz	Pass	AV	2.4836G	50.11	54.00	-3.89	3	Vertical	3	2.85
2457MHz	Pass	PK	2.4526G	109.66	Inf	-Inf	3	Vertical	3	2.85
2457MHz	Pass	PK	2.4836G	68.20	74.00	-5.80	3	Vertical	3	2.85
2457MHz	Pass	AV	2.4532G	107.15	Inf	-Inf	3	Horizontal	54	2.24
2457MHz	Pass	AV	2.4835G	53.71	54.00	-0.29	3	Horizontal	54	2.24
2457MHz	Pass	PK	2.4532G	114.68	Inf	-Inf	3	Horizontal	54	2.24
2457MHz	Pass	PK	2.4835G	72.38	74.00	-1.62	3	Horizontal	54	2.24
2462MHz	Pass	AV	2.465G	101.58	Inf	-Inf	3	Vertical	0	3.00
2462MHz	Pass	AV	2.4846G	51.20	54.00	-2.80	3	Vertical	0	3.00
2462MHz	Pass	PK	2.46G	108.75	Inf	-Inf	3	Vertical	0	3.00
2462MHz	Pass	PK	2.4842G	72.88	74.00	-1.12	3	Vertical	0	3.00
2462MHz	Pass	AV	2.456G	106.10	Inf	-Inf	3	Horizontal	58	2.28
2462MHz	Pass	AV	2.486G	52.27	54.00	-1.73	3	Horizontal	58	2.28
2462MHz	Pass	PK	2.4562G	113.47	Inf	-Inf	3	Horizontal	58	2.28
2462MHz	Pass	PK	2.4835G	72.43	74.00	-1.57	3	Horizontal	58	2.28
2462MHz	Pass	AV	4.92416G	35.01	54.00	-18.99	3	Vertical	254	1.91
2462MHz	Pass	AV	7.39164G	37.92	54.00	-16.08	3	Vertical	188	1.89
2462MHz	Pass	PK	4.92432G	46.43	74.00	-27.57	3	Vertical	254	1.91
2462MHz	Pass	PK	7.38684G	48.52	74.00	-25.48	3	Vertical	188	1.89
2462MHz	Pass	AV	4.92256G	33.95	54.00	-20.05	3	Horizontal	359	1.28
2462MHz	Pass	AV	7.38992G	38.56	54.00	-15.44	3	Horizontal	165	3.00
2462MHz	Pass	PK	4.91976G	45.82	74.00	-28.18	3	Horizontal	359	1.28
2462MHz	Pass	PK	7.38996G	49.35	74.00	-24.65	3	Horizontal	165	3.00
802.11ax HEW20_Nss1 (MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.388G	46.66	54.00	-7.34	3	Vertical	360	2.86
2412MHz	Pass	AV	2.4106G	98.34	Inf	-Inf	3	Vertical	360	2.86
2412MHz	Pass	PK	2.39G	68.15	74.00	-5.85	3	Vertical	360	2.86
2412MHz	Pass	PK	2.411G	109.26	Inf	-Inf	3	Vertical	360	2.86



RSE TX above 1GHz_Radio 2

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	AV	2.3886G	49.89	54.00	-4.11	3	Horizontal	48	1.02
2412MHz	Pass	AV	2.4108G	102.82	Inf	-Inf	3	Horizontal	48	1.02
2412MHz	Pass	PK	2.3882G	73.69	74.00	-0.31	3	Horizontal	48	1.02
2412MHz	Pass	PK	2.411G	113.61	Inf	-Inf	3	Horizontal	48	1.02
2412MHz	Pass	AV	4.82676G	33.78	54.00	-20.22	3	Vertical	97	2.12
2412MHz	Pass	PK	4.8324G	45.31	74.00	-28.69	3	Vertical	97	2.12
2412MHz	Pass	AV	4.82904G	34.27	54.00	-19.73	3	Horizontal	223	1.58
2412MHz	Pass	PK	4.83008G	45.65	74.00	-28.35	3	Horizontal	223	1.58
2417MHz	Pass	AV	2.3894G	49.45	54.00	-4.55	3	Vertical	360	2.88
2417MHz	Pass	AV	2.4196G	101.48	Inf	-Inf	3	Vertical	360	2.88
2417MHz	Pass	PK	2.3894G	68.02	74.00	-5.98	3	Vertical	360	2.88
2417MHz	Pass	PK	2.4222G	111.84	Inf	-Inf	3	Vertical	360	2.88
2417MHz	Pass	AV	2.3892G	53.35	54.00	-0.65	3	Horizontal	49	1.26
2417MHz	Pass	AV	2.412G	105.35	Inf	-Inf	3	Horizontal	49	1.26
2417MHz	Pass	PK	2.3896G	72.96	74.00	-1.04	3	Horizontal	49	1.26
2417MHz	Pass	PK	2.4094G	115.76	Inf	-Inf	3	Horizontal	49	1.26
2437MHz	Pass	AV	2.3882G	47.15	54.00	-6.85	3	Vertical	0	2.90
2437MHz	Pass	AV	2.431G	103.11	Inf	-Inf	3	Vertical	0	2.90
2437MHz	Pass	AV	2.4835G	47.12	54.00	-6.88	3	Vertical	0	2.90
2437MHz	Pass	PK	2.3882G	59.54	74.00	-14.46	3	Vertical	0	2.90
2437MHz	Pass	PK	2.4338G	113.34	Inf	-Inf	3	Vertical	0	2.90
2437MHz	Pass	PK	2.4835G	63.74	74.00	-10.26	3	Vertical	0	2.90
2437MHz	Pass	AV	2.3886G	50.72	54.00	-3.28	3	Horizontal	46	1.39
2437MHz	Pass	AV	2.4334G	106.62	Inf	-Inf	3	Horizontal	46	1.39
2437MHz	Pass	AV	2.4838G	48.26	54.00	-5.74	3	Horizontal	46	1.39
2437MHz	Pass	PK	2.3886G	64.30	74.00	-9.70	3	Horizontal	46	1.39
2437MHz	Pass	PK	2.4338G	117.80	Inf	-Inf	3	Horizontal	46	1.39
2437MHz	Pass	PK	2.4835G	66.87	74.00	-7.13	3	Horizontal	46	1.39
2437MHz	Pass	AV	4.87912G	33.98	54.00	-20.02	3	Vertical	327	1.39
2437MHz	Pass	AV	7.31204G	39.75	54.00	-14.25	3	Vertical	124	1.20
2437MHz	Pass	PK	4.8816G	44.60	74.00	-29.40	3	Vertical	327	1.39
2437MHz	Pass	PK	7.31188G	51.64	74.00	-22.36	3	Vertical	124	1.20
2437MHz	Pass	AV	4.87588G	36.45	54.00	-17.55	3	Horizontal	359	1.50
2437MHz	Pass	AV	7.31168G	39.95	54.00	-14.05	3	Horizontal	213	2.20
2437MHz	Pass	PK	4.87076G	48.42	74.00	-25.58	3	Horizontal	359	1.50
2437MHz	Pass	PK	7.31216G	51.15	74.00	-22.85	3	Horizontal	213	2.20
2457MHz	Pass	AV	2.4622G	100.47	Inf	-Inf	3	Vertical	2	3.00
2457MHz	Pass	AV	2.4846G	51.05	54.00	-2.95	3	Vertical	2	3.00
2457MHz	Pass	PK	2.46G	112.67	Inf	-Inf	3	Vertical	2	3.00
2457MHz	Pass	PK	2.4896G	69.01	74.00	-4.99	3	Vertical	2	3.00
2457MHz	Pass	AV	2.4528G	105.75	Inf	-Inf	3	Horizontal	55	2.25
2457MHz	Pass	AV	2.485G	53.22	54.00	-0.78	3	Horizontal	55	2.25
2457MHz	Pass	PK	2.4504G	116.63	Inf	-Inf	3	Horizontal	55	2.25
2457MHz	Pass	PK	2.4874G	71.15	74.00	-2.85	3	Horizontal	55	2.25
2462MHz	Pass	AV	2.465G	97.63	Inf	-Inf	3	Vertical	1	3.00
2462MHz	Pass	AV	2.4848G	47.58	54.00	-6.42	3	Vertical	1	3.00
2462MHz	Pass	PK	2.4648G	110.30	Inf	-Inf	3	Vertical	1	3.00
2462MHz	Pass	PK	2.4846G	70.86	74.00	-3.14	3	Vertical	1	3.00
2462MHz	Pass	AV	2.4554G	102.34	Inf	-Inf	3	Horizontal	58	2.29
2462MHz	Pass	AV	2.4835G	49.31	54.00	-4.69	3	Horizontal	58	2.29
2462MHz	Pass	PK	2.4552G	113.95	Inf	-Inf	3	Horizontal	58	2.29
2462MHz	Pass	PK	2.4854G	73.05	74.00	-0.95	3	Horizontal	58	2.29
2462MHz	Pass	AV	4.92416G	34.79	54.00	-19.21	3	Vertical	157	1.59
2462MHz	Pass	AV	7.38932G	37.35	54.00	-16.65	3	Vertical	260	1.73
2462MHz	Pass	PK	4.92796G	46.58	74.00	-27.42	3	Vertical	157	1.59
2462MHz	Pass	PK	7.38464G	50.06	74.00	-23.94	3	Vertical	260	1.73
2462MHz	Pass	AV	4.92168G	33.28	54.00	-20.72	3	Horizontal	125	2.82
2462MHz	Pass	AV	7.38956G	38.09	54.00	-15.91	3	Horizontal	196	1.27
2462MHz	Pass	PK	4.9254G	44.97	74.00	-29.03	3	Horizontal	125	2.82
2462MHz	Pass	PK	7.38272G	49.09	74.00	-24.91	3	Horizontal	196	1.27
802.11ax HEW40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.388G	49.41	54.00	-4.59	3	Vertical	360	2.88




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2422MHz	Pass	AV	2.4208G	96.59	Inf	-Inf	3	Vertical	360	2.88
2422MHz	Pass	AV	2.5G	47.49	54.00	-6.51	3	Vertical	360	2.88
2422MHz	Pass	PK	2.3804G	59.42	74.00	-14.58	3	Vertical	360	2.88
2422MHz	Pass	PK	2.4232G	106.83	Inf	-Inf	3	Vertical	360	2.88
2422MHz	Pass	PK	2.494G	57.88	74.00	-16.12	3	Vertical	360	2.88
2422MHz	Pass	AV	2.386G	53.79	54.00	-0.21	3	Horizontal	51	1.25
2422MHz	Pass	AV	2.4084G	100.63	Inf	-Inf	3	Horizontal	51	1.25
2422MHz	Pass	AV	2.486G	47.98	54.00	-6.02	3	Horizontal	51	1.25
2422MHz	Pass	PK	2.3856G	65.02	74.00	-8.98	3	Horizontal	51	1.25
2422MHz	Pass	PK	2.4084G	112.24	Inf	-Inf	3	Horizontal	51	1.25
2422MHz	Pass	PK	2.4835G	57.87	74.00	-16.13	3	Horizontal	51	1.25
2422MHz	Pass	AV	4.848G	35.00	54.00	-19.00	3	Vertical	156	2.22
2422MHz	Pass	AV	7.28248G	38.81	54.00	-15.19	3	Vertical	150	1.80
2422MHz	Pass	PK	4.84208G	46.10	74.00	-27.90	3	Vertical	156	2.22
2422MHz	Pass	PK	7.25256G	48.87	74.00	-25.13	3	Vertical	150	1.80
2422MHz	Pass	AV	4.84384G	35.16	54.00	-18.84	3	Horizontal	94	2.00
2422MHz	Pass	AV	7.26696G	38.82	54.00	-15.18	3	Horizontal	188	2.64
2422MHz	Pass	PK	4.83408G	45.17	74.00	-28.83	3	Horizontal	94	2.00
2422MHz	Pass	PK	7.27136G	49.80	74.00	-24.20	3	Horizontal	188	2.64
2427MHz	Pass	AV	2.3858G	49.56	54.00	-4.44	3	Vertical	1	2.88
2427MHz	Pass	AV	2.421G	97.52	Inf	-Inf	3	Vertical	1	2.88
2427MHz	Pass	AV	2.4934G	47.73	54.00	-6.27	3	Vertical	1	2.88
2427MHz	Pass	PK	2.3898G	62.00	74.00	-12.00	3	Vertical	1	2.88
2427MHz	Pass	PK	2.4238G	107.84	Inf	-Inf	3	Vertical	1	2.88
2427MHz	Pass	PK	2.4918G	58.15	74.00	-15.85	3	Vertical	1	2.88
2427MHz	Pass	AV	2.3882G	53.78	54.00	-0.22	3	Horizontal	51	1.01
2427MHz	Pass	AV	2.411G	101.07	Inf	-Inf	3	Horizontal	51	1.01
2427MHz	Pass	AV	2.4858G	47.93	54.00	-6.07	3	Horizontal	51	1.01
2427MHz	Pass	PK	2.3886G	69.48	74.00	-4.52	3	Horizontal	51	1.01
2427MHz	Pass	PK	2.4162G	111.40	Inf	-Inf	3	Horizontal	51	1.01
2427MHz	Pass	PK	2.4946G	58.07	74.00	-15.93	3	Horizontal	51	1.01
2437MHz	Pass	AV	2.389G	49.29	54.00	-4.71	3	Vertical	4	2.91
2437MHz	Pass	AV	2.4294G	97.62	Inf	-Inf	3	Vertical	4	2.91
2437MHz	Pass	AV	2.4842G	48.34	54.00	-5.66	3	Vertical	4	2.91
2437MHz	Pass	PK	2.389G	61.87	74.00	-12.13	3	Vertical	4	2.91
2437MHz	Pass	PK	2.4246G	107.95	Inf	-Inf	3	Vertical	4	2.91
2437MHz	Pass	PK	2.4846G	59.15	74.00	-14.85	3	Vertical	4	2.91
2437MHz	Pass	AV	2.3894G	53.39	54.00	-0.61	3	Horizontal	50	1.48
2437MHz	Pass	AV	2.4298G	101.12	Inf	-Inf	3	Horizontal	50	1.48
2437MHz	Pass	AV	2.485G	48.96	54.00	-5.04	3	Horizontal	50	1.48
2437MHz	Pass	PK	2.389G	66.86	74.00	-7.14	3	Horizontal	50	1.48
2437MHz	Pass	PK	2.4194G	111.73	Inf	-Inf	3	Horizontal	50	1.48
2437MHz	Pass	PK	2.4874G	60.85	74.00	-13.15	3	Horizontal	50	1.48
2437MHz	Pass	AV	4.894G	34.36	54.00	-19.64	3	Vertical	238	1.74
2437MHz	Pass	AV	7.29188G	38.59	54.00	-15.41	3	Vertical	269	2.40
2437MHz	Pass	PK	4.8932G	45.41	74.00	-28.59	3	Vertical	238	1.74
2437MHz	Pass	PK	7.30804G	49.33	74.00	-24.67	3	Vertical	269	2.40
2437MHz	Pass	AV	4.894G	35.77	54.00	-18.23	3	Horizontal	288	2.58
2437MHz	Pass	AV	7.29572G	38.76	54.00	-15.24	3	Horizontal	159	1.83
2437MHz	Pass	PK	4.89344G	45.90	74.00	-28.10	3	Horizontal	288	2.58
2437MHz	Pass	PK	7.30068G	48.89	74.00	-25.11	3	Horizontal	159	1.83
2452MHz	Pass	AV	2.3856G	47.60	54.00	-6.40	3	Vertical	12	2.92
2452MHz	Pass	AV	2.436G	96.73	Inf	-Inf	3	Vertical	12	2.92
2452MHz	Pass	AV	2.4856G	51.50	54.00	-2.50	3	Vertical	12	2.92
2452MHz	Pass	PK	2.3728G	58.01	74.00	-15.99	3	Vertical	12	2.92
2452MHz	Pass	PK	2.4508G	106.13	Inf	-Inf	3	Vertical	12	2.92
2452MHz	Pass	PK	2.4856G	63.47	74.00	-10.53	3	Vertical	12	2.92
2452MHz	Pass	AV	2.3888G	50.22	54.00	-3.78	3	Horizontal	49	1.40
2452MHz	Pass	AV	2.4388G	101.22	Inf	-Inf	3	Horizontal	49	1.40
2452MHz	Pass	AV	2.4835G	53.62	54.00	-0.38	3	Horizontal	49	1.40
2452MHz	Pass	PK	2.388G	60.69	74.00	-13.31	3	Horizontal	49	1.40
2452MHz	Pass	PK	2.4488G	111.41	Inf	-Inf	3	Horizontal	49	1.40



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2452MHz	Pass	PK	2.486G	67.25	74.00	-6.75	3	Horizontal	49	1.40
2452MHz	Pass	AV	4.90216G	35.43	54.00	-18.57	3	Vertical	139	2.94
2452MHz	Pass	AV	7.33776G	38.61	54.00	-15.39	3	Vertical	61	1.67
2452MHz	Pass	PK	4.89696G	45.94	74.00	-28.06	3	Vertical	139	2.94
2452MHz	Pass	PK	7.344G	49.02	74.00	-24.98	3	Vertical	61	1.67
2452MHz	Pass	AV	4.90608G	36.56	54.00	-17.44	3	Horizontal	354	1.70
2452MHz	Pass	AV	7.34536G	38.76	54.00	-15.24	3	Horizontal	44	2.49
2452MHz	Pass	PK	4.90256G	47.52	74.00	-26.48	3	Horizontal	354	1.70
2452MHz	Pass	PK	7.35224G	49.26	74.00	-24.74	3	Horizontal	44	2.49

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.74	54.00	-7.26	31.60	3	Vertical	8	2.95	15.14	27.44	4.16	-
AV	2.4112G	105.79	Inf	-Inf	31.70	3	Vertical	8	2.95	74.09	27.52	4.18	-
PK	2.382G	57.74	74.00	-16.26	31.54	3	Vertical	8	2.95	26.20	27.39	4.15	-
PK	2.4112G	107.78	Inf	-Inf	31.70	3	Vertical	8	2.95	76.08	27.52	4.18	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.21	54.00	-3.79	31.60	3	Horizontal	43	2.13	18.61	27.44	4.16	-
AV	2.4112G	110.33	Inf	-Inf	31.70	3	Horizontal	43	2.13	78.63	27.52	4.18	-
PK	2.3792G	61.04	74.00	-12.96	31.53	3	Horizontal	43	2.13	29.51	27.38	4.15	-
PK	2.4112G	112.54	Inf	-Inf	31.70	3	Horizontal	43	2.13	80.84	27.52	4.18	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	46.69	54.00	-7.31	3.47	3	Vertical	8	1.54	43.22	32.44	5.68	34.65
PK	4.82382G	51.33	74.00	-22.67	3.47	3	Vertical	8	1.54	47.86	32.44	5.68	34.65

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	48.16	54.00	-5.84	3.47	3	Horizontal	3	1.50	44.69	32.44	5.68	34.65
PK	4.82394G	52.11	74.00	-21.89	3.47	3	Horizontal	3	1.50	48.64	32.44	5.68	34.65



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.01	54.00	-7.99	31.60	3	Vertical	22	2.91	14.41	27.44	4.16	-
AV	2.4362G	104.12	Inf	-Inf	31.76	3	Vertical	22	2.91	72.36	27.57	4.19	-
AV	2.4958G	45.93	54.00	-8.07	32.10	3	Vertical	22	2.91	13.83	27.87	4.23	-
PK	2.3718G	57.29	74.00	-16.71	31.47	3	Vertical	22	2.91	25.82	27.33	4.14	-
PK	2.4362G	106.09	Inf	-Inf	31.76	3	Vertical	22	2.91	74.33	27.57	4.19	-
PK	2.4954G	57.43	74.00	-16.57	32.10	3	Vertical	22	2.91	25.33	27.87	4.23	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	48.06	54.00	-5.94	31.60	3	Horizontal	45	2.36	16.46	27.44	4.16	-
AV	2.4378G	108.67	Inf	-Inf	31.77	3	Horizontal	45	2.36	76.90	27.58	4.19	-
AV	2.485G	46.44	54.00	-7.56	32.03	3	Horizontal	45	2.36	14.41	27.81	4.22	-
PK	2.3774G	59.44	74.00	-14.56	31.51	3	Horizontal	45	2.36	27.93	27.36	4.15	-
PK	2.4362G	111.38	Inf	-Inf	31.76	3	Horizontal	45	2.36	79.62	27.57	4.19	-
PK	2.4926G	57.79	74.00	-16.21	32.09	3	Horizontal	45	2.36	25.70	27.86	4.23	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	48.27	54.00	-5.73	3.76	3	Vertical	0	1.74	44.51	32.70	5.71	34.65
AV	7.31022G	47.32	54.00	-6.68	8.78	3	Vertical	299	1.89	38.54	36.74	6.82	34.78
PK	4.87382G	51.28	74.00	-22.72	3.76	3	Vertical	0	1.74	47.52	32.70	5.71	34.65
PK	7.31172G	54.32	74.00	-19.68	8.77	3	Vertical	299	1.89	45.55	36.73	6.82	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	50.44	54.00	-3.56	3.76	3	Horizontal	360	1.81	46.68	32.70	5.71	34.65
AV	7.31016G	45.45	54.00	-8.55	8.78	3	Horizontal	71	1.50	36.67	36.74	6.82	34.78
PK	4.87406G	53.64	74.00	-20.36	3.76	3	Horizontal	360	1.81	49.88	32.70	5.71	34.65
PK	7.31052G	52.56	74.00	-21.44	8.78	3	Horizontal	71	1.50	43.78	36.74	6.82	34.78



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	105.14	Inf	-Inf	31.88	3	Vertical	341	2.87	73.26	27.67	4.21	-
AV	2.4882G	46.95	54.00	-7.05	32.05	3	Vertical	341	2.87	14.90	27.83	4.22	-
PK	2.461G	107.37	Inf	-Inf	31.88	3	Vertical	341	2.87	75.49	27.67	4.21	-
PK	2.4882G	58.85	74.00	-15.15	32.05	3	Vertical	341	2.87	26.80	27.83	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	107.86	Inf	-Inf	31.88	3	Horizontal	47	2.30	75.98	27.67	4.21	-
AV	2.4836G	47.67	54.00	-6.33	32.02	3	Horizontal	47	2.30	15.65	27.80	4.22	-
PK	2.4612G	110.10	Inf	-Inf	31.88	3	Horizontal	47	2.30	78.22	27.67	4.21	-
PK	2.4902G	58.97	74.00	-15.03	32.06	3	Horizontal	47	2.30	26.91	27.84	4.22	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	51.39	54.00	-2.61	3.99	3	Vertical	359	1.81	47.40	32.90	5.74	34.65
AV	7.3851G	49.48	54.00	-4.52	8.44	3	Vertical	297	1.91	41.04	36.36	6.87	34.79
PK	4.92388G	53.41	74.00	-20.59	3.99	3	Vertical	359	1.81	49.42	32.90	5.74	34.65
PK	7.38744G	55.32	74.00	-18.68	8.43	3	Vertical	297	1.91	46.89	36.35	6.87	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	52.33	54.00	-1.67	3.99	3	Horizontal	358	1.66	48.34	32.90	5.74	34.65
AV	7.38678G	46.25	54.00	-7.75	8.43	3	Horizontal	61	1.58	37.82	36.35	6.87	34.79
PK	4.92394G	55.14	74.00	-18.86	3.99	3	Horizontal	358	1.66	51.15	32.90	5.74	34.65
PK	7.38558G	53.05	74.00	-20.95	8.44	3	Horizontal	61	1.58	44.61	36.36	6.87	34.79



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.81	54.00	-6.19	31.60	3	Vertical	9	2.95	16.21	27.44	4.16	-
AV	2.4092G	98.34	Inf	-Inf	31.70	3	Vertical	9	2.95	66.64	27.52	4.18	-
PK	2.39G	67.25	74.00	-6.75	31.60	3	Vertical	9	2.95	35.65	27.44	4.16	-
PK	2.4144G	106.66	Inf	-Inf	31.71	3	Vertical	9	2.95	74.95	27.53	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.33	54.00	-2.67	31.60	3	Horizontal	43	2.12	19.73	27.44	4.16	-
AV	2.4074G	102.93	Inf	-Inf	31.68	3	Horizontal	43	2.12	71.25	27.51	4.17	-
PK	2.3896G	73.21	74.00	-0.79	31.60	3	Horizontal	43	2.12	41.61	27.44	4.16	-
PK	2.4144G	111.23	Inf	-Inf	31.71	3	Horizontal	43	2.12	79.52	27.53	4.18	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8249G	35.74	54.00	-18.26	3.48	3	Vertical	4	1.50	32.26	32.45	5.68	34.65
PK	4.81044G	47.28	74.00	-26.72	3.38	3	Vertical	4	1.50	43.90	32.36	5.68	34.66

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82598G	37.26	54.00	-16.74	3.50	3	Horizontal	1	1.62	33.76	32.46	5.69	34.65
PK	4.827G	48.01	74.00	-25.99	3.50	3	Horizontal	1	1.62	44.51	32.46	5.69	34.65

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.61	54.00	-5.39	31.60	3	Vertical	37	2.96	17.01	27.44	4.16	-
AV	2.4122G	97.64	Inf	-Inf	31.70	3	Vertical	37	2.96	65.94	27.52	4.18	-
PK	2.386G	67.40	74.00	-6.60	31.58	3	Vertical	37	2.96	35.82	27.42	4.16	-
PK	2.4104G	105.99	Inf	-Inf	31.70	3	Vertical	37	2.96	74.29	27.52	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.14	54.00	-0.86	31.60	3	Horizontal	45	2.15	21.54	27.44	4.16	-
AV	2.4124G	103.90	Inf	-Inf	31.70	3	Horizontal	45	2.15	72.20	27.52	4.18	-
PK	2.3868G	73.66	74.00	-0.34	31.58	3	Horizontal	45	2.15	42.08	27.42	4.16	-
PK	2.4122G	112.19	Inf	-Inf	31.70	3	Horizontal	45	2.15	80.49	27.52	4.18	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	47.16	54.00	-6.84	31.58	3	Vertical	26	2.89	15.58	27.42	4.16	-
AV	2.4322G	99.20	Inf	-Inf	31.75	3	Vertical	26	2.89	67.45	27.56	4.19	-
AV	2.4986G	46.74	54.00	-7.26	32.12	3	Vertical	26	2.89	14.62	27.89	4.23	-
PK	2.3866G	58.14	74.00	-15.86	31.58	3	Vertical	26	2.89	26.56	27.42	4.16	-
PK	2.4306G	107.59	Inf	-Inf	31.75	3	Vertical	26	2.89	75.84	27.56	4.19	-
PK	2.4966G	58.58	74.00	-15.42	32.11	3	Vertical	26	2.89	26.47	27.88	4.23	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.92	54.00	-4.08	31.60	3	Horizontal	49	2.36	18.32	27.44	4.16	-
AV	2.4406G	103.64	Inf	-Inf	31.77	3	Horizontal	49	2.36	71.87	27.58	4.19	-
AV	2.4835G	47.59	54.00	-6.41	32.02	3	Horizontal	49	2.36	15.57	27.80	4.22	-
PK	2.3874G	61.28	74.00	-12.72	31.58	3	Horizontal	49	2.36	29.70	27.42	4.16	-
PK	2.4394G	112.18	Inf	-Inf	31.77	3	Horizontal	49	2.36	80.41	27.58	4.19	-
PK	2.491G	58.55	74.00	-15.45	32.07	3	Horizontal	49	2.36	26.48	27.85	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8758G	37.44	54.00	-16.56	3.77	3	Vertical	5	1.74	33.67	32.70	5.72	34.65
AV	7.31142G	43.34	54.00	-10.66	8.77	3	Vertical	292	1.83	34.57	36.73	6.82	34.78
PK	4.88162G	46.10	74.00	-27.90	3.80	3	Vertical	5	1.74	42.30	32.73	5.72	34.65
PK	7.31232G	56.84	74.00	-17.16	8.77	3	Vertical	292	1.83	48.07	36.73	6.82	34.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87566G	38.35	54.00	-15.65	3.77	3	Horizontal	0	1.46	34.58	32.70	5.72	34.65
AV	7.3122G	42.59	54.00	-11.41	8.77	3	Horizontal	68	2.92	33.82	36.73	6.82	34.78
PK	4.87376G	50.26	74.00	-23.74	3.76	3	Horizontal	0	1.46	46.50	32.70	5.71	34.65
PK	7.31262G	55.80	74.00	-18.20	8.76	3	Horizontal	68	2.92	47.04	36.72	6.82	34.78



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




06/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	100.05	Inf	-Inf	31.86	3	Vertical	344	2.86	68.19	27.65	4.21	-
AV	2.4835G	52.87	54.00	-1.13	32.02	3	Vertical	344	2.86	20.85	27.80	4.22	-
PK	2.4594G	108.71	Inf	-Inf	31.87	3	Vertical	344	2.86	76.84	27.66	4.21	-
PK	2.4836G	69.13	74.00	-4.87	32.02	3	Vertical	344	2.86	37.11	27.80	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




06/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4522G	103.53	Inf	-Inf	31.81	3	Horizontal	48	2.38	71.72	27.61	4.20	-
AV	2.4836G	53.70	54.00	-0.30	32.02	3	Horizontal	48	2.38	21.68	27.80	4.22	-
PK	2.4522G	112.38	Inf	-Inf	31.81	3	Horizontal	48	2.38	80.57	27.61	4.20	-
PK	2.4838G	69.86	74.00	-4.14	32.02	3	Horizontal	48	2.38	37.84	27.80	4.22	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX



Legend for plot:


- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Red line)
- AV (Blue line)

06/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4574G	98.46	Inf	-Inf	31.84	3	Vertical	345	2.86	66.62	27.64	4.20	-
AV	2.4835G	50.00	54.00	-4.00	32.02	3	Vertical	345	2.86	17.98	27.80	4.22	-
PK	2.4572G	106.85	Inf	-Inf	31.84	3	Vertical	345	2.86	75.01	27.64	4.20	-
PK	2.4842G	71.51	74.00	-2.49	32.03	3	Vertical	345	2.86	39.48	27.81	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX



Legend for plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Red line)
- AV (Blue line)


06/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	101.19	Inf	-Inf	31.83	3	Horizontal	51	2.29	69.36	27.63	4.20	-
AV	2.4836G	51.32	54.00	-2.68	32.02	3	Horizontal	51	2.29	19.30	27.80	4.22	-
PK	2.4572G	109.69	Inf	-Inf	31.84	3	Horizontal	51	2.29	77.85	27.64	4.20	-
PK	2.4836G	73.39	74.00	-0.61	32.02	3	Horizontal	51	2.29	41.37	27.80	4.22	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92292G	38.62	54.00	-15.38	3.98	3	Vertical	0	1.79	34.64	32.89	5.74	34.65
AV	7.38738G	42.31	54.00	-11.69	8.43	3	Vertical	299	1.92	33.88	36.35	6.87	34.79
PK	4.92478G	47.79	74.00	-26.21	3.99	3	Vertical	0	1.79	43.80	32.90	5.74	34.65
PK	7.3872G	55.00	74.00	-19.00	8.43	3	Vertical	299	1.92	46.57	36.35	6.87	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9231G	39.07	54.00	-14.93	3.98	3	Horizontal	0	1.50	35.09	32.89	5.74	34.65
AV	7.38546G	40.74	54.00	-13.26	8.44	3	Horizontal	62	2.95	32.30	36.36	6.87	34.79
PK	4.92406G	50.23	74.00	-23.77	3.99	3	Horizontal	0	1.50	46.24	32.90	5.74	34.65
PK	7.38732G	53.79	74.00	-20.21	8.43	3	Horizontal	62	2.95	45.36	36.35	6.87	34.79



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.32	54.00	-7.68	31.60	3	Vertical	12	2.95	14.72	27.44	4.16	-
AV	2.4102G	95.47	Inf	-Inf	31.70	3	Vertical	12	2.95	63.77	27.52	4.18	-
PK	2.3894G	67.99	74.00	-6.01	31.60	3	Vertical	12	2.95	36.39	27.44	4.16	-
PK	2.4146G	107.57	Inf	-Inf	31.71	3	Vertical	12	2.95	75.86	27.53	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.26	54.00	-4.74	31.60	3	Horizontal	44	2.22	17.66	27.44	4.16	-
AV	2.4046G	100.10	Inf	-Inf	31.68	3	Horizontal	44	2.22	68.42	27.51	4.17	-
PK	2.3894G	73.55	74.00	-0.45	31.60	3	Horizontal	44	2.22	41.95	27.44	4.16	-
PK	2.4052G	111.65	Inf	-Inf	31.68	3	Horizontal	44	2.22	79.97	27.51	4.17	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82748G	34.90	54.00	-19.10	3.50	3	Vertical	1	1.49	31.40	32.46	5.69	34.65
PK	4.82388G	46.78	74.00	-27.22	3.47	3	Vertical	1	1.49	43.31	32.44	5.68	34.65

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82568G	35.40	54.00	-18.60	3.49	3	Horizontal	360	1.98	31.91	32.45	5.69	34.65
PK	4.8234G	47.80	74.00	-26.20	3.47	3	Horizontal	360	1.98	44.33	32.44	5.68	34.65



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.24	54.00	-4.76	31.60	3	Vertical	10	2.96	17.64	27.44	4.16	-
AV	2.4126G	98.39	Inf	-Inf	31.71	3	Vertical	10	2.96	66.68	27.53	4.18	-
PK	2.39G	67.31	74.00	-6.69	31.60	3	Vertical	10	2.96	35.71	27.44	4.16	-
PK	2.4198G	110.38	Inf	-Inf	31.72	3	Vertical	10	2.96	78.66	27.54	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.75	54.00	-0.25	31.60	3	Horizontal	49	2.13	22.15	27.44	4.16	-
AV	2.4156G	102.96	Inf	-Inf	31.71	3	Horizontal	49	2.13	71.25	27.53	4.18	-
PK	2.3896G	72.49	74.00	-1.51	31.60	3	Horizontal	49	2.13	40.89	27.44	4.16	-
PK	2.42G	114.99	Inf	-Inf	31.72	3	Horizontal	49	2.13	83.27	27.54	4.18	-



2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.89	54.00	-7.11	31.60	3	Vertical	26	2.90	15.29	27.44	4.16	-
AV	2.4326G	98.66	Inf	-Inf	31.76	3	Vertical	26	2.90	66.90	27.57	4.19	-
AV	2.4842G	46.14	54.00	-7.86	32.03	3	Vertical	26	2.90	14.11	27.81	4.22	-
PK	2.3898G	59.47	74.00	-14.53	31.60	3	Vertical	26	2.90	27.87	27.44	4.16	-
PK	2.4338G	110.30	Inf	-Inf	31.76	3	Vertical	26	2.90	78.54	27.57	4.19	-
PK	2.4854G	59.57	74.00	-14.43	32.03	3	Vertical	26	2.90	27.54	27.81	4.22	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.81	54.00	-4.19	31.60	3	Horizontal	55	2.33	18.21	27.44	4.16	-
AV	2.4358G	102.91	Inf	-Inf	31.76	3	Horizontal	55	2.33	71.15	27.57	4.19	-
AV	2.4838G	47.40	54.00	-6.60	32.02	3	Horizontal	55	2.33	15.38	27.80	4.22	-
PK	2.389G	62.39	74.00	-11.61	31.59	3	Horizontal	55	2.33	30.80	27.43	4.16	-
PK	2.4338G	114.15	Inf	-Inf	31.76	3	Horizontal	55	2.33	82.39	27.57	4.19	-
PK	2.485G	62.90	74.00	-11.10	32.03	3	Horizontal	55	2.33	30.87	27.81	4.22	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87544G	36.03	54.00	-17.97	3.77	3	Vertical	11	1.50	32.26	32.70	5.72	34.65
AV	7.31178G	42.79	54.00	-11.21	8.77	3	Vertical	295	1.90	34.02	36.73	6.82	34.78
PK	4.88156G	45.36	74.00	-28.64	3.80	3	Vertical	11	1.50	41.56	32.73	5.72	34.65
PK	7.3023G	56.52	74.00	-17.48	8.83	3	Vertical	295	1.90	47.69	36.79	6.82	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.877G	37.21	54.00	-16.79	3.78	3	Horizontal	358	1.50	33.43	32.71	5.72	34.65
AV	7.31058G	41.99	54.00	-12.01	8.78	3	Horizontal	78	2.32	33.21	36.74	6.82	34.78
PK	4.87652G	49.67	74.00	-24.33	3.78	3	Horizontal	358	1.50	45.89	32.71	5.72	34.65
PK	7.3185G	54.65	74.00	-19.35	8.74	3	Horizontal	78	2.32	45.91	36.69	6.83	34.78



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4598G	98.60	Inf	-Inf	31.87	3	Vertical	345	2.87	66.73	27.66	4.21	-
AV	2.4835G	52.28	54.00	-1.72	32.02	3	Vertical	345	2.87	20.26	27.80	4.22	-
PK	2.4598G	110.40	Inf	-Inf	31.87	3	Vertical	345	2.87	78.53	27.66	4.21	-
PK	2.4862G	69.59	74.00	-4.41	32.04	3	Vertical	345	2.87	37.55	27.82	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4518G	102.05	Inf	-Inf	31.81	3	Horizontal	49	2.38	70.24	27.61	4.20	-
AV	2.4835G	53.28	54.00	-0.72	32.02	3	Horizontal	49	2.38	21.26	27.80	4.22	-
PK	2.454G	113.39	Inf	-Inf	31.82	3	Horizontal	49	2.38	81.57	27.62	4.20	-
PK	2.4864G	69.68	74.00	-4.32	32.04	3	Horizontal	49	2.38	37.64	27.82	4.22	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4598G	96.94	Inf	-Inf	31.87	3	Vertical	344	2.87	65.07	27.66	4.21	-
AV	2.4835G	49.56	54.00	-4.44	32.02	3	Vertical	344	2.87	17.54	27.80	4.22	-
PK	2.4652G	108.75	Inf	-Inf	31.90	3	Vertical	344	2.87	76.85	27.69	4.21	-
PK	2.4835G	72.99	74.00	-1.01	32.02	3	Vertical	344	2.87	40.97	27.80	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4548G	99.61	Inf	-Inf	31.83	3	Horizontal	49	2.08	67.78	27.63	4.20	-
AV	2.4835G	50.61	54.00	-3.39	32.02	3	Horizontal	49	2.08	18.59	27.80	4.22	-
PK	2.4588G	110.88	Inf	-Inf	31.86	3	Horizontal	49	2.08	79.02	27.65	4.21	-
PK	2.4836G	73.79	74.00	-0.21	32.02	3	Horizontal	49	2.08	41.77	27.80	4.22	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9228G	37.38	54.00	-16.62	3.98	3	Vertical	358	1.81	33.40	32.89	5.74	34.65
AV	7.3857G	40.40	54.00	-13.60	8.44	3	Vertical	292	1.95	31.96	36.36	6.87	34.79
PK	4.93282G	46.82	74.00	-27.18	4.03	3	Vertical	358	1.81	42.79	32.93	5.75	34.65
PK	7.3905G	54.14	74.00	-19.86	8.42	3	Vertical	292	1.95	45.72	36.34	6.87	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92268G	37.73	54.00	-16.27	3.98	3	Horizontal	0	1.50	33.75	32.89	5.74	34.65
AV	7.38558G	39.19	54.00	-14.81	8.44	3	Horizontal	60	2.97	30.75	36.36	6.87	34.79
PK	4.92052G	50.22	74.00	-23.78	3.97	3	Horizontal	0	1.50	46.25	32.88	5.74	34.65
PK	7.38942G	52.15	74.00	-21.85	8.42	3	Horizontal	60	2.97	43.73	36.34	6.87	34.79



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3868G	48.85	54.00	-5.15	31.58	3	Vertical	38	2.95	17.27	27.42	4.16	-
AV	2.4084G	91.50	Inf	-Inf	31.70	3	Vertical	38	2.95	59.80	27.52	4.18	-
AV	2.4868G	47.14	54.00	-6.86	32.04	3	Vertical	38	2.95	15.10	27.82	4.22	-
PK	2.3876G	60.56	74.00	-13.44	31.59	3	Vertical	38	2.95	28.97	27.43	4.16	-
PK	2.4096G	101.81	Inf	-Inf	31.70	3	Vertical	38	2.95	70.11	27.52	4.18	-
PK	2.494G	58.47	74.00	-15.53	32.09	3	Vertical	38	2.95	26.38	27.86	4.23	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	53.05	54.00	-0.95	31.59	3	Horizontal	48	2.14	21.46	27.43	4.16	-
AV	2.4164G	97.76	Inf	-Inf	31.71	3	Horizontal	48	2.14	66.05	27.53	4.18	-
AV	2.4856G	47.75	54.00	-6.25	32.03	3	Horizontal	48	2.14	15.72	27.81	4.22	-
PK	2.388G	67.99	74.00	-6.01	31.59	3	Horizontal	48	2.14	36.40	27.43	4.16	-
PK	2.4188G	108.42	Inf	-Inf	31.72	3	Horizontal	48	2.14	76.70	27.54	4.18	-
PK	2.488G	58.23	74.00	-15.77	32.05	3	Horizontal	48	2.14	26.18	27.83	4.22	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85252G	35.25	54.00	-18.75	3.66	3	Vertical	0	1.74	31.59	32.61	5.70	34.65
AV	7.25112G	39.01	54.00	-14.99	8.81	3	Vertical	6	1.80	30.20	36.80	6.78	34.77
PK	4.862G	44.43	74.00	-29.57	3.71	3	Vertical	0	1.74	40.72	32.65	5.71	34.65
PK	7.2564G	49.30	74.00	-24.70	8.82	3	Vertical	6	1.80	40.48	36.80	6.79	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.844G	35.74	54.00	-18.26	3.61	3	Horizontal	357	1.50	32.13	32.56	5.70	34.65
AV	7.25664G	39.44	54.00	-14.56	8.82	3	Horizontal	101	1.50	30.62	36.80	6.79	34.77
PK	4.84712G	46.28	74.00	-27.72	3.63	3	Horizontal	357	1.50	42.65	32.58	5.70	34.65
PK	7.28208G	50.08	74.00	-23.92	8.83	3	Horizontal	101	1.50	41.25	36.80	6.80	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	49.43	54.00	-4.57	31.59	3	Vertical	29	2.96	17.84	27.43	4.16	-
AV	2.4198G	92.36	Inf	-Inf	31.72	3	Vertical	29	2.96	60.64	27.54	4.18	-
AV	2.4954G	47.44	54.00	-6.56	32.10	3	Vertical	29	2.96	15.34	27.87	4.23	-
PK	2.3886G	61.19	74.00	-12.81	31.59	3	Vertical	29	2.96	29.60	27.43	4.16	-
PK	2.4134G	103.87	Inf	-Inf	31.71	3	Vertical	29	2.96	72.16	27.53	4.18	-
PK	2.4914G	57.97	74.00	-16.03	32.07	3	Vertical	29	2.96	25.90	27.85	4.22	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.46	54.00	-0.54	31.60	3	Horizontal	49	2.14	21.86	27.44	4.16	-
AV	2.4138G	97.91	Inf	-Inf	31.71	3	Horizontal	49	2.14	66.20	27.53	4.18	-
AV	2.4835G	47.67	54.00	-6.33	32.02	3	Horizontal	49	2.14	15.65	27.80	4.22	-
PK	2.3866G	65.71	74.00	-8.29	31.58	3	Horizontal	49	2.14	34.13	27.42	4.16	-
PK	2.4146G	108.49	Inf	-Inf	31.71	3	Horizontal	49	2.14	76.78	27.53	4.18	-
PK	2.4862G	57.88	74.00	-16.12	32.04	3	Horizontal	49	2.14	25.84	27.82	4.22	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.43	54.00	-3.57	31.60	3	Vertical	24	2.98	18.83	27.44	4.16	-
AV	2.4234G	93.26	Inf	-Inf	31.73	3	Vertical	24	2.98	61.53	27.55	4.18	-
AV	2.4862G	47.85	54.00	-6.15	32.04	3	Vertical	24	2.98	15.81	27.82	4.22	-
PK	2.3886G	61.28	74.00	-12.72	31.59	3	Vertical	24	2.98	29.69	27.43	4.16	-
PK	2.4246G	103.46	Inf	-Inf	31.73	3	Vertical	24	2.98	71.73	27.55	4.18	-
PK	2.491G	58.40	74.00	-15.60	32.07	3	Vertical	24	2.98	26.33	27.85	4.22	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.73	54.00	-0.27	31.60	3	Horizontal	47	2.14	22.13	27.44	4.16	-
AV	2.4198G	98.37	Inf	-Inf	31.72	3	Horizontal	47	2.14	66.65	27.54	4.18	-
AV	2.4838G	49.35	54.00	-4.65	32.02	3	Horizontal	47	2.14	17.33	27.80	4.22	-
PK	2.3898G	66.04	74.00	-7.96	31.60	3	Horizontal	47	2.14	34.44	27.44	4.16	-
PK	2.4246G	108.62	Inf	-Inf	31.73	3	Horizontal	47	2.14	76.89	27.55	4.18	-
PK	2.489G	60.64	74.00	-13.36	32.05	3	Horizontal	47	2.14	28.59	27.83	4.22	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89176G	35.78	54.00	-18.22	3.85	3	Vertical	1	1.66	31.93	32.77	5.73	34.65
AV	7.32204G	40.04	54.00	-13.96	8.72	3	Vertical	295	1.95	31.32	36.67	6.83	34.78
PK	4.89584G	44.45	74.00	-29.55	3.86	3	Vertical	1	1.66	40.59	32.78	5.73	34.65
PK	7.30776G	50.11	74.00	-23.89	8.79	3	Vertical	295	1.95	41.32	36.75	6.82	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87832G	36.46	54.00	-17.54	3.78	3	Horizontal	360	1.50	32.68	32.71	5.72	34.65
AV	7.2852G	39.20	54.00	-14.80	8.84	3	Horizontal	103	1.50	30.36	36.80	6.81	34.77
PK	4.8662G	46.25	74.00	-27.75	3.72	3	Horizontal	360	1.50	42.53	32.66	5.71	34.65
PK	7.32552G	50.18	74.00	-23.82	8.70	3	Horizontal	103	1.50	41.48	36.65	6.83	34.78



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	47.83	54.00	-6.17	31.59	3	Vertical	22	2.90	16.24	27.43	4.16	-
AV	2.434G	92.87	Inf	-Inf	31.76	3	Vertical	22	2.90	61.11	27.57	4.19	-
AV	2.4856G	49.87	54.00	-4.13	32.03	3	Vertical	22	2.90	17.84	27.81	4.22	-
PK	2.3816G	57.87	74.00	-16.13	31.54	3	Vertical	22	2.90	26.33	27.39	4.15	-
PK	2.4396G	102.84	Inf	-Inf	31.77	3	Vertical	22	2.90	71.07	27.58	4.19	-
PK	2.484G	63.24	74.00	-10.76	32.02	3	Vertical	22	2.90	31.22	27.80	4.22	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	50.10	54.00	-3.90	31.60	3	Horizontal	47	2.37	18.50	27.44	4.16	-
AV	2.4464G	98.33	Inf	-Inf	31.79	3	Horizontal	47	2.37	66.54	27.59	4.20	-
AV	2.4868G	53.47	54.00	-0.53	32.04	3	Horizontal	47	2.37	21.43	27.82	4.22	-
PK	2.388G	60.69	74.00	-13.31	31.59	3	Horizontal	47	2.37	29.10	27.43	4.16	-
PK	2.4488G	109.03	Inf	-Inf	31.80	3	Horizontal	47	2.37	77.23	27.60	4.20	-
PK	2.4848G	66.51	74.00	-7.49	32.03	3	Horizontal	47	2.37	34.48	27.81	4.22	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9052G	36.49	54.00	-17.51	3.90	3	Vertical	0	1.73	32.59	32.82	5.73	34.65
AV	7.35696G	42.47	54.00	-11.53	8.54	3	Vertical	295	1.93	33.93	36.47	6.85	34.78
PK	4.89296G	46.36	74.00	-27.64	3.85	3	Vertical	0	1.73	42.51	32.77	5.73	34.65
PK	7.35204G	54.33	74.00	-19.67	8.56	3	Vertical	295	1.93	45.77	36.49	6.85	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9028G	37.10	54.00	-16.90	3.89	3	Horizontal	0	1.58	33.21	32.81	5.73	34.65
AV	7.3518G	41.12	54.00	-12.88	8.56	3	Horizontal	65	1.65	32.56	36.49	6.85	34.78
PK	4.89908G	48.51	74.00	-25.49	3.88	3	Horizontal	0	1.58	44.63	32.80	5.73	34.65
PK	7.35408G	52.99	74.00	-21.01	8.55	3	Horizontal	65	1.65	44.44	36.48	6.85	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3852G	46.10	54.00	-7.90	31.57	3	Vertical	1	1.18	14.53	27.41	4.16	-
AV	2.4112G	106.44	Inf	-Inf	31.70	3	Vertical	1	1.18	74.74	27.52	4.18	-
PK	2.3848G	57.46	74.00	-16.54	31.57	3	Vertical	1	1.18	25.89	27.41	4.16	-
PK	2.4112G	108.49	Inf	-Inf	31.70	3	Vertical	1	1.18	76.79	27.52	4.18	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3852G	49.81	54.00	-4.19	31.57	3	Horizontal	333	2.50	18.24	27.41	4.16	-
AV	2.4112G	110.83	Inf	-Inf	31.70	3	Horizontal	333	2.50	79.13	27.52	4.18	-
PK	2.3852G	59.86	74.00	-14.14	31.57	3	Horizontal	333	2.50	28.29	27.41	4.16	-
PK	2.411G	112.83	Inf	-Inf	31.70	3	Horizontal	333	2.50	81.13	27.52	4.18	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82404G	45.97	54.00	-8.03	3.47	3	Vertical	0	1.55	42.50	32.44	5.68	34.65
PK	4.82412G	49.12	74.00	-24.88	3.47	3	Vertical	0	1.55	45.65	32.44	5.68	34.65

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82404G	48.72	54.00	-5.28	3.47	3	Horizontal	356	1.49	45.25	32.44	5.68	34.65
PK	4.824G	51.48	74.00	-22.52	3.47	3	Horizontal	356	1.49	48.01	32.44	5.68	34.65

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	45.17	54.00	-8.83	31.59	3	Vertical	360	1.36	13.58	27.43	4.16	-
AV	2.4378G	105.80	Inf	-Inf	31.77	3	Vertical	360	1.36	74.03	27.58	4.19	-
AV	2.4835G	46.00	54.00	-8.00	32.02	3	Vertical	360	1.36	13.98	27.80	4.22	-
PK	2.3586G	56.92	74.00	-17.08	31.38	3	Vertical	360	1.36	25.54	27.25	4.13	-
PK	2.4378G	108.04	Inf	-Inf	31.77	3	Vertical	360	1.36	76.27	27.58	4.19	-
PK	2.4942G	57.47	74.00	-16.53	32.10	3	Vertical	360	1.36	25.37	27.87	4.23	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	47.60	54.00	-6.40	31.59	3	Horizontal	65	2.58	16.01	27.43	4.16	-
AV	2.4362G	111.40	Inf	-Inf	31.76	3	Horizontal	65	2.58	79.64	27.57	4.19	-
AV	2.485G	46.77	54.00	-7.23	32.03	3	Horizontal	65	2.58	14.74	27.81	4.22	-
PK	2.3822G	59.33	74.00	-14.67	31.54	3	Horizontal	65	2.58	27.79	27.39	4.15	-
PK	2.4378G	113.65	Inf	-Inf	31.77	3	Horizontal	65	2.58	81.88	27.58	4.19	-
PK	2.4886G	58.60	74.00	-15.40	32.05	3	Horizontal	65	2.58	26.55	27.83	4.22	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	48.72	54.00	-5.28	3.76	3	Vertical	0	1.50	44.96	32.70	5.71	34.65
AV	7.31172G	47.47	54.00	-6.53	8.77	3	Vertical	20	1.71	38.70	36.73	6.82	34.78
PK	4.87394G	50.91	74.00	-23.09	3.76	3	Vertical	0	1.50	47.15	32.70	5.71	34.65
PK	7.31034G	53.66	74.00	-20.34	8.78	3	Vertical	20	1.71	44.88	36.74	6.82	34.78

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	51.12	54.00	-2.88	3.76	3	Horizontal	353	1.37	47.36	32.70	5.71	34.65
AV	7.31016G	49.42	54.00	-4.58	8.78	3	Horizontal	71	2.70	40.64	36.74	6.82	34.78
PK	4.87406G	53.81	74.00	-20.19	3.76	3	Horizontal	353	1.37	50.05	32.70	5.71	34.65
PK	7.31172G	54.90	74.00	-19.10	8.77	3	Horizontal	71	2.70	46.13	36.73	6.82	34.78



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	103.96	Inf	-Inf	31.88	3	Vertical	227	2.38	72.08	27.67	4.21	-
AV	2.4846G	46.57	54.00	-7.43	32.03	3	Vertical	227	2.38	14.54	27.81	4.22	-
PK	2.461G	106.17	Inf	-Inf	31.88	3	Vertical	227	2.38	74.29	27.67	4.21	-
PK	2.4896G	58.05	74.00	-15.95	32.06	3	Vertical	227	2.38	25.99	27.84	4.22	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	111.23	Inf	-Inf	31.88	3	Horizontal	42	1.00	79.35	27.67	4.21	-
AV	2.4848G	50.55	54.00	-3.45	32.03	3	Horizontal	42	1.00	18.52	27.81	4.22	-
PK	2.461G	113.24	Inf	-Inf	31.88	3	Horizontal	42	1.00	81.36	27.67	4.21	-
PK	2.4846G	60.76	74.00	-13.24	32.03	3	Horizontal	42	1.00	28.73	27.81	4.22	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	51.47	54.00	-2.53	3.99	3	Vertical	354	1.82	47.48	32.90	5.74	34.65
AV	7.38678G	49.21	54.00	-4.79	8.43	3	Vertical	17	1.65	40.78	36.35	6.87	34.79
PK	4.92388G	53.89	74.00	-20.11	3.99	3	Vertical	354	1.82	49.90	32.90	5.74	34.65
PK	7.38678G	54.93	74.00	-19.07	8.43	3	Vertical	17	1.65	46.50	36.35	6.87	34.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	51.98	54.00	-2.02	3.99	3	Horizontal	351	1.65	47.99	32.90	5.74	34.65
AV	7.3872G	45.63	54.00	-8.37	8.43	3	Horizontal	336	1.47	37.20	36.35	6.87	34.79
PK	4.92412G	54.70	74.00	-19.30	3.99	3	Horizontal	351	1.65	50.71	32.90	5.74	34.65
PK	7.38504G	52.67	74.00	-21.33	8.44	3	Horizontal	336	1.47	44.23	36.36	6.87	34.79



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3872G	48.64	54.00	-5.36	31.58	3	Vertical	359	2.85	17.06	27.42	4.16	-
AV	2.407G	101.47	Inf	-Inf	31.68	3	Vertical	359	2.85	69.79	27.51	4.17	-
PK	2.3872G	67.21	74.00	-6.79	31.58	3	Vertical	359	2.85	35.63	27.42	4.16	-
PK	2.417G	109.16	Inf	-Inf	31.71	3	Vertical	359	2.85	77.45	27.53	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	51.90	54.00	-2.10	31.59	3	Horizontal	44	1.26	20.31	27.43	4.16	-
AV	2.4072G	106.27	Inf	-Inf	31.68	3	Horizontal	44	1.26	74.59	27.51	4.17	-
PK	2.3884G	73.05	74.00	-0.95	31.59	3	Horizontal	44	1.26	41.46	27.43	4.16	-
PK	2.4076G	113.45	Inf	-Inf	31.69	3	Horizontal	44	1.26	81.76	27.52	4.17	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83372G	33.85	54.00	-20.15	3.54	3	Vertical	251	2.77	30.31	32.50	5.69	34.65
PK	4.83136G	45.53	74.00	-28.47	3.53	3	Vertical	251	2.77	42.00	32.49	5.69	34.65

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82324G	35.32	54.00	-18.68	3.47	3	Horizontal	44	2.47	31.85	32.44	5.68	34.65
PK	4.82588G	45.99	74.00	-28.01	3.50	3	Horizontal	44	2.47	42.49	32.46	5.69	34.65

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.98	54.00	-6.02	31.59	3	Vertical	360	2.87	16.39	27.43	4.16	-
AV	2.4196G	102.36	Inf	-Inf	31.72	3	Vertical	360	2.87	70.64	27.54	4.18	-
PK	2.3888G	66.25	74.00	-7.75	31.59	3	Vertical	360	2.87	34.66	27.43	4.16	-
PK	2.4144G	109.64	Inf	-Inf	31.71	3	Vertical	360	2.87	77.93	27.53	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	51.26	54.00	-2.74	31.60	3	Horizontal	50	1.02	19.66	27.44	4.16	-
AV	2.4096G	106.32	Inf	-Inf	31.70	3	Horizontal	50	1.02	74.62	27.52	4.18	-
PK	2.3898G	71.45	74.00	-2.55	31.60	3	Horizontal	50	1.02	39.85	27.44	4.16	-
PK	2.4096G	113.81	Inf	-Inf	31.70	3	Horizontal	50	1.02	82.11	27.52	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.78	54.00	-6.22	31.60	3	Vertical	0	2.90	16.18	27.44	4.16	-
AV	2.4298G	104.33	Inf	-Inf	31.75	3	Vertical	0	2.90	72.58	27.56	4.19	-
AV	2.4898G	47.46	54.00	-6.54	32.06	3	Vertical	0	2.90	15.40	27.84	4.22	-
PK	2.3894G	61.71	74.00	-12.29	31.60	3	Vertical	0	2.90	30.11	27.44	4.16	-
PK	2.4294G	111.95	Inf	-Inf	31.75	3	Vertical	0	2.90	80.20	27.56	4.19	-
PK	2.4962G	59.37	74.00	-14.63	32.11	3	Vertical	0	2.90	27.26	27.88	4.23	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.83	54.00	-3.17	31.60	3	Horizontal	45	1.47	19.23	27.44	4.16	-
AV	2.4302G	108.01	Inf	-Inf	31.75	3	Horizontal	45	1.47	76.26	27.56	4.19	-
AV	2.4842G	48.09	54.00	-5.91	32.03	3	Horizontal	45	1.47	16.06	27.81	4.22	-
PK	2.3894G	65.80	74.00	-8.20	31.60	3	Horizontal	45	1.47	34.20	27.44	4.16	-
PK	2.4302G	115.82	Inf	-Inf	31.75	3	Horizontal	45	1.47	84.07	27.56	4.19	-
PK	2.4854G	61.94	74.00	-12.06	32.03	3	Horizontal	45	1.47	29.91	27.81	4.22	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87868G	35.13	54.00	-18.87	3.78	3	Vertical	266	1.56	31.35	32.71	5.72	34.65
AV	7.30752G	38.28	54.00	-15.72	8.79	3	Vertical	77	1.20	29.49	36.75	6.82	34.78
PK	4.8826G	47.01	74.00	-26.99	3.80	3	Vertical	266	1.56	43.21	32.73	5.72	34.65
PK	7.30464G	48.86	74.00	-25.14	8.81	3	Vertical	77	1.20	40.05	36.77	6.82	34.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87604G	33.80	54.00	-20.20	3.77	3	Horizontal	287	2.94	30.03	32.70	5.72	34.65
AV	7.31708G	38.66	54.00	-15.34	8.75	3	Horizontal	134	2.68	29.91	36.70	6.83	34.78
PK	4.87104G	45.04	74.00	-28.96	3.74	3	Horizontal	287	2.94	41.30	32.68	5.71	34.65
PK	7.31424G	48.83	74.00	-25.17	8.75	3	Horizontal	134	2.68	40.08	36.71	6.82	34.78



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4522G	102.21	Inf	-Inf	31.81	3	Vertical	3	2.85	70.40	27.61	4.20	-
AV	2.4836G	50.11	54.00	-3.89	32.02	3	Vertical	3	2.85	18.09	27.80	4.22	-
PK	2.4526G	109.66	Inf	-Inf	31.82	3	Vertical	3	2.85	77.84	27.62	4.20	-
PK	2.4836G	68.20	74.00	-5.80	32.02	3	Vertical	3	2.85	36.18	27.80	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4532G	107.15	Inf	-Inf	31.82	3	Horizontal	54	2.24	75.33	27.62	4.20	-
AV	2.4835G	53.71	54.00	-0.29	32.02	3	Horizontal	54	2.24	21.69	27.80	4.22	-
PK	2.4532G	114.68	Inf	-Inf	31.82	3	Horizontal	54	2.24	82.86	27.62	4.20	-
PK	2.4835G	72.38	74.00	-1.62	32.02	3	Horizontal	54	2.24	40.36	27.80	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




07/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	101.58	Inf	-Inf	31.90	3	Vertical	0	3.00	69.68	27.69	4.21	-
AV	2.4846G	51.20	54.00	-2.80	32.03	3	Vertical	0	3.00	19.17	27.81	4.22	-
PK	2.46G	108.75	Inf	-Inf	31.87	3	Vertical	0	3.00	76.88	27.66	4.21	-
PK	2.4842G	72.88	74.00	-1.12	32.03	3	Vertical	0	3.00	40.85	27.81	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




07/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.456G	106.10	Inf	-Inf	31.84	3	Horizontal	58	2.28	74.26	27.64	4.20	-
AV	2.486G	52.27	54.00	-1.73	32.04	3	Horizontal	58	2.28	20.23	27.82	4.22	-
PK	2.4562G	113.47	Inf	-Inf	31.84	3	Horizontal	58	2.28	81.63	27.64	4.20	-
PK	2.4835G	72.43	74.00	-1.57	32.02	3	Horizontal	58	2.28	40.41	27.80	4.22	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92416G	35.01	54.00	-18.99	3.99	3	Vertical	254	1.91	31.02	32.90	5.74	34.65
AV	7.39164G	37.92	54.00	-16.08	8.41	3	Vertical	188	1.89	29.51	36.33	6.87	34.79
PK	4.92432G	46.43	74.00	-27.57	3.99	3	Vertical	254	1.91	42.44	32.90	5.74	34.65
PK	7.38684G	48.52	74.00	-25.48	8.43	3	Vertical	188	1.89	40.09	36.35	6.87	34.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92256G	33.95	54.00	-20.05	3.98	3	Horizontal	359	1.28	29.97	32.89	5.74	34.65
AV	7.38992G	38.56	54.00	-15.44	8.42	3	Horizontal	165	3.00	30.14	36.34	6.87	34.79
PK	4.91976G	45.82	74.00	-28.18	3.97	3	Horizontal	359	1.28	41.85	32.88	5.74	34.65
PK	7.38996G	49.35	74.00	-24.65	8.42	3	Horizontal	165	3.00	40.93	36.34	6.87	34.79



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	46.66	54.00	-7.34	31.59	3	Vertical	360	2.86	15.07	27.43	4.16	-
AV	2.4106G	98.34	Inf	-Inf	31.70	3	Vertical	360	2.86	66.64	27.52	4.18	-
PK	2.39G	68.15	74.00	-5.85	31.60	3	Vertical	360	2.86	36.55	27.44	4.16	-
PK	2.411G	109.26	Inf	-Inf	31.70	3	Vertical	360	2.86	77.56	27.52	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	49.89	54.00	-4.11	31.59	3	Horizontal	48	1.02	18.30	27.43	4.16	-
AV	2.4108G	102.82	Inf	-Inf	31.70	3	Horizontal	48	1.02	71.12	27.52	4.18	-
PK	2.3882G	73.69	74.00	-0.31	31.59	3	Horizontal	48	1.02	42.10	27.43	4.16	-
PK	2.411G	113.61	Inf	-Inf	31.70	3	Horizontal	48	1.02	81.91	27.52	4.18	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82676G	33.78	54.00	-20.22	3.50	3	Vertical	97	2.12	30.28	32.46	5.69	34.65
PK	4.8324G	45.31	74.00	-28.69	3.53	3	Vertical	97	2.12	41.78	32.49	5.69	34.65

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82904G	34.27	54.00	-19.73	3.51	3	Horizontal	223	1.58	30.76	32.47	5.69	34.65
PK	4.83008G	45.65	74.00	-28.35	3.52	3	Horizontal	223	1.58	42.13	32.48	5.69	34.65

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	49.45	54.00	-4.55	31.60	3	Vertical	360	2.88	17.85	27.44	4.16	-
AV	2.4196G	101.48	Inf	-Inf	31.72	3	Vertical	360	2.88	69.76	27.54	4.18	-
PK	2.3894G	68.02	74.00	-5.98	31.60	3	Vertical	360	2.88	36.42	27.44	4.16	-
PK	2.4222G	111.84	Inf	-Inf	31.72	3	Vertical	360	2.88	80.12	27.54	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	53.35	54.00	-0.65	31.60	3	Horizontal	49	1.26	21.75	27.44	4.16	-
AV	2.412G	105.35	Inf	-Inf	31.70	3	Horizontal	49	1.26	73.65	27.52	4.18	-
PK	2.3896G	72.96	74.00	-1.04	31.60	3	Horizontal	49	1.26	41.36	27.44	4.16	-
PK	2.4094G	115.76	Inf	-Inf	31.70	3	Horizontal	49	1.26	84.06	27.52	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	47.15	54.00	-6.85	31.59	3	Vertical	0	2.90	15.56	27.43	4.16	-
AV	2.431G	103.11	Inf	-Inf	31.75	3	Vertical	0	2.90	71.36	27.56	4.19	-
AV	2.4835G	47.12	54.00	-6.88	32.02	3	Vertical	0	2.90	15.10	27.80	4.22	-
PK	2.3882G	59.54	74.00	-14.46	31.59	3	Vertical	0	2.90	27.95	27.43	4.16	-
PK	2.4338G	113.34	Inf	-Inf	31.76	3	Vertical	0	2.90	81.58	27.57	4.19	-
PK	2.4835G	63.74	74.00	-10.26	32.02	3	Vertical	0	2.90	31.72	27.80	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	50.72	54.00	-3.28	31.59	3	Horizontal	46	1.39	19.13	27.43	4.16	-
AV	2.4334G	106.62	Inf	-Inf	31.76	3	Horizontal	46	1.39	74.86	27.57	4.19	-
AV	2.4838G	48.26	54.00	-5.74	32.02	3	Horizontal	46	1.39	16.24	27.80	4.22	-
PK	2.3886G	64.30	74.00	-9.70	31.59	3	Horizontal	46	1.39	32.71	27.43	4.16	-
PK	2.4338G	117.80	Inf	-Inf	31.76	3	Horizontal	46	1.39	86.04	27.57	4.19	-
PK	2.4835G	66.87	74.00	-7.13	32.02	3	Horizontal	46	1.39	34.85	27.80	4.22	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87912G	33.98	54.00	-20.02	3.79	3	Vertical	327	1.39	30.19	32.72	5.72	34.65
AV	7.31204G	39.75	54.00	-14.25	8.77	3	Vertical	124	1.20	30.98	36.73	6.82	34.78
PK	4.8816G	44.60	74.00	-29.40	3.80	3	Vertical	327	1.39	40.80	32.73	5.72	34.65
PK	7.31188G	51.64	74.00	-22.36	8.77	3	Vertical	124	1.20	42.87	36.73	6.82	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87588G	36.45	54.00	-17.55	3.77	3	Horizontal	359	1.50	32.68	32.70	5.72	34.65
AV	7.31168G	39.95	54.00	-14.05	8.77	3	Horizontal	213	2.20	31.18	36.73	6.82	34.78
PK	4.87076G	48.42	74.00	-25.58	3.74	3	Horizontal	359	1.50	44.68	32.68	5.71	34.65
PK	7.31216G	51.15	74.00	-22.85	8.77	3	Horizontal	213	2.20	42.38	36.73	6.82	34.78

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4622G	100.47	Inf	-Inf	31.88	3	Vertical	2	3.00	68.59	27.67	4.21	-
AV	2.4846G	51.05	54.00	-2.95	32.03	3	Vertical	2	3.00	19.02	27.81	4.22	-
PK	2.46G	112.67	Inf	-Inf	31.87	3	Vertical	2	3.00	80.80	27.66	4.21	-
PK	2.4896G	69.01	74.00	-4.99	32.06	3	Vertical	2	3.00	36.95	27.84	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4528G	105.75	Inf	-Inf	31.82	3	Horizontal	55	2.25	73.93	27.62	4.20	-
AV	2.485G	53.22	54.00	-0.78	32.03	3	Horizontal	55	2.25	21.19	27.81	4.22	-
PK	2.4504G	116.63	Inf	-Inf	31.80	3	Horizontal	55	2.25	84.83	27.60	4.20	-
PK	2.4874G	71.15	74.00	-2.85	32.04	3	Horizontal	55	2.25	39.11	27.82	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	97.63	Inf	-Inf	31.90	3	Vertical	1	3.00	65.73	27.69	4.21	-
AV	2.4848G	47.58	54.00	-6.42	32.03	3	Vertical	1	3.00	15.55	27.81	4.22	-
PK	2.4648G	110.30	Inf	-Inf	31.90	3	Vertical	1	3.00	78.40	27.69	4.21	-
PK	2.4846G	70.86	74.00	-3.14	32.03	3	Vertical	1	3.00	38.83	27.81	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4554G	102.34	Inf	-Inf	31.83	3	Horizontal	58	2.29	70.51	27.63	4.20	-
AV	2.4835G	49.31	54.00	-4.69	32.02	3	Horizontal	58	2.29	17.29	27.80	4.22	-
PK	2.4552G	113.95	Inf	-Inf	31.83	3	Horizontal	58	2.29	82.12	27.63	4.20	-
PK	2.4854G	73.05	74.00	-0.95	32.03	3	Horizontal	58	2.29	41.02	27.81	4.22	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92416G	34.79	54.00	-19.21	3.99	3	Vertical	157	1.59	30.80	32.90	5.74	34.65
AV	7.38932G	37.35	54.00	-16.65	8.42	3	Vertical	260	1.73	28.93	36.34	6.87	34.79
PK	4.92796G	46.58	74.00	-27.42	4.01	3	Vertical	157	1.59	42.57	32.91	5.75	34.65
PK	7.38464G	50.06	74.00	-23.94	8.44	3	Vertical	260	1.73	41.62	36.36	6.87	34.79

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92168G	33.28	54.00	-20.72	3.98	3	Horizontal	125	2.82	29.30	32.89	5.74	34.65
AV	7.38956G	38.09	54.00	-15.91	8.42	3	Horizontal	196	1.27	29.67	36.34	6.87	34.79
PK	4.9254G	44.97	74.00	-29.03	4.00	3	Horizontal	125	2.82	40.97	32.90	5.75	34.65
PK	7.38272G	49.09	74.00	-24.91	8.45	3	Horizontal	196	1.27	40.64	36.37	6.87	34.79

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	49.41	54.00	-4.59	31.59	3	Vertical	360	2.88	17.82	27.43	4.16	-
AV	2.4208G	96.59	Inf	-Inf	31.72	3	Vertical	360	2.88	64.87	27.54	4.18	-
AV	2.5G	47.49	54.00	-6.51	32.13	3	Vertical	360	2.88	15.36	27.90	4.23	-
PK	2.3804G	59.42	74.00	-14.58	31.53	3	Vertical	360	2.88	27.89	27.38	4.15	-
PK	2.4232G	106.83	Inf	-Inf	31.73	3	Vertical	360	2.88	75.10	27.55	4.18	-
PK	2.494G	57.88	74.00	-16.12	32.09	3	Vertical	360	2.88	25.79	27.86	4.23	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.386G	53.79	54.00	-0.21	31.58	3	Horizontal	51	1.25	22.21	27.42	4.16	-
AV	2.4084G	100.63	Inf	-Inf	31.70	3	Horizontal	51	1.25	68.93	27.52	4.18	-
AV	2.486G	47.98	54.00	-6.02	32.04	3	Horizontal	51	1.25	15.94	27.82	4.22	-
PK	2.3856G	65.02	74.00	-8.98	31.57	3	Horizontal	51	1.25	33.45	27.41	4.16	-
PK	2.4084G	112.24	Inf	-Inf	31.70	3	Horizontal	51	1.25	80.54	27.52	4.18	-
PK	2.4835G	57.87	74.00	-16.13	32.02	3	Horizontal	51	1.25	25.85	27.80	4.22	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.848G	35.00	54.00	-19.00	3.64	3	Vertical	156	2.22	31.36	32.59	5.70	34.65
AV	7.28248G	38.81	54.00	-15.19	8.83	3	Vertical	150	1.80	29.98	36.80	6.80	34.77
PK	4.84208G	46.10	74.00	-27.90	3.60	3	Vertical	156	2.22	42.50	32.55	5.70	34.65
PK	7.25256G	48.87	74.00	-25.13	8.81	3	Vertical	150	1.80	40.06	36.80	6.78	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84384G	35.16	54.00	-18.84	3.61	3	Horizontal	94	2.00	31.55	32.56	5.70	34.65
AV	7.26696G	38.82	54.00	-15.18	8.82	3	Horizontal	188	2.64	30.00	36.80	6.79	34.77
PK	4.83408G	45.17	74.00	-28.83	3.54	3	Horizontal	94	2.00	41.63	32.50	5.69	34.65
PK	7.27136G	49.80	74.00	-24.20	8.83	3	Horizontal	188	2.64	40.97	36.80	6.80	34.77

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3858G	49.56	54.00	-4.44	31.57	3	Vertical	1	2.88	17.99	27.41	4.16	-
AV	2.421G	97.52	Inf	-Inf	31.72	3	Vertical	1	2.88	65.80	27.54	4.18	-
AV	2.4934G	47.73	54.00	-6.27	32.09	3	Vertical	1	2.88	15.64	27.86	4.23	-
PK	2.3898G	62.00	74.00	-12.00	31.60	3	Vertical	1	2.88	30.40	27.44	4.16	-
PK	2.4238G	107.84	Inf	-Inf	31.73	3	Vertical	1	2.88	76.11	27.55	4.18	-
PK	2.4918G	58.15	74.00	-15.85	32.08	3	Vertical	1	2.88	26.07	27.85	4.23	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	53.78	54.00	-0.22	31.59	3	Horizontal	51	1.01	22.19	27.43	4.16	-
AV	2.411G	101.07	Inf	-Inf	31.70	3	Horizontal	51	1.01	69.37	27.52	4.18	-
AV	2.4858G	47.93	54.00	-6.07	32.03	3	Horizontal	51	1.01	15.90	27.81	4.22	-
PK	2.3886G	69.48	74.00	-4.52	31.59	3	Horizontal	51	1.01	37.89	27.43	4.16	-
PK	2.4162G	111.40	Inf	-Inf	31.71	3	Horizontal	51	1.01	79.69	27.53	4.18	-
PK	2.4946G	58.07	74.00	-15.93	32.10	3	Horizontal	51	1.01	25.97	27.87	4.23	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	49.29	54.00	-4.71	31.59	3	Vertical	4	2.91	17.70	27.43	4.16	-
AV	2.4294G	97.62	Inf	-Inf	31.75	3	Vertical	4	2.91	65.87	27.56	4.19	-
AV	2.4842G	48.34	54.00	-5.66	32.03	3	Vertical	4	2.91	16.31	27.81	4.22	-
PK	2.389G	61.87	74.00	-12.13	31.59	3	Vertical	4	2.91	30.28	27.43	4.16	-
PK	2.4246G	107.95	Inf	-Inf	31.73	3	Vertical	4	2.91	76.22	27.55	4.18	-
PK	2.4846G	59.15	74.00	-14.85	32.03	3	Vertical	4	2.91	27.12	27.81	4.22	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.39	54.00	-0.61	31.60	3	Horizontal	50	1.48	21.79	27.44	4.16	-
AV	2.4298G	101.12	Inf	-Inf	31.75	3	Horizontal	50	1.48	69.37	27.56	4.19	-
AV	2.485G	48.96	54.00	-5.04	32.03	3	Horizontal	50	1.48	16.93	27.81	4.22	-
PK	2.389G	66.86	74.00	-7.14	31.59	3	Horizontal	50	1.48	35.27	27.43	4.16	-
PK	2.4194G	111.73	Inf	-Inf	31.72	3	Horizontal	50	1.48	80.01	27.54	4.18	-
PK	2.4874G	60.85	74.00	-13.15	32.04	3	Horizontal	50	1.48	28.81	27.82	4.22	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.894G	34.36	54.00	-19.64	3.86	3	Vertical	238	1.74	30.50	32.78	5.73	34.65
AV	7.29188G	38.59	54.00	-15.41	8.83	3	Vertical	269	2.40	29.76	36.80	6.81	34.78
PK	4.8932G	45.41	74.00	-28.59	3.85	3	Vertical	238	1.74	41.56	32.77	5.73	34.65
PK	7.30804G	49.33	74.00	-24.67	8.79	3	Vertical	269	2.40	40.54	36.75	6.82	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.894G	35.77	54.00	-18.23	3.86	3	Horizontal	288	2.58	31.91	32.78	5.73	34.65
AV	7.29572G	38.76	54.00	-15.24	8.83	3	Horizontal	159	1.83	29.93	36.80	6.81	34.78
PK	4.89344G	45.90	74.00	-28.10	3.85	3	Horizontal	288	2.58	42.05	32.77	5.73	34.65
PK	7.30068G	48.89	74.00	-25.11	8.84	3	Horizontal	159	1.83	40.05	36.80	6.82	34.78



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3856G	47.60	54.00	-6.40	31.57	3	Vertical	12	2.92	16.03	27.41	4.16	-
AV	2.436G	96.73	Inf	-Inf	31.76	3	Vertical	12	2.92	64.97	27.57	4.19	-
AV	2.4856G	51.50	54.00	-2.50	32.03	3	Vertical	12	2.92	19.47	27.81	4.22	-
PK	2.3728G	58.01	74.00	-15.99	31.48	3	Vertical	12	2.92	26.53	27.34	4.14	-
PK	2.4508G	106.13	Inf	-Inf	31.80	3	Vertical	12	2.92	74.33	27.60	4.20	-
PK	2.4856G	63.47	74.00	-10.53	32.03	3	Vertical	12	2.92	31.44	27.81	4.22	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	50.22	54.00	-3.78	31.59	3	Horizontal	49	1.40	18.63	27.43	4.16	-
AV	2.4388G	101.22	Inf	-Inf	31.77	3	Horizontal	49	1.40	69.45	27.58	4.19	-
AV	2.4835G	53.62	54.00	-0.38	32.02	3	Horizontal	49	1.40	21.60	27.80	4.22	-
PK	2.388G	60.69	74.00	-13.31	31.59	3	Horizontal	49	1.40	29.10	27.43	4.16	-
PK	2.4488G	111.41	Inf	-Inf	31.80	3	Horizontal	49	1.40	79.61	27.60	4.20	-
PK	2.486G	67.25	74.00	-6.75	32.04	3	Horizontal	49	1.40	35.21	27.82	4.22	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90216G	35.43	54.00	-18.57	3.89	3	Vertical	139	2.94	31.54	32.81	5.73	34.65
AV	7.33776G	38.61	54.00	-15.39	8.63	3	Vertical	61	1.67	29.98	36.57	6.84	34.78
PK	4.89696G	45.94	74.00	-28.06	3.87	3	Vertical	139	2.94	42.07	32.79	5.73	34.65
PK	7.344G	49.02	74.00	-24.98	8.60	3	Vertical	61	1.67	40.42	36.54	6.84	34.78

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90608G	36.56	54.00	-17.44	3.90	3	Horizontal	354	1.70	32.66	32.82	5.73	34.65
AV	7.34536G	38.76	54.00	-15.24	8.59	3	Horizontal	44	2.49	30.17	36.53	6.84	34.78
PK	4.90256G	47.52	74.00	-26.48	3.89	3	Horizontal	354	1.70	43.63	32.81	5.73	34.65
PK	7.35224G	49.26	74.00	-24.74	8.56	3	Horizontal	44	2.49	40.70	36.49	6.85	34.78



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.31232G	44.18	54.00	-9.82	Horizontal
Mode 2	Pass	AV	11.38888G	43.81	54.00	-10.19	Horizontal
Mode 3	Pass	AV	13.31926G	45.71	54.00	-8.29	Horizontal
Mode 4	Pass	AV	7.31088G	53.81	54.00	-0.19	Vertical
Mode 5	Pass	AV	12.69714G	45.07	54.00	-8.93	Horizontal
Mode 6	Pass	AV	13.32535G	46.03	54.00	-7.97	Horizontal
Mode 7	Pass	AV	15.59134G	43.08	54.00	-10.92	Horizontal
Mode 8	Pass	PK	10.39634G	58.93	68.20	-9.27	Horizontal
Mode 9	Pass	PK	10.39436G	59.63	68.20	-8.57	Vertical
Mode 10	Pass	AV	7.31112G	51.72	54.00	-2.28	Vertical
Mode 11	Pass	PK	17.06211G	57.79	68.20	-10.41	Horizontal
Mode 12	Pass	AV	15.5907G	43.17	54.00	-10.83	Horizontal
Mode 13	Pass	AV	7.3107G	43.43	54.00	-10.57	Horizontal
Mode 14	Pass	PK	10.39409G	58.48	68.20	-9.72	Vertical
Mode 15	Pass	AV	13.3213G	45.40	54.00	-8.60	Horizontal
Mode 16	Pass	AV	7.31132G	49.96	54.00	-4.04	Vertical
Mode 17	Pass	AV	12.68052G	44.82	54.00	-9.18	Horizontal
Mode 18	Pass	AV	13.3213G	45.40	54.00	-8.60	Horizontal



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.88684G	31.85	54.00	-22.15	3	Vertical	38	1.66
Mode 1	Pass	AV	4.88834G	31.66	54.00	-22.34	3	Vertical	76	1.39
Mode 1	Pass	AV	4.966G	33.42	54.00	-20.58	3	Vertical	335	1.05
Mode 1	Pass	AV	7.31004G	42.52	54.00	-11.48	3	Vertical	60	1.88
Mode 1	Pass	AV	7.3136G	40.99	54.00	-13.01	3	Vertical	60	2.51
Mode 1	Pass	AV	15.60348G	43.33	54.00	-10.67	3	Vertical	105	2.09
Mode 1	Pass	PK	4.87616G	42.30	74.00	-31.70	3	Vertical	38	1.66
Mode 1	Pass	PK	4.8881G	43.09	74.00	-30.91	3	Vertical	76	1.39
Mode 1	Pass	PK	4.97014G	44.01	74.00	-29.99	3	Vertical	335	1.05
Mode 1	Pass	PK	7.31212G	53.54	74.00	-20.46	3	Vertical	60	2.5
Mode 1	Pass	PK	7.31848G	53.95	74.00	-20.05	3	Vertical	60	1.88
Mode 1	Pass	PK	10.39324G	52.49	68.20	-15.71	3	Vertical	15	2.09
Mode 1	Pass	PK	15.6098G	53.32	74.00	-20.68	3	Vertical	105	2.09
Mode 1	Pass	AV	4.88888G	32.00	54.00	-22.00	3	Horizontal	105	1.87
Mode 1	Pass	AV	4.88894G	31.70	54.00	-22.30	3	Horizontal	228	1.29
Mode 1	Pass	AV	4.9657G	33.52	54.00	-20.48	3	Horizontal	359	1.75
Mode 1	Pass	AV	7.31224G	43.33	54.00	-10.67	3	Horizontal	18	1.54
Mode 1	Pass	AV	7.31232G	44.18	54.00	-9.82	3	Horizontal	16	1.49
Mode 1	Pass	AV	15.60604G	43.27	54.00	-10.73	3	Horizontal	329	1.40
Mode 1	Pass	PK	4.87664G	43.79	74.00	-30.21	3	Horizontal	105	1.87
Mode 1	Pass	PK	4.88456G	43.08	74.00	-30.92	3	Horizontal	228	1.29
Mode 1	Pass	PK	4.97428G	44.76	74.00	-29.24	3	Horizontal	359	1.75
Mode 1	Pass	PK	7.30216G	55.74	74.00	-18.26	3	Horizontal	16	1.49
Mode 1	Pass	PK	7.3022G	56.33	74.00	-17.67	3	Horizontal	18	1.54
Mode 1	Pass	PK	10.41362G	52.95	68.20	-15.25	3	Horizontal	269	1.95
Mode 1	Pass	PK	15.60648G	53.91	74.00	-20.09	3	Horizontal	329	1.40
Mode 2	Pass	AV	4.88296G	32.01	54.00	-21.99	3	Vertical	263	2.25
Mode 2	Pass	AV	4.95976G	33.55	54.00	-20.45	3	Vertical	269	2.80
Mode 2	Pass	AV	7.3144G	40.29	54.00	-13.71	3	Vertical	321	2.30
Mode 2	Pass	AV	11.38684G	43.65	54.00	-10.35	3	Vertical	229	1.90
Mode 2	Pass	AV	15.60544G	43.33	54.00	-10.67	3	Vertical	201	1.18
Mode 2	Pass	PK	4.87208G	42.53	74.00	-31.47	3	Vertical	263	2.25
Mode 2	Pass	PK	4.97452G	44.32	74.00	-29.68	3	Vertical	269	2.80
Mode 2	Pass	PK	7.30912G	52.43	74.00	-21.57	3	Vertical	321	2.30
Mode 2	Pass	PK	10.39348G	52.61	68.20	-15.59	3	Vertical	227	2.50
Mode 2	Pass	PK	11.37364G	52.90	74.00	-21.10	3	Vertical	229	1.90
Mode 2	Pass	PK	15.59952G	53.45	74.00	-20.55	3	Vertical	201	1.18
Mode 2	Pass	PK	17.06004G	54.82	68.20	-13.38	3	Vertical	245	1.01
Mode 2	Pass	AV	4.88388G	31.78	54.00	-22.22	3	Horizontal	279	2.86
Mode 2	Pass	AV	4.97362G	33.53	54.00	-20.47	3	Horizontal	292	1.94
Mode 2	Pass	AV	7.31024G	41.47	54.00	-12.53	3	Horizontal	305	2.25
Mode 2	Pass	AV	11.38888G	43.81	54.00	-10.19	3	Horizontal	91	2.19
Mode 2	Pass	AV	15.60812G	43.37	54.00	-10.63	3	Horizontal	265	2.63
Mode 2	Pass	PK	4.88396G	42.91	74.00	-31.09	3	Horizontal	279	2.86
Mode 2	Pass	PK	4.95058G	44.36	74.00	-29.64	3	Horizontal	292	1.94
Mode 2	Pass	PK	7.31768G	53.29	74.00	-20.71	3	Horizontal	305	2.25
Mode 2	Pass	PK	10.40692G	53.51	68.20	-14.69	3	Horizontal	32	2.99
Mode 2	Pass	PK	11.37178G	52.77	74.00	-21.23	3	Horizontal	91	2.19
Mode 2	Pass	PK	15.59912G	53.81	74.00	-20.19	3	Horizontal	265	2.63
Mode 2	Pass	PK	17.08254G	55.45	68.20	-12.75	3	Horizontal	341	2.89



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.86732G	32.17	54.00	-21.83	3	Vertical	113	1.12
Mode 3	Pass	AV	4.97302G	33.57	54.00	-20.43	3	Vertical	125	1.37
Mode 3	Pass	AV	7.31172G	40.06	54.00	-13.94	3	Vertical	320	2.29
Mode 3	Pass	AV	13.32319G	45.62	54.00	-8.38	3	Vertical	320	2.18
Mode 3	Pass	AV	15.60184G	43.34	54.00	-10.66	3	Vertical	237	1.91
Mode 3	Pass	PK	4.86676G	42.83	74.00	-31.17	3	Vertical	113	1.12
Mode 3	Pass	PK	4.95892G	43.99	74.00	-30.01	3	Vertical	125	1.37
Mode 3	Pass	PK	7.30232G	51.72	74.00	-22.28	3	Vertical	320	2.29
Mode 3	Pass	PK	10.40896G	52.47	68.20	-15.73	3	Vertical	13	1.85
Mode 3	Pass	PK	13.3426G	55.17	74.00	-18.83	3	Vertical	320	2.18
Mode 3	Pass	PK	15.5938G	53.30	74.00	-20.70	3	Vertical	237	1.91
Mode 3	Pass	AV	4.86508G	32.35	54.00	-21.65	3	Horizontal	92	2.43
Mode 3	Pass	AV	4.9648G	33.54	54.00	-20.46	3	Horizontal	138	2.93
Mode 3	Pass	AV	7.31252G	41.12	54.00	-12.88	3	Horizontal	305	2.27
Mode 3	Pass	AV	13.31926G	45.71	54.00	-8.29	3	Horizontal	3	2.79
Mode 3	Pass	AV	15.59484G	43.47	54.00	-10.53	3	Horizontal	144	2.60
Mode 3	Pass	PK	4.87124G	43.21	74.00	-30.79	3	Horizontal	92	2.43
Mode 3	Pass	PK	4.9534G	44.15	74.00	-29.85	3	Horizontal	138	2.93
Mode 3	Pass	PK	7.31272G	52.96	74.00	-21.04	3	Horizontal	305	2.27
Mode 3	Pass	PK	10.40324G	53.38	68.20	-14.82	3	Horizontal	24	1.50
Mode 3	Pass	PK	13.31815G	55.51	74.00	-18.49	3	Horizontal	3	2.79
Mode 3	Pass	PK	15.59596G	53.78	74.00	-20.22	3	Horizontal	144	2.60
Mode 4	Pass	AV	4.86432G	31.08	54.00	-22.92	3	Vertical	242	2.69
Mode 4	Pass	AV	4.97476G	33.57	54.00	-20.43	3	Vertical	154	1.22
Mode 4	Pass	AV	7.31088G	53.81	54.00	-0.19	3	Vertical	4	2.05
Mode 4	Pass	AV	12.69771G	45.17	54.00	-8.83	3	Vertical	127	1.89
Mode 4	Pass	AV	15.59148G	43.25	54.00	-10.75	3	Vertical	129	2.02
Mode 4	Pass	PK	4.8664G	42.23	74.00	-31.77	3	Vertical	242	2.69
Mode 4	Pass	PK	4.97422G	45.33	74.00	-28.67	3	Vertical	154	1.22
Mode 4	Pass	PK	7.30208G	69.11	74.00	-4.89	3	Vertical	4	2.05
Mode 4	Pass	PK	10.39652G	52.43	68.20	-15.77	3	Vertical	103	2.73
Mode 4	Pass	PK	12.69084G	53.62	74.00	-20.38	3	Vertical	127	1.89
Mode 4	Pass	PK	15.60016G	53.11	74.00	-20.89	3	Vertical	129	2.02
Mode 4	Pass	AV	4.86436G	31.09	54.00	-22.91	3	Horizontal	344	2.19
Mode 4	Pass	AV	4.97068G	33.52	54.00	-20.48	3	Horizontal	299	2.06
Mode 4	Pass	AV	7.31196G	53.29	54.00	-0.71	3	Horizontal	68	2.03
Mode 4	Pass	AV	12.69468G	45.21	54.00	-8.79	3	Horizontal	267	1.26
Mode 4	Pass	AV	15.59264G	43.10	54.00	-10.90	3	Horizontal	59	1.46
Mode 4	Pass	PK	4.87156G	42.44	74.00	-31.56	3	Horizontal	344	2.19
Mode 4	Pass	PK	4.97188G	44.17	74.00	-29.83	3	Horizontal	299	2.06
Mode 4	Pass	PK	7.30212G	69.45	74.00	-4.55	3	Horizontal	68	2.03
Mode 4	Pass	PK	10.3994G	53.13	68.20	-15.07	3	Horizontal	314	2.17
Mode 4	Pass	PK	12.67725G	54.41	74.00	-19.59	3	Horizontal	267	1.26
Mode 4	Pass	PK	15.60148G	53.17	74.00	-20.83	3	Horizontal	59	1.46
Mode 5	Pass	AV	4.97452G	33.59	54.00	-20.41	3	Vertical	352	1.96
Mode 5	Pass	AV	11.38582G	43.59	54.00	-10.41	3	Vertical	322	1.05
Mode 5	Pass	AV	12.68655G	44.92	54.00	-9.08	3	Vertical	164	2.72
Mode 5	Pass	AV	15.59952G	43.18	54.00	-10.82	3	Vertical	122	1.14
Mode 5	Pass	PK	4.96138G	44.61	74.00	-29.39	3	Vertical	352	1.96
Mode 5	Pass	PK	10.39788G	52.18	68.20	-16.02	3	Vertical	203	1.83



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	PK	11.3719G	52.70	74.00	-21.30	3	Vertical	322	1.05
Mode 5	Pass	PK	12.6978G	53.78	74.00	-20.22	3	Vertical	164	2.72
Mode 5	Pass	PK	15.59804G	54.15	74.00	-19.85	3	Vertical	122	1.14
Mode 5	Pass	PK	17.07762G	54.97	68.20	-13.23	3	Vertical	310	1.68
Mode 5	Pass	AV	4.97494G	33.53	54.00	-20.47	3	Horizontal	230	2.13
Mode 5	Pass	AV	11.36986G	43.53	54.00	-10.47	3	Horizontal	24	1.44
Mode 5	Pass	AV	12.69714G	45.07	54.00	-8.93	3	Horizontal	102	2.54
Mode 5	Pass	AV	15.59768G	43.27	54.00	-10.73	3	Horizontal	35	1.20
Mode 5	Pass	PK	4.9741G	44.94	74.00	-29.06	3	Horizontal	230	2.13
Mode 5	Pass	PK	10.40112G	52.45	68.20	-15.75	3	Horizontal	123	1.47
Mode 5	Pass	PK	11.37142G	53.10	74.00	-20.90	3	Horizontal	24	1.44
Mode 5	Pass	PK	12.69534G	54.11	74.00	-19.89	3	Horizontal	102	2.54
Mode 5	Pass	PK	15.60844G	53.97	74.00	-20.03	3	Horizontal	35	1.20
Mode 5	Pass	PK	17.07312G	55.04	68.20	-13.16	3	Horizontal	82	2.06
Mode 6	Pass	AV	4.9717G	33.69	54.00	-20.31	3	Vertical	52	2.39
Mode 6	Pass	AV	12.69702G	45.01	54.00	-8.99	3	Vertical	97	1.65
Mode 6	Pass	AV	13.33948G	45.70	54.00	-8.30	3	Vertical	326	2.25
Mode 6	Pass	AV	15.6012G	43.36	54.00	-10.64	3	Vertical	299	2.59
Mode 6	Pass	PK	4.9558G	44.34	74.00	-29.66	3	Vertical	52	2.39
Mode 6	Pass	PK	10.39888G	52.65	68.20	-15.55	3	Vertical	79	2.24
Mode 6	Pass	PK	12.68997G	54.13	74.00	-19.87	3	Vertical	97	1.65
Mode 6	Pass	PK	13.31941G	55.06	74.00	-18.94	3	Vertical	326	2.25
Mode 6	Pass	PK	15.60836G	53.57	74.00	-20.43	3	Vertical	299	2.59
Mode 6	Pass	AV	4.96996G	33.66	54.00	-20.34	3	Horizontal	111	1.08
Mode 6	Pass	AV	12.69099G	45.18	54.00	-8.82	3	Horizontal	110	2.67
Mode 6	Pass	AV	13.32535G	46.03	54.00	-7.97	3	Horizontal	230	1.00
Mode 6	Pass	AV	15.6022G	43.57	54.00	-10.43	3	Horizontal	220	2.32
Mode 6	Pass	PK	4.96366G	44.74	74.00	-29.26	3	Horizontal	111	1.08
Mode 6	Pass	PK	10.40304G	54.00	68.20	-14.20	3	Horizontal	153	2.73
Mode 6	Pass	PK	12.6948G	54.00	74.00	-20.00	3	Horizontal	110	2.67
Mode 6	Pass	PK	13.32301G	54.94	74.00	-19.06	3	Horizontal	230	1.00
Mode 6	Pass	PK	15.5956G	52.89	74.00	-21.11	3	Horizontal	220	2.32
Mode 7	Pass	AV	4.80873G	31.19	54.00	-22.81	3	Vertical	51	1.42
Mode 7	Pass	AV	4.87538G	32.62	54.00	-21.38	3	Vertical	325	1.41
Mode 7	Pass	AV	7.30584G	36.99	54.00	-17.01	3	Vertical	275	1.50
Mode 7	Pass	AV	15.6003G	43.03	54.00	-10.97	3	Vertical	124	1.40
Mode 7	Pass	PK	4.8082G	44.71	74.00	-29.29	3	Vertical	51	1.42
Mode 7	Pass	PK	4.86554G	45.47	74.00	-28.53	3	Vertical	325	1.41
Mode 7	Pass	PK	7.30276G	50.39	74.00	-23.61	3	Vertical	275	1.50
Mode 7	Pass	PK	10.39498G	54.15	68.20	-14.05	3	Vertical	51	1.50
Mode 7	Pass	PK	15.5914G	56.71	74.00	-17.29	3	Vertical	124	1.40
Mode 7	Pass	AV	4.81083G	31.84	54.00	-22.16	3	Horizontal	188	1.66
Mode 7	Pass	AV	4.86456G	33.06	54.00	-20.94	3	Horizontal	39	1.25
Mode 7	Pass	AV	7.30558G	37.06	54.00	-16.94	3	Horizontal	280	1.03
Mode 7	Pass	AV	15.59134G	43.08	54.00	-10.92	3	Horizontal	183	1.57
Mode 7	Pass	PK	4.81066G	45.98	74.00	-28.02	3	Horizontal	188	1.66
Mode 7	Pass	PK	4.8663G	46.29	74.00	-27.71	3	Horizontal	39	1.25
Mode 7	Pass	PK	7.30592G	51.33	74.00	-22.67	3	Horizontal	280	1.03
Mode 7	Pass	PK	10.3946G	54.73	68.20	-13.47	3	Horizontal	325	1.50
Mode 7	Pass	PK	15.60242G	56.93	74.00	-17.07	3	Horizontal	183	1.57



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 8	Pass	AV	4.81338G	31.98	54.00	-22.02	3	Vertical	144	1.50
Mode 8	Pass	AV	4.87438G	31.56	54.00	-22.44	3	Vertical	314	1.50
Mode 8	Pass	AV	7.31154G	37.35	54.00	-16.65	3	Vertical	359	1.50
Mode 8	Pass	AV	10.39926G	41.47	68.20	-26.73	3	Vertical	25	1.36
Mode 8	Pass	AV	11.38734G	41.52	54.00	-12.48	3	Vertical	30	1.13
Mode 8	Pass	AV	15.59214G	43.06	54.00	-10.94	3	Vertical	348	1.50
Mode 8	Pass	AV	17.06386G	44.30	68.20	-23.90	3	Vertical	329	1.50
Mode 8	Pass	PK	4.8107G	45.73	74.00	-28.27	3	Vertical	144	1.50
Mode 8	Pass	PK	4.87096G	44.90	74.00	-29.10	3	Vertical	314	1.50
Mode 8	Pass	PK	7.31414G	50.69	74.00	-23.31	3	Vertical	359	1.50
Mode 8	Pass	PK	10.39414G	58.52	68.20	-9.68	3	Vertical	25	1.36
Mode 8	Pass	PK	11.38426G	54.88	74.00	-19.12	3	Vertical	30	1.13
Mode 8	Pass	PK	15.6138G	57.18	74.00	-16.82	3	Vertical	348	1.50
Mode 8	Pass	PK	17.07112G	57.65	68.20	-10.55	3	Vertical	329	1.50
Mode 8	Pass	AV	4.8149G	31.90	54.00	-22.10	3	Horizontal	143	1.10
Mode 8	Pass	AV	4.86424G	31.58	54.00	-22.42	3	Horizontal	161	1.50
Mode 8	Pass	AV	7.31044G	37.20	54.00	-16.80	3	Horizontal	21	1.50
Mode 8	Pass	AV	10.40226G	41.56	68.20	-26.64	3	Horizontal	300	2.94
Mode 8	Pass	AV	11.38762G	41.29	54.00	-12.71	3	Horizontal	66	2.88
Mode 8	Pass	AV	15.5886G	42.99	54.00	-11.01	3	Horizontal	267	1.70
Mode 8	Pass	AV	17.06556G	44.41	68.20	-23.79	3	Horizontal	173	1.50
Mode 8	Pass	PK	4.80626G	45.92	74.00	-28.08	3	Horizontal	143	1.10
Mode 8	Pass	PK	4.87332G	45.48	74.00	-28.52	3	Horizontal	161	1.50
Mode 8	Pass	PK	7.30858G	50.82	74.00	-23.18	3	Horizontal	21	1.50
Mode 8	Pass	PK	10.39634G	58.93	68.20	-9.27	3	Horizontal	300	2.94
Mode 8	Pass	PK	11.38916G	55.04	74.00	-18.96	3	Horizontal	66	2.88
Mode 8	Pass	PK	15.5982G	56.26	74.00	-17.74	3	Horizontal	267	1.70
Mode 8	Pass	PK	17.07146G	57.17	68.20	-11.03	3	Horizontal	173	1.50
Mode 9	Pass	AV	4.81188G	32.01	54.00	-21.99	3	Vertical	186	1.50
Mode 9	Pass	AV	4.86548G	31.64	54.00	-22.36	3	Vertical	198	1.53
Mode 9	Pass	AV	7.30212G	37.28	54.00	-16.72	3	Vertical	48	1.50
Mode 9	Pass	AV	10.39928G	41.71	68.20	-26.49	3	Vertical	26	1.50
Mode 9	Pass	AV	13.32908G	42.93	54.00	-11.07	3	Vertical	276	1.49
Mode 9	Pass	AV	15.5924G	43.15	54.00	-10.85	3	Vertical	109	1.50
Mode 9	Pass	PK	4.80676G	44.99	74.00	-29.01	3	Vertical	186	1.50
Mode 9	Pass	PK	4.8654G	45.14	74.00	-28.86	3	Vertical	198	1.53
Mode 9	Pass	PK	7.30244G	51.08	74.00	-22.92	3	Vertical	48	1.50
Mode 9	Pass	PK	10.39436G	59.63	68.20	-8.57	3	Vertical	26	1.50
Mode 9	Pass	PK	13.33504G	56.17	74.00	-17.83	3	Vertical	276	1.49
Mode 9	Pass	PK	15.60812G	56.72	74.00	-17.28	3	Vertical	109	1.50
Mode 9	Pass	AV	4.8128G	31.89	54.00	-22.11	3	Horizontal	262	1.08
Mode 9	Pass	AV	4.8688G	31.52	54.00	-22.48	3	Horizontal	113	1.04
Mode 9	Pass	AV	7.30596G	37.14	54.00	-16.86	3	Horizontal	57	1.06
Mode 9	Pass	AV	10.39952G	41.43	68.20	-26.77	3	Horizontal	59	1.64
Mode 9	Pass	AV	13.33676G	42.90	54.00	-11.10	3	Horizontal	163	1.50
Mode 9	Pass	AV	15.59524G	43.03	54.00	-10.97	3	Horizontal	324	1.50
Mode 9	Pass	PK	4.80512G	45.17	74.00	-28.83	3	Horizontal	262	1.08
Mode 9	Pass	PK	4.86864G	44.69	74.00	-29.31	3	Horizontal	113	1.04
Mode 9	Pass	PK	7.30712G	50.10	74.00	-23.90	3	Horizontal	57	1.06
Mode 9	Pass	PK	10.39668G	57.57	68.20	-10.63	3	Horizontal	59	1.64



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 9	Pass	PK	13.33984G	57.31	74.00	-16.69	3	Horizontal	163	1.50
Mode 9	Pass	PK	15.59996G	56.68	74.00	-17.32	3	Horizontal	324	1.50
Mode 10	Pass	AV	4.82098G	31.66	54.00	-22.34	3	Vertical	325	1.30
Mode 10	Pass	AV	4.87376G	33.96	54.00	-20.04	3	Vertical	360	1.50
Mode 10	Pass	AV	7.31112G	51.72	54.00	-2.28	3	Vertical	8	1.65
Mode 10	Pass	AV	10.41374G	40.96	68.20	-27.24	3	Vertical	153	1.50
Mode 10	Pass	AV	12.67932G	42.29	54.00	-11.71	3	Vertical	215	1.77
Mode 10	Pass	AV	15.59412G	42.91	54.00	-11.09	3	Vertical	299	1.50
Mode 10	Pass	PK	4.81003G	44.55	74.00	-29.45	3	Vertical	325	1.30
Mode 10	Pass	PK	4.8737G	47.41	74.00	-26.59	3	Vertical	360	1.50
Mode 10	Pass	PK	7.31832G	65.35	74.00	-8.65	3	Vertical	8	1.65
Mode 10	Pass	PK	10.39187G	55.17	68.20	-13.03	3	Vertical	153	1.50
Mode 10	Pass	PK	12.68421G	55.79	74.00	-18.21	3	Vertical	215	1.77
Mode 10	Pass	PK	15.59139G	56.31	74.00	-17.69	3	Vertical	299	1.50
Mode 10	Pass	AV	4.80904G	32.93	54.00	-21.07	3	Horizontal	43	1.95
Mode 10	Pass	AV	4.87361G	34.89	54.00	-19.11	3	Horizontal	357	1.50
Mode 10	Pass	AV	7.3101G	47.20	54.00	-6.80	3	Horizontal	51	1.58
Mode 10	Pass	AV	10.40426G	41.03	68.20	-27.17	3	Horizontal	22	1.00
Mode 10	Pass	AV	12.68112G	42.32	54.00	-11.68	3	Horizontal	263	1.50
Mode 10	Pass	AV	15.59271G	42.96	54.00	-11.04	3	Horizontal	31	1.99
Mode 10	Pass	PK	4.81627G	44.79	74.00	-29.21	3	Horizontal	43	1.95
Mode 10	Pass	PK	4.86806G	47.73	74.00	-26.27	3	Horizontal	357	1.50
Mode 10	Pass	PK	7.30212G	60.91	74.00	-13.09	3	Horizontal	51	1.58
Mode 10	Pass	PK	10.39529G	54.34	68.20	-13.86	3	Horizontal	22	1.00
Mode 10	Pass	PK	12.70455G	55.68	68.20	-12.52	3	Horizontal	263	1.50
Mode 10	Pass	PK	15.60396G	56.40	74.00	-17.60	3	Horizontal	31	1.99
Mode 11	Pass	AV	4.81936G	33.10	54.00	-20.90	3	Vertical	0	1.28
Mode 11	Pass	AV	10.40762G	40.76	68.20	-27.44	3	Vertical	360	2.00
Mode 11	Pass	AV	11.39254G	41.58	54.00	-12.42	3	Vertical	55	1.83
Mode 11	Pass	AV	12.78592G	42.72	68.20	-25.48	3	Vertical	125	1.56
Mode 11	Pass	AV	15.59139G	43.01	54.00	-10.99	3	Vertical	242	1.50
Mode 11	Pass	AV	17.07336G	44.51	68.20	-23.69	3	Vertical	122	1.10
Mode 11	Pass	PK	4.79845G	46.73	74.00	-27.27	3	Vertical	0	1.28
Mode 11	Pass	PK	10.40318G	54.44	68.20	-13.76	3	Vertical	360	2.00
Mode 11	Pass	PK	11.37577G	54.68	74.00	-19.32	3	Vertical	55	1.83
Mode 11	Pass	PK	12.79732G	55.74	68.20	-12.46	3	Vertical	125	1.56
Mode 11	Pass	PK	15.59892G	55.93	74.00	-18.07	3	Vertical	242	1.50
Mode 11	Pass	PK	17.05521G	57.18	68.20	-11.02	3	Vertical	122	1.10
Mode 11	Pass	AV	4.82452G	33.39	54.00	-20.61	3	Horizontal	63	2.26
Mode 11	Pass	AV	10.40933G	40.67	68.20	-27.53	3	Horizontal	253	2.37
Mode 11	Pass	AV	11.39365G	41.54	54.00	-12.46	3	Horizontal	73	1.33
Mode 11	Pass	AV	12.79345G	42.65	68.20	-25.55	3	Horizontal	344	1.05
Mode 11	Pass	AV	15.60459G	42.90	54.00	-11.10	3	Horizontal	189	1.18
Mode 11	Pass	AV	17.06007G	44.50	68.20	-23.70	3	Horizontal	45	2.75
Mode 11	Pass	PK	4.81531G	46.98	74.00	-27.02	3	Horizontal	63	2.26
Mode 11	Pass	PK	10.40504G	54.44	68.20	-13.76	3	Horizontal	253	2.37
Mode 11	Pass	PK	11.38837G	54.99	74.00	-19.01	3	Horizontal	73	1.33
Mode 11	Pass	PK	12.8035G	55.53	68.20	-12.67	3	Horizontal	344	1.05
Mode 11	Pass	PK	15.59508G	56.05	74.00	-17.95	3	Horizontal	189	1.18
Mode 11	Pass	PK	17.06211G	57.79	68.20	-10.41	3	Horizontal	45	2.75



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 12	Pass	AV	4.82179G	31.93	54.00	-22.07	3	Vertical	153	2.92
Mode 12	Pass	AV	10.40282G	41.10	68.20	-27.10	3	Vertical	180	1.50
Mode 12	Pass	AV	12.68784G	42.09	54.00	-11.91	3	Vertical	360	1.50
Mode 12	Pass	AV	13.34167G	42.63	54.00	-11.37	3	Vertical	347	1.00
Mode 12	Pass	AV	15.59109G	43.10	54.00	-10.90	3	Vertical	211	1.92
Mode 12	Pass	PK	4.8208G	44.77	74.00	-29.23	3	Vertical	153	2.92
Mode 12	Pass	PK	10.39442G	54.64	68.20	-13.56	3	Vertical	180	1.50
Mode 12	Pass	PK	12.69435G	56.01	74.00	-17.99	3	Vertical	360	1.50
Mode 12	Pass	PK	13.31896G	56.27	74.00	-17.73	3	Vertical	347	1.00
Mode 12	Pass	PK	15.59544G	55.72	74.00	-18.28	3	Vertical	211	1.92
Mode 12	Pass	AV	4.82254G	32.07	54.00	-21.93	3	Horizontal	71	1.86
Mode 12	Pass	AV	10.39337G	41.08	68.20	-27.12	3	Horizontal	247	1.68
Mode 12	Pass	AV	12.67593G	41.93	54.00	-12.07	3	Horizontal	62	1.03
Mode 12	Pass	AV	13.32304G	42.61	54.00	-11.39	3	Horizontal	285	1.50
Mode 12	Pass	AV	15.5907G	43.17	54.00	-10.83	3	Horizontal	220	1.11
Mode 12	Pass	PK	4.82122G	45.76	74.00	-28.24	3	Horizontal	71	1.86
Mode 12	Pass	PK	10.39196G	54.85	68.20	-13.35	3	Horizontal	247	1.68
Mode 12	Pass	PK	12.6807G	54.97	74.00	-19.03	3	Horizontal	62	1.03
Mode 12	Pass	PK	13.31554G	55.88	74.00	-18.12	3	Horizontal	285	1.50
Mode 12	Pass	PK	15.59154G	55.29	74.00	-18.71	3	Horizontal	220	1.11
Mode 13	Pass	AV	4.87352G	35.10	54.00	-18.90	3	Vertical	308	1.50
Mode 13	Pass	AV	4.87532G	34.79	54.00	-19.21	3	Vertical	355	1.11
Mode 13	Pass	AV	7.31067G	42.68	54.00	-11.32	3	Vertical	293	1.60
Mode 13	Pass	AV	10.40294G	40.91	68.20	-27.29	3	Vertical	89	1.55
Mode 13	Pass	AV	15.61053G	43.17	54.00	-10.83	3	Vertical	25	1.17
Mode 13	Pass	PK	4.87562G	48.09	74.00	-25.91	3	Vertical	355	1.11
Mode 13	Pass	PK	4.87808G	49.06	74.00	-24.94	3	Vertical	308	1.50
Mode 13	Pass	PK	7.30797G	56.52	74.00	-17.48	3	Vertical	293	1.60
Mode 13	Pass	PK	10.39961G	53.90	68.20	-14.30	3	Vertical	89	1.55
Mode 13	Pass	PK	15.58749G	56.25	74.00	-17.75	3	Vertical	25	1.17
Mode 13	Pass	AV	4.87259G	36.21	54.00	-17.79	3	Horizontal	360	1.46
Mode 13	Pass	AV	4.87547G	35.76	54.00	-18.24	3	Horizontal	25	1.93
Mode 13	Pass	AV	7.3107G	43.43	54.00	-10.57	3	Horizontal	75	1.56
Mode 13	Pass	AV	10.38521G	40.78	68.20	-27.42	3	Horizontal	170	1.45
Mode 13	Pass	AV	15.58899G	43.24	54.00	-10.76	3	Horizontal	326	2.38
Mode 13	Pass	PK	4.87504G	49.88	74.00	-24.12	3	Horizontal	25	1.93
Mode 13	Pass	PK	4.88279G	49.89	74.00	-24.11	3	Horizontal	360	1.46
Mode 13	Pass	PK	7.31049G	57.00	74.00	-17.00	3	Horizontal	75	1.56
Mode 13	Pass	PK	10.38902G	55.01	68.20	-13.19	3	Horizontal	170	1.45
Mode 13	Pass	PK	15.60789G	56.17	74.00	-17.83	3	Horizontal	326	2.38
Mode 14	Pass	AV	4.87202G	34.34	54.00	-19.66	3	Vertical	336	1.50
Mode 14	Pass	AV	4.875G	33.95	54.00	-20.05	3	Vertical	99	1.00
Mode 14	Pass	AV	7.31049G	40.24	54.00	-13.76	3	Vertical	360	1.50
Mode 14	Pass	AV	10.40684G	41.29	68.20	-26.91	3	Vertical	28	1.50
Mode 14	Pass	AV	11.39242G	41.47	54.00	-12.53	3	Vertical	111	1.03
Mode 14	Pass	AV	15.61143G	43.13	54.00	-10.87	3	Vertical	95	2.79
Mode 14	Pass	AV	17.05614G	44.55	68.20	-23.65	3	Vertical	336	1.47
Mode 14	Pass	PK	4.86683G	47.52	74.00	-26.48	3	Vertical	336	1.50
Mode 14	Pass	PK	4.87696G	46.86	74.00	-27.14	3	Vertical	99	1.00
Mode 14	Pass	PK	7.3107G	54.69	74.00	-19.31	3	Vertical	360	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 14	Pass	PK	10.39409G	58.48	68.20	-9.72	3	Vertical	28	1.50
Mode 14	Pass	PK	11.39317G	54.45	74.00	-19.55	3	Vertical	111	1.03
Mode 14	Pass	PK	15.59724G	55.83	74.00	-18.17	3	Vertical	95	2.79
Mode 14	Pass	PK	17.06712G	57.54	68.20	-10.66	3	Vertical	336	1.47
Mode 14	Pass	AV	4.87226G	36.31	54.00	-17.69	3	Horizontal	328	2.00
Mode 14	Pass	AV	4.87583G	35.76	54.00	-18.24	3	Horizontal	123	1.26
Mode 14	Pass	AV	7.3101G	40.27	54.00	-13.73	3	Horizontal	315	1.51
Mode 14	Pass	AV	10.39187G	40.99	68.20	-27.21	3	Horizontal	96	1.54
Mode 14	Pass	AV	11.38645G	41.59	54.00	-12.41	3	Horizontal	343	2.61
Mode 14	Pass	AV	15.60354G	43.06	54.00	-10.94	3	Horizontal	360	1.70
Mode 14	Pass	AV	17.07549G	44.57	68.20	-23.63	3	Horizontal	326	1.14
Mode 14	Pass	PK	4.87403G	51.03	74.00	-22.97	3	Horizontal	328	2.00
Mode 14	Pass	PK	4.87529G	49.72	74.00	-24.28	3	Horizontal	123	1.26
Mode 14	Pass	PK	7.30785G	54.02	74.00	-19.98	3	Horizontal	315	1.51
Mode 14	Pass	PK	10.39898G	55.23	68.20	-12.97	3	Horizontal	96	1.54
Mode 14	Pass	PK	11.38954G	54.72	74.00	-19.28	3	Horizontal	343	2.61
Mode 14	Pass	PK	15.59115G	56.19	74.00	-17.81	3	Horizontal	360	1.70
Mode 14	Pass	PK	17.05821G	58.21	68.20	-9.99	3	Horizontal	326	1.14
Mode 15	Pass	AV	4.86692G	34.98	54.00	-19.02	3	Vertical	98	1.97
Mode 15	Pass	AV	4.8728G	34.84	54.00	-19.16	3	Vertical	342	2.80
Mode 15	Pass	AV	7.3116G	41.65	54.00	-12.35	3	Vertical	355	1.49
Mode 15	Pass	AV	13.33213G	45.32	54.00	-8.68	3	Vertical	17	2.53
Mode 15	Pass	AV	15.59892G	43.08	54.00	-10.92	3	Vertical	142	2.13
Mode 15	Pass	PK	4.86836G	45.82	74.00	-28.18	3	Vertical	342	2.80
Mode 15	Pass	PK	4.8695G	44.51	74.00	-29.49	3	Vertical	98	1.97
Mode 15	Pass	PK	7.31178G	52.57	74.00	-21.43	3	Vertical	355	1.49
Mode 15	Pass	PK	10.40768G	52.26	68.20	-15.94	3	Vertical	330	1.00
Mode 15	Pass	PK	13.32772G	54.74	74.00	-19.26	3	Vertical	17	2.53
Mode 15	Pass	PK	15.59676G	53.20	74.00	-20.80	3	Vertical	142	2.13
Mode 15	Pass	AV	4.86602G	36.13	54.00	-17.87	3	Horizontal	179	1.71
Mode 15	Pass	AV	4.87904G	38.03	54.00	-15.97	3	Horizontal	240	2.24
Mode 15	Pass	AV	7.31624G	40.51	54.00	-13.49	3	Horizontal	345	1.57
Mode 15	Pass	AV	13.3213G	45.40	54.00	-8.60	3	Horizontal	266	1.90
Mode 15	Pass	AV	15.59718G	43.26	54.00	-10.74	3	Horizontal	256	1.58
Mode 15	Pass	PK	4.87214G	47.75	74.00	-26.25	3	Horizontal	179	1.71
Mode 15	Pass	PK	4.87898G	49.32	74.00	-24.68	3	Horizontal	240	2.24
Mode 15	Pass	PK	7.31804G	52.21	74.00	-21.79	3	Horizontal	345	1.57
Mode 15	Pass	PK	10.40222G	51.89	68.20	-16.31	3	Horizontal	307	3.00
Mode 15	Pass	PK	13.31587G	54.24	74.00	-19.76	3	Horizontal	266	1.90
Mode 15	Pass	PK	15.59454G	53.61	74.00	-20.39	3	Horizontal	256	1.58
Mode 16	Pass	AV	4.87214G	34.89	54.00	-19.11	3	Vertical	16	1.55
Mode 16	Pass	AV	4.8736G	34.45	54.00	-19.55	3	Vertical	274	1.21
Mode 16	Pass	AV	7.31132G	49.96	54.00	-4.04	3	Vertical	11	1.48
Mode 16	Pass	AV	12.69537G	44.28	54.00	-9.72	3	Vertical	312	1.76
Mode 16	Pass	AV	15.59742G	42.85	54.00	-11.15	3	Vertical	335	2.03
Mode 16	Pass	PK	4.87584G	45.39	74.00	-28.61	3	Vertical	274	1.21
Mode 16	Pass	PK	4.87628G	44.97	74.00	-29.03	3	Vertical	16	1.55
Mode 16	Pass	PK	7.3114G	62.02	74.00	-11.98	3	Vertical	11	1.48
Mode 16	Pass	PK	10.39982G	52.71	68.20	-15.49	3	Vertical	283	2.47
Mode 16	Pass	PK	12.6942G	53.61	74.00	-20.39	3	Vertical	312	1.76




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 16	Pass	PK	15.59628G	52.63	74.00	-21.37	3	Vertical	335	2.03
Mode 16	Pass	AV	4.86752G	34.79	54.00	-19.21	3	Horizontal	247	1.83
Mode 16	Pass	AV	4.87346G	35.39	54.00	-18.61	3	Horizontal	116	1.35
Mode 16	Pass	AV	7.312G	49.52	54.00	-4.48	3	Horizontal	76	2.57
Mode 16	Pass	AV	12.68967G	44.91	54.00	-9.09	3	Horizontal	66	2.81
Mode 16	Pass	AV	15.59904G	42.93	54.00	-11.07	3	Horizontal	305	2.15
Mode 16	Pass	PK	4.8761G	45.54	74.00	-28.46	3	Horizontal	116	1.35
Mode 16	Pass	PK	4.87884G	46.78	74.00	-27.22	3	Horizontal	247	1.83
Mode 16	Pass	PK	7.30204G	62.79	74.00	-11.21	3	Horizontal	76	2.57
Mode 16	Pass	PK	10.39034G	51.43	68.20	-16.77	3	Horizontal	65	2.99
Mode 16	Pass	PK	12.70293G	53.82	68.20	-14.38	3	Horizontal	66	2.81
Mode 16	Pass	PK	15.60708G	53.56	74.00	-20.44	3	Horizontal	305	2.15
Mode 17	Pass	AV	4.86818G	34.99	54.00	-19.01	3	Vertical	104	1.38
Mode 17	Pass	AV	11.3674G	42.60	54.00	-11.40	3	Vertical	288	1.80
Mode 17	Pass	AV	12.68271G	44.70	54.00	-9.30	3	Vertical	43	2.34
Mode 17	Pass	AV	15.59604G	42.75	54.00	-11.25	3	Vertical	316	1.91
Mode 17	Pass	PK	4.86548G	45.49	74.00	-28.51	3	Vertical	104	1.38
Mode 17	Pass	PK	10.40616G	52.05	68.20	-16.15	3	Vertical	331	2.27
Mode 17	Pass	PK	11.36662G	52.82	74.00	-21.18	3	Vertical	288	1.80
Mode 17	Pass	PK	12.67605G	53.79	74.00	-20.21	3	Vertical	43	2.34
Mode 17	Pass	PK	15.60844G	53.61	74.00	-20.39	3	Vertical	316	1.91
Mode 17	Pass	PK	17.0685G	55.62	68.20	-12.58	3	Vertical	167	2.03
Mode 17	Pass	AV	4.8665G	35.03	54.00	-18.97	3	Horizontal	61	2.38
Mode 17	Pass	AV	11.38174G	42.69	54.00	-11.31	3	Horizontal	261	2.33
Mode 17	Pass	AV	12.68052G	44.82	54.00	-9.18	3	Horizontal	184	1.73
Mode 17	Pass	AV	15.60844G	43.09	54.00	-10.91	3	Horizontal	0	2.61
Mode 17	Pass	PK	4.8716G	45.50	74.00	-28.50	3	Horizontal	61	2.38
Mode 17	Pass	PK	10.40436G	51.67	68.20	-16.53	3	Horizontal	267	1.25
Mode 17	Pass	PK	11.3905G	52.55	74.00	-21.45	3	Horizontal	261	2.33
Mode 17	Pass	PK	12.68259G	53.59	74.00	-20.41	3	Horizontal	184	1.73
Mode 17	Pass	PK	15.59492G	53.13	74.00	-20.87	3	Horizontal	0	2.61
Mode 17	Pass	PK	17.058G	55.07	68.20	-13.13	3	Horizontal	130	1.38
Mode 18	Pass	AV	4.86692G	34.98	54.00	-19.02	3	Vertical	98	1.97
Mode 18	Pass	AV	4.8728G	34.84	54.00	-19.16	3	Vertical	342	2.80
Mode 18	Pass	AV	7.3116G	41.65	54.00	-12.35	3	Vertical	355	1.49
Mode 18	Pass	AV	13.33213G	45.32	54.00	-8.68	3	Vertical	17	2.53
Mode 18	Pass	AV	15.59892G	43.08	54.00	-10.92	3	Vertical	142	2.13
Mode 18	Pass	PK	4.86836G	45.82	74.00	-28.18	3	Vertical	342	2.80
Mode 18	Pass	PK	4.8695G	44.51	74.00	-29.49	3	Vertical	98	1.97
Mode 18	Pass	PK	7.31178G	52.57	74.00	-21.43	3	Vertical	355	1.49
Mode 18	Pass	PK	10.40768G	52.26	68.20	-15.94	3	Vertical	330	1.00
Mode 18	Pass	PK	13.32772G	54.74	74.00	-19.26	3	Vertical	17	2.53
Mode 18	Pass	PK	15.59676G	53.20	74.00	-20.80	3	Vertical	142	2.13
Mode 18	Pass	AV	4.86602G	36.13	54.00	-17.87	3	Horizontal	179	1.71
Mode 18	Pass	AV	4.87904G	38.03	54.00	-15.97	3	Horizontal	240	2.24
Mode 18	Pass	AV	7.31624G	40.51	54.00	-13.49	3	Horizontal	345	1.57
Mode 18	Pass	AV	13.3213G	45.40	54.00	-8.60	3	Horizontal	266	1.90
Mode 18	Pass	AV	15.59718G	43.26	54.00	-10.74	3	Horizontal	256	1.58
Mode 18	Pass	PK	4.87214G	47.75	74.00	-26.25	3	Horizontal	179	1.71
Mode 18	Pass	PK	4.87898G	49.32	74.00	-24.68	3	Horizontal	240	2.24




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 18	Pass	PK	7.31804G	52.21	74.00	-21.79	3	Horizontal	345	1.57
Mode 18	Pass	PK	10.40222G	51.89	68.20	-16.31	3	Horizontal	307	3.00
Mode 18	Pass	PK	13.31587G	54.24	74.00	-19.76	3	Horizontal	266	1.90
Mode 18	Pass	PK	15.59454G	53.61	74.00	-20.39	3	Horizontal	256	1.58

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88684G	31.85	54.00	-22.15	3.72	3	Vertical	38	1.66	-	28.13	32.65	5.72	34.65
AV	4.88834G	31.66	54.00	-22.34	3.72	3	Vertical	76	1.39	-	27.94	32.65	5.72	34.65
AV	4.966G	33.42	54.00	-20.58	4.19	3	Vertical	335	1.05	-	29.23	33.06	5.77	34.64
AV	7.31004G	42.52	54.00	-11.48	9.10	3	Vertical	60	1.88	-	33.42	37.06	6.82	34.78
AV	7.3136G	40.99	54.00	-13.01	9.09	3	Vertical	60	2.51	-	31.90	37.05	6.82	34.78
AV	15.60348G	43.33	54.00	-10.67	13.14	3	Vertical	105	2.09	-	30.19	38.28	9.82	34.96
PK	4.87616G	42.30	74.00	-31.70	3.67	3	Vertical	38	1.66	-	38.63	32.60	5.72	34.65
PK	4.8881G	43.09	74.00	-30.91	3.72	3	Vertical	76	1.39	-	39.37	32.65	5.72	34.65
PK	4.97014G	44.01	74.00	-29.99	4.21	3	Vertical	335	1.05	-	39.80	33.08	5.77	34.64
PK	7.31212G	53.54	74.00	-20.46	9.09	3	Vertical	60	2.5	-	44.45	37.05	6.82	34.78
PK	7.31848G	53.95	74.00	-20.05	9.08	3	Vertical	60	1.88	-	44.87	37.03	6.83	34.78
PK	10.39324G	52.49	68.20	-15.71	12.29	3	Vertical	15	2.09	-	40.20	39.08	8.04	34.83
PK	15.6098G	53.32	74.00	-20.68	13.11	3	Vertical	105	2.09	-	40.21	38.25	9.82	34.96

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88888G	32.00	54.00	-22.00	3.73	3	Horizontal	105	1.87	-	28.27	32.66	5.72	34.65
AV	4.88894G	31.70	54.00	-22.30	3.73	3	Horizontal	228	1.29	-	27.97	32.66	5.72	34.65
AV	4.9657G	33.52	54.00	-20.48	4.19	3	Horizontal	359	1.75	-	29.33	33.06	5.77	34.64
AV	7.31224G	43.33	54.00	-10.67	9.09	3	Horizontal	18	1.54	-	34.24	37.05	6.82	34.78
AV	7.31232G	44.18	54.00	-9.82	9.09	3	Horizontal	16	1.49	-	35.09	37.05	6.82	34.78
AV	15.60604G	43.27	54.00	-10.73	13.13	3	Horizontal	329	1.40	-	30.14	38.27	9.82	34.96
PK	4.87664G	43.79	74.00	-30.21	3.68	3	Horizontal	105	1.87	-	40.11	32.61	5.72	34.65
PK	4.88456G	43.08	74.00	-30.92	3.71	3	Horizontal	228	1.29	-	39.37	32.64	5.72	34.65
PK	4.97428G	44.76	74.00	-29.24	4.23	3	Horizontal	359	1.75	-	40.53	33.10	5.77	34.64
PK	7.30216G	55.74	74.00	-18.26	9.13	3	Horizontal	16	1.49	-	46.61	37.09	6.82	34.78
PK	7.3022G	56.33	74.00	-17.67	9.13	3	Horizontal	18	1.54	-	47.20	37.09	6.82	34.78
PK	10.41362G	52.95	68.20	-15.25	12.30	3	Horizontal	269	1.95	-	40.65	39.07	8.04	34.81
PK	15.60648G	53.91	74.00	-20.09	13.13	3	Horizontal	329	1.40	-	40.78	38.27	9.82	34.96

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88296G	32.01	54.00	-21.99	3.70	3	Vertical	263	2.25	-	28.31	32.63	5.72	34.65
AV	4.95976G	33.55	54.00	-20.45	4.17	3	Vertical	269	2.80	-	29.38	33.04	5.77	34.64
AV	7.3144G	40.29	54.00	-13.71	9.08	3	Vertical	321	2.30	-	31.21	37.04	6.82	34.78
AV	11.38684G	43.65	54.00	-10.35	12.97	3	Vertical	229	1.90	-	30.68	39.09	8.45	34.57
AV	15.60544G	43.33	54.00	-10.67	13.13	3	Vertical	201	1.18	-	30.20	38.27	9.82	34.96
PK	4.87208G	42.53	74.00	-31.47	3.65	3	Vertical	263	2.25	-	38.88	32.59	5.71	34.65
PK	4.97452G	44.32	74.00	-29.68	4.23	3	Vertical	269	2.80	-	40.09	33.10	5.77	34.64
PK	7.30912G	52.43	74.00	-21.57	9.10	3	Vertical	321	2.30	-	43.33	37.06	6.82	34.78
PK	10.39348G	52.61	68.20	-15.59	12.29	3	Vertical	227	2.50	-	40.32	39.08	8.04	34.83
PK	11.37364G	52.90	74.00	-21.10	12.95	3	Vertical	229	1.90	-	39.95	39.07	8.45	34.57
PK	15.59952G	53.45	74.00	-20.55	13.16	3	Vertical	201	1.18	-	40.29	38.30	9.81	34.95
PK	17.06004G	54.82	68.20	-13.38	13.79	3	Vertical	245	1.01	-	41.03	37.76	10.19	34.16

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88388G	31.78	54.00	-22.22	3.71	3	Horizontal	279	2.86	-	28.07	32.64	5.72	34.65
AV	4.97362G	33.53	54.00	-20.47	4.22	3	Horizontal	292	1.94	-	29.31	33.09	5.77	34.64
AV	7.31024G	41.47	54.00	-12.53	9.10	3	Horizontal	305	2.25	-	32.37	37.06	6.82	34.78
AV	11.38888G	43.81	54.00	-10.19	12.97	3	Horizontal	91	2.19	-	30.84	39.09	8.45	34.57
AV	15.60812G	43.37	54.00	-10.63	13.12	3	Horizontal	265	2.63	-	30.25	38.26	9.82	34.96
PK	4.88396G	42.91	74.00	-31.09	3.71	3	Horizontal	279	2.86	-	39.20	32.64	5.72	34.65
PK	4.95058G	44.36	74.00	-29.64	4.12	3	Horizontal	292	1.94	-	40.24	33.00	5.76	34.64
PK	7.31768G	53.29	74.00	-20.71	9.08	3	Horizontal	305	2.25	-	44.21	37.03	6.83	34.78
PK	10.40692G	53.51	68.20	-14.69	12.32	3	Horizontal	32	2.99	-	41.19	39.09	8.04	34.81
PK	11.37178G	52.77	74.00	-21.23	12.95	3	Horizontal	91	2.19	-	39.82	39.07	8.45	34.57
PK	15.59912G	53.81	74.00	-20.19	13.16	3	Horizontal	265	2.63	-	40.65	38.30	9.81	34.95
PK	17.08254G	55.45	68.20	-12.75	13.80	3	Horizontal	341	2.89	-	41.65	37.78	10.19	34.17

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86732G	32.17	54.00	-21.83	3.63	3	Vertical	113	1.12	-	28.54	32.57	5.71	34.65
AV	4.97302G	33.57	54.00	-20.43	4.22	3	Vertical	125	1.37	-	29.35	33.09	5.77	34.64
AV	7.31172G	40.06	54.00	-13.94	9.09	3	Vertical	320	2.29	-	30.97	37.05	6.82	34.78
AV	13.32319G	45.62	54.00	-8.38	16.12	3	Vertical	320	2.18	-	29.50	39.99	9.11	32.98
AV	15.60184G	43.34	54.00	-10.66	13.14	3	Vertical	237	1.91	-	30.20	38.29	9.81	34.96
PK	4.86676G	42.83	74.00	-31.17	3.63	3	Vertical	113	1.12	-	39.20	32.57	5.71	34.65
PK	4.95892G	43.99	74.00	-30.01	4.17	3	Vertical	125	1.37	-	39.82	33.04	5.77	34.64
PK	7.30232G	51.72	74.00	-22.28	9.13	3	Vertical	320	2.29	-	42.59	37.09	6.82	34.78
PK	10.40896G	52.47	68.20	-15.73	12.31	3	Vertical	13	1.85	-	40.16	39.08	8.04	34.81
PK	13.3426G	55.17	74.00	-18.83	16.23	3	Vertical	320	2.18	-	38.94	40.07	9.11	32.95
PK	15.5938G	53.30	74.00	-20.70	13.17	3	Vertical	237	1.91	-	40.13	38.31	9.81	34.95

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86508G	32.35	54.00	-21.65	3.62	3	Horizontal	92	2.43	-	28.73	32.56	5.71	34.65
AV	4.9648G	33.54	54.00	-20.46	4.19	3	Horizontal	138	2.93	-	29.35	33.06	5.77	34.64
AV	7.31252G	41.12	54.00	-12.88	9.09	3	Horizontal	305	2.27	-	32.03	37.05	6.82	34.78
AV	13.31926G	45.71	54.00	-8.29	16.10	3	Horizontal	3	2.79	-	29.61	39.98	9.11	32.99
AV	15.59484G	43.47	54.00	-10.53	13.17	3	Horizontal	144	2.60	-	30.30	38.31	9.81	34.95
PK	4.87124G	43.21	74.00	-30.79	3.64	3	Horizontal	92	2.43	-	39.57	32.58	5.71	34.65
PK	4.9534G	44.15	74.00	-29.85	4.13	3	Horizontal	138	2.93	-	40.02	33.01	5.76	34.64
PK	7.31272G	52.96	74.00	-21.04	9.09	3	Horizontal	305	2.27	-	43.87	37.05	6.82	34.78
PK	10.40324G	53.38	68.20	-14.82	12.31	3	Horizontal	24	1.50	-	41.07	39.09	8.04	34.82
PK	13.31815G	55.51	74.00	-18.49	16.09	3	Horizontal	3	2.79	-	39.42	39.97	9.11	32.99
PK	15.59596G	53.78	74.00	-20.22	13.17	3	Horizontal	144	2.60	-	40.61	38.31	9.81	34.95

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86432G	31.08	54.00	-22.92	3.62	3	Vertical	242	2.69	-	27.46	32.56	5.71	34.65
AV	4.97476G	33.57	54.00	-20.43	4.23	3	Vertical	154	1.22	-	29.34	33.10	5.77	34.64
AV	7.31088G	53.81	54.00	-0.19	9.10	3	Vertical	4	2.05	-	44.71	37.06	6.82	34.78
AV	12.69771G	45.17	54.00	-8.83	14.37	3	Vertical	127	1.89	-	30.80	39.49	8.92	34.04
AV	15.59148G	43.25	54.00	-10.75	13.18	3	Vertical	129	2.02	-	30.07	38.32	9.81	34.95
PK	4.8664G	42.23	74.00	-31.77	3.63	3	Vertical	242	2.69	-	38.60	32.57	5.71	34.65
PK	4.97422G	45.33	74.00	-28.67	4.23	3	Vertical	154	1.22	-	41.10	33.10	5.77	34.64
PK	7.30208G	69.11	74.00	-4.89	9.13	3	Vertical	4	2.05	-	59.98	37.09	6.82	34.78
PK	10.39652G	52.43	68.20	-15.77	12.30	3	Vertical	103	2.73	-	40.13	39.09	8.04	34.83
PK	12.69084G	53.62	74.00	-20.38	14.34	3	Vertical	127	1.89	-	39.28	39.47	8.92	34.05
PK	15.60016G	53.11	74.00	-20.89	13.16	3	Vertical	129	2.02	-	39.95	38.30	9.81	34.95

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86436G	31.09	54.00	-22.91	3.62	3	Horizontal	344	2.19	-	27.47	32.56	5.71	34.65
AV	4.97068G	33.52	54.00	-20.48	4.21	3	Horizontal	299	2.06	-	29.31	33.08	5.77	34.64
AV	7.31196G	53.29	54.00	-0.71	9.09	3	Horizontal	68	2.03	-	44.20	37.05	6.82	34.78
AV	12.69468G	45.21	54.00	-8.79	14.36	3	Horizontal	267	1.26	-	30.85	39.48	8.92	34.04
AV	15.59264G	43.10	54.00	-10.90	13.17	3	Horizontal	59	1.46	-	29.93	38.31	9.81	34.95
PK	4.87156G	42.44	74.00	-31.56	3.65	3	Horizontal	344	2.19	-	38.79	32.59	5.71	34.65
PK	4.97188G	44.17	74.00	-29.83	4.22	3	Horizontal	299	2.06	-	39.95	33.09	5.77	34.64
PK	7.30212G	69.45	74.00	-4.55	9.13	3	Horizontal	68	2.03	-	60.32	37.09	6.82	34.78
PK	10.3994G	53.13	68.20	-15.07	12.32	3	Horizontal	314	2.17	-	40.81	39.10	8.04	34.82
PK	12.67725G	54.41	74.00	-19.59	14.27	3	Horizontal	267	1.26	-	40.14	39.43	8.91	34.07
PK	15.60148G	53.17	74.00	-20.83	13.14	3	Horizontal	59	1.46	-	40.03	38.29	9.81	34.96

Radiated Emissions above 1GHz_Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97452G	33.59	54.00	-20.41	4.23	3	Vertical	352	1.96	-	29.36	33.10	5.77	34.64
AV	11.38582G	43.59	54.00	-10.41	12.97	3	Vertical	322	1.05	-	30.62	39.09	8.45	34.57
AV	12.68655G	44.92	54.00	-9.08	14.32	3	Vertical	164	2.72	-	30.60	39.46	8.92	34.06
AV	15.59952G	43.18	54.00	-10.82	13.16	3	Vertical	122	1.14	-	30.02	38.30	9.81	34.95
PK	4.96138G	44.61	74.00	-29.39	4.18	3	Vertical	352	1.96	-	40.43	33.05	5.77	34.64
PK	10.39788G	52.18	68.20	-16.02	12.31	3	Vertical	203	1.83	-	39.87	39.09	8.04	34.82
PK	11.3719G	52.70	74.00	-21.30	12.95	3	Vertical	322	1.05	-	39.75	39.07	8.45	34.57
PK	12.6978G	53.78	74.00	-20.22	14.37	3	Vertical	164	2.72	-	39.41	39.49	8.92	34.04
PK	15.59804G	54.15	74.00	-19.85	13.16	3	Vertical	122	1.14	-	40.99	38.30	9.81	34.95
PK	17.07762G	54.97	68.20	-13.23	13.80	3	Vertical	310	1.68	-	41.17	37.78	10.19	34.17


Radiated Emissions above 1GHz_Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97494G	33.53	54.00	-20.47	4.23	3	Horizontal	230	2.13	-	29.30	33.10	5.77	34.64
AV	11.36986G	43.53	54.00	-10.47	12.95	3	Horizontal	24	1.44	-	30.58	39.07	8.45	34.57
AV	12.69714G	45.07	54.00	-8.93	14.37	3	Horizontal	102	2.54	-	30.70	39.49	8.92	34.04
AV	15.59768G	43.27	54.00	-10.73	13.16	3	Horizontal	35	1.20	-	30.11	38.30	9.81	34.95
PK	4.9741G	44.94	74.00	-29.06	4.23	3	Horizontal	230	2.13	-	40.71	33.10	5.77	34.64
PK	10.40112G	52.45	68.20	-15.75	12.32	3	Horizontal	123	1.47	-	40.13	39.10	8.04	34.82
PK	11.37142G	53.10	74.00	-20.90	12.95	3	Horizontal	24	1.44	-	40.15	39.07	8.45	34.57
PK	12.69534G	54.11	74.00	-19.89	14.37	3	Horizontal	102	2.54	-	39.74	39.49	8.92	34.04
PK	15.60844G	53.97	74.00	-20.03	13.12	3	Horizontal	35	1.20	-	40.85	38.26	9.82	34.96
PK	17.07312G	55.04	68.20	-13.16	13.80	3	Horizontal	82	2.06	-	41.24	37.77	10.19	34.16




Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.9717G	33.69	54.00	-20.31	4.22	3	Vertical	52	2.39	-	29.47	33.09	5.77	34.64
AV	12.69702G	45.01	54.00	-8.99	14.37	3	Vertical	97	1.65	-	30.64	39.49	8.92	34.04
AV	13.33948G	45.70	54.00	-8.30	16.22	3	Vertical	326	2.25	-	29.48	40.06	9.11	32.95
AV	15.6012G	43.36	54.00	-10.64	13.15	3	Vertical	299	2.59	-	30.21	38.29	9.81	34.95
PK	4.9558G	44.34	74.00	-29.66	4.14	3	Vertical	52	2.39	-	40.20	33.02	5.76	34.64
PK	10.39888G	52.65	68.20	-15.55	12.32	3	Vertical	79	2.24	-	40.33	39.10	8.04	34.82
PK	12.68997G	54.13	74.00	-19.87	14.34	3	Vertical	97	1.65	-	39.79	39.47	8.92	34.05
PK	13.31941G	55.06	74.00	-18.94	16.10	3	Vertical	326	2.25	-	38.96	39.98	9.11	32.99
PK	15.60836G	53.57	74.00	-20.43	13.12	3	Vertical	299	2.59	-	40.45	38.26	9.82	34.96

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96996G	33.66	54.00	-20.34	4.21	3	Horizontal	111	1.08	-	29.45	33.08	5.77	34.64
AV	12.69099G	45.18	54.00	-8.82	14.34	3	Horizontal	110	2.67	-	30.84	39.47	8.92	34.05
AV	13.32535G	46.03	54.00	-7.97	16.13	3	Horizontal	230	1.00	-	29.90	40.00	9.11	32.98
AV	15.6022G	43.57	54.00	-10.43	13.14	3	Horizontal	220	2.32	-	30.43	38.29	9.81	34.96
PK	4.96366G	44.74	74.00	-29.26	4.18	3	Horizontal	111	1.08	-	40.56	33.05	5.77	34.64
PK	10.40304G	54.00	68.20	-14.20	12.31	3	Horizontal	153	2.73	-	41.69	39.09	8.04	34.82
PK	12.6948G	54.00	74.00	-20.00	14.36	3	Horizontal	110	2.67	-	39.64	39.48	8.92	34.04
PK	13.32301G	54.94	74.00	-19.06	16.12	3	Horizontal	230	1.00	-	38.82	39.99	9.11	32.98
PK	15.5956G	52.89	74.00	-21.11	13.17	3	Horizontal	220	2.32	-	39.72	38.31	9.81	34.95

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80873G	31.19	54.00	-22.81	4.96	3	Vertical	51	1.42	-	26.23	32.35	6.90	34.29
AV	4.87538G	32.62	54.00	-21.38	5.32	3	Vertical	325	1.41	-	27.30	32.70	6.90	34.28
AV	7.30584G	36.99	54.00	-17.01	10.60	3	Vertical	275	1.50	-	26.39	36.88	8.52	34.80
AV	15.6003G	43.03	54.00	-10.97	17.07	3	Vertical	124	1.40	-	25.96	38.70	12.55	34.18
PK	4.8082G	44.71	74.00	-29.29	4.96	3	Vertical	51	1.42	-	39.75	32.35	6.90	34.29
PK	4.86554G	45.47	74.00	-28.53	5.27	3	Vertical	325	1.41	-	40.20	32.66	6.90	34.29
PK	7.30276G	50.39	74.00	-23.61	10.61	3	Vertical	275	1.50	-	39.78	36.89	8.52	34.80
PK	10.39498G	54.15	68.20	-14.05	14.44	3	Vertical	51	1.50	-	39.71	38.99	10.34	34.89
PK	15.5914G	56.71	74.00	-17.29	17.08	3	Vertical	124	1.40	-	39.63	38.71	12.55	34.18

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81083G	31.84	54.00	-22.16	4.97	3	Horizontal	188	1.66	-	26.87	32.36	6.90	34.29
AV	4.86456G	33.06	54.00	-20.94	5.27	3	Horizontal	39	1.25	-	27.79	32.66	6.90	34.29
AV	7.30558G	37.06	54.00	-16.94	10.60	3	Horizontal	280	1.03	-	26.46	36.88	8.52	34.80
AV	15.59134G	43.08	54.00	-10.92	17.08	3	Horizontal	183	1.57	-	26.00	38.71	12.55	34.18
PK	4.81066G	45.98	74.00	-28.02	4.97	3	Horizontal	188	1.66	-	41.01	32.36	6.90	34.29
PK	4.8663G	46.29	74.00	-27.71	5.28	3	Horizontal	39	1.25	-	41.01	32.67	6.90	34.29
PK	7.30592G	51.33	74.00	-22.67	10.60	3	Horizontal	280	1.03	-	40.73	36.88	8.52	34.80
PK	10.3946G	54.73	68.20	-13.47	14.44	3	Horizontal	325	1.50	-	40.29	38.99	10.34	34.89
PK	15.60242G	56.93	74.00	-17.07	17.06	3	Horizontal	183	1.57	-	39.87	38.69	12.55	34.18

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81338G	31.98	54.00	-22.02	4.99	3	Vertical	144	1.50	-	26.99	32.38	6.90	34.29
AV	4.87438G	31.56	54.00	-22.44	5.31	3	Vertical	314	1.50	-	26.25	32.70	6.90	34.29
AV	7.31154G	37.35	54.00	-16.65	10.58	3	Vertical	359	1.50	-	26.77	36.85	8.53	34.80
AV	10.39926G	41.47	68.20	-26.73	14.46	3	Vertical	25	1.36	-	27.01	39.00	10.35	34.89
AV	11.38734G	41.52	54.00	-12.48	15.46	3	Vertical	30	1.13	-	26.06	39.19	10.76	34.49
AV	15.59214G	43.06	54.00	-10.94	17.08	3	Vertical	348	1.50	-	25.98	38.71	12.55	34.18
AV	17.06386G	44.30	68.20	-23.90	18.87	3	Vertical	329	1.50	-	25.43	38.23	13.85	33.21
PK	4.8107G	45.73	74.00	-28.27	4.97	3	Vertical	144	1.50	-	40.76	32.36	6.90	34.29
PK	4.87096G	44.90	74.00	-29.10	5.29	3	Vertical	314	1.50	-	39.61	32.68	6.90	34.29
PK	7.31414G	50.69	74.00	-23.31	10.57	3	Vertical	359	1.50	-	40.12	36.84	8.53	34.80
PK	10.39414G	58.52	68.20	-9.68	14.44	3	Vertical	25	1.36	-	44.08	38.99	10.34	34.89
PK	11.38426G	54.88	74.00	-19.12	15.44	3	Vertical	30	1.13	-	39.44	39.18	10.75	34.49
PK	15.6138G	57.18	74.00	-16.82	17.03	3	Vertical	348	1.50	-	40.15	38.66	12.56	34.19
PK	17.07112G	57.65	68.20	-10.55	18.89	3	Vertical	329	1.50	-	38.76	38.24	13.85	33.20

Radiated Emissions above 1GHz_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8149G	31.90	54.00	-22.10	5.00	3	Horizontal	143	1.10	-	26.90	32.39	6.90	34.29
AV	4.86424G	31.58	54.00	-22.42	5.27	3	Horizontal	161	1.50	-	26.31	32.66	6.90	34.29
AV	7.31044G	37.20	54.00	-16.80	10.59	3	Horizontal	21	1.50	-	26.61	36.86	8.53	34.80
AV	10.40226G	41.56	68.20	-26.64	14.47	3	Horizontal	300	2.94	-	27.09	39.00	10.35	34.88
AV	11.38762G	41.29	54.00	-12.71	15.46	3	Horizontal	66	2.88	-	25.83	39.19	10.76	34.49
AV	15.5886G	42.99	54.00	-11.01	17.07	3	Horizontal	267	1.70	-	25.92	38.71	12.54	34.18
AV	17.06556G	44.41	68.20	-23.79	18.87	3	Horizontal	173	1.50	-	25.54	38.23	13.85	33.21
PK	4.80626G	45.92	74.00	-28.08	4.95	3	Horizontal	143	1.10	-	40.97	32.34	6.90	34.29
PK	4.87332G	45.48	74.00	-28.52	5.30	3	Horizontal	161	1.50	-	40.18	32.69	6.90	34.29
PK	7.30858G	50.82	74.00	-23.18	10.59	3	Horizontal	21	1.50	-	40.23	36.87	8.52	34.80
PK	10.39634G	58.93	68.20	-9.27	14.45	3	Horizontal	300	2.94	-	44.48	39.00	10.34	34.89
PK	11.38916G	55.04	74.00	-18.96	15.46	3	Horizontal	66	2.88	-	39.58	39.19	10.76	34.49
PK	15.5982G	56.26	74.00	-17.74	17.07	3	Horizontal	267	1.70	-	39.19	38.70	12.55	34.18
PK	17.07146G	57.17	68.20	-11.03	18.89	3	Horizontal	173	1.50	-	38.28	38.24	13.85	33.20


Radiated Emissions above 1GHz_Mode 9



18/04/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81188G	32.01	54.00	-21.99	4.98	3	Vertical	186	1.50	-	27.03	32.37	6.90	34.29
AV	4.86548G	31.64	54.00	-22.36	5.27	3	Vertical	198	1.53	-	26.37	32.66	6.90	34.29
AV	7.30212G	37.28	54.00	-16.72	10.61	3	Vertical	48	1.50	-	26.67	36.89	8.52	34.80
AV	10.39928G	41.71	68.20	-26.49	14.46	3	Vertical	26	1.50	-	27.25	39.00	10.35	34.89
AV	13.32908G	42.93	54.00	-11.07	18.44	3	Vertical	276	1.49	-	24.49	39.92	11.53	33.01
AV	15.5924G	43.15	54.00	-10.85	17.08	3	Vertical	109	1.50	-	26.07	38.71	12.55	34.18
PK	4.80676G	44.99	74.00	-29.01	4.95	3	Vertical	186	1.50	-	40.04	32.34	6.90	34.29
PK	4.8654G	45.14	74.00	-28.86	5.27	3	Vertical	198	1.53	-	39.87	32.66	6.90	34.29
PK	7.30244G	51.08	74.00	-22.92	10.61	3	Vertical	48	1.50	-	40.47	36.89	8.52	34.80
PK	10.39436G	59.63	68.20	-8.57	14.44	3	Vertical	26	1.50	-	45.19	38.99	10.34	34.89
PK	13.33504G	56.17	74.00	-17.83	18.47	3	Vertical	276	1.49	-	37.70	39.94	11.53	33.00
PK	15.60812G	56.72	74.00	-17.28	17.04	3	Vertical	109	1.50	-	39.68	38.68	12.55	34.19


Radiated Emissions above 1GHz_Mode 9



18/04/2023


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8128G	31.89	54.00	-22.11	4.99	3	Horizontal	262	1.08	-	26.90	32.38	6.90	34.29
AV	4.8688G	31.52	54.00	-22.48	5.29	3	Horizontal	113	1.04	-	26.23	32.68	6.90	34.29
AV	7.30596G	37.14	54.00	-16.86	10.60	3	Horizontal	57	1.06	-	26.54	36.88	8.52	34.80
AV	10.39952G	41.43	68.20	-26.77	14.46	3	Horizontal	59	1.64	-	26.97	39.00	10.35	34.89
AV	13.33676G	42.90	54.00	-11.10	18.48	3	Horizontal	163	1.50	-	24.42	39.95	11.53	33.00
AV	15.59524G	43.03	54.00	-10.97	17.07	3	Horizontal	324	1.50	-	25.96	38.70	12.55	34.18
PK	4.80512G	45.17	74.00	-28.83	4.94	3	Horizontal	262	1.08	-	40.23	32.33	6.90	34.29
PK	4.86864G	44.69	74.00	-29.31	5.28	3	Horizontal	113	1.04	-	39.41	32.67	6.90	34.29
PK	7.30712G	50.10	74.00	-23.90	10.59	3	Horizontal	57	1.06	-	39.51	36.87	8.52	34.80
PK	10.39668G	57.57	68.20	-10.63	14.45	3	Horizontal	59	1.64	-	43.12	39.00	10.34	34.89
PK	13.33984G	57.31	74.00	-16.69	18.50	3	Horizontal	163	1.50	-	38.81	39.96	11.53	32.99
PK	15.59996G	56.68	74.00	-17.32	17.07	3	Horizontal	324	1.50	-	39.61	38.70	12.55	34.18

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82098G	31.66	54.00	-22.34	5.04	3	Vertical	325	1.30	-	26.62	32.43	6.90	34.29
AV	4.87376G	33.96	54.00	-20.04	5.31	3	Vertical	360	1.50	-	28.65	32.70	6.90	34.29
AV	7.31112G	51.72	54.00	-2.28	10.59	3	Vertical	8	1.65	-	41.13	36.86	8.53	34.80
AV	10.41374G	40.96	68.20	-27.24	14.47	3	Vertical	153	1.50	-	26.49	39.00	10.35	34.88
AV	12.67932G	42.29	54.00	-11.71	16.72	3	Vertical	215	1.77	-	25.57	39.48	11.27	34.03
AV	15.59412G	42.91	54.00	-11.09	17.08	3	Vertical	299	1.50	-	25.83	38.71	12.55	34.18
PK	4.81003G	44.55	74.00	-29.45	4.97	3	Vertical	325	1.30	-	39.58	32.36	6.90	34.29
PK	4.8737G	47.41	74.00	-26.59	5.30	3	Vertical	360	1.50	-	42.11	32.69	6.90	34.29
PK	7.31832G	65.35	74.00	-8.65	10.57	3	Vertical	8	1.65	-	54.78	36.83	8.54	34.80
PK	10.39187G	55.17	68.20	-13.03	14.44	3	Vertical	153	1.50	-	40.73	38.99	10.34	34.89
PK	12.68421G	55.79	74.00	-18.21	16.73	3	Vertical	215	1.77	-	39.06	39.48	11.28	34.03
PK	15.59139G	56.31	74.00	-17.69	17.08	3	Vertical	299	1.50	-	39.23	38.71	12.55	34.18

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80904G	32.93	54.00	-21.07	4.96	3	Horizontal	43	1.95	-	27.97	32.35	6.90	34.29
AV	4.87361G	34.89	54.00	-19.11	5.30	3	Horizontal	357	1.50	-	29.59	32.69	6.90	34.29
AV	7.3101G	47.20	54.00	-6.80	10.59	3	Horizontal	51	1.58	-	36.61	36.86	8.53	34.80
AV	10.40426G	41.03	68.20	-27.17	14.47	3	Horizontal	22	1.00	-	26.56	39.00	10.35	34.88
AV	12.68112G	42.32	54.00	-11.68	16.73	3	Horizontal	263	1.50	-	25.59	39.48	11.28	34.03
AV	15.59271G	42.96	54.00	-11.04	17.08	3	Horizontal	31	1.99	-	25.88	38.71	12.55	34.18
PK	4.81627G	44.79	74.00	-29.21	5.01	3	Horizontal	43	1.95	-	39.78	32.40	6.90	34.29
PK	4.86806G	47.73	74.00	-26.27	5.28	3	Horizontal	357	1.50	-	42.45	32.67	6.90	34.29
PK	7.30212G	60.91	74.00	-13.09	10.61	3	Horizontal	51	1.58	-	50.30	36.89	8.52	34.80
PK	10.39529G	54.34	68.20	-13.86	14.45	3	Horizontal	22	1.00	-	39.89	39.00	10.34	34.89
PK	12.70455G	55.68	68.20	-12.52	16.80	3	Horizontal	263	1.50	-	38.88	39.51	11.28	33.99
PK	15.60396G	56.40	74.00	-17.60	17.06	3	Horizontal	31	1.99	-	39.34	38.69	12.55	34.18

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81936G	33.10	54.00	-20.90	5.03	3	Vertical	0	1.28	-	28.07	32.42	6.90	34.29
AV	10.40762G	40.76	68.20	-27.44	14.47	3	Vertical	360	2.00	-	26.29	39.00	10.35	34.88
AV	11.39254G	41.58	54.00	-12.42	15.46	3	Vertical	55	1.83	-	26.12	39.19	10.76	34.49
AV	12.78592G	42.72	68.20	-25.48	17.23	3	Vertical	125	1.56	-	25.49	39.76	11.32	33.85
AV	15.59139G	43.01	54.00	-10.99	17.08	3	Vertical	242	1.50	-	25.93	38.71	12.55	34.18
AV	17.07336G	44.51	68.20	-23.69	18.91	3	Vertical	122	1.10	-	25.60	38.25	13.86	33.20
PK	4.79845G	46.73	74.00	-27.27	4.91	3	Vertical	0	1.28	-	41.82	32.30	6.90	34.29
PK	10.40318G	54.44	68.20	-13.76	14.47	3	Vertical	360	2.00	-	39.97	39.00	10.35	34.88
PK	11.37577G	54.68	74.00	-19.32	15.44	3	Vertical	55	1.83	-	39.24	39.18	10.75	34.49
PK	12.79732G	55.74	68.20	-12.46	17.28	3	Vertical	125	1.56	-	38.46	39.79	11.32	33.83
PK	15.59892G	55.93	74.00	-18.07	17.07	3	Vertical	242	1.50	-	38.86	38.70	12.55	34.18
PK	17.05521G	57.18	68.20	-11.02	18.84	3	Vertical	122	1.10	-	38.34	38.21	13.84	33.21

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82452G	33.39	54.00	-20.61	5.06	3	Horizontal	63	2.26	-	28.33	32.45	6.90	34.29
AV	10.40933G	40.67	68.20	-27.53	14.47	3	Horizontal	253	2.37	-	26.20	39.00	10.35	34.88
AV	11.39365G	41.54	54.00	-12.46	15.46	3	Horizontal	73	1.33	-	26.08	39.19	10.76	34.49
AV	12.79345G	42.65	68.20	-25.55	17.27	3	Horizontal	344	1.05	-	25.38	39.78	11.32	33.83
AV	15.60459G	42.90	54.00	-11.10	17.06	3	Horizontal	189	1.18	-	25.84	38.69	12.55	34.18
AV	17.06007G	44.50	68.20	-23.70	18.85	3	Horizontal	45	2.75	-	25.65	38.22	13.84	33.21
PK	4.81531G	46.98	74.00	-27.02	5.00	3	Horizontal	63	2.26	-	41.98	32.39	6.90	34.29
PK	10.40504G	54.44	68.20	-13.76	14.47	3	Horizontal	253	2.37	-	39.97	39.00	10.35	34.88
PK	11.38837G	54.99	74.00	-19.01	15.46	3	Horizontal	73	1.33	-	39.53	39.19	10.76	34.49
PK	12.8035G	55.53	68.20	-12.67	17.31	3	Horizontal	344	1.05	-	38.22	39.81	11.32	33.82
PK	15.59508G	56.05	74.00	-17.95	17.07	3	Horizontal	189	1.18	-	38.98	38.70	12.55	34.18
PK	17.06211G	57.79	68.20	-10.41	18.85	3	Horizontal	45	2.75	-	38.94	38.22	13.84	33.21

Radiated Emissions above 1GHz_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82179G	31.93	54.00	-22.07	5.04	3	Vertical	153	2.92	-	26.89	32.43	6.90	34.29
AV	10.40282G	41.10	68.20	-27.10	14.47	3	Vertical	180	1.50	-	26.63	39.00	10.35	34.88
AV	12.68784G	42.09	54.00	-11.91	16.75	3	Vertical	360	1.50	-	25.34	39.49	11.28	34.02
AV	13.34167G	42.63	54.00	-11.37	18.51	3	Vertical	347	1.00	-	24.12	39.97	11.53	32.99
AV	15.59109G	43.10	54.00	-10.90	17.08	3	Vertical	211	1.92	-	26.02	38.71	12.55	34.18
PK	4.8208G	44.77	74.00	-29.23	5.03	3	Vertical	153	2.92	-	39.74	32.42	6.90	34.29
PK	10.39442G	54.64	68.20	-13.56	14.44	3	Vertical	180	1.50	-	40.20	38.99	10.34	34.89
PK	12.69435G	56.01	74.00	-17.99	16.76	3	Vertical	360	1.50	-	39.25	39.49	11.28	34.01
PK	13.31896G	56.27	74.00	-17.73	18.38	3	Vertical	347	1.00	-	37.89	39.88	11.52	33.02
PK	15.59544G	55.72	74.00	-18.28	17.07	3	Vertical	211	1.92	-	38.65	38.70	12.55	34.18

Radiated Emissions above 1GHz_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82254G	32.07	54.00	-21.93	5.05	3	Horizontal	71	1.86	-	27.02	32.44	6.90	34.29
AV	10.39337G	41.08	68.20	-27.12	14.44	3	Horizontal	247	1.68	-	26.64	38.99	10.34	34.89
AV	12.67593G	41.93	54.00	-12.07	16.71	3	Horizontal	62	1.03	-	25.22	39.48	11.27	34.04
AV	13.32304G	42.61	54.00	-11.39	18.40	3	Horizontal	285	1.50	-	24.21	39.89	11.53	33.02
AV	15.5907G	43.17	54.00	-10.83	17.08	3	Horizontal	220	1.11	-	26.09	38.71	12.55	34.18
PK	4.82122G	45.76	74.00	-28.24	5.04	3	Horizontal	71	1.86	-	40.72	32.43	6.90	34.29
PK	10.39196G	54.85	68.20	-13.35	14.44	3	Horizontal	247	1.68	-	40.41	38.99	10.34	34.89
PK	12.6807G	54.97	74.00	-19.03	16.73	3	Horizontal	62	1.03	-	38.24	39.48	11.28	34.03
PK	13.31554G	55.88	74.00	-18.12	18.35	3	Horizontal	285	1.50	-	37.53	39.86	11.52	33.03
PK	15.59154G	55.29	74.00	-18.71	17.08	3	Horizontal	220	1.11	-	38.21	38.71	12.55	34.18

Radiated Emissions above 1GHz_Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87352G	35.10	54.00	-18.90	5.30	3	Vertical	308	1.50	-	29.80	32.69	6.90	34.29
AV	4.87532G	34.79	54.00	-19.21	5.32	3	Vertical	355	1.11	-	29.47	32.70	6.90	34.28
AV	7.31067G	42.68	54.00	-11.32	10.59	3	Vertical	293	1.60	-	32.09	36.86	8.53	34.80
AV	10.40294G	40.91	68.20	-27.29	14.47	3	Vertical	89	1.55	-	26.44	39.00	10.35	34.88
AV	15.61053G	43.17	54.00	-10.83	17.04	3	Vertical	25	1.17	-	26.13	38.67	12.56	34.19
PK	4.87562G	48.09	74.00	-25.91	5.32	3	Vertical	355	1.11	-	42.77	32.70	6.90	34.28
PK	4.87808G	49.06	74.00	-24.94	5.33	3	Vertical	308	1.50	-	43.73	32.71	6.90	34.28
PK	7.30797G	56.52	74.00	-17.48	10.59	3	Vertical	293	1.60	-	45.93	36.87	8.52	34.80
PK	10.39961G	53.90	68.20	-14.30	14.46	3	Vertical	89	1.55	-	39.44	39.00	10.35	34.89
PK	15.58749G	56.25	74.00	-17.75	17.07	3	Vertical	25	1.17	-	39.18	38.71	12.54	34.18

Radiated Emissions above 1GHz_Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87259G	36.21	54.00	-17.79	5.30	3	Horizontal	360	1.46	-	30.91	32.69	6.90	34.29
AV	4.87547G	35.76	54.00	-18.24	5.32	3	Horizontal	25	1.93	-	30.44	32.70	6.90	34.28
AV	7.3107G	43.43	54.00	-10.57	10.59	3	Horizontal	75	1.56	-	32.84	36.86	8.53	34.80
AV	10.38521G	40.78	68.20	-27.42	14.44	3	Horizontal	170	1.45	-	26.34	38.99	10.34	34.89
AV	15.58899G	43.24	54.00	-10.76	17.07	3	Horizontal	326	2.38	-	26.17	38.71	12.54	34.18
PK	4.87504G	49.88	74.00	-24.12	5.32	3	Horizontal	25	1.93	-	44.56	32.70	6.90	34.28
PK	4.88279G	49.89	74.00	-24.11	5.35	3	Horizontal	360	1.46	-	44.54	32.73	6.90	34.28
PK	7.31049G	57.00	74.00	-17.00	10.59	3	Horizontal	75	1.56	-	46.41	36.86	8.53	34.80
PK	10.38902G	55.01	68.20	-13.19	14.44	3	Horizontal	170	1.45	-	40.57	38.99	10.34	34.89
PK	15.60789G	56.17	74.00	-17.83	17.04	3	Horizontal	326	2.38	-	39.13	38.68	12.55	34.19

Radiated Emissions above 1GHz_Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87202G	34.34	54.00	-19.66	5.30	3	Vertical	336	1.50	-	29.04	32.69	6.90	34.29
AV	4.875G	33.95	54.00	-20.05	5.31	3	Vertical	99	1.00	-	28.64	32.70	6.90	34.29
AV	7.31049G	40.24	54.00	-13.76	10.59	3	Vertical	360	1.50	-	29.65	36.86	8.53	34.80
AV	10.40684G	41.29	68.20	-26.91	14.47	3	Vertical	28	1.50	-	26.82	39.00	10.35	34.88
AV	11.39242G	41.47	54.00	-12.53	15.46	3	Vertical	111	1.03	-	26.01	39.19	10.76	34.49
AV	15.61143G	43.13	54.00	-10.87	17.04	3	Vertical	95	2.79	-	26.09	38.67	12.56	34.19
AV	17.05614G	44.55	68.20	-23.65	18.84	3	Vertical	336	1.47	-	25.71	38.21	13.84	33.21
PK	4.86683G	47.52	74.00	-26.48	5.28	3	Vertical	336	1.50	-	42.24	32.67	6.90	34.29
PK	4.87696G	46.86	74.00	-27.14	5.33	3	Vertical	99	1.00	-	41.53	32.71	6.90	34.28
PK	7.3107G	54.69	74.00	-19.31	10.59	3	Vertical	360	1.50	-	44.10	36.86	8.53	34.80
PK	10.39409G	58.48	68.20	-9.72	14.44	3	Vertical	28	1.50	-	44.04	38.99	10.34	34.89
PK	11.39317G	54.45	74.00	-19.55	15.46	3	Vertical	111	1.03	-	38.99	39.19	10.76	34.49
PK	15.59724G	55.83	74.00	-18.17	17.07	3	Vertical	95	2.79	-	38.76	38.70	12.55	34.18
PK	17.06712G	57.54	68.20	-10.66	18.88	3	Vertical	336	1.47	-	38.66	38.23	13.85	33.20

Radiated Emissions above 1GHz_Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87226G	36.31	54.00	-17.69	5.30	3	Horizontal	328	2.00	-	31.01	32.69	6.90	34.29
AV	4.87583G	35.76	54.00	-18.24	5.32	3	Horizontal	123	1.26	-	30.44	32.70	6.90	34.28
AV	7.3101G	40.27	54.00	-13.73	10.59	3	Horizontal	315	1.51	-	29.68	36.86	8.53	34.80
AV	10.39187G	40.99	68.20	-27.21	14.44	3	Horizontal	96	1.54	-	26.55	38.99	10.34	34.89
AV	11.38645G	41.59	54.00	-12.41	15.46	3	Horizontal	343	2.61	-	26.13	39.19	10.76	34.49
AV	15.60354G	43.06	54.00	-10.94	17.06	3	Horizontal	360	1.70	-	26.00	38.69	12.55	34.18
AV	17.07549G	44.57	68.20	-23.63	18.91	3	Horizontal	326	1.14	-	25.66	38.25	13.86	33.20
PK	4.87403G	51.03	74.00	-22.97	5.31	3	Horizontal	328	2.00	-	45.72	32.70	6.90	34.29
PK	4.87529G	49.72	74.00	-24.28	5.32	3	Horizontal	123	1.26	-	44.40	32.70	6.90	34.28
PK	7.30785G	54.02	74.00	-19.98	10.59	3	Horizontal	315	1.51	-	43.43	36.87	8.52	34.80
PK	10.39898G	55.23	68.20	-12.97	14.46	3	Horizontal	96	1.54	-	40.77	39.00	10.35	34.89
PK	11.38954G	54.72	74.00	-19.28	15.46	3	Horizontal	343	2.61	-	39.26	39.19	10.76	34.49
PK	15.59115G	56.19	74.00	-17.81	17.08	3	Horizontal	360	1.70	-	39.11	38.71	12.55	34.18
PK	17.05821G	58.21	68.20	-9.99	18.85	3	Horizontal	326	1.14	-	39.36	38.22	13.84	33.21

Radiated Emissions above 1GHz_Mode 15




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86692G	34.98	54.00	-19.02	3.32	3	Vertical	98	1.97	-	31.66	32.60	5.37	34.65
AV	4.8728G	34.84	54.00	-19.16	3.32	3	Vertical	342	2.80	-	31.52	32.60	5.37	34.65
AV	7.3116G	41.65	54.00	-12.35	8.54	3	Vertical	355	1.49	-	33.11	36.68	6.64	34.78
AV	13.33213G	45.32	54.00	-8.68	15.51	3	Vertical	17	2.53	-	29.81	39.66	8.82	32.97
AV	15.59892G	43.08	54.00	-10.92	12.59	3	Vertical	142	2.13	-	30.49	38.01	9.53	34.95
PK	4.86836G	45.82	74.00	-28.18	3.32	3	Vertical	342	2.80	-	42.50	32.60	5.37	34.65
PK	4.8695G	44.51	74.00	-29.49	3.32	3	Vertical	98	1.97	-	41.19	32.60	5.37	34.65
PK	7.31178G	52.57	74.00	-21.43	8.54	3	Vertical	355	1.49	-	44.03	36.68	6.64	34.78
PK	10.40768G	52.26	68.20	-15.94	11.58	3	Vertical	330	1.00	-	40.68	38.41	7.98	34.81
PK	13.32772G	54.74	74.00	-19.26	15.49	3	Vertical	17	2.53	-	39.25	39.64	8.82	32.97
PK	15.59676G	53.20	74.00	-20.80	12.59	3	Vertical	142	2.13	-	40.61	38.02	9.52	34.95

Radiated Emissions above 1GHz_Mode 15




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86602G	36.13	54.00	-17.87	3.32	3	Horizontal	179	1.71	-	32.81	32.60	5.37	34.65
AV	4.87904G	38.03	54.00	-15.97	3.33	3	Horizontal	240	2.24	-	34.70	32.60	5.38	34.65
AV	7.31624G	40.51	54.00	-13.49	8.53	3	Horizontal	345	1.57	-	31.98	36.67	6.64	34.78
AV	13.3213G	45.40	54.00	-8.60	15.45	3	Horizontal	266	1.90	-	29.95	39.61	8.82	32.98
AV	15.59718G	43.26	54.00	-10.74	12.59	3	Horizontal	256	1.58	-	30.67	38.01	9.53	34.95
PK	4.87214G	47.75	74.00	-26.25	3.32	3	Horizontal	179	1.71	-	44.43	32.60	5.37	34.65
PK	4.87898G	49.32	74.00	-24.68	3.33	3	Horizontal	240	2.24	-	45.99	32.60	5.38	34.65
PK	7.31804G	52.21	74.00	-21.79	8.52	3	Horizontal	345	1.57	-	43.69	36.66	6.64	34.78
PK	10.40222G	51.89	68.20	-16.31	11.56	3	Horizontal	307	3.00	-	40.33	38.40	7.98	34.82
PK	13.31587G	54.24	74.00	-19.76	15.41	3	Horizontal	266	1.90	-	38.83	39.58	8.82	32.99
PK	15.59454G	53.61	74.00	-20.39	12.60	3	Horizontal	256	1.58	-	41.01	38.03	9.52	34.95

Radiated Emissions above 1GHz_Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87214G	34.89	54.00	-19.11	3.32	3	Vertical	16	1.55	-	31.57	32.60	5.37	34.65
AV	4.8736G	34.45	54.00	-19.55	3.33	3	Vertical	274	1.21	-	31.12	32.60	5.38	34.65
AV	7.31132G	49.96	54.00	-4.04	8.54	3	Vertical	11	1.48	-	41.42	36.68	6.64	34.78
AV	12.69537G	44.28	54.00	-9.72	13.81	3	Vertical	312	1.76	-	30.47	39.19	8.66	34.04
AV	15.59742G	42.85	54.00	-11.15	12.59	3	Vertical	335	2.03	-	30.26	38.01	9.53	34.95
PK	4.87584G	45.39	74.00	-28.61	3.33	3	Vertical	274	1.21	-	42.06	32.60	5.38	34.65
PK	4.87628G	44.97	74.00	-29.03	3.33	3	Vertical	16	1.55	-	41.64	32.60	5.38	34.65
PK	7.3114G	62.02	74.00	-11.98	8.54	3	Vertical	11	1.48	-	53.48	36.68	6.64	34.78
PK	10.39982G	52.71	68.20	-15.49	11.56	3	Vertical	283	2.47	-	41.15	38.40	7.98	34.82
PK	12.6942G	53.61	74.00	-20.39	13.81	3	Vertical	312	1.76	-	39.80	39.19	8.66	34.04
PK	15.59628G	52.63	74.00	-21.37	12.59	3	Vertical	335	2.03	-	40.04	38.02	9.52	34.95

Radiated Emissions above 1GHz_Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86752G	34.79	54.00	-19.21	3.32	3	Horizontal	247	1.83	-	31.47	32.60	5.37	34.65
AV	4.87346G	35.39	54.00	-18.61	3.33	3	Horizontal	116	1.35	-	32.06	32.60	5.38	34.65
AV	7.312G	49.52	54.00	-4.48	8.54	3	Horizontal	76	2.57	-	40.98	36.68	6.64	34.78
AV	12.68967G	44.91	54.00	-9.09	13.79	3	Horizontal	66	2.81	-	31.12	39.18	8.66	34.05
AV	15.59904G	42.93	54.00	-11.07	12.58	3	Horizontal	305	2.15	-	30.35	38.00	9.53	34.95
PK	4.8761G	45.54	74.00	-28.46	3.33	3	Horizontal	116	1.35	-	42.21	32.60	5.38	34.65
PK	4.87884G	46.78	74.00	-27.22	3.33	3	Horizontal	247	1.83	-	43.45	32.60	5.38	34.65
PK	7.30204G	62.79	74.00	-11.21	8.56	3	Horizontal	76	2.57	-	54.23	36.70	6.64	34.78
PK	10.39034G	51.43	68.20	-16.77	11.53	3	Horizontal	65	2.99	-	39.90	38.39	7.97	34.83
PK	12.70293G	53.82	68.20	-14.38	13.84	3	Horizontal	66	2.81	-	39.98	39.21	8.66	34.03
PK	15.60708G	53.56	74.00	-20.44	12.56	3	Horizontal	305	2.15	-	41.00	37.99	9.53	34.96

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86818G	34.99	54.00	-19.01	3.32	3	Vertical	104	1.38	-	31.67	32.60	5.37	34.65
AV	11.3674G	42.60	54.00	-11.40	12.64	3	Vertical	288	1.80	-	29.96	38.93	8.28	34.57
AV	12.68271G	44.70	54.00	-9.30	13.76	3	Vertical	43	2.34	-	30.94	39.17	8.65	34.06
AV	15.59604G	42.75	54.00	-11.25	12.59	3	Vertical	316	1.91	-	30.16	38.02	9.52	34.95
PK	4.86548G	45.49	74.00	-28.51	3.32	3	Vertical	104	1.38	-	42.17	32.60	5.37	34.65
PK	10.40616G	52.05	68.20	-16.15	11.57	3	Vertical	331	2.27	-	40.48	38.41	7.98	34.82
PK	11.36662G	52.82	74.00	-21.18	12.64	3	Vertical	288	1.80	-	40.18	38.93	8.28	34.57
PK	12.67605G	53.79	74.00	-20.21	13.73	3	Vertical	43	2.34	-	40.06	39.15	8.65	34.07
PK	15.60844G	53.61	74.00	-20.39	12.55	3	Vertical	316	1.91	-	41.06	37.98	9.53	34.96
PK	17.0685G	55.62	68.20	-12.58	14.02	3	Vertical	167	2.03	-	41.60	38.10	10.08	34.16

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8665G	35.03	54.00	-18.97	3.32	3	Horizontal	61	2.38	-	31.71	32.60	5.37	34.65
AV	11.38174G	42.69	54.00	-11.31	12.68	3	Horizontal	261	2.33	-	30.01	38.96	8.29	34.57
AV	12.68052G	44.82	54.00	-9.18	13.74	3	Horizontal	184	1.73	-	31.08	39.16	8.65	34.07
AV	15.60844G	43.09	54.00	-10.91	12.55	3	Horizontal	0	2.61	-	30.54	37.98	9.53	34.96
PK	4.8716G	45.50	74.00	-28.50	3.32	3	Horizontal	61	2.38	-	42.18	32.60	5.37	34.65
PK	10.40436G	51.67	68.20	-16.53	11.56	3	Horizontal	267	1.25	-	40.11	38.40	7.98	34.82
PK	11.3905G	52.55	74.00	-21.45	12.70	3	Horizontal	261	2.33	-	39.85	38.98	8.29	34.57
PK	12.68259G	53.59	74.00	-20.41	13.76	3	Horizontal	184	1.73	-	39.83	39.17	8.65	34.06
PK	15.59492G	53.13	74.00	-20.87	12.60	3	Horizontal	0	2.61	-	40.53	38.03	9.52	34.95
PK	17.058G	55.07	68.20	-13.13	14.03	3	Horizontal	130	1.38	-	41.04	38.10	10.08	34.15

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86692G	34.98	54.00	-19.02	3.32	3	Vertical	98	1.97	-	31.66	32.60	5.37	34.65
AV	4.8728G	34.84	54.00	-19.16	3.32	3	Vertical	342	2.80	-	31.52	32.60	5.37	34.65
AV	7.3116G	41.65	54.00	-12.35	8.54	3	Vertical	355	1.49	-	33.11	36.68	6.64	34.78
AV	13.33213G	45.32	54.00	-8.68	15.51	3	Vertical	17	2.53	-	29.81	39.66	8.82	32.97
AV	15.59892G	43.08	54.00	-10.92	12.59	3	Vertical	142	2.13	-	30.49	38.01	9.53	34.95
PK	4.86836G	45.82	74.00	-28.18	3.32	3	Vertical	342	2.80	-	42.50	32.60	5.37	34.65
PK	4.8695G	44.51	74.00	-29.49	3.32	3	Vertical	98	1.97	-	41.19	32.60	5.37	34.65
PK	7.31178G	52.57	74.00	-21.43	8.54	3	Vertical	355	1.49	-	44.03	36.68	6.64	34.78
PK	10.40768G	52.26	68.20	-15.94	11.58	3	Vertical	330	1.00	-	40.68	38.41	7.98	34.81
PK	13.32772G	54.74	74.00	-19.26	15.49	3	Vertical	17	2.53	-	39.25	39.64	8.82	32.97
PK	15.59676G	53.20	74.00	-20.80	12.59	3	Vertical	142	2.13	-	40.61	38.02	9.52	34.95

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86602G	36.13	54.00	-17.87	3.32	3	Horizontal	179	1.71	-	32.81	32.60	5.37	34.65
AV	4.87904G	38.03	54.00	-15.97	3.33	3	Horizontal	240	2.24	-	34.70	32.60	5.38	34.65
AV	7.31624G	40.51	54.00	-13.49	8.53	3	Horizontal	345	1.57	-	31.98	36.67	6.64	34.78
AV	13.3213G	45.40	54.00	-8.60	15.45	3	Horizontal	266	1.90	-	29.95	39.61	8.82	32.98
AV	15.59718G	43.26	54.00	-10.74	12.59	3	Horizontal	256	1.58	-	30.67	38.01	9.53	34.95
PK	4.87214G	47.75	74.00	-26.25	3.32	3	Horizontal	179	1.71	-	44.43	32.60	5.37	34.65
PK	4.87898G	49.32	74.00	-24.68	3.33	3	Horizontal	240	2.24	-	45.99	32.60	5.38	34.65
PK	7.31804G	52.21	74.00	-21.79	8.52	3	Horizontal	345	1.57	-	43.69	36.66	6.64	34.78
PK	10.40222G	51.89	68.20	-16.31	11.56	3	Horizontal	307	3.00	-	40.33	38.40	7.98	34.82
PK	13.31587G	54.24	74.00	-19.76	15.41	3	Horizontal	266	1.90	-	38.83	39.58	8.82	32.99
PK	15.59454G	53.61	74.00	-20.39	12.60	3	Horizontal	256	1.58	-	41.01	38.03	9.52	34.95