




5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76872G	43.89	54.00	-10.11	12.82	3	Vertical	327	1.50	31.07	38.03	9.87	35.08
PK	10.5116G	54.07	68.20	-14.13	11.99	3	Vertical	239	1.46	42.08	38.63	8.08	34.72
PK	15.76842G	54.67	74.00	-19.33	12.82	3	Vertical	327	1.50	41.85	38.03	9.87	35.08



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77448G	43.99	54.00	-10.01	12.82	3	Horizontal	4	1.50	31.17	38.03	9.87	35.08
PK	10.5344G	53.66	68.20	-14.54	12.08	3	Horizontal	134	1.50	41.58	38.70	8.09	34.71
PK	15.79452G	55.98	74.00	-18.02	12.79	3	Horizontal	4	1.50	43.19	38.01	9.88	35.10



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3032G	100.82	Inf	-Inf	4.24	3	Vertical	48	1.74	96.58	32.89	5.94	34.59
AV	5.398G	48.83	54.00	-5.17	4.40	3	Vertical	48	1.74	44.43	32.99	5.99	34.58
PK	5.3052G	110.98	Inf	-Inf	4.23	3	Vertical	48	1.74	106.75	32.88	5.94	34.59
PK	5.3904G	59.78	74.00	-14.22	4.34	3	Vertical	48	1.74	55.44	32.94	5.98	34.58



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3036G	107.24	Inf	-Inf	4.24	3	Horizontal	36	2.38	103.00	32.89	5.94	34.59
AV	5.3984G	51.85	54.00	-2.15	4.40	3	Horizontal	36	2.38	47.45	32.99	5.99	34.58
PK	5.3012G	117.10	Inf	-Inf	4.25	3	Horizontal	36	2.38	112.85	32.90	5.94	34.59
PK	5.398G	62.69	74.00	-11.31	4.40	3	Horizontal	36	2.38	58.29	32.99	5.99	34.58



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89754G	43.45	54.00	-10.55	12.35	3	Vertical	99	1.11	31.10	37.61	9.91	35.17
PK	10.59766G	52.94	68.20	-15.26	12.32	3	Vertical	150	1.50	40.62	38.89	8.12	34.69
PK	15.8994G	54.92	74.00	-19.08	12.33	3	Vertical	99	1.11	42.59	37.60	9.91	35.18



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90618G	43.51	54.00	-10.49	12.33	3	Horizontal	195	1.50	31.18	37.60	9.91	35.18
PK	10.59822G	54.21	68.20	-13.99	12.32	3	Horizontal	359	1.50	41.89	38.89	8.12	34.69
PK	15.89286G	54.53	74.00	-19.47	12.37	3	Horizontal	195	1.50	42.16	37.63	9.91	35.17



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3232G	100.32	Inf	-Inf	4.17	3	Vertical	47	1.71	96.15	32.81	5.95	34.59
AV	5.3504G	49.50	54.00	-4.50	4.08	3	Vertical	47	1.71	45.42	32.70	5.96	34.58
PK	5.323G	112.16	Inf	-Inf	4.17	3	Vertical	47	1.71	107.99	32.81	5.95	34.59
PK	5.3554G	62.55	74.00	-11.45	4.12	3	Vertical	47	1.71	58.43	32.73	5.97	34.58



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	105.55	Inf	-Inf	4.17	3	Horizontal	35	1.98	101.38	32.81	5.95	34.59
AV	5.3502G	53.31	54.00	-0.69	4.08	3	Horizontal	35	1.98	49.23	32.70	5.96	34.58
PK	5.3254G	115.78	Inf	-Inf	4.16	3	Horizontal	35	1.98	111.62	32.80	5.95	34.59
PK	5.3554G	67.54	74.00	-6.46	4.12	3	Horizontal	35	1.98	63.42	32.73	5.97	34.58





5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6535G	42.34	54.00	-11.66	12.47	3	Vertical	245	1.50	29.87	39.01	8.14	34.68
AV	15.96156G	43.20	54.00	-10.80	12.31	3	Vertical	337	1.50	30.89	37.60	9.93	35.22
PK	10.64678G	53.02	74.00	-20.98	12.45	3	Vertical	245	1.50	40.57	38.99	8.14	34.68
PK	15.96816G	54.44	74.00	-19.56	12.30	3	Vertical	337	1.50	42.14	37.60	9.93	35.23



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6409G	42.53	54.00	-11.47	12.44	3	Horizontal	242	1.50	30.09	38.98	8.14	34.68
AV	15.9633G	43.23	54.00	-10.77	12.31	3	Horizontal	67	2.24	30.92	37.60	9.93	35.22
PK	10.6388G	53.52	74.00	-20.48	12.44	3	Horizontal	242	1.50	41.08	38.98	8.14	34.68
PK	15.95898G	54.37	74.00	-19.63	12.31	3	Horizontal	67	2.24	42.06	37.60	9.93	35.22



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	48.46	54.00	-5.54	4.26	3	Vertical	36	2.97	44.20	32.82	6.01	34.57
AV	5.506G	104.19	Inf	-Inf	4.38	3	Vertical	36	2.97	99.81	32.91	6.03	34.56
PK	5.4694G	65.13	68.20	-3.07	4.29	3	Vertical	36	2.97	60.84	32.84	6.01	34.56
PK	5.5058G	114.24	Inf	-Inf	4.38	3	Vertical	36	2.97	109.86	32.91	6.03	34.56



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	49.34	54.00	-4.66	4.26	3	Horizontal	328	1.62	45.08	32.82	6.01	34.57
AV	5.505G	105.48	Inf	-Inf	4.38	3	Horizontal	328	1.62	101.10	32.91	6.03	34.56
PK	5.4682G	67.51	68.20	-0.69	4.28	3	Horizontal	328	1.62	63.23	32.84	6.01	34.57
PK	5.503G	115.52	Inf	-Inf	4.38	3	Horizontal	328	1.62	111.14	32.91	6.03	34.56



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99208G	42.64	54.00	-11.36	12.43	3	Vertical	95	1.68	30.21	38.72	8.29	34.58
PK	11.00264G	53.56	74.00	-20.44	12.41	3	Vertical	95	1.68	41.15	38.70	8.29	34.58
PK	16.48578G	55.92	68.20	-12.28	13.88	3	Vertical	1	1.50	42.04	38.60	10.05	34.77



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00132G	42.70	54.00	-11.30	12.41	3	Horizontal	19	2.07	30.29	38.70	8.29	34.58
PK	10.9874G	53.45	74.00	-20.55	12.43	3	Horizontal	19	2.07	41.02	38.73	8.28	34.58
PK	16.497G	55.91	68.20	-12.29	13.98	3	Horizontal	179	1.66	41.93	38.68	10.06	34.76



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.19	54.00	-7.81	4.26	3	Vertical	33	2.90	41.93	32.82	6.01	34.57
AV	5.5788G	104.64	Inf	-Inf	4.50	3	Vertical	33	2.90	100.14	33.00	6.05	34.55
PK	5.4666G	56.66	68.20	-11.54	4.27	3	Vertical	33	2.90	52.39	32.83	6.01	34.57
PK	5.5812G	114.48	Inf	-Inf	4.50	3	Vertical	33	2.90	109.98	33.00	6.05	34.55
PK	5.7276G	57.68	68.20	-10.52	5.12	3	Vertical	33	2.90	52.56	33.51	6.15	34.54



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.26	54.00	-7.74	4.26	3	Horizontal	332	1.77	42.00	32.82	6.01	34.57
AV	5.5848G	105.59	Inf	-Inf	4.50	3	Horizontal	332	1.77	101.09	33.00	6.05	34.55
PK	5.4672G	56.57	68.20	-11.63	4.27	3	Horizontal	332	1.77	52.30	32.83	6.01	34.57
PK	5.5872G	115.07	Inf	-Inf	4.51	3	Horizontal	332	1.77	110.56	33.00	6.06	34.55
PK	5.727G	58.01	68.20	-10.19	5.12	3	Horizontal	332	1.77	52.89	33.51	6.15	34.54





5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16114G	42.55	54.00	-11.45	12.44	3	Vertical	93	1.73	30.11	38.66	8.36	34.58
PK	11.16288G	54.03	74.00	-19.97	12.44	3	Vertical	93	1.73	41.59	38.66	8.36	34.58
PK	16.74522G	56.24	68.20	-11.96	13.86	3	Vertical	209	1.50	42.38	38.19	10.12	34.45



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1558G	42.60	54.00	-11.40	12.44	3	Horizontal	30	1.96	30.16	38.66	8.36	34.58
PK	11.1504G	53.37	74.00	-20.63	12.42	3	Horizontal	30	1.79	40.95	38.65	8.35	34.58
PK	16.73946G	56.17	68.20	-12.03	13.84	3	Horizontal	46	2.25	42.33	38.18	10.11	34.45



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6984G	100.82	Inf	-Inf	4.98	3	Vertical	35	2.93	95.84	33.39	6.13	34.54
PK	5.6912G	110.93	Inf	-Inf	4.91	3	Vertical	35	2.93	106.02	33.33	6.12	34.54
PK	5.728G	64.36	68.20	-3.84	5.12	3	Vertical	35	2.93	59.24	33.51	6.15	34.54



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	100.74	Inf	-Inf	4.97	3	Horizontal	335	1.74	95.77	33.38	6.13	34.54
PK	5.6972G	111.13	Inf	-Inf	4.97	3	Horizontal	335	1.74	106.16	33.38	6.13	34.54
PK	5.7252G	67.76	68.20	-0.44	5.11	3	Horizontal	335	1.74	62.65	33.50	6.15	34.54



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40798G	42.49	54.00	-11.51	12.77	3	Vertical	198	2.78	29.72	38.88	8.46	34.57
PK	11.41266G	53.28	74.00	-20.72	12.76	3	Vertical	198	2.78	40.52	38.87	8.46	34.57
PK	17.10018G	56.26	68.20	-11.94	14.02	3	Vertical	173	1.65	42.24	38.00	10.20	34.18



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40606G	42.36	54.00	-11.64	12.78	3	Horizontal	282	1.50	29.58	38.89	8.46	34.57
PK	11.3961G	53.48	74.00	-20.52	12.79	3	Horizontal	282	1.50	40.69	38.90	8.46	34.57
PK	17.09028G	55.92	68.20	-12.28	14.03	3	Horizontal	0	1.50	41.89	38.00	10.20	34.17



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	45.84	54.00	-8.16	4.28	3	Vertical	35	2.89	41.56	32.85	6.00	34.57
AV	5.7188G	104.75	Inf	-Inf	5.08	3	Vertical	35	2.89	99.67	33.48	6.14	34.54
PK	5.4656G	56.65	68.20	-11.55	4.27	3	Vertical	35	2.89	52.38	32.83	6.01	34.57
PK	5.7212G	114.20	Inf	-Inf	5.08	3	Vertical	35	2.89	109.12	33.48	6.14	34.54
PK	5.9G	59.03	68.20	-9.17	6.02	3	Vertical	35	2.89	53.01	34.30	6.25	34.53



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.76	54.00	-8.24	4.26	3	Horizontal	317	1.00	41.50	32.82	6.01	34.57
AV	5.7224G	105.84	Inf	-Inf	5.10	3	Horizontal	317	1.00	100.74	33.49	6.15	34.54
PK	5.4632G	55.81	68.20	-12.39	4.27	3	Horizontal	317	1.00	51.54	32.83	6.01	34.57
PK	5.7128G	115.08	Inf	-Inf	5.05	3	Horizontal	317	1.00	110.03	33.45	6.14	34.54
PK	5.8592G	58.87	68.20	-9.33	5.84	3	Horizontal	317	1.00	53.03	34.14	6.23	34.53





5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4349G	42.54	54.00	-11.46	12.73	3	Vertical	0	1.50	29.81	38.83	8.47	34.57
PK	11.42686G	53.44	74.00	-20.56	12.75	3	Vertical	0	1.50	40.69	38.85	8.47	34.57
PK	17.15298G	56.12	68.20	-12.08	14.16	3	Vertical	246	1.50	41.96	38.16	10.21	34.21



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43856G	43.26	54.00	-10.74	12.72	3	Horizontal	302	2.27	30.54	38.82	8.47	34.57
PK	11.45122G	54.52	74.00	-19.48	12.71	3	Horizontal	302	2.27	41.81	38.80	8.48	34.57
PK	17.16816G	56.18	68.20	-12.02	14.19	3	Horizontal	7	1.50	41.99	38.20	10.21	34.22



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	104.50	Inf	-Inf	5.20	3	Vertical	38	3.00	99.30	33.58	6.16	34.54
PK	5.649G	59.73	68.20	-8.47	4.54	3	Vertical	38	3.00	55.19	33.00	6.09	34.55
PK	5.751G	114.38	Inf	-Inf	5.24	3	Vertical	38	3.00	109.14	33.61	6.17	34.54
PK	5.9958G	58.94	68.20	-9.26	5.99	3	Vertical	38	3.00	52.95	34.21	6.30	34.52



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	105.32	Inf	-Inf	5.21	3	Horizontal	319	1.29	100.11	33.59	6.16	34.54
PK	5.6502G	60.20	68.35	-8.15	4.55	3	Horizontal	319	1.29	55.65	33.00	6.10	34.55
PK	5.7378G	114.83	Inf	-Inf	5.17	3	Horizontal	319	1.29	109.66	33.55	6.16	34.54
PK	5.9298G	58.27	68.20	-9.93	6.03	3	Horizontal	319	1.29	52.24	34.30	6.26	34.53



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50284G	42.55	54.00	-11.45	12.62	3	Vertical	322	1.50	29.93	38.69	8.50	34.57
PK	11.49678G	53.47	74.00	-20.53	12.64	3	Vertical	322	1.50	40.83	38.71	8.50	34.57
PK	17.2242G	57.53	68.20	-10.67	14.26	3	Vertical	161	1.50	43.27	38.28	10.23	34.25



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4888G	43.03	54.00	-10.97	12.65	3	Horizontal	0	2.38	30.38	38.72	8.50	34.57
PK	11.49228G	53.83	74.00	-20.17	12.65	3	Horizontal	0	2.38	41.18	38.72	8.50	34.57
PK	17.22162G	56.20	68.20	-12.00	14.26	3	Horizontal	294	1.50	41.94	38.28	10.23	34.25



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78371G	102.19	Inf	-Inf	5.45	3	Vertical	323	2.91	96.74	33.80	6.19	34.54
PK	5.56954G	57.25	68.20	-10.95	4.50	3	Vertical	323	2.91	52.75	33.00	6.05	34.55
PK	5.79097G	111.34	Inf	-Inf	5.50	3	Vertical	323	2.91	105.84	33.85	6.19	34.54
PK	5.94827G	58.14	68.20	-10.06	6.05	3	Vertical	323	2.91	52.09	34.30	6.27	34.52



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7825G	105.73	Inf	-Inf	5.45	3	Horizontal	317	1.00	100.28	33.80	6.19	34.54
PK	5.61068G	58.30	68.20	-9.90	4.52	3	Horizontal	317	1.00	53.78	33.00	6.07	34.55
PK	5.7825G	115.30	Inf	-Inf	5.45	3	Horizontal	317	1.00	109.85	33.80	6.19	34.54
PK	5.98578G	58.91	68.20	-9.29	6.00	3	Horizontal	317	1.00	52.91	34.23	6.29	34.52





5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57168G	42.38	54.00	-11.62	12.50	3	Vertical	323	2.93	29.88	38.56	8.53	34.59
PK	11.58488G	53.32	74.00	-20.68	12.47	3	Vertical	323	2.93	40.85	38.53	8.54	34.60
PK	17.35524G	56.44	68.20	-11.76	14.24	3	Vertical	164	1.26	42.20	38.31	10.26	34.33



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57192G	42.60	54.00	-11.40	12.50	3	Horizontal	0	2.21	30.10	38.56	8.53	34.59
PK	11.56856G	53.38	74.00	-20.62	12.50	3	Horizontal	0	2.21	40.88	38.56	8.53	34.59
PK	17.35392G	56.36	68.20	-11.84	14.24	3	Horizontal	268	2.71	42.12	38.31	10.26	34.33



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	101.41	Inf	-Inf	5.68	3	Vertical	323	3.00	95.73	34.00	6.21	34.53
PK	5.6018G	58.67	68.20	-9.53	4.51	3	Vertical	323	3.00	54.16	33.00	6.06	34.55
PK	5.8262G	111.02	Inf	-Inf	5.68	3	Vertical	323	3.00	105.34	34.00	6.21	34.53
PK	5.999G	57.85	68.20	-10.35	5.98	3	Vertical	323	3.00	51.87	34.20	6.30	34.52



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	104.86	Inf	-Inf	5.66	3	Horizontal	320	1.38	99.20	33.98	6.21	34.53
PK	5.6294G	58.00	68.20	-10.20	4.53	3	Horizontal	320	1.38	53.47	33.00	6.08	34.55
PK	5.8178G	114.56	Inf	-Inf	5.65	3	Horizontal	320	1.38	108.91	33.97	6.21	34.53
PK	5.9798G	58.83	68.20	-9.37	6.01	3	Horizontal	320	1.38	52.82	34.24	6.29	34.52



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63746G	42.41	54.00	-11.59	12.41	3	Vertical	204	2.98	30.00	38.46	8.56	34.61
PK	11.6527G	53.58	74.00	-20.42	12.39	3	Vertical	204	2.98	41.19	38.45	8.56	34.62
PK	17.48664G	56.59	68.20	-11.61	14.02	3	Vertical	182	1.50	42.57	38.14	10.29	34.41



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66236G	42.52	54.00	-11.48	12.39	3	Horizontal	360	2.08	30.13	38.44	8.57	34.62
PK	11.63878G	53.39	74.00	-20.61	12.41	3	Horizontal	360	2.08	40.98	38.46	8.56	34.61
PK	17.48658G	56.66	68.20	-11.54	14.02	3	Horizontal	25	1.50	42.64	38.14	10.29	34.41



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	51.80	54.00	-2.20	4.34	3	Vertical	342	3.00	47.46	33.10	5.86	34.62
AV	5.196G	99.78	Inf	-Inf	4.46	3	Vertical	342	3.00	95.32	33.19	5.88	34.61
PK	5.1464G	66.15	74.00	-7.85	4.33	3	Vertical	342	3.00	61.82	33.09	5.86	34.62
PK	5.196G	108.94	Inf	-Inf	4.46	3	Vertical	342	3.00	104.48	33.19	5.88	34.61



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	53.67	54.00	-0.33	4.34	3	Horizontal	51.9	2.51	49.33	33.10	5.86	34.62
AV	5.1908G	102.51	Inf	-Inf	4.45	3	Horizontal	51.9	2.51	98.06	33.18	5.88	34.61
PK	5.1456G	67.07	74.00	-6.93	4.33	3	Horizontal	51.9	2.51	62.74	33.09	5.86	34.62
PK	5.188G	112.24	Inf	-Inf	4.44	3	Horizontal	51.9	2.51	107.80	33.18	5.87	34.61





5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58576G	44.26	54.00	-9.74	12.96	3	Vertical	28	1.61	31.30	38.09	9.81	34.94
PK	10.36184G	50.07	68.20	-18.13	11.74	3	Vertical	346	2.17	38.33	38.58	8.02	34.86
PK	15.56816G	50.97	74.00	-23.03	13.06	3	Vertical	28	1.61	37.91	38.19	9.80	34.93



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55456G	44.29	54.00	-9.71	13.15	3	Horizontal	311	1.48	31.14	38.27	9.80	34.92
PK	10.39192G	51.02	68.20	-17.18	11.72	3	Horizontal	158	2.13	39.30	38.52	8.03	34.83
PK	15.57192G	51.56	74.00	-22.44	13.05	3	Horizontal	311	1.48	38.51	38.17	9.81	34.93



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	51.72	54.00	-2.28	4.34	3	Vertical	340	3.00	47.38	33.10	5.86	34.62
AV	5.2188G	102.45	Inf	-Inf	4.45	3	Vertical	340	3.00	98.00	33.16	5.89	34.60
PK	5.1488G	63.70	74.00	-10.30	4.34	3	Vertical	340	3.00	59.36	33.10	5.86	34.62
PK	5.2264G	111.92	Inf	-Inf	4.44	3	Vertical	340	3.00	107.48	33.15	5.89	34.60



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	53.76	54.00	-0.24	4.33	3	Horizontal	37	2.44	49.43	33.09	5.86	34.62
AV	5.2364G	105.07	Inf	-Inf	4.43	3	Horizontal	37	2.44	100.64	33.13	5.90	34.60
PK	5.1488G	67.04	74.00	-6.96	4.34	3	Horizontal	37	2.44	62.70	33.10	5.86	34.62
PK	5.2268G	116.01	Inf	-Inf	4.44	3	Horizontal	37	2.44	111.57	33.15	5.89	34.60



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX



Legend for plot:

- Lim.PK (Red line with triangles)
- PK (Blue line with triangles)
- Lim.AV (Red line with squares)
- AV (Blue line with squares)


06/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69536G	44.38	54.00	-9.62	12.92	3	Vertical	244	2.25	31.46	38.10	9.84	35.02
PK	10.45G	50.28	68.20	-17.92	11.84	3	Vertical	170	2.69	38.44	38.55	8.06	34.77
PK	15.6868G	52.31	74.00	-21.69	12.91	3	Vertical	244	2.25	39.40	38.09	9.84	35.02



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70048G	44.59	54.00	-9.41	12.92	3	Horizontal	246	1.63	31.67	38.10	9.85	35.03
PK	10.47512G	50.63	68.20	-17.57	11.90	3	Horizontal	58	2.89	38.73	38.58	8.07	34.75
PK	15.67648G	51.64	74.00	-22.36	12.91	3	Horizontal	246	1.63	38.73	38.08	9.84	35.01



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2712G	101.16	Inf	-Inf	4.34	3	Vertical	341	2.90	96.82	33.02	5.92	34.60
AV	5.3568G	49.48	54.00	-4.52	4.13	3	Vertical	341	2.90	45.35	32.74	5.97	34.58
PK	5.2732G	110.21	Inf	-Inf	4.33	3	Vertical	341	2.90	105.88	33.01	5.92	34.60
PK	5.3512G	60.24	74.00	-13.76	4.09	3	Vertical	341	2.90	56.15	32.71	5.96	34.58



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.276G	104.67	Inf	-Inf	4.32	3	Horizontal	39	2.27	100.35	33.00	5.92	34.60
AV	5.3612G	52.22	54.00	-1.78	4.16	3	Horizontal	39	2.27	48.06	32.77	5.97	34.58
PK	5.2732G	113.84	Inf	-Inf	4.33	3	Horizontal	39	2.27	109.51	33.01	5.92	34.60
PK	5.3572G	63.67	74.00	-10.33	4.13	3	Horizontal	39	2.27	59.54	32.74	5.97	34.58





5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82048G	44.32	54.00	-9.68	12.68	3	Vertical	134	1.38	31.64	37.92	9.88	35.12
PK	10.53496G	51.42	68.20	-16.78	12.08	3	Vertical	200	1.20	39.34	38.70	8.09	34.71
PK	15.79168G	54.47	74.00	-19.53	12.78	3	Vertical	134	1.38	41.69	38.01	9.87	35.10



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7992G	44.51	54.00	-9.49	12.78	3	Horizontal	70	2.64	31.73	38.00	9.88	35.10
PK	10.52392G	51.96	68.20	-16.24	12.05	3	Horizontal	325	2.44	39.91	38.67	8.09	34.71
PK	15.8048G	51.16	74.00	-22.84	12.75	3	Horizontal	70	2.64	38.41	37.98	9.88	35.11



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3164G	96.76	Inf	-Inf	4.18	3	Vertical	338	2.97	92.58	32.83	5.94	34.59
AV	5.3512G	50.52	54.00	-3.48	4.09	3	Vertical	338	2.97	46.43	32.71	5.96	34.58
PK	5.3068G	106.90	Inf	-Inf	4.22	3	Vertical	338	2.97	102.68	32.87	5.94	34.59
PK	5.3516G	61.75	74.00	-12.25	4.09	3	Vertical	338	2.97	57.66	32.71	5.96	34.58



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3172G	99.80	Inf	-Inf	4.18	3	Horizontal	302	1.81	95.62	32.83	5.94	34.59
AV	5.35G	53.66	54.00	-0.34	4.08	3	Horizontal	302	1.81	49.58	32.70	5.96	34.58
PK	5.3152G	109.56	Inf	-Inf	4.19	3	Horizontal	302	1.81	105.37	32.84	5.94	34.59
PK	5.35G	64.26	74.00	-9.74	4.08	3	Horizontal	302	1.81	60.18	32.70	5.96	34.58



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62968G	42.95	54.00	-11.05	12.41	3	Vertical	266	2.48	30.54	38.96	8.13	34.68
AV	15.91296G	43.56	54.00	-10.44	12.32	3	Vertical	353	2.41	31.24	37.60	9.91	35.19
PK	10.6276G	50.28	74.00	-23.72	12.41	3	Vertical	266	2.48	37.87	38.96	8.13	34.68
PK	15.94176G	51.64	74.00	-22.36	12.31	3	Vertical	353	2.41	39.33	37.60	9.92	35.21



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61336G	43.33	54.00	-10.67	12.37	3	Horizontal	121	1.85	30.96	38.93	8.13	34.69
AV	15.91744G	43.68	54.00	-10.32	12.32	3	Horizontal	64	2.03	31.36	37.60	9.91	35.19
PK	10.60808G	53.20	74.00	-20.80	12.36	3	Horizontal	121	1.85	40.84	38.92	8.13	34.69
PK	15.91952G	52.34	74.00	-21.66	12.32	3	Horizontal	64	2.03	40.02	37.60	9.91	35.19



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	50.46	54.00	-3.54	4.26	3	Vertical	35	2.95	46.20	32.82	6.01	34.57
AV	5.5236G	100.89	Inf	-Inf	4.42	3	Vertical	35	2.95	96.47	32.95	6.03	34.56
PK	5.464G	67.16	68.20	-1.04	4.27	3	Vertical	35	2.95	62.89	32.83	6.01	34.57
PK	5.5068G	110.26	Inf	-Inf	4.38	3	Vertical	35	2.95	105.88	32.91	6.03	34.56



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	51.36	54.00	-2.64	4.26	3	Horizontal	328	1.39	47.10	32.82	6.01	34.57
AV	5.52G	101.90	Inf	-Inf	4.41	3	Horizontal	328	1.39	97.49	32.94	6.03	34.56
PK	5.466G	67.62	68.20	-0.58	4.27	3	Horizontal	328	1.39	63.35	32.83	6.01	34.57
PK	5.5152G	111.85	Inf	-Inf	4.40	3	Horizontal	328	1.39	107.45	32.93	6.03	34.56





5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01048G	43.51	54.00	-10.49	12.40	3	Vertical	40	2.37	31.11	38.69	8.29	34.58
PK	11.02368G	52.24	74.00	-21.76	12.40	3	Vertical	40	2.37	39.84	38.68	8.30	34.58
PK	16.51048G	52.89	68.20	-15.31	13.97	3	Vertical	305	2.77	38.92	38.66	10.06	34.75



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02416G	43.26	54.00	-10.74	12.40	3	Horizontal	147	1.90	30.86	38.68	8.30	34.58
PK	11.0176G	51.69	74.00	-22.31	12.40	3	Horizontal	147	1.90	39.29	38.68	8.30	34.58
PK	16.51112G	52.09	68.20	-16.11	13.97	3	Horizontal	53	1.46	38.12	38.66	10.06	34.75



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	47.08	54.00	-6.92	4.25	3	Vertical	50	2.25	42.83	32.81	6.01	34.57
AV	5.5564G	99.72	Inf	-Inf	4.48	3	Vertical	50	2.25	95.24	33.00	6.04	34.56
PK	5.4676G	57.15	68.20	-11.05	4.28	3	Vertical	50	2.25	52.87	32.84	6.01	34.57
PK	5.5468G	109.94	Inf	-Inf	4.47	3	Vertical	50	2.25	105.47	32.99	6.04	34.56



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.63	54.00	-5.37	4.26	3	Horizontal	331	1.63	44.37	32.82	6.01	34.57
AV	5.5548G	103.16	Inf	-Inf	4.48	3	Horizontal	331	1.63	98.68	33.00	6.04	34.56
PK	5.4676G	59.57	68.20	-8.63	4.28	3	Horizontal	331	1.63	55.29	32.84	6.01	34.57
PK	5.5552G	113.54	Inf	-Inf	4.48	3	Horizontal	331	1.63	109.06	33.00	6.04	34.56



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10992G	43.18	54.00	-10.82	12.37	3	Vertical	165	1.99	30.81	38.61	8.34	34.58
PK	11.11696G	51.17	74.00	-22.83	12.38	3	Vertical	165	1.99	38.79	38.62	8.34	34.58
PK	16.64792G	52.90	68.20	-15.30	13.72	3	Vertical	8	1.98	39.18	38.20	10.09	34.57



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00968G	43.45	54.00	-10.55	12.40	3	Horizontal	21	1.35	31.05	38.69	8.29	34.58
PK	11.01896G	51.64	74.00	-22.36	12.40	3	Horizontal	21	1.35	39.24	38.68	8.30	34.58
PK	16.63064G	53.50	68.20	-14.70	13.74	3	Horizontal	28	2.37	39.76	38.24	10.09	34.59



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6766G	101.40	Inf	-Inf	4.77	3	Vertical	33	2.97	96.63	33.21	6.11	34.55
PK	5.6694G	110.82	Inf	-Inf	4.72	3	Vertical	33	2.97	106.10	33.16	6.11	34.55
PK	5.7252G	65.28	68.20	-2.92	5.11	3	Vertical	33	2.97	60.17	33.50	6.15	34.54



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6646G	101.84	Inf	-Inf	4.68	3	Horizontal	337	1.66	97.16	33.12	6.11	34.55
PK	5.667G	111.63	Inf	-Inf	4.70	3	Horizontal	337	1.66	106.93	33.14	6.11	34.55
PK	5.7252G	67.80	68.20	-0.40	5.11	3	Horizontal	337	1.66	62.69	33.50	6.15	34.54





5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3204G	42.73	54.00	-11.27	12.75	3	Vertical	217	2.95	29.98	38.90	8.42	34.57
PK	11.3216G	50.84	74.00	-23.16	12.76	3	Vertical	217	2.95	38.08	38.90	8.43	34.57
PK	16.9904G	52.86	68.20	-15.34	14.05	3	Vertical	65	2.45	38.81	38.01	10.17	34.13



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3356G	42.98	54.00	-11.02	12.76	3	Horizontal	9	2.50	30.22	38.90	8.43	34.57
PK	11.3316G	50.83	74.00	-23.17	12.76	3	Horizontal	9	2.50	38.07	38.90	8.43	34.57
PK	16.992G	52.73	68.20	-15.47	14.05	3	Horizontal	237	2.24	38.68	38.01	10.17	34.13



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.02	54.00	-6.98	4.26	3	Vertical	36	2.94	42.76	32.82	6.01	34.57
AV	5.7064G	103.46	Inf	-Inf	5.02	3	Vertical	36	2.94	98.44	33.43	6.13	34.54
PK	5.4664G	55.29	68.20	-12.91	4.27	3	Vertical	36	2.94	51.02	32.83	6.01	34.57
PK	5.704G	112.28	Inf	-Inf	5.01	3	Vertical	36	2.94	107.27	33.42	6.13	34.54
PK	5.95G	58.46	68.20	-9.74	6.06	3	Vertical	36	2.94	52.40	34.30	6.28	34.52



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	46.52	54.00	-7.48	4.24	3	Horizontal	318	1.00	42.28	32.80	6.01	34.57
AV	5.7028G	104.45	Inf	-Inf	5.00	3	Horizontal	318	1.00	99.45	33.41	6.13	34.54
PK	5.4628G	56.46	68.20	-11.74	4.27	3	Horizontal	318	1.00	52.19	32.83	6.01	34.57
PK	5.7148G	114.94	Inf	-Inf	5.06	3	Horizontal	318	1.00	109.88	33.46	6.14	34.54
PK	5.8936G	58.99	68.20	-9.21	5.99	3	Horizontal	318	1.00	53.00	34.27	6.25	34.53



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43208G	43.09	54.00	-10.91	12.74	3	Vertical	210	2.88	30.35	38.84	8.47	34.57
PK	11.40192G	51.68	74.00	-22.32	12.79	3	Vertical	210	2.88	38.89	38.90	8.46	34.57
PK	17.14216G	52.50	68.20	-15.70	14.13	3	Vertical	226	2.81	38.37	38.13	10.21	34.21



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX



Legend for the spectrum plot:

- Lim.PK (Red line with triangles)
- PK (Blue line with triangles)
- Lim.AV (Red line with squares)
- AV (Blue line with squares)


06/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41592G	43.19	54.00	-10.81	12.76	3	Horizontal	17	2.16	30.43	38.87	8.46	34.57
PK	11.40008G	50.60	74.00	-23.40	12.79	3	Horizontal	17	2.16	37.81	38.90	8.46	34.57
PK	17.13568G	53.92	68.20	-14.28	14.12	3	Horizontal	195	1.60	39.80	38.11	10.21	34.20



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	102.40	Inf	-Inf	5.27	3	Vertical	41	3.00	97.13	33.64	6.17	34.54
PK	5.641G	59.49	68.20	-8.71	4.54	3	Vertical	41	3.00	54.95	33.00	6.09	34.55
PK	5.7598G	112.82	Inf	-Inf	5.29	3	Vertical	41	3.00	107.53	33.66	6.17	34.54
PK	5.9422G	58.21	68.20	-9.99	6.05	3	Vertical	41	3.00	52.16	34.30	6.27	34.52



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	103.32	Inf	-Inf	5.29	3	Horizontal	318	1.03	98.03	33.66	6.17	34.54
PK	5.6398G	59.91	68.20	-8.29	4.54	3	Horizontal	318	1.03	55.37	33.00	6.09	34.55
PK	5.7598G	113.93	Inf	-Inf	5.29	3	Horizontal	318	1.03	108.64	33.66	6.17	34.54
PK	5.9674G	58.75	68.20	-9.45	6.03	3	Horizontal	318	1.03	52.72	34.27	6.28	34.52





5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50264G	43.00	54.00	-11.00	12.62	3	Vertical	95	1.22	30.38	38.69	8.50	34.57
PK	11.52224G	50.84	74.00	-23.16	12.59	3	Vertical	95	1.22	38.25	38.66	8.51	34.58
PK	17.26172G	53.98	68.20	-14.22	14.20	3	Vertical	255	1.48	39.78	38.24	10.24	34.28



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50536G	43.04	54.00	-10.96	12.62	3	Horizontal	261	1.46	30.42	38.69	8.50	34.57
PK	11.51936G	51.03	74.00	-22.97	12.59	3	Horizontal	261	1.46	38.44	38.66	8.51	34.58
PK	17.2606G	52.61	68.20	-15.59	14.20	3	Horizontal	98	1.54	38.41	38.24	10.24	34.28



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	100.26	Inf	-Inf	5.48	3	Vertical	324	2.91	94.78	33.83	6.19	34.54
PK	5.5706G	57.52	68.20	-10.68	4.50	3	Vertical	324	2.91	53.02	33.00	6.05	34.55
PK	5.7914G	110.50	Inf	-Inf	5.50	3	Vertical	324	2.91	105.00	33.85	6.19	34.54
PK	6.0506G	58.22	68.20	-9.98	5.80	3	Vertical	324	2.91	52.42	34.00	6.31	34.51



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	103.72	Inf	-Inf	5.49	3	Horizontal	319	1.47	98.23	33.84	6.19	34.54
PK	5.633G	58.07	68.20	-10.13	4.53	3	Horizontal	319	1.47	53.54	33.00	6.08	34.55
PK	5.7998G	114.26	Inf	-Inf	5.56	3	Horizontal	319	1.47	108.70	33.90	6.20	34.54
PK	5.9654G	58.80	68.20	-9.40	6.03	3	Horizontal	319	1.47	52.77	34.27	6.28	34.52



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5804G	42.90	54.00	-11.10	12.47	3	Vertical	233	2.54	30.43	38.54	8.53	34.60
PK	11.57048G	50.29	74.00	-23.71	12.50	3	Vertical	233	2.54	37.79	38.56	8.53	34.59
PK	17.367G	53.66	68.20	-14.54	14.25	3	Vertical	52	1.22	39.41	38.33	10.26	34.34



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59608G	43.07	54.00	-10.93	12.45	3	Horizontal	244	1.93	30.62	38.51	8.54	34.60
PK	11.59024G	51.02	74.00	-22.98	12.46	3	Horizontal	244	1.93	38.56	38.52	8.54	34.60
PK	17.3854G	52.61	68.20	-15.59	14.29	3	Horizontal	309	2.91	38.32	38.37	10.27	34.35



5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	50.86	54.00	-3.14	4.34	3	Vertical	340	2.88	46.52	33.10	5.86	34.62
AV	5.201G	96.17	Inf	-Inf	4.47	3	Vertical	340	2.88	91.70	33.20	5.88	34.61
AV	5.417G	47.22	54.00	-6.78	4.36	3	Vertical	340	2.88	42.86	32.93	6.00	34.57
PK	5.144G	62.69	74.00	-11.31	4.32	3	Vertical	340	2.88	58.37	33.09	5.85	34.62
PK	5.213G	106.50	Inf	-Inf	4.45	3	Vertical	340	2.88	102.05	33.17	5.89	34.61
PK	5.452G	57.94	74.00	-16.06	4.24	3	Vertical	340	2.88	53.70	32.80	6.01	34.57



5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.54	54.00	-0.46	4.34	3	Horizontal	54	2.36	49.20	33.10	5.86	34.62
AV	5.2G	99.39	Inf	-Inf	4.47	3	Horizontal	54	2.36	94.92	33.20	5.88	34.61
AV	5.36G	48.23	54.00	-5.77	4.15	3	Horizontal	54	2.36	44.08	32.76	5.97	34.58
PK	5.146G	65.04	74.00	-8.96	4.33	3	Horizontal	54	2.36	60.71	33.09	5.86	34.62
PK	5.198G	109.43	Inf	-Inf	4.47	3	Horizontal	54	2.36	104.96	33.20	5.88	34.61
PK	5.35G	58.90	74.00	-15.10	4.08	3	Horizontal	54	2.36	54.82	32.70	5.96	34.58





5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX



Legend for the spectrum plot:

- Lim.PK (Red line with peaks)
- PK (Blue line with peaks)
- Lim.AV (Red line with peaks)
- AV (Blue line with peaks)


06/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60456G	44.47	54.00	-9.53	12.86	3	Vertical	179	1.04	31.61	38.00	9.82	34.96
PK	10.45056G	50.88	68.20	-17.32	11.84	3	Vertical	154	2.38	39.04	38.55	8.06	34.77
PK	15.66536G	50.85	74.00	-23.15	12.90	3	Vertical	179	1.04	37.95	38.07	9.83	35.00



5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.64792G	44.62	54.00	-9.38	12.89	3	Horizontal	286	2.81	31.73	38.05	9.83	34.99
PK	10.38208G	50.37	68.20	-17.83	11.73	3	Horizontal	3	2.70	38.64	38.54	8.03	34.84
PK	15.63208G	51.06	74.00	-22.94	12.87	3	Horizontal	286	2.81	38.19	38.03	9.82	34.98



5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.124G	48.41	54.00	-5.59	4.28	3	Vertical	338	3.00	44.13	33.05	5.85	34.62
AV	5.301G	93.59	Inf	-Inf	4.25	3	Vertical	338	3.00	89.34	32.90	5.94	34.59
AV	5.354G	50.48	54.00	-3.52	4.10	3	Vertical	338	3.00	46.38	32.72	5.96	34.58
PK	5.137G	58.29	74.00	-15.71	4.30	3	Vertical	338	3.00	53.99	33.07	5.85	34.62
PK	5.301G	103.36	Inf	-Inf	4.25	3	Vertical	338	3.00	99.11	32.90	5.94	34.59
PK	5.472G	58.28	68.20	-9.92	4.30	3	Vertical	338	3.00	53.98	32.84	6.02	34.56



5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.19	54.00	-5.81	4.34	3	Horizontal	302	1.72	43.85	33.10	5.86	34.62
AV	5.32G	96.58	Inf	-Inf	4.18	3	Horizontal	302	1.72	92.40	32.82	5.95	34.59
AV	5.352G	53.46	54.00	-0.54	4.09	3	Horizontal	302	1.72	49.37	32.71	5.96	34.58
PK	5.12G	58.32	74.00	-15.68	4.26	3	Horizontal	302	1.72	54.06	33.04	5.84	34.62
PK	5.307G	106.72	Inf	-Inf	4.22	3	Horizontal	302	1.72	102.50	32.87	5.94	34.59
PK	5.465G	59.69	68.20	-8.51	4.27	3	Horizontal	302	1.72	55.42	32.83	6.01	34.57



5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.83352G	44.17	54.00	-9.83	12.63	3	Vertical	216	2.77	31.54	37.87	9.89	35.13
PK	10.55424G	51.18	68.20	-17.02	12.16	3	Vertical	288	2.92	39.02	38.76	8.10	34.70
PK	15.8612G	52.06	74.00	-21.94	12.51	3	Vertical	216	2.77	39.55	37.76	9.90	35.15



5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86616G	44.24	54.00	-9.76	12.49	3	Horizontal	81	1.26	31.75	37.74	9.90	35.15
PK	10.54128G	51.17	68.20	-17.03	12.11	3	Horizontal	266	1.69	39.06	38.72	8.10	34.71
PK	15.83112G	52.05	74.00	-21.95	12.64	3	Horizontal	81	1.26	39.41	37.88	9.89	35.13



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.84	54.00	-2.16	4.26	3	Vertical	50	2.83	47.58	32.82	6.01	34.57
AV	5.52G	95.26	Inf	-Inf	4.41	3	Vertical	50	2.83	90.85	32.94	6.03	34.56
PK	5.465G	61.50	68.20	-6.70	4.27	3	Vertical	50	2.83	57.23	32.83	6.01	34.57
PK	5.532G	105.05	Inf	-Inf	4.44	3	Vertical	50	2.83	100.61	32.96	6.04	34.56
PK	5.732G	58.03	68.20	-10.17	5.14	3	Vertical	50	2.83	52.89	33.53	6.15	34.54



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.57	54.00	-0.43	4.26	3	Horizontal	331	1.64	49.31	32.82	6.01	34.57
AV	5.56G	98.27	Inf	-Inf	4.49	3	Horizontal	331	1.64	93.78	33.00	6.05	34.56
PK	5.464G	63.96	68.20	-4.24	4.27	3	Horizontal	331	1.64	59.69	32.83	6.01	34.57
PK	5.533G	108.32	Inf	-Inf	4.45	3	Horizontal	331	1.64	103.87	32.97	6.04	34.56
PK	5.735G	58.61	68.20	-9.59	5.15	3	Horizontal	331	1.64	53.46	33.54	6.15	34.54





5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05248G	43.30	54.00	-10.70	12.38	3	Vertical	235	1.97	30.92	38.65	8.31	34.58
PK	11.05232G	51.58	74.00	-22.42	12.38	3	Vertical	235	1.97	39.20	38.65	8.31	34.58
PK	16.57608G	53.62	68.20	-14.58	13.82	3	Vertical	36	1.93	39.80	38.40	10.08	34.66



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04928G	43.53	54.00	-10.47	12.38	3	Horizontal	99	2.83	31.15	38.65	8.31	34.58
PK	11.09088G	51.74	74.00	-22.26	12.36	3	Horizontal	99	2.83	39.38	38.61	8.33	34.58
PK	16.59224G	51.88	68.20	-16.32	13.77	3	Horizontal	323	2.29	38.11	38.33	10.08	34.64



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	48.25	54.00	-5.75	4.25	3	Vertical	34	3.00	44.00	32.81	6.01	34.57
AV	5.624G	99.93	Inf	-Inf	4.53	3	Vertical	34	3.00	95.40	33.00	6.08	34.55
PK	5.461G	58.46	68.20	-9.74	4.26	3	Vertical	34	3.00	54.20	32.82	6.01	34.57
PK	5.621G	110.07	Inf	-Inf	4.52	3	Vertical	34	3.00	105.55	33.00	6.07	34.55
PK	5.729G	65.54	68.20	-2.66	5.13	3	Vertical	34	3.00	60.41	33.52	6.15	34.54



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.05	54.00	-4.95	4.26	3	Horizontal	330	1.61	44.79	32.82	6.01	34.57
AV	5.625G	101.15	Inf	-Inf	4.53	3	Horizontal	330	1.61	96.62	33.00	6.08	34.55
PK	5.466G	61.10	68.20	-7.10	4.27	3	Horizontal	330	1.61	56.83	32.83	6.01	34.57
PK	5.612G	111.14	Inf	-Inf	4.52	3	Horizontal	330	1.61	106.62	33.00	6.07	34.55
PK	5.73G	65.93	68.20	-2.27	5.13	3	Horizontal	330	1.61	60.80	33.52	6.15	34.54



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21584G	42.85	54.00	-11.15	12.53	3	Vertical	305	1.00	30.32	38.73	8.38	34.58
PK	11.21168G	51.67	74.00	-22.33	12.52	3	Vertical	305	1.00	39.15	38.72	8.38	34.58
PK	16.81336G	53.00	68.20	-15.20	14.04	3	Vertical	128	2.68	38.96	38.27	10.13	34.36



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.188G	43.14	54.00	-10.86	12.48	3	Horizontal	10	1.57	30.66	38.69	8.37	34.58
PK	11.23936G	52.12	74.00	-21.88	12.59	3	Horizontal	10	1.57	39.53	38.78	8.39	34.58
PK	16.84504G	53.16	68.20	-15.04	14.03	3	Horizontal	156	1.81	39.13	38.21	10.14	34.32



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	46.87	54.00	-7.13	4.29	3	Vertical	33	2.94	42.58	32.86	6.00	34.57
AV	5.7008G	100.52	Inf	-Inf	4.99	3	Vertical	33	2.94	95.53	33.40	6.13	34.54
PK	5.4632G	55.97	68.20	-12.23	4.27	3	Vertical	33	2.94	51.70	32.83	6.01	34.57
PK	5.7008G	110.75	Inf	-Inf	4.99	3	Vertical	33	2.94	105.76	33.40	6.13	34.54
PK	5.852G	58.92	68.20	-9.28	5.81	3	Vertical	33	2.94	53.11	34.11	6.23	34.53



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	46.76	54.00	-7.24	4.26	3	Horizontal	336	1.64	42.50	32.83	6.00	34.57
AV	5.6876G	100.14	Inf	-Inf	4.88	3	Horizontal	336	1.64	95.26	33.30	6.12	34.54
PK	5.4656G	56.94	68.20	-11.26	4.27	3	Horizontal	336	1.64	52.67	32.83	6.01	34.57
PK	5.672G	110.74	Inf	-Inf	4.74	3	Horizontal	336	1.64	106.00	33.18	6.11	34.55
PK	5.8592G	59.41	68.20	-8.79	5.84	3	Horizontal	336	1.64	53.57	34.14	6.23	34.53





5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40672G	43.06	54.00	-10.94	12.78	3	Vertical	281	1.19	30.28	38.89	8.46	34.57
PK	11.3504G	50.62	74.00	-23.38	12.77	3	Vertical	281	1.19	37.85	38.90	8.44	34.57
PK	17.08248G	53.24	68.20	-14.96	14.02	3	Vertical	1	1.09	39.22	38.00	10.19	34.17



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4016G	43.03	54.00	-10.97	12.79	3	Horizontal	271	1.06	30.24	38.90	8.46	34.57
PK	11.34048G	49.74	74.00	-24.26	12.76	3	Horizontal	271	1.06	36.98	38.90	8.43	34.57
PK	17.0612G	53.14	68.20	-15.06	14.03	3	Horizontal	250	1.77	39.11	38.00	10.19	34.16



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	96.98	Inf	-Inf	5.33	3	Vertical	346	2.91	91.65	33.69	6.18	34.54
PK	5.6502G	62.65	68.35	-5.70	4.55	3	Vertical	346	2.91	58.10	33.00	6.10	34.55
PK	5.757G	107.14	Inf	-Inf	5.27	3	Vertical	346	2.91	101.87	33.64	6.17	34.54
PK	6.0606G	58.63	68.20	-9.57	5.78	3	Vertical	346	2.91	52.85	33.98	6.31	34.51



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	100.38	Inf	-Inf	5.33	3	Horizontal	319	1.25	95.05	33.69	6.18	34.54
PK	5.6502G	63.21	68.35	-5.14	4.55	3	Horizontal	319	1.25	58.66	33.00	6.10	34.55
PK	5.7654G	109.85	Inf	-Inf	5.33	3	Horizontal	319	1.25	104.52	33.69	6.18	34.54
PK	5.9634G	58.81	68.20	-9.39	6.03	3	Horizontal	319	1.25	52.78	34.27	6.28	34.52



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57176G	43.04	54.00	-10.96	12.50	3	Vertical	165	2.82	30.54	38.56	8.53	34.59
PK	11.57592G	49.84	74.00	-24.16	12.49	3	Vertical	165	2.82	37.35	38.55	8.53	34.59
PK	17.3642G	52.42	68.20	-15.78	14.25	3	Vertical	298	2.77	38.17	38.33	10.26	34.34



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53832G	43.48	54.00	-10.52	12.56	3	Horizontal	172	1.45	30.92	38.62	8.52	34.58
PK	11.51032G	51.77	74.00	-22.23	12.61	3	Horizontal	172	1.45	39.16	38.68	8.50	34.57
PK	17.3426G	52.86	68.20	-15.34	14.22	3	Horizontal	52	1.95	38.64	38.29	10.26	34.33



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	35.82M	36.07	40.00	-3.93	3	Vertical	360	1.00



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	35.82M	36.07	40.00	-3.93	3	Vertical	360	1.00
5775MHz	Pass	PK	66.86M	36.02	40.00	-3.98	3	Vertical	360	1.00
5775MHz	Pass	PK	165.8M	30.03	43.50	-13.47	3	Vertical	360	1.00
5775MHz	Pass	PK	241.46M	34.55	46.00	-11.45	3	Vertical	360	1.00
5775MHz	Pass	PK	301.6M	27.03	46.00	-18.97	3	Vertical	360	1.00
5775MHz	Pass	PK	404.42M	25.83	46.00	-20.17	3	Vertical	360	1.00
5775MHz	Pass	PK	57.16M	22.50	40.00	-17.50	3	Horizontal	0	1.00
5775MHz	Pass	PK	92.08M	26.88	43.50	-16.62	3	Horizontal	0	1.00
5775MHz	Pass	PK	111.48M	28.09	43.50	-15.41	3	Horizontal	0	1.00
5775MHz	Pass	PK	125.06M	28.35	43.50	-15.15	3	Horizontal	0	1.00
5775MHz	Pass	PK	185.2M	30.49	43.50	-13.01	3	Horizontal	0	1.00
5775MHz	Pass	PK	243.4M	38.06	46.00	-7.94	3	Horizontal	0	1.00





5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	36.07	40.00	-3.93	-15.54	3	Vertical	360	1.00	51.61	20.82	0.77	37.13
PK	66.86M	36.02	40.00	-3.98	-24.71	3	Vertical	360	1.00	60.73	11.27	1.02	37.00
PK	165.8M	30.03	43.50	-13.47	-19.75	3	Vertical	360	1.00	49.78	15.24	1.44	36.43
PK	241.46M	34.55	46.00	-11.45	-17.99	3	Vertical	360	1.00	52.54	16.59	1.86	36.44
PK	301.6M	27.03	46.00	-18.97	-15.96	3	Vertical	360	1.00	42.99	18.37	2.08	36.41
PK	404.42M	25.83	46.00	-20.17	-13.05	3	Vertical	360	1.00	38.88	21.12	2.35	36.52

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	57.16M	22.50	40.00	-17.50	-24.95	3	Horizontal	0	1.00	47.45	11.19	0.95	37.09
PK	92.08M	26.88	43.50	-16.62	-21.48	3	Horizontal	0	1.00	48.36	14.18	1.03	36.69
PK	111.48M	28.09	43.50	-15.41	-19.36	3	Horizontal	0	1.00	47.45	16.15	1.12	36.63
PK	125.06M	28.35	43.50	-15.15	-18.56	3	Horizontal	0	1.00	46.91	16.83	1.19	36.58
PK	185.2M	30.49	43.50	-13.01	-20.85	3	Horizontal	0	1.00	51.34	14.06	1.52	36.43
PK	243.4M	38.06	46.00	-7.94	-17.74	3	Horizontal	0	1.00	55.80	16.84	1.87	36.45



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.64	54.00	-0.36	3	Horizontal	50	1.80
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.91	54.00	-0.09	3	Horizontal	49	1.84
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.85	54.00	-0.15	3	Horizontal	48	1.77
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.143G	53.04	54.00	-0.96	3	Horizontal	46	1.86
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	53.75	54.00	-0.25	3	Horizontal	4	1.77
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.88	54.00	-0.12	3	Horizontal	4	1.75
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.3516G	53.78	54.00	-0.22	3	Horizontal	4	1.78
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.353G	52.63	54.00	-1.37	3	Horizontal	6	2.03
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.4678G	66.60	68.20	-1.60	3	Horizontal	28	1.50
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	68.06	68.20	-0.14	3	Horizontal	17	1.40
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.468G	67.82	68.20	-0.38	3	Horizontal	33	1.70
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.46G	53.45	54.00	-0.55	3	Horizontal	32	1.77
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.9258G	58.74	68.20	-9.46	3	Horizontal	18	1.44
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	6.0018G	58.80	68.20	-9.40	3	Horizontal	16	1.39
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.6506G	62.07	68.64	-6.57	3	Horizontal	17	1.49
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.64	54.00	-0.36	3	Horizontal	50	1.80



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.79	54.00	-1.21	3	Vertical	360	3.00
5180MHz	Pass	AV	5.1842G	99.98	Inf	-Inf	3	Vertical	360	3.00
5180MHz	Pass	PK	5.1498G	67.80	74.00	-6.20	3	Vertical	360	3.00
5180MHz	Pass	PK	5.1824G	108.54	Inf	-Inf	3	Vertical	360	3.00
5180MHz	Pass	AV	5.15G	53.64	54.00	-0.36	3	Horizontal	50	1.80
5180MHz	Pass	AV	5.1772G	102.69	Inf	-Inf	3	Horizontal	50	1.80
5180MHz	Pass	PK	5.15G	69.09	74.00	-4.91	3	Horizontal	50	1.80
5180MHz	Pass	PK	5.1824G	111.18	Inf	-Inf	3	Horizontal	50	1.80
5180MHz	Pass	AV	15.53112G	43.99	54.00	-10.01	3	Vertical	360	1.50
5180MHz	Pass	PK	10.3666G	52.35	68.20	-15.85	3	Vertical	335	1.11
5180MHz	Pass	PK	15.54812G	53.96	74.00	-20.04	3	Vertical	360	1.50
5180MHz	Pass	AV	15.54948G	43.81	54.00	-10.19	3	Horizontal	63	1.41
5180MHz	Pass	PK	10.35376G	51.09	68.20	-17.11	3	Horizontal	286	2.41
5180MHz	Pass	PK	15.53716G	52.47	74.00	-21.53	3	Horizontal	63	1.41
5200MHz	Pass	AV	5.1492G	49.29	54.00	-4.71	3	Vertical	0	3.00
5200MHz	Pass	AV	5.202G	101.80	Inf	-Inf	3	Vertical	0	3.00
5200MHz	Pass	PK	5.1488G	64.41	74.00	-9.59	3	Vertical	0	3.00
5200MHz	Pass	PK	5.2016G	110.00	Inf	-Inf	3	Vertical	0	3.00
5200MHz	Pass	AV	5.15G	49.79	54.00	-4.21	3	Horizontal	8	1.59
5200MHz	Pass	AV	5.2024G	103.39	Inf	-Inf	3	Horizontal	8	1.59
5200MHz	Pass	PK	5.15G	64.38	74.00	-9.62	3	Horizontal	8	1.59
5200MHz	Pass	PK	5.2016G	111.23	Inf	-Inf	3	Horizontal	8	1.59
5200MHz	Pass	AV	15.60524G	44.01	54.00	-9.99	3	Vertical	338	1.50
5200MHz	Pass	PK	10.39408G	53.16	68.20	-15.04	3	Vertical	145	2.50
5200MHz	Pass	PK	15.60576G	55.12	74.00	-18.88	3	Vertical	338	1.50
5200MHz	Pass	AV	15.60596G	43.88	54.00	-10.12	3	Horizontal	52	2.36
5200MHz	Pass	PK	10.39384G	52.70	68.20	-15.50	3	Horizontal	249	1.50
5200MHz	Pass	PK	15.59196G	54.73	74.00	-19.27	3	Horizontal	52	2.36
5240MHz	Pass	AV	5.1368G	47.13	54.00	-6.87	3	Vertical	357	3.00
5240MHz	Pass	AV	5.2376G	101.33	Inf	-Inf	3	Vertical	357	3.00
5240MHz	Pass	AV	5.375G	45.79	54.00	-8.21	3	Vertical	357	3.00
5240MHz	Pass	PK	5.147G	57.72	74.00	-16.28	3	Vertical	357	3.00
5240MHz	Pass	PK	5.2412G	109.48	Inf	-Inf	3	Vertical	357	3.00
5240MHz	Pass	PK	5.381G	56.42	74.00	-17.58	3	Vertical	357	3.00
5240MHz	Pass	AV	5.144G	47.50	54.00	-6.50	3	Horizontal	6	1.66
5240MHz	Pass	AV	5.2424G	103.20	Inf	-Inf	3	Horizontal	6	1.66
5240MHz	Pass	AV	5.363G	45.80	54.00	-8.20	3	Horizontal	6	1.66
5240MHz	Pass	PK	5.1428G	57.96	74.00	-16.04	3	Horizontal	6	1.66
5240MHz	Pass	PK	5.2418G	111.29	Inf	-Inf	3	Horizontal	6	1.66
5240MHz	Pass	PK	5.3582G	57.16	74.00	-16.84	3	Horizontal	6	1.66
5240MHz	Pass	AV	15.71836G	44.09	54.00	-9.91	3	Vertical	133	1.50
5240MHz	Pass	PK	10.47908G	51.24	68.20	-16.96	3	Vertical	277	3.00
5240MHz	Pass	PK	15.71432G	53.08	74.00	-20.92	3	Vertical	133	1.50
5240MHz	Pass	AV	15.717G	44.00	54.00	-10.00	3	Horizontal	184	1.50
5240MHz	Pass	PK	10.47988G	52.53	68.20	-15.67	3	Horizontal	42	1.50
5240MHz	Pass	PK	15.71052G	53.62	74.00	-20.38	3	Horizontal	184	1.50
5260MHz	Pass	AV	5.1466G	46.92	54.00	-7.08	3	Vertical	352	2.95
5260MHz	Pass	AV	5.2624G	102.16	Inf	-Inf	3	Vertical	352	2.95
5260MHz	Pass	AV	5.3662G	46.38	54.00	-7.62	3	Vertical	352	2.95
5260MHz	Pass	PK	5.1196G	57.42	74.00	-16.58	3	Vertical	352	2.95
5260MHz	Pass	PK	5.2636G	110.18	Inf	-Inf	3	Vertical	352	2.95
5260MHz	Pass	PK	5.3644G	56.59	74.00	-17.41	3	Vertical	352	2.95
5260MHz	Pass	AV	5.1172G	47.01	54.00	-6.99	3	Horizontal	4	1.68
5260MHz	Pass	AV	5.2576G	103.22	Inf	-Inf	3	Horizontal	4	1.68
5260MHz	Pass	AV	5.3536G	46.80	54.00	-7.20	3	Horizontal	4	1.68
5260MHz	Pass	PK	5.1394G	58.55	74.00	-15.45	3	Horizontal	4	1.68
5260MHz	Pass	PK	5.2552G	111.11	Inf	-Inf	3	Horizontal	4	1.68
5260MHz	Pass	PK	5.3638G	57.52	74.00	-16.48	3	Horizontal	4	1.68
5260MHz	Pass	AV	15.77032G	43.93	54.00	-10.07	3	Vertical	4	1.50
5260MHz	Pass	PK	10.51128G	51.51	68.20	-16.69	3	Vertical	278	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	15.78384G	52.94	74.00	-21.06	3	Vertical	4	1.50
5260MHz	Pass	AV	15.78408G	43.90	54.00	-10.10	3	Horizontal	355	1.68
5260MHz	Pass	PK	10.51216G	51.80	68.20	-16.40	3	Horizontal	72	1.84
5260MHz	Pass	PK	15.78092G	53.38	74.00	-20.62	3	Horizontal	355	1.68
5300MHz	Pass	AV	5.3016G	101.53	Inf	-Inf	3	Vertical	340	2.14
5300MHz	Pass	AV	5.35G	47.96	54.00	-6.04	3	Vertical	340	2.14
5300MHz	Pass	PK	5.3024G	109.74	Inf	-Inf	3	Vertical	340	2.14
5300MHz	Pass	PK	5.3504G	62.42	74.00	-11.58	3	Vertical	340	2.14
5300MHz	Pass	AV	5.302G	103.18	Inf	-Inf	3	Horizontal	4	1.69
5300MHz	Pass	AV	5.3508G	48.99	54.00	-5.01	3	Horizontal	4	1.69
5300MHz	Pass	PK	5.3024G	111.36	Inf	-Inf	3	Horizontal	4	1.69
5300MHz	Pass	PK	5.35G	63.20	74.00	-10.80	3	Horizontal	4	1.69
5300MHz	Pass	AV	15.90772G	43.63	54.00	-10.37	3	Vertical	103	1.50
5300MHz	Pass	PK	10.60028G	51.75	74.00	-22.25	3	Vertical	244	1.50
5300MHz	Pass	PK	15.90048G	53.71	74.00	-20.29	3	Vertical	103	1.50
5300MHz	Pass	AV	15.90616G	43.60	54.00	-10.40	3	Horizontal	315	1.50
5300MHz	Pass	PK	10.60204G	52.74	74.00	-21.26	3	Horizontal	351	2.45
5300MHz	Pass	PK	15.8966G	53.31	74.00	-20.69	3	Horizontal	315	1.50
5320MHz	Pass	AV	5.322G	98.24	Inf	-Inf	3	Vertical	16	1.50
5320MHz	Pass	AV	5.35G	50.94	54.00	-3.06	3	Vertical	16	1.50
5320MHz	Pass	PK	5.3224G	106.82	Inf	-Inf	3	Vertical	16	1.50
5320MHz	Pass	PK	5.3506G	64.35	74.00	-9.65	3	Vertical	16	1.50
5320MHz	Pass	AV	5.324G	102.06	Inf	-Inf	3	Horizontal	4	1.77
5320MHz	Pass	AV	5.35G	53.75	54.00	-0.25	3	Horizontal	4	1.77
5320MHz	Pass	PK	5.3224G	110.64	Inf	-Inf	3	Horizontal	4	1.77
5320MHz	Pass	PK	5.3522G	68.78	74.00	-5.22	3	Horizontal	4	1.77
5320MHz	Pass	AV	10.63736G	42.23	54.00	-11.77	3	Vertical	135	1.50
5320MHz	Pass	AV	15.96472G	43.50	54.00	-10.50	3	Vertical	1	1.24
5320MHz	Pass	PK	10.63096G	52.47	74.00	-21.53	3	Vertical	135	1.50
5320MHz	Pass	PK	15.95768G	53.02	74.00	-20.98	3	Vertical	1	1.24
5320MHz	Pass	AV	10.64972G	42.41	54.00	-11.59	3	Horizontal	73	1.50
5320MHz	Pass	AV	15.96272G	43.67	54.00	-10.33	3	Horizontal	31	1.50
5320MHz	Pass	PK	10.63108G	51.43	74.00	-22.57	3	Horizontal	73	1.50
5320MHz	Pass	PK	15.9584G	52.47	74.00	-21.53	3	Horizontal	31	1.50
5500MHz	Pass	AV	5.4598G	48.75	54.00	-5.25	3	Vertical	360	2.87
5500MHz	Pass	AV	5.502G	101.33	Inf	-Inf	3	Vertical	360	2.87
5500MHz	Pass	PK	5.4618G	63.45	68.20	-4.75	3	Vertical	360	2.87
5500MHz	Pass	PK	5.501G	108.02	Inf	-Inf	3	Vertical	360	2.87
5500MHz	Pass	AV	5.46G	48.44	54.00	-5.56	3	Horizontal	28	1.50
5500MHz	Pass	AV	5.4994G	100.70	Inf	-Inf	3	Horizontal	28	1.50
5500MHz	Pass	PK	5.4678G	66.60	68.20	-1.60	3	Horizontal	28	1.50
5500MHz	Pass	PK	5.5052G	107.99	Inf	-Inf	3	Horizontal	28	1.50
5500MHz	Pass	AV	10.99324G	42.73	54.00	-11.27	3	Vertical	6	2.97
5500MHz	Pass	PK	11.00456G	52.80	74.00	-21.20	3	Vertical	6	2.97
5500MHz	Pass	PK	16.49072G	55.88	68.20	-12.32	3	Vertical	292	2.49
5500MHz	Pass	AV	10.99372G	42.63	54.00	-11.37	3	Horizontal	119	2.36
5500MHz	Pass	PK	11.00156G	52.60	74.00	-21.40	3	Horizontal	119	2.36
5500MHz	Pass	PK	16.501G	55.63	68.20	-12.57	3	Horizontal	0	2.23
5580MHz	Pass	AV	5.4528G	45.66	54.00	-8.34	3	Vertical	1	1.84
5580MHz	Pass	AV	5.5824G	103.32	Inf	-Inf	3	Vertical	1	1.84
5580MHz	Pass	PK	5.4666G	56.49	68.20	-11.71	3	Vertical	1	1.84
5580MHz	Pass	PK	5.5824G	111.78	Inf	-Inf	3	Vertical	1	1.84
5580MHz	Pass	PK	5.7264G	57.20	68.20	-11.00	3	Vertical	1	1.84
5580MHz	Pass	AV	5.457G	45.71	54.00	-8.29	3	Horizontal	12	1.08
5580MHz	Pass	AV	5.5824G	102.27	Inf	-Inf	3	Horizontal	12	1.08
5580MHz	Pass	PK	5.4648G	55.49	68.20	-12.71	3	Horizontal	12	1.08
5580MHz	Pass	PK	5.5836G	110.22	Inf	-Inf	3	Horizontal	12	1.08
5580MHz	Pass	PK	5.73G	57.11	68.20	-11.09	3	Horizontal	12	1.08
5580MHz	Pass	AV	11.157G	42.36	54.00	-11.64	3	Vertical	147	2.86
5580MHz	Pass	PK	11.1586G	51.61	74.00	-22.39	3	Vertical	147	2.86
5580MHz	Pass	PK	16.73636G	53.59	68.20	-14.61	3	Vertical	313	2.99
5580MHz	Pass	AV	11.16592G	42.51	54.00	-11.49	3	Horizontal	78	2.86



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.16896G	51.26	74.00	-22.74	3	Horizontal	78	2.86
5580MHz	Pass	PK	16.73056G	53.13	68.20	-15.07	3	Horizontal	325	3.00
5700MHz	Pass	AV	5.6972G	97.97	Inf	-Inf	3	Vertical	345	1.77
5700MHz	Pass	PK	5.7024G	106.21	Inf	-Inf	3	Vertical	345	1.77
5700MHz	Pass	PK	5.7276G	65.10	68.20	-3.10	3	Vertical	345	1.77
5700MHz	Pass	AV	5.6972G	99.00	Inf	-Inf	3	Horizontal	17	1.09
5700MHz	Pass	PK	5.7024G	107.18	Inf	-Inf	3	Horizontal	17	1.09
5700MHz	Pass	PK	5.7252G	65.37	68.20	-2.83	3	Horizontal	17	1.09
5700MHz	Pass	AV	11.40924G	42.58	54.00	-11.42	3	Vertical	280	1.45
5700MHz	Pass	PK	11.39876G	51.79	74.00	-22.21	3	Vertical	280	1.45
5700MHz	Pass	PK	17.10536G	52.71	68.20	-15.49	3	Vertical	105	1.39
5700MHz	Pass	AV	11.40784G	42.55	54.00	-11.45	3	Horizontal	139	2.28
5700MHz	Pass	PK	11.40892G	51.84	74.00	-22.16	3	Horizontal	139	2.28
5700MHz	Pass	PK	17.09944G	54.47	68.20	-13.73	3	Horizontal	42	1.12
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	45.93	54.00	-8.07	3	Vertical	331	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	101.61	Inf	-Inf	3	Vertical	331	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.34	68.20	-11.86	3	Vertical	331	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	108.63	Inf	-Inf	3	Vertical	331	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9108G	58.27	68.20	-9.93	3	Vertical	331	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	45.80	54.00	-8.20	3	Horizontal	14	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	103.30	Inf	-Inf	3	Horizontal	14	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	54.83	68.20	-13.37	3	Horizontal	14	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	110.49	Inf	-Inf	3	Horizontal	14	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9564G	57.63	68.20	-10.57	3	Horizontal	14	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43636G	42.71	54.00	-11.29	3	Vertical	137	2.14
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.441G	51.81	74.00	-22.19	3	Vertical	137	2.14
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16864G	54.12	68.20	-14.08	3	Vertical	192	1.86
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43344G	42.51	54.00	-11.49	3	Horizontal	355	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44412G	51.22	74.00	-22.78	3	Horizontal	355	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15196G	54.00	68.20	-14.20	3	Horizontal	70	1.25
5745MHz	Pass	AV	5.7402G	101.66	Inf	-Inf	3	Vertical	335	1.63
5745MHz	Pass	PK	5.6502G	57.92	68.35	-10.43	3	Vertical	335	1.63
5745MHz	Pass	PK	5.7402G	109.43	Inf	-Inf	3	Vertical	335	1.63
5745MHz	Pass	PK	6.015G	57.69	68.20	-10.51	3	Vertical	335	1.63
5745MHz	Pass	AV	5.7402G	103.63	Inf	-Inf	3	Horizontal	16	1.50
5745MHz	Pass	PK	5.5818G	57.44	68.20	-10.76	3	Horizontal	16	1.50
5745MHz	Pass	PK	5.7378G	111.68	Inf	-Inf	3	Horizontal	16	1.50
5745MHz	Pass	PK	5.9418G	58.71	68.20	-9.49	3	Horizontal	16	1.50
5745MHz	Pass	AV	11.4874G	42.51	54.00	-11.49	3	Vertical	59	2.61
5745MHz	Pass	PK	11.48664G	51.89	74.00	-22.11	3	Vertical	59	2.61
5745MHz	Pass	PK	17.23732G	52.67	68.20	-15.53	3	Vertical	123	2.46
5745MHz	Pass	AV	11.4832G	42.53	54.00	-11.47	3	Horizontal	50	1.40
5745MHz	Pass	PK	11.489G	52.87	74.00	-21.13	3	Horizontal	50	1.40
5745MHz	Pass	PK	17.23964G	54.47	68.20	-13.73	3	Horizontal	252	2.88
5785MHz	Pass	AV	5.78734G	101.26	Inf	-Inf	3	Vertical	328	1.50
5785MHz	Pass	PK	5.57196G	57.62	68.20	-10.58	3	Vertical	328	1.50
5785MHz	Pass	PK	5.77887G	108.86	Inf	-Inf	3	Vertical	328	1.50
5785MHz	Pass	PK	5.95916G	57.54	68.20	-10.66	3	Vertical	328	1.50
5785MHz	Pass	AV	5.78734G	103.71	Inf	-Inf	3	Horizontal	17	1.44
5785MHz	Pass	PK	5.59979G	57.65	68.20	-10.55	3	Horizontal	17	1.44
5785MHz	Pass	PK	5.78371G	110.86	Inf	-Inf	3	Horizontal	17	1.44
5785MHz	Pass	PK	6.02329G	58.16	68.20	-10.04	3	Horizontal	17	1.44
5785MHz	Pass	AV	11.5702G	42.30	54.00	-11.70	3	Vertical	274	1.80
5785MHz	Pass	PK	11.5778G	51.85	74.00	-22.15	3	Vertical	274	1.80
5785MHz	Pass	PK	17.35068G	53.59	68.20	-14.61	3	Vertical	317	2.16
5785MHz	Pass	AV	11.56732G	42.23	54.00	-11.77	3	Horizontal	158	1.26
5785MHz	Pass	PK	11.56104G	51.85	74.00	-22.15	3	Horizontal	158	1.26
5785MHz	Pass	PK	17.35616G	54.44	68.20	-13.76	3	Horizontal	149	1.94
5825MHz	Pass	AV	5.8274G	100.72	Inf	-Inf	3	Vertical	327	1.47
5825MHz	Pass	PK	5.615G	57.00	68.20	-11.20	3	Vertical	327	1.47
5825MHz	Pass	PK	5.8274G	109.16	Inf	-Inf	3	Vertical	327	1.47
5825MHz	Pass	PK	5.9774G	58.07	68.20	-10.13	3	Vertical	327	1.47



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	AV	5.8274G	103.32	Inf	-Inf	3	Horizontal	18	1.44
5825MHz	Pass	PK	5.6198G	57.72	68.20	-10.48	3	Horizontal	18	1.44
5825MHz	Pass	PK	5.8274G	111.17	Inf	-Inf	3	Horizontal	18	1.44
5825MHz	Pass	PK	5.9258G	58.74	68.20	-9.46	3	Horizontal	18	1.44
5825MHz	Pass	AV	11.64444G	42.43	54.00	-11.57	3	Vertical	159	2.51
5825MHz	Pass	PK	11.64956G	52.80	74.00	-21.20	3	Vertical	159	2.51
5825MHz	Pass	PK	17.48492G	53.03	68.20	-15.17	3	Vertical	139	2.45
5825MHz	Pass	AV	11.64728G	42.43	54.00	-11.57	3	Horizontal	324	2.85
5825MHz	Pass	PK	11.65848G	51.57	74.00	-22.43	3	Horizontal	324	2.85
5825MHz	Pass	PK	17.4672G	53.88	68.20	-14.32	3	Horizontal	3	2.95
802.11ax HEW20_Nss1 (MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.30	54.00	-1.70	3	Vertical	360	3.00
5180MHz	Pass	AV	5.1828G	98.29	Inf	-Inf	3	Vertical	360	3.00
5180MHz	Pass	PK	5.1492G	68.17	74.00	-5.83	3	Vertical	360	3.00
5180MHz	Pass	PK	5.177G	109.66	Inf	-Inf	3	Vertical	360	3.00
5180MHz	Pass	AV	5.15G	53.91	54.00	-0.09	3	Horizontal	49	1.84
5180MHz	Pass	AV	5.1828G	101.35	Inf	-Inf	3	Horizontal	49	1.84
5180MHz	Pass	PK	5.1494G	70.06	74.00	-3.94	3	Horizontal	49	1.84
5180MHz	Pass	PK	5.1828G	113.16	Inf	-Inf	3	Horizontal	49	1.84
5180MHz	Pass	AV	15.54388G	43.32	54.00	-10.68	3	Vertical	241	1.00
5180MHz	Pass	PK	10.36184G	50.73	68.20	-17.47	3	Vertical	150	1.63
5180MHz	Pass	PK	15.53528G	53.56	74.00	-20.44	3	Vertical	241	1.00
5180MHz	Pass	AV	15.54224G	43.31	54.00	-10.69	3	Horizontal	115	1.19
5180MHz	Pass	PK	10.364G	52.59	68.20	-15.61	3	Horizontal	356	2.67
5180MHz	Pass	PK	15.53012G	54.48	74.00	-19.52	3	Horizontal	115	1.19
5200MHz	Pass	AV	5.1492G	49.80	54.00	-4.20	3	Vertical	328	2.85
5200MHz	Pass	AV	5.2052G	101.10	Inf	-Inf	3	Vertical	328	2.85
5200MHz	Pass	PK	5.1476G	63.39	74.00	-10.61	3	Vertical	328	2.85
5200MHz	Pass	PK	5.2032G	112.03	Inf	-Inf	3	Vertical	328	2.85
5200MHz	Pass	AV	5.15G	51.36	54.00	-2.64	3	Horizontal	49	1.71
5200MHz	Pass	AV	5.2028G	103.62	Inf	-Inf	3	Horizontal	49	1.71
5200MHz	Pass	PK	5.1456G	66.62	74.00	-7.38	3	Horizontal	49	1.71
5200MHz	Pass	PK	5.1968G	115.12	Inf	-Inf	3	Horizontal	49	1.71
5200MHz	Pass	AV	15.59716G	43.26	54.00	-10.74	3	Vertical	359	1.14
5200MHz	Pass	PK	10.39492G	50.71	68.20	-17.49	3	Vertical	328	1.72
5200MHz	Pass	PK	15.6068G	52.06	74.00	-21.94	3	Vertical	359	1.14
5200MHz	Pass	AV	15.6086G	43.20	54.00	-10.80	3	Horizontal	80	2.60
5200MHz	Pass	PK	10.3944G	51.52	68.20	-16.68	3	Horizontal	209	2.25
5200MHz	Pass	PK	15.6022G	53.49	74.00	-20.51	3	Horizontal	80	2.60
5240MHz	Pass	AV	5.1452G	46.59	54.00	-7.41	3	Vertical	357	3.00
5240MHz	Pass	AV	5.2382G	100.59	Inf	-Inf	3	Vertical	357	3.00
5240MHz	Pass	AV	5.3852G	45.21	54.00	-8.79	3	Vertical	357	3.00
5240MHz	Pass	PK	5.0948G	58.16	74.00	-15.84	3	Vertical	357	3.00
5240MHz	Pass	PK	5.2448G	110.59	Inf	-Inf	3	Vertical	357	3.00
5240MHz	Pass	PK	5.3786G	56.39	74.00	-17.61	3	Vertical	357	3.00
5240MHz	Pass	AV	5.147G	46.78	54.00	-7.22	3	Horizontal	7	1.67
5240MHz	Pass	AV	5.243G	102.40	Inf	-Inf	3	Horizontal	7	1.67
5240MHz	Pass	AV	5.35G	45.49	54.00	-8.51	3	Horizontal	7	1.67
5240MHz	Pass	PK	5.1158G	58.09	74.00	-15.91	3	Horizontal	7	1.67
5240MHz	Pass	PK	5.237G	113.91	Inf	-Inf	3	Horizontal	7	1.67
5240MHz	Pass	PK	5.3564G	57.21	74.00	-16.79	3	Horizontal	7	1.67
5240MHz	Pass	AV	15.72212G	43.43	54.00	-10.57	3	Vertical	41	2.36
5240MHz	Pass	PK	10.47688G	53.05	68.20	-15.15	3	Vertical	57	1.79
5240MHz	Pass	PK	15.7178G	55.23	74.00	-18.77	3	Vertical	41	2.36
5240MHz	Pass	AV	15.71116G	43.40	54.00	-10.60	3	Horizontal	112	1.13
5240MHz	Pass	PK	10.48716G	53.12	68.20	-15.08	3	Horizontal	104	1.54
5240MHz	Pass	PK	15.72088G	52.32	74.00	-21.68	3	Horizontal	112	1.13
5260MHz	Pass	AV	5.1184G	46.21	54.00	-7.79	3	Vertical	356	2.96
5260MHz	Pass	AV	5.2582G	101.13	Inf	-Inf	3	Vertical	356	2.96
5260MHz	Pass	AV	5.3518G	45.74	54.00	-8.26	3	Vertical	356	2.96
5260MHz	Pass	PK	5.1274G	57.17	74.00	-16.83	3	Vertical	356	2.96
5260MHz	Pass	PK	5.2624G	112.56	Inf	-Inf	3	Vertical	356	2.96



## RSE TX above 1GHz\_Radio 2

## Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	5.3692G	56.43	74.00	-17.57	3	Vertical	356	2.96
5260MHz	Pass	AV	5.1202G	46.33	54.00	-7.67	3	Horizontal	6	1.67
5260MHz	Pass	AV	5.2582G	102.55	Inf	-Inf	3	Horizontal	6	1.67
5260MHz	Pass	AV	5.3548G	46.12	54.00	-7.88	3	Horizontal	6	1.67
5260MHz	Pass	PK	5.1364G	57.71	74.00	-16.29	3	Horizontal	6	1.67
5260MHz	Pass	PK	5.2564G	113.89	Inf	-Inf	3	Horizontal	6	1.67
5260MHz	Pass	PK	5.3572G	57.83	74.00	-16.17	3	Horizontal	6	1.67
5260MHz	Pass	AV	15.78848G	43.26	54.00	-10.74	3	Vertical	252	2.61
5260MHz	Pass	PK	10.52028G	51.46	68.20	-16.74	3	Vertical	263	2.43
5260MHz	Pass	PK	15.78592G	53.52	74.00	-20.48	3	Vertical	252	2.61
5260MHz	Pass	AV	15.77124G	43.29	54.00	-10.71	3	Horizontal	330	1.79
5260MHz	Pass	PK	10.51572G	52.31	68.20	-15.89	3	Horizontal	51	2.72
5260MHz	Pass	PK	15.78968G	53.55	74.00	-20.45	3	Horizontal	330	1.79
5300MHz	Pass	AV	5.3028G	100.68	Inf	-Inf	3	Vertical	339	2.12
5300MHz	Pass	AV	5.3504G	49.12	54.00	-4.88	3	Vertical	339	2.12
5300MHz	Pass	PK	5.2968G	112.17	Inf	-Inf	3	Vertical	339	2.12
5300MHz	Pass	PK	5.3516G	64.18	74.00	-9.82	3	Vertical	339	2.12
5300MHz	Pass	AV	5.2984G	102.21	Inf	-Inf	3	Horizontal	6	1.68
5300MHz	Pass	AV	5.35G	50.42	54.00	-3.58	3	Horizontal	6	1.68
5300MHz	Pass	PK	5.2972G	113.35	Inf	-Inf	3	Horizontal	6	1.68
5300MHz	Pass	PK	5.3508G	65.62	74.00	-8.38	3	Horizontal	6	1.68
5300MHz	Pass	AV	10.601G	41.67	54.00	-12.33	3	Vertical	43	2.46
5300MHz	Pass	AV	15.90832G	42.91	54.00	-11.09	3	Vertical	340	2.08
5300MHz	Pass	PK	10.596G	51.92	68.20	-16.28	3	Vertical	43	2.46
5300MHz	Pass	PK	15.89336G	52.78	74.00	-21.22	3	Vertical	340	2.08
5300MHz	Pass	AV	10.6096G	41.68	54.00	-12.32	3	Horizontal	16	2.17
5300MHz	Pass	AV	15.90292G	42.92	54.00	-11.08	3	Horizontal	272	1.36
5300MHz	Pass	PK	10.59944G	51.57	68.20	-16.63	3	Horizontal	16	2.17
5300MHz	Pass	PK	15.90324G	52.71	74.00	-21.29	3	Horizontal	272	1.36
5320MHz	Pass	AV	5.3228G	99.02	Inf	-Inf	3	Vertical	342	2.12
5320MHz	Pass	AV	5.35G	52.22	54.00	-1.78	3	Vertical	342	2.12
5320MHz	Pass	PK	5.3168G	110.43	Inf	-Inf	3	Vertical	342	2.12
5320MHz	Pass	PK	5.35G	69.95	74.00	-4.05	3	Vertical	342	2.12
5320MHz	Pass	AV	5.3228G	100.65	Inf	-Inf	3	Horizontal	4	1.75
5320MHz	Pass	AV	5.35G	53.88	54.00	-0.12	3	Horizontal	4	1.75
5320MHz	Pass	PK	5.3232G	112.75	Inf	-Inf	3	Horizontal	4	1.75
5320MHz	Pass	PK	5.35G	71.60	74.00	-2.40	3	Horizontal	4	1.75
5320MHz	Pass	AV	10.63456G	41.64	54.00	-12.36	3	Vertical	113	1.90
5320MHz	Pass	AV	15.96396G	42.91	54.00	-11.09	3	Vertical	39	1.13
5320MHz	Pass	PK	10.63556G	51.42	74.00	-22.58	3	Vertical	113	1.90
5320MHz	Pass	PK	15.9598G	51.20	74.00	-22.80	3	Vertical	39	1.13
5320MHz	Pass	AV	10.63108G	41.62	54.00	-12.38	3	Horizontal	239	1.44
5320MHz	Pass	AV	15.96652G	42.82	54.00	-11.18	3	Horizontal	320	2.04
5320MHz	Pass	PK	10.64048G	51.93	74.00	-22.07	3	Horizontal	239	1.44
5320MHz	Pass	PK	15.95916G	51.69	74.00	-22.31	3	Horizontal	320	2.04
5500MHz	Pass	AV	5.4598G	48.32	54.00	-5.68	3	Vertical	360	2.85
5500MHz	Pass	AV	5.4986G	100.18	Inf	-Inf	3	Vertical	360	2.85
5500MHz	Pass	PK	5.47G	67.62	68.20	-0.58	3	Vertical	360	2.85
5500MHz	Pass	PK	5.4968G	111.95	Inf	-Inf	3	Vertical	360	2.85
5500MHz	Pass	AV	5.46G	48.25	54.00	-5.75	3	Horizontal	28	1.50
5500MHz	Pass	AV	5.4982G	99.36	Inf	-Inf	3	Horizontal	28	1.50
5500MHz	Pass	PK	5.4674G	67.98	68.20	-0.22	3	Horizontal	28	1.50
5500MHz	Pass	PK	5.4968G	111.05	Inf	-Inf	3	Horizontal	28	1.50
5500MHz	Pass	AV	11.00456G	42.07	54.00	-11.93	3	Vertical	322	1.04
5500MHz	Pass	PK	11.00724G	51.87	74.00	-22.13	3	Vertical	322	1.04
5500MHz	Pass	PK	16.49288G	54.61	68.20	-13.59	3	Vertical	257	2.93
5500MHz	Pass	AV	11.00856G	42.05	54.00	-11.95	3	Horizontal	164	1.22
5500MHz	Pass	PK	11.00512G	52.31	74.00	-21.69	3	Horizontal	164	1.22
5500MHz	Pass	PK	16.50136G	53.64	68.20	-14.56	3	Horizontal	224	1.32
5580MHz	Pass	AV	5.4576G	45.16	54.00	-8.84	3	Vertical	9	2.03
5580MHz	Pass	AV	5.5788G	102.41	Inf	-Inf	3	Vertical	9	2.03
5580MHz	Pass	PK	5.4672G	55.84	68.20	-12.36	3	Vertical	9	2.03



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.577G	113.62	Inf	-Inf	3	Vertical	9	2.03
5580MHz	Pass	PK	5.7288G	57.35	68.20	-10.85	3	Vertical	9	2.03
5580MHz	Pass	AV	5.4318G	45.10	54.00	-8.90	3	Horizontal	12	1.06
5580MHz	Pass	AV	5.5782G	101.03	Inf	-Inf	3	Horizontal	12	1.06
5580MHz	Pass	PK	5.463G	56.11	68.20	-12.09	3	Horizontal	12	1.06
5580MHz	Pass	PK	5.5764G	112.32	Inf	-Inf	3	Horizontal	12	1.06
5580MHz	Pass	PK	5.7276G	57.02	68.20	-11.18	3	Horizontal	12	1.06
5580MHz	Pass	AV	11.16668G	41.88	54.00	-12.12	3	Vertical	196	2.45
5580MHz	Pass	PK	11.15168G	50.80	74.00	-23.20	3	Vertical	196	2.45
5580MHz	Pass	PK	16.73372G	53.08	68.20	-15.12	3	Vertical	125	2.75
5580MHz	Pass	AV	11.1548G	41.81	54.00	-12.19	3	Horizontal	171	1.88
5580MHz	Pass	PK	11.16848G	51.79	74.00	-22.21	3	Horizontal	171	1.88
5580MHz	Pass	PK	16.73128G	54.15	68.20	-14.05	3	Horizontal	22	2.82
5700MHz	Pass	AV	5.6952G	98.29	Inf	-Inf	3	Vertical	350	1.76
5700MHz	Pass	PK	5.6968G	109.98	Inf	-Inf	3	Vertical	350	1.76
5700MHz	Pass	PK	5.7252G	67.28	68.20	-0.92	3	Vertical	350	1.76
5700MHz	Pass	AV	5.6988G	98.71	Inf	-Inf	3	Horizontal	17	1.40
5700MHz	Pass	PK	5.6968G	110.45	Inf	-Inf	3	Horizontal	17	1.40
5700MHz	Pass	PK	5.7252G	68.06	68.20	-0.14	3	Horizontal	17	1.40
5700MHz	Pass	AV	11.40764G	41.88	54.00	-12.12	3	Vertical	16	2.54
5700MHz	Pass	PK	11.40924G	51.43	74.00	-22.57	3	Vertical	16	2.54
5700MHz	Pass	PK	17.10252G	54.08	68.20	-14.12	3	Vertical	99	2.24
5700MHz	Pass	AV	11.4084G	41.93	54.00	-12.07	3	Horizontal	358	1.11
5700MHz	Pass	PK	11.40024G	53.12	74.00	-20.88	3	Horizontal	358	1.11
5700MHz	Pass	PK	17.09208G	53.43	68.20	-14.77	3	Horizontal	108	2.27
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4344G	45.15	54.00	-8.85	3	Vertical	349	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	101.53	Inf	-Inf	3	Vertical	349	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	54.36	68.20	-13.84	3	Vertical	349	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	110.34	Inf	-Inf	3	Vertical	349	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9612G	57.63	68.20	-10.57	3	Vertical	349	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4272G	45.11	54.00	-8.89	3	Horizontal	16	1.56
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	102.45	Inf	-Inf	3	Horizontal	16	1.56
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	54.51	68.20	-13.69	3	Horizontal	16	1.56
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	110.98	Inf	-Inf	3	Horizontal	16	1.56
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	58.08	68.20	-10.12	3	Horizontal	16	1.56
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43244G	41.95	54.00	-12.05	3	Vertical	140	1.44
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4394G	51.16	74.00	-22.84	3	Vertical	140	1.44
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1676G	55.63	68.20	-12.57	3	Vertical	142	1.24
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44828G	41.95	54.00	-12.05	3	Horizontal	259	1.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43064G	51.80	74.00	-22.20	3	Horizontal	259	1.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16628G	53.22	68.20	-14.98	3	Horizontal	269	2.10
5745MHz	Pass	AV	5.7402G	101.09	Inf	-Inf	3	Vertical	328	1.42
5745MHz	Pass	PK	5.6346G	57.03	68.20	-11.17	3	Vertical	328	1.42
5745MHz	Pass	PK	5.7378G	111.19	Inf	-Inf	3	Vertical	328	1.42
5745MHz	Pass	PK	5.9526G	58.78	68.20	-9.42	3	Vertical	328	1.42
5745MHz	Pass	AV	5.7438G	102.87	Inf	-Inf	3	Horizontal	16	1.39
5745MHz	Pass	PK	5.6502G	58.37	68.35	-9.98	3	Horizontal	16	1.39
5745MHz	Pass	PK	5.7414G	114.55	Inf	-Inf	3	Horizontal	16	1.39
5745MHz	Pass	PK	6.0018G	58.80	68.20	-9.40	3	Horizontal	16	1.39
5745MHz	Pass	AV	11.49604G	41.88	54.00	-12.12	3	Vertical	15	2.07
5745MHz	Pass	PK	11.49616G	51.78	74.00	-22.22	3	Vertical	15	2.07
5745MHz	Pass	PK	17.23756G	53.21	68.20	-14.99	3	Vertical	210	1.67
5745MHz	Pass	AV	11.48648G	41.91	54.00	-12.09	3	Horizontal	70	1.85
5745MHz	Pass	PK	11.49048G	51.54	74.00	-22.46	3	Horizontal	70	1.85
5745MHz	Pass	PK	17.2286G	54.66	68.20	-13.54	3	Horizontal	187	1.29
5785MHz	Pass	AV	5.7825G	100.45	Inf	-Inf	3	Vertical	328	1.50
5785MHz	Pass	PK	5.56712G	57.70	68.20	-10.50	3	Vertical	328	1.50
5785MHz	Pass	PK	5.78129G	110.92	Inf	-Inf	3	Vertical	328	1.50
5785MHz	Pass	PK	6.00635G	58.46	68.20	-9.74	3	Vertical	328	1.50
5785MHz	Pass	AV	5.78371G	102.77	Inf	-Inf	3	Horizontal	19	1.66
5785MHz	Pass	PK	5.6373G	58.01	68.20	-10.19	3	Horizontal	19	1.66
5785MHz	Pass	PK	5.7825G	114.48	Inf	-Inf	3	Horizontal	19	1.66





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.92891G	58.21	68.20	-9.99	3	Horizontal	19	1.66
5785MHz	Pass	AV	11.57168G	41.71	54.00	-12.29	3	Vertical	232	2.21
5785MHz	Pass	PK	11.57016G	52.55	74.00	-21.45	3	Vertical	232	2.21
5785MHz	Pass	PK	17.365G	53.75	68.20	-14.45	3	Vertical	214	2.58
5785MHz	Pass	AV	11.5626G	41.77	54.00	-12.23	3	Horizontal	36	2.45
5785MHz	Pass	PK	11.56836G	51.51	74.00	-22.49	3	Horizontal	36	2.45
5785MHz	Pass	PK	17.35032G	54.41	68.20	-13.79	3	Horizontal	60	1.52
5825MHz	Pass	AV	5.8238G	100.08	Inf	-Inf	3	Vertical	327	1.33
5825MHz	Pass	PK	5.6222G	57.31	68.20	-10.89	3	Vertical	327	1.33
5825MHz	Pass	PK	5.8226G	110.29	Inf	-Inf	3	Vertical	327	1.33
5825MHz	Pass	PK	5.9594G	58.08	68.20	-10.12	3	Vertical	327	1.33
5825MHz	Pass	AV	5.8238G	102.46	Inf	-Inf	3	Horizontal	17	1.51
5825MHz	Pass	PK	5.6102G	57.54	68.20	-10.66	3	Horizontal	17	1.51
5825MHz	Pass	PK	5.8226G	112.96	Inf	-Inf	3	Horizontal	17	1.51
5825MHz	Pass	PK	5.9906G	58.56	68.20	-9.64	3	Horizontal	17	1.51
5825MHz	Pass	AV	11.65924G	41.94	54.00	-12.06	3	Vertical	260	2.45
5825MHz	Pass	PK	11.65792G	52.16	74.00	-21.84	3	Vertical	260	2.45
5825MHz	Pass	PK	17.4734G	54.40	68.20	-13.80	3	Vertical	169	1.29
5825MHz	Pass	AV	11.64232G	41.83	54.00	-12.17	3	Horizontal	139	2.88
5825MHz	Pass	PK	11.65232G	52.17	74.00	-21.83	3	Horizontal	139	2.88
5825MHz	Pass	PK	17.46712G	53.82	68.20	-14.38	3	Horizontal	83	2.35
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	52.69	54.00	-1.31	3	Vertical	354	3.00
5190MHz	Pass	AV	5.1964G	94.82	Inf	-Inf	3	Vertical	354	3.00
5190MHz	Pass	PK	5.1484G	66.56	74.00	-7.44	3	Vertical	354	3.00
5190MHz	Pass	PK	5.1956G	105.52	Inf	-Inf	3	Vertical	354	3.00
5190MHz	Pass	AV	5.15G	53.85	54.00	-0.15	3	Horizontal	48	1.77
5190MHz	Pass	AV	5.1964G	97.92	Inf	-Inf	3	Horizontal	48	1.77
5190MHz	Pass	PK	5.1464G	69.50	74.00	-4.50	3	Horizontal	48	1.77
5190MHz	Pass	PK	5.1864G	108.27	Inf	-Inf	3	Horizontal	48	1.77
5190MHz	Pass	AV	15.55584G	44.93	54.00	-9.07	3	Vertical	243	1.50
5190MHz	Pass	PK	10.35792G	52.87	68.20	-15.33	3	Vertical	260	1.50
5190MHz	Pass	PK	15.59136G	55.13	74.00	-18.87	3	Vertical	243	1.50
5190MHz	Pass	AV	15.56424G	44.69	54.00	-9.31	3	Horizontal	327	1.99
5190MHz	Pass	PK	10.3998G	53.15	68.20	-15.05	3	Horizontal	226	2.15
5190MHz	Pass	PK	15.5472G	55.59	74.00	-18.41	3	Horizontal	327	1.99
5230MHz	Pass	AV	5.1488G	49.37	54.00	-4.63	3	Vertical	10	1.49
5230MHz	Pass	AV	5.2356G	96.50	Inf	-Inf	3	Vertical	10	1.49
5230MHz	Pass	PK	5.1488G	61.27	74.00	-12.73	3	Vertical	10	1.49
5230MHz	Pass	PK	5.2352G	107.37	Inf	-Inf	3	Vertical	10	1.49
5230MHz	Pass	AV	5.15G	53.51	54.00	-0.49	3	Horizontal	45	1.69
5230MHz	Pass	AV	5.2268G	101.09	Inf	-Inf	3	Horizontal	45	1.69
5230MHz	Pass	PK	5.1452G	66.10	74.00	-7.90	3	Horizontal	45	1.69
5230MHz	Pass	PK	5.2268G	111.90	Inf	-Inf	3	Horizontal	45	1.69
5230MHz	Pass	AV	15.66864G	44.84	54.00	-9.16	3	Vertical	359	1.50
5230MHz	Pass	PK	10.4792G	53.76	68.20	-14.44	3	Vertical	243	1.16
5230MHz	Pass	PK	15.70272G	55.04	74.00	-18.96	3	Vertical	359	1.50
5230MHz	Pass	AV	15.70596G	44.73	54.00	-9.27	3	Horizontal	6	2.16
5230MHz	Pass	PK	10.45232G	53.32	68.20	-14.88	3	Horizontal	50	1.50
5230MHz	Pass	PK	15.70116G	55.31	74.00	-18.69	3	Horizontal	6	2.16
5270MHz	Pass	AV	5.2756G	98.18	Inf	-Inf	3	Vertical	340	1.91
5270MHz	Pass	AV	5.3508G	51.82	54.00	-2.18	3	Vertical	340	1.91
5270MHz	Pass	PK	5.2752G	109.22	Inf	-Inf	3	Vertical	340	1.91
5270MHz	Pass	PK	5.352G	64.29	74.00	-9.71	3	Vertical	340	1.91
5270MHz	Pass	AV	5.2764G	99.99	Inf	-Inf	3	Horizontal	4	1.78
5270MHz	Pass	AV	5.3516G	53.78	54.00	-0.22	3	Horizontal	4	1.78
5270MHz	Pass	PK	5.2668G	110.78	Inf	-Inf	3	Horizontal	4	1.78
5270MHz	Pass	PK	5.3512G	65.70	74.00	-8.30	3	Horizontal	4	1.78
5270MHz	Pass	AV	15.83496G	44.67	54.00	-9.33	3	Vertical	262	2.99
5270MHz	Pass	PK	10.53052G	53.49	68.20	-14.71	3	Vertical	289	1.50
5270MHz	Pass	PK	15.8262G	55.46	74.00	-18.54	3	Vertical	262	2.99
5270MHz	Pass	AV	15.79848G	44.77	54.00	-9.23	3	Horizontal	131	1.50



RSE TX above 1GHz\_Radio 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	10.54276G	53.34	68.20	-14.86	3	Horizontal	331	1.50
5270MHz	Pass	PK	15.82116G	55.51	74.00	-18.49	3	Horizontal	131	1.50
5310MHz	Pass	AV	5.3196G	92.25	Inf	-Inf	3	Vertical	15	1.50
5310MHz	Pass	AV	5.3504G	49.61	54.00	-4.39	3	Vertical	15	1.50
5310MHz	Pass	PK	5.3152G	103.14	Inf	-Inf	3	Vertical	15	1.50
5310MHz	Pass	PK	5.35G	63.35	74.00	-10.65	3	Vertical	15	1.50
5310MHz	Pass	AV	5.3156G	96.11	Inf	-Inf	3	Horizontal	3	1.72
5310MHz	Pass	AV	5.3508G	53.18	54.00	-0.82	3	Horizontal	3	1.72
5310MHz	Pass	PK	5.3152G	107.34	Inf	-Inf	3	Horizontal	3	1.72
5310MHz	Pass	PK	5.3524G	71.30	74.00	-2.70	3	Horizontal	3	1.72
5310MHz	Pass	AV	10.62204G	42.70	54.00	-11.30	3	Vertical	352	2.71
5310MHz	Pass	AV	15.94536G	44.23	54.00	-9.77	3	Vertical	244	1.76
5310MHz	Pass	PK	10.59744G	53.01	68.20	-15.19	3	Vertical	352	2.71
5310MHz	Pass	PK	15.927G	55.20	74.00	-18.80	3	Vertical	244	1.76
5310MHz	Pass	AV	10.61052G	43.08	54.00	-10.92	3	Horizontal	292	2.05
5310MHz	Pass	AV	15.95304G	44.41	54.00	-9.59	3	Horizontal	242	3.00
5310MHz	Pass	PK	10.60944G	53.43	74.00	-20.57	3	Horizontal	292	2.05
5310MHz	Pass	PK	15.93588G	54.89	74.00	-19.11	3	Horizontal	242	3.00
5510MHz	Pass	AV	5.46G	48.31	54.00	-5.69	3	Vertical	360.1	2.20
5510MHz	Pass	AV	5.5164G	95.72	Inf	-Inf	3	Vertical	360.1	2.20
5510MHz	Pass	PK	5.4676G	65.48	68.20	-2.72	3	Vertical	360.1	2.20
5510MHz	Pass	PK	5.5152G	106.78	Inf	-Inf	3	Vertical	360.1	2.20
5510MHz	Pass	AV	5.46G	49.64	54.00	-4.36	3	Horizontal	33	1.70
5510MHz	Pass	AV	5.5064G	95.64	Inf	-Inf	3	Horizontal	33	1.70
5510MHz	Pass	PK	5.468G	67.82	68.20	-0.38	3	Horizontal	33	1.70
5510MHz	Pass	PK	5.5152G	106.59	Inf	-Inf	3	Horizontal	33	1.70
5510MHz	Pass	AV	11.04004G	43.30	54.00	-10.70	3	Vertical	278	1.50
5510MHz	Pass	PK	11.02948G	53.69	74.00	-20.31	3	Vertical	278	1.50
5510MHz	Pass	PK	16.52616G	56.04	68.20	-12.16	3	Vertical	193	1.28
5510MHz	Pass	AV	11.00824G	43.42	54.00	-10.58	3	Horizontal	358	1.50
5510MHz	Pass	PK	11.03008G	53.98	74.00	-20.02	3	Horizontal	358	1.50
5510MHz	Pass	PK	16.50216G	56.22	68.20	-11.98	3	Horizontal	15	1.50
5550MHz	Pass	AV	5.4584G	50.32	54.00	-3.68	3	Vertical	360	1.94
5550MHz	Pass	AV	5.5556G	100.37	Inf	-Inf	3	Vertical	360	1.94
5550MHz	Pass	PK	5.4696G	65.02	68.20	-3.18	3	Vertical	360	1.94
5550MHz	Pass	PK	5.5552G	110.87	Inf	-Inf	3	Vertical	360	1.94
5550MHz	Pass	AV	5.4544G	50.80	54.00	-3.20	3	Horizontal	34	1.49
5550MHz	Pass	AV	5.5428G	98.50	Inf	-Inf	3	Horizontal	34	1.49
5550MHz	Pass	PK	5.468G	64.41	68.20	-3.79	3	Horizontal	34	1.49
5550MHz	Pass	PK	5.5468G	109.33	Inf	-Inf	3	Horizontal	34	1.49
5550MHz	Pass	AV	11.08592G	42.56	54.00	-11.44	3	Vertical	249	2.06
5550MHz	Pass	PK	11.10624G	51.13	74.00	-22.87	3	Vertical	249	2.06
5550MHz	Pass	PK	16.65256G	51.96	68.20	-16.24	3	Vertical	125	1.44
5550MHz	Pass	AV	11.08696G	42.67	54.00	-11.33	3	Horizontal	292	1.91
5550MHz	Pass	PK	11.08312G	50.83	74.00	-23.17	3	Horizontal	292	1.91
5550MHz	Pass	PK	16.6648G	52.72	68.20	-15.48	3	Horizontal	207	2.18
5670MHz	Pass	AV	5.667G	97.37	Inf	-Inf	3	Vertical	327	1.90
5670MHz	Pass	PK	5.667G	108.03	Inf	-Inf	3	Vertical	327	1.90
5670MHz	Pass	PK	5.7258G	64.73	68.20	-3.47	3	Vertical	327	1.90
5670MHz	Pass	AV	5.6658G	98.42	Inf	-Inf	3	Horizontal	14	1.11
5670MHz	Pass	PK	5.6754G	109.50	Inf	-Inf	3	Horizontal	14	1.11
5670MHz	Pass	PK	5.7276G	66.19	68.20	-2.01	3	Horizontal	14	1.11
5670MHz	Pass	AV	11.33536G	42.09	54.00	-11.91	3	Vertical	286	1.64
5670MHz	Pass	PK	11.32256G	49.51	74.00	-24.49	3	Vertical	286	1.64
5670MHz	Pass	PK	17.01088G	50.67	68.20	-17.53	3	Vertical	160	1.54
5670MHz	Pass	AV	11.33008G	42.40	54.00	-11.60	3	Horizontal	105	1.92
5670MHz	Pass	PK	11.34432G	49.84	74.00	-24.16	3	Horizontal	105	1.92
5670MHz	Pass	PK	16.99G	52.92	68.20	-15.28	3	Horizontal	191	1.84
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	46.69	54.00	-7.31	3	Vertical	345	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	99.68	Inf	-Inf	3	Vertical	345	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	56.64	68.20	-11.56	3	Vertical	345	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	109.98	Inf	-Inf	3	Vertical	345	1.78



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	58.90	68.20	-9.30	3	Vertical	345	1.78
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4292G	46.69	54.00	-7.31	3	Horizontal	15	1.47
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	100.69	Inf	-Inf	3	Horizontal	15	1.47
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	56.03	68.20	-12.17	3	Horizontal	15	1.47
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	110.73	Inf	-Inf	3	Horizontal	15	1.47
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	59.45	68.20	-8.75	3	Horizontal	15	1.47
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42512G	42.60	54.00	-11.40	3	Vertical	26	2.57
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40144G	52.51	74.00	-21.49	3	Vertical	26	2.57
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12712G	52.50	68.20	-15.70	3	Vertical	151	2.32
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41704G	42.38	54.00	-11.62	3	Horizontal	31	1.84
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4008G	50.71	74.00	-23.29	3	Horizontal	31	1.84
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13448G	51.42	68.20	-16.78	3	Horizontal	46	1.99
5755MHz	Pass	AV	5.7514G	98.74	Inf	-Inf	3	Vertical	330	1.56
5755MHz	Pass	PK	5.6494G	59.50	68.20	-8.70	3	Vertical	330	1.56
5755MHz	Pass	PK	5.7514G	109.25	Inf	-Inf	3	Vertical	330	1.56
5755MHz	Pass	PK	5.9254G	58.04	68.20	-10.16	3	Vertical	330	1.56
5755MHz	Pass	AV	5.761G	100.91	Inf	-Inf	3	Horizontal	17	1.49
5755MHz	Pass	PK	5.6506G	62.07	68.64	-6.57	3	Horizontal	17	1.49
5755MHz	Pass	PK	5.7598G	111.57	Inf	-Inf	3	Horizontal	17	1.49
5755MHz	Pass	PK	5.935G	58.51	68.20	-9.69	3	Horizontal	17	1.49
5755MHz	Pass	AV	11.52408G	42.20	54.00	-11.80	3	Vertical	201	2.19
5755MHz	Pass	PK	11.49264G	50.43	74.00	-23.57	3	Vertical	201	2.19
5755MHz	Pass	PK	17.24828G	52.73	68.20	-15.47	3	Vertical	276	1.81
5755MHz	Pass	AV	11.51976G	42.34	54.00	-11.66	3	Horizontal	254	2.05
5755MHz	Pass	PK	11.49008G	50.12	74.00	-23.88	3	Horizontal	254	2.05
5755MHz	Pass	PK	17.2734G	52.72	68.20	-15.48	3	Horizontal	324	2.60
5795MHz	Pass	AV	5.801G	98.78	Inf	-Inf	3	Vertical	326	1.60
5795MHz	Pass	PK	5.633G	57.74	68.20	-10.46	3	Vertical	326	1.60
5795MHz	Pass	PK	5.7998G	109.50	Inf	-Inf	3	Vertical	326	1.60
5795MHz	Pass	PK	5.9378G	58.85	68.20	-9.35	3	Vertical	326	1.60
5795MHz	Pass	AV	5.801G	100.78	Inf	-Inf	3	Horizontal	18	1.47
5795MHz	Pass	PK	5.6366G	58.28	68.20	-9.92	3	Horizontal	18	1.47
5795MHz	Pass	PK	5.7998G	111.52	Inf	-Inf	3	Horizontal	18	1.47
5795MHz	Pass	PK	5.927G	58.47	68.20	-9.73	3	Horizontal	18	1.47
5795MHz	Pass	AV	11.58888G	42.06	54.00	-11.94	3	Vertical	336	2.66
5795MHz	Pass	PK	11.59824G	50.02	74.00	-23.98	3	Vertical	336	2.66
5795MHz	Pass	PK	17.3766G	53.93	68.20	-14.27	3	Vertical	333	2.06
5795MHz	Pass	AV	11.57336G	42.30	54.00	-11.70	3	Horizontal	268	1.91
5795MHz	Pass	PK	11.57088G	49.66	74.00	-24.34	3	Horizontal	268	1.91
5795MHz	Pass	PK	17.37532G	53.81	68.20	-14.39	3	Horizontal	235	2.71
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.142G	49.52	54.00	-4.48	3	Vertical	8	1.65
5210MHz	Pass	AV	5.225G	89.83	Inf	-Inf	3	Vertical	8	1.65
5210MHz	Pass	AV	5.35G	45.76	54.00	-8.24	3	Vertical	8	1.65
5210MHz	Pass	PK	5.146G	61.64	74.00	-12.36	3	Vertical	8	1.65
5210MHz	Pass	PK	5.221G	100.02	Inf	-Inf	3	Vertical	8	1.65
5210MHz	Pass	PK	5.368G	56.23	74.00	-17.77	3	Vertical	8	1.65
5210MHz	Pass	AV	5.143G	53.04	54.00	-0.96	3	Horizontal	46	1.86
5210MHz	Pass	AV	5.221G	94.12	Inf	-Inf	3	Horizontal	46	1.86
5210MHz	Pass	AV	5.352G	46.01	54.00	-7.99	3	Horizontal	46	1.86
5210MHz	Pass	PK	5.149G	67.03	74.00	-6.97	3	Horizontal	46	1.86
5210MHz	Pass	PK	5.213G	104.72	Inf	-Inf	3	Horizontal	46	1.86
5210MHz	Pass	PK	5.443G	55.66	74.00	-18.34	3	Horizontal	46	1.86
5210MHz	Pass	AV	15.64792G	43.65	54.00	-10.35	3	Vertical	71	1.44
5210MHz	Pass	PK	10.43296G	52.97	68.20	-15.23	3	Vertical	199	2.45
5210MHz	Pass	PK	15.61848G	53.74	74.00	-20.26	3	Vertical	71	1.44
5210MHz	Pass	AV	15.61848G	43.69	54.00	-10.31	3	Horizontal	69	2.30
5210MHz	Pass	PK	10.4016G	52.86	68.20	-15.34	3	Horizontal	110	1.38
5210MHz	Pass	PK	15.6516G	54.41	74.00	-19.59	3	Horizontal	69	2.30
5290MHz	Pass	AV	5.138G	46.82	54.00	-7.18	3	Vertical	16	1.75
5290MHz	Pass	AV	5.279G	88.87	Inf	-Inf	3	Vertical	16	1.75
5290MHz	Pass	AV	5.357G	49.87	54.00	-4.13	3	Vertical	16	1.75




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.126G	57.60	74.00	-16.40	3	Vertical	16	1.75
5290MHz	Pass	PK	5.293G	98.93	Inf	-Inf	3	Vertical	16	1.75
5290MHz	Pass	PK	5.359G	63.06	74.00	-10.94	3	Vertical	16	1.75
5290MHz	Pass	AV	5.137G	47.25	54.00	-6.75	3	Horizontal	6	2.03
5290MHz	Pass	AV	5.279G	92.55	Inf	-Inf	3	Horizontal	6	2.03
5290MHz	Pass	AV	5.353G	52.63	54.00	-1.37	3	Horizontal	6	2.03
5290MHz	Pass	PK	5.124G	57.79	74.00	-16.21	3	Horizontal	6	2.03
5290MHz	Pass	PK	5.272G	102.65	Inf	-Inf	3	Horizontal	6	2.03
5290MHz	Pass	PK	5.358G	66.98	74.00	-7.02	3	Horizontal	6	2.03
5290MHz	Pass	AV	15.83752G	43.82	54.00	-10.18	3	Vertical	35	2.27
5290MHz	Pass	PK	10.5672G	53.24	68.20	-14.96	3	Vertical	213	1.25
5290MHz	Pass	PK	15.8892G	53.73	74.00	-20.27	3	Vertical	35	2.27
5290MHz	Pass	AV	15.83128G	43.70	54.00	-10.30	3	Horizontal	101	2.21
5290MHz	Pass	PK	10.6056G	52.31	74.00	-21.69	3	Horizontal	330	1.09
5290MHz	Pass	PK	15.87528G	53.43	74.00	-20.57	3	Horizontal	101	2.21
5530MHz	Pass	AV	5.459G	51.84	54.00	-2.16	3	Vertical	360	2.24
5530MHz	Pass	AV	5.52G	92.93	Inf	-Inf	3	Vertical	360	2.24
5530MHz	Pass	PK	5.468G	65.65	68.20	-2.55	3	Vertical	360	2.24
5530MHz	Pass	PK	5.532G	103.34	Inf	-Inf	3	Vertical	360	2.24
5530MHz	Pass	PK	5.776G	57.37	68.20	-10.83	3	Vertical	360	2.24
5530MHz	Pass	AV	5.46G	53.45	54.00	-0.55	3	Horizontal	32	1.77
5530MHz	Pass	AV	5.521G	92.01	Inf	-Inf	3	Horizontal	32	1.77
5530MHz	Pass	PK	5.47G	66.86	68.20	-1.34	3	Horizontal	32	1.77
5530MHz	Pass	PK	5.533G	102.09	Inf	-Inf	3	Horizontal	32	1.77
5530MHz	Pass	PK	5.744G	56.57	68.20	-11.63	3	Horizontal	32	1.77
5530MHz	Pass	AV	11.09744G	42.83	54.00	-11.17	3	Vertical	175	2.28
5530MHz	Pass	PK	11.02528G	52.84	74.00	-21.16	3	Vertical	175	2.28
5530MHz	Pass	PK	16.56488G	54.50	68.20	-13.70	3	Vertical	75	2.61
5530MHz	Pass	AV	11.0656G	42.79	54.00	-11.21	3	Horizontal	11	1.80
5530MHz	Pass	PK	11.02624G	53.20	74.00	-20.80	3	Horizontal	11	1.80
5530MHz	Pass	PK	16.59704G	54.35	68.20	-13.85	3	Horizontal	70	1.94
5610MHz	Pass	AV	5.46G	51.06	54.00	-2.94	3	Vertical	314	2.06
5610MHz	Pass	AV	5.621G	95.33	Inf	-Inf	3	Vertical	314	2.06
5610MHz	Pass	PK	5.47G	62.34	68.20	-5.86	3	Vertical	314	2.06
5610MHz	Pass	PK	5.621G	105.41	Inf	-Inf	3	Vertical	314	2.06
5610MHz	Pass	PK	5.727G	63.28	68.20	-4.92	3	Vertical	314	2.06
5610MHz	Pass	AV	5.46G	51.53	54.00	-2.47	3	Horizontal	14	1.07
5610MHz	Pass	AV	5.601G	96.10	Inf	-Inf	3	Horizontal	14	1.07
5610MHz	Pass	PK	5.47G	62.40	68.20	-5.80	3	Horizontal	14	1.07
5610MHz	Pass	PK	5.612G	106.10	Inf	-Inf	3	Horizontal	14	1.07
5610MHz	Pass	PK	5.728G	64.41	68.20	-3.79	3	Horizontal	14	1.07
5610MHz	Pass	AV	11.1888G	42.48	54.00	-11.52	3	Vertical	101	2.75
5610MHz	Pass	PK	11.19232G	52.81	74.00	-21.19	3	Vertical	101	2.75
5610MHz	Pass	PK	16.79784G	54.96	68.20	-13.24	3	Vertical	193	1.38
5610MHz	Pass	AV	11.20304G	42.50	54.00	-11.50	3	Horizontal	22	2.16
5610MHz	Pass	PK	11.18608G	52.56	74.00	-21.44	3	Horizontal	22	2.16
5610MHz	Pass	PK	16.822G	56.11	68.20	-12.09	3	Horizontal	205	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4008G	46.27	54.00	-7.73	3	Vertical	340	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	95.41	Inf	-Inf	3	Vertical	340	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	55.82	68.20	-12.38	3	Vertical	340	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6876G	104.94	Inf	-Inf	3	Vertical	340	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	59.78	68.20	-8.42	3	Vertical	340	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	46.33	54.00	-7.67	3	Horizontal	17	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	96.51	Inf	-Inf	3	Horizontal	17	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	55.74	68.20	-12.46	3	Horizontal	17	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	107.12	Inf	-Inf	3	Horizontal	17	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	61.92	68.20	-6.28	3	Horizontal	17	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41984G	42.44	54.00	-11.56	3	Vertical	273	1.29
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36608G	52.71	74.00	-21.29	3	Vertical	273	1.29
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05992G	55.18	68.20	-13.02	3	Vertical	148	2.07
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37088G	42.20	54.00	-11.80	3	Horizontal	38	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3864G	52.40	74.00	-21.60	3	Horizontal	38	1.40



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.09688G	55.48	68.20	-12.72	3	Horizontal	299	1.47
5775MHz	Pass	AV	5.15G	52.79	54.00	-1.21	3	Vertical	360	3.00
5775MHz	Pass	AV	5.1842G	99.98	Inf	-Inf	3	Vertical	360	3.00
5775MHz	Pass	PK	5.1498G	67.80	74.00	-6.20	3	Vertical	360	3.00
5775MHz	Pass	PK	5.1824G	108.54	Inf	-Inf	3	Vertical	360	3.00
5775MHz	Pass	AV	5.15G	53.64	54.00	-0.36	3	Horizontal	50	1.80
5775MHz	Pass	AV	5.1772G	102.69	Inf	-Inf	3	Horizontal	50	1.80
5775MHz	Pass	PK	5.15G	69.09	74.00	-4.91	3	Horizontal	50	1.80
5775MHz	Pass	PK	5.1824G	111.18	Inf	-Inf	3	Horizontal	50	1.80
5775MHz	Pass	AV	15.53112G	43.99	54.00	-10.01	3	Vertical	360	1.50
5775MHz	Pass	PK	10.3666G	52.35	68.20	-15.85	3	Vertical	335	1.11
5775MHz	Pass	PK	15.54812G	53.96	74.00	-20.04	3	Vertical	360	1.50
5775MHz	Pass	AV	15.54948G	43.81	54.00	-10.19	3	Horizontal	63	1.41
5775MHz	Pass	PK	10.35376G	51.09	68.20	-17.11	3	Horizontal	286	2.41
5775MHz	Pass	PK	15.53716G	52.47	74.00	-21.53	3	Horizontal	63	1.41

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.79	54.00	-1.21	4.34	3	Vertical	360	3.00	48.45	33.10	5.86	34.62
AV	5.1842G	99.98	Inf	-Inf	4.43	3	Vertical	360	3.00	95.55	33.17	5.87	34.61
PK	5.1498G	67.80	74.00	-6.20	4.34	3	Vertical	360	3.00	63.46	33.10	5.86	34.62
PK	5.1824G	108.54	Inf	-Inf	4.42	3	Vertical	360	3.00	104.12	33.16	5.87	34.61

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.64	54.00	-0.36	4.34	3	Horizontal	50	1.80	49.30	33.10	5.86	34.62
AV	5.1772G	102.69	Inf	-Inf	4.41	3	Horizontal	50	1.80	98.28	33.15	5.87	34.61
PK	5.15G	69.09	74.00	-4.91	4.34	3	Horizontal	50	1.80	64.75	33.10	5.86	34.62
PK	5.1824G	111.18	Inf	-Inf	4.42	3	Horizontal	50	1.80	106.76	33.16	5.87	34.61



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53112G	43.99	54.00	-10.01	13.30	3	Vertical	360	1.50	30.69	38.41	9.79	34.90
PK	10.3666G	52.35	68.20	-15.85	11.73	3	Vertical	335	1.11	40.62	38.57	8.02	34.86
PK	15.54812G	53.96	74.00	-20.04	13.19	3	Vertical	360	1.50	40.77	38.31	9.80	34.92

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54948G	43.81	54.00	-10.19	13.18	3	Horizontal	63	1.41	30.63	38.30	9.80	34.92
PK	10.35376G	51.09	68.20	-17.11	11.74	3	Horizontal	286	2.41	39.35	38.59	8.02	34.87
PK	15.53716G	52.47	74.00	-21.53	13.26	3	Horizontal	63	1.41	39.21	38.38	9.79	34.91



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	49.29	54.00	-4.71	4.34	3	Vertical	0	3.00	44.95	33.10	5.86	34.62
AV	5.202G	101.80	Inf	-Inf	4.47	3	Vertical	0	3.00	97.33	33.20	5.88	34.61
PK	5.1488G	64.41	74.00	-9.59	4.34	3	Vertical	0	3.00	60.07	33.10	5.86	34.62
PK	5.2016G	110.00	Inf	-Inf	4.47	3	Vertical	0	3.00	105.53	33.20	5.88	34.61

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.79	54.00	-4.21	4.34	3	Horizontal	8	1.59	45.45	33.10	5.86	34.62
AV	5.2024G	103.39	Inf	-Inf	4.47	3	Horizontal	8	1.59	98.92	33.20	5.88	34.61
PK	5.15G	64.38	74.00	-9.62	4.34	3	Horizontal	8	1.59	60.04	33.10	5.86	34.62
PK	5.2016G	111.23	Inf	-Inf	4.47	3	Horizontal	8	1.59	106.76	33.20	5.88	34.61





5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60524G	44.01	54.00	-9.99	12.87	3	Vertical	338	1.50	31.14	38.01	9.82	34.96
PK	10.39408G	53.16	68.20	-15.04	11.72	3	Vertical	145	2.50	41.44	38.51	8.04	34.83
PK	15.60576G	55.12	74.00	-18.88	12.87	3	Vertical	338	1.50	42.25	38.01	9.82	34.96

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60596G	43.88	54.00	-10.12	12.87	3	Horizontal	52	2.36	31.01	38.01	9.82	34.96
PK	10.39384G	52.70	68.20	-15.50	11.72	3	Horizontal	249	1.50	40.98	38.51	8.04	34.83
PK	15.59196G	54.73	74.00	-19.27	12.91	3	Horizontal	52	2.36	41.82	38.05	9.81	34.95

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1368G	47.13	54.00	-6.87	4.30	3	Vertical	357	3.00	42.83	33.07	5.85	34.62
AV	5.2376G	101.33	Inf	-Inf	4.42	3	Vertical	357	3.00	96.91	33.12	5.90	34.60
AV	5.375G	45.79	54.00	-8.21	4.25	3	Vertical	357	3.00	41.54	32.85	5.98	34.58
PK	5.147G	57.72	74.00	-16.28	4.33	3	Vertical	357	3.00	53.39	33.09	5.86	34.62
PK	5.2412G	109.48	Inf	-Inf	4.42	3	Vertical	357	3.00	105.06	33.12	5.90	34.60
PK	5.381G	56.42	74.00	-17.58	4.29	3	Vertical	357	3.00	52.13	32.89	5.98	34.58

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.50	54.00	-6.50	4.32	3	Horizontal	6	1.66	43.18	33.09	5.85	34.62
AV	5.2424G	103.20	Inf	-Inf	4.42	3	Horizontal	6	1.66	98.78	33.12	5.90	34.60
AV	5.363G	45.80	54.00	-8.20	4.17	3	Horizontal	6	1.66	41.63	32.78	5.97	34.58
PK	5.1428G	57.96	74.00	-16.04	4.32	3	Horizontal	6	1.66	53.64	33.09	5.85	34.62
PK	5.2418G	111.29	Inf	-Inf	4.42	3	Horizontal	6	1.66	106.87	33.12	5.90	34.60
PK	5.3582G	57.16	74.00	-16.84	4.14	3	Horizontal	6	1.66	53.02	32.75	5.97	34.58

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71836G	44.09	54.00	-9.91	12.89	3	Vertical	133	1.50	31.20	38.08	9.85	35.04
PK	10.47908G	51.24	68.20	-16.96	11.91	3	Vertical	277	3.00	39.33	38.58	8.07	34.74
PK	15.71432G	53.08	74.00	-20.92	12.90	3	Vertical	133	1.50	40.18	38.09	9.85	35.04

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.717G	44.00	54.00	-10.00	12.89	3	Horizontal	184	1.50	31.11	38.08	9.85	35.04
PK	10.47988G	52.53	68.20	-15.67	11.91	3	Horizontal	42	1.50	40.62	38.58	8.07	34.74
PK	15.71052G	53.62	74.00	-20.38	12.90	3	Horizontal	184	1.50	40.72	38.09	9.85	35.04

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	46.92	54.00	-7.08	4.33	3	Vertical	352	2.95	42.59	33.09	5.86	34.62
AV	5.2624G	102.16	Inf	-Inf	4.36	3	Vertical	352	2.95	97.80	33.05	5.91	34.60
AV	5.3662G	46.38	54.00	-7.62	4.19	3	Vertical	352	2.95	42.19	32.80	5.97	34.58
PK	5.1196G	57.42	74.00	-16.58	4.26	3	Vertical	352	2.95	53.16	33.04	5.84	34.62
PK	5.2636G	110.18	Inf	-Inf	4.36	3	Vertical	352	2.95	105.82	33.05	5.91	34.60
PK	5.3644G	56.59	74.00	-17.41	4.18	3	Vertical	352	2.95	52.41	32.79	5.97	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1172G	47.01	54.00	-6.99	4.25	3	Horizontal	4	1.68	42.76	33.03	5.84	34.62
AV	5.2576G	103.22	Inf	-Inf	4.38	3	Horizontal	4	1.68	98.84	33.07	5.91	34.60
AV	5.3536G	46.80	54.00	-7.20	4.10	3	Horizontal	4	1.68	42.70	32.72	5.96	34.58
PK	5.1394G	58.55	74.00	-15.45	4.31	3	Horizontal	4	1.68	54.24	33.08	5.85	34.62
PK	5.2552G	111.11	Inf	-Inf	4.39	3	Horizontal	4	1.68	106.72	33.08	5.91	34.60
PK	5.3638G	57.52	74.00	-16.48	4.17	3	Horizontal	4	1.68	53.35	32.78	5.97	34.58



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77032G	43.93	54.00	-10.07	12.82	3	Vertical	4	1.50	31.11	38.03	9.87	35.08
PK	10.51128G	51.51	68.20	-16.69	11.99	3	Vertical	278	1.50	39.52	38.63	8.08	34.72
PK	15.78384G	52.94	74.00	-21.06	12.80	3	Vertical	4	1.50	40.14	38.02	9.87	35.09

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78408G	43.90	54.00	-10.10	12.80	3	Horizontal	355	1.68	31.10	38.02	9.87	35.09
PK	10.51216G	51.80	68.20	-16.40	12.01	3	Horizontal	72	1.84	39.79	38.64	8.09	34.72
PK	15.78092G	53.38	74.00	-20.62	12.80	3	Horizontal	355	1.68	40.58	38.02	9.87	35.09



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	101.53	Inf	-Inf	4.24	3	Vertical	340	2.14	97.29	32.89	5.94	34.59
AV	5.35G	47.96	54.00	-6.04	4.08	3	Vertical	340	2.14	43.88	32.70	5.96	34.58
PK	5.3024G	109.74	Inf	-Inf	4.24	3	Vertical	340	2.14	105.50	32.89	5.94	34.59
PK	5.3504G	62.42	74.00	-11.58	4.08	3	Vertical	340	2.14	58.34	32.70	5.96	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	103.18	Inf	-Inf	4.24	3	Horizontal	4	1.69	98.94	32.89	5.94	34.59
AV	5.3508G	48.99	54.00	-5.01	4.08	3	Horizontal	4	1.69	44.91	32.70	5.96	34.58
PK	5.3024G	111.36	Inf	-Inf	4.24	3	Horizontal	4	1.69	107.12	32.89	5.94	34.59
PK	5.35G	63.20	74.00	-10.80	4.08	3	Horizontal	4	1.69	59.12	32.70	5.96	34.58



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90772G	43.63	54.00	-10.37	12.33	3	Vertical	103	1.50	31.30	37.60	9.91	35.18
PK	10.60028G	51.75	74.00	-22.25	12.33	3	Vertical	244	1.50	39.42	38.90	8.12	34.69
PK	15.90048G	53.71	74.00	-20.29	12.33	3	Vertical	103	1.50	41.38	37.60	9.91	35.18

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90616G	43.60	54.00	-10.40	12.33	3	Horizontal	315	1.50	31.27	37.60	9.91	35.18
PK	10.60204G	52.74	74.00	-21.26	12.33	3	Horizontal	351	2.45	40.41	38.90	8.12	34.69
PK	15.8966G	53.31	74.00	-20.69	12.35	3	Horizontal	315	1.50	40.96	37.61	9.91	35.17

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.322G	98.24	Inf	-Inf	4.17	3	Vertical	16	1.50	94.07	32.81	5.95	34.59
AV	5.35G	50.94	54.00	-3.06	4.08	3	Vertical	16	1.50	46.86	32.70	5.96	34.58
PK	5.3224G	106.82	Inf	-Inf	4.17	3	Vertical	16	1.50	102.65	32.81	5.95	34.59
PK	5.3506G	64.35	74.00	-9.65	4.08	3	Vertical	16	1.50	60.27	32.70	5.96	34.58

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.324G	102.06	Inf	-Inf	4.16	3	Horizontal	4	1.77	97.90	32.80	5.95	34.59
AV	5.35G	53.75	54.00	-0.25	4.08	3	Horizontal	4	1.77	49.67	32.70	5.96	34.58
PK	5.3224G	110.64	Inf	-Inf	4.17	3	Horizontal	4	1.77	106.47	32.81	5.95	34.59
PK	5.3522G	68.78	74.00	-5.22	4.09	3	Horizontal	4	1.77	64.69	32.71	5.96	34.58





5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63736G	42.23	54.00	-11.77	12.43	3	Vertical	135	1.50	29.80	38.97	8.14	34.68
AV	15.96472G	43.50	54.00	-10.50	12.31	3	Vertical	1	1.24	31.19	37.60	9.93	35.22
PK	10.63096G	52.47	74.00	-21.53	12.42	3	Vertical	135	1.50	40.05	38.96	8.14	34.68
PK	15.95768G	53.02	74.00	-20.98	12.31	3	Vertical	1	1.24	40.71	37.60	9.93	35.22

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64972G	42.41	54.00	-11.59	12.46	3	Horizontal	73	1.50	29.95	39.00	8.14	34.68
AV	15.96272G	43.67	54.00	-10.33	12.31	3	Horizontal	31	1.50	31.36	37.60	9.93	35.22
PK	10.63108G	51.43	74.00	-22.57	12.42	3	Horizontal	73	1.50	39.01	38.96	8.14	34.68
PK	15.9584G	52.47	74.00	-21.53	12.31	3	Horizontal	31	1.50	40.16	37.60	9.93	35.22



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.75	54.00	-5.25	4.26	3	Vertical	360	2.87	44.49	32.82	6.01	34.57
AV	5.502G	101.33	Inf	-Inf	4.37	3	Vertical	360	2.87	96.96	32.90	6.03	34.56
PK	5.4618G	63.45	68.20	-4.75	4.26	3	Vertical	360	2.87	59.19	32.82	6.01	34.57
PK	5.501G	108.02	Inf	-Inf	4.37	3	Vertical	360	2.87	103.65	32.90	6.03	34.56

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.44	54.00	-5.56	4.26	3	Horizontal	28	1.50	44.18	32.82	6.01	34.57
AV	5.4994G	100.70	Inf	-Inf	4.36	3	Horizontal	28	1.50	96.34	32.90	6.02	34.56
PK	5.4678G	66.60	68.20	-1.60	4.28	3	Horizontal	28	1.50	62.32	32.84	6.01	34.57
PK	5.5052G	107.99	Inf	-Inf	4.38	3	Horizontal	28	1.50	103.61	32.91	6.03	34.56



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99324G	42.73	54.00	-11.27	12.42	3	Vertical	6	2.97	30.31	38.71	8.29	34.58
PK	11.00456G	52.80	74.00	-21.20	12.41	3	Vertical	6	2.97	40.39	38.70	8.29	34.58
PK	16.49072G	55.88	68.20	-12.32	13.93	3	Vertical	292	2.49	41.95	38.64	10.06	34.77

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99372G	42.63	54.00	-11.37	12.42	3	Horizontal	119	2.36	30.21	38.71	8.29	34.58
PK	11.00156G	52.60	74.00	-21.40	12.41	3	Horizontal	119	2.36	40.19	38.70	8.29	34.58
PK	16.501G	55.63	68.20	-12.57	14.00	3	Horizontal	0	2.23	41.63	38.70	10.06	34.76

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	45.66	54.00	-8.34	4.25	3	Vertical	1	1.84	41.41	32.81	6.01	34.57
AV	5.5824G	103.32	Inf	-Inf	4.50	3	Vertical	1	1.84	98.82	33.00	6.05	34.55
PK	5.4666G	56.49	68.20	-11.71	4.27	3	Vertical	1	1.84	52.22	32.83	6.01	34.57
PK	5.5824G	111.78	Inf	-Inf	4.50	3	Vertical	1	1.84	107.28	33.00	6.05	34.55
PK	5.7264G	57.20	68.20	-11.00	5.12	3	Vertical	1	1.84	52.08	33.51	6.15	34.54

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	45.71	54.00	-8.29	4.25	3	Horizontal	12	1.08	41.46	32.81	6.01	34.57
AV	5.5824G	102.27	Inf	-Inf	4.50	3	Horizontal	12	1.08	97.77	33.00	6.05	34.55
PK	5.4648G	55.49	68.20	-12.71	4.27	3	Horizontal	12	1.08	51.22	32.83	6.01	34.57
PK	5.5836G	110.22	Inf	-Inf	4.50	3	Horizontal	12	1.08	105.72	33.00	6.05	34.55
PK	5.73G	57.11	68.20	-11.09	5.13	3	Horizontal	12	1.08	51.98	33.52	6.15	34.54



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.157G	42.36	54.00	-11.64	12.44	3	Vertical	147	2.86	29.92	38.66	8.36	34.58
PK	11.1586G	51.61	74.00	-22.39	12.44	3	Vertical	147	2.86	39.17	38.66	8.36	34.58
PK	16.73636G	53.59	68.20	-14.61	13.82	3	Vertical	313	2.99	39.77	38.17	10.11	34.46

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16592G	42.51	54.00	-11.49	12.45	3	Horizontal	78	2.86	30.06	38.67	8.36	34.58
PK	11.16896G	51.26	74.00	-22.74	12.45	3	Horizontal	78	2.86	38.81	38.67	8.36	34.58
PK	16.73056G	53.13	68.20	-15.07	13.81	3	Horizontal	325	3.00	39.32	38.16	10.11	34.46

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6972G	97.97	Inf	-Inf	4.97	3	Vertical	345	1.77	93.00	33.38	6.13	34.54
PK	5.7024G	106.21	Inf	-Inf	5.00	3	Vertical	345	1.77	101.21	33.41	6.13	34.54
PK	5.7276G	65.10	68.20	-3.10	5.12	3	Vertical	345	1.77	59.98	33.51	6.15	34.54

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6972G	99.00	Inf	-Inf	4.97	3	Horizontal	17	1.09	94.03	33.38	6.13	34.54
PK	5.7024G	107.18	Inf	-Inf	5.00	3	Horizontal	17	1.09	102.18	33.41	6.13	34.54
PK	5.7252G	65.37	68.20	-2.83	5.11	3	Horizontal	17	1.09	60.26	33.50	6.15	34.54



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40924G	42.58	54.00	-11.42	12.77	3	Vertical	280	1.45	29.81	38.88	8.46	34.57
PK	11.39876G	51.79	74.00	-22.21	12.79	3	Vertical	280	1.45	39.00	38.90	8.46	34.57
PK	17.10536G	52.71	68.20	-15.49	14.04	3	Vertical	105	1.39	38.67	38.02	10.20	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40784G	42.55	54.00	-11.45	12.77	3	Horizontal	139	2.28	29.78	38.88	8.46	34.57
PK	11.40892G	51.84	74.00	-22.16	12.77	3	Horizontal	139	2.28	39.07	38.88	8.46	34.57
PK	17.09944G	54.47	68.20	-13.73	14.02	3	Horizontal	42	1.12	40.45	38.00	10.20	34.18



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	45.93	54.00	-8.07	4.25	3	Vertical	331	1.47	41.68	32.81	6.01	34.57
AV	5.7224G	101.61	Inf	-Inf	5.10	3	Vertical	331	1.47	96.51	33.49	6.15	34.54
PK	5.4608G	56.34	68.20	-11.86	4.26	3	Vertical	331	1.47	52.08	32.82	6.01	34.57
PK	5.7152G	108.63	Inf	-Inf	5.06	3	Vertical	331	1.47	103.57	33.46	6.14	34.54
PK	5.9108G	58.27	68.20	-9.93	6.03	3	Vertical	331	1.47	52.24	34.30	6.26	34.53

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4212G	45.80	54.00	-8.20	4.35	3	Horizontal	14	1.68	41.45	32.92	6.00	34.57
AV	5.7224G	103.30	Inf	-Inf	5.10	3	Horizontal	14	1.68	98.20	33.49	6.15	34.54
PK	5.4632G	54.83	68.20	-13.37	4.27	3	Horizontal	14	1.68	50.56	32.83	6.01	34.57
PK	5.7176G	110.49	Inf	-Inf	5.07	3	Horizontal	14	1.68	105.42	33.47	6.14	34.54
PK	5.9564G	57.63	68.20	-10.57	6.05	3	Horizontal	14	1.68	51.58	34.29	6.28	34.52





5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43636G	42.71	54.00	-11.29	12.73	3	Vertical	137	2.14	29.98	38.83	8.47	34.57
PK	11.441G	51.81	74.00	-22.19	12.73	3	Vertical	137	2.14	39.08	38.82	8.48	34.57
PK	17.16864G	54.12	68.20	-14.08	14.20	3	Vertical	192	1.86	39.92	38.21	10.21	34.22

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43344G	42.51	54.00	-11.49	12.73	3	Horizontal	355	1.32	29.78	38.83	8.47	34.57
PK	11.44412G	51.22	74.00	-22.78	12.72	3	Horizontal	355	1.32	38.50	38.81	8.48	34.57
PK	17.15196G	54.00	68.20	-14.20	14.16	3	Horizontal	70	1.25	39.84	38.16	10.21	34.21



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	101.66	Inf	-Inf	5.18	3	Vertical	335	1.63	96.48	33.56	6.16	34.54
PK	5.6502G	57.92	68.35	-10.43	4.55	3	Vertical	335	1.63	53.37	33.00	6.10	34.55
PK	5.7402G	109.43	Inf	-Inf	5.18	3	Vertical	335	1.63	104.25	33.56	6.16	34.54
PK	6.015G	57.69	68.20	-10.51	5.92	3	Vertical	335	1.63	51.77	34.14	6.30	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	103.63	Inf	-Inf	5.18	3	Horizontal	16	1.50	98.45	33.56	6.16	34.54
PK	5.5818G	57.44	68.20	-10.76	4.50	3	Horizontal	16	1.50	52.94	33.00	6.05	34.55
PK	5.7378G	111.68	Inf	-Inf	5.17	3	Horizontal	16	1.50	106.51	33.55	6.16	34.54
PK	5.9418G	58.71	68.20	-9.49	6.05	3	Horizontal	16	1.50	52.66	34.30	6.27	34.52



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4874G	42.51	54.00	-11.49	12.65	3	Vertical	59	2.61	29.86	38.73	8.49	34.57
PK	11.48664G	51.89	74.00	-22.11	12.65	3	Vertical	59	2.61	39.24	38.73	8.49	34.57
PK	17.23732G	52.67	68.20	-15.53	14.23	3	Vertical	123	2.46	38.44	38.26	10.23	34.26

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4832G	42.53	54.00	-11.47	12.65	3	Horizontal	50	1.40	29.88	38.73	8.49	34.57
PK	11.489G	52.87	74.00	-21.13	12.65	3	Horizontal	50	1.40	40.22	38.72	8.50	34.57
PK	17.23964G	54.47	68.20	-13.73	14.23	3	Horizontal	252	2.88	40.24	38.26	10.23	34.26



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78734G	101.26	Inf	-Inf	5.47	3	Vertical	328	1.50	95.79	33.82	6.19	34.54
PK	5.57196G	57.62	68.20	-10.58	4.50	3	Vertical	328	1.50	53.12	33.00	6.05	34.55
PK	5.77887G	108.86	Inf	-Inf	5.42	3	Vertical	328	1.50	103.44	33.77	6.19	34.54
PK	5.95916G	57.54	68.20	-10.66	6.04	3	Vertical	328	1.50	51.50	34.28	6.28	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78734G	103.71	Inf	-Inf	5.47	3	Horizontal	17	1.44	98.24	33.82	6.19	34.54
PK	5.59979G	57.65	68.20	-10.55	4.51	3	Horizontal	17	1.44	53.14	33.00	6.06	34.55
PK	5.78371G	110.86	Inf	-Inf	5.45	3	Horizontal	17	1.44	105.41	33.80	6.19	34.54
PK	6.02329G	58.16	68.20	-10.04	5.89	3	Horizontal	17	1.44	52.27	34.11	6.30	34.52



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5702G	42.30	54.00	-11.70	12.50	3	Vertical	274	1.80	29.80	38.56	8.53	34.59
PK	11.5778G	51.85	74.00	-22.15	12.48	3	Vertical	274	1.80	39.37	38.54	8.53	34.59
PK	17.35068G	53.59	68.20	-14.61	14.23	3	Vertical	317	2.16	39.36	38.30	10.26	34.33

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56732G	42.23	54.00	-11.77	12.51	3	Horizontal	158	1.26	29.72	38.57	8.53	34.59
PK	11.56104G	51.85	74.00	-22.15	12.52	3	Horizontal	158	1.26	39.33	38.58	8.53	34.59
PK	17.35616G	54.44	68.20	-13.76	14.24	3	Horizontal	149	1.94	40.20	38.31	10.26	34.33



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	100.72	Inf	-Inf	5.69	3	Vertical	327	1.47	95.03	34.01	6.21	34.53
PK	5.615G	57.00	68.20	-11.20	4.52	3	Vertical	327	1.47	52.48	33.00	6.07	34.55
PK	5.8274G	109.16	Inf	-Inf	5.69	3	Vertical	327	1.47	103.47	34.01	6.21	34.53
PK	5.9774G	58.07	68.20	-10.13	6.02	3	Vertical	327	1.47	52.05	34.25	6.29	34.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	103.32	Inf	-Inf	5.69	3	Horizontal	18	1.44	97.63	34.01	6.21	34.53
PK	5.6198G	57.72	68.20	-10.48	4.52	3	Horizontal	18	1.44	53.20	33.00	6.07	34.55
PK	5.8274G	111.17	Inf	-Inf	5.69	3	Horizontal	18	1.44	105.48	34.01	6.21	34.53
PK	5.9258G	58.74	68.20	-9.46	6.03	3	Horizontal	18	1.44	52.71	34.30	6.26	34.53



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64444G	42.43	54.00	-11.57	12.40	3	Vertical	159	2.51	30.03	38.46	8.56	34.62
PK	11.64956G	52.80	74.00	-21.20	12.39	3	Vertical	159	2.51	40.41	38.45	8.56	34.62
PK	17.48492G	53.03	68.20	-15.17	14.03	3	Vertical	139	2.45	39.00	38.15	10.29	34.41

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64728G	42.43	54.00	-11.57	12.39	3	Horizontal	324	2.85	30.04	38.45	8.56	34.62
PK	11.65848G	51.57	74.00	-22.43	12.39	3	Horizontal	324	2.85	39.18	38.44	8.57	34.62
PK	17.4672G	53.88	68.20	-14.32	14.08	3	Horizontal	3	2.95	39.80	38.20	10.28	34.40



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.30	54.00	-1.70	4.34	3	Vertical	360	3.00	47.96	33.10	5.86	34.62
AV	5.1828G	98.29	Inf	-Inf	4.43	3	Vertical	360	3.00	93.86	33.17	5.87	34.61
PK	5.1492G	68.17	74.00	-5.83	4.34	3	Vertical	360	3.00	63.83	33.10	5.86	34.62
PK	5.177G	109.66	Inf	-Inf	4.41	3	Vertical	360	3.00	105.25	33.15	5.87	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.91	54.00	-0.09	4.34	3	Horizontal	49	1.84	49.57	33.10	5.86	34.62
AV	5.1828G	101.35	Inf	-Inf	4.43	3	Horizontal	49	1.84	96.92	33.17	5.87	34.61
PK	5.1494G	70.06	74.00	-3.94	4.34	3	Horizontal	49	1.84	65.72	33.10	5.86	34.62
PK	5.1828G	113.16	Inf	-Inf	4.43	3	Horizontal	49	1.84	108.73	33.17	5.87	34.61





5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54388G	43.32	54.00	-10.68	13.23	3	Vertical	241	1.00	30.09	38.34	9.80	34.91
PK	10.36184G	50.73	68.20	-17.47	11.74	3	Vertical	150	1.63	38.99	38.58	8.02	34.86
PK	15.53528G	53.56	74.00	-20.44	13.27	3	Vertical	241	1.00	40.29	38.39	9.79	34.91

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54224G	43.31	54.00	-10.69	13.24	3	Horizontal	115	1.19	30.07	38.35	9.80	34.91
PK	10.364G	52.59	68.20	-15.61	11.73	3	Horizontal	356	2.67	40.86	38.57	8.02	34.86
PK	15.53012G	54.48	74.00	-19.52	13.31	3	Horizontal	115	1.19	41.17	38.42	9.79	34.90



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	49.80	54.00	-4.20	4.34	3	Vertical	328	2.85	45.46	33.10	5.86	34.62
AV	5.2052G	101.10	Inf	-Inf	4.46	3	Vertical	328	2.85	96.64	33.19	5.88	34.61
PK	5.1476G	63.39	74.00	-10.61	4.34	3	Vertical	328	2.85	59.05	33.10	5.86	34.62
PK	5.2032G	112.03	Inf	-Inf	4.46	3	Vertical	328	2.85	107.57	33.19	5.88	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.36	54.00	-2.64	4.34	3	Horizontal	49	1.71	47.02	33.10	5.86	34.62
AV	5.2028G	103.62	Inf	-Inf	4.46	3	Horizontal	49	1.71	99.16	33.19	5.88	34.61
PK	5.1456G	66.62	74.00	-7.38	4.33	3	Horizontal	49	1.71	62.29	33.09	5.86	34.62
PK	5.1968G	115.12	Inf	-Inf	4.46	3	Horizontal	49	1.71	110.66	33.19	5.88	34.61

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59716G	43.26	54.00	-10.74	12.88	3	Vertical	359	1.14	30.38	38.02	9.81	34.95
PK	10.39492G	50.71	68.20	-17.49	11.72	3	Vertical	328	1.72	38.99	38.51	8.04	34.83
PK	15.6068G	52.06	74.00	-21.94	12.87	3	Vertical	359	1.14	39.19	38.01	9.82	34.96

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6086G	43.20	54.00	-10.80	12.87	3	Horizontal	80	2.60	30.33	38.01	9.82	34.96
PK	10.3944G	51.52	68.20	-16.68	11.72	3	Horizontal	209	2.25	39.80	38.51	8.04	34.83
PK	15.6022G	53.49	74.00	-20.51	12.85	3	Horizontal	80	2.60	40.64	38.00	9.81	34.96



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	46.59	54.00	-7.41	4.33	3	Vertical	357	3.00	42.26	33.09	5.86	34.62
AV	5.2382G	100.59	Inf	-Inf	4.42	3	Vertical	357	3.00	96.17	33.12	5.90	34.60
AV	5.3852G	45.21	54.00	-8.79	4.31	3	Vertical	357	3.00	40.90	32.91	5.98	34.58
PK	5.0948G	58.16	74.00	-15.84	4.22	3	Vertical	357	3.00	53.94	33.01	5.83	34.62
PK	5.2448G	110.59	Inf	-Inf	4.41	3	Vertical	357	3.00	106.18	33.11	5.90	34.60
PK	5.3786G	56.39	74.00	-17.61	4.27	3	Vertical	357	3.00	52.12	32.87	5.98	34.58

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	46.78	54.00	-7.22	4.33	3	Horizontal	7	1.67	42.45	33.09	5.86	34.62
AV	5.243G	102.40	Inf	-Inf	4.41	3	Horizontal	7	1.67	97.99	33.11	5.90	34.60
AV	5.35G	45.49	54.00	-8.51	4.08	3	Horizontal	7	1.67	41.41	32.70	5.96	34.58
PK	5.1158G	58.09	74.00	-15.91	4.25	3	Horizontal	7	1.67	53.84	33.03	5.84	34.62
PK	5.237G	113.91	Inf	-Inf	4.43	3	Horizontal	7	1.67	109.48	33.13	5.90	34.60
PK	5.3564G	57.21	74.00	-16.79	4.13	3	Horizontal	7	1.67	53.08	32.74	5.97	34.58



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72212G	43.43	54.00	-10.57	12.89	3	Vertical	41	2.36	30.54	38.08	9.85	35.04
PK	10.47688G	53.05	68.20	-15.15	11.91	3	Vertical	57	1.79	41.14	38.58	8.07	34.74
PK	15.7178G	55.23	74.00	-18.77	12.89	3	Vertical	41	2.36	42.34	38.08	9.85	35.04

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71116G	43.40	54.00	-10.60	12.90	3	Horizontal	112	1.13	30.50	38.09	9.85	35.04
PK	10.48716G	53.12	68.20	-15.08	11.93	3	Horizontal	104	1.54	41.19	38.59	8.07	34.73
PK	15.72088G	52.32	74.00	-21.68	12.89	3	Horizontal	112	1.13	39.43	38.08	9.85	35.04

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1184G	46.21	54.00	-7.79	4.26	3	Vertical	356	2.96	41.95	33.04	5.84	34.62
AV	5.2582G	101.13	Inf	-Inf	4.38	3	Vertical	356	2.96	96.75	33.07	5.91	34.60
AV	5.3518G	45.74	54.00	-8.26	4.09	3	Vertical	356	2.96	41.65	32.71	5.96	34.58
PK	5.1274G	57.17	74.00	-16.83	4.28	3	Vertical	356	2.96	52.89	33.05	5.85	34.62
PK	5.2624G	112.56	Inf	-Inf	4.36	3	Vertical	356	2.96	108.20	33.05	5.91	34.60
PK	5.3692G	56.43	74.00	-17.57	4.21	3	Vertical	356	2.96	52.22	32.82	5.97	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1202G	46.33	54.00	-7.67	4.26	3	Horizontal	6	1.67	42.07	33.04	5.84	34.62
AV	5.2582G	102.55	Inf	-Inf	4.38	3	Horizontal	6	1.67	98.17	33.07	5.91	34.60
AV	5.3548G	46.12	54.00	-7.88	4.12	3	Horizontal	6	1.67	42.00	32.73	5.97	34.58
PK	5.1364G	57.71	74.00	-16.29	4.30	3	Horizontal	6	1.67	53.41	33.07	5.85	34.62
PK	5.2564G	113.89	Inf	-Inf	4.38	3	Horizontal	6	1.67	109.51	33.07	5.91	34.60
PK	5.3572G	57.83	74.00	-16.17	4.13	3	Horizontal	6	1.67	53.70	32.74	5.97	34.58



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78848G	43.26	54.00	-10.74	12.79	3	Vertical	252	2.61	30.47	38.01	9.87	35.09
PK	10.52028G	51.46	68.20	-16.74	12.04	3	Vertical	263	2.43	39.42	38.66	8.09	34.71
PK	15.78592G	53.52	74.00	-20.48	12.79	3	Vertical	252	2.61	40.73	38.01	9.87	35.09

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77124G	43.29	54.00	-10.71	12.82	3	Horizontal	330	1.79	30.47	38.03	9.87	35.08
PK	10.51572G	52.31	68.20	-15.89	12.02	3	Horizontal	51	2.72	40.29	38.65	8.09	34.72
PK	15.78968G	53.55	74.00	-20.45	12.79	3	Horizontal	330	1.79	40.76	38.01	9.87	35.09



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	100.68	Inf	-Inf	4.24	3	Vertical	339	2.12	96.44	32.89	5.94	34.59
AV	5.3504G	49.12	54.00	-4.88	4.08	3	Vertical	339	2.12	45.04	32.70	5.96	34.58
PK	5.2968G	112.17	Inf	-Inf	4.25	3	Vertical	339	2.12	107.92	32.91	5.93	34.59
PK	5.3516G	64.18	74.00	-9.82	4.09	3	Vertical	339	2.12	60.09	32.71	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	102.21	Inf	-Inf	4.25	3	Horizontal	6	1.68	97.96	32.91	5.93	34.59
AV	5.35G	50.42	54.00	-3.58	4.08	3	Horizontal	6	1.68	46.34	32.70	5.96	34.58
PK	5.2972G	113.35	Inf	-Inf	4.25	3	Horizontal	6	1.68	109.10	32.91	5.93	34.59
PK	5.3508G	65.62	74.00	-8.38	4.08	3	Horizontal	6	1.68	61.54	32.70	5.96	34.58





5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.601G	41.67	54.00	-12.33	12.33	3	Vertical	43	2.46	29.34	38.90	8.12	34.69
AV	15.90832G	42.91	54.00	-11.09	12.33	3	Vertical	340	2.08	30.58	37.60	9.91	35.18
PK	10.596G	51.92	68.20	-16.28	12.32	3	Vertical	43	2.46	39.60	38.89	8.12	34.69
PK	15.89336G	52.78	74.00	-21.22	12.37	3	Vertical	340	2.08	40.41	37.63	9.91	35.17

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6096G	41.68	54.00	-12.32	12.36	3	Horizontal	16	2.17	29.32	38.92	8.13	34.69
AV	15.90292G	42.92	54.00	-11.08	12.33	3	Horizontal	272	1.36	30.59	37.60	9.91	35.18
PK	10.59944G	51.57	68.20	-16.63	12.33	3	Horizontal	16	2.17	39.24	38.90	8.12	34.69
PK	15.90324G	52.71	74.00	-21.29	12.33	3	Horizontal	272	1.36	40.38	37.60	9.91	35.18



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3228G	99.02	Inf	-Inf	4.17	3	Vertical	342	2.12	94.85	32.81	5.95	34.59
AV	5.35G	52.22	54.00	-1.78	4.08	3	Vertical	342	2.12	48.14	32.70	5.96	34.58
PK	5.3168G	110.43	Inf	-Inf	4.18	3	Vertical	342	2.12	106.25	32.83	5.94	34.59
PK	5.35G	69.95	74.00	-4.05	4.08	3	Vertical	342	2.12	65.87	32.70	5.96	34.58

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3228G	100.65	Inf	-Inf	4.17	3	Horizontal	4	1.75	96.48	32.81	5.95	34.59
AV	5.35G	53.88	54.00	-0.12	4.08	3	Horizontal	4	1.75	49.80	32.70	5.96	34.58
PK	5.3232G	112.75	Inf	-Inf	4.17	3	Horizontal	4	1.75	108.58	32.81	5.95	34.59
PK	5.35G	71.60	74.00	-2.40	4.08	3	Horizontal	4	1.75	67.52	32.70	5.96	34.58



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.634566G	41.64	54.00	-12.36	12.43	3	Vertical	113	1.90	29.21	38.97	8.14	34.68
AV	15.96396G	42.91	54.00	-11.09	12.31	3	Vertical	39	1.13	30.60	37.60	9.93	35.22
PK	10.63556G	51.42	74.00	-22.58	12.43	3	Vertical	113	1.90	38.99	38.97	8.14	34.68
PK	15.9598G	51.20	74.00	-22.80	12.31	3	Vertical	39	1.13	38.89	37.60	9.93	35.22

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63108G	41.62	54.00	-12.38	12.42	3	Horizontal	239	1.44	29.20	38.96	8.14	34.68
AV	15.96652G	42.82	54.00	-11.18	12.30	3	Horizontal	320	2.04	30.52	37.60	9.93	35.23
PK	10.64048G	51.93	74.00	-22.07	12.44	3	Horizontal	239	1.44	39.49	38.98	8.14	34.68
PK	15.95916G	51.69	74.00	-22.31	12.31	3	Horizontal	320	2.04	39.38	37.60	9.93	35.22



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




02/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.32	54.00	-5.68	4.26	3	Vertical	360	2.85	44.06	32.82	6.01	34.57
AV	5.4986G	100.18	Inf	-Inf	4.36	3	Vertical	360	2.85	95.82	32.90	6.02	34.56
PK	5.47G	67.62	68.20	-0.58	4.29	3	Vertical	360	2.85	63.33	32.84	6.01	34.56
PK	5.4968G	111.95	Inf	-Inf	4.35	3	Vertical	360	2.85	107.60	32.89	6.02	34.56

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




02/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.25	54.00	-5.75	4.26	3	Horizontal	28	1.50	43.99	32.82	6.01	34.57
AV	5.4982G	99.36	Inf	-Inf	4.36	3	Horizontal	28	1.50	95.00	32.90	6.02	34.56
PK	5.4674G	67.98	68.20	-0.22	4.27	3	Horizontal	28	1.50	63.71	32.83	6.01	34.57
PK	5.4968G	111.05	Inf	-Inf	4.35	3	Horizontal	28	1.50	106.70	32.89	6.02	34.56



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00456G	42.07	54.00	-11.93	12.41	3	Vertical	322	1.04	29.66	38.70	8.29	34.58
PK	11.00724G	51.87	74.00	-22.13	12.40	3	Vertical	322	1.04	39.47	38.69	8.29	34.58
PK	16.49288G	54.61	68.20	-13.59	13.94	3	Vertical	257	2.93	40.67	38.65	10.06	34.77

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00856G	42.05	54.00	-11.95	12.40	3	Horizontal	164	1.22	29.65	38.69	8.29	34.58
PK	11.00512G	52.31	74.00	-21.69	12.40	3	Horizontal	164	1.22	39.91	38.69	8.29	34.58
PK	16.50136G	53.64	68.20	-14.56	13.99	3	Horizontal	224	1.32	39.65	38.69	10.06	34.76

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	45.16	54.00	-8.84	4.26	3	Vertical	9	2.03	40.90	32.82	6.01	34.57
AV	5.5788G	102.41	Inf	-Inf	4.50	3	Vertical	9	2.03	97.91	33.00	6.05	34.55
PK	5.4672G	55.84	68.20	-12.36	4.27	3	Vertical	9	2.03	51.57	32.83	6.01	34.57
PK	5.5776G	113.62	Inf	-Inf	4.50	3	Vertical	9	2.03	109.12	33.00	6.05	34.55
PK	5.7288G	57.35	68.20	-10.85	5.13	3	Vertical	9	2.03	52.22	33.52	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4318G	45.10	54.00	-8.90	4.30	3	Horizontal	12	1.06	40.80	32.87	6.00	34.57
AV	5.5782G	101.03	Inf	-Inf	4.50	3	Horizontal	12	1.06	96.53	33.00	6.05	34.55
PK	5.463G	56.11	68.20	-12.09	4.27	3	Horizontal	12	1.06	51.84	32.83	6.01	34.57
PK	5.5764G	112.32	Inf	-Inf	4.50	3	Horizontal	12	1.06	107.82	33.00	6.05	34.55
PK	5.7276G	57.02	68.20	-11.18	5.12	3	Horizontal	12	1.06	51.90	33.51	6.15	34.54



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16668G	41.88	54.00	-12.12	12.45	3	Vertical	196	2.45	29.43	38.67	8.36	34.58
PK	11.15168G	50.80	74.00	-23.20	12.42	3	Vertical	196	2.45	38.38	38.65	8.35	34.58
PK	16.73372G	53.08	68.20	-15.12	13.82	3	Vertical	125	2.75	39.26	38.17	10.11	34.46

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1548G	41.81	54.00	-12.19	12.43	3	Horizontal	171	1.88	29.38	38.65	8.36	34.58
PK	11.16848G	51.79	74.00	-22.21	12.45	3	Horizontal	171	1.88	39.34	38.67	8.36	34.58
PK	16.73128G	54.15	68.20	-14.05	13.81	3	Horizontal	22	2.82	40.34	38.16	10.11	34.46

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6952G	98.29	Inf	-Inf	4.95	3	Vertical	350	1.76	93.34	33.36	6.13	34.54
PK	5.6968G	109.98	Inf	-Inf	4.96	3	Vertical	350	1.76	105.02	33.37	6.13	34.54
PK	5.7252G	67.28	68.20	-0.92	5.11	3	Vertical	350	1.76	62.17	33.50	6.15	34.54

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	98.71	Inf	-Inf	4.98	3	Horizontal	17	1.40	93.73	33.39	6.13	34.54
PK	5.6968G	110.45	Inf	-Inf	4.96	3	Horizontal	17	1.40	105.49	33.37	6.13	34.54
PK	5.7252G	68.06	68.20	-0.14	5.11	3	Horizontal	17	1.40	62.95	33.50	6.15	34.54





5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40764G	41.88	54.00	-12.12	12.77	3	Vertical	16	2.54	29.11	38.88	8.46	34.57
PK	11.40924G	51.43	74.00	-22.57	12.77	3	Vertical	16	2.54	38.66	38.88	8.46	34.57
PK	17.10252G	54.08	68.20	-14.12	14.03	3	Vertical	99	2.24	40.05	38.01	10.20	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4084G	41.93	54.00	-12.07	12.77	3	Horizontal	358	1.11	29.16	38.88	8.46	34.57
PK	11.40024G	53.12	74.00	-20.88	12.79	3	Horizontal	358	1.11	40.33	38.90	8.46	34.57
PK	17.09208G	53.43	68.20	-14.77	14.02	3	Horizontal	108	2.27	39.41	38.00	10.20	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4344G	45.15	54.00	-8.85	4.29	3	Vertical	349	1.73	40.86	32.86	6.00	34.57
AV	5.7152G	101.53	Inf	-Inf	5.06	3	Vertical	349	1.73	96.47	33.46	6.14	34.54
PK	5.4668G	54.36	68.20	-13.84	4.27	3	Vertical	349	1.73	50.09	32.83	6.01	34.57
PK	5.7224G	110.34	Inf	-Inf	5.10	3	Vertical	349	1.73	105.24	33.49	6.15	34.54
PK	5.9612G	57.63	68.20	-10.57	6.04	3	Vertical	349	1.73	51.59	34.28	6.28	34.52

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4272G	45.11	54.00	-8.89	4.32	3	Horizontal	16	1.56	40.79	32.89	6.00	34.57
AV	5.7224G	102.45	Inf	-Inf	5.10	3	Horizontal	16	1.56	97.35	33.49	6.15	34.54
PK	5.4668G	54.51	68.20	-13.69	4.27	3	Horizontal	16	1.56	50.24	32.83	6.01	34.57
PK	5.7224G	110.98	Inf	-Inf	5.10	3	Horizontal	16	1.56	105.88	33.49	6.15	34.54
PK	5.864G	58.08	68.20	-10.12	5.86	3	Horizontal	16	1.56	52.22	34.16	6.23	34.53



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43244G	41.95	54.00	-12.05	12.74	3	Vertical	140	1.44	29.21	38.84	8.47	34.57
PK	11.4394G	51.16	74.00	-22.84	12.72	3	Vertical	140	1.44	38.44	38.82	8.47	34.57
PK	17.1676G	55.63	68.20	-12.57	14.19	3	Vertical	142	1.24	41.44	38.20	10.21	34.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44828G	41.95	54.00	-12.05	12.71	3	Horizontal	259	1.71	29.24	38.80	8.48	34.57
PK	11.43064G	51.80	74.00	-22.20	12.74	3	Horizontal	259	1.71	39.06	38.84	8.47	34.57
PK	17.16628G	53.22	68.20	-14.98	14.19	3	Horizontal	269	2.10	39.03	38.20	10.21	34.22



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	101.09	Inf	-Inf	5.18	3	Vertical	328	1.42	95.91	33.56	6.16	34.54
PK	5.6346G	57.03	68.20	-11.17	4.53	3	Vertical	328	1.42	52.50	33.00	6.08	34.55
PK	5.7378G	111.19	Inf	-Inf	5.17	3	Vertical	328	1.42	106.02	33.55	6.16	34.54
PK	5.9526G	58.78	68.20	-9.42	6.05	3	Vertical	328	1.42	52.73	34.29	6.28	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	102.87	Inf	-Inf	5.20	3	Horizontal	16	1.39	97.67	33.58	6.16	34.54
PK	5.6502G	58.37	68.35	-9.98	4.55	3	Horizontal	16	1.39	53.82	33.00	6.10	34.55
PK	5.7414G	114.55	Inf	-Inf	5.19	3	Horizontal	16	1.39	109.36	33.57	6.16	34.54
PK	6.0018G	58.80	68.20	-9.40	5.97	3	Horizontal	16	1.39	52.83	34.19	6.30	34.52



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49604G	41.88	54.00	-12.12	12.64	3	Vertical	15	2.07	29.24	38.71	8.50	34.57
PK	11.49616G	51.78	74.00	-22.22	12.64	3	Vertical	15	2.07	39.14	38.71	8.50	34.57
PK	17.23756G	53.21	68.20	-14.99	14.23	3	Vertical	210	1.67	38.98	38.26	10.23	34.26

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48648G	41.91	54.00	-12.09	12.65	3	Horizontal	70	1.85	29.26	38.73	8.49	34.57
PK	11.49048G	51.54	74.00	-22.46	12.65	3	Horizontal	70	1.85	38.89	38.72	8.50	34.57
PK	17.2286G	54.66	68.20	-13.54	14.24	3	Horizontal	187	1.29	40.42	38.27	10.23	34.26



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7825G	100.45	Inf	-Inf	5.45	3	Vertical	328	1.50	95.00	33.80	6.19	34.54
PK	5.56712G	57.70	68.20	-10.50	4.50	3	Vertical	328	1.50	53.20	33.00	6.05	34.55
PK	5.78129G	110.92	Inf	-Inf	5.44	3	Vertical	328	1.50	105.48	33.79	6.19	34.54
PK	6.00635G	58.46	68.20	-9.74	5.95	3	Vertical	328	1.50	52.51	34.17	6.30	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78371G	102.77	Inf	-Inf	5.45	3	Horizontal	19	1.66	97.32	33.80	6.19	34.54
PK	5.6373G	58.01	68.20	-10.19	4.54	3	Horizontal	19	1.66	53.47	33.00	6.09	34.55
PK	5.7825G	114.48	Inf	-Inf	5.45	3	Horizontal	19	1.66	109.03	33.80	6.19	34.54
PK	5.92891G	58.21	68.20	-9.99	6.03	3	Horizontal	19	1.66	52.18	34.30	6.26	34.53



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57168G	41.71	54.00	-12.29	12.50	3	Vertical	232	2.21	29.21	38.56	8.53	34.59
PK	11.57016G	52.55	74.00	-21.45	12.50	3	Vertical	232	2.21	40.05	38.56	8.53	34.59
PK	17.365G	53.75	68.20	-14.45	14.25	3	Vertical	214	2.58	39.50	38.33	10.26	34.34

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5626G	41.77	54.00	-12.23	12.51	3	Horizontal	36	2.45	29.26	38.57	8.53	34.59
PK	11.56836G	51.51	74.00	-22.49	12.50	3	Horizontal	36	2.45	39.01	38.56	8.53	34.59
PK	17.35032G	54.41	68.20	-13.79	14.23	3	Horizontal	60	1.52	40.18	38.30	10.26	34.33



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	100.08	Inf	-Inf	5.68	3	Vertical	327	1.33	94.40	34.00	6.21	34.53
PK	5.8222G	57.31	68.20	-10.89	4.53	3	Vertical	327	1.33	52.78	33.00	6.08	34.55
PK	5.8226G	110.29	Inf	-Inf	5.67	3	Vertical	327	1.33	104.62	33.99	6.21	34.53
PK	5.9594G	58.08	68.20	-10.12	6.04	3	Vertical	327	1.33	52.04	34.28	6.28	34.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	102.46	Inf	-Inf	5.68	3	Horizontal	17	1.51	96.78	34.00	6.21	34.53
PK	5.6102G	57.54	68.20	-10.66	4.52	3	Horizontal	17	1.51	53.02	33.00	6.07	34.55
PK	5.8226G	112.96	Inf	-Inf	5.67	3	Horizontal	17	1.51	107.29	33.99	6.21	34.53
PK	5.9906G	58.56	68.20	-9.64	6.00	3	Horizontal	17	1.51	52.56	34.22	6.30	34.52





5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65924G	41.94	54.00	-12.06	12.39	3	Vertical	260	2.45	29.55	38.44	8.57	34.62
PK	11.65792G	52.16	74.00	-21.84	12.39	3	Vertical	260	2.45	39.77	38.44	8.57	34.62
PK	17.4734G	54.40	68.20	-13.80	14.07	3	Vertical	169	1.29	40.33	38.18	10.29	34.40

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64232G	41.83	54.00	-12.17	12.40	3	Horizontal	139	2.88	29.43	38.46	8.56	34.62
PK	11.65232G	52.17	74.00	-21.83	12.39	3	Horizontal	139	2.88	39.78	38.45	8.56	34.62
PK	17.46712G	53.82	68.20	-14.38	14.08	3	Horizontal	83	2.35	39.74	38.20	10.28	34.40



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.69	54.00	-1.31	4.34	3	Vertical	354	3.00	48.35	33.10	5.86	34.62
AV	5.1964G	94.82	Inf	-Inf	4.46	3	Vertical	354	3.00	90.36	33.19	5.88	34.61
PK	5.1484G	66.56	74.00	-7.44	4.34	3	Vertical	354	3.00	62.22	33.10	5.86	34.62
PK	5.1956G	105.52	Inf	-Inf	4.46	3	Vertical	354	3.00	101.06	33.19	5.88	34.61

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.85	54.00	-0.15	4.34	3	Horizontal	48	1.77	49.51	33.10	5.86	34.62
AV	5.1964G	97.92	Inf	-Inf	4.46	3	Horizontal	48	1.77	93.46	33.19	5.88	34.61
PK	5.1464G	69.50	74.00	-4.50	4.33	3	Horizontal	48	1.77	65.17	33.09	5.86	34.62
PK	5.1864G	108.27	Inf	-Inf	4.43	3	Horizontal	48	1.77	103.84	33.17	5.87	34.61



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55584G	44.93	54.00	-9.07	13.14	3	Vertical	243	1.50	31.79	38.26	9.80	34.92
PK	10.35792G	52.87	68.20	-15.33	11.74	3	Vertical	260	1.50	41.13	38.58	8.02	34.86
PK	15.59136G	55.13	74.00	-18.87	12.91	3	Vertical	243	1.50	42.22	38.05	9.81	34.95

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56424G	44.69	54.00	-9.31	13.08	3	Horizontal	327	1.99	31.61	38.21	9.80	34.93
PK	10.3998G	53.15	68.20	-15.05	11.72	3	Horizontal	226	2.15	41.43	38.50	8.04	34.82
PK	15.5472G	55.59	74.00	-18.41	13.21	3	Horizontal	327	1.99	42.38	38.32	9.80	34.91



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.37	54.00	-4.63	4.34	3	Vertical	10	1.49	45.03	33.10	5.86	34.62
AV	5.2356G	96.50	Inf	-Inf	4.43	3	Vertical	10	1.49	92.07	33.13	5.90	34.60
PK	5.1488G	61.27	74.00	-12.73	4.34	3	Vertical	10	1.49	56.93	33.10	5.86	34.62
PK	5.2352G	107.37	Inf	-Inf	4.43	3	Vertical	10	1.49	102.94	33.13	5.90	34.60

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.51	54.00	-0.49	4.34	3	Horizontal	45	1.69	49.17	33.10	5.86	34.62
AV	5.2268G	101.09	Inf	-Inf	4.44	3	Horizontal	45	1.69	96.65	33.15	5.89	34.60
PK	5.1452G	66.10	74.00	-7.90	4.33	3	Horizontal	45	1.69	61.77	33.09	5.86	34.62
PK	5.2268G	111.90	Inf	-Inf	4.44	3	Horizontal	45	1.69	107.46	33.15	5.89	34.60

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.66864G	44.84	54.00	-9.16	12.91	3	Vertical	359	1.50	31.93	38.07	9.84	35.00
PK	10.4792G	53.76	68.20	-14.44	11.91	3	Vertical	243	1.16	41.85	38.58	8.07	34.74
PK	15.70272G	55.04	74.00	-18.96	12.92	3	Vertical	359	1.50	42.12	38.10	9.85	35.03

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70596G	44.73	54.00	-9.27	12.91	3	Horizontal	6	2.16	31.82	38.09	9.85	35.03
PK	10.45232G	53.32	68.20	-14.88	11.84	3	Horizontal	50	1.50	41.48	38.55	8.06	34.77
PK	15.70116G	55.31	74.00	-18.69	12.92	3	Horizontal	6	2.16	42.39	38.10	9.85	35.03



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2756G	98.18	Inf	-Inf	4.32	3	Vertical	340	1.91	93.86	33.00	5.92	34.60
AV	5.3508G	51.82	54.00	-2.18	4.08	3	Vertical	340	1.91	47.74	32.70	5.96	34.58
PK	5.2752G	109.22	Inf	-Inf	4.32	3	Vertical	340	1.91	104.90	33.00	5.92	34.60
PK	5.352G	64.29	74.00	-9.71	4.09	3	Vertical	340	1.91	60.20	32.71	5.96	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2764G	99.99	Inf	-Inf	4.31	3	Horizontal	4	1.78	95.68	32.99	5.92	34.60
AV	5.3516G	53.78	54.00	-0.22	4.09	3	Horizontal	4	1.78	49.69	32.71	5.96	34.58
PK	5.2668G	110.78	Inf	-Inf	4.35	3	Horizontal	4	1.78	106.43	33.03	5.92	34.60
PK	5.3512G	65.70	74.00	-8.30	4.09	3	Horizontal	4	1.78	61.61	32.71	5.96	34.58



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.83496G	44.67	54.00	-9.33	12.62	3	Vertical	262	2.99	32.05	37.86	9.89	35.13
PK	10.53052G	53.49	68.20	-14.71	12.07	3	Vertical	289	1.50	41.42	38.69	8.09	34.71
PK	15.8262G	55.46	74.00	-18.54	12.67	3	Vertical	262	2.99	42.79	37.90	9.89	35.12

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79848G	44.77	54.00	-9.23	12.78	3	Horizontal	131	1.50	31.99	38.00	9.88	35.10
PK	10.54276G	53.34	68.20	-14.86	12.12	3	Horizontal	331	1.50	41.22	38.73	8.10	34.71
PK	15.82116G	55.51	74.00	-18.49	12.68	3	Horizontal	131	1.50	42.83	37.92	9.88	35.12



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3196G	92.25	Inf	-Inf	4.18	3	Vertical	15	1.50	88.07	32.82	5.95	34.59
AV	5.3504G	49.61	54.00	-4.39	4.08	3	Vertical	15	1.50	45.53	32.70	5.96	34.58
PK	5.3152G	103.14	Inf	-Inf	4.19	3	Vertical	15	1.50	98.95	32.84	5.94	34.59
PK	5.35G	63.35	74.00	-10.65	4.08	3	Vertical	15	1.50	59.27	32.70	5.96	34.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3156G	96.11	Inf	-Inf	4.19	3	Horizontal	3	1.72	91.92	32.84	5.94	34.59
AV	5.3508G	53.18	54.00	-0.82	4.08	3	Horizontal	3	1.72	49.10	32.70	5.96	34.58
PK	5.3152G	107.34	Inf	-Inf	4.19	3	Horizontal	3	1.72	103.15	32.84	5.94	34.59
PK	5.3524G	71.30	74.00	-2.70	4.09	3	Horizontal	3	1.72	67.21	32.71	5.96	34.58





5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62204G	42.70	54.00	-11.30	12.38	3	Vertical	352	2.71	30.32	38.94	8.13	34.69
AV	15.94536G	44.23	54.00	-9.77	12.31	3	Vertical	244	1.76	31.92	37.60	9.92	35.21
PK	10.59744G	53.01	68.20	-15.19	12.32	3	Vertical	352	2.71	40.69	38.89	8.12	34.69
PK	15.927G	55.20	74.00	-18.80	12.32	3	Vertical	244	1.76	42.88	37.60	9.92	35.20

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61052G	43.08	54.00	-10.92	12.36	3	Horizontal	292	2.05	30.72	38.92	8.13	34.69
AV	15.95304G	44.41	54.00	-9.59	12.31	3	Horizontal	242	3.00	32.10	37.60	9.93	35.22
PK	10.60944G	53.43	74.00	-20.57	12.36	3	Horizontal	292	2.05	41.07	38.92	8.13	34.69
PK	15.93588G	54.89	74.00	-19.11	12.32	3	Horizontal	242	3.00	42.57	37.60	9.92	35.20



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.31	54.00	-5.69	4.26	3	Vertical	360.1	2.20	44.05	32.82	6.01	34.57
AV	5.5164G	95.72	Inf	-Inf	4.40	3	Vertical	360.1	2.20	91.32	32.93	6.03	34.56
PK	5.4676G	65.48	68.20	-2.72	4.28	3	Vertical	360.1	2.20	61.20	32.84	6.01	34.57
PK	5.5152G	106.78	Inf	-Inf	4.40	3	Vertical	360.1	2.20	102.38	32.93	6.03	34.56

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.64	54.00	-4.36	4.26	3	Horizontal	33	1.70	45.38	32.82	6.01	34.57
AV	5.5064G	95.64	Inf	-Inf	4.38	3	Horizontal	33	1.70	91.26	32.91	6.03	34.56
PK	5.468G	67.82	68.20	-0.38	4.28	3	Horizontal	33	1.70	63.54	32.84	6.01	34.57
PK	5.5152G	106.59	Inf	-Inf	4.40	3	Horizontal	33	1.70	102.19	32.93	6.03	34.56



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04004G	43.30	54.00	-10.70	12.39	3	Vertical	278	1.50	30.91	38.66	8.31	34.58
PK	11.02948G	53.69	74.00	-20.31	12.39	3	Vertical	278	1.50	41.30	38.67	8.30	34.58
PK	16.52616G	56.04	68.20	-12.16	13.93	3	Vertical	193	1.28	42.11	38.60	10.06	34.73

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00824G	43.42	54.00	-10.58	12.40	3	Horizontal	358	1.50	31.02	38.69	8.29	34.58
PK	11.03008G	53.98	74.00	-20.02	12.39	3	Horizontal	358	1.50	41.59	38.67	8.30	34.58
PK	16.50216G	56.22	68.20	-11.98	13.99	3	Horizontal	15	1.50	42.23	38.69	10.06	34.76



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	50.32	54.00	-3.68	4.26	3	Vertical	360	1.94	46.06	32.82	6.01	34.57
AV	5.5556G	100.37	Inf	-Inf	4.48	3	Vertical	360	1.94	95.89	33.00	6.04	34.56
PK	5.4696G	65.02	68.20	-3.18	4.29	3	Vertical	360	1.94	60.73	32.84	6.01	34.56
PK	5.5552G	110.87	Inf	-Inf	4.48	3	Vertical	360	1.94	106.39	33.00	6.04	34.56

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	50.80	54.00	-3.20	4.25	3	Horizontal	34	1.49	46.55	32.81	6.01	34.57
AV	5.5428G	98.50	Inf	-Inf	4.47	3	Horizontal	34	1.49	94.03	32.99	6.04	34.56
PK	5.468G	64.41	68.20	-3.79	4.28	3	Horizontal	34	1.49	60.13	32.84	6.01	34.57
PK	5.5468G	109.33	Inf	-Inf	4.47	3	Horizontal	34	1.49	104.86	32.99	6.04	34.56



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08592G	42.56	54.00	-11.44	12.36	3	Vertical	249	2.06	30.20	38.61	8.33	34.58
PK	11.10624G	51.13	74.00	-22.87	12.36	3	Vertical	249	2.06	38.77	38.61	8.33	34.58
PK	16.65256G	51.96	68.20	-16.24	13.72	3	Vertical	125	1.44	38.24	38.19	10.09	34.56

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08696G	42.67	54.00	-11.33	12.36	3	Horizontal	292	1.91	30.31	38.61	8.33	34.58
PK	11.08312G	50.83	74.00	-23.17	12.36	3	Horizontal	292	1.91	38.47	38.62	8.32	34.58
PK	16.6648G	52.72	68.20	-15.48	13.72	3	Horizontal	207	2.18	39.00	38.17	10.10	34.55



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.667G	97.37	Inf	-Inf	4.70	3	Vertical	327	1.90	92.67	33.14	6.11	34.55
PK	5.667G	108.03	Inf	-Inf	4.70	3	Vertical	327	1.90	103.33	33.14	6.11	34.55
PK	5.7258G	64.73	68.20	-3.47	5.11	3	Vertical	327	1.90	59.62	33.50	6.15	34.54

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6658G	98.42	Inf	-Inf	4.69	3	Horizontal	14	1.11	93.73	33.13	6.11	34.55
PK	5.6754G	109.50	Inf	-Inf	4.76	3	Horizontal	14	1.11	104.74	33.20	6.11	34.55
PK	5.7276G	66.19	68.20	-2.01	5.12	3	Horizontal	14	1.11	61.07	33.51	6.15	34.54



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33536G	42.09	54.00	-11.91	12.76	3	Vertical	286	1.64	29.33	38.90	8.43	34.57
PK	11.32256G	49.51	74.00	-24.49	12.76	3	Vertical	286	1.64	36.75	38.90	8.43	34.57
PK	17.01088G	50.67	68.20	-17.53	14.05	3	Vertical	160	1.54	36.62	38.00	10.18	34.13

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33008G	42.40	54.00	-11.60	12.76	3	Horizontal	105	1.92	29.64	38.90	8.43	34.57
PK	11.34432G	49.84	74.00	-24.16	12.76	3	Horizontal	105	1.92	37.08	38.90	8.43	34.57
PK	16.99G	52.92	68.20	-15.28	14.05	3	Horizontal	191	1.84	38.87	38.01	10.17	34.13

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.69	54.00	-7.31	4.26	3	Vertical	345	1.78	42.43	32.82	6.01	34.57
AV	5.7064G	99.68	Inf	-Inf	5.02	3	Vertical	345	1.78	94.66	33.43	6.13	34.54
PK	5.4604G	56.64	68.20	-11.56	4.26	3	Vertical	345	1.78	52.38	32.82	6.01	34.57
PK	5.7064G	109.98	Inf	-Inf	5.02	3	Vertical	345	1.78	104.96	33.43	6.13	34.54
PK	5.8504G	58.90	68.20	-9.30	5.80	3	Vertical	345	1.78	53.10	34.10	6.23	34.53

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4292G	46.69	54.00	-7.31	4.31	3	Horizontal	15	1.47	42.38	32.88	6.00	34.57
AV	5.7148G	100.69	Inf	-Inf	5.06	3	Horizontal	15	1.47	95.63	33.46	6.14	34.54
PK	5.4604G	56.03	68.20	-12.17	4.26	3	Horizontal	15	1.47	51.77	32.82	6.01	34.57
PK	5.7064G	110.73	Inf	-Inf	5.02	3	Horizontal	15	1.47	105.71	33.43	6.13	34.54
PK	5.8504G	59.45	68.20	-8.75	5.80	3	Horizontal	15	1.47	53.65	34.10	6.23	34.53





5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42512G	42.60	54.00	-11.40	12.75	3	Vertical	26	2.57	29.85	38.85	8.47	34.57
PK	11.40144G	52.51	74.00	-21.49	12.79	3	Vertical	26	2.57	39.72	38.90	8.46	34.57
PK	17.12712G	52.50	68.20	-15.70	14.08	3	Vertical	151	2.32	38.42	38.08	10.20	34.20

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41704G	42.38	54.00	-11.62	12.77	3	Horizontal	31	1.84	29.61	38.87	8.47	34.57
PK	11.4008G	50.71	74.00	-23.29	12.79	3	Horizontal	31	1.84	37.92	38.90	8.46	34.57
PK	17.13448G	51.42	68.20	-16.78	14.11	3	Horizontal	46	1.99	37.31	38.10	10.21	34.20



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	98.74	Inf	-Inf	5.24	3	Vertical	330	1.56	93.50	33.61	6.17	34.54
PK	5.6494G	59.50	68.20	-8.70	4.54	3	Vertical	330	1.56	54.96	33.00	6.09	34.55
PK	5.7514G	109.25	Inf	-Inf	5.24	3	Vertical	330	1.56	104.01	33.61	6.17	34.54
PK	5.9254G	58.04	68.20	-10.16	6.03	3	Vertical	330	1.56	52.01	34.30	6.26	34.53

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	100.91	Inf	-Inf	5.30	3	Horizontal	17	1.49	95.61	33.67	6.17	34.54
PK	5.6506G	62.07	68.64	-6.57	4.55	3	Horizontal	17	1.49	57.52	33.00	6.10	34.55
PK	5.7598G	111.57	Inf	-Inf	5.29	3	Horizontal	17	1.49	106.28	33.66	6.17	34.54
PK	5.935G	58.51	68.20	-9.69	6.04	3	Horizontal	17	1.49	52.47	34.30	6.27	34.53



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52408G	42.20	54.00	-11.80	12.58	3	Vertical	201	2.19	29.62	38.65	8.51	34.58
PK	11.49264G	50.43	74.00	-23.57	12.64	3	Vertical	201	2.19	37.79	38.71	8.50	34.57
PK	17.24828G	52.73	68.20	-15.47	14.21	3	Vertical	276	1.81	38.52	38.25	10.23	34.27

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51976G	42.34	54.00	-11.66	12.59	3	Horizontal	254	2.05	29.75	38.66	8.51	34.58
PK	11.49008G	50.12	74.00	-23.88	12.65	3	Horizontal	254	2.05	37.47	38.72	8.50	34.57
PK	17.2734G	52.72	68.20	-15.48	14.19	3	Horizontal	324	2.60	38.53	38.23	10.24	34.28



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	98.78	Inf	-Inf	5.56	3	Vertical	326	1.60	93.22	33.90	6.20	34.54
PK	5.633G	57.74	68.20	-10.46	4.53	3	Vertical	326	1.60	53.21	33.00	6.08	34.55
PK	5.7998G	109.50	Inf	-Inf	5.56	3	Vertical	326	1.60	103.94	33.90	6.20	34.54
PK	5.9378G	58.85	68.20	-9.35	6.05	3	Vertical	326	1.60	52.80	34.30	6.27	34.52

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	100.78	Inf	-Inf	5.56	3	Horizontal	18	1.47	95.22	33.90	6.20	34.54
PK	5.6366G	58.28	68.20	-9.92	4.54	3	Horizontal	18	1.47	53.74	33.00	6.09	34.55
PK	5.7998G	111.52	Inf	-Inf	5.56	3	Horizontal	18	1.47	105.96	33.90	6.20	34.54
PK	5.927G	58.47	68.20	-9.73	6.03	3	Horizontal	18	1.47	52.44	34.30	6.26	34.53



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58888G	42.06	54.00	-11.94	12.46	3	Vertical	336	2.66	29.60	38.52	8.54	34.60
PK	11.59824G	50.02	74.00	-23.98	12.44	3	Vertical	336	2.66	37.58	38.50	8.54	34.60
PK	17.3766G	53.93	68.20	-14.27	14.26	3	Vertical	333	2.06	39.67	38.35	10.26	34.35

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57336G	42.30	54.00	-11.70	12.49	3	Horizontal	268	1.91	29.81	38.55	8.53	34.59
PK	11.57088G	49.66	74.00	-24.34	12.50	3	Horizontal	268	1.91	37.16	38.56	8.53	34.59
PK	17.37532G	53.81	68.20	-14.39	14.26	3	Horizontal	235	2.71	39.55	38.35	10.26	34.35



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	49.52	54.00	-4.48	4.31	3	Vertical	8	1.65	45.21	33.08	5.85	34.62
AV	5.225G	89.83	Inf	-Inf	4.44	3	Vertical	8	1.65	85.39	33.15	5.89	34.60
AV	5.35G	45.76	54.00	-8.24	4.08	3	Vertical	8	1.65	41.68	32.70	5.96	34.58
PK	5.146G	61.64	74.00	-12.36	4.33	3	Vertical	8	1.65	57.31	33.09	5.86	34.62
PK	5.221G	100.02	Inf	-Inf	4.45	3	Vertical	8	1.65	95.57	33.16	5.89	34.60
PK	5.368G	56.23	74.00	-17.77	4.20	3	Vertical	8	1.65	52.03	32.81	5.97	34.58

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	53.04	54.00	-0.96	4.32	3	Horizontal	46	1.86	48.72	33.09	5.85	34.62
AV	5.221G	94.12	Inf	-Inf	4.45	3	Horizontal	46	1.86	89.67	33.16	5.89	34.60
AV	5.352G	46.01	54.00	-7.99	4.09	3	Horizontal	46	1.86	41.92	32.71	5.96	34.58
PK	5.149G	67.03	74.00	-6.97	4.34	3	Horizontal	46	1.86	62.69	33.10	5.86	34.62
PK	5.213G	104.72	Inf	-Inf	4.45	3	Horizontal	46	1.86	100.27	33.17	5.89	34.61
PK	5.443G	55.66	74.00	-18.34	4.27	3	Horizontal	46	1.86	51.39	32.83	6.01	34.57



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.64792G	43.65	54.00	-10.35	12.89	3	Vertical	71	1.44	30.76	38.05	9.83	34.99
PK	10.43296G	52.97	68.20	-15.23	11.79	3	Vertical	199	2.45	41.18	38.53	8.05	34.79
PK	15.61848G	53.74	74.00	-20.26	12.87	3	Vertical	71	1.44	40.87	38.02	9.82	34.97

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61848G	43.69	54.00	-10.31	12.87	3	Horizontal	69	2.30	30.82	38.02	9.82	34.97
PK	10.4016G	52.86	68.20	-15.34	11.72	3	Horizontal	110	1.38	41.14	38.50	8.04	34.82
PK	15.6516G	54.41	74.00	-19.59	12.89	3	Horizontal	69	2.30	41.52	38.05	9.83	34.99



5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.138G	46.82	54.00	-7.18	4.31	3	Vertical	16	1.75	42.51	33.08	5.85	34.62
AV	5.279G	88.87	Inf	-Inf	4.30	3	Vertical	16	1.75	84.57	32.98	5.92	34.60
AV	5.357G	49.87	54.00	-4.13	4.13	3	Vertical	16	1.75	45.74	32.74	5.97	34.58
PK	5.126G	57.60	74.00	-16.40	4.28	3	Vertical	16	1.75	53.32	33.05	5.85	34.62
PK	5.293G	98.93	Inf	-Inf	4.27	3	Vertical	16	1.75	94.66	32.93	5.93	34.59
PK	5.359G	63.06	74.00	-10.94	4.14	3	Vertical	16	1.75	58.92	32.75	5.97	34.58

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	47.25	54.00	-6.75	4.30	3	Horizontal	6	2.03	42.95	33.07	5.85	34.62
AV	5.279G	92.55	Inf	-Inf	4.30	3	Horizontal	6	2.03	88.25	32.98	5.92	34.60
AV	5.353G	52.63	54.00	-1.37	4.10	3	Horizontal	6	2.03	48.53	32.72	5.96	34.58
PK	5.124G	57.79	74.00	-16.21	4.28	3	Horizontal	6	2.03	53.51	33.05	5.85	34.62
PK	5.272G	102.65	Inf	-Inf	4.33	3	Horizontal	6	2.03	98.32	33.01	5.92	34.60
PK	5.358G	66.98	74.00	-7.02	4.14	3	Horizontal	6	2.03	62.84	32.75	5.97	34.58





5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.83752G	43.82	54.00	-10.18	12.61	3	Vertical	35	2.27	31.21	37.85	9.89	35.13
PK	10.5672G	53.24	68.20	-14.96	12.21	3	Vertical	213	1.25	41.03	38.80	8.11	34.70
PK	15.8892G	53.73	74.00	-20.27	12.38	3	Vertical	35	2.27	41.35	37.64	9.91	35.17

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.83128G	43.70	54.00	-10.30	12.63	3	Horizontal	101	2.21	31.07	37.87	9.89	35.13
PK	10.6056G	52.31	74.00	-21.69	12.34	3	Horizontal	330	1.09	39.97	38.91	8.12	34.69
PK	15.87528G	53.43	74.00	-20.57	12.44	3	Horizontal	101	2.21	40.99	37.70	9.90	35.16



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	51.84	54.00	-2.16	4.26	3	Vertical	360	2.24	47.58	32.82	6.01	34.57
AV	5.52G	92.93	Inf	-Inf	4.41	3	Vertical	360	2.24	88.52	32.94	6.03	34.56
PK	5.468G	65.65	68.20	-2.55	4.28	3	Vertical	360	2.24	61.37	32.84	6.01	34.57
PK	5.532G	103.34	Inf	-Inf	4.44	3	Vertical	360	2.24	98.90	32.96	6.04	34.56
PK	5.776G	57.37	68.20	-10.83	5.40	3	Vertical	360	2.24	51.97	33.76	6.18	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.45	54.00	-0.55	4.26	3	Horizontal	32	1.77	49.19	32.82	6.01	34.57
AV	5.521G	92.01	Inf	-Inf	4.41	3	Horizontal	32	1.77	87.60	32.94	6.03	34.56
PK	5.47G	66.86	68.20	-1.34	4.29	3	Horizontal	32	1.77	62.57	32.84	6.01	34.56
PK	5.533G	102.09	Inf	-Inf	4.45	3	Horizontal	32	1.77	97.64	32.97	6.04	34.56
PK	5.744G	56.57	68.20	-11.63	5.20	3	Horizontal	32	1.77	51.37	33.58	6.16	34.54



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09744G	42.83	54.00	-11.17	12.35	3	Vertical	175	2.28	30.48	38.60	8.33	34.58
PK	11.02528G	52.84	74.00	-21.16	12.39	3	Vertical	175	2.28	40.45	38.67	8.30	34.58
PK	16.56488G	54.50	68.20	-13.70	13.83	3	Vertical	75	2.61	40.67	38.44	10.07	34.68

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0656G	42.79	54.00	-11.21	12.37	3	Horizontal	11	1.80	30.42	38.63	8.32	34.58
PK	11.02624G	53.20	74.00	-20.80	12.39	3	Horizontal	11	1.80	40.81	38.67	8.30	34.58
PK	16.59704G	54.35	68.20	-13.85	13.75	3	Horizontal	70	1.94	40.60	38.31	10.08	34.64

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.06	54.00	-2.94	4.26	3	Vertical	314	2.06	46.80	32.82	6.01	34.57
AV	5.621G	95.33	Inf	-Inf	4.52	3	Vertical	314	2.06	90.81	33.00	6.07	34.55
PK	5.47G	62.34	68.20	-5.86	4.29	3	Vertical	314	2.06	58.05	32.84	6.01	34.56
PK	5.621G	105.41	Inf	-Inf	4.52	3	Vertical	314	2.06	100.89	33.00	6.07	34.55
PK	5.727G	63.28	68.20	-4.92	5.12	3	Vertical	314	2.06	58.16	33.51	6.15	34.54

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.53	54.00	-2.47	4.26	3	Horizontal	14	1.07	47.27	32.82	6.01	34.57
AV	5.601G	96.10	Inf	-Inf	4.51	3	Horizontal	14	1.07	91.59	33.00	6.06	34.55
PK	5.47G	62.40	68.20	-5.80	4.29	3	Horizontal	14	1.07	58.11	32.84	6.01	34.56
PK	5.612G	106.10	Inf	-Inf	4.52	3	Horizontal	14	1.07	101.58	33.00	6.07	34.55
PK	5.728G	64.41	68.20	-3.79	5.12	3	Horizontal	14	1.07	59.29	33.51	6.15	34.54



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1888G	42.48	54.00	-11.52	12.48	3	Vertical	101	2.75	30.00	38.69	8.37	34.58
PK	11.19232G	52.81	74.00	-21.19	12.48	3	Vertical	101	2.75	40.33	38.69	8.37	34.58
PK	16.79784G	54.96	68.20	-13.24	14.05	3	Vertical	193	1.38	40.91	38.30	10.13	34.38

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20304G	42.50	54.00	-11.50	12.51	3	Horizontal	22	2.16	29.99	38.71	8.38	34.58
PK	11.18608G	52.56	74.00	-21.44	12.48	3	Horizontal	22	2.16	40.08	38.69	8.37	34.58
PK	16.822G	56.11	68.20	-12.09	14.04	3	Horizontal	205	2.13	42.07	38.26	10.13	34.35

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4008G	46.27	54.00	-7.73	4.41	3	Vertical	340	1.94	41.86	33.00	5.99	34.58
AV	5.6756G	95.41	Inf	-Inf	4.76	3	Vertical	340	1.94	90.65	33.20	6.11	34.55
PK	5.468G	55.82	68.20	-12.38	4.28	3	Vertical	340	1.94	51.54	32.84	6.01	34.57
PK	5.6876G	104.94	Inf	-Inf	4.88	3	Vertical	340	1.94	100.06	33.30	6.12	34.54
PK	5.8556G	59.78	68.20	-8.42	5.82	3	Vertical	340	1.94	53.96	34.12	6.23	34.53

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.33	54.00	-7.67	4.26	3	Horizontal	17	1.54	42.07	32.82	6.01	34.57
AV	5.6804G	96.51	Inf	-Inf	4.81	3	Horizontal	17	1.54	91.70	33.24	6.12	34.55
PK	5.462G	55.74	68.20	-12.46	4.26	3	Horizontal	17	1.54	51.48	32.82	6.01	34.57
PK	5.6936G	107.12	Inf	-Inf	4.94	3	Horizontal	17	1.54	102.18	33.35	6.13	34.54
PK	5.852G	61.92	68.20	-6.28	5.81	3	Horizontal	17	1.54	56.11	34.11	6.23	34.53



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41984G	42.44	54.00	-11.56	12.76	3	Vertical	273	1.29	29.68	38.86	8.47	34.57
PK	11.36608G	52.71	74.00	-21.29	12.77	3	Vertical	273	1.29	39.94	38.90	8.44	34.57
PK	17.05992G	55.18	68.20	-13.02	14.03	3	Vertical	148	2.07	41.15	38.00	10.19	34.16

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37088G	42.20	54.00	-11.80	12.78	3	Horizontal	38	1.40	29.42	38.90	8.45	34.57
PK	11.3864G	52.40	74.00	-21.60	12.78	3	Horizontal	38	1.40	39.62	38.90	8.45	34.57
PK	17.09688G	55.48	68.20	-12.72	14.02	3	Horizontal	299	1.47	41.46	38.00	10.20	34.18



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	95.23	Inf	-Inf	5.33	3	Vertical	322	1.46	89.90	33.69	6.18	34.54
PK	5.6418G	62.90	68.20	-5.30	4.54	3	Vertical	322	1.46	58.36	33.00	6.09	34.55
PK	5.7786G	104.99	Inf	-Inf	5.42	3	Vertical	322	1.46	99.57	33.77	6.19	34.54
PK	5.9274G	60.78	68.20	-7.42	6.03	3	Vertical	322	1.46	54.75	34.30	6.26	34.53

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	97.17	Inf	-Inf	5.33	3	Horizontal	17	1.50	91.84	33.69	6.18	34.54
PK	5.6406G	65.05	68.20	-3.15	4.54	3	Horizontal	17	1.50	60.51	33.00	6.09	34.55
PK	5.7786G	107.40	Inf	-Inf	5.42	3	Horizontal	17	1.50	101.98	33.77	6.19	34.54
PK	5.925G	61.86	68.20	-6.34	6.03	3	Horizontal	17	1.50	55.83	34.30	6.26	34.53





5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56424G	42.29	54.00	-11.71	12.51	3	Vertical	36	1.13	29.78	38.57	8.53	34.59
PK	11.53256G	52.24	74.00	-21.76	12.56	3	Vertical	36	1.13	39.68	38.63	8.51	34.58
PK	17.3194G	55.99	68.20	-12.21	14.18	3	Vertical	179	2.13	41.81	38.24	10.25	34.31

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56024G	42.20	54.00	-11.80	12.52	3	Horizontal	238	1.07	29.68	38.58	8.53	34.59
PK	11.53624G	52.19	74.00	-21.81	12.57	3	Horizontal	238	1.07	39.62	38.63	8.52	34.58
PK	17.361G	55.72	68.20	-12.48	14.24	3	Horizontal	224	2.84	41.48	38.32	10.26	34.34



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.31232G	44.18	54.00	-9.82	Horizontal
Mode 2	Pass	AV	11.38888G	43.81	54.00	-10.19	Horizontal
Mode 3	Pass	AV	13.31926G	45.71	54.00	-8.29	Horizontal
Mode 4	Pass	AV	7.31088G	53.81	54.00	-0.19	Vertical
Mode 5	Pass	AV	12.69714G	45.07	54.00	-8.93	Horizontal
Mode 6	Pass	AV	13.32535G	46.03	54.00	-7.97	Horizontal
Mode 7	Pass	AV	15.59134G	43.08	54.00	-10.92	Horizontal
Mode 8	Pass	PK	10.39634G	58.93	68.20	-9.27	Horizontal
Mode 9	Pass	PK	10.39436G	59.63	68.20	-8.57	Vertical
Mode 10	Pass	AV	7.31112G	51.72	54.00	-2.28	Vertical
Mode 11	Pass	PK	17.06211G	57.79	68.20	-10.41	Horizontal
Mode 12	Pass	AV	15.5907G	43.17	54.00	-10.83	Horizontal
Mode 13	Pass	AV	7.3107G	43.43	54.00	-10.57	Horizontal
Mode 14	Pass	PK	10.39409G	58.48	68.20	-9.72	Vertical
Mode 15	Pass	AV	13.3213G	45.40	54.00	-8.60	Horizontal
Mode 16	Pass	AV	7.31132G	49.96	54.00	-4.04	Vertical
Mode 17	Pass	AV	12.68052G	44.82	54.00	-9.18	Horizontal
Mode 18	Pass	AV	13.3213G	45.40	54.00	-8.60	Horizontal



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.88684G	31.85	54.00	-22.15	3	Vertical	38	1.66
Mode 1	Pass	AV	4.88834G	31.66	54.00	-22.34	3	Vertical	76	1.39
Mode 1	Pass	AV	4.966G	33.42	54.00	-20.58	3	Vertical	335	1.05
Mode 1	Pass	AV	7.31004G	42.52	54.00	-11.48	3	Vertical	60	1.88
Mode 1	Pass	AV	7.3136G	40.99	54.00	-13.01	3	Vertical	60	2.51
Mode 1	Pass	AV	15.60348G	43.33	54.00	-10.67	3	Vertical	105	2.09
Mode 1	Pass	PK	4.87616G	42.30	74.00	-31.70	3	Vertical	38	1.66
Mode 1	Pass	PK	4.8881G	43.09	74.00	-30.91	3	Vertical	76	1.39
Mode 1	Pass	PK	4.97014G	44.01	74.00	-29.99	3	Vertical	335	1.05
Mode 1	Pass	PK	7.31212G	53.54	74.00	-20.46	3	Vertical	60	2.5
Mode 1	Pass	PK	7.31848G	53.95	74.00	-20.05	3	Vertical	60	1.88
Mode 1	Pass	PK	10.39324G	52.49	68.20	-15.71	3	Vertical	15	2.09
Mode 1	Pass	PK	15.6098G	53.32	74.00	-20.68	3	Vertical	105	2.09
Mode 1	Pass	AV	4.88888G	32.00	54.00	-22.00	3	Horizontal	105	1.87
Mode 1	Pass	AV	4.88894G	31.70	54.00	-22.30	3	Horizontal	228	1.29
Mode 1	Pass	AV	4.9657G	33.52	54.00	-20.48	3	Horizontal	359	1.75
Mode 1	Pass	AV	7.31224G	43.33	54.00	-10.67	3	Horizontal	18	1.54
Mode 1	Pass	AV	7.31232G	44.18	54.00	-9.82	3	Horizontal	16	1.49
Mode 1	Pass	AV	15.60604G	43.27	54.00	-10.73	3	Horizontal	329	1.40
Mode 1	Pass	PK	4.87664G	43.79	74.00	-30.21	3	Horizontal	105	1.87
Mode 1	Pass	PK	4.88456G	43.08	74.00	-30.92	3	Horizontal	228	1.29
Mode 1	Pass	PK	4.97428G	44.76	74.00	-29.24	3	Horizontal	359	1.75
Mode 1	Pass	PK	7.30216G	55.74	74.00	-18.26	3	Horizontal	16	1.49
Mode 1	Pass	PK	7.3022G	56.33	74.00	-17.67	3	Horizontal	18	1.54
Mode 1	Pass	PK	10.41362G	52.95	68.20	-15.25	3	Horizontal	269	1.95
Mode 1	Pass	PK	15.60648G	53.91	74.00	-20.09	3	Horizontal	329	1.40
Mode 2	Pass	AV	4.88296G	32.01	54.00	-21.99	3	Vertical	263	2.25
Mode 2	Pass	AV	4.95976G	33.55	54.00	-20.45	3	Vertical	269	2.80
Mode 2	Pass	AV	7.3144G	40.29	54.00	-13.71	3	Vertical	321	2.30
Mode 2	Pass	AV	11.38684G	43.65	54.00	-10.35	3	Vertical	229	1.90
Mode 2	Pass	AV	15.60544G	43.33	54.00	-10.67	3	Vertical	201	1.18
Mode 2	Pass	PK	4.87208G	42.53	74.00	-31.47	3	Vertical	263	2.25
Mode 2	Pass	PK	4.97452G	44.32	74.00	-29.68	3	Vertical	269	2.80
Mode 2	Pass	PK	7.30912G	52.43	74.00	-21.57	3	Vertical	321	2.30
Mode 2	Pass	PK	10.39348G	52.61	68.20	-15.59	3	Vertical	227	2.50
Mode 2	Pass	PK	11.37364G	52.90	74.00	-21.10	3	Vertical	229	1.90
Mode 2	Pass	PK	15.59952G	53.45	74.00	-20.55	3	Vertical	201	1.18
Mode 2	Pass	PK	17.06004G	54.82	68.20	-13.38	3	Vertical	245	1.01
Mode 2	Pass	AV	4.88388G	31.78	54.00	-22.22	3	Horizontal	279	2.86
Mode 2	Pass	AV	4.97362G	33.53	54.00	-20.47	3	Horizontal	292	1.94
Mode 2	Pass	AV	7.31024G	41.47	54.00	-12.53	3	Horizontal	305	2.25
Mode 2	Pass	AV	11.38888G	43.81	54.00	-10.19	3	Horizontal	91	2.19
Mode 2	Pass	AV	15.60812G	43.37	54.00	-10.63	3	Horizontal	265	2.63
Mode 2	Pass	PK	4.88396G	42.91	74.00	-31.09	3	Horizontal	279	2.86
Mode 2	Pass	PK	4.95058G	44.36	74.00	-29.64	3	Horizontal	292	1.94
Mode 2	Pass	PK	7.31768G	53.29	74.00	-20.71	3	Horizontal	305	2.25
Mode 2	Pass	PK	10.40692G	53.51	68.20	-14.69	3	Horizontal	32	2.99
Mode 2	Pass	PK	11.37178G	52.77	74.00	-21.23	3	Horizontal	91	2.19
Mode 2	Pass	PK	15.59912G	53.81	74.00	-20.19	3	Horizontal	265	2.63
Mode 2	Pass	PK	17.08254G	55.45	68.20	-12.75	3	Horizontal	341	2.89



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.86732G	32.17	54.00	-21.83	3	Vertical	113	1.12
Mode 3	Pass	AV	4.97302G	33.57	54.00	-20.43	3	Vertical	125	1.37
Mode 3	Pass	AV	7.31172G	40.06	54.00	-13.94	3	Vertical	320	2.29
Mode 3	Pass	AV	13.32319G	45.62	54.00	-8.38	3	Vertical	320	2.18
Mode 3	Pass	AV	15.60184G	43.34	54.00	-10.66	3	Vertical	237	1.91
Mode 3	Pass	PK	4.86676G	42.83	74.00	-31.17	3	Vertical	113	1.12
Mode 3	Pass	PK	4.95892G	43.99	74.00	-30.01	3	Vertical	125	1.37
Mode 3	Pass	PK	7.30232G	51.72	74.00	-22.28	3	Vertical	320	2.29
Mode 3	Pass	PK	10.40896G	52.47	68.20	-15.73	3	Vertical	13	1.85
Mode 3	Pass	PK	13.3426G	55.17	74.00	-18.83	3	Vertical	320	2.18
Mode 3	Pass	PK	15.5938G	53.30	74.00	-20.70	3	Vertical	237	1.91
Mode 3	Pass	AV	4.86508G	32.35	54.00	-21.65	3	Horizontal	92	2.43
Mode 3	Pass	AV	4.9648G	33.54	54.00	-20.46	3	Horizontal	138	2.93
Mode 3	Pass	AV	7.31252G	41.12	54.00	-12.88	3	Horizontal	305	2.27
Mode 3	Pass	AV	13.31926G	45.71	54.00	-8.29	3	Horizontal	3	2.79
Mode 3	Pass	AV	15.59484G	43.47	54.00	-10.53	3	Horizontal	144	2.60
Mode 3	Pass	PK	4.87124G	43.21	74.00	-30.79	3	Horizontal	92	2.43
Mode 3	Pass	PK	4.9534G	44.15	74.00	-29.85	3	Horizontal	138	2.93
Mode 3	Pass	PK	7.31272G	52.96	74.00	-21.04	3	Horizontal	305	2.27
Mode 3	Pass	PK	10.40324G	53.38	68.20	-14.82	3	Horizontal	24	1.50
Mode 3	Pass	PK	13.31815G	55.51	74.00	-18.49	3	Horizontal	3	2.79
Mode 3	Pass	PK	15.59596G	53.78	74.00	-20.22	3	Horizontal	144	2.60
Mode 4	Pass	AV	4.86432G	31.08	54.00	-22.92	3	Vertical	242	2.69
Mode 4	Pass	AV	4.97476G	33.57	54.00	-20.43	3	Vertical	154	1.22
Mode 4	Pass	AV	7.31088G	53.81	54.00	-0.19	3	Vertical	4	2.05
Mode 4	Pass	AV	12.69771G	45.17	54.00	-8.83	3	Vertical	127	1.89
Mode 4	Pass	AV	15.59148G	43.25	54.00	-10.75	3	Vertical	129	2.02
Mode 4	Pass	PK	4.8664G	42.23	74.00	-31.77	3	Vertical	242	2.69
Mode 4	Pass	PK	4.97422G	45.33	74.00	-28.67	3	Vertical	154	1.22
Mode 4	Pass	PK	7.30208G	69.11	74.00	-4.89	3	Vertical	4	2.05
Mode 4	Pass	PK	10.39652G	52.43	68.20	-15.77	3	Vertical	103	2.73
Mode 4	Pass	PK	12.69084G	53.62	74.00	-20.38	3	Vertical	127	1.89
Mode 4	Pass	PK	15.60016G	53.11	74.00	-20.89	3	Vertical	129	2.02
Mode 4	Pass	AV	4.86436G	31.09	54.00	-22.91	3	Horizontal	344	2.19
Mode 4	Pass	AV	4.97068G	33.52	54.00	-20.48	3	Horizontal	299	2.06
Mode 4	Pass	AV	7.31196G	53.29	54.00	-0.71	3	Horizontal	68	2.03
Mode 4	Pass	AV	12.69468G	45.21	54.00	-8.79	3	Horizontal	267	1.26
Mode 4	Pass	AV	15.59264G	43.10	54.00	-10.90	3	Horizontal	59	1.46
Mode 4	Pass	PK	4.87156G	42.44	74.00	-31.56	3	Horizontal	344	2.19
Mode 4	Pass	PK	4.97188G	44.17	74.00	-29.83	3	Horizontal	299	2.06
Mode 4	Pass	PK	7.30212G	69.45	74.00	-4.55	3	Horizontal	68	2.03
Mode 4	Pass	PK	10.3994G	53.13	68.20	-15.07	3	Horizontal	314	2.17
Mode 4	Pass	PK	12.67725G	54.41	74.00	-19.59	3	Horizontal	267	1.26
Mode 4	Pass	PK	15.60148G	53.17	74.00	-20.83	3	Horizontal	59	1.46
Mode 5	Pass	AV	4.97452G	33.59	54.00	-20.41	3	Vertical	352	1.96
Mode 5	Pass	AV	11.38582G	43.59	54.00	-10.41	3	Vertical	322	1.05
Mode 5	Pass	AV	12.68655G	44.92	54.00	-9.08	3	Vertical	164	2.72
Mode 5	Pass	AV	15.59952G	43.18	54.00	-10.82	3	Vertical	122	1.14
Mode 5	Pass	PK	4.96138G	44.61	74.00	-29.39	3	Vertical	352	1.96
Mode 5	Pass	PK	10.39788G	52.18	68.20	-16.02	3	Vertical	203	1.83



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	PK	11.3719G	52.70	74.00	-21.30	3	Vertical	322	1.05
Mode 5	Pass	PK	12.6978G	53.78	74.00	-20.22	3	Vertical	164	2.72
Mode 5	Pass	PK	15.59804G	54.15	74.00	-19.85	3	Vertical	122	1.14
Mode 5	Pass	PK	17.07762G	54.97	68.20	-13.23	3	Vertical	310	1.68
Mode 5	Pass	AV	4.97494G	33.53	54.00	-20.47	3	Horizontal	230	2.13
Mode 5	Pass	AV	11.36986G	43.53	54.00	-10.47	3	Horizontal	24	1.44
Mode 5	Pass	AV	12.69714G	45.07	54.00	-8.93	3	Horizontal	102	2.54
Mode 5	Pass	AV	15.59768G	43.27	54.00	-10.73	3	Horizontal	35	1.20
Mode 5	Pass	PK	4.9741G	44.94	74.00	-29.06	3	Horizontal	230	2.13
Mode 5	Pass	PK	10.40112G	52.45	68.20	-15.75	3	Horizontal	123	1.47
Mode 5	Pass	PK	11.37142G	53.10	74.00	-20.90	3	Horizontal	24	1.44
Mode 5	Pass	PK	12.69534G	54.11	74.00	-19.89	3	Horizontal	102	2.54
Mode 5	Pass	PK	15.60844G	53.97	74.00	-20.03	3	Horizontal	35	1.20
Mode 5	Pass	PK	17.07312G	55.04	68.20	-13.16	3	Horizontal	82	2.06
Mode 6	Pass	AV	4.9717G	33.69	54.00	-20.31	3	Vertical	52	2.39
Mode 6	Pass	AV	12.69702G	45.01	54.00	-8.99	3	Vertical	97	1.65
Mode 6	Pass	AV	13.33948G	45.70	54.00	-8.30	3	Vertical	326	2.25
Mode 6	Pass	AV	15.6012G	43.36	54.00	-10.64	3	Vertical	299	2.59
Mode 6	Pass	PK	4.9558G	44.34	74.00	-29.66	3	Vertical	52	2.39
Mode 6	Pass	PK	10.39888G	52.65	68.20	-15.55	3	Vertical	79	2.24
Mode 6	Pass	PK	12.68997G	54.13	74.00	-19.87	3	Vertical	97	1.65
Mode 6	Pass	PK	13.31941G	55.06	74.00	-18.94	3	Vertical	326	2.25
Mode 6	Pass	PK	15.60836G	53.57	74.00	-20.43	3	Vertical	299	2.59
Mode 6	Pass	AV	4.96996G	33.66	54.00	-20.34	3	Horizontal	111	1.08
Mode 6	Pass	AV	12.69099G	45.18	54.00	-8.82	3	Horizontal	110	2.67
Mode 6	Pass	AV	13.32535G	46.03	54.00	-7.97	3	Horizontal	230	1.00
Mode 6	Pass	AV	15.6022G	43.57	54.00	-10.43	3	Horizontal	220	2.32
Mode 6	Pass	PK	4.96366G	44.74	74.00	-29.26	3	Horizontal	111	1.08
Mode 6	Pass	PK	10.40304G	54.00	68.20	-14.20	3	Horizontal	153	2.73
Mode 6	Pass	PK	12.6948G	54.00	74.00	-20.00	3	Horizontal	110	2.67
Mode 6	Pass	PK	13.32301G	54.94	74.00	-19.06	3	Horizontal	230	1.00
Mode 6	Pass	PK	15.5956G	52.89	74.00	-21.11	3	Horizontal	220	2.32
Mode 7	Pass	AV	4.80873G	31.19	54.00	-22.81	3	Vertical	51	1.42
Mode 7	Pass	AV	4.87538G	32.62	54.00	-21.38	3	Vertical	325	1.41
Mode 7	Pass	AV	7.30584G	36.99	54.00	-17.01	3	Vertical	275	1.50
Mode 7	Pass	AV	15.6003G	43.03	54.00	-10.97	3	Vertical	124	1.40
Mode 7	Pass	PK	4.8082G	44.71	74.00	-29.29	3	Vertical	51	1.42
Mode 7	Pass	PK	4.86554G	45.47	74.00	-28.53	3	Vertical	325	1.41
Mode 7	Pass	PK	7.30276G	50.39	74.00	-23.61	3	Vertical	275	1.50
Mode 7	Pass	PK	10.39498G	54.15	68.20	-14.05	3	Vertical	51	1.50
Mode 7	Pass	PK	15.5914G	56.71	74.00	-17.29	3	Vertical	124	1.40
Mode 7	Pass	AV	4.81083G	31.84	54.00	-22.16	3	Horizontal	188	1.66
Mode 7	Pass	AV	4.86456G	33.06	54.00	-20.94	3	Horizontal	39	1.25
Mode 7	Pass	AV	7.30558G	37.06	54.00	-16.94	3	Horizontal	280	1.03
Mode 7	Pass	AV	15.59134G	43.08	54.00	-10.92	3	Horizontal	183	1.57
Mode 7	Pass	PK	4.81066G	45.98	74.00	-28.02	3	Horizontal	188	1.66
Mode 7	Pass	PK	4.8663G	46.29	74.00	-27.71	3	Horizontal	39	1.25
Mode 7	Pass	PK	7.30592G	51.33	74.00	-22.67	3	Horizontal	280	1.03
Mode 7	Pass	PK	10.3946G	54.73	68.20	-13.47	3	Horizontal	325	1.50
Mode 7	Pass	PK	15.60242G	56.93	74.00	-17.07	3	Horizontal	183	1.57



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 8	Pass	AV	4.81338G	31.98	54.00	-22.02	3	Vertical	144	1.50
Mode 8	Pass	AV	4.87438G	31.56	54.00	-22.44	3	Vertical	314	1.50
Mode 8	Pass	AV	7.31154G	37.35	54.00	-16.65	3	Vertical	359	1.50
Mode 8	Pass	AV	10.39926G	41.47	68.20	-26.73	3	Vertical	25	1.36
Mode 8	Pass	AV	11.38734G	41.52	54.00	-12.48	3	Vertical	30	1.13
Mode 8	Pass	AV	15.59214G	43.06	54.00	-10.94	3	Vertical	348	1.50
Mode 8	Pass	AV	17.06386G	44.30	68.20	-23.90	3	Vertical	329	1.50
Mode 8	Pass	PK	4.8107G	45.73	74.00	-28.27	3	Vertical	144	1.50
Mode 8	Pass	PK	4.87096G	44.90	74.00	-29.10	3	Vertical	314	1.50
Mode 8	Pass	PK	7.31414G	50.69	74.00	-23.31	3	Vertical	359	1.50
Mode 8	Pass	PK	10.39414G	58.52	68.20	-9.68	3	Vertical	25	1.36
Mode 8	Pass	PK	11.38426G	54.88	74.00	-19.12	3	Vertical	30	1.13
Mode 8	Pass	PK	15.6138G	57.18	74.00	-16.82	3	Vertical	348	1.50
Mode 8	Pass	PK	17.07112G	57.65	68.20	-10.55	3	Vertical	329	1.50
Mode 8	Pass	AV	4.8149G	31.90	54.00	-22.10	3	Horizontal	143	1.10
Mode 8	Pass	AV	4.86424G	31.58	54.00	-22.42	3	Horizontal	161	1.50
Mode 8	Pass	AV	7.31044G	37.20	54.00	-16.80	3	Horizontal	21	1.50
Mode 8	Pass	AV	10.40226G	41.56	68.20	-26.64	3	Horizontal	300	2.94
Mode 8	Pass	AV	11.38762G	41.29	54.00	-12.71	3	Horizontal	66	2.88
Mode 8	Pass	AV	15.5886G	42.99	54.00	-11.01	3	Horizontal	267	1.70
Mode 8	Pass	AV	17.06556G	44.41	68.20	-23.79	3	Horizontal	173	1.50
Mode 8	Pass	PK	4.80626G	45.92	74.00	-28.08	3	Horizontal	143	1.10
Mode 8	Pass	PK	4.87332G	45.48	74.00	-28.52	3	Horizontal	161	1.50
Mode 8	Pass	PK	7.30858G	50.82	74.00	-23.18	3	Horizontal	21	1.50
Mode 8	Pass	PK	10.39634G	58.93	68.20	-9.27	3	Horizontal	300	2.94
Mode 8	Pass	PK	11.38916G	55.04	74.00	-18.96	3	Horizontal	66	2.88
Mode 8	Pass	PK	15.5982G	56.26	74.00	-17.74	3	Horizontal	267	1.70
Mode 8	Pass	PK	17.07146G	57.17	68.20	-11.03	3	Horizontal	173	1.50
Mode 9	Pass	AV	4.81188G	32.01	54.00	-21.99	3	Vertical	186	1.50
Mode 9	Pass	AV	4.86548G	31.64	54.00	-22.36	3	Vertical	198	1.53
Mode 9	Pass	AV	7.30212G	37.28	54.00	-16.72	3	Vertical	48	1.50
Mode 9	Pass	AV	10.39928G	41.71	68.20	-26.49	3	Vertical	26	1.50
Mode 9	Pass	AV	13.32908G	42.93	54.00	-11.07	3	Vertical	276	1.49
Mode 9	Pass	AV	15.5924G	43.15	54.00	-10.85	3	Vertical	109	1.50
Mode 9	Pass	PK	4.80676G	44.99	74.00	-29.01	3	Vertical	186	1.50
Mode 9	Pass	PK	4.8654G	45.14	74.00	-28.86	3	Vertical	198	1.53
Mode 9	Pass	PK	7.30244G	51.08	74.00	-22.92	3	Vertical	48	1.50
Mode 9	Pass	PK	10.39436G	59.63	68.20	-8.57	3	Vertical	26	1.50
Mode 9	Pass	PK	13.33504G	56.17	74.00	-17.83	3	Vertical	276	1.49
Mode 9	Pass	PK	15.60812G	56.72	74.00	-17.28	3	Vertical	109	1.50
Mode 9	Pass	AV	4.8128G	31.89	54.00	-22.11	3	Horizontal	262	1.08
Mode 9	Pass	AV	4.8688G	31.52	54.00	-22.48	3	Horizontal	113	1.04
Mode 9	Pass	AV	7.30596G	37.14	54.00	-16.86	3	Horizontal	57	1.06
Mode 9	Pass	AV	10.39952G	41.43	68.20	-26.77	3	Horizontal	59	1.64
Mode 9	Pass	AV	13.33676G	42.90	54.00	-11.10	3	Horizontal	163	1.50
Mode 9	Pass	AV	15.59524G	43.03	54.00	-10.97	3	Horizontal	324	1.50
Mode 9	Pass	PK	4.80512G	45.17	74.00	-28.83	3	Horizontal	262	1.08
Mode 9	Pass	PK	4.86864G	44.69	74.00	-29.31	3	Horizontal	113	1.04
Mode 9	Pass	PK	7.30712G	50.10	74.00	-23.90	3	Horizontal	57	1.06
Mode 9	Pass	PK	10.39668G	57.57	68.20	-10.63	3	Horizontal	59	1.64



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 9	Pass	PK	13.33984G	57.31	74.00	-16.69	3	Horizontal	163	1.50
Mode 9	Pass	PK	15.59996G	56.68	74.00	-17.32	3	Horizontal	324	1.50
Mode 10	Pass	AV	4.82098G	31.66	54.00	-22.34	3	Vertical	325	1.30
Mode 10	Pass	AV	4.87376G	33.96	54.00	-20.04	3	Vertical	360	1.50
Mode 10	Pass	AV	7.31112G	51.72	54.00	-2.28	3	Vertical	8	1.65
Mode 10	Pass	AV	10.41374G	40.96	68.20	-27.24	3	Vertical	153	1.50
Mode 10	Pass	AV	12.67932G	42.29	54.00	-11.71	3	Vertical	215	1.77
Mode 10	Pass	AV	15.59412G	42.91	54.00	-11.09	3	Vertical	299	1.50
Mode 10	Pass	PK	4.81003G	44.55	74.00	-29.45	3	Vertical	325	1.30
Mode 10	Pass	PK	4.8737G	47.41	74.00	-26.59	3	Vertical	360	1.50
Mode 10	Pass	PK	7.31832G	65.35	74.00	-8.65	3	Vertical	8	1.65
Mode 10	Pass	PK	10.39187G	55.17	68.20	-13.03	3	Vertical	153	1.50
Mode 10	Pass	PK	12.68421G	55.79	74.00	-18.21	3	Vertical	215	1.77
Mode 10	Pass	PK	15.59139G	56.31	74.00	-17.69	3	Vertical	299	1.50
Mode 10	Pass	AV	4.80904G	32.93	54.00	-21.07	3	Horizontal	43	1.95
Mode 10	Pass	AV	4.87361G	34.89	54.00	-19.11	3	Horizontal	357	1.50
Mode 10	Pass	AV	7.3101G	47.20	54.00	-6.80	3	Horizontal	51	1.58
Mode 10	Pass	AV	10.40426G	41.03	68.20	-27.17	3	Horizontal	22	1.00
Mode 10	Pass	AV	12.68112G	42.32	54.00	-11.68	3	Horizontal	263	1.50
Mode 10	Pass	AV	15.59271G	42.96	54.00	-11.04	3	Horizontal	31	1.99
Mode 10	Pass	PK	4.81627G	44.79	74.00	-29.21	3	Horizontal	43	1.95
Mode 10	Pass	PK	4.86806G	47.73	74.00	-26.27	3	Horizontal	357	1.50
Mode 10	Pass	PK	7.30212G	60.91	74.00	-13.09	3	Horizontal	51	1.58
Mode 10	Pass	PK	10.39529G	54.34	68.20	-13.86	3	Horizontal	22	1.00
Mode 10	Pass	PK	12.70455G	55.68	68.20	-12.52	3	Horizontal	263	1.50
Mode 10	Pass	PK	15.60396G	56.40	74.00	-17.60	3	Horizontal	31	1.99
Mode 11	Pass	AV	4.81936G	33.10	54.00	-20.90	3	Vertical	0	1.28
Mode 11	Pass	AV	10.40762G	40.76	68.20	-27.44	3	Vertical	360	2.00
Mode 11	Pass	AV	11.39254G	41.58	54.00	-12.42	3	Vertical	55	1.83
Mode 11	Pass	AV	12.78592G	42.72	68.20	-25.48	3	Vertical	125	1.56
Mode 11	Pass	AV	15.59139G	43.01	54.00	-10.99	3	Vertical	242	1.50
Mode 11	Pass	AV	17.07336G	44.51	68.20	-23.69	3	Vertical	122	1.10
Mode 11	Pass	PK	4.79845G	46.73	74.00	-27.27	3	Vertical	0	1.28
Mode 11	Pass	PK	10.40318G	54.44	68.20	-13.76	3	Vertical	360	2.00
Mode 11	Pass	PK	11.37577G	54.68	74.00	-19.32	3	Vertical	55	1.83
Mode 11	Pass	PK	12.79732G	55.74	68.20	-12.46	3	Vertical	125	1.56
Mode 11	Pass	PK	15.59892G	55.93	74.00	-18.07	3	Vertical	242	1.50
Mode 11	Pass	PK	17.05521G	57.18	68.20	-11.02	3	Vertical	122	1.10
Mode 11	Pass	AV	4.82452G	33.39	54.00	-20.61	3	Horizontal	63	2.26
Mode 11	Pass	AV	10.40933G	40.67	68.20	-27.53	3	Horizontal	253	2.37
Mode 11	Pass	AV	11.39365G	41.54	54.00	-12.46	3	Horizontal	73	1.33
Mode 11	Pass	AV	12.79345G	42.65	68.20	-25.55	3	Horizontal	344	1.05
Mode 11	Pass	AV	15.60459G	42.90	54.00	-11.10	3	Horizontal	189	1.18
Mode 11	Pass	AV	17.06007G	44.50	68.20	-23.70	3	Horizontal	45	2.75
Mode 11	Pass	PK	4.81531G	46.98	74.00	-27.02	3	Horizontal	63	2.26
Mode 11	Pass	PK	10.40504G	54.44	68.20	-13.76	3	Horizontal	253	2.37
Mode 11	Pass	PK	11.38837G	54.99	74.00	-19.01	3	Horizontal	73	1.33
Mode 11	Pass	PK	12.8035G	55.53	68.20	-12.67	3	Horizontal	344	1.05
Mode 11	Pass	PK	15.59508G	56.05	74.00	-17.95	3	Horizontal	189	1.18
Mode 11	Pass	PK	17.06211G	57.79	68.20	-10.41	3	Horizontal	45	2.75



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 12	Pass	AV	4.82179G	31.93	54.00	-22.07	3	Vertical	153	2.92
Mode 12	Pass	AV	10.40282G	41.10	68.20	-27.10	3	Vertical	180	1.50
Mode 12	Pass	AV	12.68784G	42.09	54.00	-11.91	3	Vertical	360	1.50
Mode 12	Pass	AV	13.34167G	42.63	54.00	-11.37	3	Vertical	347	1.00
Mode 12	Pass	AV	15.59109G	43.10	54.00	-10.90	3	Vertical	211	1.92
Mode 12	Pass	PK	4.8208G	44.77	74.00	-29.23	3	Vertical	153	2.92
Mode 12	Pass	PK	10.39442G	54.64	68.20	-13.56	3	Vertical	180	1.50
Mode 12	Pass	PK	12.69435G	56.01	74.00	-17.99	3	Vertical	360	1.50
Mode 12	Pass	PK	13.31896G	56.27	74.00	-17.73	3	Vertical	347	1.00
Mode 12	Pass	PK	15.59544G	55.72	74.00	-18.28	3	Vertical	211	1.92
Mode 12	Pass	AV	4.82254G	32.07	54.00	-21.93	3	Horizontal	71	1.86
Mode 12	Pass	AV	10.39337G	41.08	68.20	-27.12	3	Horizontal	247	1.68
Mode 12	Pass	AV	12.67593G	41.93	54.00	-12.07	3	Horizontal	62	1.03
Mode 12	Pass	AV	13.32304G	42.61	54.00	-11.39	3	Horizontal	285	1.50
Mode 12	Pass	AV	15.5907G	43.17	54.00	-10.83	3	Horizontal	220	1.11
Mode 12	Pass	PK	4.82122G	45.76	74.00	-28.24	3	Horizontal	71	1.86
Mode 12	Pass	PK	10.39196G	54.85	68.20	-13.35	3	Horizontal	247	1.68
Mode 12	Pass	PK	12.6807G	54.97	74.00	-19.03	3	Horizontal	62	1.03
Mode 12	Pass	PK	13.31554G	55.88	74.00	-18.12	3	Horizontal	285	1.50
Mode 12	Pass	PK	15.59154G	55.29	74.00	-18.71	3	Horizontal	220	1.11
Mode 13	Pass	AV	4.87352G	35.10	54.00	-18.90	3	Vertical	308	1.50
Mode 13	Pass	AV	4.87532G	34.79	54.00	-19.21	3	Vertical	355	1.11
Mode 13	Pass	AV	7.31067G	42.68	54.00	-11.32	3	Vertical	293	1.60
Mode 13	Pass	AV	10.40294G	40.91	68.20	-27.29	3	Vertical	89	1.55
Mode 13	Pass	AV	15.61053G	43.17	54.00	-10.83	3	Vertical	25	1.17
Mode 13	Pass	PK	4.87562G	48.09	74.00	-25.91	3	Vertical	355	1.11
Mode 13	Pass	PK	4.87808G	49.06	74.00	-24.94	3	Vertical	308	1.50
Mode 13	Pass	PK	7.30797G	56.52	74.00	-17.48	3	Vertical	293	1.60
Mode 13	Pass	PK	10.39961G	53.90	68.20	-14.30	3	Vertical	89	1.55
Mode 13	Pass	PK	15.58749G	56.25	74.00	-17.75	3	Vertical	25	1.17
Mode 13	Pass	AV	4.87259G	36.21	54.00	-17.79	3	Horizontal	360	1.46
Mode 13	Pass	AV	4.87547G	35.76	54.00	-18.24	3	Horizontal	25	1.93
Mode 13	Pass	AV	7.3107G	43.43	54.00	-10.57	3	Horizontal	75	1.56
Mode 13	Pass	AV	10.38521G	40.78	68.20	-27.42	3	Horizontal	170	1.45
Mode 13	Pass	AV	15.58899G	43.24	54.00	-10.76	3	Horizontal	326	2.38
Mode 13	Pass	PK	4.87504G	49.88	74.00	-24.12	3	Horizontal	25	1.93
Mode 13	Pass	PK	4.88279G	49.89	74.00	-24.11	3	Horizontal	360	1.46
Mode 13	Pass	PK	7.31049G	57.00	74.00	-17.00	3	Horizontal	75	1.56
Mode 13	Pass	PK	10.38902G	55.01	68.20	-13.19	3	Horizontal	170	1.45
Mode 13	Pass	PK	15.60789G	56.17	74.00	-17.83	3	Horizontal	326	2.38
Mode 14	Pass	AV	4.87202G	34.34	54.00	-19.66	3	Vertical	336	1.50
Mode 14	Pass	AV	4.875G	33.95	54.00	-20.05	3	Vertical	99	1.00
Mode 14	Pass	AV	7.31049G	40.24	54.00	-13.76	3	Vertical	360	1.50
Mode 14	Pass	AV	10.40684G	41.29	68.20	-26.91	3	Vertical	28	1.50
Mode 14	Pass	AV	11.39242G	41.47	54.00	-12.53	3	Vertical	111	1.03
Mode 14	Pass	AV	15.61143G	43.13	54.00	-10.87	3	Vertical	95	2.79
Mode 14	Pass	AV	17.05614G	44.55	68.20	-23.65	3	Vertical	336	1.47
Mode 14	Pass	PK	4.86683G	47.52	74.00	-26.48	3	Vertical	336	1.50
Mode 14	Pass	PK	4.87696G	46.86	74.00	-27.14	3	Vertical	99	1.00
Mode 14	Pass	PK	7.3107G	54.69	74.00	-19.31	3	Vertical	360	1.50





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 14	Pass	PK	10.39409G	58.48	68.20	-9.72	3	Vertical	28	1.50
Mode 14	Pass	PK	11.39317G	54.45	74.00	-19.55	3	Vertical	111	1.03
Mode 14	Pass	PK	15.59724G	55.83	74.00	-18.17	3	Vertical	95	2.79
Mode 14	Pass	PK	17.06712G	57.54	68.20	-10.66	3	Vertical	336	1.47
Mode 14	Pass	AV	4.87226G	36.31	54.00	-17.69	3	Horizontal	328	2.00
Mode 14	Pass	AV	4.87583G	35.76	54.00	-18.24	3	Horizontal	123	1.26
Mode 14	Pass	AV	7.3101G	40.27	54.00	-13.73	3	Horizontal	315	1.51
Mode 14	Pass	AV	10.39187G	40.99	68.20	-27.21	3	Horizontal	96	1.54
Mode 14	Pass	AV	11.38645G	41.59	54.00	-12.41	3	Horizontal	343	2.61
Mode 14	Pass	AV	15.60354G	43.06	54.00	-10.94	3	Horizontal	360	1.70
Mode 14	Pass	AV	17.07549G	44.57	68.20	-23.63	3	Horizontal	326	1.14
Mode 14	Pass	PK	4.87403G	51.03	74.00	-22.97	3	Horizontal	328	2.00
Mode 14	Pass	PK	4.87529G	49.72	74.00	-24.28	3	Horizontal	123	1.26
Mode 14	Pass	PK	7.30785G	54.02	74.00	-19.98	3	Horizontal	315	1.51
Mode 14	Pass	PK	10.39898G	55.23	68.20	-12.97	3	Horizontal	96	1.54
Mode 14	Pass	PK	11.38954G	54.72	74.00	-19.28	3	Horizontal	343	2.61
Mode 14	Pass	PK	15.59115G	56.19	74.00	-17.81	3	Horizontal	360	1.70
Mode 14	Pass	PK	17.05821G	58.21	68.20	-9.99	3	Horizontal	326	1.14
Mode 15	Pass	AV	4.86692G	34.98	54.00	-19.02	3	Vertical	98	1.97
Mode 15	Pass	AV	4.8728G	34.84	54.00	-19.16	3	Vertical	342	2.80
Mode 15	Pass	AV	7.3116G	41.65	54.00	-12.35	3	Vertical	355	1.49
Mode 15	Pass	AV	13.33213G	45.32	54.00	-8.68	3	Vertical	17	2.53
Mode 15	Pass	AV	15.59892G	43.08	54.00	-10.92	3	Vertical	142	2.13
Mode 15	Pass	PK	4.86836G	45.82	74.00	-28.18	3	Vertical	342	2.80
Mode 15	Pass	PK	4.8695G	44.51	74.00	-29.49	3	Vertical	98	1.97
Mode 15	Pass	PK	7.31178G	52.57	74.00	-21.43	3	Vertical	355	1.49
Mode 15	Pass	PK	10.40768G	52.26	68.20	-15.94	3	Vertical	330	1.00
Mode 15	Pass	PK	13.32772G	54.74	74.00	-19.26	3	Vertical	17	2.53
Mode 15	Pass	PK	15.59676G	53.20	74.00	-20.80	3	Vertical	142	2.13
Mode 15	Pass	AV	4.86602G	36.13	54.00	-17.87	3	Horizontal	179	1.71
Mode 15	Pass	AV	4.87904G	38.03	54.00	-15.97	3	Horizontal	240	2.24
Mode 15	Pass	AV	7.31624G	40.51	54.00	-13.49	3	Horizontal	345	1.57
Mode 15	Pass	AV	13.3213G	45.40	54.00	-8.60	3	Horizontal	266	1.90
Mode 15	Pass	AV	15.59718G	43.26	54.00	-10.74	3	Horizontal	256	1.58
Mode 15	Pass	PK	4.87214G	47.75	74.00	-26.25	3	Horizontal	179	1.71
Mode 15	Pass	PK	4.87898G	49.32	74.00	-24.68	3	Horizontal	240	2.24
Mode 15	Pass	PK	7.31804G	52.21	74.00	-21.79	3	Horizontal	345	1.57
Mode 15	Pass	PK	10.40222G	51.89	68.20	-16.31	3	Horizontal	307	3.00
Mode 15	Pass	PK	13.31587G	54.24	74.00	-19.76	3	Horizontal	266	1.90
Mode 15	Pass	PK	15.59454G	53.61	74.00	-20.39	3	Horizontal	256	1.58
Mode 16	Pass	AV	4.87214G	34.89	54.00	-19.11	3	Vertical	16	1.55
Mode 16	Pass	AV	4.8736G	34.45	54.00	-19.55	3	Vertical	274	1.21
Mode 16	Pass	AV	7.31132G	49.96	54.00	-4.04	3	Vertical	11	1.48
Mode 16	Pass	AV	12.69537G	44.28	54.00	-9.72	3	Vertical	312	1.76
Mode 16	Pass	AV	15.59742G	42.85	54.00	-11.15	3	Vertical	335	2.03
Mode 16	Pass	PK	4.87584G	45.39	74.00	-28.61	3	Vertical	274	1.21
Mode 16	Pass	PK	4.87628G	44.97	74.00	-29.03	3	Vertical	16	1.55
Mode 16	Pass	PK	7.3114G	62.02	74.00	-11.98	3	Vertical	11	1.48
Mode 16	Pass	PK	10.39982G	52.71	68.20	-15.49	3	Vertical	283	2.47
Mode 16	Pass	PK	12.6942G	53.61	74.00	-20.39	3	Vertical	312	1.76




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 16	Pass	PK	15.59628G	52.63	74.00	-21.37	3	Vertical	335	2.03
Mode 16	Pass	AV	4.86752G	34.79	54.00	-19.21	3	Horizontal	247	1.83
Mode 16	Pass	AV	4.87346G	35.39	54.00	-18.61	3	Horizontal	116	1.35
Mode 16	Pass	AV	7.312G	49.52	54.00	-4.48	3	Horizontal	76	2.57
Mode 16	Pass	AV	12.68967G	44.91	54.00	-9.09	3	Horizontal	66	2.81
Mode 16	Pass	AV	15.59904G	42.93	54.00	-11.07	3	Horizontal	305	2.15
Mode 16	Pass	PK	4.8761G	45.54	74.00	-28.46	3	Horizontal	116	1.35
Mode 16	Pass	PK	4.87884G	46.78	74.00	-27.22	3	Horizontal	247	1.83
Mode 16	Pass	PK	7.30204G	62.79	74.00	-11.21	3	Horizontal	76	2.57
Mode 16	Pass	PK	10.39034G	51.43	68.20	-16.77	3	Horizontal	65	2.99
Mode 16	Pass	PK	12.70293G	53.82	68.20	-14.38	3	Horizontal	66	2.81
Mode 16	Pass	PK	15.60708G	53.56	74.00	-20.44	3	Horizontal	305	2.15
Mode 17	Pass	AV	4.86818G	34.99	54.00	-19.01	3	Vertical	104	1.38
Mode 17	Pass	AV	11.3674G	42.60	54.00	-11.40	3	Vertical	288	1.80
Mode 17	Pass	AV	12.68271G	44.70	54.00	-9.30	3	Vertical	43	2.34
Mode 17	Pass	AV	15.59604G	42.75	54.00	-11.25	3	Vertical	316	1.91
Mode 17	Pass	PK	4.86548G	45.49	74.00	-28.51	3	Vertical	104	1.38
Mode 17	Pass	PK	10.40616G	52.05	68.20	-16.15	3	Vertical	331	2.27
Mode 17	Pass	PK	11.36662G	52.82	74.00	-21.18	3	Vertical	288	1.80
Mode 17	Pass	PK	12.67605G	53.79	74.00	-20.21	3	Vertical	43	2.34
Mode 17	Pass	PK	15.60844G	53.61	74.00	-20.39	3	Vertical	316	1.91
Mode 17	Pass	PK	17.0685G	55.62	68.20	-12.58	3	Vertical	167	2.03
Mode 17	Pass	AV	4.8665G	35.03	54.00	-18.97	3	Horizontal	61	2.38
Mode 17	Pass	AV	11.38174G	42.69	54.00	-11.31	3	Horizontal	261	2.33
Mode 17	Pass	AV	12.68052G	44.82	54.00	-9.18	3	Horizontal	184	1.73
Mode 17	Pass	AV	15.60844G	43.09	54.00	-10.91	3	Horizontal	0	2.61
Mode 17	Pass	PK	4.8716G	45.50	74.00	-28.50	3	Horizontal	61	2.38
Mode 17	Pass	PK	10.40436G	51.67	68.20	-16.53	3	Horizontal	267	1.25
Mode 17	Pass	PK	11.3905G	52.55	74.00	-21.45	3	Horizontal	261	2.33
Mode 17	Pass	PK	12.68259G	53.59	74.00	-20.41	3	Horizontal	184	1.73
Mode 17	Pass	PK	15.59492G	53.13	74.00	-20.87	3	Horizontal	0	2.61
Mode 17	Pass	PK	17.058G	55.07	68.20	-13.13	3	Horizontal	130	1.38
Mode 18	Pass	AV	4.86692G	34.98	54.00	-19.02	3	Vertical	98	1.97
Mode 18	Pass	AV	4.8728G	34.84	54.00	-19.16	3	Vertical	342	2.80
Mode 18	Pass	AV	7.3116G	41.65	54.00	-12.35	3	Vertical	355	1.49
Mode 18	Pass	AV	13.33213G	45.32	54.00	-8.68	3	Vertical	17	2.53
Mode 18	Pass	AV	15.59892G	43.08	54.00	-10.92	3	Vertical	142	2.13
Mode 18	Pass	PK	4.86836G	45.82	74.00	-28.18	3	Vertical	342	2.80
Mode 18	Pass	PK	4.8695G	44.51	74.00	-29.49	3	Vertical	98	1.97
Mode 18	Pass	PK	7.31178G	52.57	74.00	-21.43	3	Vertical	355	1.49
Mode 18	Pass	PK	10.40768G	52.26	68.20	-15.94	3	Vertical	330	1.00
Mode 18	Pass	PK	13.32772G	54.74	74.00	-19.26	3	Vertical	17	2.53
Mode 18	Pass	PK	15.59676G	53.20	74.00	-20.80	3	Vertical	142	2.13
Mode 18	Pass	AV	4.86602G	36.13	54.00	-17.87	3	Horizontal	179	1.71
Mode 18	Pass	AV	4.87904G	38.03	54.00	-15.97	3	Horizontal	240	2.24
Mode 18	Pass	AV	7.31624G	40.51	54.00	-13.49	3	Horizontal	345	1.57
Mode 18	Pass	AV	13.3213G	45.40	54.00	-8.60	3	Horizontal	266	1.90
Mode 18	Pass	AV	15.59718G	43.26	54.00	-10.74	3	Horizontal	256	1.58
Mode 18	Pass	PK	4.87214G	47.75	74.00	-26.25	3	Horizontal	179	1.71
Mode 18	Pass	PK	4.87898G	49.32	74.00	-24.68	3	Horizontal	240	2.24




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 18	Pass	PK	7.31804G	52.21	74.00	-21.79	3	Horizontal	345	1.57
Mode 18	Pass	PK	10.40222G	51.89	68.20	-16.31	3	Horizontal	307	3.00
Mode 18	Pass	PK	13.31587G	54.24	74.00	-19.76	3	Horizontal	266	1.90
Mode 18	Pass	PK	15.59454G	53.61	74.00	-20.39	3	Horizontal	256	1.58

Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88684G	31.85	54.00	-22.15	3.72	3	Vertical	38	1.66	-	28.13	32.65	5.72	34.65
AV	4.88834G	31.66	54.00	-22.34	3.72	3	Vertical	76	1.39	-	27.94	32.65	5.72	34.65
AV	4.966G	33.42	54.00	-20.58	4.19	3	Vertical	335	1.05	-	29.23	33.06	5.77	34.64
AV	7.31004G	42.52	54.00	-11.48	9.10	3	Vertical	60	1.88	-	33.42	37.06	6.82	34.78
AV	7.3136G	40.99	54.00	-13.01	9.09	3	Vertical	60	2.51	-	31.90	37.05	6.82	34.78
AV	15.60348G	43.33	54.00	-10.67	13.14	3	Vertical	105	2.09	-	30.19	38.28	9.82	34.96
PK	4.87616G	42.30	74.00	-31.70	3.67	3	Vertical	38	1.66	-	38.63	32.60	5.72	34.65
PK	4.8881G	43.09	74.00	-30.91	3.72	3	Vertical	76	1.39	-	39.37	32.65	5.72	34.65
PK	4.97014G	44.01	74.00	-29.99	4.21	3	Vertical	335	1.05	-	39.80	33.08	5.77	34.64
PK	7.31212G	53.54	74.00	-20.46	9.09	3	Vertical	60	2.5	-	44.45	37.05	6.82	34.78
PK	7.31848G	53.95	74.00	-20.05	9.08	3	Vertical	60	1.88	-	44.87	37.03	6.83	34.78
PK	10.39324G	52.49	68.20	-15.71	12.29	3	Vertical	15	2.09	-	40.20	39.08	8.04	34.83
PK	15.6098G	53.32	74.00	-20.68	13.11	3	Vertical	105	2.09	-	40.21	38.25	9.82	34.96

Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88888G	32.00	54.00	-22.00	3.73	3	Horizontal	105	1.87	-	28.27	32.66	5.72	34.65
AV	4.88894G	31.70	54.00	-22.30	3.73	3	Horizontal	228	1.29	-	27.97	32.66	5.72	34.65
AV	4.9657G	33.52	54.00	-20.48	4.19	3	Horizontal	359	1.75	-	29.33	33.06	5.77	34.64
AV	7.31224G	43.33	54.00	-10.67	9.09	3	Horizontal	18	1.54	-	34.24	37.05	6.82	34.78
AV	7.31232G	44.18	54.00	-9.82	9.09	3	Horizontal	16	1.49	-	35.09	37.05	6.82	34.78
AV	15.60604G	43.27	54.00	-10.73	13.13	3	Horizontal	329	1.40	-	30.14	38.27	9.82	34.96
PK	4.87664G	43.79	74.00	-30.21	3.68	3	Horizontal	105	1.87	-	40.11	32.61	5.72	34.65
PK	4.88456G	43.08	74.00	-30.92	3.71	3	Horizontal	228	1.29	-	39.37	32.64	5.72	34.65
PK	4.97428G	44.76	74.00	-29.24	4.23	3	Horizontal	359	1.75	-	40.53	33.10	5.77	34.64
PK	7.30216G	55.74	74.00	-18.26	9.13	3	Horizontal	16	1.49	-	46.61	37.09	6.82	34.78
PK	7.3022G	56.33	74.00	-17.67	9.13	3	Horizontal	18	1.54	-	47.20	37.09	6.82	34.78
PK	10.41362G	52.95	68.20	-15.25	12.30	3	Horizontal	269	1.95	-	40.65	39.07	8.04	34.81
PK	15.60648G	53.91	74.00	-20.09	13.13	3	Horizontal	329	1.40	-	40.78	38.27	9.82	34.96

Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88296G	32.01	54.00	-21.99	3.70	3	Vertical	263	2.25	-	28.31	32.63	5.72	34.65
AV	4.95976G	33.55	54.00	-20.45	4.17	3	Vertical	269	2.80	-	29.38	33.04	5.77	34.64
AV	7.3144G	40.29	54.00	-13.71	9.08	3	Vertical	321	2.30	-	31.21	37.04	6.82	34.78
AV	11.38684G	43.65	54.00	-10.35	12.97	3	Vertical	229	1.90	-	30.68	39.09	8.45	34.57
AV	15.60544G	43.33	54.00	-10.67	13.13	3	Vertical	201	1.18	-	30.20	38.27	9.82	34.96
PK	4.87208G	42.53	74.00	-31.47	3.65	3	Vertical	263	2.25	-	38.88	32.59	5.71	34.65
PK	4.97452G	44.32	74.00	-29.68	4.23	3	Vertical	269	2.80	-	40.09	33.10	5.77	34.64
PK	7.30912G	52.43	74.00	-21.57	9.10	3	Vertical	321	2.30	-	43.33	37.06	6.82	34.78
PK	10.39348G	52.61	68.20	-15.59	12.29	3	Vertical	227	2.50	-	40.32	39.08	8.04	34.83
PK	11.37364G	52.90	74.00	-21.10	12.95	3	Vertical	229	1.90	-	39.95	39.07	8.45	34.57
PK	15.59952G	53.45	74.00	-20.55	13.16	3	Vertical	201	1.18	-	40.29	38.30	9.81	34.95
PK	17.06004G	54.82	68.20	-13.38	13.79	3	Vertical	245	1.01	-	41.03	37.76	10.19	34.16

Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88388G	31.78	54.00	-22.22	3.71	3	Horizontal	279	2.86	-	28.07	32.64	5.72	34.65
AV	4.97362G	33.53	54.00	-20.47	4.22	3	Horizontal	292	1.94	-	29.31	33.09	5.77	34.64
AV	7.31024G	41.47	54.00	-12.53	9.10	3	Horizontal	305	2.25	-	32.37	37.06	6.82	34.78
AV	11.38888G	43.81	54.00	-10.19	12.97	3	Horizontal	91	2.19	-	30.84	39.09	8.45	34.57
AV	15.60812G	43.37	54.00	-10.63	13.12	3	Horizontal	265	2.63	-	30.25	38.26	9.82	34.96
PK	4.88396G	42.91	74.00	-31.09	3.71	3	Horizontal	279	2.86	-	39.20	32.64	5.72	34.65
PK	4.95058G	44.36	74.00	-29.64	4.12	3	Horizontal	292	1.94	-	40.24	33.00	5.76	34.64
PK	7.31768G	53.29	74.00	-20.71	9.08	3	Horizontal	305	2.25	-	44.21	37.03	6.83	34.78
PK	10.40692G	53.51	68.20	-14.69	12.32	3	Horizontal	32	2.99	-	41.19	39.09	8.04	34.81
PK	11.37178G	52.77	74.00	-21.23	12.95	3	Horizontal	91	2.19	-	39.82	39.07	8.45	34.57
PK	15.59912G	53.81	74.00	-20.19	13.16	3	Horizontal	265	2.63	-	40.65	38.30	9.81	34.95
PK	17.08254G	55.45	68.20	-12.75	13.80	3	Horizontal	341	2.89	-	41.65	37.78	10.19	34.17

Radiated Emissions above 1GHz\_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86732G	32.17	54.00	-21.83	3.63	3	Vertical	113	1.12	-	28.54	32.57	5.71	34.65
AV	4.97302G	33.57	54.00	-20.43	4.22	3	Vertical	125	1.37	-	29.35	33.09	5.77	34.64
AV	7.31172G	40.06	54.00	-13.94	9.09	3	Vertical	320	2.29	-	30.97	37.05	6.82	34.78
AV	13.32319G	45.62	54.00	-8.38	16.12	3	Vertical	320	2.18	-	29.50	39.99	9.11	32.98
AV	15.60184G	43.34	54.00	-10.66	13.14	3	Vertical	237	1.91	-	30.20	38.29	9.81	34.96
PK	4.86676G	42.83	74.00	-31.17	3.63	3	Vertical	113	1.12	-	39.20	32.57	5.71	34.65
PK	4.95892G	43.99	74.00	-30.01	4.17	3	Vertical	125	1.37	-	39.82	33.04	5.77	34.64
PK	7.30232G	51.72	74.00	-22.28	9.13	3	Vertical	320	2.29	-	42.59	37.09	6.82	34.78
PK	10.40896G	52.47	68.20	-15.73	12.31	3	Vertical	13	1.85	-	40.16	39.08	8.04	34.81
PK	13.3426G	55.17	74.00	-18.83	16.23	3	Vertical	320	2.18	-	38.94	40.07	9.11	32.95
PK	15.5938G	53.30	74.00	-20.70	13.17	3	Vertical	237	1.91	-	40.13	38.31	9.81	34.95

Radiated Emissions above 1GHz\_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86508G	32.35	54.00	-21.65	3.62	3	Horizontal	92	2.43	-	28.73	32.56	5.71	34.65
AV	4.9648G	33.54	54.00	-20.46	4.19	3	Horizontal	138	2.93	-	29.35	33.06	5.77	34.64
AV	7.31252G	41.12	54.00	-12.88	9.09	3	Horizontal	305	2.27	-	32.03	37.05	6.82	34.78
AV	13.31926G	45.71	54.00	-8.29	16.10	3	Horizontal	3	2.79	-	29.61	39.98	9.11	32.99
AV	15.59484G	43.47	54.00	-10.53	13.17	3	Horizontal	144	2.60	-	30.30	38.31	9.81	34.95
PK	4.87124G	43.21	74.00	-30.79	3.64	3	Horizontal	92	2.43	-	39.57	32.58	5.71	34.65
PK	4.9534G	44.15	74.00	-29.85	4.13	3	Horizontal	138	2.93	-	40.02	33.01	5.76	34.64
PK	7.31272G	52.96	74.00	-21.04	9.09	3	Horizontal	305	2.27	-	43.87	37.05	6.82	34.78
PK	10.40324G	53.38	68.20	-14.82	12.31	3	Horizontal	24	1.50	-	41.07	39.09	8.04	34.82
PK	13.31815G	55.51	74.00	-18.49	16.09	3	Horizontal	3	2.79	-	39.42	39.97	9.11	32.99
PK	15.59596G	53.78	74.00	-20.22	13.17	3	Horizontal	144	2.60	-	40.61	38.31	9.81	34.95


Radiated Emissions above 1GHz\_Mode 4



07/01/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86432G	31.08	54.00	-22.92	3.62	3	Vertical	242	2.69	-	27.46	32.56	5.71	34.65
AV	4.97476G	33.57	54.00	-20.43	4.23	3	Vertical	154	1.22	-	29.34	33.10	5.77	34.64
AV	7.31088G	53.81	54.00	-0.19	9.10	3	Vertical	4	2.05	-	44.71	37.06	6.82	34.78
AV	12.69771G	45.17	54.00	-8.83	14.37	3	Vertical	127	1.89	-	30.80	39.49	8.92	34.04
AV	15.59148G	43.25	54.00	-10.75	13.18	3	Vertical	129	2.02	-	30.07	38.32	9.81	34.95
PK	4.8664G	42.23	74.00	-31.77	3.63	3	Vertical	242	2.69	-	38.60	32.57	5.71	34.65
PK	4.97422G	45.33	74.00	-28.67	4.23	3	Vertical	154	1.22	-	41.10	33.10	5.77	34.64
PK	7.30208G	69.11	74.00	-4.89	9.13	3	Vertical	4	2.05	-	59.98	37.09	6.82	34.78
PK	10.39652G	52.43	68.20	-15.77	12.30	3	Vertical	103	2.73	-	40.13	39.09	8.04	34.83
PK	12.69084G	53.62	74.00	-20.38	14.34	3	Vertical	127	1.89	-	39.28	39.47	8.92	34.05
PK	15.60016G	53.11	74.00	-20.89	13.16	3	Vertical	129	2.02	-	39.95	38.30	9.81	34.95

Radiated Emissions above 1GHz\_Mode 4




07/01/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86436G	31.09	54.00	-22.91	3.62	3	Horizontal	344	2.19	-	27.47	32.56	5.71	34.65
AV	4.97068G	33.52	54.00	-20.48	4.21	3	Horizontal	299	2.06	-	29.31	33.08	5.77	34.64
AV	7.31196G	53.29	54.00	-0.71	9.09	3	Horizontal	68	2.03	-	44.20	37.05	6.82	34.78
AV	12.69468G	45.21	54.00	-8.79	14.36	3	Horizontal	267	1.26	-	30.85	39.48	8.92	34.04
AV	15.59264G	43.10	54.00	-10.90	13.17	3	Horizontal	59	1.46	-	29.93	38.31	9.81	34.95
PK	4.87156G	42.44	74.00	-31.56	3.65	3	Horizontal	344	2.19	-	38.79	32.59	5.71	34.65
PK	4.97188G	44.17	74.00	-29.83	4.22	3	Horizontal	299	2.06	-	39.95	33.09	5.77	34.64
PK	7.30212G	69.45	74.00	-4.55	9.13	3	Horizontal	68	2.03	-	60.32	37.09	6.82	34.78
PK	10.3994G	53.13	68.20	-15.07	12.32	3	Horizontal	314	2.17	-	40.81	39.10	8.04	34.82
PK	12.67725G	54.41	74.00	-19.59	14.27	3	Horizontal	267	1.26	-	40.14	39.43	8.91	34.07
PK	15.60148G	53.17	74.00	-20.83	13.14	3	Horizontal	59	1.46	-	40.03	38.29	9.81	34.96




Radiated Emissions above 1GHz\_Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97452G	33.59	54.00	-20.41	4.23	3	Vertical	352	1.96	-	29.36	33.10	5.77	34.64
AV	11.38582G	43.59	54.00	-10.41	12.97	3	Vertical	322	1.05	-	30.62	39.09	8.45	34.57
AV	12.68655G	44.92	54.00	-9.08	14.32	3	Vertical	164	2.72	-	30.60	39.46	8.92	34.06
AV	15.59952G	43.18	54.00	-10.82	13.16	3	Vertical	122	1.14	-	30.02	38.30	9.81	34.95
PK	4.96138G	44.61	74.00	-29.39	4.18	3	Vertical	352	1.96	-	40.43	33.05	5.77	34.64
PK	10.39788G	52.18	68.20	-16.02	12.31	3	Vertical	203	1.83	-	39.87	39.09	8.04	34.82
PK	11.3719G	52.70	74.00	-21.30	12.95	3	Vertical	322	1.05	-	39.75	39.07	8.45	34.57
PK	12.6978G	53.78	74.00	-20.22	14.37	3	Vertical	164	2.72	-	39.41	39.49	8.92	34.04
PK	15.59804G	54.15	74.00	-19.85	13.16	3	Vertical	122	1.14	-	40.99	38.30	9.81	34.95
PK	17.07762G	54.97	68.20	-13.23	13.80	3	Vertical	310	1.68	-	41.17	37.78	10.19	34.17


Radiated Emissions above 1GHz\_Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97494G	33.53	54.00	-20.47	4.23	3	Horizontal	230	2.13	-	29.30	33.10	5.77	34.64
AV	11.36986G	43.53	54.00	-10.47	12.95	3	Horizontal	24	1.44	-	30.58	39.07	8.45	34.57
AV	12.69714G	45.07	54.00	-8.93	14.37	3	Horizontal	102	2.54	-	30.70	39.49	8.92	34.04
AV	15.59768G	43.27	54.00	-10.73	13.16	3	Horizontal	35	1.20	-	30.11	38.30	9.81	34.95
PK	4.9741G	44.94	74.00	-29.06	4.23	3	Horizontal	230	2.13	-	40.71	33.10	5.77	34.64
PK	10.40112G	52.45	68.20	-15.75	12.32	3	Horizontal	123	1.47	-	40.13	39.10	8.04	34.82
PK	11.37142G	53.10	74.00	-20.90	12.95	3	Horizontal	24	1.44	-	40.15	39.07	8.45	34.57
PK	12.69534G	54.11	74.00	-19.89	14.37	3	Horizontal	102	2.54	-	39.74	39.49	8.92	34.04
PK	15.60844G	53.97	74.00	-20.03	13.12	3	Horizontal	35	1.20	-	40.85	38.26	9.82	34.96
PK	17.07312G	55.04	68.20	-13.16	13.80	3	Horizontal	82	2.06	-	41.24	37.77	10.19	34.16




Radiated Emissions above 1GHz\_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.9717G	33.69	54.00	-20.31	4.22	3	Vertical	52	2.39	-	29.47	33.09	5.77	34.64
AV	12.69702G	45.01	54.00	-8.99	14.37	3	Vertical	97	1.65	-	30.64	39.49	8.92	34.04
AV	13.33948G	45.70	54.00	-8.30	16.22	3	Vertical	326	2.25	-	29.48	40.06	9.11	32.95
AV	15.6012G	43.36	54.00	-10.64	13.15	3	Vertical	299	2.59	-	30.21	38.29	9.81	34.95
PK	4.9558G	44.34	74.00	-29.66	4.14	3	Vertical	52	2.39	-	40.20	33.02	5.76	34.64
PK	10.39888G	52.65	68.20	-15.55	12.32	3	Vertical	79	2.24	-	40.33	39.10	8.04	34.82
PK	12.68997G	54.13	74.00	-19.87	14.34	3	Vertical	97	1.65	-	39.79	39.47	8.92	34.05
PK	13.31941G	55.06	74.00	-18.94	16.10	3	Vertical	326	2.25	-	38.96	39.98	9.11	32.99
PK	15.60836G	53.57	74.00	-20.43	13.12	3	Vertical	299	2.59	-	40.45	38.26	9.82	34.96

Radiated Emissions above 1GHz\_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96996G	33.66	54.00	-20.34	4.21	3	Horizontal	111	1.08	-	29.45	33.08	5.77	34.64
AV	12.69099G	45.18	54.00	-8.82	14.34	3	Horizontal	110	2.67	-	30.84	39.47	8.92	34.05
AV	13.32535G	46.03	54.00	-7.97	16.13	3	Horizontal	230	1.00	-	29.90	40.00	9.11	32.98
AV	15.6022G	43.57	54.00	-10.43	13.14	3	Horizontal	220	2.32	-	30.43	38.29	9.81	34.96
PK	4.96366G	44.74	74.00	-29.26	4.18	3	Horizontal	111	1.08	-	40.56	33.05	5.77	34.64
PK	10.40304G	54.00	68.20	-14.20	12.31	3	Horizontal	153	2.73	-	41.69	39.09	8.04	34.82
PK	12.6948G	54.00	74.00	-20.00	14.36	3	Horizontal	110	2.67	-	39.64	39.48	8.92	34.04
PK	13.32301G	54.94	74.00	-19.06	16.12	3	Horizontal	230	1.00	-	38.82	39.99	9.11	32.98
PK	15.5956G	52.89	74.00	-21.11	13.17	3	Horizontal	220	2.32	-	39.72	38.31	9.81	34.95

Radiated Emissions above 1GHz\_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80873G	31.19	54.00	-22.81	4.96	3	Vertical	51	1.42	-	26.23	32.35	6.90	34.29
AV	4.87538G	32.62	54.00	-21.38	5.32	3	Vertical	325	1.41	-	27.30	32.70	6.90	34.28
AV	7.30584G	36.99	54.00	-17.01	10.60	3	Vertical	275	1.50	-	26.39	36.88	8.52	34.80
AV	15.6003G	43.03	54.00	-10.97	17.07	3	Vertical	124	1.40	-	25.96	38.70	12.55	34.18
PK	4.8082G	44.71	74.00	-29.29	4.96	3	Vertical	51	1.42	-	39.75	32.35	6.90	34.29
PK	4.86554G	45.47	74.00	-28.53	5.27	3	Vertical	325	1.41	-	40.20	32.66	6.90	34.29
PK	7.30276G	50.39	74.00	-23.61	10.61	3	Vertical	275	1.50	-	39.78	36.89	8.52	34.80
PK	10.39498G	54.15	68.20	-14.05	14.44	3	Vertical	51	1.50	-	39.71	38.99	10.34	34.89
PK	15.5914G	56.71	74.00	-17.29	17.08	3	Vertical	124	1.40	-	39.63	38.71	12.55	34.18

Radiated Emissions above 1GHz\_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81083G	31.84	54.00	-22.16	4.97	3	Horizontal	188	1.66	-	26.87	32.36	6.90	34.29
AV	4.86456G	33.06	54.00	-20.94	5.27	3	Horizontal	39	1.25	-	27.79	32.66	6.90	34.29
AV	7.30558G	37.06	54.00	-16.94	10.60	3	Horizontal	280	1.03	-	26.46	36.88	8.52	34.80
AV	15.59134G	43.08	54.00	-10.92	17.08	3	Horizontal	183	1.57	-	26.00	38.71	12.55	34.18
PK	4.81066G	45.98	74.00	-28.02	4.97	3	Horizontal	188	1.66	-	41.01	32.36	6.90	34.29
PK	4.8663G	46.29	74.00	-27.71	5.28	3	Horizontal	39	1.25	-	41.01	32.67	6.90	34.29
PK	7.30592G	51.33	74.00	-22.67	10.60	3	Horizontal	280	1.03	-	40.73	36.88	8.52	34.80
PK	10.3946G	54.73	68.20	-13.47	14.44	3	Horizontal	325	1.50	-	40.29	38.99	10.34	34.89
PK	15.60242G	56.93	74.00	-17.07	17.06	3	Horizontal	183	1.57	-	39.87	38.69	12.55	34.18

Radiated Emissions above 1GHz\_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81338G	31.98	54.00	-22.02	4.99	3	Vertical	144	1.50	-	26.99	32.38	6.90	34.29
AV	4.87438G	31.56	54.00	-22.44	5.31	3	Vertical	314	1.50	-	26.25	32.70	6.90	34.29
AV	7.31154G	37.35	54.00	-16.65	10.58	3	Vertical	359	1.50	-	26.77	36.85	8.53	34.80
AV	10.39926G	41.47	68.20	-26.73	14.46	3	Vertical	25	1.36	-	27.01	39.00	10.35	34.89
AV	11.38734G	41.52	54.00	-12.48	15.46	3	Vertical	30	1.13	-	26.06	39.19	10.76	34.49
AV	15.59214G	43.06	54.00	-10.94	17.08	3	Vertical	348	1.50	-	25.98	38.71	12.55	34.18
AV	17.06386G	44.30	68.20	-23.90	18.87	3	Vertical	329	1.50	-	25.43	38.23	13.85	33.21
PK	4.8107G	45.73	74.00	-28.27	4.97	3	Vertical	144	1.50	-	40.76	32.36	6.90	34.29
PK	4.87096G	44.90	74.00	-29.10	5.29	3	Vertical	314	1.50	-	39.61	32.68	6.90	34.29
PK	7.31414G	50.69	74.00	-23.31	10.57	3	Vertical	359	1.50	-	40.12	36.84	8.53	34.80
PK	10.39414G	58.52	68.20	-9.68	14.44	3	Vertical	25	1.36	-	44.08	38.99	10.34	34.89
PK	11.38426G	54.88	74.00	-19.12	15.44	3	Vertical	30	1.13	-	39.44	39.18	10.75	34.49
PK	15.6138G	57.18	74.00	-16.82	17.03	3	Vertical	348	1.50	-	40.15	38.66	12.56	34.19
PK	17.07112G	57.65	68.20	-10.55	18.89	3	Vertical	329	1.50	-	38.76	38.24	13.85	33.20

Radiated Emissions above 1GHz\_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8149G	31.90	54.00	-22.10	5.00	3	Horizontal	143	1.10	-	26.90	32.39	6.90	34.29
AV	4.86424G	31.58	54.00	-22.42	5.27	3	Horizontal	161	1.50	-	26.31	32.66	6.90	34.29
AV	7.31044G	37.20	54.00	-16.80	10.59	3	Horizontal	21	1.50	-	26.61	36.86	8.53	34.80
AV	10.40226G	41.56	68.20	-26.64	14.47	3	Horizontal	300	2.94	-	27.09	39.00	10.35	34.88
AV	11.38762G	41.29	54.00	-12.71	15.46	3	Horizontal	66	2.88	-	25.83	39.19	10.76	34.49
AV	15.5886G	42.99	54.00	-11.01	17.07	3	Horizontal	267	1.70	-	25.92	38.71	12.54	34.18
AV	17.06556G	44.41	68.20	-23.79	18.87	3	Horizontal	173	1.50	-	25.54	38.23	13.85	33.21
PK	4.80626G	45.92	74.00	-28.08	4.95	3	Horizontal	143	1.10	-	40.97	32.34	6.90	34.29
PK	4.87332G	45.48	74.00	-28.52	5.30	3	Horizontal	161	1.50	-	40.18	32.69	6.90	34.29
PK	7.30858G	50.82	74.00	-23.18	10.59	3	Horizontal	21	1.50	-	40.23	36.87	8.52	34.80
PK	10.39634G	58.93	68.20	-9.27	14.45	3	Horizontal	300	2.94	-	44.48	39.00	10.34	34.89
PK	11.38916G	55.04	74.00	-18.96	15.46	3	Horizontal	66	2.88	-	39.58	39.19	10.76	34.49
PK	15.5982G	56.26	74.00	-17.74	17.07	3	Horizontal	267	1.70	-	39.19	38.70	12.55	34.18
PK	17.07146G	57.17	68.20	-11.03	18.89	3	Horizontal	173	1.50	-	38.28	38.24	13.85	33.20


Radiated Emissions above 1GHz\_Mode 9



18/04/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81188G	32.01	54.00	-21.99	4.98	3	Vertical	186	1.50	-	27.03	32.37	6.90	34.29
AV	4.86548G	31.64	54.00	-22.36	5.27	3	Vertical	198	1.53	-	26.37	32.66	6.90	34.29
AV	7.30212G	37.28	54.00	-16.72	10.61	3	Vertical	48	1.50	-	26.67	36.89	8.52	34.80
AV	10.39928G	41.71	68.20	-26.49	14.46	3	Vertical	26	1.50	-	27.25	39.00	10.35	34.89
AV	13.32908G	42.93	54.00	-11.07	18.44	3	Vertical	276	1.49	-	24.49	39.92	11.53	33.01
AV	15.5924G	43.15	54.00	-10.85	17.08	3	Vertical	109	1.50	-	26.07	38.71	12.55	34.18
PK	4.80676G	44.99	74.00	-29.01	4.95	3	Vertical	186	1.50	-	40.04	32.34	6.90	34.29
PK	4.8654G	45.14	74.00	-28.86	5.27	3	Vertical	198	1.53	-	39.87	32.66	6.90	34.29
PK	7.30244G	51.08	74.00	-22.92	10.61	3	Vertical	48	1.50	-	40.47	36.89	8.52	34.80
PK	10.39436G	59.63	68.20	-8.57	14.44	3	Vertical	26	1.50	-	45.19	38.99	10.34	34.89
PK	13.33504G	56.17	74.00	-17.83	18.47	3	Vertical	276	1.49	-	37.70	39.94	11.53	33.00
PK	15.60812G	56.72	74.00	-17.28	17.04	3	Vertical	109	1.50	-	39.68	38.68	12.55	34.19


Radiated Emissions above 1GHz\_Mode 9



18/04/2023


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8128G	31.89	54.00	-22.11	4.99	3	Horizontal	262	1.08	-	26.90	32.38	6.90	34.29
AV	4.8688G	31.52	54.00	-22.48	5.29	3	Horizontal	113	1.04	-	26.23	32.68	6.90	34.29
AV	7.30596G	37.14	54.00	-16.86	10.60	3	Horizontal	57	1.06	-	26.54	36.88	8.52	34.80
AV	10.39952G	41.43	68.20	-26.77	14.46	3	Horizontal	59	1.64	-	26.97	39.00	10.35	34.89
AV	13.33676G	42.90	54.00	-11.10	18.48	3	Horizontal	163	1.50	-	24.42	39.95	11.53	33.00
AV	15.59524G	43.03	54.00	-10.97	17.07	3	Horizontal	324	1.50	-	25.96	38.70	12.55	34.18
PK	4.80512G	45.17	74.00	-28.83	4.94	3	Horizontal	262	1.08	-	40.23	32.33	6.90	34.29
PK	4.86864G	44.69	74.00	-29.31	5.28	3	Horizontal	113	1.04	-	39.41	32.67	6.90	34.29
PK	7.30712G	50.10	74.00	-23.90	10.59	3	Horizontal	57	1.06	-	39.51	36.87	8.52	34.80
PK	10.39668G	57.57	68.20	-10.63	14.45	3	Horizontal	59	1.64	-	43.12	39.00	10.34	34.89
PK	13.33984G	57.31	74.00	-16.69	18.50	3	Horizontal	163	1.50	-	38.81	39.96	11.53	32.99
PK	15.59996G	56.68	74.00	-17.32	17.07	3	Horizontal	324	1.50	-	39.61	38.70	12.55	34.18

Radiated Emissions above 1GHz\_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82098G	31.66	54.00	-22.34	5.04	3	Vertical	325	1.30	-	26.62	32.43	6.90	34.29
AV	4.87376G	33.96	54.00	-20.04	5.31	3	Vertical	360	1.50	-	28.65	32.70	6.90	34.29
AV	7.31112G	51.72	54.00	-2.28	10.59	3	Vertical	8	1.65	-	41.13	36.86	8.53	34.80
AV	10.41374G	40.96	68.20	-27.24	14.47	3	Vertical	153	1.50	-	26.49	39.00	10.35	34.88
AV	12.67932G	42.29	54.00	-11.71	16.72	3	Vertical	215	1.77	-	25.57	39.48	11.27	34.03
AV	15.59412G	42.91	54.00	-11.09	17.08	3	Vertical	299	1.50	-	25.83	38.71	12.55	34.18
PK	4.81003G	44.55	74.00	-29.45	4.97	3	Vertical	325	1.30	-	39.58	32.36	6.90	34.29
PK	4.8737G	47.41	74.00	-26.59	5.30	3	Vertical	360	1.50	-	42.11	32.69	6.90	34.29
PK	7.31832G	65.35	74.00	-8.65	10.57	3	Vertical	8	1.65	-	54.78	36.83	8.54	34.80
PK	10.39187G	55.17	68.20	-13.03	14.44	3	Vertical	153	1.50	-	40.73	38.99	10.34	34.89
PK	12.68421G	55.79	74.00	-18.21	16.73	3	Vertical	215	1.77	-	39.06	39.48	11.28	34.03
PK	15.59139G	56.31	74.00	-17.69	17.08	3	Vertical	299	1.50	-	39.23	38.71	12.55	34.18

Radiated Emissions above 1GHz\_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80904G	32.93	54.00	-21.07	4.96	3	Horizontal	43	1.95	-	27.97	32.35	6.90	34.29
AV	4.87361G	34.89	54.00	-19.11	5.30	3	Horizontal	357	1.50	-	29.59	32.69	6.90	34.29
AV	7.3101G	47.20	54.00	-6.80	10.59	3	Horizontal	51	1.58	-	36.61	36.86	8.53	34.80
AV	10.40426G	41.03	68.20	-27.17	14.47	3	Horizontal	22	1.00	-	26.56	39.00	10.35	34.88
AV	12.68112G	42.32	54.00	-11.68	16.73	3	Horizontal	263	1.50	-	25.59	39.48	11.28	34.03
AV	15.59271G	42.96	54.00	-11.04	17.08	3	Horizontal	31	1.99	-	25.88	38.71	12.55	34.18
PK	4.81627G	44.79	74.00	-29.21	5.01	3	Horizontal	43	1.95	-	39.78	32.40	6.90	34.29
PK	4.86806G	47.73	74.00	-26.27	5.28	3	Horizontal	357	1.50	-	42.45	32.67	6.90	34.29
PK	7.30212G	60.91	74.00	-13.09	10.61	3	Horizontal	51	1.58	-	50.30	36.89	8.52	34.80
PK	10.39529G	54.34	68.20	-13.86	14.45	3	Horizontal	22	1.00	-	39.89	39.00	10.34	34.89
PK	12.70455G	55.68	68.20	-12.52	16.80	3	Horizontal	263	1.50	-	38.88	39.51	11.28	33.99
PK	15.60396G	56.40	74.00	-17.60	17.06	3	Horizontal	31	1.99	-	39.34	38.69	12.55	34.18

Radiated Emissions above 1GHz\_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81936G	33.10	54.00	-20.90	5.03	3	Vertical	0	1.28	-	28.07	32.42	6.90	34.29
AV	10.40762G	40.76	68.20	-27.44	14.47	3	Vertical	360	2.00	-	26.29	39.00	10.35	34.88
AV	11.39254G	41.58	54.00	-12.42	15.46	3	Vertical	55	1.83	-	26.12	39.19	10.76	34.49
AV	12.78592G	42.72	68.20	-25.48	17.23	3	Vertical	125	1.56	-	25.49	39.76	11.32	33.85
AV	15.59139G	43.01	54.00	-10.99	17.08	3	Vertical	242	1.50	-	25.93	38.71	12.55	34.18
AV	17.07336G	44.51	68.20	-23.69	18.91	3	Vertical	122	1.10	-	25.60	38.25	13.86	33.20
PK	4.79845G	46.73	74.00	-27.27	4.91	3	Vertical	0	1.28	-	41.82	32.30	6.90	34.29
PK	10.40318G	54.44	68.20	-13.76	14.47	3	Vertical	360	2.00	-	39.97	39.00	10.35	34.88
PK	11.37577G	54.68	74.00	-19.32	15.44	3	Vertical	55	1.83	-	39.24	39.18	10.75	34.49
PK	12.79732G	55.74	68.20	-12.46	17.28	3	Vertical	125	1.56	-	38.46	39.79	11.32	33.83
PK	15.59892G	55.93	74.00	-18.07	17.07	3	Vertical	242	1.50	-	38.86	38.70	12.55	34.18
PK	17.05521G	57.18	68.20	-11.02	18.84	3	Vertical	122	1.10	-	38.34	38.21	13.84	33.21

Radiated Emissions above 1GHz\_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82452G	33.39	54.00	-20.61	5.06	3	Horizontal	63	2.26	-	28.33	32.45	6.90	34.29
AV	10.40933G	40.67	68.20	-27.53	14.47	3	Horizontal	253	2.37	-	26.20	39.00	10.35	34.88
AV	11.39365G	41.54	54.00	-12.46	15.46	3	Horizontal	73	1.33	-	26.08	39.19	10.76	34.49
AV	12.79345G	42.65	68.20	-25.55	17.27	3	Horizontal	344	1.05	-	25.38	39.78	11.32	33.83
AV	15.60459G	42.90	54.00	-11.10	17.06	3	Horizontal	189	1.18	-	25.84	38.69	12.55	34.18
AV	17.06007G	44.50	68.20	-23.70	18.85	3	Horizontal	45	2.75	-	25.65	38.22	13.84	33.21
PK	4.81531G	46.98	74.00	-27.02	5.00	3	Horizontal	63	2.26	-	41.98	32.39	6.90	34.29
PK	10.40504G	54.44	68.20	-13.76	14.47	3	Horizontal	253	2.37	-	39.97	39.00	10.35	34.88
PK	11.38837G	54.99	74.00	-19.01	15.46	3	Horizontal	73	1.33	-	39.53	39.19	10.76	34.49
PK	12.8035G	55.53	68.20	-12.67	17.31	3	Horizontal	344	1.05	-	38.22	39.81	11.32	33.82
PK	15.59508G	56.05	74.00	-17.95	17.07	3	Horizontal	189	1.18	-	38.98	38.70	12.55	34.18
PK	17.06211G	57.79	68.20	-10.41	18.85	3	Horizontal	45	2.75	-	38.94	38.22	13.84	33.21

Radiated Emissions above 1GHz\_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82179G	31.93	54.00	-22.07	5.04	3	Vertical	153	2.92	-	26.89	32.43	6.90	34.29
AV	10.40282G	41.10	68.20	-27.10	14.47	3	Vertical	180	1.50	-	26.63	39.00	10.35	34.88
AV	12.68784G	42.09	54.00	-11.91	16.75	3	Vertical	360	1.50	-	25.34	39.49	11.28	34.02
AV	13.34167G	42.63	54.00	-11.37	18.51	3	Vertical	347	1.00	-	24.12	39.97	11.53	32.99
AV	15.59109G	43.10	54.00	-10.90	17.08	3	Vertical	211	1.92	-	26.02	38.71	12.55	34.18
PK	4.8208G	44.77	74.00	-29.23	5.03	3	Vertical	153	2.92	-	39.74	32.42	6.90	34.29
PK	10.39442G	54.64	68.20	-13.56	14.44	3	Vertical	180	1.50	-	40.20	38.99	10.34	34.89
PK	12.69435G	56.01	74.00	-17.99	16.76	3	Vertical	360	1.50	-	39.25	39.49	11.28	34.01
PK	13.31896G	56.27	74.00	-17.73	18.38	3	Vertical	347	1.00	-	37.89	39.88	11.52	33.02
PK	15.59544G	55.72	74.00	-18.28	17.07	3	Vertical	211	1.92	-	38.65	38.70	12.55	34.18

Radiated Emissions above 1GHz\_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82254G	32.07	54.00	-21.93	5.05	3	Horizontal	71	1.86	-	27.02	32.44	6.90	34.29
AV	10.39337G	41.08	68.20	-27.12	14.44	3	Horizontal	247	1.68	-	26.64	38.99	10.34	34.89
AV	12.67593G	41.93	54.00	-12.07	16.71	3	Horizontal	62	1.03	-	25.22	39.48	11.27	34.04
AV	13.32304G	42.61	54.00	-11.39	18.40	3	Horizontal	285	1.50	-	24.21	39.89	11.53	33.02
AV	15.5907G	43.17	54.00	-10.83	17.08	3	Horizontal	220	1.11	-	26.09	38.71	12.55	34.18
PK	4.82122G	45.76	74.00	-28.24	5.04	3	Horizontal	71	1.86	-	40.72	32.43	6.90	34.29
PK	10.39196G	54.85	68.20	-13.35	14.44	3	Horizontal	247	1.68	-	40.41	38.99	10.34	34.89
PK	12.6807G	54.97	74.00	-19.03	16.73	3	Horizontal	62	1.03	-	38.24	39.48	11.28	34.03
PK	13.31554G	55.88	74.00	-18.12	18.35	3	Horizontal	285	1.50	-	37.53	39.86	11.52	33.03
PK	15.59154G	55.29	74.00	-18.71	17.08	3	Horizontal	220	1.11	-	38.21	38.71	12.55	34.18

Radiated Emissions above 1GHz\_Mode 13



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87352G	35.10	54.00	-18.90	5.30	3	Vertical	308	1.50	-	29.80	32.69	6.90	34.29
AV	4.87532G	34.79	54.00	-19.21	5.32	3	Vertical	355	1.11	-	29.47	32.70	6.90	34.28
AV	7.31067G	42.68	54.00	-11.32	10.59	3	Vertical	293	1.60	-	32.09	36.86	8.53	34.80
AV	10.40294G	40.91	68.20	-27.29	14.47	3	Vertical	89	1.55	-	26.44	39.00	10.35	34.88
AV	15.61053G	43.17	54.00	-10.83	17.04	3	Vertical	25	1.17	-	26.13	38.67	12.56	34.19
PK	4.87562G	48.09	74.00	-25.91	5.32	3	Vertical	355	1.11	-	42.77	32.70	6.90	34.28
PK	4.87808G	49.06	74.00	-24.94	5.33	3	Vertical	308	1.50	-	43.73	32.71	6.90	34.28
PK	7.30797G	56.52	74.00	-17.48	10.59	3	Vertical	293	1.60	-	45.93	36.87	8.52	34.80
PK	10.39961G	53.90	68.20	-14.30	14.46	3	Vertical	89	1.55	-	39.44	39.00	10.35	34.89
PK	15.58749G	56.25	74.00	-17.75	17.07	3	Vertical	25	1.17	-	39.18	38.71	12.54	34.18


Radiated Emissions above 1GHz\_Mode 13



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87259G	36.21	54.00	-17.79	5.30	3	Horizontal	360	1.46	-	30.91	32.69	6.90	34.29
AV	4.87547G	35.76	54.00	-18.24	5.32	3	Horizontal	25	1.93	-	30.44	32.70	6.90	34.28
AV	7.3107G	43.43	54.00	-10.57	10.59	3	Horizontal	75	1.56	-	32.84	36.86	8.53	34.80
AV	10.38521G	40.78	68.20	-27.42	14.44	3	Horizontal	170	1.45	-	26.34	38.99	10.34	34.89
AV	15.58899G	43.24	54.00	-10.76	17.07	3	Horizontal	326	2.38	-	26.17	38.71	12.54	34.18
PK	4.87504G	49.88	74.00	-24.12	5.32	3	Horizontal	25	1.93	-	44.56	32.70	6.90	34.28
PK	4.88279G	49.89	74.00	-24.11	5.35	3	Horizontal	360	1.46	-	44.54	32.73	6.90	34.28
PK	7.31049G	57.00	74.00	-17.00	10.59	3	Horizontal	75	1.56	-	46.41	36.86	8.53	34.80
PK	10.38902G	55.01	68.20	-13.19	14.44	3	Horizontal	170	1.45	-	40.57	38.99	10.34	34.89
PK	15.60789G	56.17	74.00	-17.83	17.04	3	Horizontal	326	2.38	-	39.13	38.68	12.55	34.19




Radiated Emissions above 1GHz\_Mode 14



18/04/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87202G	34.34	54.00	-19.66	5.30	3	Vertical	336	1.50	-	29.04	32.69	6.90	34.29
AV	4.875G	33.95	54.00	-20.05	5.31	3	Vertical	99	1.00	-	28.64	32.70	6.90	34.29
AV	7.31049G	40.24	54.00	-13.76	10.59	3	Vertical	360	1.50	-	29.65	36.86	8.53	34.80
AV	10.40684G	41.29	68.20	-26.91	14.47	3	Vertical	28	1.50	-	26.82	39.00	10.35	34.88
AV	11.39242G	41.47	54.00	-12.53	15.46	3	Vertical	111	1.03	-	26.01	39.19	10.76	34.49
AV	15.61143G	43.13	54.00	-10.87	17.04	3	Vertical	95	2.79	-	26.09	38.67	12.56	34.19
AV	17.05614G	44.55	68.20	-23.65	18.84	3	Vertical	336	1.47	-	25.71	38.21	13.84	33.21
PK	4.86683G	47.52	74.00	-26.48	5.28	3	Vertical	336	1.50	-	42.24	32.67	6.90	34.29
PK	4.87696G	46.86	74.00	-27.14	5.33	3	Vertical	99	1.00	-	41.53	32.71	6.90	34.28
PK	7.3107G	54.69	74.00	-19.31	10.59	3	Vertical	360	1.50	-	44.10	36.86	8.53	34.80
PK	10.39409G	58.48	68.20	-9.72	14.44	3	Vertical	28	1.50	-	44.04	38.99	10.34	34.89
PK	11.39317G	54.45	74.00	-19.55	15.46	3	Vertical	111	1.03	-	38.99	39.19	10.76	34.49
PK	15.59724G	55.83	74.00	-18.17	17.07	3	Vertical	95	2.79	-	38.76	38.70	12.55	34.18
PK	17.06712G	57.54	68.20	-10.66	18.88	3	Vertical	336	1.47	-	38.66	38.23	13.85	33.20


Radiated Emissions above 1GHz\_Mode 14



18/04/2023


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87226G	36.31	54.00	-17.69	5.30	3	Horizontal	328	2.00	-	31.01	32.69	6.90	34.29
AV	4.87583G	35.76	54.00	-18.24	5.32	3	Horizontal	123	1.26	-	30.44	32.70	6.90	34.28
AV	7.3101G	40.27	54.00	-13.73	10.59	3	Horizontal	315	1.51	-	29.68	36.86	8.53	34.80
AV	10.39187G	40.99	68.20	-27.21	14.44	3	Horizontal	96	1.54	-	26.55	38.99	10.34	34.89
AV	11.38645G	41.59	54.00	-12.41	15.46	3	Horizontal	343	2.61	-	26.13	39.19	10.76	34.49
AV	15.60354G	43.06	54.00	-10.94	17.06	3	Horizontal	360	1.70	-	26.00	38.69	12.55	34.18
AV	17.07549G	44.57	68.20	-23.63	18.91	3	Horizontal	326	1.14	-	25.66	38.25	13.86	33.20
PK	4.87403G	51.03	74.00	-22.97	5.31	3	Horizontal	328	2.00	-	45.72	32.70	6.90	34.29
PK	4.87529G	49.72	74.00	-24.28	5.32	3	Horizontal	123	1.26	-	44.40	32.70	6.90	34.28
PK	7.30785G	54.02	74.00	-19.98	10.59	3	Horizontal	315	1.51	-	43.43	36.87	8.52	34.80
PK	10.39898G	55.23	68.20	-12.97	14.46	3	Horizontal	96	1.54	-	40.77	39.00	10.35	34.89
PK	11.38954G	54.72	74.00	-19.28	15.46	3	Horizontal	343	2.61	-	39.26	39.19	10.76	34.49
PK	15.59115G	56.19	74.00	-17.81	17.08	3	Horizontal	360	1.70	-	39.11	38.71	12.55	34.18
PK	17.05821G	58.21	68.20	-9.99	18.85	3	Horizontal	326	1.14	-	39.36	38.22	13.84	33.21

Radiated Emissions above 1GHz\_Mode 15




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86692G	34.98	54.00	-19.02	3.32	3	Vertical	98	1.97	-	31.66	32.60	5.37	34.65
AV	4.8728G	34.84	54.00	-19.16	3.32	3	Vertical	342	2.80	-	31.52	32.60	5.37	34.65
AV	7.3116G	41.65	54.00	-12.35	8.54	3	Vertical	355	1.49	-	33.11	36.68	6.64	34.78
AV	13.33213G	45.32	54.00	-8.68	15.51	3	Vertical	17	2.53	-	29.81	39.66	8.82	32.97
AV	15.59892G	43.08	54.00	-10.92	12.59	3	Vertical	142	2.13	-	30.49	38.01	9.53	34.95
PK	4.86836G	45.82	74.00	-28.18	3.32	3	Vertical	342	2.80	-	42.50	32.60	5.37	34.65
PK	4.8695G	44.51	74.00	-29.49	3.32	3	Vertical	98	1.97	-	41.19	32.60	5.37	34.65
PK	7.31178G	52.57	74.00	-21.43	8.54	3	Vertical	355	1.49	-	44.03	36.68	6.64	34.78
PK	10.40768G	52.26	68.20	-15.94	11.58	3	Vertical	330	1.00	-	40.68	38.41	7.98	34.81
PK	13.32772G	54.74	74.00	-19.26	15.49	3	Vertical	17	2.53	-	39.25	39.64	8.82	32.97
PK	15.59676G	53.20	74.00	-20.80	12.59	3	Vertical	142	2.13	-	40.61	38.02	9.52	34.95

Radiated Emissions above 1GHz\_Mode 15




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86602G	36.13	54.00	-17.87	3.32	3	Horizontal	179	1.71	-	32.81	32.60	5.37	34.65
AV	4.87904G	38.03	54.00	-15.97	3.33	3	Horizontal	240	2.24	-	34.70	32.60	5.38	34.65
AV	7.31624G	40.51	54.00	-13.49	8.53	3	Horizontal	345	1.57	-	31.98	36.67	6.64	34.78
AV	13.3213G	45.40	54.00	-8.60	15.45	3	Horizontal	266	1.90	-	29.95	39.61	8.82	32.98
AV	15.59718G	43.26	54.00	-10.74	12.59	3	Horizontal	256	1.58	-	30.67	38.01	9.53	34.95
PK	4.87214G	47.75	74.00	-26.25	3.32	3	Horizontal	179	1.71	-	44.43	32.60	5.37	34.65
PK	4.87898G	49.32	74.00	-24.68	3.33	3	Horizontal	240	2.24	-	45.99	32.60	5.38	34.65
PK	7.31804G	52.21	74.00	-21.79	8.52	3	Horizontal	345	1.57	-	43.69	36.66	6.64	34.78
PK	10.40222G	51.89	68.20	-16.31	11.56	3	Horizontal	307	3.00	-	40.33	38.40	7.98	34.82
PK	13.31587G	54.24	74.00	-19.76	15.41	3	Horizontal	266	1.90	-	38.83	39.58	8.82	32.99
PK	15.59454G	53.61	74.00	-20.39	12.60	3	Horizontal	256	1.58	-	41.01	38.03	9.52	34.95

**Radiated Emissions above 1GHz\_Mode 16**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87214G	34.89	54.00	-19.11	3.32	3	Vertical	16	1.55	-	31.57	32.60	5.37	34.65
AV	4.8736G	34.45	54.00	-19.55	3.33	3	Vertical	274	1.21	-	31.12	32.60	5.38	34.65
AV	7.31132G	49.96	54.00	-4.04	8.54	3	Vertical	11	1.48	-	41.42	36.68	6.64	34.78
AV	12.69537G	44.28	54.00	-9.72	13.81	3	Vertical	312	1.76	-	30.47	39.19	8.66	34.04
AV	15.59742G	42.85	54.00	-11.15	12.59	3	Vertical	335	2.03	-	30.26	38.01	9.53	34.95
PK	4.87584G	45.39	74.00	-28.61	3.33	3	Vertical	274	1.21	-	42.06	32.60	5.38	34.65
PK	4.87628G	44.97	74.00	-29.03	3.33	3	Vertical	16	1.55	-	41.64	32.60	5.38	34.65
PK	7.3114G	62.02	74.00	-11.98	8.54	3	Vertical	11	1.48	-	53.48	36.68	6.64	34.78
PK	10.39982G	52.71	68.20	-15.49	11.56	3	Vertical	283	2.47	-	41.15	38.40	7.98	34.82
PK	12.6942G	53.61	74.00	-20.39	13.81	3	Vertical	312	1.76	-	39.80	39.19	8.66	34.04
PK	15.59628G	52.63	74.00	-21.37	12.59	3	Vertical	335	2.03	-	40.04	38.02	9.52	34.95

**Radiated Emissions above 1GHz\_Mode 16**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86752G	34.79	54.00	-19.21	3.32	3	Horizontal	247	1.83	-	31.47	32.60	5.37	34.65
AV	4.87346G	35.39	54.00	-18.61	3.33	3	Horizontal	116	1.35	-	32.06	32.60	5.38	34.65
AV	7.312G	49.52	54.00	-4.48	8.54	3	Horizontal	76	2.57	-	40.98	36.68	6.64	34.78
AV	12.68967G	44.91	54.00	-9.09	13.79	3	Horizontal	66	2.81	-	31.12	39.18	8.66	34.05
AV	15.59904G	42.93	54.00	-11.07	12.58	3	Horizontal	305	2.15	-	30.35	38.00	9.53	34.95
PK	4.8761G	45.54	74.00	-28.46	3.33	3	Horizontal	116	1.35	-	42.21	32.60	5.38	34.65
PK	4.87884G	46.78	74.00	-27.22	3.33	3	Horizontal	247	1.83	-	43.45	32.60	5.38	34.65
PK	7.30204G	62.79	74.00	-11.21	8.56	3	Horizontal	76	2.57	-	54.23	36.70	6.64	34.78
PK	10.39034G	51.43	68.20	-16.77	11.53	3	Horizontal	65	2.99	-	39.90	38.39	7.97	34.83
PK	12.70293G	53.82	68.20	-14.38	13.84	3	Horizontal	66	2.81	-	39.98	39.21	8.66	34.03
PK	15.60708G	53.56	74.00	-20.44	12.56	3	Horizontal	305	2.15	-	41.00	37.99	9.53	34.96

Radiated Emissions above 1GHz\_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86818G	34.99	54.00	-19.01	3.32	3	Vertical	104	1.38	-	31.67	32.60	5.37	34.65
AV	11.3674G	42.60	54.00	-11.40	12.64	3	Vertical	288	1.80	-	29.96	38.93	8.28	34.57
AV	12.68271G	44.70	54.00	-9.30	13.76	3	Vertical	43	2.34	-	30.94	39.17	8.65	34.06
AV	15.59604G	42.75	54.00	-11.25	12.59	3	Vertical	316	1.91	-	30.16	38.02	9.52	34.95
PK	4.86548G	45.49	74.00	-28.51	3.32	3	Vertical	104	1.38	-	42.17	32.60	5.37	34.65
PK	10.40616G	52.05	68.20	-16.15	11.57	3	Vertical	331	2.27	-	40.48	38.41	7.98	34.82
PK	11.36662G	52.82	74.00	-21.18	12.64	3	Vertical	288	1.80	-	40.18	38.93	8.28	34.57
PK	12.67605G	53.79	74.00	-20.21	13.73	3	Vertical	43	2.34	-	40.06	39.15	8.65	34.07
PK	15.60844G	53.61	74.00	-20.39	12.55	3	Vertical	316	1.91	-	41.06	37.98	9.53	34.96
PK	17.0685G	55.62	68.20	-12.58	14.02	3	Vertical	167	2.03	-	41.60	38.10	10.08	34.16

Radiated Emissions above 1GHz\_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8665G	35.03	54.00	-18.97	3.32	3	Horizontal	61	2.38	-	31.71	32.60	5.37	34.65
AV	11.38174G	42.69	54.00	-11.31	12.68	3	Horizontal	261	2.33	-	30.01	38.96	8.29	34.57
AV	12.68052G	44.82	54.00	-9.18	13.74	3	Horizontal	184	1.73	-	31.08	39.16	8.65	34.07
AV	15.60844G	43.09	54.00	-10.91	12.55	3	Horizontal	0	2.61	-	30.54	37.98	9.53	34.96
PK	4.8716G	45.50	74.00	-28.50	3.32	3	Horizontal	61	2.38	-	42.18	32.60	5.37	34.65
PK	10.40436G	51.67	68.20	-16.53	11.56	3	Horizontal	267	1.25	-	40.11	38.40	7.98	34.82
PK	11.3905G	52.55	74.00	-21.45	12.70	3	Horizontal	261	2.33	-	39.85	38.98	8.29	34.57
PK	12.68259G	53.59	74.00	-20.41	13.76	3	Horizontal	184	1.73	-	39.83	39.17	8.65	34.06
PK	15.59492G	53.13	74.00	-20.87	12.60	3	Horizontal	0	2.61	-	40.53	38.03	9.52	34.95
PK	17.058G	55.07	68.20	-13.13	14.03	3	Horizontal	130	1.38	-	41.04	38.10	10.08	34.15

**Radiated Emissions above 1GHz\_Mode 18**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86692G	34.98	54.00	-19.02	3.32	3	Vertical	98	1.97	-	31.66	32.60	5.37	34.65
AV	4.8728G	34.84	54.00	-19.16	3.32	3	Vertical	342	2.80	-	31.52	32.60	5.37	34.65
AV	7.3116G	41.65	54.00	-12.35	8.54	3	Vertical	355	1.49	-	33.11	36.68	6.64	34.78
AV	13.33213G	45.32	54.00	-8.68	15.51	3	Vertical	17	2.53	-	29.81	39.66	8.82	32.97
AV	15.59892G	43.08	54.00	-10.92	12.59	3	Vertical	142	2.13	-	30.49	38.01	9.53	34.95
PK	4.86836G	45.82	74.00	-28.18	3.32	3	Vertical	342	2.80	-	42.50	32.60	5.37	34.65
PK	4.8695G	44.51	74.00	-29.49	3.32	3	Vertical	98	1.97	-	41.19	32.60	5.37	34.65
PK	7.31178G	52.57	74.00	-21.43	8.54	3	Vertical	355	1.49	-	44.03	36.68	6.64	34.78
PK	10.40768G	52.26	68.20	-15.94	11.58	3	Vertical	330	1.00	-	40.68	38.41	7.98	34.81
PK	13.32772G	54.74	74.00	-19.26	15.49	3	Vertical	17	2.53	-	39.25	39.64	8.82	32.97
PK	15.59676G	53.20	74.00	-20.80	12.59	3	Vertical	142	2.13	-	40.61	38.02	9.52	34.95

**Radiated Emissions above 1GHz\_Mode 18**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86602G	36.13	54.00	-17.87	3.32	3	Horizontal	179	1.71	-	32.81	32.60	5.37	34.65
AV	4.87904G	38.03	54.00	-15.97	3.33	3	Horizontal	240	2.24	-	34.70	32.60	5.38	34.65
AV	7.31624G	40.51	54.00	-13.49	8.53	3	Horizontal	345	1.57	-	31.98	36.67	6.64	34.78
AV	13.3213G	45.40	54.00	-8.60	15.45	3	Horizontal	266	1.90	-	29.95	39.61	8.82	32.98
AV	15.59718G	43.26	54.00	-10.74	12.59	3	Horizontal	256	1.58	-	30.67	38.01	9.53	34.95
PK	4.87214G	47.75	74.00	-26.25	3.32	3	Horizontal	179	1.71	-	44.43	32.60	5.37	34.65
PK	4.87898G	49.32	74.00	-24.68	3.33	3	Horizontal	240	2.24	-	45.99	32.60	5.38	34.65
PK	7.31804G	52.21	74.00	-21.79	8.52	3	Horizontal	345	1.57	-	43.69	36.66	6.64	34.78
PK	10.40222G	51.89	68.20	-16.31	11.56	3	Horizontal	307	3.00	-	40.33	38.40	7.98	34.82
PK	13.31587G	54.24	74.00	-19.76	15.41	3	Horizontal	266	1.90	-	38.83	39.58	8.82	32.99
PK	15.59454G	53.61	74.00	-20.39	12.60	3	Horizontal	256	1.58	-	41.01	38.03	9.52	34.95