




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	46.96	68.20	-21.24	6.03	3	Vertical	300	1.52	40.93	34.30	6.26	34.53
AV	6.4126G	96.62	Inf	-Inf	6.89	3	Vertical	300	1.52	89.73	34.93	6.44	34.48
PK	5.8294G	57.74	88.20	-30.46	5.70	3	Vertical	300	1.52	52.04	34.02	6.21	34.53
PK	6.4126G	105.82	Inf	-Inf	6.89	3	Vertical	300	1.52	98.93	34.93	6.44	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	47.00	68.20	-21.20	6.03	3	Horizontal	35	2.31	40.97	34.30	6.26	34.53
AV	6.4222G	99.99	Inf	-Inf	6.90	3	Horizontal	35	2.31	93.09	34.94	6.44	34.48
PK	5.839G	58.19	88.20	-30.01	5.75	3	Horizontal	35	2.31	52.44	34.06	6.22	34.53
PK	6.4198G	108.86	Inf	-Inf	6.90	3	Horizontal	35	2.31	101.96	34.94	6.44	34.48



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83764G	43.12	68.20	-25.08	14.75	3	Vertical	152	3.00	28.37	39.58	8.96	33.79
PK	12.82884G	52.36	88.20	-35.84	14.71	3	Vertical	152	3.00	37.65	39.56	8.96	33.81

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83716G	43.11	68.20	-25.09	14.74	3	Horizontal	61	2.85	28.37	39.57	8.96	33.79
PK	12.82324G	53.47	88.20	-34.73	14.69	3	Horizontal	61	2.85	38.78	39.55	8.96	33.82



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	47.02	68.20	-21.18	6.03	3	Vertical	302	1.63	40.99	34.30	6.26	34.53
AV	6.4398G	97.13	Inf	-Inf	6.95	3	Vertical	302	1.63	90.18	34.98	6.45	34.48
PK	5.9022G	57.73	88.20	-30.47	6.02	3	Vertical	302	1.63	51.71	34.30	6.25	34.53
PK	6.4398G	106.08	Inf	-Inf	6.95	3	Vertical	302	1.63	99.13	34.98	6.45	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9094G	46.99	68.20	-21.21	6.02	3	Horizontal	57	2.20	40.97	34.30	6.25	34.53
AV	6.4302G	101.30	Inf	-Inf	6.93	3	Horizontal	57	2.20	94.37	34.96	6.45	34.48
PK	5.9118G	58.01	88.20	-30.19	6.03	3	Horizontal	57	2.20	51.98	34.30	6.26	34.53
PK	6.4278G	109.69	Inf	-Inf	6.93	3	Horizontal	57	2.20	102.76	34.96	6.45	34.48



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87864G	43.39	68.20	-24.81	14.91	3	Vertical	73	2.99	28.48	39.66	8.97	33.72
PK	12.86958G	52.38	88.20	-35.82	14.87	3	Vertical	73	2.99	37.51	39.64	8.97	33.74

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87038G	43.40	68.20	-24.80	14.87	3	Horizontal	72	2.89	28.53	39.64	8.97	33.74
PK	12.8758G	53.33	88.20	-34.87	14.89	3	Horizontal	72	2.89	38.44	39.65	8.97	33.73

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	46.92	68.20	-21.28	6.03	3	Vertical	302	1.54	40.89	34.30	6.26	34.53
AV	6.4722G	97.12	Inf	-Inf	7.00	3	Vertical	302	1.54	90.12	35.00	6.47	34.47
AV	7.175G	49.50	68.20	-18.70	8.63	3	Vertical	302	1.54	40.87	36.65	6.74	34.76
PK	5.901G	57.49	88.20	-30.71	6.02	3	Vertical	302	1.54	51.47	34.30	6.25	34.53
PK	6.4694G	107.96	Inf	-Inf	7.00	3	Vertical	302	1.54	100.96	35.00	6.47	34.47
PK	7.1358G	60.40	88.20	-27.80	8.48	3	Vertical	302	1.54	51.92	36.51	6.73	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9066G	47.00	68.20	-21.20	6.02	3	Horizontal	47	1.81	40.98	34.30	6.25	34.53
AV	6.4722G	101.07	Inf	-Inf	7.00	3	Horizontal	47	1.81	94.07	35.00	6.47	34.47
AV	7.1666G	49.51	68.20	-18.69	8.61	3	Horizontal	47	1.81	40.90	36.63	6.74	34.76
PK	5.8478G	57.78	88.20	-30.42	5.78	3	Horizontal	47	1.81	52.00	34.09	6.22	34.53
PK	6.4806G	111.18	Inf	-Inf	7.01	3	Horizontal	47	1.81	104.17	35.00	6.48	34.47
PK	7.1414G	60.88	88.20	-27.32	8.52	3	Horizontal	47	1.81	52.36	36.55	6.73	34.76



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.957G	43.28	68.20	-24.92	15.12	3	Vertical	88	2.23	28.16	39.70	9.00	33.58
PK	12.95542G	53.40	88.20	-34.80	15.11	3	Vertical	88	2.23	38.29	39.70	9.00	33.59

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9581G	43.31	68.20	-24.89	15.12	3	Horizontal	310	1.81	28.19	39.70	9.00	33.58
PK	12.94816G	53.20	88.20	-35.00	15.09	3	Horizontal	310	1.81	38.11	39.70	8.99	33.60

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9046G	46.99	68.20	-21.21	6.02	3	Vertical	304	2.23	40.97	34.30	6.25	34.53
AV	6.5206G	97.99	Inf	-Inf	7.18	3	Vertical	304	2.23	90.81	35.16	6.50	34.48
AV	7.215G	49.64	68.20	-18.56	8.72	3	Vertical	304	2.23	40.92	36.73	6.76	34.77
PK	5.8654G	57.88	88.20	-30.32	5.86	3	Vertical	304	2.23	52.02	34.16	6.23	34.53
PK	6.5234G	107.79	Inf	-Inf	7.21	3	Vertical	304	2.23	100.58	35.19	6.50	34.48
PK	7.201G	61.12	88.20	-27.08	8.69	3	Vertical	304	2.23	52.43	36.70	6.75	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9102G	46.98	68.20	-21.22	6.03	3	Horizontal	50	1.71	40.95	34.30	6.26	34.53
AV	6.5178G	101.09	Inf	-Inf	7.16	3	Horizontal	50	1.71	93.93	35.14	6.50	34.48
AV	7.1926G	49.69	68.20	-18.51	8.68	3	Horizontal	50	1.71	41.01	36.69	6.75	34.76
PK	5.8766G	58.01	88.20	-30.19	5.92	3	Horizontal	50	1.71	52.09	34.21	6.24	34.53
PK	6.5206G	110.90	Inf	-Inf	7.18	3	Horizontal	50	1.71	103.72	35.16	6.50	34.48
PK	7.1702G	60.87	88.20	-27.33	8.62	3	Horizontal	50	1.71	52.25	36.64	6.74	34.76



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0225G	43.28	68.20	-24.92	15.23	3	Vertical	127	1.14	28.05	39.68	9.02	33.47
PK	13.02364G	53.07	88.20	-35.13	15.23	3	Vertical	127	1.14	37.84	39.68	9.02	33.47

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02204G	43.34	68.20	-24.86	15.23	3	Horizontal	217	2.62	28.11	39.68	9.02	33.47
PK	13.0234G	53.46	88.20	-34.74	15.23	3	Horizontal	217	2.62	38.23	39.68	9.02	33.47



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	46.98	68.20	-21.22	6.03	3	Vertical	0	3.00	40.95	34.30	6.26	34.53
AV	6.5378G	94.09	Inf	-Inf	7.32	3	Vertical	0	3.00	86.77	35.30	6.51	34.49
AV	7.2014G	49.70	68.20	-18.50	8.69	3	Vertical	0	3.00	41.01	36.70	6.75	34.76
PK	5.8602G	58.67	88.20	-29.53	5.84	3	Vertical	0	3.00	52.83	34.14	6.23	34.53
PK	6.5378G	103.23	Inf	-Inf	7.32	3	Vertical	0	3.00	95.91	35.30	6.51	34.49
PK	7.2042G	61.61	88.20	-26.59	8.70	3	Vertical	0	3.00	52.91	36.71	6.75	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	47.00	68.20	-21.20	6.03	3	Horizontal	63	2.25	40.97	34.30	6.26	34.53
AV	6.5378G	101.31	Inf	-Inf	7.32	3	Horizontal	63	2.25	93.99	35.30	6.51	34.49
AV	7.221G	49.65	68.20	-18.55	8.73	3	Horizontal	63	2.25	40.92	36.74	6.76	34.77
PK	5.891G	58.55	88.20	-29.65	5.98	3	Horizontal	63	2.25	52.57	34.26	6.25	34.53
PK	6.5322G	111.92	Inf	-Inf	7.28	3	Horizontal	63	2.25	104.64	35.26	6.51	34.49
PK	7.1566G	60.31	88.20	-27.89	8.58	3	Horizontal	63	2.25	51.73	36.61	6.73	34.76



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0773G	43.35	68.20	-24.85	15.27	3	Vertical	128	2.26	28.08	39.62	9.03	33.38
PK	13.0653G	52.34	88.20	-35.86	15.26	3	Vertical	128	2.26	37.08	39.63	9.03	33.40

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07414G	43.37	68.20	-24.83	15.27	3	Horizontal	135	1.20	28.10	39.63	9.03	33.39
PK	13.07512G	53.54	88.20	-34.66	15.26	3	Horizontal	135	1.20	38.28	39.62	9.03	33.39



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.697G	89.56	Inf	-Inf	7.97	3	Vertical	43	1.50	81.59	35.99	6.56	34.58
AV	7.175G	49.68	68.20	-18.52	8.63	3	Vertical	43	1.50	41.05	36.65	6.74	34.76
PK	6.701G	99.47	Inf	-Inf	7.99	3	Vertical	43	1.50	91.48	36.00	6.57	34.58
PK	7.135G	60.39	88.20	-27.81	8.48	3	Vertical	43	1.50	51.91	36.51	6.73	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.689G	100.56	Inf	-Inf	7.97	3	Horizontal	63	2.15	92.59	35.98	6.56	34.57
AV	7.193G	49.68	68.20	-18.52	8.68	3	Horizontal	63	2.15	41.00	36.69	6.75	34.76
PK	6.697G	108.99	Inf	-Inf	7.97	3	Horizontal	63	2.15	101.02	35.99	6.56	34.58
PK	7.179G	60.66	88.20	-27.54	8.64	3	Horizontal	63	2.15	52.02	36.66	6.74	34.76



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39668G	43.70	54.00	-10.30	16.26	3	Vertical	267	1.00	27.44	39.99	9.13	32.86
PK	13.38728G	54.41	74.00	-19.59	16.23	3	Vertical	267	1.00	38.18	39.97	9.13	32.87

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39494G	43.79	54.00	-10.21	16.26	3	Horizontal	145	1.10	27.53	39.99	9.13	32.86
PK	13.39202G	54.23	74.00	-19.77	16.24	3	Horizontal	145	1.10	37.99	39.98	9.13	32.87



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8578G	96.89	Inf	-Inf	7.75	3	Vertical	308	2.10	89.14	35.80	6.61	34.66
AV	7.2008G	49.69	68.20	-18.51	8.69	3	Vertical	308	2.10	41.00	36.70	6.75	34.76
PK	6.848G	108.07	Inf	-Inf	7.74	3	Vertical	308	2.10	100.33	35.80	6.60	34.66
PK	7.184G	62.03	88.20	-26.17	8.65	3	Vertical	308	2.10	53.38	36.67	6.74	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8494G	100.40	Inf	-Inf	7.74	3	Horizontal	60	2.19	92.66	35.80	6.60	34.66
AV	7.2022G	49.69	68.20	-18.51	8.69	3	Horizontal	60	2.19	41.00	36.70	6.75	34.76
PK	6.8508G	110.02	Inf	-Inf	7.75	3	Horizontal	60	2.19	102.27	35.80	6.61	34.66
PK	7.1742G	60.67	88.20	-27.53	8.63	3	Horizontal	60	2.19	52.04	36.65	6.74	34.76



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7113G	44.74	68.20	-23.46	16.54	3	Vertical	122	2.33	28.20	40.09	9.22	32.77
PK	13.70238G	53.43	88.20	-34.77	16.55	3	Vertical	122	2.33	36.88	40.10	9.22	32.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7059G	44.22	68.20	-23.98	16.54	3	Horizontal	227	2.29	27.68	40.09	9.22	32.77
PK	13.71052G	53.62	88.20	-34.58	16.54	3	Horizontal	227	2.29	37.08	40.09	9.22	32.77



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.875G	96.01	Inf	-Inf	7.75	3	Vertical	4	3.00	88.26	35.80	6.62	34.67
AV	7.2012G	49.72	68.20	-18.48	8.69	3	Vertical	4	3.00	41.03	36.70	6.75	34.76
PK	6.8722G	107.24	Inf	-Inf	7.75	3	Vertical	4	3.00	99.49	35.80	6.62	34.67
PK	7.2054G	60.87	88.20	-27.33	8.70	3	Vertical	4	3.00	52.17	36.71	6.75	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8708G	99.88	Inf	-Inf	7.75	3	Horizontal	55	2.11	92.13	35.80	6.62	34.67
AV	7.1956G	49.83	68.20	-18.37	8.68	3	Horizontal	55	2.11	41.15	36.69	6.75	34.76
PK	6.8722G	109.04	Inf	-Inf	7.75	3	Horizontal	55	2.11	101.29	35.80	6.62	34.67
PK	7.141G	60.52	88.20	-27.68	8.52	3	Horizontal	55	2.11	52.00	36.55	6.73	34.76



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74238G	44.05	68.20	-24.15	16.51	3	Vertical	6	1.66	27.54	40.06	9.23	32.78
PK	13.74068G	54.56	88.20	-33.64	16.51	3	Vertical	6	1.66	38.05	40.06	9.23	32.78

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75128G	45.36	68.20	-22.84	16.50	3	Horizontal	278	1.66	28.86	40.05	9.24	32.79
PK	13.75716G	55.02	88.20	-33.18	16.49	3	Horizontal	278	1.66	38.53	40.04	9.24	32.79



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8978G	96.06	Inf	-Inf	7.75	3	Vertical	311	2.15	88.31	35.80	6.63	34.68
AV	7.231G	49.73	68.20	-18.47	8.76	3	Vertical	311	2.15	40.97	36.76	6.77	34.77
PK	6.9006G	106.11	Inf	-Inf	7.74	3	Vertical	311	2.15	98.37	35.80	6.63	34.69
PK	7.126G	60.91	88.20	-27.29	8.42	3	Vertical	311	2.15	52.49	36.46	6.72	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8922G	99.43	Inf	-Inf	7.75	3	Horizontal	52	2.22	91.68	35.80	6.63	34.68
AV	7.2352G	49.75	68.20	-18.45	8.77	3	Horizontal	52	2.22	40.98	36.77	6.77	34.77
PK	6.8922G	110.36	Inf	-Inf	7.75	3	Horizontal	52	2.22	102.61	35.80	6.63	34.68
PK	7.1974G	61.34	88.20	-26.86	8.68	3	Horizontal	52	2.22	52.66	36.69	6.75	34.76



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78934G	44.91	68.20	-23.29	16.46	3	Vertical	318	2.33	28.45	40.01	9.25	32.80
PK	13.78606G	54.99	88.20	-33.21	16.46	3	Vertical	318	2.33	38.53	40.01	9.25	32.80

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78517G	44.93	68.20	-23.27	16.46	3	Horizontal	82	2.05	28.47	40.01	9.25	32.80
PK	13.79058G	55.36	88.20	-32.84	16.46	3	Horizontal	82	2.05	38.90	40.01	9.25	32.80



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.003G	84.49	Inf	-Inf	7.66	3	Vertical	94.1	1.50	76.83	35.72	6.68	34.74
AV	7.204G	49.78	68.20	-18.42	8.70	3	Vertical	94.1	1.50	41.08	36.71	6.75	34.76
PK	7G	95.42	Inf	-Inf	7.64	3	Vertical	94.1	1.50	87.78	35.70	6.68	34.74
PK	7.231G	61.48	88.20	-26.72	8.76	3	Vertical	94.1	1.50	52.72	36.76	6.77	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.994G	102.14	Inf	-Inf	7.64	3	Horizontal	54	2.08	94.50	35.70	6.68	34.74
AV	7.193G	49.82	68.20	-18.38	8.68	3	Horizontal	54	2.08	41.14	36.69	6.75	34.76
PK	6.996G	112.77	Inf	-Inf	7.64	3	Horizontal	54	2.08	105.13	35.70	6.68	34.74
PK	7.134G	61.83	88.20	-26.37	8.47	3	Horizontal	54	2.08	53.36	36.50	6.73	34.76



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98988G	45.36	68.20	-22.84	16.81	3	Vertical	321	1.60	28.55	40.38	9.31	32.88
PK	13.98643G	54.86	88.20	-33.34	16.81	3	Vertical	321	1.60	38.05	40.37	9.31	32.87

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98646G	45.44	68.20	-22.76	16.81	3	Horizontal	358	2.10	28.63	40.37	9.31	32.87
PK	13.98545G	55.67	88.20	-32.53	16.81	3	Horizontal	358	2.10	38.86	40.37	9.31	32.87



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0878G	83.37	Inf	-Inf	8.19	3	Vertical	155.1	1.50	75.18	36.23	6.71	34.75
AV	7.1862G	49.72	68.20	-18.48	8.66	3	Vertical	155.1	1.50	41.06	36.67	6.75	34.76
PK	7.0884G	95.10	Inf	-Inf	8.19	3	Vertical	155.1	1.50	86.91	36.23	6.71	34.75
PK	7.2396G	61.79	88.20	-26.41	8.79	3	Vertical	155.1	1.50	53.00	36.78	6.78	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0944G	99.99	Inf	-Inf	8.23	3	Horizontal	68	2.47	91.76	36.27	6.71	34.75
AV	7.1994G	49.89	68.20	-18.31	8.69	3	Horizontal	68	2.47	41.20	36.70	6.75	34.76
PK	7.1016G	109.77	Inf	-Inf	8.28	3	Horizontal	68	2.47	101.49	36.31	6.72	34.75
PK	7.2408G	61.41	88.20	-26.79	8.79	3	Horizontal	68	2.47	52.62	36.78	6.78	34.77



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18735G	45.54	68.20	-22.66	16.76	3	Vertical	317	1.08	28.78	40.50	9.37	33.11
PK	14.19057G	55.93	88.20	-32.27	16.76	3	Vertical	317	1.08	39.17	40.50	9.37	33.11

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18585G	45.53	68.20	-22.67	16.76	3	Horizontal	348	1.06	28.77	40.50	9.37	33.11
PK	14.19355G	55.80	88.20	-32.40	16.75	3	Horizontal	348	1.06	39.05	40.50	9.37	33.12



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	48.41	68.20	-19.79	6.03	3	Vertical	78	1.50	42.38	34.30	6.26	34.53
AV	5.9812G	84.87	Inf	-Inf	6.01	3	Vertical	78	1.50	78.86	34.24	6.29	34.52
PK	5.8864G	58.84	88.20	-29.36	5.96	3	Vertical	78	1.50	52.88	34.25	6.24	34.53
PK	5.962G	94.88	Inf	-Inf	6.04	3	Vertical	78	1.50	88.84	34.28	6.28	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	51.06	68.20	-17.14	6.03	3	Horizontal	56	2.06	45.03	34.30	6.26	34.53
AV	5.9746G	100.17	Inf	-Inf	6.02	3	Horizontal	56	2.06	94.15	34.25	6.29	34.52
PK	5.9122G	61.85	88.20	-26.35	6.03	3	Horizontal	56	2.06	55.82	34.30	6.26	34.53
PK	5.9704G	110.91	Inf	-Inf	6.03	3	Horizontal	56	2.06	104.88	34.26	6.29	34.52



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92758G	43.30	54.00	-10.70	12.53	3	Vertical	240	1.29	30.77	38.56	8.68	34.71
PK	11.9323G	52.12	74.00	-21.88	12.53	3	Vertical	240	1.29	39.59	38.56	8.68	34.71

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92675G	43.31	54.00	-10.69	12.52	3	Horizontal	213	1.14	30.79	38.55	8.68	34.71
PK	11.93031G	51.65	74.00	-22.35	12.53	3	Horizontal	213	1.14	39.12	38.56	8.68	34.71



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	48.48	68.20	-19.72	6.03	3	Vertical	308	1.85	42.45	34.30	6.26	34.53
AV	6.1722G	96.24	Inf	-Inf	6.02	3	Vertical	308	1.85	90.22	34.19	6.33	34.50
PK	5.9142G	58.37	88.20	-29.83	6.03	3	Vertical	308	1.85	52.34	34.30	6.26	34.53
PK	6.1698G	107.41	Inf	-Inf	6.01	3	Vertical	308	1.85	101.40	34.18	6.33	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	48.29	68.20	-19.91	6.02	3	Horizontal	35	2.20	42.27	34.30	6.25	34.53
AV	6.1578G	99.76	Inf	-Inf	5.96	3	Horizontal	35	2.20	93.80	34.13	6.33	34.50
PK	5.8974G	59.11	88.20	-29.09	6.01	3	Horizontal	35	2.20	53.10	34.29	6.25	34.53
PK	6.1698G	110.21	Inf	-Inf	6.01	3	Horizontal	35	2.20	104.20	34.18	6.33	34.50



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3256G	44.36	54.00	-9.64	13.21	3	Vertical	278	2.03	31.15	38.90	8.81	34.50
PK	12.33267G	53.17	74.00	-20.83	13.21	3	Vertical	278	2.03	39.96	38.90	8.81	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32907G	44.37	54.00	-9.63	13.21	3	Horizontal	191	2.24	31.16	38.90	8.81	34.50
PK	12.32866G	53.63	74.00	-20.37	13.21	3	Horizontal	191	2.24	40.42	38.90	8.81	34.50



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8746G	48.18	68.20	-20.02	5.91	3	Vertical	301	1.53	42.27	34.20	6.24	34.53
AV	6.4098G	96.86	Inf	-Inf	6.88	3	Vertical	301	1.53	89.98	34.92	6.44	34.48
PK	5.8242G	58.53	88.20	-29.67	5.68	3	Vertical	301	1.53	52.85	34.00	6.21	34.53
PK	6.4098G	104.99	Inf	-Inf	6.88	3	Vertical	301	1.53	98.11	34.92	6.44	34.48

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9058G	48.22	68.20	-19.98	6.02	3	Horizontal	37	2.19	42.20	34.30	6.25	34.53
AV	6.4002G	100.33	Inf	-Inf	6.85	3	Horizontal	37	2.19	93.48	34.90	6.43	34.48
PK	5.8938G	58.69	88.20	-29.51	6.00	3	Horizontal	37	2.19	52.69	34.28	6.25	34.53
PK	6.405G	108.42	Inf	-Inf	6.86	3	Horizontal	37	2.19	101.56	34.91	6.43	34.48



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80963G	45.06	68.20	-23.14	14.63	3	Vertical	69	2.78	30.43	39.52	8.95	33.84
PK	12.81157G	53.74	88.20	-34.46	14.63	3	Vertical	69	2.78	39.11	39.52	8.95	33.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81003G	44.77	68.20	-23.43	14.63	3	Horizontal	266	2.10	30.14	39.52	8.95	33.84
PK	12.81145G	54.60	88.20	-33.60	14.63	3	Horizontal	266	2.10	39.97	39.52	8.95	33.84



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8666G	48.31	68.20	-19.89	5.87	3	Vertical	300	1.58	42.44	34.17	6.23	34.53
AV	6.4498G	97.78	Inf	-Inf	6.98	3	Vertical	300	1.58	90.80	35.00	6.46	34.48
PK	5.8522G	57.95	88.20	-30.25	5.81	3	Vertical	300	1.58	52.14	34.11	6.23	34.53
PK	6.4498G	107.65	Inf	-Inf	6.98	3	Vertical	300	1.58	100.67	35.00	6.46	34.48

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	48.23	68.20	-19.97	6.03	3	Horizontal	56	2.30	42.20	34.30	6.26	34.53
AV	6.4594G	101.64	Inf	-Inf	7.00	3	Horizontal	56	2.30	94.64	35.00	6.47	34.47
PK	5.8906G	59.04	88.20	-29.16	5.98	3	Horizontal	56	2.30	53.06	34.26	6.25	34.53
PK	6.457G	109.84	Inf	-Inf	6.99	3	Horizontal	56	2.30	102.85	35.00	6.46	34.47



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88656G	45.01	68.20	-23.19	14.94	3	Vertical	170	2.91	30.07	39.67	8.98	33.71
PK	12.89489G	54.30	88.20	-33.90	14.98	3	Vertical	170	2.91	39.32	39.69	8.98	33.69

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88806G	45.07	68.20	-23.13	14.96	3	Horizontal	2	2.55	30.11	39.68	8.98	33.70
PK	12.89158G	53.83	88.20	-34.37	14.96	3	Horizontal	2	2.55	38.87	39.68	8.98	33.70

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.869G	48.42	68.20	-19.78	5.88	3	Vertical	301	1.50	42.54	34.18	6.23	34.53
AV	6.4906G	97.59	Inf	-Inf	7.01	3	Vertical	301	1.50	90.58	35.00	6.48	34.47
AV	7.1486G	51.07	68.20	-17.13	8.56	3	Vertical	301	1.50	42.51	36.59	6.73	34.76
PK	5.911G	58.00	88.20	-30.20	6.03	3	Vertical	301	1.50	51.97	34.30	6.26	34.53
PK	6.4822G	105.83	Inf	-Inf	7.01	3	Vertical	301	1.50	98.82	35.00	6.48	34.47
PK	7.143G	60.16	88.20	-28.04	8.53	3	Vertical	301	1.50	51.63	36.56	6.73	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8466G	48.13	68.20	-20.07	5.78	3	Horizontal	50	1.76	42.35	34.09	6.22	34.53
AV	6.4906G	101.43	Inf	-Inf	7.01	3	Horizontal	50	1.76	94.42	35.00	6.48	34.47
AV	7.1598G	51.04	68.20	-17.16	8.60	3	Horizontal	50	1.76	42.44	36.62	6.74	34.76
PK	5.9082G	58.36	88.20	-29.84	6.02	3	Horizontal	50	1.76	52.34	34.30	6.25	34.53
PK	6.4822G	111.37	Inf	-Inf	7.01	3	Horizontal	50	1.76	104.36	35.00	6.48	34.47
PK	7.1626G	61.23	88.20	-26.97	8.61	3	Horizontal	50	1.76	52.62	36.63	6.74	34.76



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96835G	45.34	68.20	-22.86	15.13	3	Vertical	308	2.61	30.21	39.70	9.00	33.57
PK	12.97428G	54.12	88.20	-34.08	15.15	3	Vertical	308	2.61	38.97	39.70	9.00	33.55

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97279G	45.16	68.20	-23.04	15.14	3	Horizontal	193	1.95	30.02	39.70	9.00	33.56
PK	12.97248G	54.07	88.20	-34.13	15.14	3	Horizontal	193	1.95	38.93	39.70	9.00	33.56



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8642G	48.35	68.20	-19.85	5.86	3	Vertical	310	2.24	42.49	34.16	6.23	34.53
AV	6.5306G	98.90	Inf	-Inf	7.26	3	Vertical	310	2.24	91.64	35.24	6.51	34.49
AV	7.1942G	51.17	68.20	-17.03	8.68	3	Vertical	310	2.24	42.49	36.69	6.75	34.76
PK	5.9062G	57.89	88.20	-30.31	6.02	3	Vertical	310	2.24	51.87	34.30	6.25	34.53
PK	6.5418G	107.23	Inf	-Inf	7.36	3	Vertical	310	2.24	99.87	35.33	6.52	34.49
PK	7.155G	60.66	88.20	-27.54	8.58	3	Vertical	310	2.24	52.08	36.61	6.73	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8698G	48.31	68.20	-19.89	5.88	3	Horizontal	48	1.70	42.43	34.18	6.23	34.53
AV	6.5194G	101.57	Inf	-Inf	7.18	3	Horizontal	48	1.70	94.39	35.16	6.50	34.48
AV	7.169G	50.83	68.20	-17.37	8.62	3	Horizontal	48	1.70	42.21	36.64	6.74	34.76
PK	5.9034G	57.62	88.20	-30.58	6.02	3	Horizontal	48	1.70	51.60	34.30	6.25	34.53
PK	6.5138G	109.96	Inf	-Inf	7.13	3	Horizontal	48	1.70	102.83	35.11	6.50	34.48
PK	7.1354G	60.93	88.20	-27.27	8.48	3	Horizontal	48	1.70	52.45	36.51	6.73	34.76



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0516G	45.10	68.20	-23.10	15.25	3	Vertical	108	2.27	29.85	39.65	9.03	33.43
PK	13.04533G	54.61	88.20	-33.59	15.23	3	Vertical	108	2.27	39.38	39.65	9.02	33.44

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04866G	45.41	68.20	-22.79	15.24	3	Horizontal	194	1.74	30.17	39.65	9.02	33.43
PK	13.0529G	54.06	88.20	-34.14	15.26	3	Horizontal	194	1.74	38.80	39.65	9.03	33.42



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.565G	98.27	Inf	-Inf	7.48	3	Vertical	310	2.11	90.79	35.46	6.53	34.51
AV	7.1386G	50.90	68.20	-17.30	8.50	3	Vertical	310	2.11	42.40	36.53	6.73	34.76
PK	6.5626G	106.94	Inf	-Inf	7.48	3	Vertical	310	2.11	99.46	35.45	6.53	34.50
PK	7.1338G	59.73	88.20	-28.47	8.47	3	Vertical	310	2.11	51.26	36.50	6.73	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.565G	99.76	Inf	-Inf	7.48	3	Horizontal	49	1.74	92.28	35.46	6.53	34.51
AV	7.1554G	50.87	68.20	-17.33	8.58	3	Horizontal	49	1.74	42.29	36.61	6.73	34.76
PK	6.5626G	109.67	Inf	-Inf	7.48	3	Horizontal	49	1.74	102.19	35.45	6.53	34.50
PK	7.1458G	60.21	88.20	-27.99	8.54	3	Horizontal	49	1.74	51.67	36.57	6.73	34.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12716G	45.31	68.20	-22.89	15.35	3	Vertical	150	2.58	29.96	39.60	9.05	33.30
PK	13.12505G	54.24	88.20	-33.96	15.35	3	Vertical	150	2.58	38.89	39.60	9.05	33.30

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12783G	45.42	68.20	-22.78	15.35	3	Horizontal	34	2.86	30.07	39.60	9.05	33.30
PK	13.13219G	54.81	88.20	-33.39	15.36	3	Horizontal	34	2.86	39.45	39.60	9.05	33.29



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.693G	97.35	Inf	-Inf	7.98	3	Vertical	319	2.18	89.37	35.99	6.56	34.57
AV	7.175G	50.97	68.20	-17.23	8.63	3	Vertical	319	2.18	42.34	36.65	6.74	34.76
PK	6.689G	107.10	Inf	-Inf	7.97	3	Vertical	319	2.18	99.13	35.98	6.56	34.57
PK	7.167G	61.07	88.20	-27.13	8.61	3	Vertical	319	2.18	52.46	36.63	6.74	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.683G	101.20	Inf	-Inf	7.96	3	Horizontal	59	2.15	93.24	35.97	6.56	34.57
AV	7.175G	50.95	68.20	-17.25	8.63	3	Horizontal	59	2.15	42.32	36.65	6.74	34.76
PK	6.685G	109.99	Inf	-Inf	7.96	3	Horizontal	59	2.15	102.03	35.97	6.56	34.57
PK	7.183G	60.06	88.20	-28.14	8.65	3	Horizontal	59	2.15	51.41	36.67	6.74	34.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37197G	45.75	54.00	-8.25	16.16	3	Vertical	67	2.22	29.59	39.94	9.12	32.90
PK	13.37342G	55.03	74.00	-18.97	16.17	3	Vertical	67	2.22	38.86	39.95	9.12	32.90

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37332G	45.76	54.00	-8.24	16.17	3	Horizontal	94	1.22	29.59	39.95	9.12	32.90
PK	13.36784G	54.85	74.00	-19.15	16.15	3	Horizontal	94	1.22	38.70	39.94	9.12	32.91



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8408G	97.52	Inf	-Inf	7.75	3	Vertical	306	2.15	89.77	35.80	6.60	34.65
AV	7.139G	51.10	68.20	-17.10	8.50	3	Vertical	306	2.15	42.60	36.53	6.73	34.76
PK	6.8506G	107.55	Inf	-Inf	7.75	3	Vertical	306	2.15	99.80	35.80	6.61	34.66
PK	7.1698G	60.78	88.20	-27.42	8.62	3	Vertical	306	2.15	52.16	36.64	6.74	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8422G	101.26	Inf	-Inf	7.75	3	Horizontal	55	2.20	93.51	35.80	6.60	34.65
AV	7.1922G	51.21	68.20	-16.99	8.67	3	Horizontal	55	2.20	42.54	36.68	6.75	34.76
PK	6.8422G	111.63	Inf	-Inf	7.75	3	Horizontal	55	2.20	103.88	35.80	6.60	34.65
PK	7.195G	61.58	88.20	-26.62	8.68	3	Horizontal	55	2.20	52.90	36.69	6.75	34.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68638G	46.25	68.20	-21.95	16.57	3	Vertical	110	2.33	29.68	40.11	9.22	32.76
PK	13.68667G	55.21	88.20	-32.99	16.57	3	Vertical	110	2.33	38.64	40.11	9.22	32.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68955G	46.15	68.20	-22.05	16.57	3	Horizontal	117	1.23	29.58	40.11	9.22	32.76
PK	13.69415G	54.88	88.20	-33.32	16.57	3	Horizontal	117	1.23	38.31	40.11	9.22	32.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8724G	97.11	Inf	-Inf	7.75	3	Vertical	4	3.00	89.36	35.80	6.62	34.67
AV	7.1804G	51.15	68.20	-17.05	8.64	3	Vertical	4	3.00	42.51	36.66	6.74	34.76
PK	6.8822G	107.90	Inf	-Inf	7.74	3	Vertical	4	3.00	100.16	35.80	6.62	34.68
PK	7.165G	60.90	88.20	-27.30	8.61	3	Vertical	4	3.00	52.29	36.63	6.74	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8808G	100.76	Inf	-Inf	7.74	3	Horizontal	59	2.09	93.02	35.80	6.62	34.68
AV	7.2042G	51.06	68.20	-17.14	8.70	3	Horizontal	59	2.09	42.36	36.71	6.75	34.76
PK	6.8822G	110.93	Inf	-Inf	7.74	3	Horizontal	59	2.09	103.19	35.80	6.62	34.68
PK	7.1762G	60.51	88.20	-27.69	8.63	3	Horizontal	59	2.09	51.88	36.65	6.74	34.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77336G	46.16	68.20	-22.04	16.48	3	Vertical	31	1.94	29.68	40.03	9.24	32.79
PK	13.77345G	54.64	88.20	-33.56	16.48	3	Vertical	31	1.94	38.16	40.03	9.24	32.79

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76755G	45.95	68.20	-22.25	16.48	3	Horizontal	259	2.62	29.47	40.03	9.24	32.79
PK	13.76993G	55.12	88.20	-33.08	16.48	3	Horizontal	259	2.62	38.64	40.03	9.24	32.79



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




17/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.919G	96.63	Inf	-Inf	7.70	3	Vertical	5	2.96	88.93	35.76	6.64	34.70
AV	7.1878G	51.13	68.20	-17.07	8.67	3	Vertical	5	2.96	42.46	36.68	6.75	34.76
PK	6.9214G	106.10	Inf	-Inf	7.70	3	Vertical	5	2.96	98.40	35.76	6.64	34.70
PK	7.1302G	61.16	88.20	-27.04	8.45	3	Vertical	5	2.96	52.71	36.48	6.73	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




17/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9286G	101.85	Inf	-Inf	7.68	3	Horizontal	54	2.11	94.17	35.74	6.64	34.70
AV	7.1866G	51.37	68.20	-16.83	8.66	3	Horizontal	54	2.11	42.71	36.67	6.75	34.76
PK	6.9214G	111.79	Inf	-Inf	7.70	3	Horizontal	54	2.11	104.09	35.76	6.64	34.70
PK	7.1626G	61.73	88.20	-26.47	8.61	3	Horizontal	54	2.11	53.12	36.63	6.74	34.76



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84564G	46.22	68.20	-21.98	16.53	3	Vertical	308	2.87	29.69	40.09	9.26	32.82
PK	13.84864G	55.70	88.20	-32.50	16.54	3	Vertical	308	2.87	39.16	40.10	9.26	32.82

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84803G	46.27	68.20	-21.93	16.54	3	Horizontal	155	2.54	29.73	40.10	9.26	32.82
PK	13.84913G	54.96	88.20	-33.24	16.54	3	Horizontal	155	2.54	38.42	40.10	9.26	32.82



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.999G	96.11	Inf	-Inf	7.64	3	Vertical	2	1.06	88.47	35.70	6.68	34.74
AV	7.1448G	51.08	68.20	-17.12	8.54	3	Vertical	2	1.06	42.54	36.57	6.73	34.76
PK	7.0014G	106.79	Inf	-Inf	7.65	3	Vertical	2	1.06	99.14	35.71	6.68	34.74
PK	7.155G	61.11	88.20	-27.09	8.58	3	Vertical	2	1.06	52.53	36.61	6.73	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9912G	100.15	Inf	-Inf	7.64	3	Horizontal	53	2.11	92.51	35.70	6.68	34.74
AV	7.1466G	51.03	68.20	-17.17	8.55	3	Horizontal	53	2.11	42.48	36.58	6.73	34.76
PK	7.0032G	109.41	Inf	-Inf	7.66	3	Horizontal	53	2.11	101.75	35.72	6.68	34.74
PK	7.1472G	60.80	88.20	-27.40	8.55	3	Horizontal	53	2.11	52.25	36.58	6.73	34.76



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0077G	46.90	68.20	-21.30	16.83	3	Vertical	157	1.89	30.07	40.41	9.31	32.89
PK	14.01162G	55.54	88.20	-32.66	16.83	3	Vertical	157	1.89	38.71	40.41	9.31	32.89

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00641G	46.69	68.20	-21.51	16.83	3	Horizontal	297	1.94	29.86	40.41	9.31	32.89
PK	14.0081G	55.45	88.20	-32.75	16.83	3	Horizontal	297	1.94	38.62	40.41	9.31	32.89



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




17/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0898G	99.00	Inf	-Inf	8.20	3	Vertical	307	2.12	90.80	36.24	6.71	34.75
AV	7.1276G	52.41	68.20	-15.79	8.43	3	Vertical	307	2.12	43.98	36.47	6.72	34.76
PK	7.0904G	109.59	Inf	-Inf	8.20	3	Vertical	307	2.12	101.39	36.24	6.71	34.75
PK	7.1294G	67.07	88.20	-21.13	8.45	3	Vertical	307	2.12	58.62	36.48	6.73	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




17/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0916G	100.80	Inf	-Inf	8.21	3	Horizontal	76	2.52	92.59	36.25	6.71	34.75
AV	7.1264G	53.02	68.20	-15.18	8.42	3	Horizontal	76	2.52	44.60	36.46	6.72	34.76
PK	7.082G	111.23	Inf	-Inf	8.15	3	Horizontal	76	2.52	103.08	36.19	6.71	34.75
PK	7.1276G	68.41	88.20	-19.79	8.43	3	Horizontal	76	2.52	59.98	36.47	6.72	34.76



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17316G	46.77	68.20	-21.43	16.77	3	Vertical	158	1.39	30.00	40.50	9.36	33.09
PK	14.16595G	56.23	88.20	-31.97	16.78	3	Vertical	158	1.39	39.45	40.50	9.36	33.08

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16743G	46.69	68.20	-21.51	16.78	3	Horizontal	312	2.19	29.91	40.50	9.36	33.08
PK	14.17318G	55.00	88.20	-33.20	16.77	3	Horizontal	312	2.19	38.23	40.50	9.36	33.09



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	51.62	68.20	-16.58	6.03	3	Vertical	347	1.13	45.59	34.30	6.26	34.53
AV	5.974G	95.25	Inf	-Inf	6.02	3	Vertical	347	1.13	89.23	34.25	6.29	34.52
PK	5.925G	63.13	88.20	-25.07	6.03	3	Vertical	347	1.13	57.10	34.30	6.26	34.53
PK	5.982G	105.26	Inf	-Inf	6.01	3	Vertical	347	1.13	99.25	34.24	6.29	34.52

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	52.13	68.20	-16.07	6.03	3	Horizontal	36	2.14	46.10	34.30	6.26	34.53
AV	5.996G	99.36	Inf	-Inf	5.99	3	Horizontal	36	2.14	93.37	34.21	6.30	34.52
PK	5.921G	64.54	88.20	-23.66	6.03	3	Horizontal	36	2.14	58.51	34.30	6.26	34.53
PK	5.996G	109.51	Inf	-Inf	5.99	3	Horizontal	36	2.14	103.52	34.21	6.30	34.52



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97019G	43.23	54.00	-10.77	12.62	3	Vertical	338	2.97	30.61	38.64	8.70	34.72
PK	11.96705G	51.94	74.00	-22.06	12.61	3	Vertical	338	2.97	39.33	38.63	8.70	34.72

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97258G	43.16	54.00	-10.84	12.63	3	Horizontal	283	1.90	30.53	38.65	8.70	34.72
PK	11.97298G	52.53	74.00	-21.47	12.63	3	Horizontal	283	1.90	39.90	38.65	8.70	34.72



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	48.22	68.20	-19.98	6.02	3	Vertical	305	2.08	42.20	34.30	6.25	34.53
AV	6.157G	96.08	Inf	-Inf	5.96	3	Vertical	305	2.08	90.12	34.13	6.33	34.50
PK	5.9122G	58.29	88.20	-29.91	6.03	3	Vertical	305	2.08	52.26	34.30	6.26	34.53
PK	6.1426G	105.02	Inf	-Inf	5.89	3	Vertical	305	2.08	99.13	34.07	6.33	34.51

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8642G	48.27	68.20	-19.93	5.86	3	Horizontal	35	2.19	42.41	34.16	6.23	34.53
AV	6.1582G	99.93	Inf	-Inf	5.96	3	Horizontal	35	2.19	93.97	34.13	6.33	34.50
PK	5.8474G	58.18	88.20	-30.02	5.78	3	Horizontal	35	2.19	52.40	34.09	6.22	34.53
PK	6.1486G	109.00	Inf	-Inf	5.91	3	Horizontal	35	2.19	103.09	34.09	6.33	34.51



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29229G	44.04	54.00	-9.96	13.19	3	Vertical	245	1.10	30.85	38.92	8.80	34.53
PK	12.29344G	53.09	74.00	-20.91	13.19	3	Vertical	245	1.10	39.90	38.91	8.80	34.52

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29252G	44.13	54.00	-9.87	13.18	3	Horizontal	40	1.81	30.95	38.91	8.80	34.53
PK	12.29338G	53.54	74.00	-20.46	13.19	3	Horizontal	40	1.81	40.35	38.91	8.80	34.52



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




17/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.857G	48.26	68.20	-19.94	5.83	3	Vertical	306	1.82	42.43	34.13	6.23	34.53
AV	6.373G	96.47	Inf	-Inf	6.79	3	Vertical	306	1.82	89.68	34.85	6.42	34.48
PK	5.8954G	58.20	88.20	-30.00	6.00	3	Vertical	306	1.82	52.20	34.28	6.25	34.53
PK	6.373G	105.43	Inf	-Inf	6.79	3	Vertical	306	1.82	98.64	34.85	6.42	34.48

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




17/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9026G	48.86	68.20	-19.34	6.02	3	Horizontal	34	1.38	42.84	34.30	6.25	34.53
AV	6.397G	99.97	Inf	-Inf	6.84	3	Horizontal	34	1.38	93.13	34.89	6.43	34.48
PK	5.833G	58.00	88.20	-30.20	5.72	3	Horizontal	34	1.38	52.28	34.03	6.22	34.53
PK	6.397G	109.91	Inf	-Inf	6.84	3	Horizontal	34	1.38	103.07	34.89	6.43	34.48



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76818G	45.12	68.20	-23.08	14.47	3	Vertical	224	1.21	30.65	39.44	8.94	33.91
PK	12.77079G	53.75	88.20	-34.45	14.47	3	Vertical	224	1.21	39.28	39.44	8.94	33.91

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76516G	45.00	68.20	-23.20	14.45	3	Horizontal	286	1.78	30.55	39.43	8.94	33.92
PK	12.76617G	53.42	88.20	-34.78	14.45	3	Horizontal	286	1.78	38.97	39.43	8.94	33.92



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.849G	48.17	68.20	-20.03	5.79	3	Vertical	303	1.54	42.38	34.10	6.22	34.53
AV	6.4734G	97.20	Inf	-Inf	7.00	3	Vertical	303	1.54	90.20	35.00	6.47	34.47
AV	7.1538G	50.97	68.20	-17.23	8.58	3	Vertical	303	1.54	42.39	36.61	6.73	34.76
PK	5.8378G	58.90	88.20	-29.30	5.74	3	Vertical	303	1.54	53.16	34.05	6.22	34.53
PK	6.4538G	106.68	Inf	-Inf	6.99	3	Vertical	303	1.54	99.69	35.00	6.46	34.47
PK	7.1454G	60.45	88.20	-27.75	8.54	3	Vertical	303	1.54	51.91	36.57	6.73	34.76

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9078G	48.44	68.20	-19.76	6.02	3	Horizontal	51	1.71	42.42	34.30	6.25	34.53
AV	6.4594G	100.86	Inf	-Inf	7.00	3	Horizontal	51	1.71	93.86	35.00	6.47	34.47
AV	7.165G	50.93	68.20	-17.27	8.61	3	Horizontal	51	1.71	42.32	36.63	6.74	34.76
PK	5.9134G	57.76	88.20	-30.44	6.03	3	Horizontal	51	1.71	51.73	34.30	6.26	34.53
PK	6.4482G	110.33	Inf	-Inf	6.98	3	Horizontal	51	1.71	103.35	35.00	6.46	34.48
PK	7.1286G	60.50	88.20	-27.70	8.44	3	Horizontal	51	1.71	52.06	36.47	6.73	34.76



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93288G	45.05	68.20	-23.15	15.06	3	Vertical	320	1.90	29.99	39.70	8.99	33.63
PK	12.93073G	54.08	88.20	-34.12	15.06	3	Vertical	320	1.90	39.02	39.70	8.99	33.63

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92708G	45.28	68.20	-22.92	15.05	3	Horizontal	142	2.07	30.23	39.70	8.99	33.64
PK	12.92797G	54.57	88.20	-33.63	15.05	3	Horizontal	142	2.07	39.52	39.70	8.99	33.64

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8674G	48.20	68.20	-20.00	5.87	3	Vertical	350	1.07	42.33	34.17	6.23	34.53
AV	6.475G	96.02	Inf	-Inf	7.00	3	Vertical	350	1.07	89.02	35.00	6.47	34.47
AV	7.2366G	51.33	68.20	-16.87	8.77	3	Vertical	350	1.07	42.56	36.77	6.77	34.77
PK	5.8814G	57.63	88.20	-30.57	5.94	3	Vertical	350	1.07	51.69	34.23	6.24	34.53
PK	6.475G	104.90	Inf	-Inf	7.00	3	Vertical	350	1.07	97.90	35.00	6.47	34.47
PK	7.231G	61.20	88.20	-27.00	8.76	3	Vertical	350	1.07	52.44	36.76	6.77	34.77

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8926G	48.47	68.20	-19.73	5.99	3	Horizontal	48	1.74	42.48	34.27	6.25	34.53
AV	6.4946G	100.57	Inf	-Inf	7.02	3	Horizontal	48	1.74	93.55	35.00	6.49	34.47
AV	7.1694G	51.10	68.20	-17.10	8.62	3	Horizontal	48	1.74	42.48	36.64	6.74	34.76
PK	5.8506G	58.18	88.20	-30.02	5.80	3	Horizontal	48	1.74	52.38	34.10	6.23	34.53
PK	6.4918G	110.32	Inf	-Inf	7.02	3	Horizontal	48	1.74	103.30	35.00	6.49	34.47
PK	7.189G	60.10	88.20	-28.10	8.67	3	Horizontal	48	1.74	51.43	36.68	6.75	34.76



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08538G	45.27	68.20	-22.93	15.28	3	Vertical	193	2.97	29.99	39.61	9.04	33.37
PK	13.09303G	53.94	88.20	-34.26	15.29	3	Vertical	193	2.97	38.65	39.61	9.04	33.36

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09336G	45.63	68.20	-22.57	15.29	3	Horizontal	153	1.58	30.34	39.61	9.04	33.36
PK	13.08596G	54.47	88.20	-33.73	15.28	3	Horizontal	153	1.58	39.19	39.61	9.04	33.37



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6154G	97.54	Inf	-Inf	7.71	3	Vertical	311	2.18	89.83	35.69	6.55	34.53
AV	7.1578G	51.05	68.20	-17.15	8.60	3	Vertical	311	2.18	42.45	36.62	6.74	34.76
PK	6.6274G	107.30	Inf	-Inf	7.77	3	Vertical	311	2.18	99.53	35.76	6.55	34.54
PK	7.1698G	61.10	88.20	-27.10	8.62	3	Vertical	311	2.18	52.48	36.64	6.74	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.649G	100.64	Inf	-Inf	7.90	3	Horizontal	62	2.28	92.74	35.89	6.56	34.55
AV	7.1578G	50.96	68.20	-17.24	8.60	3	Horizontal	62	2.28	42.36	36.62	6.74	34.76
PK	6.6514G	110.35	Inf	-Inf	7.91	3	Horizontal	62	2.28	102.44	35.90	6.56	34.55
PK	7.189G	60.85	88.20	-27.35	8.67	3	Horizontal	62	2.28	52.18	36.68	6.75	34.76



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25248G	45.46	54.00	-8.54	15.69	3	Vertical	331	2.56	29.77	39.70	9.09	33.10
PK	13.25149G	54.97	74.00	-19.03	15.69	3	Vertical	331	2.56	39.28	39.70	9.09	33.10

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25139G	45.33	54.00	-8.67	15.69	3	Horizontal	192	1.91	29.64	39.70	9.09	33.10
PK	13.25353G	54.90	74.00	-19.10	15.71	3	Horizontal	192	1.91	39.19	39.71	9.09	33.09



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.693G	92.50	Inf	-Inf	7.98	3	Vertical	354.1	1.50	84.52	35.99	6.56	34.57
AV	7.203G	51.11	68.20	-17.09	8.70	3	Vertical	354.1	1.50	42.41	36.71	6.75	34.76
PK	6.693G	101.79	Inf	-Inf	7.98	3	Vertical	354.1	1.50	93.81	35.99	6.56	34.57
PK	7.159G	60.79	88.20	-27.41	8.60	3	Vertical	354.1	1.50	52.19	36.62	6.74	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.711G	101.66	Inf	-Inf	7.97	3	Horizontal	60	2.24	93.69	35.98	6.57	34.58
AV	7.143G	51.14	68.20	-17.06	8.53	3	Horizontal	60	2.24	42.61	36.56	6.73	34.76
PK	6.715G	110.40	Inf	-Inf	7.95	3	Horizontal	60	2.24	102.45	35.97	6.57	34.59
PK	7.139G	61.21	88.20	-26.99	8.50	3	Horizontal	60	2.24	52.71	36.53	6.73	34.76



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41436G	45.89	68.20	-22.31	16.30	3	Vertical	121	1.18	29.59	40.00	9.13	32.83
PK	13.41185G	54.45	88.20	-33.75	16.30	3	Vertical	121	1.18	38.15	40.00	9.13	32.83

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41254G	45.90	68.20	-22.30	16.30	3	Horizontal	278	2.57	29.60	40.00	9.13	32.83
PK	13.40765G	54.19	88.20	-34.01	16.29	3	Horizontal	278	2.57	37.90	40.00	9.13	32.84



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7822G	92.97	Inf	-Inf	7.80	3	Vertical	308	1.50	85.17	35.84	6.58	34.62
AV	7.1266G	50.74	68.20	-17.46	8.42	3	Vertical	308	1.50	42.32	36.46	6.72	34.76
PK	6.7822G	103.38	Inf	-Inf	7.80	3	Vertical	308	1.50	95.58	35.84	6.58	34.62
PK	7.1266G	59.90	88.20	-28.30	8.42	3	Vertical	308	1.50	51.48	36.46	6.72	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7738G	101.06	Inf	-Inf	7.81	3	Horizontal	59	2.22	93.25	35.85	6.58	34.62
AV	7.1266G	50.71	68.20	-17.49	8.42	3	Horizontal	59	2.22	42.29	36.46	6.72	34.76
PK	6.7822G	110.13	Inf	-Inf	7.80	3	Horizontal	59	2.22	102.33	35.84	6.58	34.62
PK	7.1294G	60.35	88.20	-27.85	8.45	3	Horizontal	59	2.22	51.90	36.48	6.73	34.76



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57111G	46.13	68.20	-22.07	16.60	3	Vertical	115	2.28	29.53	40.14	9.18	32.72
PK	13.57348G	55.02	88.20	-33.18	16.61	3	Vertical	115	2.28	38.41	40.15	9.18	32.72

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56606G	46.26	68.20	-21.94	16.59	3	Horizontal	155	2.81	29.67	40.13	9.18	32.72
PK	13.57336G	55.72	88.20	-32.48	16.61	3	Horizontal	155	2.81	39.11	40.15	9.18	32.72



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8552G	88.14	Inf	-Inf	7.75	3	Vertical	269	1.25	80.39	35.80	6.61	34.66
AV	7.208G	51.28	68.20	-16.92	8.72	3	Vertical	269	1.25	42.56	36.72	6.76	34.76
PK	6.8678G	98.26	Inf	-Inf	7.74	3	Vertical	269	1.25	90.52	35.80	6.61	34.67
PK	7.145G	61.79	88.20	-26.41	8.54	3	Vertical	269	1.25	53.25	36.57	6.73	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8342G	100.26	Inf	-Inf	7.75	3	Horizontal	56	2.21	92.51	35.80	6.60	34.65
AV	7.1534G	51.09	68.20	-17.11	8.58	3	Horizontal	56	2.21	42.51	36.61	6.73	34.76
PK	6.8916G	109.76	Inf	-Inf	7.75	3	Horizontal	56	2.21	102.01	35.80	6.63	34.68
PK	7.215G	60.83	88.20	-27.37	8.72	3	Horizontal	56	2.21	52.11	36.73	6.76	34.77



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73224G	46.39	68.20	-21.81	16.52	3	Vertical	126	1.65	29.87	40.07	9.23	32.78
PK	13.72565G	54.92	88.20	-33.28	16.52	3	Vertical	126	1.65	38.40	40.07	9.23	32.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73102G	46.00	68.20	-22.20	16.52	3	Horizontal	247	2.45	29.48	40.07	9.23	32.78
PK	13.7257G	55.08	88.20	-33.12	16.52	3	Horizontal	247	2.45	38.56	40.07	9.23	32.78



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9354G	97.41	Inf	-Inf	7.67	3	Vertical	310	2.22	89.74	35.73	6.65	34.71
AV	7.2174G	51.26	68.20	-16.94	8.72	3	Vertical	310	2.22	42.54	36.73	6.76	34.77
PK	6.927G	107.71	Inf	-Inf	7.69	3	Vertical	310	2.22	100.02	35.75	6.64	34.70
PK	7.1694G	60.93	88.20	-27.27	8.62	3	Vertical	310	2.22	52.31	36.64	6.74	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9318G	101.88	Inf	-Inf	7.69	3	Horizontal	55	2.10	94.19	35.74	6.65	34.70
AV	7.155G	51.45	68.20	-16.75	8.58	3	Horizontal	55	2.10	42.87	36.61	6.73	34.76
PK	6.9318G	111.10	Inf	-Inf	7.69	3	Horizontal	55	2.10	103.41	35.74	6.65	34.70
PK	7.1682G	61.57	88.20	-26.63	8.62	3	Horizontal	55	2.10	52.95	36.64	6.74	34.76



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89043G	46.17	68.20	-22.03	16.62	3	Vertical	125	2.85	29.55	40.18	9.28	32.84
PK	13.88975G	54.72	88.20	-33.48	16.62	3	Vertical	125	2.85	38.10	40.18	9.28	32.84

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88649G	46.06	68.20	-22.14	16.61	3	Horizontal	346	2.39	29.45	40.17	9.28	32.84
PK	13.8868G	55.34	88.20	-32.86	16.62	3	Horizontal	346	2.39	38.72	40.18	9.28	32.84



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.016G	96.79	Inf	-Inf	7.75	3	Vertical	302	1.93	89.04	35.80	6.69	34.74
AV	7.1306G	52.68	68.20	-15.52	8.45	3	Vertical	302	1.93	44.23	36.48	6.73	34.76
PK	7.0286G	107.24	Inf	-Inf	7.82	3	Vertical	302	1.93	99.42	35.87	6.69	34.74
PK	7.1354G	63.74	88.20	-24.46	8.48	3	Vertical	302	1.93	55.26	36.51	6.73	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0064G	100.12	Inf	-Inf	7.68	3	Horizontal	55	2.07	92.44	35.74	6.68	34.74
AV	7.1258G	53.87	68.20	-14.33	8.41	3	Horizontal	55	2.07	45.46	36.45	6.72	34.76
PK	6.9938G	110.62	Inf	-Inf	7.64	3	Horizontal	55	2.07	102.98	35.70	6.68	34.74
PK	7.1258G	66.23	88.20	-21.97	8.41	3	Horizontal	55	2.07	57.82	36.45	6.72	34.76



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05059G	46.58	68.20	-21.62	16.84	3	Vertical	175	1.12	29.74	40.45	9.33	32.94
PK	14.04557G	55.34	88.20	-32.86	16.83	3	Vertical	175	1.12	38.51	40.45	9.32	32.94

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04838G	46.56	68.20	-21.64	16.84	3	Horizontal	307	1.36	29.72	40.45	9.33	32.94
PK	14.04549G	55.99	88.20	-32.21	16.83	3	Horizontal	307	1.36	39.16	40.45	9.32	32.94



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	64.76	68.20	-3.44	6.03	3	Vertical	308	1.90	58.73	34.30	6.26	34.53
AV	6.08G	95.64	Inf	-Inf	5.75	3	Vertical	308	1.90	89.89	33.94	6.32	34.51
PK	5.916G	74.82	88.20	-13.38	6.03	3	Vertical	308	1.90	68.79	34.30	6.26	34.53
PK	6.087G	104.90	Inf	-Inf	5.74	3	Vertical	308	1.90	99.16	33.93	6.32	34.51

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	67.02	68.20	-1.18	6.03	3	Horizontal	35	2.06	60.99	34.30	6.26	34.53
AV	6.019G	100.04	Inf	-Inf	5.90	3	Horizontal	35	2.06	94.14	34.12	6.30	34.52
PK	5.912G	76.40	88.20	-11.80	6.03	3	Horizontal	35	2.06	70.37	34.30	6.26	34.53
PK	6.078G	109.12	Inf	-Inf	5.75	3	Horizontal	35	2.06	103.37	33.94	6.32	34.51



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05199G	45.36	54.00	-8.64	12.90	3	Vertical	95	2.30	32.46	38.86	8.73	34.69
PK	12.05355G	52.01	74.00	-21.99	12.90	3	Vertical	95	2.30	39.11	38.86	8.73	34.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04574G	44.64	54.00	-9.36	12.86	3	Horizontal	64	2.09	31.78	38.84	8.72	34.70
PK	12.04582G	52.22	74.00	-21.78	12.86	3	Horizontal	64	2.09	39.36	38.84	8.72	34.70



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9178G	50.08	68.20	-18.12	6.03	3	Vertical	307	1.93	44.05	34.30	6.26	34.53
AV	6.2106G	96.31	Inf	-Inf	6.16	3	Vertical	307	1.93	90.15	34.32	6.34	34.50
PK	5.9178G	58.14	88.20	-30.06	6.03	3	Vertical	307	1.93	52.11	34.30	6.26	34.53
PK	6.1994G	105.15	Inf	-Inf	6.14	3	Vertical	307	1.93	99.01	34.30	6.34	34.50

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	51.38	68.20	-16.82	6.03	3	Horizontal	35	2.19	45.35	34.30	6.26	34.53
AV	6.1594G	99.79	Inf	-Inf	5.97	3	Horizontal	35	2.19	93.82	34.14	6.33	34.50
PK	5.9226G	60.34	88.20	-27.86	6.03	3	Horizontal	35	2.19	54.31	34.30	6.26	34.53
PK	6.2106G	108.14	Inf	-Inf	6.16	3	Horizontal	35	2.19	101.98	34.32	6.34	34.50



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3738G	45.09	54.00	-8.91	13.25	3	Vertical	228	2.25	31.84	38.90	8.82	34.47
PK	12.36762G	52.47	74.00	-21.53	13.25	3	Vertical	228	2.25	39.22	38.90	8.82	34.47

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36606G	44.71	54.00	-9.29	13.25	3	Horizontal	354	2.37	31.46	38.90	8.82	34.47
PK	12.37116G	53.20	74.00	-20.80	13.25	3	Horizontal	354	2.37	39.95	38.90	8.82	34.47



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8554G	49.49	68.20	-18.71	5.82	3	Vertical	300	1.56	43.67	34.12	6.23	34.53
AV	6.4002G	96.64	Inf	-Inf	6.85	3	Vertical	300	1.56	89.79	34.90	6.43	34.48
PK	5.8554G	58.57	88.20	-29.63	5.82	3	Vertical	300	1.56	52.75	34.12	6.23	34.53
PK	6.4002G	104.29	Inf	-Inf	6.85	3	Vertical	300	1.56	97.44	34.90	6.43	34.48

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9058G	49.89	68.20	-18.31	6.02	3	Horizontal	36	2.18	43.87	34.30	6.25	34.53
AV	6.4002G	99.93	Inf	-Inf	6.85	3	Horizontal	36	2.18	93.08	34.90	6.43	34.48
PK	5.925G	58.31	88.20	-29.89	6.03	3	Horizontal	36	2.18	52.28	34.30	6.26	34.53
PK	6.3954G	108.61	Inf	-Inf	6.84	3	Horizontal	36	2.18	101.77	34.89	6.43	34.48



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68562G	45.76	54.00	-8.24	14.13	3	Vertical	210	2.50	31.63	39.27	8.92	34.06
PK	12.69219G	53.87	74.00	-20.13	14.15	3	Vertical	210	2.50	39.72	39.28	8.92	34.05

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69178G	45.55	54.00	-8.45	14.15	3	Horizontal	349	1.15	31.40	39.28	8.92	34.05
PK	12.68682G	54.19	74.00	-19.81	14.14	3	Horizontal	349	1.15	40.05	39.27	8.92	34.05



6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8974G	49.69	68.20	-18.51	6.01	3	Vertical	305	2.20	43.68	34.29	6.25	34.53
AV	6.5302G	97.40	Inf	-Inf	7.26	3	Vertical	305	2.20	90.14	35.24	6.51	34.49
AV	7.1798G	52.20	68.20	-16.00	8.64	3	Vertical	305	2.20	43.56	36.66	6.74	34.76
PK	5.8554G	57.98	88.20	-30.22	5.82	3	Vertical	305	2.20	52.16	34.12	6.23	34.53
PK	6.5274G	105.95	Inf	-Inf	7.25	3	Vertical	305	2.20	98.70	35.22	6.51	34.48
PK	7.1938G	62.10	88.20	-26.10	8.68	3	Vertical	305	2.20	53.42	36.69	6.75	34.76

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9086G	49.78	68.20	-18.42	6.02	3	Horizontal	48	1.82	43.76	34.30	6.25	34.53
AV	6.477G	100.56	Inf	-Inf	7.01	3	Horizontal	48	1.82	93.55	35.00	6.48	34.47
AV	7.1826G	52.27	68.20	-15.93	8.65	3	Horizontal	48	1.82	43.62	36.67	6.74	34.76
PK	5.861G	58.26	88.20	-29.94	5.84	3	Horizontal	48	1.82	52.42	34.14	6.23	34.53
PK	6.4826G	109.40	Inf	-Inf	7.01	3	Horizontal	48	1.82	102.39	35.00	6.48	34.47
PK	7.149G	61.35	88.20	-26.85	8.56	3	Horizontal	48	1.82	52.79	36.59	6.73	34.76



6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01369G	46.19	68.20	-22.01	15.21	3	Vertical	252	1.00	30.98	39.69	9.01	33.49
PK	13.01108G	53.83	88.20	-34.37	15.21	3	Vertical	252	1.00	38.62	39.69	9.01	33.49

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0053G	46.33	68.20	-21.87	15.20	3	Horizontal	228	1.67	31.13	39.69	9.01	33.50
PK	13.01268G	54.74	88.20	-33.46	15.21	3	Horizontal	228	1.67	39.53	39.69	9.01	33.49



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6892G	96.76	Inf	-Inf	7.97	3	Vertical	322	2.03	88.79	35.98	6.56	34.57
AV	7.16G	52.44	68.20	-15.76	8.60	3	Vertical	322	2.03	43.84	36.62	6.74	34.76
PK	6.7266G	106.67	Inf	-Inf	7.93	3	Vertical	322	2.03	98.74	35.95	6.57	34.59
PK	7.1732G	61.19	88.20	-27.01	8.63	3	Vertical	322	2.03	52.56	36.65	6.74	34.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7244G	101.48	Inf	-Inf	7.93	3	Horizontal	60	2.21	93.55	35.95	6.57	34.59
AV	7.193G	52.48	68.20	-15.72	8.68	3	Horizontal	60	2.21	43.80	36.69	6.75	34.76
PK	6.7244G	110.02	Inf	-Inf	7.93	3	Horizontal	60	2.21	102.09	35.95	6.57	34.59
PK	7.1666G	61.13	88.20	-27.07	8.61	3	Horizontal	60	2.21	52.52	36.63	6.74	34.76



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33038G	46.69	54.00	-7.31	16.00	3	Vertical	345	1.50	30.69	39.86	9.11	32.97
PK	13.3343G	53.89	74.00	-20.11	16.02	3	Vertical	345	1.50	37.87	39.87	9.11	32.96

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33039G	46.89	54.00	-7.11	16.00	3	Horizontal	173	1.23	30.89	39.86	9.11	32.97
PK	13.33178G	54.04	74.00	-19.96	16.00	3	Horizontal	173	1.23	38.04	39.86	9.11	32.97



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7962G	96.68	Inf	-Inf	7.76	3	Vertical	304	2.12	88.92	35.81	6.58	34.63
AV	7.1306G	55.08	68.20	-13.12	8.45	3	Vertical	304	2.12	46.63	36.48	6.73	34.76
PK	6.793G	105.98	Inf	-Inf	7.76	3	Vertical	304	2.12	98.22	35.81	6.58	34.63
PK	7.129G	63.97	88.20	-24.23	8.44	3	Vertical	304	2.12	55.53	36.47	6.73	34.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7994G	100.46	Inf	-Inf	7.75	3	Horizontal	59	2.14	92.71	35.80	6.58	34.63
AV	7.129G	57.30	68.20	-10.90	8.44	3	Horizontal	59	2.14	48.86	36.47	6.73	34.76
PK	6.8666G	109.22	Inf	-Inf	7.74	3	Horizontal	59	2.14	101.48	35.80	6.61	34.67
PK	7.1258G	66.95	88.20	-21.25	8.41	3	Horizontal	59	2.14	58.54	36.45	6.72	34.76



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65333G	47.44	68.20	-20.76	16.61	3	Vertical	39	2.06	30.83	40.15	9.21	32.75
PK	13.65235G	55.81	88.20	-32.39	16.61	3	Vertical	39	2.06	39.20	40.15	9.21	32.75

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65228G	47.60	68.20	-20.60	16.61	3	Horizontal	285	2.40	30.99	40.15	9.21	32.75
PK	13.65292G	54.78	88.20	-33.42	16.61	3	Horizontal	285	2.40	38.17	40.15	9.21	32.75

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.96G	97.77	Inf	-Inf	7.64	3	Vertical	313	2.19	90.13	35.70	6.66	34.72
AV	7.139G	67.98	68.20	-0.22	8.50	3	Vertical	313	2.19	59.48	36.53	6.73	34.76
PK	6.935G	106.51	Inf	-Inf	7.68	3	Vertical	313	2.19	98.83	35.73	6.65	34.70
PK	7.134G	77.33	88.20	-10.87	8.47	3	Vertical	313	2.19	68.86	36.50	6.73	34.76

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.912G	100.23	Inf	-Inf	7.73	3	Horizontal	55	1.98	92.50	35.78	6.64	34.69
AV	7.131G	67.01	68.20	-1.19	8.46	3	Horizontal	55	1.98	58.55	36.49	6.73	34.76
PK	6.912G	109.05	Inf	-Inf	7.73	3	Horizontal	55	1.98	101.32	35.78	6.64	34.69
PK	7.136G	77.43	88.20	-10.77	8.49	3	Horizontal	55	1.98	68.94	36.52	6.73	34.76



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97039G	47.49	68.20	-20.71	16.77	3	Vertical	25	2.43	30.72	40.34	9.30	32.87
PK	13.96876G	55.23	88.20	-32.97	16.77	3	Vertical	25	2.43	38.46	40.34	9.30	32.87

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96704G	47.15	68.20	-21.05	16.76	3	Horizontal	64	2.30	30.39	40.33	9.30	32.87
PK	13.97386G	55.83	88.20	-32.37	16.78	3	Horizontal	64	2.30	39.05	40.35	9.30	32.87



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	PK	37.76M	36.54	40.00	-3.46	3	Vertical	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	37.76M	36.54	40.00	-3.46	3	Vertical	0	1.00
6185MHz	Pass	PK	159.98M	30.24	43.50	-13.26	3	Vertical	0	1.00
6185MHz	Pass	PK	206.54M	34.71	43.50	-8.79	3	Vertical	0	1.00
6185MHz	Pass	PK	272.5M	28.92	46.00	-17.08	3	Vertical	0	1.00
6185MHz	Pass	PK	458.74M	31.71	46.00	-14.29	3	Vertical	0	1.00
6185MHz	Pass	PK	959.26M	34.06	46.00	-11.94	3	Vertical	0	1.00
6185MHz	Pass	PK	105.66M	31.89	43.50	-11.61	3	Horizontal	360	1.00
6185MHz	Pass	PK	227.88M	35.37	46.00	-10.63	3	Horizontal	360	1.00
6185MHz	Pass	PK	311.3M	31.78	46.00	-14.22	3	Horizontal	360	1.00
6185MHz	Pass	PK	452.92M	31.79	46.00	-14.21	3	Horizontal	360	1.00
6185MHz	Pass	PK	592.6M	27.21	46.00	-18.79	3	Horizontal	360	1.00
6185MHz	Pass	PK	953.44M	33.37	46.00	-12.63	3	Horizontal	360	1.00



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	36.54	40.00	-3.46	-16.61	3	Vertical	0	1.00	53.15	19.73	0.79	37.13
PK	159.98M	30.24	43.50	-13.26	-19.31	3	Vertical	0	1.00	49.55	15.68	1.42	36.41
PK	206.54M	34.71	43.50	-8.79	-20.33	3	Vertical	0	1.00	55.04	14.30	1.67	36.30
PK	272.5M	28.92	46.00	-17.08	-16.40	3	Vertical	0	1.00	45.32	18.07	1.98	36.45
PK	458.74M	31.71	46.00	-14.29	-11.92	3	Vertical	0	1.00	43.63	22.40	2.39	36.71
PK	959.26M	34.06	46.00	-11.94	-3.47	3	Vertical	0	1.00	37.53	30.07	3.77	37.31

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	105.66M	31.89	43.50	-11.61	-19.69	3	Horizontal	360	1.00	51.58	15.82	1.12	36.63
PK	227.88M	35.37	46.00	-10.63	-19.57	3	Horizontal	360	1.00	54.94	15.04	1.78	36.39
PK	311.3M	31.78	46.00	-14.22	-15.87	3	Horizontal	360	1.00	47.65	18.45	2.12	36.44
PK	452.92M	31.79	46.00	-14.21	-12.03	3	Horizontal	360	1.00	43.82	22.28	2.36	36.67
PK	592.6M	27.21	46.00	-18.79	-9.50	3	Horizontal	360	1.00	36.71	24.76	2.84	37.10
PK	953.44M	33.37	46.00	-12.63	-3.55	3	Horizontal	360	1.00	36.92	30.04	3.75	37.34



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	12.3471G	43.54	54.00	-10.46	3	Horizontal	195	2.38
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	12.33358G	44.25	54.00	-9.75	3	Horizontal	35	2.95
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.923G	67.62	68.20	-0.58	3	Horizontal	58	2.01
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	5.911G	67.90	68.20	-0.30	3	Horizontal	62	1.99
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	7.1898G	50.44	68.20	-17.76	3	Horizontal	68	2.07
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	7.1626G	51.02	68.20	-17.18	3	Vertical	302	1.00
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	7.1554G	51.02	68.20	-17.18	3	Horizontal	63	2.13
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	7.1882G	52.78	68.20	-15.42	3	Vertical	302	1.00
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	13.39259G	45.07	54.00	-8.93	3	Vertical	203	1.17
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	13.37001G	45.77	54.00	-8.23	3	Horizontal	150	1.76
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	13.25281G	45.52	54.00	-8.48	3	Vertical	6	1.97
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	13.32811G	47.15	54.00	-6.85	3	Vertical	246	2.09
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	7.125G	51.99	68.20	-16.21	3	Horizontal	55	2.76
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	7.1258G	67.52	68.20	-0.68	3	Horizontal	57	2.78
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	7.1258G	60.71	68.20	-7.49	3	Horizontal	66	1.99
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	7.131G	66.78	68.20	-1.42	3	Vertical	336	1.70



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	48.47	68.20	-19.73	3	Vertical	339	1.25
5955MHz	Pass	AV	5.9532G	97.59	Inf	-Inf	3	Vertical	339	1.25
5955MHz	Pass	PK	5.8794G	59.32	88.20	-28.88	3	Vertical	339	1.25
5955MHz	Pass	PK	5.9604G	107.36	Inf	-Inf	3	Vertical	339	1.25
5955MHz	Pass	AV	5.9238G	48.43	68.20	-19.77	3	Horizontal	63	2.13
5955MHz	Pass	AV	5.9574G	100.97	Inf	-Inf	3	Horizontal	63	2.13
5955MHz	Pass	PK	5.9154G	60.21	88.20	-27.99	3	Horizontal	63	2.13
5955MHz	Pass	PK	5.9568G	111.51	Inf	-Inf	3	Horizontal	63	2.13
5955MHz	Pass	AV	11.9126G	42.88	54.00	-11.12	3	Vertical	213	2.15
5955MHz	Pass	PK	11.90619G	52.13	74.00	-21.87	3	Vertical	213	2.15
5955MHz	Pass	AV	11.90577G	42.75	54.00	-11.25	3	Horizontal	148	2.12
5955MHz	Pass	PK	11.91145G	52.27	74.00	-21.73	3	Horizontal	148	2.12
6175MHz	Pass	AV	5.8786G	47.98	68.20	-20.22	3	Vertical	342	1.22
6175MHz	Pass	AV	6.1702G	97.22	Inf	-Inf	3	Vertical	342	1.22
6175MHz	Pass	PK	5.905G	58.61	88.20	-29.59	3	Vertical	342	1.22
6175MHz	Pass	PK	6.1726G	107.55	Inf	-Inf	3	Vertical	342	1.22
6175MHz	Pass	AV	5.8858G	48.04	68.20	-20.16	3	Horizontal	65	1.98
6175MHz	Pass	AV	6.1774G	101.62	Inf	-Inf	3	Horizontal	65	1.98
6175MHz	Pass	PK	5.9086G	58.55	88.20	-29.65	3	Horizontal	65	1.98
6175MHz	Pass	PK	6.1786G	111.22	Inf	-Inf	3	Horizontal	65	1.98
6175MHz	Pass	AV	12.35189G	43.52	54.00	-10.48	3	Vertical	308	1.13
6175MHz	Pass	PK	12.34767G	53.30	74.00	-20.70	3	Vertical	308	1.13
6175MHz	Pass	AV	12.3471G	43.54	54.00	-10.46	3	Horizontal	195	2.38
6175MHz	Pass	PK	12.34556G	53.33	74.00	-20.67	3	Horizontal	195	2.38
6415MHz	Pass	AV	5.9014G	47.63	68.20	-20.57	3	Vertical	23	1.50
6415MHz	Pass	AV	6.4126G	95.10	Inf	-Inf	3	Vertical	23	1.50
6415MHz	Pass	PK	5.815G	58.95	88.20	-29.25	3	Vertical	23	1.50
6415MHz	Pass	PK	6.4246G	103.82	Inf	-Inf	3	Vertical	23	1.50
6415MHz	Pass	AV	5.8894G	47.83	68.20	-20.37	3	Horizontal	64	2.18
6415MHz	Pass	AV	6.4174G	100.66	Inf	-Inf	3	Horizontal	64	2.18
6415MHz	Pass	PK	5.8654G	58.41	88.20	-29.79	3	Horizontal	64	2.18
6415MHz	Pass	PK	6.4198G	110.40	Inf	-Inf	3	Horizontal	64	2.18
6415MHz	Pass	AV	12.83494G	44.29	68.20	-23.91	3	Vertical	352	1.00
6415MHz	Pass	PK	12.82659G	53.17	88.20	-35.03	3	Vertical	352	1.00
6415MHz	Pass	AV	12.83383G	44.41	68.20	-23.79	3	Horizontal	317	1.48
6415MHz	Pass	PK	12.83103G	53.33	88.20	-34.87	3	Horizontal	317	1.48
6435MHz	Pass	AV	5.907G	47.91	68.20	-20.29	3	Vertical	300	1.97
6435MHz	Pass	AV	6.4278G	97.59	Inf	-Inf	3	Vertical	300	1.97
6435MHz	Pass	PK	5.8614G	58.20	88.20	-30.00	3	Vertical	300	1.97
6435MHz	Pass	PK	6.4326G	107.64	Inf	-Inf	3	Vertical	300	1.97
6435MHz	Pass	AV	5.895G	48.02	68.20	-20.18	3	Horizontal	68	2.15
6435MHz	Pass	AV	6.4278G	102.22	Inf	-Inf	3	Horizontal	68	2.15
6435MHz	Pass	PK	5.9094G	58.58	88.20	-29.62	3	Horizontal	68	2.15
6435MHz	Pass	PK	6.4326G	112.76	Inf	-Inf	3	Horizontal	68	2.15
6435MHz	Pass	AV	12.87391G	44.59	68.20	-23.61	3	Vertical	15	1.06
6435MHz	Pass	PK	12.86621G	53.87	88.20	-34.33	3	Vertical	15	1.06
6435MHz	Pass	AV	12.86676G	44.63	68.20	-23.57	3	Horizontal	93	1.44
6435MHz	Pass	PK	12.86934G	54.13	88.20	-34.07	3	Horizontal	93	1.44
6475MHz	Pass	AV	5.8422G	47.79	68.20	-20.41	3	Vertical	301	1.00
6475MHz	Pass	AV	6.4806G	98.11	Inf	-Inf	3	Vertical	301	1.00
6475MHz	Pass	AV	7.1694G	50.09	68.20	-18.11	3	Vertical	301	1.00
6475MHz	Pass	PK	5.9178G	58.22	88.20	-29.98	3	Vertical	301	1.00
6475MHz	Pass	PK	6.4778G	107.62	Inf	-Inf	3	Vertical	301	1.00
6475MHz	Pass	PK	7.133G	60.95	88.20	-27.25	3	Vertical	301	1.00
6475MHz	Pass	AV	5.8814G	47.88	68.20	-20.32	3	Horizontal	65	2.18
6475MHz	Pass	AV	6.4722G	101.76	Inf	-Inf	3	Horizontal	65	2.18
6475MHz	Pass	AV	7.175G	50.30	68.20	-17.90	3	Horizontal	65	2.18
6475MHz	Pass	PK	5.7778G	58.26	88.20	-29.94	3	Horizontal	65	2.18
6475MHz	Pass	PK	6.4722G	112.28	Inf	-Inf	3	Horizontal	65	2.18
6475MHz	Pass	PK	7.1638G	61.79	88.20	-26.41	3	Horizontal	65	2.18



RSE TX above 1GHz_Radio 2

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6475MHz	Pass	AV	12.94901G	44.56	68.20	-23.64	3	Vertical	336	2.78
6475MHz	Pass	PK	12.94786G	53.98	88.20	-34.22	3	Vertical	336	2.78
6475MHz	Pass	AV	12.95483G	44.52	68.20	-23.68	3	Horizontal	356	1.65
6475MHz	Pass	PK	12.95401G	54.57	88.20	-33.63	3	Horizontal	356	1.65
6515MHz	Pass	AV	5.8486G	47.77	68.20	-20.43	3	Vertical	330	1.82
6515MHz	Pass	AV	6.5178G	95.98	Inf	-Inf	3	Vertical	330	1.82
6515MHz	Pass	AV	7.215G	50.23	68.20	-17.97	3	Vertical	330	1.82
6515MHz	Pass	PK	5.9074G	58.48	88.20	-29.72	3	Vertical	330	1.82
6515MHz	Pass	PK	6.5178G	105.96	Inf	-Inf	3	Vertical	330	1.82
6515MHz	Pass	PK	7.1702G	61.18	88.20	-27.02	3	Vertical	330	1.82
6515MHz	Pass	AV	5.913G	47.95	68.20	-20.25	3	Horizontal	68	2.07
6515MHz	Pass	AV	6.5178G	101.45	Inf	-Inf	3	Horizontal	68	2.07
6515MHz	Pass	AV	7.1898G	50.44	68.20	-17.76	3	Horizontal	68	2.07
6515MHz	Pass	PK	5.8822G	59.12	88.20	-29.08	3	Horizontal	68	2.07
6515MHz	Pass	PK	6.5206G	110.97	Inf	-Inf	3	Horizontal	68	2.07
6515MHz	Pass	PK	7.1338G	60.71	88.20	-27.49	3	Horizontal	68	2.07
6515MHz	Pass	AV	13.03063G	44.63	68.20	-23.57	3	Vertical	347	1.43
6515MHz	Pass	PK	13.02897G	54.02	88.20	-34.18	3	Vertical	347	1.43
6515MHz	Pass	AV	13.02962G	44.58	68.20	-23.62	3	Horizontal	71	2.84
6515MHz	Pass	PK	13.03132G	54.40	88.20	-33.80	3	Horizontal	71	2.84
6535MHz	Pass	AV	5.8546G	47.71	68.20	-20.49	3	Vertical	301	2.18
6535MHz	Pass	AV	6.5322G	95.71	Inf	-Inf	3	Vertical	301	2.18
6535MHz	Pass	AV	7.221G	50.55	68.20	-17.65	3	Vertical	301	2.18
6535MHz	Pass	PK	5.8798G	58.03	88.20	-30.17	3	Vertical	301	2.18
6535MHz	Pass	PK	6.5378G	105.45	Inf	-Inf	3	Vertical	301	2.18
6535MHz	Pass	PK	7.1258G	60.58	88.20	-27.62	3	Vertical	301	2.18
6535MHz	Pass	AV	5.8966G	47.83	68.20	-20.37	3	Horizontal	66	2.17
6535MHz	Pass	AV	6.5322G	101.25	Inf	-Inf	3	Horizontal	66	2.17
6535MHz	Pass	AV	7.2322G	50.27	68.20	-17.93	3	Horizontal	66	2.17
6535MHz	Pass	PK	5.8994G	58.84	88.20	-29.36	3	Horizontal	66	2.17
6535MHz	Pass	PK	6.5406G	110.90	Inf	-Inf	3	Horizontal	66	2.17
6535MHz	Pass	PK	7.1846G	61.42	88.20	-26.78	3	Horizontal	66	2.17
6535MHz	Pass	AV	13.07277G	44.83	68.20	-23.37	3	Vertical	300	1.86
6535MHz	Pass	PK	13.06659G	54.68	88.20	-33.52	3	Vertical	300	1.86
6535MHz	Pass	AV	13.07305G	44.82	68.20	-23.38	3	Horizontal	131	2.30
6535MHz	Pass	PK	13.06548G	53.49	88.20	-34.71	3	Horizontal	131	2.30
6695MHz	Pass	AV	6.701G	97.12	Inf	-Inf	3	Vertical	298	2.00
6695MHz	Pass	AV	7.185G	50.24	68.20	-17.96	3	Vertical	298	2.00
6695MHz	Pass	PK	6.691G	107.21	Inf	-Inf	3	Vertical	298	2.00
6695MHz	Pass	PK	7.159G	60.48	88.20	-27.72	3	Vertical	298	2.00
6695MHz	Pass	AV	6.697G	100.55	Inf	-Inf	3	Horizontal	67	2.24
6695MHz	Pass	AV	7.175G	50.27	68.20	-17.93	3	Horizontal	67	2.24
6695MHz	Pass	PK	6.697G	110.61	Inf	-Inf	3	Horizontal	67	2.24
6695MHz	Pass	PK	7.191G	60.45	88.20	-27.75	3	Horizontal	67	2.24
6695MHz	Pass	AV	13.39259G	45.07	54.00	-8.93	3	Vertical	203	1.17
6695MHz	Pass	PK	13.39394G	54.64	74.00	-19.36	3	Vertical	203	1.17
6695MHz	Pass	AV	13.39395G	45.00	54.00	-9.00	3	Horizontal	209	2.43
6695MHz	Pass	PK	13.39228G	55.00	74.00	-19.00	3	Horizontal	209	2.43
6855MHz	Pass	AV	6.8536G	96.15	Inf	-Inf	3	Vertical	297	1.00
6855MHz	Pass	AV	7.205G	50.44	68.20	-17.76	3	Vertical	297	1.00
6855MHz	Pass	PK	6.8522G	106.96	Inf	-Inf	3	Vertical	297	1.00
6855MHz	Pass	PK	7.1854G	61.59	88.20	-26.61	3	Vertical	297	1.00
6855MHz	Pass	AV	6.8578G	99.68	Inf	-Inf	3	Horizontal	67	2.09
6855MHz	Pass	AV	7.2036G	50.43	68.20	-17.77	3	Horizontal	67	2.09
6855MHz	Pass	PK	6.8564G	110.09	Inf	-Inf	3	Horizontal	67	2.09
6855MHz	Pass	PK	7.1658G	60.52	88.20	-27.68	3	Horizontal	67	2.09
6855MHz	Pass	AV	13.7142G	45.74	68.20	-22.46	3	Vertical	186	1.23
6855MHz	Pass	PK	13.71089G	55.65	88.20	-32.55	3	Vertical	186	1.23
6855MHz	Pass	AV	13.71062G	45.69	68.20	-22.51	3	Horizontal	307	2.55
6855MHz	Pass	PK	13.70508G	55.15	88.20	-33.05	3	Horizontal	307	2.55
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8778G	96.52	Inf	-Inf	3	Vertical	337	1.98
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2138G	50.42	68.20	-17.78	3	Vertical	337	1.98



RSE TX above 1GHz_Radio 2

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8806G	106.85	Inf	-Inf	3	Vertical	337	1.98
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1396G	60.93	88.20	-27.27	3	Vertical	337	1.98
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8778G	99.66	Inf	-Inf	3	Horizontal	67	2.04
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2166G	50.45	68.20	-17.75	3	Horizontal	67	2.04
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8722G	109.81	Inf	-Inf	3	Horizontal	67	2.04
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1872G	61.02	88.20	-27.18	3	Horizontal	67	2.04
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75076G	45.61	68.20	-22.59	3	Vertical	234	1.29
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75413G	55.87	88.20	-32.33	3	Vertical	234	1.29
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75225G	45.60	68.20	-22.60	3	Horizontal	224	2.38
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74962G	54.73	88.20	-33.47	3	Horizontal	224	2.38
6875MHz Straddle 6.875-7.125GHz										
6895MHz	Pass	AV	6.8908G	95.70	Inf	-Inf	3	Vertical	337	1.82
6895MHz	Pass	AV	7.1806G	50.40	68.20	-17.80	3	Vertical	337	1.82
6895MHz	Pass	PK	6.8922G	106.78	Inf	-Inf	3	Vertical	337	1.82
6895MHz	Pass	PK	7.168G	61.29	88.20	-26.91	3	Vertical	337	1.82
6895MHz	Pass	AV	6.8936G	98.82	Inf	-Inf	3	Horizontal	71	1.84
6895MHz	Pass	AV	7.1694G	50.51	68.20	-17.69	3	Horizontal	71	1.84
6895MHz	Pass	PK	6.888G	108.79	Inf	-Inf	3	Horizontal	71	1.84
6895MHz	Pass	PK	7.175G	60.93	88.20	-27.27	3	Horizontal	71	1.84
6895MHz	Pass	AV	13.79297G	45.47	68.20	-22.73	3	Vertical	121	2.35
6895MHz	Pass	PK	13.79396G	54.69	88.20	-33.51	3	Vertical	121	2.35
6895MHz	Pass	AV	13.78521G	45.49	68.20	-22.71	3	Horizontal	317	1.77
6895MHz	Pass	PK	13.79001G	54.64	88.20	-33.56	3	Horizontal	317	1.77
6995MHz	Pass	AV	6.998G	95.02	Inf	-Inf	3	Vertical	350	1.74
6995MHz	Pass	AV	7.232G	50.60	68.20	-17.60	3	Vertical	350	1.74
6995MHz	Pass	PK	7G	105.41	Inf	-Inf	3	Vertical	350	1.74
6995MHz	Pass	PK	7.198G	61.17	88.20	-27.03	3	Vertical	350	1.74
6995MHz	Pass	AV	6.998G	98.15	Inf	-Inf	3	Horizontal	64	2.03
6995MHz	Pass	AV	7.217G	50.58	68.20	-17.62	3	Horizontal	64	2.03
6995MHz	Pass	PK	6.997G	108.51	Inf	-Inf	3	Horizontal	64	2.03
6995MHz	Pass	PK	7.211G	61.15	88.20	-27.05	3	Horizontal	64	2.03
6995MHz	Pass	AV	13.99064G	45.93	68.20	-22.27	3	Vertical	34	2.25
6995MHz	Pass	PK	13.9887G	55.28	88.20	-32.92	3	Vertical	34	2.25
6995MHz	Pass	AV	13.98555G	45.92	68.20	-22.28	3	Horizontal	205	2.44
6995MHz	Pass	PK	13.98567G	55.85	88.20	-32.35	3	Horizontal	205	2.44
7095MHz	Pass	AV	7.0908G	96.81	Inf	-Inf	3	Vertical	352	1.72
7095MHz	Pass	AV	7.125G	51.10	68.20	-17.10	3	Vertical	352	1.72
7095MHz	Pass	PK	7.092G	107.45	Inf	-Inf	3	Vertical	352	1.72
7095MHz	Pass	PK	7.1256G	64.08	88.20	-24.12	3	Vertical	352	1.72
7095MHz	Pass	AV	7.0908G	100.06	Inf	-Inf	3	Horizontal	55	2.76
7095MHz	Pass	AV	7.125G	51.99	68.20	-16.21	3	Horizontal	55	2.76
7095MHz	Pass	PK	7.092G	111.31	Inf	-Inf	3	Horizontal	55	2.76
7095MHz	Pass	PK	7.1262G	67.76	88.20	-20.44	3	Horizontal	55	2.76
7095MHz	Pass	AV	14.19304G	46.22	68.20	-21.98	3	Vertical	83	1.83
7095MHz	Pass	PK	14.19228G	55.65	88.20	-32.55	3	Vertical	83	1.83
7095MHz	Pass	AV	14.18638G	45.98	68.20	-22.22	3	Horizontal	272	1.64
7095MHz	Pass	PK	14.18912G	56.24	88.20	-31.96	3	Horizontal	272	1.64
802.11ax HEW40_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9218G	55.38	68.20	-12.82	3	Vertical	342	1.03
5965MHz	Pass	AV	5.9704G	97.98	Inf	-Inf	3	Vertical	342	1.03
5965MHz	Pass	PK	5.9248G	71.96	88.20	-16.24	3	Vertical	342	1.03
5965MHz	Pass	PK	5.9704G	109.11	Inf	-Inf	3	Vertical	342	1.03
5965MHz	Pass	AV	5.9212G	55.95	68.20	-12.25	3	Horizontal	61	2.10
5965MHz	Pass	AV	5.9596G	101.30	Inf	-Inf	3	Horizontal	61	2.10
5965MHz	Pass	PK	5.9248G	73.52	88.20	-14.68	3	Horizontal	61	2.10
5965MHz	Pass	PK	5.962G	111.93	Inf	-Inf	3	Horizontal	61	2.10
5965MHz	Pass	AV	11.92775G	43.19	54.00	-10.81	3	Vertical	259	1.64
5965MHz	Pass	PK	11.92502G	52.10	74.00	-21.90	3	Vertical	259	1.64
5965MHz	Pass	AV	11.93269G	43.17	54.00	-10.83	3	Horizontal	103	1.32
5965MHz	Pass	PK	11.93048G	52.32	74.00	-21.68	3	Horizontal	103	1.32
6165MHz	Pass	AV	5.889G	48.92	68.20	-19.28	3	Vertical	340	1.26
6165MHz	Pass	AV	6.1614G	97.64	Inf	-Inf	3	Vertical	340	1.26



RSE TX above 1GHz_Radio 2

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6165MHz	Pass	PK	5.8938G	59.04	88.20	-29.16	3	Vertical	340	1.26
6165MHz	Pass	PK	6.1698G	108.10	Inf	-Inf	3	Vertical	340	1.26
6165MHz	Pass	AV	5.9154G	49.28	68.20	-18.92	3	Horizontal	65	2.03
6165MHz	Pass	AV	6.1602G	101.95	Inf	-Inf	3	Horizontal	65	2.03
6165MHz	Pass	PK	5.8914G	59.17	88.20	-29.03	3	Horizontal	65	2.03
6165MHz	Pass	PK	6.1614G	112.76	Inf	-Inf	3	Horizontal	65	2.03
6165MHz	Pass	AV	12.32631G	44.02	54.00	-9.98	3	Vertical	286	1.92
6165MHz	Pass	PK	12.33054G	52.58	74.00	-21.42	3	Vertical	286	1.92
6165MHz	Pass	AV	12.33358G	44.25	54.00	-9.75	3	Horizontal	35	2.95
6165MHz	Pass	PK	12.33108G	52.67	74.00	-21.33	3	Horizontal	35	2.95
6405MHz	Pass	AV	5.8578G	48.38	68.20	-19.82	3	Vertical	25	1.70
6405MHz	Pass	AV	6.4002G	95.25	Inf	-Inf	3	Vertical	25	1.70
6405MHz	Pass	PK	5.865G	58.43	88.20	-29.77	3	Vertical	25	1.70
6405MHz	Pass	PK	6.405G	104.28	Inf	-Inf	3	Vertical	25	1.70
6405MHz	Pass	AV	5.913G	48.88	68.20	-19.32	3	Horizontal	63	2.01
6405MHz	Pass	AV	6.4026G	100.88	Inf	-Inf	3	Horizontal	63	2.01
6405MHz	Pass	PK	5.913G	58.46	88.20	-29.74	3	Horizontal	63	2.01
6405MHz	Pass	PK	6.4098G	110.91	Inf	-Inf	3	Horizontal	63	2.01
6405MHz	Pass	AV	12.80604G	45.22	68.20	-22.98	3	Vertical	165	2.58
6405MHz	Pass	PK	12.81084G	54.50	88.20	-33.70	3	Vertical	165	2.58
6405MHz	Pass	AV	12.81432G	45.35	68.20	-22.85	3	Horizontal	202	1.63
6405MHz	Pass	PK	12.80721G	53.96	88.20	-34.24	3	Horizontal	202	1.63
6445MHz	Pass	AV	5.8666G	48.43	68.20	-19.77	3	Vertical	303	2.04
6445MHz	Pass	AV	6.4426G	97.89	Inf	-Inf	3	Vertical	303	2.04
6445MHz	Pass	PK	5.8618G	58.14	88.20	-30.06	3	Vertical	303	2.04
6445MHz	Pass	PK	6.4426G	107.13	Inf	-Inf	3	Vertical	303	2.04
6445MHz	Pass	AV	5.8978G	48.60	68.20	-19.60	3	Horizontal	67	2.13
6445MHz	Pass	AV	6.4306G	102.28	Inf	-Inf	3	Horizontal	67	2.13
6445MHz	Pass	PK	5.8882G	58.62	88.20	-29.58	3	Horizontal	67	2.13
6445MHz	Pass	PK	6.433G	112.06	Inf	-Inf	3	Horizontal	67	2.13
6445MHz	Pass	AV	12.88701G	45.02	68.20	-23.18	3	Vertical	111	1.22
6445MHz	Pass	PK	12.89408G	54.30	88.20	-33.90	3	Vertical	111	1.22
6445MHz	Pass	AV	12.88934G	45.34	68.20	-22.86	3	Horizontal	144	2.96
6445MHz	Pass	PK	12.89456G	55.01	88.20	-33.19	3	Horizontal	144	2.96
6485MHz	Pass	AV	5.8074G	48.68	68.20	-19.52	3	Vertical	302	1.00
6485MHz	Pass	AV	6.4794G	98.06	Inf	-Inf	3	Vertical	302	1.00
6485MHz	Pass	AV	7.1626G	51.02	68.20	-17.18	3	Vertical	302	1.00
6485MHz	Pass	PK	5.7934G	58.91	88.20	-29.29	3	Vertical	302	1.00
6485MHz	Pass	PK	6.4822G	108.32	Inf	-Inf	3	Vertical	302	1.00
6485MHz	Pass	PK	7.1598G	60.37	88.20	-27.83	3	Vertical	302	1.00
6485MHz	Pass	AV	5.8662G	48.77	68.20	-19.43	3	Horizontal	64	2.17
6485MHz	Pass	AV	6.4794G	102.13	Inf	-Inf	3	Horizontal	64	2.17
6485MHz	Pass	AV	7.185G	50.70	68.20	-17.50	3	Horizontal	64	2.17
6485MHz	Pass	PK	5.9194G	59.19	88.20	-29.01	3	Horizontal	64	2.17
6485MHz	Pass	PK	6.4822G	112.36	Inf	-Inf	3	Horizontal	64	2.17
6485MHz	Pass	PK	7.1598G	60.75	88.20	-27.45	3	Horizontal	64	2.17
6485MHz	Pass	AV	12.96778G	45.35	68.20	-22.85	3	Vertical	261	1.36
6485MHz	Pass	PK	12.96811G	53.99	88.20	-34.21	3	Vertical	261	1.36
6485MHz	Pass	AV	12.96826G	45.26	68.20	-22.94	3	Horizontal	153	2.79
6485MHz	Pass	PK	12.9722G	55.84	88.20	-32.36	3	Horizontal	153	2.79
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8922G	48.41	68.20	-19.79	3	Vertical	310	2.21
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5194G	96.83	Inf	-Inf	3	Vertical	310	2.21
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2026G	50.93	68.20	-17.27	3	Vertical	310	2.21
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8642G	58.62	88.20	-29.58	3	Vertical	310	2.21
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5306G	106.95	Inf	-Inf	3	Vertical	310	2.21
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1858G	60.68	88.20	-27.52	3	Vertical	310	2.21
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8894G	48.94	68.20	-19.26	3	Horizontal	64	2.18
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5306G	102.44	Inf	-Inf	3	Horizontal	64	2.18
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.197G	50.94	68.20	-17.26	3	Horizontal	64	2.18
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.9118G	59.53	88.20	-28.67	3	Horizontal	64	2.18
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5306G	112.55	Inf	-Inf	3	Horizontal	64	2.18
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.141G	61.40	88.20	-26.80	3	Horizontal	64	2.18



RSE TX above 1GHz_Radio 2

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04729G	45.19	68.20	-23.01	3	Vertical	279	3.00
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.0465G	53.93	88.20	-34.27	3	Vertical	279	3.00
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04707G	45.02	68.20	-23.18	3	Horizontal	123	1.89
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04725G	54.40	88.20	-33.80	3	Horizontal	123	1.89
6565MHz	Pass	AV	6.5722G	97.04	Inf	-Inf	3	Vertical	300	2.06
6565MHz	Pass	AV	7.1578G	50.75	68.20	-17.45	3	Vertical	300	2.06
6565MHz	Pass	PK	6.5698G	106.19	Inf	-Inf	3	Vertical	300	2.06
6565MHz	Pass	PK	7.1314G	60.63	88.20	-27.57	3	Vertical	300	2.06
6565MHz	Pass	AV	6.5602G	101.74	Inf	-Inf	3	Horizontal	66	2.09
6565MHz	Pass	AV	7.1626G	50.70	68.20	-17.50	3	Horizontal	66	2.09
6565MHz	Pass	PK	6.5626G	112.00	Inf	-Inf	3	Horizontal	66	2.09
6565MHz	Pass	PK	7.141G	60.96	88.20	-27.24	3	Horizontal	66	2.09
6565MHz	Pass	AV	13.13193G	45.26	68.20	-22.94	3	Vertical	133	2.37
6565MHz	Pass	PK	13.1288G	55.20	88.20	-33.00	3	Vertical	133	2.37
6565MHz	Pass	AV	13.12889G	45.51	68.20	-22.69	3	Horizontal	274	2.25
6565MHz	Pass	PK	13.13356G	54.38	88.20	-33.82	3	Horizontal	274	2.25
6685MHz	Pass	AV	6.693G	97.05	Inf	-Inf	3	Vertical	298	1.00
6685MHz	Pass	AV	7.171G	51.07	68.20	-17.13	3	Vertical	298	1.00
6685MHz	Pass	PK	6.691G	107.58	Inf	-Inf	3	Vertical	298	1.00
6685MHz	Pass	PK	7.181G	61.31	88.20	-26.89	3	Vertical	298	1.00
6685MHz	Pass	AV	6.679G	100.87	Inf	-Inf	3	Horizontal	67	2.10
6685MHz	Pass	AV	7.157G	50.82	68.20	-17.38	3	Horizontal	67	2.10
6685MHz	Pass	PK	6.677G	109.80	Inf	-Inf	3	Horizontal	67	2.10
6685MHz	Pass	PK	7.161G	60.66	88.20	-27.54	3	Horizontal	67	2.10
6685MHz	Pass	AV	13.37458G	45.54	54.00	-8.46	3	Vertical	55	1.20
6685MHz	Pass	PK	13.37275G	54.48	74.00	-19.52	3	Vertical	55	1.20
6685MHz	Pass	AV	13.37001G	45.77	54.00	-8.23	3	Horizontal	150	1.76
6685MHz	Pass	PK	13.36883G	54.53	74.00	-19.47	3	Horizontal	150	1.76
6845MHz	Pass	AV	6.8394G	96.88	Inf	-Inf	3	Vertical	300	1.92
6845MHz	Pass	AV	7.1628G	51.12	68.20	-17.08	3	Vertical	300	1.92
6845MHz	Pass	PK	6.8506G	107.10	Inf	-Inf	3	Vertical	300	1.92
6845MHz	Pass	PK	7.181G	61.19	88.20	-27.01	3	Vertical	300	1.92
6845MHz	Pass	AV	6.8394G	99.66	Inf	-Inf	3	Horizontal	70	1.98
6845MHz	Pass	AV	7.1684G	51.12	68.20	-17.08	3	Horizontal	70	1.98
6845MHz	Pass	PK	6.8506G	109.50	Inf	-Inf	3	Horizontal	70	1.98
6845MHz	Pass	PK	7.1712G	60.88	88.20	-27.32	3	Horizontal	70	1.98
6845MHz	Pass	AV	13.68535G	46.42	68.20	-21.78	3	Vertical	314	1.78
6845MHz	Pass	PK	13.6888G	56.72	88.20	-31.48	3	Vertical	314	1.78
6845MHz	Pass	AV	13.68542G	46.26	68.20	-21.94	3	Horizontal	212	1.76
6845MHz	Pass	PK	13.68953G	57.25	88.20	-30.95	3	Horizontal	212	1.76
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8906G	96.34	Inf	-Inf	3	Vertical	339	1.94
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.214G	50.99	68.20	-17.21	3	Vertical	339	1.94
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8906G	107.38	Inf	-Inf	3	Vertical	339	1.94
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.2028G	61.15	88.20	-27.05	3	Vertical	339	1.94
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.878G	99.87	Inf	-Inf	3	Horizontal	68	2.04
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1664G	51.03	68.20	-17.17	3	Horizontal	68	2.04
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8808G	109.69	Inf	-Inf	3	Horizontal	68	2.04
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.207G	60.94	88.20	-27.26	3	Horizontal	68	2.04
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76706G	45.99	68.20	-22.21	3	Vertical	33	2.20
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76896G	54.46	88.20	-33.74	3	Vertical	33	2.20
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.7669G	46.04	68.20	-22.16	3	Horizontal	80	2.99
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77466G	55.17	88.20	-33.03	3	Horizontal	80	2.99
6925MHz	Pass	AV	6.9298G	94.98	Inf	-Inf	3	Vertical	330	1.71
6925MHz	Pass	AV	7.1782G	51.15	68.20	-17.05	3	Vertical	330	1.71
6925MHz	Pass	PK	6.9298G	106.23	Inf	-Inf	3	Vertical	330	1.71
6925MHz	Pass	PK	7.1554G	60.95	88.20	-27.25	3	Vertical	330	1.71
6925MHz	Pass	AV	6.9214G	99.21	Inf	-Inf	3	Horizontal	67	2.09
6925MHz	Pass	AV	7.2142G	51.18	68.20	-17.02	3	Horizontal	67	2.09
6925MHz	Pass	PK	6.9214G	109.64	Inf	-Inf	3	Horizontal	67	2.09
6925MHz	Pass	PK	7.2178G	61.80	88.20	-26.40	3	Horizontal	67	2.09
6925MHz	Pass	AV	13.85467G	45.96	68.20	-22.24	3	Vertical	39	1.89
6925MHz	Pass	PK	13.84522G	56.49	88.20	-31.71	3	Vertical	39	1.89



RSE TX above 1GHz_Radio 2

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	AV	13.85425G	45.95	68.20	-22.25	3	Horizontal	352	1.71
6925MHz	Pass	PK	13.84719G	55.39	88.20	-32.81	3	Horizontal	352	1.71
7005MHz	Pass	AV	6.9996G	95.48	Inf	-Inf	3	Vertical	344.9	1.85
7005MHz	Pass	AV	7.1538G	51.17	68.20	-17.03	3	Vertical	344.9	1.85
7005MHz	Pass	PK	7.0026G	106.85	Inf	-Inf	3	Vertical	344.9	1.85
7005MHz	Pass	PK	7.1532G	61.33	88.20	-26.87	3	Vertical	344.9	1.85
7005MHz	Pass	AV	6.999G	97.99	Inf	-Inf	3	Horizontal	67	2.03
7005MHz	Pass	AV	7.146G	51.09	68.20	-17.11	3	Horizontal	67	2.03
7005MHz	Pass	PK	7.0014G	108.60	Inf	-Inf	3	Horizontal	67	2.03
7005MHz	Pass	PK	7.134G	60.79	88.20	-27.41	3	Horizontal	67	2.03
7005MHz	Pass	AV	14.01113G	46.75	68.20	-21.45	3	Vertical	81	1.77
7005MHz	Pass	PK	14.00529G	56.39	88.20	-31.81	3	Vertical	81	1.77
7005MHz	Pass	AV	14.01274G	46.69	68.20	-21.51	3	Horizontal	27	2.09
7005MHz	Pass	PK	14.01163G	55.46	88.20	-32.74	3	Horizontal	27	2.09
7085MHz	Pass	AV	7.067G	97.26	Inf	-Inf	3	Vertical	352	1.74
7085MHz	Pass	AV	7.1252G	64.49	68.20	-3.71	3	Vertical	352	1.74
7085MHz	Pass	PK	7.0814G	107.30	Inf	-Inf	3	Vertical	352	1.74
7085MHz	Pass	PK	7.1264G	77.62	88.20	-10.58	3	Vertical	352	1.74
7085MHz	Pass	AV	7.0796G	100.03	Inf	-Inf	3	Horizontal	57	2.78
7085MHz	Pass	AV	7.1258G	67.52	68.20	-0.68	3	Horizontal	57	2.78
7085MHz	Pass	PK	7.082G	110.90	Inf	-Inf	3	Horizontal	57	2.78
7085MHz	Pass	PK	7.1264G	81.10	88.20	-7.10	3	Horizontal	57	2.78
7085MHz	Pass	AV	14.16794G	46.65	68.20	-21.55	3	Vertical	209	1.25
7085MHz	Pass	PK	14.17301G	55.71	88.20	-32.49	3	Vertical	209	1.25
7085MHz	Pass	AV	14.16845G	46.75	68.20	-21.45	3	Horizontal	329	2.48
7085MHz	Pass	PK	14.17462G	55.96	88.20	-32.24	3	Horizontal	329	2.48
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	65.01	68.20	-3.19	3	Vertical	341	1.13
5985MHz	Pass	AV	5.976G	97.03	Inf	-Inf	3	Vertical	341	1.13
5985MHz	Pass	PK	5.923G	76.48	88.20	-11.72	3	Vertical	341	1.13
5985MHz	Pass	PK	5.988G	107.27	Inf	-Inf	3	Vertical	341	1.13
5985MHz	Pass	AV	5.923G	67.62	68.20	-0.58	3	Horizontal	58	2.01
5985MHz	Pass	AV	5.983G	99.71	Inf	-Inf	3	Horizontal	58	2.01
5985MHz	Pass	PK	5.923G	79.63	88.20	-8.57	3	Horizontal	58	2.01
5985MHz	Pass	PK	5.988G	109.98	Inf	-Inf	3	Horizontal	58	2.01
5985MHz	Pass	AV	11.97319G	43.53	54.00	-10.47	3	Vertical	327	2.18
5985MHz	Pass	PK	11.97009G	51.66	74.00	-22.34	3	Vertical	327	2.18
5985MHz	Pass	AV	11.97235G	43.47	54.00	-10.53	3	Horizontal	44	2.01
5985MHz	Pass	PK	11.97458G	52.73	74.00	-21.27	3	Horizontal	44	2.01
6145MHz	Pass	AV	5.9218G	49.38	68.20	-18.82	3	Vertical	340	1.23
6145MHz	Pass	AV	6.1354G	97.50	Inf	-Inf	3	Vertical	340	1.23
6145MHz	Pass	PK	5.905G	59.40	88.20	-28.80	3	Vertical	340	1.23
6145MHz	Pass	PK	6.1486G	107.69	Inf	-Inf	3	Vertical	340	1.23
6145MHz	Pass	AV	5.9062G	49.91	68.20	-18.29	3	Horizontal	62	2.10
6145MHz	Pass	AV	6.1354G	101.07	Inf	-Inf	3	Horizontal	62	2.10
6145MHz	Pass	PK	5.8834G	59.45	88.20	-28.75	3	Horizontal	62	2.10
6145MHz	Pass	PK	6.1486G	111.28	Inf	-Inf	3	Horizontal	62	2.10
6145MHz	Pass	AV	12.29438G	44.23	54.00	-9.77	3	Vertical	316	2.84
6145MHz	Pass	PK	12.28864G	54.60	74.00	-19.40	3	Vertical	316	2.84
6145MHz	Pass	AV	12.28807G	44.19	54.00	-9.81	3	Horizontal	282	2.79
6145MHz	Pass	PK	12.29272G	53.66	74.00	-20.34	3	Horizontal	282	2.79
6385MHz	Pass	AV	5.8666G	48.30	68.20	-19.90	3	Vertical	23	1.50
6385MHz	Pass	AV	6.397G	94.16	Inf	-Inf	3	Vertical	23	1.50
6385MHz	Pass	PK	5.8882G	59.46	88.20	-28.74	3	Vertical	23	1.50
6385MHz	Pass	PK	6.397G	104.15	Inf	-Inf	3	Vertical	23	1.50
6385MHz	Pass	AV	5.845G	49.04	68.20	-19.16	3	Horizontal	70	2.10
6385MHz	Pass	AV	6.3802G	100.67	Inf	-Inf	3	Horizontal	70	2.10
6385MHz	Pass	PK	5.8954G	58.94	88.20	-29.26	3	Horizontal	70	2.10
6385MHz	Pass	PK	6.3826G	110.04	Inf	-Inf	3	Horizontal	70	2.10
6385MHz	Pass	AV	12.76515G	44.86	68.20	-23.34	3	Vertical	110	2.02
6385MHz	Pass	PK	12.77302G	53.52	88.20	-34.68	3	Vertical	110	2.02
6385MHz	Pass	AV	12.76648G	44.83	68.20	-23.37	3	Horizontal	23	2.50



RSE TX above 1GHz_Radio 2

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6385MHz	Pass	PK	12.76691G	53.33	88.20	-34.87	3	Horizontal	23	2.50
6465MHz	Pass	AV	5.793G	48.43	68.20	-19.77	3	Vertical	301	1.00
6465MHz	Pass	AV	6.479G	95.74	Inf	-Inf	3	Vertical	301	1.00
6465MHz	Pass	AV	7.1482G	50.80	68.20	-17.40	3	Vertical	301	1.00
6465MHz	Pass	PK	5.8742G	58.98	88.20	-29.22	3	Vertical	301	1.00
6465MHz	Pass	PK	6.4762G	105.50	Inf	-Inf	3	Vertical	301	1.00
6465MHz	Pass	PK	7.165G	60.38	88.20	-27.82	3	Vertical	301	1.00
6465MHz	Pass	AV	5.9022G	48.86	68.20	-19.34	3	Horizontal	67	2.10
6465MHz	Pass	AV	6.451G	99.13	Inf	-Inf	3	Horizontal	67	2.10
6465MHz	Pass	AV	7.137G	50.69	68.20	-17.51	3	Horizontal	67	2.10
6465MHz	Pass	PK	5.8518G	58.82	88.20	-29.38	3	Horizontal	67	2.10
6465MHz	Pass	PK	6.4482G	108.97	Inf	-Inf	3	Horizontal	67	2.10
6465MHz	Pass	PK	7.137G	59.86	88.20	-28.34	3	Horizontal	67	2.10
6465MHz	Pass	AV	12.92582G	45.24	68.20	-22.96	3	Vertical	166	2.91
6465MHz	Pass	PK	12.93009G	55.17	88.20	-33.03	3	Vertical	166	2.91
6465MHz	Pass	AV	12.93116G	45.06	68.20	-23.14	3	Horizontal	268	2.31
6465MHz	Pass	PK	12.92578G	54.64	88.20	-33.56	3	Horizontal	268	2.31
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.8982G	48.75	68.20	-19.45	3	Vertical	299	1.03
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5366G	95.70	Inf	-Inf	3	Vertical	299	1.03
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.1778G	51.01	68.20	-17.19	3	Vertical	299	1.03
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8562G	58.57	88.20	-29.63	3	Vertical	299	1.03
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5478G	105.42	Inf	-Inf	3	Vertical	299	1.03
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1274G	60.81	88.20	-27.39	3	Vertical	299	1.03
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.8506G	48.88	68.20	-19.32	3	Horizontal	63	2.13
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5534G	100.29	Inf	-Inf	3	Horizontal	63	2.13
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.1554G	51.02	68.20	-17.18	3	Horizontal	63	2.13
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.915G	58.96	88.20	-29.24	3	Horizontal	63	2.13
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5478G	110.50	Inf	-Inf	3	Horizontal	63	2.13
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1974G	60.65	88.20	-27.55	3	Horizontal	63	2.13
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.09022G	45.21	68.20	-22.99	3	Vertical	103	1.27
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.09347G	54.23	88.20	-33.97	3	Vertical	103	1.27
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.09319G	45.60	68.20	-22.60	3	Horizontal	108	2.03
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.09193G	54.11	88.20	-34.09	3	Horizontal	108	2.03
6625MHz	Pass	AV	6.637G	93.71	Inf	-Inf	3	Vertical	356	1.23
6625MHz	Pass	AV	7.213G	51.08	68.20	-17.12	3	Vertical	356	1.23
6625MHz	Pass	PK	6.6418G	103.20	Inf	-Inf	3	Vertical	356	1.23
6625MHz	Pass	PK	7.177G	60.75	88.20	-27.45	3	Vertical	356	1.23
6625MHz	Pass	AV	6.6154G	99.63	Inf	-Inf	3	Horizontal	64	2.12
6625MHz	Pass	AV	7.177G	51.17	68.20	-17.03	3	Horizontal	64	2.12
6625MHz	Pass	PK	6.6226G	108.90	Inf	-Inf	3	Horizontal	64	2.12
6625MHz	Pass	PK	7.1386G	60.18	88.20	-28.02	3	Horizontal	64	2.12
6625MHz	Pass	AV	13.25281G	45.52	54.00	-8.48	3	Vertical	6	1.97
6625MHz	Pass	PK	13.25414G	53.85	74.00	-20.15	3	Vertical	6	1.97
6625MHz	Pass	AV	13.24945G	45.66	68.20	-22.54	3	Horizontal	344	1.16
6625MHz	Pass	PK	13.24504G	54.67	88.20	-33.53	3	Horizontal	344	1.16
6705MHz	Pass	AV	6.703G	95.26	Inf	-Inf	3	Vertical	301	2.00
6705MHz	Pass	AV	7.205G	50.97	68.20	-17.23	3	Vertical	301	2.00
6705MHz	Pass	PK	6.709G	105.79	Inf	-Inf	3	Vertical	301	2.00
6705MHz	Pass	PK	7.173G	61.76	88.20	-26.44	3	Vertical	301	2.00
6705MHz	Pass	AV	6.701G	99.47	Inf	-Inf	3	Horizontal	57	2.19
6705MHz	Pass	AV	7.189G	51.12	68.20	-17.08	3	Horizontal	57	2.19
6705MHz	Pass	PK	6.707G	109.72	Inf	-Inf	3	Horizontal	57	2.19
6705MHz	Pass	PK	7.199G	60.84	88.20	-27.36	3	Horizontal	57	2.19
6705MHz	Pass	AV	13.405G	45.73	68.20	-22.47	3	Vertical	117	2.82
6705MHz	Pass	PK	13.41043G	54.52	88.20	-33.68	3	Vertical	117	2.82
6705MHz	Pass	AV	13.405G	45.65	68.20	-22.55	3	Horizontal	125	2.30
6705MHz	Pass	PK	13.4062G	54.50	88.20	-33.70	3	Horizontal	125	2.30
6785MHz	Pass	AV	6.7752G	95.69	Inf	-Inf	3	Vertical	301	2.14
6785MHz	Pass	AV	7.1322G	50.38	68.20	-17.82	3	Vertical	301	2.14
6785MHz	Pass	PK	6.7878G	105.74	Inf	-Inf	3	Vertical	301	2.14
6785MHz	Pass	PK	7.1266G	59.60	88.20	-28.60	3	Vertical	301	2.14
6785MHz	Pass	AV	6.7752G	98.68	Inf	-Inf	3	Horizontal	66	2.00



RSE TX above 1GHz_Radio 2

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6785MHz	Pass	AV	7.128G	50.73	68.20	-17.47	3	Horizontal	66	2.00
6785MHz	Pass	PK	6.7668G	109.09	Inf	-Inf	3	Horizontal	66	2.00
6785MHz	Pass	PK	7.1336G	60.31	88.20	-27.89	3	Horizontal	66	2.00
6785MHz	Pass	AV	13.56955G	46.34	68.20	-21.86	3	Vertical	259	2.79
6785MHz	Pass	PK	13.56737G	54.79	88.20	-33.41	3	Vertical	259	2.79
6785MHz	Pass	AV	13.5743G	46.23	68.20	-21.97	3	Horizontal	297	1.25
6785MHz	Pass	PK	13.56973G	54.79	88.20	-33.41	3	Horizontal	297	1.25
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.851G	96.04	Inf	-Inf	3	Vertical	336	1.91
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1954G	51.47	68.20	-16.73	3	Vertical	336	1.91
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8468G	106.48	Inf	-Inf	3	Vertical	336	1.91
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1912G	61.38	88.20	-26.82	3	Vertical	336	1.91
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8762G	99.24	Inf	-Inf	3	Horizontal	66	2.03
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.2136G	51.38	68.20	-16.82	3	Horizontal	66	2.03
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8762G	109.67	Inf	-Inf	3	Horizontal	66	2.03
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1562G	60.99	88.20	-27.21	3	Horizontal	66	2.03
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72995G	46.04	68.20	-22.16	3	Vertical	153	2.90
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72522G	55.21	88.20	-32.99	3	Vertical	153	2.90
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73073G	46.45	68.20	-21.75	3	Horizontal	135	1.84
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73093G	55.42	88.20	-32.78	3	Horizontal	135	1.84
6945MHz	Pass	AV	6.9306G	95.32	Inf	-Inf	3	Vertical	335	1.70
6945MHz	Pass	AV	7.1766G	51.46	68.20	-16.74	3	Vertical	335	1.70
6945MHz	Pass	PK	6.927G	105.66	Inf	-Inf	3	Vertical	335	1.70
6945MHz	Pass	PK	7.1778G	61.27	88.20	-26.93	3	Vertical	335	1.70
6945MHz	Pass	AV	6.9354G	98.81	Inf	-Inf	3	Horizontal	66	2.03
6945MHz	Pass	AV	7.1274G	51.25	68.20	-16.95	3	Horizontal	66	2.03
6945MHz	Pass	PK	6.9426G	108.80	Inf	-Inf	3	Horizontal	66	2.03
6945MHz	Pass	PK	7.2162G	61.56	88.20	-26.64	3	Horizontal	66	2.03
6945MHz	Pass	AV	13.89112G	46.12	68.20	-22.08	3	Vertical	45	2.32
6945MHz	Pass	PK	13.88735G	55.83	88.20	-32.37	3	Vertical	45	2.32
6945MHz	Pass	AV	13.8894G	46.17	68.20	-22.03	3	Horizontal	15	2.91
6945MHz	Pass	PK	13.89143G	55.97	88.20	-32.23	3	Horizontal	15	2.91
7025MHz	Pass	AV	7.016G	95.26	Inf	-Inf	3	Vertical	347	1.85
7025MHz	Pass	AV	7.1258G	59.05	68.20	-9.15	3	Vertical	347	1.85
7025MHz	Pass	PK	7.0286G	105.95	Inf	-Inf	3	Vertical	347	1.85
7025MHz	Pass	PK	7.1252G	69.32	88.20	-18.88	3	Vertical	347	1.85
7025MHz	Pass	AV	7.016G	97.78	Inf	-Inf	3	Horizontal	66	1.99
7025MHz	Pass	AV	7.1258G	60.71	68.20	-7.49	3	Horizontal	66	1.99
7025MHz	Pass	PK	7.007G	107.66	Inf	-Inf	3	Horizontal	66	1.99
7025MHz	Pass	PK	7.1252G	72.25	88.20	-15.95	3	Horizontal	66	1.99
7025MHz	Pass	AV	14.05382G	46.59	68.20	-21.61	3	Vertical	183	1.67
7025MHz	Pass	PK	14.05317G	55.33	88.20	-32.87	3	Vertical	183	1.67
7025MHz	Pass	AV	14.04753G	46.81	68.20	-21.39	3	Horizontal	235	2.01
7025MHz	Pass	PK	14.0505G	55.54	88.20	-32.66	3	Horizontal	235	2.01
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.911G	65.78	68.20	-2.42	3	Vertical	345	1.18
6025MHz	Pass	AV	6.001G	94.11	Inf	-Inf	3	Vertical	345	1.18
6025MHz	Pass	PK	5.912G	75.47	88.20	-12.73	3	Vertical	345	1.18
6025MHz	Pass	PK	6.001G	103.40	Inf	-Inf	3	Vertical	345	1.18
6025MHz	Pass	AV	5.911G	67.90	68.20	-0.30	3	Horizontal	62	1.99
6025MHz	Pass	AV	6G	96.97	Inf	-Inf	3	Horizontal	62	1.99
6025MHz	Pass	PK	5.916G	77.92	88.20	-10.28	3	Horizontal	62	1.99
6025MHz	Pass	PK	5.992G	106.54	Inf	-Inf	3	Horizontal	62	1.99
6025MHz	Pass	AV	12.04635G	44.75	54.00	-9.25	3	Vertical	42	1.03
6025MHz	Pass	PK	12.04846G	52.85	74.00	-21.15	3	Vertical	42	1.03
6025MHz	Pass	AV	12.05061G	44.59	54.00	-9.41	3	Horizontal	298	2.40
6025MHz	Pass	PK	12.04965G	52.87	74.00	-21.13	3	Horizontal	298	2.40
6185MHz	Pass	AV	5.9114G	53.75	68.20	-14.45	3	Vertical	341	1.27
6185MHz	Pass	AV	6.1114G	94.35	Inf	-Inf	3	Vertical	341	1.27
6185MHz	Pass	PK	5.905G	63.34	88.20	-24.86	3	Vertical	341	1.27
6185MHz	Pass	PK	6.1354G	103.80	Inf	-Inf	3	Vertical	341	1.27
6185MHz	Pass	AV	5.9066G	55.96	68.20	-12.24	3	Horizontal	60	2.07
6185MHz	Pass	AV	6.2586G	99.26	Inf	-Inf	3	Horizontal	60	2.07



RSE TX above 1GHz_Radio 2

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	5.9114G	65.64	88.20	-22.56	3	Horizontal	60	2.07
6185MHz	Pass	PK	6.217G	107.68	Inf	-Inf	3	Horizontal	60	2.07
6185MHz	Pass	AV	12.3694G	45.25	54.00	-8.75	3	Vertical	49	2.69
6185MHz	Pass	PK	12.36835G	53.23	74.00	-20.77	3	Vertical	49	2.69
6185MHz	Pass	AV	12.36927G	45.21	54.00	-8.79	3	Horizontal	258	1.49
6185MHz	Pass	PK	12.3736G	53.22	74.00	-20.78	3	Horizontal	258	1.49
6345MHz	Pass	AV	5.8962G	50.03	68.20	-18.17	3	Vertical	310	1.94
6345MHz	Pass	AV	6.3138G	94.65	Inf	-Inf	3	Vertical	310	1.94
6345MHz	Pass	PK	5.8314G	58.89	88.20	-29.31	3	Vertical	310	1.94
6345MHz	Pass	PK	6.3138G	103.72	Inf	-Inf	3	Vertical	310	1.94
6345MHz	Pass	AV	5.9154G	51.07	68.20	-17.13	3	Horizontal	60	2.08
6345MHz	Pass	AV	6.321G	100.04	Inf	-Inf	3	Horizontal	60	2.08
6345MHz	Pass	PK	5.9178G	59.68	88.20	-28.52	3	Horizontal	60	2.08
6345MHz	Pass	PK	6.3138G	108.03	Inf	-Inf	3	Horizontal	60	2.08
6345MHz	Pass	AV	12.68598G	45.55	54.00	-8.45	3	Vertical	235	1.25
6345MHz	Pass	PK	12.68621G	53.05	74.00	-20.95	3	Vertical	235	1.25
6345MHz	Pass	AV	12.68928G	45.88	54.00	-8.12	3	Horizontal	45	2.79
6345MHz	Pass	PK	12.69239G	53.62	74.00	-20.38	3	Horizontal	45	2.79
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9058G	49.63	68.20	-18.57	3	Vertical	302	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4798G	93.46	Inf	-Inf	3	Vertical	302	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1882G	52.78	68.20	-15.42	3	Vertical	302	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8358G	58.63	88.20	-29.57	3	Vertical	302	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4742G	102.35	Inf	-Inf	3	Vertical	302	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1882G	61.48	88.20	-26.72	3	Vertical	302	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.889G	50.26	68.20	-17.94	3	Horizontal	70	2.12
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.5582G	97.60	Inf	-Inf	3	Horizontal	70	2.12
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.191G	52.30	68.20	-15.90	3	Horizontal	70	2.12
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.9002G	58.48	88.20	-29.72	3	Horizontal	70	2.12
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.5554G	106.71	Inf	-Inf	3	Horizontal	70	2.12
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1854G	60.16	88.20	-28.04	3	Horizontal	70	2.12
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.0091G	46.35	68.20	-21.85	3	Vertical	129	2.20
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01143G	54.02	88.20	-34.18	3	Vertical	129	2.20
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01165G	46.11	68.20	-22.09	3	Horizontal	158	1.16
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01142G	54.70	88.20	-33.50	3	Horizontal	158	1.16
6665MHz	Pass	AV	6.7244G	93.37	Inf	-Inf	3	Vertical	355	1.09
6665MHz	Pass	AV	7.1908G	52.14	68.20	-16.06	3	Vertical	355	1.09
6665MHz	Pass	PK	6.7156G	101.61	Inf	-Inf	3	Vertical	355	1.09
6665MHz	Pass	PK	7.1336G	60.96	88.20	-27.24	3	Vertical	355	1.09
6665MHz	Pass	AV	6.7244G	98.02	Inf	-Inf	3	Horizontal	58	2.10
6665MHz	Pass	AV	7.1512G	52.08	68.20	-16.12	3	Horizontal	58	2.10
6665MHz	Pass	PK	6.7288G	107.03	Inf	-Inf	3	Horizontal	58	2.10
6665MHz	Pass	PK	7.1732G	60.83	88.20	-27.37	3	Horizontal	58	2.10
6665MHz	Pass	AV	13.32811G	47.15	54.00	-6.85	3	Vertical	246	2.09
6665MHz	Pass	PK	13.32598G	53.92	74.00	-20.08	3	Vertical	246	2.09
6665MHz	Pass	AV	13.32664G	46.57	54.00	-7.43	3	Horizontal	27	2.54
6665MHz	Pass	PK	13.33491G	54.71	74.00	-19.29	3	Horizontal	27	2.54
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7514G	93.43	Inf	-Inf	3	Vertical	298	2.05
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1258G	53.37	68.20	-14.83	3	Vertical	298	2.05
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.793G	102.33	Inf	-Inf	3	Vertical	298	2.05
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1274G	61.51	88.20	-26.69	3	Vertical	298	2.05
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7594G	96.55	Inf	-Inf	3	Horizontal	68	2.24
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1578G	53.03	68.20	-15.17	3	Horizontal	68	2.24
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.7626G	104.95	Inf	-Inf	3	Horizontal	68	2.24
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1722G	61.94	88.20	-26.26	3	Horizontal	68	2.24
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.6484G	47.73	68.20	-20.47	3	Vertical	239	1.14
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.65296G	54.82	88.20	-33.38	3	Vertical	239	1.14
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65216G	47.85	68.20	-20.35	3	Horizontal	63	1.10
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64523G	56.07	88.20	-32.13	3	Horizontal	63	1.10
6985MHz	Pass	AV	6.927G	93.47	Inf	-Inf	3	Vertical	336	1.70
6985MHz	Pass	AV	7.131G	66.78	68.20	-1.42	3	Vertical	336	1.70
6985MHz	Pass	PK	6.924G	102.41	Inf	-Inf	3	Vertical	336	1.70
6985MHz	Pass	PK	7.132G	75.54	88.20	-12.66	3	Vertical	336	1.70




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	6.91G	97.12	Inf	-Inf	3	Horizontal	67	2.09
6985MHz	Pass	AV	7.131G	66.41	68.20	-1.79	3	Horizontal	67	2.09
6985MHz	Pass	PK	6.924G	106.07	Inf	-Inf	3	Horizontal	67	2.09
6985MHz	Pass	PK	7.132G	75.68	88.20	-12.52	3	Horizontal	67	2.09
6985MHz	Pass	AV	13.97462G	47.85	68.20	-20.35	3	Vertical	307	1.74
6985MHz	Pass	PK	13.96983G	55.32	88.20	-32.88	3	Vertical	307	1.74
6985MHz	Pass	AV	13.96785G	48.07	68.20	-20.13	3	Horizontal	115	1.12
6985MHz	Pass	PK	13.97388G	56.52	88.20	-31.68	3	Horizontal	115	1.12



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	48.47	68.20	-19.73	6.03	3	Vertical	339	1.25	42.44	34.30	6.26	34.53
AV	5.9532G	97.59	Inf	-Inf	6.05	3	Vertical	339	1.25	91.54	34.29	6.28	34.52
PK	5.8794G	59.32	88.20	-28.88	5.93	3	Vertical	339	1.25	53.39	34.22	6.24	34.53
PK	5.9604G	107.36	Inf	-Inf	6.04	3	Vertical	339	1.25	101.32	34.28	6.28	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	48.43	68.20	-19.77	6.03	3	Horizontal	63	2.13	42.40	34.30	6.26	34.53
AV	5.9574G	100.97	Inf	-Inf	6.05	3	Horizontal	63	2.13	94.92	34.29	6.28	34.52
PK	5.9154G	60.21	88.20	-27.99	6.03	3	Horizontal	63	2.13	54.18	34.30	6.26	34.53
PK	5.9568G	111.51	Inf	-Inf	6.05	3	Horizontal	63	2.13	105.46	34.29	6.28	34.52



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9126G	42.88	54.00	-11.12	12.50	3	Vertical	213	2.15	30.38	38.53	8.67	34.70
PK	11.90619G	52.13	74.00	-21.87	12.48	3	Vertical	213	2.15	39.65	38.51	8.67	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90577G	42.75	54.00	-11.25	12.48	3	Horizontal	148	2.12	30.27	38.51	8.67	34.70
PK	11.91145G	52.27	74.00	-21.73	12.49	3	Horizontal	148	2.12	39.78	38.52	8.67	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8786G	47.98	68.20	-20.22	5.92	3	Vertical	342	1.22	42.06	34.21	6.24	34.53
AV	6.1702G	97.22	Inf	-Inf	6.01	3	Vertical	342	1.22	91.21	34.18	6.33	34.50
PK	5.905G	58.61	88.20	-29.59	6.02	3	Vertical	342	1.22	52.59	34.30	6.25	34.53
PK	6.1726G	107.55	Inf	-Inf	6.02	3	Vertical	342	1.22	101.53	34.19	6.33	34.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8858G	48.04	68.20	-20.16	5.95	3	Horizontal	65	1.98	42.09	34.24	6.24	34.53
AV	6.1774G	101.62	Inf	-Inf	6.05	3	Horizontal	65	1.98	95.57	34.21	6.34	34.50
PK	5.9086G	58.55	88.20	-29.65	6.02	3	Horizontal	65	1.98	52.53	34.30	6.25	34.53
PK	6.1786G	111.22	Inf	-Inf	6.05	3	Horizontal	65	1.98	105.17	34.21	6.34	34.50



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35189G	43.52	54.00	-10.48	13.24	3	Vertical	308	1.13	30.28	38.90	8.82	34.48
PK	12.34767G	53.30	74.00	-20.70	13.22	3	Vertical	308	1.13	40.08	38.90	8.81	34.49

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3471G	43.54	54.00	-10.46	13.22	3	Horizontal	195	2.38	30.32	38.90	8.81	34.49
PK	12.34556G	53.33	74.00	-20.67	13.22	3	Horizontal	195	2.38	40.11	38.90	8.81	34.49



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9014G	47.63	68.20	-20.57	6.02	3	Vertical	23	1.50	41.61	34.30	6.25	34.53
AV	6.4126G	95.10	Inf	-Inf	6.89	3	Vertical	23	1.50	88.21	34.93	6.44	34.48
PK	5.815G	58.95	88.20	-29.25	5.64	3	Vertical	23	1.50	53.31	33.96	6.21	34.53
PK	6.4246G	103.82	Inf	-Inf	6.91	3	Vertical	23	1.50	96.91	34.95	6.44	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8894G	47.83	68.20	-20.37	5.97	3	Horizontal	64	2.18	41.86	34.26	6.24	34.53
AV	6.4174G	100.66	Inf	-Inf	6.89	3	Horizontal	64	2.18	93.77	34.93	6.44	34.48
PK	5.8654G	58.41	88.20	-29.79	5.86	3	Horizontal	64	2.18	52.55	34.16	6.23	34.53
PK	6.4198G	110.40	Inf	-Inf	6.90	3	Horizontal	64	2.18	103.50	34.94	6.44	34.48



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83494G	44.29	68.20	-23.91	14.73	3	Vertical	352	1.00	29.56	39.57	8.96	33.80
PK	12.82659G	53.17	88.20	-35.03	14.70	3	Vertical	352	1.00	38.47	39.55	8.96	33.81

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83383G	44.41	68.20	-23.79	14.73	3	Horizontal	317	1.48	29.68	39.57	8.96	33.80
PK	12.83103G	53.33	88.20	-34.87	14.72	3	Horizontal	317	1.48	38.61	39.56	8.96	33.80

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	47.91	68.20	-20.29	6.02	3	Vertical	300	1.97	41.89	34.30	6.25	34.53
AV	6.4278G	97.99	Inf	-Inf	6.93	3	Vertical	300	1.97	90.66	34.96	6.45	34.48
PK	5.8614G	58.20	88.20	-30.00	5.85	3	Vertical	300	1.97	52.35	34.15	6.23	34.53
PK	6.4326G	107.64	Inf	-Inf	6.94	3	Vertical	300	1.97	100.70	34.97	6.45	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.895G	48.02	68.20	-20.18	6.00	3	Horizontal	68	2.15	42.02	34.28	6.25	34.53
AV	6.4278G	102.22	Inf	-Inf	6.93	3	Horizontal	68	2.15	95.29	34.96	6.45	34.48
PK	5.9094G	58.58	88.20	-29.62	6.02	3	Horizontal	68	2.15	52.56	34.30	6.25	34.53
PK	6.4326G	112.76	Inf	-Inf	6.94	3	Horizontal	68	2.15	105.82	34.97	6.45	34.48



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87391G	44.59	68.20	-23.61	14.89	3	Vertical	15	1.06	29.70	39.65	8.97	33.73
PK	12.86621G	53.87	88.20	-34.33	14.86	3	Vertical	15	1.06	39.01	39.63	8.97	33.74

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86676G	44.63	68.20	-23.57	14.86	3	Horizontal	93	1.44	29.77	39.63	8.97	33.74
PK	12.86934G	54.13	88.20	-34.07	14.87	3	Horizontal	93	1.44	39.26	39.64	8.97	33.74

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8422G	47.79	68.20	-20.41	5.76	3	Vertical	301	1.00	42.03	34.07	6.22	34.53
AV	6.4806G	98.11	Inf	-Inf	7.01	3	Vertical	301	1.00	91.10	35.00	6.48	34.47
AV	7.1694G	50.09	68.20	-18.11	8.62	3	Vertical	301	1.00	41.47	36.64	6.74	34.76
PK	5.9178G	58.22	88.20	-29.98	6.03	3	Vertical	301	1.00	52.19	34.30	6.26	34.53
PK	6.4778G	107.62	Inf	-Inf	7.01	3	Vertical	301	1.00	100.61	35.00	6.48	34.47
PK	7.133G	60.95	88.20	-27.25	8.47	3	Vertical	301	1.00	52.48	36.50	6.73	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	47.88	68.20	-20.32	5.94	3	Horizontal	65	2.18	41.94	34.23	6.24	34.53
AV	6.4722G	101.76	Inf	-Inf	7.00	3	Horizontal	65	2.18	94.76	35.00	6.47	34.47
AV	7.175G	50.30	68.20	-17.90	8.63	3	Horizontal	65	2.18	41.67	36.65	6.74	34.76
PK	5.7778G	58.26	88.20	-29.94	5.41	3	Horizontal	65	2.18	52.85	33.77	6.18	34.54
PK	6.4722G	112.28	Inf	-Inf	7.00	3	Horizontal	65	2.18	105.28	35.00	6.47	34.47
PK	7.1638G	61.79	88.20	-26.41	8.61	3	Horizontal	65	2.18	53.18	36.63	6.74	34.76



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94901G	44.56	68.20	-23.64	15.09	3	Vertical	336	2.78	29.47	39.70	8.99	33.60
PK	12.94786G	53.98	88.20	-34.22	15.09	3	Vertical	336	2.78	38.89	39.70	8.99	33.60

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95483G	44.52	68.20	-23.68	15.11	3	Horizontal	356	1.65	29.41	39.70	9.00	33.59
PK	12.95401G	54.57	88.20	-33.63	15.11	3	Horizontal	356	1.65	39.46	39.70	9.00	33.59

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8486G	47.77	68.20	-20.43	5.78	3	Vertical	330	1.82	41.99	34.09	6.22	34.53
AV	6.5178G	95.98	Inf	-Inf	7.16	3	Vertical	330	1.82	88.82	35.14	6.50	34.48
AV	7.215G	50.23	68.20	-17.97	8.72	3	Vertical	330	1.82	41.51	36.73	6.76	34.77
PK	5.9074G	58.48	88.20	-29.72	6.02	3	Vertical	330	1.82	52.46	34.30	6.25	34.53
PK	6.5178G	105.96	Inf	-Inf	7.16	3	Vertical	330	1.82	98.80	35.14	6.50	34.48
PK	7.1702G	61.18	88.20	-27.02	8.62	3	Vertical	330	1.82	52.56	36.64	6.74	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	47.95	68.20	-20.25	6.03	3	Horizontal	68	2.07	41.92	34.30	6.26	34.53
AV	6.5178G	101.45	Inf	-Inf	7.16	3	Horizontal	68	2.07	94.29	35.14	6.50	34.48
AV	7.1898G	50.44	68.20	-17.76	8.67	3	Horizontal	68	2.07	41.77	36.68	6.75	34.76
PK	5.8822G	59.12	88.20	-29.08	5.94	3	Horizontal	68	2.07	53.18	34.23	6.24	34.53
PK	6.5206G	110.97	Inf	-Inf	7.18	3	Horizontal	68	2.07	103.79	35.16	6.50	34.48
PK	7.1338G	60.71	88.20	-27.49	8.47	3	Horizontal	68	2.07	52.24	36.50	6.73	34.76



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03063G	44.63	68.20	-23.57	15.23	3	Vertical	347	1.43	29.40	39.67	9.02	33.46
PK	13.02897G	54.02	88.20	-34.18	15.23	3	Vertical	347	1.43	38.79	39.67	9.02	33.46

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02962G	44.58	68.20	-23.62	15.23	3	Horizontal	71	2.84	29.35	39.67	9.02	33.46
PK	13.03132G	54.40	88.20	-33.80	15.23	3	Horizontal	71	2.84	39.17	39.67	9.02	33.46



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8546G	47.71	68.20	-20.49	5.82	3	Vertical	301	2.18	41.89	34.12	6.23	34.53
AV	6.5322G	95.71	Inf	-Inf	7.28	3	Vertical	301	2.18	88.43	35.26	6.51	34.49
AV	7.221G	50.55	68.20	-17.65	8.73	3	Vertical	301	2.18	41.82	36.74	6.76	34.77
PK	5.8798G	58.03	88.20	-30.17	5.93	3	Vertical	301	2.18	52.10	34.22	6.24	34.53
PK	6.5378G	105.45	Inf	-Inf	7.32	3	Vertical	301	2.18	98.13	35.30	6.51	34.49
PK	7.1258G	60.58	88.20	-27.62	8.41	3	Vertical	301	2.18	52.17	36.45	6.72	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8966G	47.83	68.20	-20.37	6.01	3	Horizontal	66	2.17	41.82	34.29	6.25	34.53
AV	6.5322G	101.25	Inf	-Inf	7.28	3	Horizontal	66	2.17	93.97	35.26	6.51	34.49
AV	7.2322G	50.27	68.20	-17.93	8.76	3	Horizontal	66	2.17	41.51	36.76	6.77	34.77
PK	5.8994G	58.84	88.20	-29.36	6.02	3	Horizontal	66	2.17	52.82	34.30	6.25	34.53
PK	6.5406G	110.90	Inf	-Inf	7.34	3	Horizontal	66	2.17	103.56	35.32	6.51	34.49
PK	7.1846G	61.42	88.20	-26.78	8.65	3	Horizontal	66	2.17	52.77	36.67	6.74	34.76



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07277G	44.83	68.20	-23.37	15.27	3	Vertical	300	1.86	29.56	39.63	9.03	33.39
PK	13.06659G	54.68	88.20	-33.52	15.26	3	Vertical	300	1.86	39.42	39.63	9.03	33.40

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07305G	44.82	68.20	-23.38	15.27	3	Horizontal	131	2.30	29.55	39.63	9.03	33.39
PK	13.06548G	53.49	88.20	-34.71	15.26	3	Horizontal	131	2.30	38.23	39.63	9.03	33.40



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.701G	97.12	Inf	-Inf	7.99	3	Vertical	298	2.00	89.13	36.00	6.57	34.58
AV	7.185G	50.24	68.20	-17.96	8.65	3	Vertical	298	2.00	41.59	36.67	6.74	34.76
PK	6.691G	107.21	Inf	-Inf	7.97	3	Vertical	298	2.00	99.24	35.98	6.56	34.57
PK	7.159G	60.48	88.20	-27.72	8.60	3	Vertical	298	2.00	51.88	36.62	6.74	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.697G	100.55	Inf	-Inf	7.97	3	Horizontal	67	2.24	92.58	35.99	6.56	34.58
AV	7.175G	50.27	68.20	-17.93	8.63	3	Horizontal	67	2.24	41.64	36.65	6.74	34.76
PK	6.697G	110.61	Inf	-Inf	7.97	3	Horizontal	67	2.24	102.64	35.99	6.56	34.58
PK	7.191G	60.45	88.20	-27.75	8.67	3	Horizontal	67	2.24	51.78	36.68	6.75	34.76



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39259G	45.07	54.00	-8.93	16.25	3	Vertical	203	1.17	28.82	39.99	9.13	32.87
PK	13.39394G	54.64	74.00	-19.36	16.26	3	Vertical	203	1.17	38.38	39.99	9.13	32.86

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39395G	45.00	54.00	-9.00	16.26	3	Horizontal	209	2.43	28.74	39.99	9.13	32.86
PK	13.39228G	55.00	74.00	-19.00	16.24	3	Horizontal	209	2.43	38.76	39.98	9.13	32.87



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8536G	96.15	Inf	-Inf	7.75	3	Vertical	297	1.00	88.40	35.80	6.61	34.66
AV	7.205G	50.44	68.20	-17.76	8.70	3	Vertical	297	1.00	41.74	36.71	6.75	34.76
PK	6.8522G	106.96	Inf	-Inf	7.75	3	Vertical	297	1.00	99.21	35.80	6.61	34.66
PK	7.1854G	61.59	88.20	-26.61	8.65	3	Vertical	297	1.00	52.94	36.67	6.74	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8578G	99.68	Inf	-Inf	7.75	3	Horizontal	67	2.09	91.93	35.80	6.61	34.66
AV	7.2036G	50.43	68.20	-17.77	8.70	3	Horizontal	67	2.09	41.73	36.71	6.75	34.76
PK	6.8564G	110.09	Inf	-Inf	7.75	3	Horizontal	67	2.09	102.34	35.80	6.61	34.66
PK	7.1658G	60.52	88.20	-27.68	8.61	3	Horizontal	67	2.09	51.91	36.63	6.74	34.76



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7142G	45.74	68.20	-22.46	16.54	3	Vertical	186	1.23	29.20	40.09	9.22	32.77
PK	13.71089G	55.65	88.20	-32.55	16.54	3	Vertical	186	1.23	39.11	40.09	9.22	32.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71062G	45.69	68.20	-22.51	16.54	3	Horizontal	307	2.55	29.15	40.09	9.22	32.77
PK	13.70508G	55.15	88.20	-33.05	16.54	3	Horizontal	307	2.55	38.61	40.09	9.22	32.77



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8778G	96.52	Inf	-Inf	7.75	3	Vertical	337	1.98	88.77	35.80	6.62	34.67
AV	7.2138G	50.42	68.20	-17.78	8.72	3	Vertical	337	1.98	41.70	36.73	6.76	34.77
PK	6.8806G	106.85	Inf	-Inf	7.74	3	Vertical	337	1.98	99.11	35.80	6.62	34.68
PK	7.1396G	60.93	88.20	-27.27	8.51	3	Vertical	337	1.98	52.42	36.54	6.73	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8778G	99.66	Inf	-Inf	7.75	3	Horizontal	67	2.04	91.91	35.80	6.62	34.67
AV	7.2166G	50.45	68.20	-17.75	8.72	3	Horizontal	67	2.04	41.73	36.73	6.76	34.77
PK	6.8722G	109.81	Inf	-Inf	7.75	3	Horizontal	67	2.04	102.06	35.80	6.62	34.67
PK	7.1872G	61.02	88.20	-27.18	8.66	3	Horizontal	67	2.04	52.36	36.67	6.75	34.76



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75076G	45.61	68.20	-22.59	16.50	3	Vertical	234	1.29	29.11	40.05	9.24	32.79
PK	13.75413G	55.87	88.20	-32.33	16.50	3	Vertical	234	1.29	39.37	40.05	9.24	32.79

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75225G	45.60	68.20	-22.60	16.50	3	Horizontal	224	2.38	29.10	40.05	9.24	32.79
PK	13.74962G	54.73	88.20	-33.47	16.50	3	Horizontal	224	2.38	38.23	40.05	9.23	32.78



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8908G	95.70	Inf	-Inf	7.75	3	Vertical	337	1.82	87.95	35.80	6.63	34.68
AV	7.1806G	50.40	68.20	-17.80	8.64	3	Vertical	337	1.82	41.76	36.66	6.74	34.76
PK	6.8922G	106.78	Inf	-Inf	7.75	3	Vertical	337	1.82	99.03	35.80	6.63	34.68
PK	7.168G	61.29	88.20	-26.91	8.62	3	Vertical	337	1.82	52.67	36.64	6.74	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8936G	98.82	Inf	-Inf	7.75	3	Horizontal	71	1.84	91.07	35.80	6.63	34.68
AV	7.1694G	50.51	68.20	-17.69	8.62	3	Horizontal	71	1.84	41.89	36.64	6.74	34.76
PK	6.888G	108.79	Inf	-Inf	7.74	3	Horizontal	71	1.84	101.05	35.80	6.62	34.68
PK	7.175G	60.93	88.20	-27.27	8.63	3	Horizontal	71	1.84	52.30	36.65	6.74	34.76



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79297G	45.47	68.20	-22.73	16.46	3	Vertical	121	2.35	29.01	40.01	9.25	32.80
PK	13.79396G	54.69	88.20	-33.51	16.46	3	Vertical	121	2.35	38.23	40.01	9.25	32.80

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78521G	45.49	68.20	-22.71	16.46	3	Horizontal	317	1.77	29.03	40.01	9.25	32.80
PK	13.79001G	54.64	88.20	-33.56	16.46	3	Horizontal	317	1.77	38.18	40.01	9.25	32.80



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.998G	95.02	Inf	-Inf	7.64	3	Vertical	350	1.74	87.38	35.70	6.68	34.74
AV	7.232G	50.60	68.20	-17.60	8.76	3	Vertical	350	1.74	41.84	36.76	6.77	34.77
PK	7G	105.41	Inf	-Inf	7.64	3	Vertical	350	1.74	97.77	35.70	6.68	34.74
PK	7.198G	61.17	88.20	-27.03	8.69	3	Vertical	350	1.74	52.48	36.70	6.75	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.998G	98.15	Inf	-Inf	7.64	3	Horizontal	64	2.03	90.51	35.70	6.68	34.74
AV	7.217G	50.58	68.20	-17.62	8.72	3	Horizontal	64	2.03	41.86	36.73	6.76	34.77
PK	6.997G	108.51	Inf	-Inf	7.64	3	Horizontal	64	2.03	100.87	35.70	6.68	34.74
PK	7.211G	61.15	88.20	-27.05	8.71	3	Horizontal	64	2.03	52.44	36.72	6.76	34.77



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99064G	45.93	68.20	-22.27	16.81	3	Vertical	34	2.25	29.12	40.38	9.31	32.88
PK	13.9887G	55.28	88.20	-32.92	16.81	3	Vertical	34	2.25	38.47	40.38	9.31	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98555G	45.92	68.20	-22.28	16.81	3	Horizontal	205	2.44	29.11	40.37	9.31	32.87
PK	13.98567G	55.85	88.20	-32.35	16.81	3	Horizontal	205	2.44	39.04	40.37	9.31	32.87



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




20/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0908G	96.81	Inf	-Inf	8.20	3	Vertical	352	1.72	88.61	36.24	6.71	34.75
AV	7.125G	51.10	68.20	-17.10	8.41	3	Vertical	352	1.72	42.69	36.45	6.72	34.76
PK	7.092G	107.45	Inf	-Inf	8.21	3	Vertical	352	1.72	99.24	36.25	6.71	34.75
PK	7.1256G	64.08	88.20	-24.12	8.41	3	Vertical	352	1.72	55.67	36.45	6.72	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




20/12/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0908G	100.06	Inf	-Inf	8.20	3	Horizontal	55	2.76	91.86	36.24	6.71	34.75
AV	7.125G	51.99	68.20	-16.21	8.41	3	Horizontal	55	2.76	43.58	36.45	6.72	34.76
PK	7.092G	111.31	Inf	-Inf	8.21	3	Horizontal	55	2.76	103.10	36.25	6.71	34.75
PK	7.1262G	67.76	88.20	-20.44	8.42	3	Horizontal	55	2.76	59.34	36.46	6.72	34.76



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19304G	46.22	68.20	-21.98	16.75	3	Vertical	83	1.83	29.47	40.50	9.37	33.12
PK	14.19228G	55.65	88.20	-32.55	16.76	3	Vertical	83	1.83	38.89	40.50	9.37	33.11

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18638G	45.98	68.20	-22.22	16.76	3	Horizontal	272	1.64	29.22	40.50	9.37	33.11
PK	14.18912G	56.24	88.20	-31.96	16.76	3	Horizontal	272	1.64	39.48	40.50	9.37	33.11



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	55.38	68.20	-12.82	6.03	3	Vertical	342	1.03	49.35	34.30	6.26	34.53
AV	5.9704G	97.98	Inf	-Inf	6.03	3	Vertical	342	1.03	91.95	34.26	6.29	34.52
PK	5.9248G	71.96	88.20	-16.24	6.03	3	Vertical	342	1.03	65.93	34.30	6.26	34.53
PK	5.9704G	109.11	Inf	-Inf	6.03	3	Vertical	342	1.03	103.08	34.26	6.29	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9212G	55.95	68.20	-12.25	6.03	3	Horizontal	61	2.10	49.92	34.30	6.26	34.53
AV	5.9596G	101.30	Inf	-Inf	6.04	3	Horizontal	61	2.10	95.26	34.28	6.28	34.52
PK	5.9248G	73.52	88.20	-14.68	6.03	3	Horizontal	61	2.10	67.49	34.30	6.26	34.53
PK	5.962G	111.93	Inf	-Inf	6.04	3	Horizontal	61	2.10	105.89	34.28	6.28	34.52



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92775G	43.19	54.00	-10.81	12.53	3	Vertical	259	1.64	30.66	38.56	8.68	34.71
PK	11.92502G	52.10	74.00	-21.90	12.52	3	Vertical	259	1.64	39.58	38.55	8.68	34.71

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93269G	43.17	54.00	-10.83	12.54	3	Horizontal	103	1.32	30.63	38.57	8.68	34.71
PK	11.93048G	52.32	74.00	-21.68	12.53	3	Horizontal	103	1.32	39.79	38.56	8.68	34.71



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.889G	48.92	68.20	-19.28	5.97	3	Vertical	340	1.26	42.95	34.26	6.24	34.53
AV	6.1614G	97.64	Inf	-Inf	5.98	3	Vertical	340	1.26	91.66	34.15	6.33	34.50
PK	5.8938G	59.04	88.20	-29.16	6.00	3	Vertical	340	1.26	53.04	34.28	6.25	34.53
PK	6.1698G	108.10	Inf	-Inf	6.01	3	Vertical	340	1.26	102.09	34.18	6.33	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9154G	49.28	68.20	-18.92	6.03	3	Horizontal	65	2.03	43.25	34.30	6.26	34.53
AV	6.1602G	101.95	Inf	-Inf	5.97	3	Horizontal	65	2.03	95.98	34.14	6.33	34.50
PK	5.8914G	59.17	88.20	-29.03	5.99	3	Horizontal	65	2.03	53.18	34.27	6.25	34.53
PK	6.1614G	112.76	Inf	-Inf	5.98	3	Horizontal	65	2.03	106.78	34.15	6.33	34.50



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32631G	44.02	54.00	-9.98	13.21	3	Vertical	286	1.92	30.81	38.90	8.81	34.50
PK	12.33054G	52.58	74.00	-21.42	13.21	3	Vertical	286	1.92	39.37	38.90	8.81	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33358G	44.25	54.00	-9.75	13.21	3	Horizontal	35	2.95	31.04	38.90	8.81	34.50
PK	12.33108G	52.67	74.00	-21.33	13.21	3	Horizontal	35	2.95	39.46	38.90	8.81	34.50



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8578G	48.38	68.20	-19.82	5.83	3	Vertical	25	1.70	42.55	34.13	6.23	34.53
AV	6.4002G	95.25	Inf	-Inf	6.85	3	Vertical	25	1.70	88.40	34.90	6.43	34.48
PK	5.865G	58.43	88.20	-29.77	5.86	3	Vertical	25	1.70	52.57	34.16	6.23	34.53
PK	6.405G	104.28	Inf	-Inf	6.86	3	Vertical	25	1.70	97.42	34.91	6.43	34.48

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	48.88	68.20	-19.32	6.03	3	Horizontal	63	2.01	42.85	34.30	6.26	34.53
AV	6.4026G	100.88	Inf	-Inf	6.86	3	Horizontal	63	2.01	94.02	34.91	6.43	34.48
PK	5.913G	58.46	88.20	-29.74	6.03	3	Horizontal	63	2.01	52.43	34.30	6.26	34.53
PK	6.4098G	110.91	Inf	-Inf	6.88	3	Horizontal	63	2.01	104.03	34.92	6.44	34.48



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80604G	45.22	68.20	-22.98	14.61	3	Vertical	165	2.58	30.61	39.51	8.95	33.85
PK	12.81084G	54.50	88.20	-33.70	14.63	3	Vertical	165	2.58	39.87	39.52	8.95	33.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81432G	45.35	68.20	-22.85	14.65	3	Horizontal	202	1.63	30.70	39.53	8.95	33.83
PK	12.80721G	53.96	88.20	-34.24	14.61	3	Horizontal	202	1.63	39.35	39.51	8.95	33.85



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8666G	48.43	68.20	-19.77	5.87	3	Vertical	303	2.04	42.56	34.17	6.23	34.53
AV	6.4426G	97.89	Inf	-Inf	6.97	3	Vertical	303	2.04	90.92	34.99	6.46	34.48
PK	5.8618G	58.14	88.20	-30.06	5.85	3	Vertical	303	2.04	52.29	34.15	6.23	34.53
PK	6.4426G	107.13	Inf	-Inf	6.97	3	Vertical	303	2.04	100.16	34.99	6.46	34.48

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	48.60	68.20	-19.60	6.01	3	Horizontal	67	2.13	42.59	34.29	6.25	34.53
AV	6.4306G	102.28	Inf	-Inf	6.93	3	Horizontal	67	2.13	95.35	34.96	6.45	34.48
PK	5.8882G	58.62	88.20	-29.58	5.96	3	Horizontal	67	2.13	52.66	34.25	6.24	34.53
PK	6.433G	112.06	Inf	-Inf	6.94	3	Horizontal	67	2.13	105.12	34.97	6.45	34.48



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88701G	45.02	68.20	-23.18	14.94	3	Vertical	111	1.22	30.08	39.67	8.98	33.71
PK	12.89408G	54.30	88.20	-33.90	14.98	3	Vertical	111	1.22	39.32	39.69	8.98	33.69

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88934G	45.34	68.20	-22.86	14.96	3	Horizontal	144	2.96	30.38	39.68	8.98	33.70
PK	12.89456G	55.01	88.20	-33.19	14.98	3	Horizontal	144	2.96	40.03	39.69	8.98	33.69

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8074G	48.68	68.20	-19.52	5.59	3	Vertical	302	1.00	43.09	33.93	6.20	34.54
AV	6.4794G	98.06	Inf	-Inf	7.01	3	Vertical	302	1.00	91.05	35.00	6.48	34.47
AV	7.1626G	51.02	68.20	-17.18	8.61	3	Vertical	302	1.00	42.41	36.63	6.74	34.76
PK	5.7934G	58.91	88.20	-29.29	5.52	3	Vertical	302	1.00	53.39	33.86	6.20	34.54
PK	6.4822G	108.32	Inf	-Inf	7.01	3	Vertical	302	1.00	101.31	35.00	6.48	34.47
PK	7.1598G	60.37	88.20	-27.83	8.60	3	Vertical	302	1.00	51.77	36.62	6.74	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8662G	48.77	68.20	-19.43	5.86	3	Horizontal	64	2.17	42.91	34.16	6.23	34.53
AV	6.4794G	102.13	Inf	-Inf	7.01	3	Horizontal	64	2.17	95.12	35.00	6.48	34.47
AV	7.185G	50.70	68.20	-17.50	8.65	3	Horizontal	64	2.17	42.05	36.67	6.74	34.76
PK	5.9194G	59.19	88.20	-29.01	6.03	3	Horizontal	64	2.17	53.16	34.30	6.26	34.53
PK	6.4822G	112.36	Inf	-Inf	7.01	3	Horizontal	64	2.17	105.35	35.00	6.48	34.47
PK	7.1598G	60.75	88.20	-27.45	8.60	3	Horizontal	64	2.17	52.15	36.62	6.74	34.76



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96778G	45.35	68.20	-22.85	15.13	3	Vertical	261	1.36	30.22	39.70	9.00	33.57
PK	12.96811G	53.99	88.20	-34.21	15.13	3	Vertical	261	1.36	38.86	39.70	9.00	33.57

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96826G	45.26	68.20	-22.94	15.13	3	Horizontal	153	2.79	30.13	39.70	9.00	33.57
PK	12.9722G	55.84	88.20	-32.36	15.14	3	Horizontal	153	2.79	40.70	39.70	9.00	33.56

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8922G	48.41	68.20	-19.79	5.99	3	Vertical	310	2.21	42.42	34.27	6.25	34.53
AV	6.5194G	96.83	Inf	-Inf	7.18	3	Vertical	310	2.21	89.65	35.16	6.50	34.48
AV	7.2026G	50.93	68.20	-17.27	8.70	3	Vertical	310	2.21	42.23	36.71	6.75	34.76
PK	5.8642G	58.62	88.20	-29.58	5.86	3	Vertical	310	2.21	52.76	34.16	6.23	34.53
PK	6.5306G	106.95	Inf	-Inf	7.26	3	Vertical	310	2.21	99.69	35.24	6.51	34.49
PK	7.1858G	60.68	88.20	-27.52	8.66	3	Vertical	310	2.21	52.02	36.67	6.75	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8894G	48.94	68.20	-19.26	5.97	3	Horizontal	64	2.18	42.97	34.26	6.24	34.53
AV	6.5306G	102.44	Inf	-Inf	7.26	3	Horizontal	64	2.18	95.18	35.24	6.51	34.49
AV	7.197G	50.94	68.20	-17.26	8.68	3	Horizontal	64	2.18	42.26	36.69	6.75	34.76
PK	5.9118G	59.53	88.20	-28.67	6.03	3	Horizontal	64	2.18	53.50	34.30	6.26	34.53
PK	6.5306G	112.55	Inf	-Inf	7.26	3	Horizontal	64	2.18	105.29	35.24	6.51	34.49
PK	7.141G	61.40	88.20	-26.80	8.52	3	Horizontal	64	2.18	52.88	36.55	6.73	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04729G	45.19	68.20	-23.01	15.24	3	Vertical	279	3.00	29.95	39.65	9.02	33.43
PK	13.0465G	53.93	88.20	-34.27	15.24	3	Vertical	279	3.00	38.69	39.65	9.02	33.43

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04707G	45.02	68.20	-23.18	15.24	3	Horizontal	123	1.89	29.78	39.65	9.02	33.43
PK	13.04725G	54.40	88.20	-33.80	15.24	3	Horizontal	123	1.89	39.16	39.65	9.02	33.43



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5722G	97.04	Inf	-Inf	7.51	3	Vertical	300	2.06	89.53	35.49	6.53	34.51
AV	7.1578G	50.75	68.20	-17.45	8.60	3	Vertical	300	2.06	42.15	36.62	6.74	34.76
PK	6.5698G	106.19	Inf	-Inf	7.50	3	Vertical	300	2.06	98.69	35.48	6.53	34.51
PK	7.1314G	60.63	88.20	-27.57	8.46	3	Vertical	300	2.06	52.17	36.49	6.73	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5602G	101.74	Inf	-Inf	7.47	3	Horizontal	66	2.09	94.27	35.44	6.53	34.50
AV	7.1626G	50.70	68.20	-17.50	8.61	3	Horizontal	66	2.09	42.09	36.63	6.74	34.76
PK	6.5626G	112.00	Inf	-Inf	7.48	3	Horizontal	66	2.09	104.52	35.45	6.53	34.50
PK	7.141G	60.96	88.20	-27.24	8.52	3	Horizontal	66	2.09	52.44	36.55	6.73	34.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13193G	45.26	68.20	-22.94	15.36	3	Vertical	133	2.37	29.90	39.60	9.05	33.29
PK	13.1288G	55.20	88.20	-33.00	15.35	3	Vertical	133	2.37	39.85	39.60	9.05	33.30

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12889G	45.51	68.20	-22.69	15.35	3	Horizontal	274	2.25	30.16	39.60	9.05	33.30
PK	13.13356G	54.38	88.20	-33.82	15.36	3	Horizontal	274	2.25	39.02	39.60	9.05	33.29



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.693G	97.05	Inf	-Inf	7.98	3	Vertical	298	1.00	89.07	35.99	6.56	34.57
AV	7.171G	51.07	68.20	-17.13	8.62	3	Vertical	298	1.00	42.45	36.64	6.74	34.76
PK	6.691G	107.58	Inf	-Inf	7.97	3	Vertical	298	1.00	99.61	35.98	6.56	34.57
PK	7.181G	61.31	88.20	-26.89	8.64	3	Vertical	298	1.00	52.67	36.66	6.74	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.679G	100.87	Inf	-Inf	7.95	3	Horizontal	67	2.10	92.92	35.96	6.56	34.57
AV	7.157G	50.82	68.20	-17.38	8.58	3	Horizontal	67	2.10	42.24	36.61	6.73	34.76
PK	6.677G	109.80	Inf	-Inf	7.94	3	Horizontal	67	2.10	101.86	35.95	6.56	34.57
PK	7.161G	60.66	88.20	-27.54	8.60	3	Horizontal	67	2.10	52.06	36.62	6.74	34.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37458G	45.54	54.00	-8.46	16.17	3	Vertical	55	1.20	29.37	39.95	9.12	32.90
PK	13.37275G	54.48	74.00	-19.52	16.17	3	Vertical	55	1.20	38.31	39.95	9.12	32.90

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37001G	45.77	54.00	-8.23	16.16	3	Horizontal	150	1.76	29.61	39.94	9.12	32.90
PK	13.36883G	54.53	74.00	-19.47	16.15	3	Horizontal	150	1.76	38.38	39.94	9.12	32.91



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8394G	96.88	Inf	-Inf	7.75	3	Vertical	300	1.92	89.13	35.80	6.60	34.65
AV	7.1628G	51.12	68.20	-17.08	8.61	3	Vertical	300	1.92	42.51	36.63	6.74	34.76
PK	6.8506G	107.10	Inf	-Inf	7.75	3	Vertical	300	1.92	99.35	35.80	6.61	34.66
PK	7.181G	61.19	88.20	-27.01	8.64	3	Vertical	300	1.92	52.55	36.66	6.74	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8394G	99.66	Inf	-Inf	7.75	3	Horizontal	70	1.98	91.91	35.80	6.60	34.65
AV	7.1684G	51.12	68.20	-17.08	8.62	3	Horizontal	70	1.98	42.50	36.64	6.74	34.76
PK	6.8506G	109.50	Inf	-Inf	7.75	3	Horizontal	70	1.98	101.75	35.80	6.61	34.66
PK	7.1712G	60.88	88.20	-27.32	8.62	3	Horizontal	70	1.98	52.26	36.64	6.74	34.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68535G	46.42	68.20	-21.78	16.57	3	Vertical	314	1.78	29.85	40.11	9.22	32.76
PK	13.6888G	56.72	88.20	-31.48	16.57	3	Vertical	314	1.78	40.15	40.11	9.22	32.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68542G	46.26	68.20	-21.94	16.57	3	Horizontal	212	1.76	29.69	40.11	9.22	32.76
PK	13.68953G	57.25	88.20	-30.95	16.57	3	Horizontal	212	1.76	40.68	40.11	9.22	32.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8906G	96.34	Inf	-Inf	7.75	3	Vertical	339	1.94	88.59	35.80	6.63	34.68
AV	7.214G	50.99	68.20	-17.21	8.72	3	Vertical	339	1.94	42.27	36.73	6.76	34.77
PK	6.8906G	107.38	Inf	-Inf	7.75	3	Vertical	339	1.94	99.63	35.80	6.63	34.68
PK	7.2028G	61.15	88.20	-27.05	8.70	3	Vertical	339	1.94	52.45	36.71	6.75	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.878G	99.87	Inf	-Inf	7.75	3	Horizontal	68	2.04	92.12	35.80	6.62	34.67
AV	7.1664G	51.03	68.20	-17.17	8.61	3	Horizontal	68	2.04	42.42	36.63	6.74	34.76
PK	6.8808G	109.69	Inf	-Inf	7.74	3	Horizontal	68	2.04	101.95	35.80	6.62	34.68
PK	7.207G	60.94	88.20	-27.26	8.70	3	Horizontal	68	2.04	52.24	36.71	6.75	34.76



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76706G	45.99	68.20	-22.21	16.48	3	Vertical	33	2.20	29.51	40.03	9.24	32.79
PK	13.76896G	54.46	88.20	-33.74	16.48	3	Vertical	33	2.20	37.98	40.03	9.24	32.79

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7669G	46.04	68.20	-22.16	16.48	3	Horizontal	80	2.99	29.56	40.03	9.24	32.79
PK	13.77466G	55.17	88.20	-33.03	16.48	3	Horizontal	80	2.99	38.69	40.03	9.24	32.79



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9298G	94.98	Inf	-Inf	7.68	3	Vertical	330	1.71	87.30	35.74	6.64	34.70
AV	7.1782G	51.15	68.20	-17.05	8.64	3	Vertical	330	1.71	42.51	36.66	6.74	34.76
PK	6.9298G	106.23	Inf	-Inf	7.68	3	Vertical	330	1.71	98.55	35.74	6.64	34.70
PK	7.1554G	60.95	88.20	-27.25	8.58	3	Vertical	330	1.71	52.37	36.61	6.73	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9214G	99.21	Inf	-Inf	7.70	3	Horizontal	67	2.09	91.51	35.76	6.64	34.70
AV	7.2142G	51.18	68.20	-17.02	8.72	3	Horizontal	67	2.09	42.46	36.73	6.76	34.77
PK	6.9214G	109.64	Inf	-Inf	7.70	3	Horizontal	67	2.09	101.94	35.76	6.64	34.70
PK	7.2178G	61.80	88.20	-26.40	8.73	3	Horizontal	67	2.09	53.07	36.74	6.76	34.77



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85467G	45.96	68.20	-22.24	16.56	3	Vertical	39	1.89	29.40	40.11	9.27	32.82
PK	13.84522G	56.49	88.20	-31.71	16.53	3	Vertical	39	1.89	39.96	40.09	9.26	32.82

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85425G	45.95	68.20	-22.25	16.56	3	Horizontal	352	1.71	29.39	40.11	9.27	32.82
PK	13.84719G	55.39	88.20	-32.81	16.53	3	Horizontal	352	1.71	38.86	40.09	9.26	32.82



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9996G	95.48	Inf	-Inf	7.64	3	Vertical	344.9	1.85	87.84	35.70	6.68	34.74
AV	7.1538G	51.17	68.20	-17.03	8.58	3	Vertical	344.9	1.85	42.59	36.61	6.73	34.76
PK	7.0026G	106.85	Inf	-Inf	7.66	3	Vertical	344.9	1.85	99.19	35.72	6.68	34.74
PK	7.1532G	61.33	88.20	-26.87	8.58	3	Vertical	344.9	1.85	52.75	36.61	6.73	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.999G	97.99	Inf	-Inf	7.64	3	Horizontal	67	2.03	90.35	35.70	6.68	34.74
AV	7.146G	51.09	68.20	-17.11	8.55	3	Horizontal	67	2.03	42.54	36.58	6.73	34.76
PK	7.0014G	108.60	Inf	-Inf	7.65	3	Horizontal	67	2.03	100.95	35.71	6.68	34.74
PK	7.134G	60.79	88.20	-27.41	8.47	3	Horizontal	67	2.03	52.32	36.50	6.73	34.76



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01113G	46.75	68.20	-21.45	16.83	3	Vertical	81	1.77	29.92	40.41	9.31	32.89
PK	14.00529G	56.39	88.20	-31.81	16.83	3	Vertical	81	1.77	39.56	40.41	9.31	32.89

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01274G	46.69	68.20	-21.51	16.82	3	Horizontal	27	2.09	29.87	40.41	9.31	32.90
PK	14.01163G	55.46	88.20	-32.74	16.83	3	Horizontal	27	2.09	38.63	40.41	9.31	32.89



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.067G	97.26	Inf	-Inf	8.05	3	Vertical	352	1.74	89.21	36.10	6.70	34.75
AV	7.1252G	64.49	68.20	-3.71	8.41	3	Vertical	352	1.74	56.08	36.45	6.72	34.76
PK	7.0814G	107.30	Inf	-Inf	8.15	3	Vertical	352	1.74	99.15	36.19	6.71	34.75
PK	7.1264G	77.62	88.20	-10.58	8.42	3	Vertical	352	1.74	69.20	36.46	6.72	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0796G	100.03	Inf	-Inf	8.14	3	Horizontal	57	2.78	91.89	36.18	6.71	34.75
AV	7.1258G	67.52	68.20	-0.68	8.41	3	Horizontal	57	2.78	59.11	36.45	6.72	34.76
PK	7.082G	110.90	Inf	-Inf	8.15	3	Horizontal	57	2.78	102.75	36.19	6.71	34.75
PK	7.1264G	81.10	88.20	-7.10	8.42	3	Horizontal	57	2.78	72.68	36.46	6.72	34.76



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16794G	46.65	68.20	-21.55	16.78	3	Vertical	209	1.25	29.87	40.50	9.36	33.08
PK	14.17301G	55.71	88.20	-32.49	16.77	3	Vertical	209	1.25	38.94	40.50	9.36	33.09

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16845G	46.75	68.20	-21.45	16.77	3	Horizontal	329	2.48	29.98	40.50	9.36	33.09
PK	14.17462G	55.96	88.20	-32.24	16.78	3	Horizontal	329	2.48	39.18	40.50	9.37	33.09



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	65.01	68.20	-3.19	6.03	3	Vertical	341	1.13	58.98	34.30	6.26	34.53
AV	5.976G	97.03	Inf	-Inf	6.02	3	Vertical	341	1.13	91.01	34.25	6.29	34.52
PK	5.923G	76.48	88.20	-11.72	6.03	3	Vertical	341	1.13	70.45	34.30	6.26	34.53
PK	5.988G	107.27	Inf	-Inf	5.99	3	Vertical	341	1.13	101.28	34.22	6.29	34.52

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	67.62	68.20	-0.58	6.03	3	Horizontal	58	2.01	61.59	34.30	6.26	34.53
AV	5.983G	99.71	Inf	-Inf	6.00	3	Horizontal	58	2.01	93.71	34.23	6.29	34.52
PK	5.923G	79.63	88.20	-8.57	6.03	3	Horizontal	58	2.01	73.60	34.30	6.26	34.53
PK	5.988G	109.98	Inf	-Inf	5.99	3	Horizontal	58	2.01	103.99	34.22	6.29	34.52



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97319G	43.53	54.00	-10.47	12.63	3	Vertical	327	2.18	30.90	38.65	8.70	34.72
PK	11.97009G	51.66	74.00	-22.34	12.62	3	Vertical	327	2.18	39.04	38.64	8.70	34.72

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97235G	43.47	54.00	-10.53	12.62	3	Horizontal	44	2.01	30.85	38.64	8.70	34.72
PK	11.97458G	52.73	74.00	-21.27	12.63	3	Horizontal	44	2.01	40.10	38.65	8.70	34.72

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	49.38	68.20	-18.82	6.03	3	Vertical	340	1.23	43.35	34.30	6.26	34.53
AV	6.1354G	97.50	Inf	-Inf	5.86	3	Vertical	340	1.23	91.64	34.04	6.33	34.51
PK	5.905G	59.40	88.20	-28.80	6.02	3	Vertical	340	1.23	53.38	34.30	6.25	34.53
PK	6.1486G	107.69	Inf	-Inf	5.91	3	Vertical	340	1.23	101.78	34.09	6.33	34.51

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9062G	49.91	68.20	-18.29	6.02	3	Horizontal	62	2.10	43.89	34.30	6.25	34.53
AV	6.1354G	101.07	Inf	-Inf	5.86	3	Horizontal	62	2.10	95.21	34.04	6.33	34.51
PK	5.8834G	59.45	88.20	-28.75	5.94	3	Horizontal	62	2.10	53.51	34.23	6.24	34.53
PK	6.1486G	111.28	Inf	-Inf	5.91	3	Horizontal	62	2.10	105.37	34.09	6.33	34.51



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29438G	44.23	54.00	-9.77	13.19	3	Vertical	316	2.84	31.04	38.91	8.80	34.52
PK	12.28864G	54.60	74.00	-19.40	13.19	3	Vertical	316	2.84	41.41	38.92	8.80	34.53

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28807G	44.19	54.00	-9.81	13.19	3	Horizontal	282	2.79	31.00	38.92	8.80	34.53
PK	12.29272G	53.66	74.00	-20.34	13.18	3	Horizontal	282	2.79	40.48	38.91	8.80	34.53

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8666G	48.30	68.20	-19.90	5.87	3	Vertical	23	1.50	42.43	34.17	6.23	34.53
AV	6.397G	94.16	Inf	-Inf	6.84	3	Vertical	23	1.50	87.32	34.89	6.43	34.48
PK	5.8882G	59.46	88.20	-28.74	5.96	3	Vertical	23	1.50	53.50	34.25	6.24	34.53
PK	6.397G	104.15	Inf	-Inf	6.84	3	Vertical	23	1.50	97.31	34.89	6.43	34.48

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.845G	49.04	68.20	-19.16	5.77	3	Horizontal	70	2.10	43.27	34.08	6.22	34.53
AV	6.3802G	100.67	Inf	-Inf	6.80	3	Horizontal	70	2.10	93.87	34.86	6.42	34.48
PK	5.8954G	58.94	88.20	-29.26	6.00	3	Horizontal	70	2.10	52.94	34.28	6.25	34.53
PK	6.3826G	110.04	Inf	-Inf	6.81	3	Horizontal	70	2.10	103.23	34.87	6.42	34.48



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76515G	44.86	68.20	-23.34	14.45	3	Vertical	110	2.02	30.41	39.43	8.94	33.92
PK	12.77302G	53.52	88.20	-34.68	14.49	3	Vertical	110	2.02	39.03	39.45	8.94	33.90

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76648G	44.83	68.20	-23.37	14.45	3	Horizontal	23	2.50	30.38	39.43	8.94	33.92
PK	12.76691G	53.33	88.20	-34.87	14.45	3	Horizontal	23	2.50	38.88	39.43	8.94	33.92

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.793G	48.43	68.20	-19.77	5.52	3	Vertical	301	1.00	42.91	33.86	6.20	34.54
AV	6.479G	95.74	Inf	-Inf	7.01	3	Vertical	301	1.00	88.73	35.00	6.48	34.47
AV	7.1482G	50.80	68.20	-17.40	8.56	3	Vertical	301	1.00	42.24	36.59	6.73	34.76
PK	5.8742G	58.98	88.20	-29.22	5.91	3	Vertical	301	1.00	53.07	34.20	6.24	34.53
PK	6.4762G	105.50	Inf	-Inf	7.01	3	Vertical	301	1.00	98.49	35.00	6.48	34.47
PK	7.165G	60.38	88.20	-27.82	8.61	3	Vertical	301	1.00	51.77	36.63	6.74	34.76

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	48.86	68.20	-19.34	6.02	3	Horizontal	67	2.10	42.84	34.30	6.25	34.53
AV	6.451G	99.13	Inf	-Inf	6.99	3	Horizontal	67	2.10	92.14	35.00	6.46	34.47
AV	7.137G	50.69	68.20	-17.51	8.49	3	Horizontal	67	2.10	42.20	36.52	6.73	34.76
PK	5.8518G	58.82	88.20	-29.38	5.81	3	Horizontal	67	2.10	53.01	34.11	6.23	34.53
PK	6.4482G	108.97	Inf	-Inf	6.98	3	Horizontal	67	2.10	101.99	35.00	6.46	34.48
PK	7.137G	59.86	88.20	-28.34	8.49	3	Horizontal	67	2.10	51.37	36.52	6.73	34.76



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92582G	45.24	68.20	-22.96	15.05	3	Vertical	166	2.91	30.19	39.70	8.99	33.64
PK	12.93009G	55.17	88.20	-33.03	15.06	3	Vertical	166	2.91	40.11	39.70	8.99	33.63

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93116G	45.06	68.20	-23.14	15.06	3	Horizontal	268	2.31	30.00	39.70	8.99	33.63
PK	12.92578G	54.64	88.20	-33.56	15.05	3	Horizontal	268	2.31	39.59	39.70	8.99	33.64



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8982G	48.75	68.20	-19.45	6.01	3	Vertical	299	1.03	42.74	34.29	6.25	34.53
AV	6.5366G	95.70	Inf	-Inf	7.31	3	Vertical	299	1.03	88.39	35.29	6.51	34.49
AV	7.1778G	51.01	68.20	-17.19	8.64	3	Vertical	299	1.03	42.37	36.66	6.74	34.76
PK	5.8562G	58.57	88.20	-29.63	5.82	3	Vertical	299	1.03	52.75	34.12	6.23	34.53
PK	6.5478G	105.42	Inf	-Inf	7.40	3	Vertical	299	1.03	98.02	35.38	6.52	34.50
PK	7.1274G	60.81	88.20	-27.39	8.42	3	Vertical	299	1.03	52.39	36.46	6.72	34.76

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8506G	48.88	68.20	-19.32	5.80	3	Horizontal	63	2.13	43.08	34.10	6.23	34.53
AV	6.5534G	100.29	Inf	-Inf	7.43	3	Horizontal	63	2.13	92.86	35.41	6.52	34.50
AV	7.1554G	51.02	68.20	-17.18	8.58	3	Horizontal	63	2.13	42.44	36.61	6.73	34.76
PK	5.915G	58.96	88.20	-29.24	6.03	3	Horizontal	63	2.13	52.93	34.30	6.26	34.53
PK	6.5478G	110.50	Inf	-Inf	7.40	3	Horizontal	63	2.13	103.10	35.38	6.52	34.50
PK	7.1974G	60.65	88.20	-27.55	8.68	3	Horizontal	63	2.13	51.97	36.69	6.75	34.76



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09022G	45.21	68.20	-22.99	15.29	3	Vertical	103	1.27	29.92	39.61	9.04	33.36
PK	13.09347G	54.23	88.20	-33.97	15.29	3	Vertical	103	1.27	38.94	39.61	9.04	33.36

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09319G	45.60	68.20	-22.60	15.29	3	Horizontal	108	2.03	30.31	39.61	9.04	33.36
PK	13.09193G	54.11	88.20	-34.09	15.29	3	Horizontal	108	2.03	38.82	39.61	9.04	33.36



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.637G	93.71	Inf	-Inf	7.84	3	Vertical	356	1.23	85.87	35.82	6.56	34.54
AV	7.213G	51.08	68.20	-17.12	8.72	3	Vertical	356	1.23	42.36	36.73	6.76	34.77
PK	6.6418G	103.20	Inf	-Inf	7.86	3	Vertical	356	1.23	95.34	35.85	6.56	34.55
PK	7.177G	60.75	88.20	-27.45	8.63	3	Vertical	356	1.23	52.12	36.65	6.74	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6154G	99.63	Inf	-Inf	7.71	3	Horizontal	64	2.12	91.92	35.69	6.55	34.53
AV	7.177G	51.17	68.20	-17.03	8.63	3	Horizontal	64	2.12	42.54	36.65	6.74	34.76
PK	6.6226G	108.90	Inf	-Inf	7.75	3	Horizontal	64	2.12	101.15	35.74	6.55	34.54
PK	7.1386G	60.18	88.20	-28.02	8.50	3	Horizontal	64	2.12	51.68	36.53	6.73	34.76



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25281G	45.52	54.00	-8.48	15.70	3	Vertical	6	1.97	29.82	39.71	9.09	33.10
PK	13.25414G	53.85	74.00	-20.15	15.71	3	Vertical	6	1.97	38.14	39.71	9.09	33.09

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24945G	45.66	68.20	-22.54	15.68	3	Horizontal	344	1.16	29.98	39.70	9.08	33.10
PK	13.24504G	54.67	88.20	-33.53	15.66	3	Horizontal	344	1.16	39.01	39.69	9.08	33.11



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	95.26	Inf	-Inf	7.98	3	Vertical	301	2.00	87.28	35.99	6.57	34.58
AV	7.205G	50.97	68.20	-17.23	8.70	3	Vertical	301	2.00	42.27	36.71	6.75	34.76
PK	6.709G	105.79	Inf	-Inf	7.97	3	Vertical	301	2.00	97.82	35.98	6.57	34.58
PK	7.173G	61.76	88.20	-26.44	8.63	3	Vertical	301	2.00	53.13	36.65	6.74	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.701G	99.47	Inf	-Inf	7.99	3	Horizontal	57	2.19	91.48	36.00	6.57	34.58
AV	7.189G	51.12	68.20	-17.08	8.67	3	Horizontal	57	2.19	42.45	36.68	6.75	34.76
PK	6.707G	109.72	Inf	-Inf	7.98	3	Horizontal	57	2.19	101.74	35.99	6.57	34.58
PK	7.199G	60.84	88.20	-27.36	8.69	3	Horizontal	57	2.19	52.15	36.70	6.75	34.76



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.405G	45.73	68.20	-22.47	16.28	3	Vertical	117	2.82	29.45	40.00	9.13	32.85
PK	13.41043G	54.52	88.20	-33.68	16.29	3	Vertical	117	2.82	38.23	40.00	9.13	32.84

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.405G	45.65	68.20	-22.55	16.28	3	Horizontal	125	2.30	29.37	40.00	9.13	32.85
PK	13.4062G	54.50	88.20	-33.70	16.29	3	Horizontal	125	2.30	38.21	40.00	9.13	32.84



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7752G	95.69	Inf	-Inf	7.81	3	Vertical	301	2.14	87.88	35.85	6.58	34.62
AV	7.1322G	50.38	68.20	-17.82	8.46	3	Vertical	301	2.14	41.92	36.49	6.73	34.76
PK	6.7878G	105.74	Inf	-Inf	7.77	3	Vertical	301	2.14	97.97	35.82	6.58	34.63
PK	7.1266G	59.60	88.20	-28.60	8.42	3	Vertical	301	2.14	51.18	36.46	6.72	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7752G	98.68	Inf	-Inf	7.81	3	Horizontal	66	2.00	90.87	35.85	6.58	34.62
AV	7.128G	50.73	68.20	-17.47	8.43	3	Horizontal	66	2.00	42.30	36.47	6.72	34.76
PK	6.7668G	109.09	Inf	-Inf	7.84	3	Horizontal	66	2.00	101.25	35.87	6.58	34.61
PK	7.1336G	60.31	88.20	-27.89	8.47	3	Horizontal	66	2.00	51.84	36.50	6.73	34.76



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56955G	46.34	68.20	-21.86	16.60	3	Vertical	259	2.79	29.74	40.14	9.18	32.72
PK	13.56737G	54.79	88.20	-33.41	16.59	3	Vertical	259	2.79	38.20	40.13	9.18	32.72

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5743G	46.23	68.20	-21.97	16.61	3	Horizontal	297	1.25	29.62	40.15	9.18	32.72
PK	13.56973G	54.79	88.20	-33.41	16.60	3	Horizontal	297	1.25	38.19	40.14	9.18	32.72



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.851G	96.04	Inf	-Inf	7.75	3	Vertical	336	1.91	88.29	35.80	6.61	34.66
AV	7.1954G	51.47	68.20	-16.73	8.68	3	Vertical	336	1.91	42.79	36.69	6.75	34.76
PK	6.8468G	106.48	Inf	-Inf	7.74	3	Vertical	336	1.91	98.74	35.80	6.60	34.66
PK	7.1912G	61.38	88.20	-26.82	8.67	3	Vertical	336	1.91	52.71	36.68	6.75	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8762G	99.24	Inf	-Inf	7.75	3	Horizontal	66	2.03	91.49	35.80	6.62	34.67
AV	7.2136G	51.38	68.20	-16.82	8.72	3	Horizontal	66	2.03	42.66	36.73	6.76	34.77
PK	6.8762G	109.67	Inf	-Inf	7.75	3	Horizontal	66	2.03	101.92	35.80	6.62	34.67
PK	7.1562G	60.99	88.20	-27.21	8.58	3	Horizontal	66	2.03	52.41	36.61	6.73	34.76



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72995G	46.04	68.20	-22.16	16.52	3	Vertical	153	2.90	29.52	40.07	9.23	32.78
PK	13.72522G	55.21	88.20	-32.99	16.52	3	Vertical	153	2.90	38.69	40.07	9.23	32.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73073G	46.45	68.20	-21.75	16.52	3	Horizontal	135	1.84	29.93	40.07	9.23	32.78
PK	13.73093G	55.42	88.20	-32.78	16.52	3	Horizontal	135	1.84	38.90	40.07	9.23	32.78



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9306G	95.32	Inf	-Inf	7.69	3	Vertical	335	1.70	87.63	35.74	6.65	34.70
AV	7.1766G	51.46	68.20	-16.74	8.63	3	Vertical	335	1.70	42.83	36.65	6.74	34.76
PK	6.927G	105.66	Inf	-Inf	7.69	3	Vertical	335	1.70	97.97	35.75	6.64	34.70
PK	7.1778G	61.27	88.20	-26.93	8.64	3	Vertical	335	1.70	52.63	36.66	6.74	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9354G	98.81	Inf	-Inf	7.67	3	Horizontal	66	2.03	91.14	35.73	6.65	34.71
AV	7.1274G	51.25	68.20	-16.95	8.42	3	Horizontal	66	2.03	42.83	36.46	6.72	34.76
PK	6.9426G	108.80	Inf	-Inf	7.65	3	Horizontal	66	2.03	101.15	35.71	6.65	34.71
PK	7.2162G	61.56	88.20	-26.64	8.72	3	Horizontal	66	2.03	52.84	36.73	6.76	34.77



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89112G	46.12	68.20	-22.08	16.62	3	Vertical	45	2.32	29.50	40.18	9.28	32.84
PK	13.88735G	55.83	88.20	-32.37	16.61	3	Vertical	45	2.32	39.22	40.17	9.28	32.84

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8894G	46.17	68.20	-22.03	16.62	3	Horizontal	15	2.91	29.55	40.18	9.28	32.84
PK	13.89143G	55.97	88.20	-32.23	16.62	3	Horizontal	15	2.91	39.35	40.18	9.28	32.84



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.016G	95.26	Inf	-Inf	7.75	3	Vertical	347	1.85	87.51	35.80	6.69	34.74
AV	7.1258G	59.05	68.20	-9.15	8.41	3	Vertical	347	1.85	50.64	36.45	6.72	34.76
PK	7.0286G	105.95	Inf	-Inf	7.82	3	Vertical	347	1.85	98.13	35.87	6.69	34.74
PK	7.1252G	69.32	88.20	-18.88	8.41	3	Vertical	347	1.85	60.91	36.45	6.72	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.016G	97.78	Inf	-Inf	7.75	3	Horizontal	66	1.99	90.03	35.80	6.69	34.74
AV	7.1258G	60.71	68.20	-7.49	8.41	3	Horizontal	66	1.99	52.30	36.45	6.72	34.76
PK	7.007G	107.66	Inf	-Inf	7.68	3	Horizontal	66	1.99	99.98	35.74	6.68	34.74
PK	7.1252G	72.25	88.20	-15.95	8.41	3	Horizontal	66	1.99	63.84	36.45	6.72	34.76



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05382G	46.59	68.20	-21.61	16.83	3	Vertical	183	1.67	29.76	40.45	9.33	32.95
PK	14.05317G	55.33	88.20	-32.87	16.84	3	Vertical	183	1.67	38.49	40.45	9.33	32.94

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04753G	46.81	68.20	-21.39	16.83	3	Horizontal	235	2.01	29.98	40.45	9.32	32.94
PK	14.0505G	55.54	88.20	-32.66	16.84	3	Horizontal	235	2.01	38.70	40.45	9.33	32.94



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	65.78	68.20	-2.42	6.03	3	Vertical	345	1.18	59.75	34.30	6.26	34.53
AV	6.001G	94.11	Inf	-Inf	5.98	3	Vertical	345	1.18	88.13	34.20	6.30	34.52
PK	5.912G	75.47	88.20	-12.73	6.03	3	Vertical	345	1.18	69.44	34.30	6.26	34.53
PK	6.001G	103.40	Inf	-Inf	5.98	3	Vertical	345	1.18	97.42	34.20	6.30	34.52

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	67.90	68.20	-0.30	6.03	3	Horizontal	62	1.99	61.87	34.30	6.26	34.53
AV	6G	96.97	Inf	-Inf	5.98	3	Horizontal	62	1.99	90.99	34.20	6.30	34.52
PK	5.916G	77.92	88.20	-10.28	6.03	3	Horizontal	62	1.99	71.89	34.30	6.26	34.53
PK	5.992G	106.54	Inf	-Inf	6.00	3	Horizontal	62	1.99	100.54	34.22	6.30	34.52



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04635G	44.75	54.00	-9.25	12.86	3	Vertical	42	1.03	31.89	38.84	8.72	34.70
PK	12.04846G	52.85	74.00	-21.15	12.87	3	Vertical	42	1.03	39.98	38.85	8.72	34.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05061G	44.59	54.00	-9.41	12.89	3	Horizontal	298	2.40	31.70	38.85	8.73	34.69
PK	12.04965G	52.87	74.00	-21.13	12.87	3	Horizontal	298	2.40	40.00	38.85	8.72	34.70



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9114G	53.75	68.20	-14.45	6.03	3	Vertical	341	1.27	47.72	34.30	6.26	34.53
AV	6.1114G	94.35	Inf	-Inf	5.76	3	Vertical	341	1.27	88.59	33.95	6.32	34.51
PK	5.905G	63.34	88.20	-24.86	6.02	3	Vertical	341	1.27	57.32	34.30	6.25	34.53
PK	6.1354G	103.80	Inf	-Inf	5.86	3	Vertical	341	1.27	97.94	34.04	6.33	34.51

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9066G	55.96	68.20	-12.24	6.02	3	Horizontal	60	2.07	49.94	34.30	6.25	34.53
AV	6.2586G	99.26	Inf	-Inf	6.31	3	Horizontal	60	2.07	92.95	34.43	6.37	34.49
PK	5.9114G	65.64	88.20	-22.56	6.03	3	Horizontal	60	2.07	59.61	34.30	6.26	34.53
PK	6.217G	107.68	Inf	-Inf	6.18	3	Horizontal	60	2.07	101.50	34.33	6.35	34.50



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3694G	45.25	54.00	-8.75	13.25	3	Vertical	49	2.69	32.00	38.90	8.82	34.47
PK	12.36835G	53.23	74.00	-20.77	13.25	3	Vertical	49	2.69	39.98	38.90	8.82	34.47

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36927G	45.21	54.00	-8.79	13.25	3	Horizontal	258	1.49	31.96	38.90	8.82	34.47
PK	12.3736G	53.22	74.00	-20.78	13.25	3	Horizontal	258	1.49	39.97	38.90	8.82	34.47



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8962G	50.03	68.20	-18.17	6.00	3	Vertical	310	1.94	44.03	34.28	6.25	34.53
AV	6.3138G	94.65	Inf	-Inf	6.56	3	Vertical	310	1.94	88.09	34.66	6.39	34.49
PK	5.8314G	58.89	88.20	-29.31	5.72	3	Vertical	310	1.94	53.17	34.03	6.22	34.53
PK	6.3138G	103.72	Inf	-Inf	6.56	3	Vertical	310	1.94	97.16	34.66	6.39	34.49

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9154G	51.07	68.20	-17.13	6.03	3	Horizontal	60	2.08	45.04	34.30	6.26	34.53
AV	6.321G	100.04	Inf	-Inf	6.58	3	Horizontal	60	2.08	93.46	34.68	6.39	34.49
PK	5.9178G	59.68	88.20	-28.52	6.03	3	Horizontal	60	2.08	53.65	34.30	6.26	34.53
PK	6.3138G	108.03	Inf	-Inf	6.56	3	Horizontal	60	2.08	101.47	34.66	6.39	34.49



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68598G	45.55	54.00	-8.45	14.13	3	Vertical	235	1.25	31.42	39.27	8.92	34.06
PK	12.68621G	53.05	74.00	-20.95	14.13	3	Vertical	235	1.25	38.92	39.27	8.92	34.06

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68928G	45.88	54.00	-8.12	14.15	3	Horizontal	45	2.79	31.73	39.28	8.92	34.05
PK	12.69239G	53.62	74.00	-20.38	14.15	3	Horizontal	45	2.79	39.47	39.28	8.92	34.05



6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9058G	49.63	68.20	-18.57	6.02	3	Vertical	302	1.00	43.61	34.30	6.25	34.53
AV	6.4798G	93.46	Inf	-Inf	7.01	3	Vertical	302	1.00	86.45	35.00	6.48	34.47
AV	7.1882G	52.78	68.20	-15.42	8.67	3	Vertical	302	1.00	44.11	36.68	6.75	34.76
PK	5.8358G	58.63	88.20	-29.57	5.73	3	Vertical	302	1.00	52.90	34.04	6.22	34.53
PK	6.4742G	102.35	Inf	-Inf	7.00	3	Vertical	302	1.00	95.35	35.00	6.47	34.47
PK	7.1882G	61.48	88.20	-26.72	8.67	3	Vertical	302	1.00	52.81	36.68	6.75	34.76

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.889G	50.26	68.20	-17.94	5.97	3	Horizontal	70	2.12	44.29	34.26	6.24	34.53
AV	6.5582G	97.60	Inf	-Inf	7.45	3	Horizontal	70	2.12	90.15	35.43	6.52	34.50
AV	7.191G	52.30	68.20	-15.90	8.67	3	Horizontal	70	2.12	43.63	36.68	6.75	34.76
PK	5.9002G	58.48	88.20	-29.72	6.02	3	Horizontal	70	2.12	52.46	34.30	6.25	34.53
PK	6.5554G	106.71	Inf	-Inf	7.44	3	Horizontal	70	2.12	99.27	35.42	6.52	34.50
PK	7.1854G	60.16	88.20	-28.04	8.65	3	Horizontal	70	2.12	51.51	36.67	6.74	34.76



6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0091G	46.35	68.20	-21.85	15.20	3	Vertical	129	2.20	31.15	39.69	9.01	33.50
PK	13.01143G	54.02	88.20	-34.18	15.21	3	Vertical	129	2.20	38.81	39.69	9.01	33.49

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01165G	46.11	68.20	-22.09	15.21	3	Horizontal	158	1.16	30.90	39.69	9.01	33.49
PK	13.01142G	54.70	88.20	-33.50	15.21	3	Horizontal	158	1.16	39.49	39.69	9.01	33.49



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7244G	93.37	Inf	-Inf	7.93	3	Vertical	355	1.09	85.44	35.95	6.57	34.59
AV	7.1908G	52.14	68.20	-16.06	8.67	3	Vertical	355	1.09	43.47	36.68	6.75	34.76
PK	6.7156G	101.61	Inf	-Inf	7.95	3	Vertical	355	1.09	93.66	35.97	6.57	34.59
PK	7.1336G	60.96	88.20	-27.24	8.47	3	Vertical	355	1.09	52.49	36.50	6.73	34.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7244G	98.02	Inf	-Inf	7.93	3	Horizontal	58	2.10	90.09	35.95	6.57	34.59
AV	7.1512G	52.08	68.20	-16.12	8.57	3	Horizontal	58	2.10	43.51	36.60	6.73	34.76
PK	6.7288G	107.03	Inf	-Inf	7.92	3	Horizontal	58	2.10	99.11	35.94	6.57	34.59
PK	7.1732G	60.83	88.20	-27.37	8.63	3	Horizontal	58	2.10	52.20	36.65	6.74	34.76



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32811G	47.15	54.00	-6.85	16.00	3	Vertical	246	2.09	31.15	39.86	9.11	32.97
PK	13.32598G	53.92	74.00	-20.08	15.98	3	Vertical	246	2.09	37.94	39.85	9.11	32.98

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32664G	46.57	54.00	-7.43	15.99	3	Horizontal	27	2.54	30.58	39.85	9.11	32.97
PK	13.33491G	54.71	74.00	-19.29	16.02	3	Horizontal	27	2.54	38.69	39.87	9.11	32.96



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7514G	93.43	Inf	-Inf	7.86	3	Vertical	298	2.05	85.57	35.90	6.57	34.61
AV	7.1258G	53.37	68.20	-14.83	8.41	3	Vertical	298	2.05	44.96	36.45	6.72	34.76
PK	6.793G	102.33	Inf	-Inf	7.76	3	Vertical	298	2.05	94.57	35.81	6.58	34.63
PK	7.1274G	61.51	88.20	-26.69	8.42	3	Vertical	298	2.05	53.09	36.46	6.72	34.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7594G	96.55	Inf	-Inf	7.84	3	Horizontal	68	2.24	88.71	35.88	6.57	34.61
AV	7.1578G	53.03	68.20	-15.17	8.60	3	Horizontal	68	2.24	44.43	36.62	6.74	34.76
PK	6.7626G	104.95	Inf	-Inf	7.83	3	Horizontal	68	2.24	97.12	35.87	6.57	34.61
PK	7.1722G	61.94	88.20	-26.26	8.62	3	Horizontal	68	2.24	53.32	36.64	6.74	34.76



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6484G	47.73	68.20	-20.47	16.60	3	Vertical	239	1.14	31.13	40.15	9.20	32.75
PK	13.65296G	54.82	88.20	-33.38	16.61	3	Vertical	239	1.14	38.21	40.15	9.21	32.75

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65216G	47.85	68.20	-20.35	16.61	3	Horizontal	63	1.10	31.24	40.15	9.21	32.75
PK	13.64523G	56.07	88.20	-32.13	16.60	3	Horizontal	63	1.10	39.47	40.15	9.20	32.75