




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.927G	93.47	Inf	-Inf	7.69	3	Vertical	336	1.70	85.78	35.75	6.64	34.70
AV	7.131G	66.78	68.20	-1.42	8.46	3	Vertical	336	1.70	58.32	36.49	6.73	34.76
PK	6.924G	102.41	Inf	-Inf	7.69	3	Vertical	336	1.70	94.72	35.75	6.64	34.70
PK	7.132G	75.54	88.20	-12.66	8.46	3	Vertical	336	1.70	67.08	36.49	6.73	34.76

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.91G	97.12	Inf	-Inf	7.72	3	Horizontal	67	2.09	89.40	35.78	6.63	34.69
AV	7.131G	66.41	68.20	-1.79	8.46	3	Horizontal	67	2.09	57.95	36.49	6.73	34.76
PK	6.924G	106.07	Inf	-Inf	7.69	3	Horizontal	67	2.09	98.38	35.75	6.64	34.70
PK	7.132G	75.68	88.20	-12.52	8.46	3	Horizontal	67	2.09	67.22	36.49	6.73	34.76



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97462G	47.85	68.20	-20.35	16.78	3	Vertical	307	1.74	31.07	40.35	9.30	32.87
PK	13.96983G	55.32	88.20	-32.88	16.77	3	Vertical	307	1.74	38.55	40.34	9.30	32.87

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96785G	48.07	68.20	-20.13	16.77	3	Horizontal	115	1.12	31.30	40.34	9.30	32.87
PK	13.97388G	56.52	88.20	-31.68	16.78	3	Horizontal	115	1.12	39.74	40.35	9.30	32.87



Antenna Gain (dBi)			
UNII5	UNII6	UNII7	UNII8
2.44	3.18	3.69	4.55

Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-73.44	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-74.18	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-72.69	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-73.55	OFF	10	100	90	Pass

Contention Based protocol 802.11ax HEW160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-73.44	OFF	10	100	90	Pass
				Center	6185	-69.44	OFF	10	100	90	Pass
				High edge	6260	-64.44	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-73.18	OFF	10	100	90	Pass
				Center	6505	-71.18	OFF	10	100	90	Pass
				High edge	6580	-70.18	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-80.69	OFF	10	100	90	Pass
				Center	6665	-70.69	OFF	10	100	90	Pass
				High edge	6740	-70.69	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-76.55	OFF	10	100	90	Pass
				Center	6985	-68.55	OFF	10	100	90	Pass
				High edge	7060	-71.55	OFF	10	100	90	Pass



Contention Based protocol 802.11ax HEW20										
	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Inteference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-71.00	2.44	-73.44	≤ -62
						Minimal	-73.00	2.44	-75.44	≤ -62
						ON	-74.00	2.44	-76.44	≤ -62
6	101	20	6455	Center	6455	OFF	-71.00	3.18	-74.18	≤ -62
						Minimal	-73.00	3.18	-76.18	≤ -62
						ON	-74.00	3.18	-77.18	≤ -62
7	149	20	6695	Center	6695	OFF	-69.00	3.69	-72.69	≤ -62
						Minimal	-71.00	3.69	-74.69	≤ -62
						ON	-72.00	3.69	-75.69	≤ -62
8	213	20	7015	Center	7015	OFF	-69.00	4.55	-73.55	≤ -62
						Minimal	-71.00	4.55	-75.55	≤ -62
						ON	-72.00	4.55	-76.55	≤ -62




Contention Based protocol 802.11ax HEW160										
Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)	
5	47	160	6185	Low edge	6110	OFF	-71.00	2.44	-73.44	≤ -62
						Minimal	-75.00	2.44	-77.44	≤ -62
						ON	-76.00	2.44	-78.44	≤ -62
				Center	6185	OFF	-67.00	2.44	-69.44	≤ -62
						Minimal	-76.00	2.44	-78.44	≤ -62
						ON	-77.00	2.44	-79.44	≤ -62
				High edge	6260	OFF	-62.00	2.44	-64.44	≤ -62
						Minimal	-73.00	2.44	-75.44	≤ -62
						ON	-74.00	2.44	-76.44	≤ -62
6	111	160	6505	Low edge	6430	OFF	-70.00	3.18	-73.18	≤ -62
						Minimal	-75.00	3.18	-78.18	≤ -62
						ON	-76.00	3.18	-79.18	≤ -62
				Center	6505	OFF	-68.00	3.18	-71.18	≤ -62
						Minimal	-76.00	3.18	-79.18	≤ -62
						ON	-77.00	3.18	-80.18	≤ -62
				High edge	6580	OFF	-67.00	3.18	-70.18	≤ -62
						Minimal	-77.00	3.18	-80.18	≤ -62
						ON	-78.00	3.18	-81.18	≤ -62
7	143	160	6665	Low edge	6590	OFF	-77.00	3.69	-80.69	≤ -62
						Minimal	-79.00	3.69	-82.69	≤ -62
						ON	-80.00	3.69	-83.69	≤ -62
				Center	6665	OFF	-67.00	3.69	-70.69	≤ -62
						Minimal	-74.00	3.69	-77.69	≤ -62
						ON	-75.00	3.69	-78.69	≤ -62
				High edge	6740	OFF	-67.00	3.69	-70.69	≤ -62
						Minimal	-70.00	3.69	-73.69	≤ -62
						ON	-71.00	3.69	-74.69	≤ -62
8	207	160	6985	Low edge	6910	OFF	-72.00	4.55	-76.55	≤ -62
						Minimal	-73.00	4.55	-77.55	≤ -62
						ON	-74.00	4.55	-78.55	≤ -62
				Center	6985	OFF	-64.00	4.55	-68.55	≤ -62
						Minimal	-65.00	4.55	-69.55	≤ -62
						ON	-66.00	4.55	-70.55	≤ -62
				High edge	7060	OFF	-67.00	4.55	-71.55	≤ -62
						Minimal	-70.00	4.55	-74.55	≤ -62
						ON	-71.00	4.55	-75.55	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

5us

All TX Time

36.635ms

All TX Sample

7327

Duty Cycle

0.915761

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

5us

All TX Time

36.775ms

All TX Sample

7355

Duty Cycle

0.91926

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




Sample Time

5us	
All TX Time	
36.86ms	
All TX Sample	
7372	
Duty Cycle	
0.921385	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




Sample Time

5us	
All TX Time	
38.285ms	
All TX Sample	
7657	
Duty Cycle	
0.957005	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main




Sample Time

5us	
All TX Time	
36.16ms	
All TX Sample	
7232	
Duty Cycle	
0.903887	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main




Sample Time

5us	
All TX Time	
35.345ms	
All TX Sample	
7069	
Duty Cycle	
0.883515	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main




Sample Time

5us	
All TX Time	
38.03ms	
All TX Sample	
7606	
Duty Cycle	
0.950631	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis



Main







Sample Time



5us	
All TX Time	
36.18ms	
All TX Sample	
7236	
Duty Cycle	
0.904387	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



1. Incumbent signal (AWGN) Plot

























2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -71 dBm)


Time Analysis



Sample Time	1us
All TX Time	666.701ms
All TX Sample	666701
Duty Cycle	0.6667
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -73dBm)


Time Analysis



Sample Time	1us
All TX Time	731.286ms
All TX Sample	731286
Duty Cycle	0.731285
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -74 dBm)

Time Analysis




Sample Time	1us
All TX Time	926.948ms
All TX Sample	926948
Duty Cycle	0.926947
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -71dBm)


Time Analysis



Sample Time	1us
All TX Time	384.618ms
All TX Sample	384618
Duty Cycle	0.384618
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -75dBm)


Time Analysis



Sample Time	1us
All TX Time	283.858ms
All TX Sample	283858
Duty Cycle	0.283858
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -76dBm)


Time Analysis



Sample Time	1us
All TX Time	325.474ms
All TX Sample	325474
Duty Cycle	0.325474
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -67dBm)


Time Analysis




Sample Time	1us
All TX Time	505.908ms
All TX Sample	505908
Duty Cycle	0.505907
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -76dBm)

Time Analysis




Sample Time	1us
All TX Time	704.296ms
All TX Sample	704296
Duty Cycle	0.704295
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6260 MHz (Threshold Level: -73dBm)


Time Analysis



Sample Time	1us
All TX Time	713.727ms
All TX Sample	713727
Duty Cycle	0.713726
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -74dBm)

Time Analysis



Sample Time	1us
All TX Time	700.831ms
All TX Sample	700831
Duty Cycle	0.70083
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Antenna Gain (dBi)			
UNII5	UNII6	UNII7	UNII8
2.77	3.16	2.88	3.07

Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.77	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-77.16	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-75.88	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-71.07	OFF	10	100	90	Pass

Contention Based protocol 802.11ax HEW160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-76.77	OFF	10	100	90	Pass
				Center	6185	-74.77	OFF	10	100	90	Pass
				High edge	6260	-75.77	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-75.16	OFF	10	100	90	Pass
				Center	6505	-75.16	OFF	10	100	90	Pass
				High edge	6580	-74.16	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-73.88	OFF	10	100	90	Pass
				Center	6665	-72.88	OFF	10	100	90	Pass
				High edge	6740	-71.88	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-73.07	OFF	10	100	90	Pass
				Center	6985	-72.07	OFF	10	100	90	Pass
				High edge	7060	-72.07	OFF	10	100	90	Pass



Contention Based protocol 802.11ax HEW20										
	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Inteference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-69.00	2.77	-71.77	≤ -62
						Minimal	-74.00	2.77	-76.77	≤ -62
						ON	-75.00	2.77	-77.77	≤ -62
6	101	20	6455	Center	6455	OFF	-74.00	3.16	-77.16	≤ -62
						Minimal	-80.00	3.16	-83.16	≤ -62
						ON	-81.00	3.16	-84.16	≤ -62
7	149	20	6695	Center	6695	OFF	-73.00	2.88	-75.88	≤ -62
						Minimal	-76.00	2.88	-78.88	≤ -62
						ON	-77.00	2.88	-79.88	≤ -62
8	213	20	7015	Center	7015	OFF	-68.00	3.07	-71.07	≤ -62
						Minimal	-72.00	3.07	-75.07	≤ -62
						ON	-73.00	3.07	-76.07	≤ -62




Contention Based protocol 802.11ax HEW160										
Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)	
5	47	160	6185	Low edge	6110	OFF	-74.00	2.77	-76.77	≤ -62
						Minimal	-76.00	2.77	-78.77	≤ -62
						ON	-77.00	2.77	-79.77	≤ -62
				Center	6185	OFF	-72.00	2.77	-74.77	≤ -62
						Minimal	-73.00	2.77	-75.77	≤ -62
						ON	-74.00	2.77	-76.77	≤ -62
				High edge	6260	OFF	-73.00	2.77	-75.77	≤ -62
						Minimal	-74.00	2.77	-76.77	≤ -62
						ON	-76.00	2.77	-78.77	≤ -62
6	111	160	6505	Low edge	6430	OFF	-72.00	3.16	-75.16	≤ -62
						Minimal	-74.00	3.16	-77.16	≤ -62
						ON	-75.00	3.16	-78.16	≤ -62
				Center	6505	OFF	-72.00	3.16	-75.16	≤ -62
						Minimal	-73.00	3.16	-76.16	≤ -62
						ON	-74.00	3.16	-77.16	≤ -62
				High edge	6580	OFF	-71.00	3.16	-74.16	≤ -62
						Minimal	-74.00	3.16	-77.16	≤ -62
						ON	-76.00	3.16	-79.16	≤ -62
7	143	160	6665	Low edge	6590	OFF	-71.00	2.88	-73.88	≤ -62
						Minimal	-74.00	2.88	-76.88	≤ -62
						ON	-75.00	2.88	-77.88	≤ -62
				Center	6665	OFF	-70.00	2.88	-72.88	≤ -62
						Minimal	-72.00	2.88	-74.88	≤ -62
						ON	-73.00	2.88	-75.88	≤ -62
				High edge	6740	OFF	-69.00	2.88	-71.88	≤ -62
						Minimal	-71.00	2.88	-73.88	≤ -62
						ON	-72.00	2.88	-74.88	≤ -62
8	207	160	6985	Low edge	6910	OFF	-70.00	3.07	-73.07	≤ -62
						Minimal	-72.00	3.07	-75.07	≤ -62
						ON	-75.00	3.07	-78.07	≤ -62
				Center	6985	OFF	-69.00	3.07	-72.07	≤ -62
						Minimal	-72.00	3.07	-75.07	≤ -62
						ON	-75.00	3.07	-78.07	≤ -62
				High edge	7060	OFF	-69.00	3.07	-72.07	≤ -62
						Minimal	-71.00	3.07	-74.07	≤ -62
						ON	-75.00	3.07	-78.07	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

5us

All TX Time

38.205ms

All TX Sample

7641

Duty Cycle

0.955006

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

5us

All TX Time

38.315ms

All TX Sample

7663

Duty Cycle

0.957755

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




Sample Time

5us	
All TX Time	
38.32ms	
All TX Sample	
7664	
Duty Cycle	
0.95788	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis


Main




Sample Time

5us	
All TX Time	
38.53ms	
All TX Sample	
7706	
Duty Cycle	
0.96313	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz




Bandwidth 160MHz: Traffic Loading Plot - 6505MHz



Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main




Sample Time

5us	
All TX Time	
38.615ms	
All TX Sample	
7723	
Duty Cycle	
0.965254	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis



Main







Sample Time



5us	
All TX Time	
38.245ms	
All TX Sample	
7649	
Duty Cycle	
0.956005	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



1. Incumbent signal (AWGN) Plot

























2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)


Time Analysis



Sample Time	1us
All TX Time	397.002ms
All TX Sample	397002
Duty Cycle	0.397002
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -74dBm)


Time Analysis



Sample Time	1us
All TX Time	454.897ms
All TX Sample	454897
Duty Cycle	0.454897
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -75 dBm)

Time Analysis




Sample Time	1us
All TX Time	945.083ms
All TX Sample	945083
Duty Cycle	0.945082
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -74dBm)


Time Analysis



Sample Time	1us
All TX Time	148.225ms
All TX Sample	148225
Duty Cycle	0.148225
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -76dBm)


Time Analysis



Sample Time	1us
All TX Time	404.074ms
All TX Sample	404074
Duty Cycle	0.404074
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -77dBm)


Time Analysis



Sample Time	1us
All TX Time	313.616ms
All TX Sample	313616
Duty Cycle	0.313616
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -72dBm)


Time Analysis




Sample Time	1us
All TX Time	282.827ms
All TX Sample	282827
Duty Cycle	0.282827
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -73dBm)

Time Analysis




Sample Time	1us
All TX Time	341.886ms
All TX Sample	341886
Duty Cycle	0.341886
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs




Frequency (MHz): 6260 MHz (Threshold Level: -74dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -76dBm)

Time Analysis





Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.175G	6.17498623G	2.2303	20	1	10 min

Condition Item	Abbreviation/Remark	Remark
Freq. Stability	Abbreviation	Remark
Tnom	Tnom	20°C
Tmin	Tmin	-20°C
Tmax	Tmax	50°C
TmaxVmax	Vnom	120V
TmaxVmin	Vmin	102V
-	Vmax	138V



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.17498704G	2.0991	20	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.17498701G	2.1045	20	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.17498697G	2.1109	20	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.17498693G	2.1168	20	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.17498686G	2.1284	20	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.17498682G	2.1347	20	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.17498678G	2.1414	20	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.17498674G	2.1474	20	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.17498667G	2.1589	20	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.17498663G	2.1647	20	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.17498659G	2.1712	20	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.17498656G	2.1768	20	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.17498649G	2.1874	20	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.17498647G	2.1916	20	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.17498643G	2.1974	20	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.1749864G	2.2023	20	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.17498633G	2.2133	20	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.1749863G	2.2189	20	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.17498626G	2.2246	20	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.17498623G	2.2303	20	1	10 min



Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.175G	6.17498743G	2.0356	20	1	10 min

Condition Item	Abbreviation/Remark	Remark
Freq. Stability	Abbreviation	Remark
TnomVnom	Tnom	20°C
TminVmax	Tmin	-20°C
TminVmin	Tmax	50°C
TmaxVmax	Vnom	120V
TmaxVmin	Vmin	102V
-	Vmax	138V



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.17498777G	1.9799	20	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.17498776G	1.9822	20	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.17498775G	1.9843	20	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.17498773G	1.9874	20	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.1749877G	1.9927	20	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.17498768G	1.9951	20	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.17498767G	1.9976	20	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.17498764G	2.0015	20	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.1749876G	2.0081	20	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.17498757G	2.0128	20	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.17498755G	2.0162	20	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.17498754G	2.018	20	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.17498752G	2.0212	20	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.1749875G	2.0236	20	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.17498749G	2.0259	20	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.17498749G	2.0267	20	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.17498746G	2.0314	20	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.17498745G	2.033	20	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.17498744G	2.0347	20	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.17498743G	2.0356	20	1	10 min



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.31232G	44.18	54.00	-9.82	Horizontal
Mode 2	Pass	AV	11.38888G	43.81	54.00	-10.19	Horizontal
Mode 3	Pass	AV	13.31926G	45.71	54.00	-8.29	Horizontal
Mode 4	Pass	AV	7.31088G	53.81	54.00	-0.19	Vertical
Mode 5	Pass	AV	12.69714G	45.07	54.00	-8.93	Horizontal
Mode 6	Pass	AV	13.32535G	46.03	54.00	-7.97	Horizontal
Mode 7	Pass	AV	15.59134G	43.08	54.00	-10.92	Horizontal
Mode 8	Pass	PK	10.39634G	58.93	68.20	-9.27	Horizontal
Mode 9	Pass	PK	10.39436G	59.63	68.20	-8.57	Vertical
Mode 10	Pass	AV	7.31112G	51.72	54.00	-2.28	Vertical
Mode 11	Pass	PK	17.06211G	57.79	68.20	-10.41	Horizontal
Mode 12	Pass	AV	15.5907G	43.17	54.00	-10.83	Horizontal
Mode 13	Pass	AV	7.3107G	43.43	54.00	-10.57	Horizontal
Mode 14	Pass	PK	10.39409G	58.48	68.20	-9.72	Vertical
Mode 15	Pass	AV	13.3213G	45.40	54.00	-8.60	Horizontal
Mode 16	Pass	AV	7.31132G	49.96	54.00	-4.04	Vertical
Mode 17	Pass	AV	12.68052G	44.82	54.00	-9.18	Horizontal
Mode 18	Pass	AV	13.3213G	45.40	54.00	-8.60	Horizontal



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.88684G	31.85	54.00	-22.15	3	Vertical	38	1.66
Mode 1	Pass	AV	4.88834G	31.66	54.00	-22.34	3	Vertical	76	1.39
Mode 1	Pass	AV	4.966G	33.42	54.00	-20.58	3	Vertical	335	1.05
Mode 1	Pass	AV	7.31004G	42.52	54.00	-11.48	3	Vertical	60	1.88
Mode 1	Pass	AV	7.3136G	40.99	54.00	-13.01	3	Vertical	60	2.51
Mode 1	Pass	AV	15.60348G	43.33	54.00	-10.67	3	Vertical	105	2.09
Mode 1	Pass	PK	4.87616G	42.30	74.00	-31.70	3	Vertical	38	1.66
Mode 1	Pass	PK	4.8881G	43.09	74.00	-30.91	3	Vertical	76	1.39
Mode 1	Pass	PK	4.97014G	44.01	74.00	-29.99	3	Vertical	335	1.05
Mode 1	Pass	PK	7.31212G	53.54	74.00	-20.46	3	Vertical	60	2.5
Mode 1	Pass	PK	7.31848G	53.95	74.00	-20.05	3	Vertical	60	1.88
Mode 1	Pass	PK	10.39324G	52.49	68.20	-15.71	3	Vertical	15	2.09
Mode 1	Pass	PK	15.6098G	53.32	74.00	-20.68	3	Vertical	105	2.09
Mode 1	Pass	AV	4.88888G	32.00	54.00	-22.00	3	Horizontal	105	1.87
Mode 1	Pass	AV	4.88894G	31.70	54.00	-22.30	3	Horizontal	228	1.29
Mode 1	Pass	AV	4.9657G	33.52	54.00	-20.48	3	Horizontal	359	1.75
Mode 1	Pass	AV	7.31224G	43.33	54.00	-10.67	3	Horizontal	18	1.54
Mode 1	Pass	AV	7.31232G	44.18	54.00	-9.82	3	Horizontal	16	1.49
Mode 1	Pass	AV	15.60604G	43.27	54.00	-10.73	3	Horizontal	329	1.40
Mode 1	Pass	PK	4.87664G	43.79	74.00	-30.21	3	Horizontal	105	1.87
Mode 1	Pass	PK	4.88456G	43.08	74.00	-30.92	3	Horizontal	228	1.29
Mode 1	Pass	PK	4.97428G	44.76	74.00	-29.24	3	Horizontal	359	1.75
Mode 1	Pass	PK	7.30216G	55.74	74.00	-18.26	3	Horizontal	16	1.49
Mode 1	Pass	PK	7.3022G	56.33	74.00	-17.67	3	Horizontal	18	1.54
Mode 1	Pass	PK	10.41362G	52.95	68.20	-15.25	3	Horizontal	269	1.95
Mode 1	Pass	PK	15.60648G	53.91	74.00	-20.09	3	Horizontal	329	1.40
Mode 2	Pass	AV	4.88296G	32.01	54.00	-21.99	3	Vertical	263	2.25
Mode 2	Pass	AV	4.95976G	33.55	54.00	-20.45	3	Vertical	269	2.80
Mode 2	Pass	AV	7.3144G	40.29	54.00	-13.71	3	Vertical	321	2.30
Mode 2	Pass	AV	11.38684G	43.65	54.00	-10.35	3	Vertical	229	1.90
Mode 2	Pass	AV	15.60544G	43.33	54.00	-10.67	3	Vertical	201	1.18
Mode 2	Pass	PK	4.87208G	42.53	74.00	-31.47	3	Vertical	263	2.25
Mode 2	Pass	PK	4.97452G	44.32	74.00	-29.68	3	Vertical	269	2.80
Mode 2	Pass	PK	7.30912G	52.43	74.00	-21.57	3	Vertical	321	2.30
Mode 2	Pass	PK	10.39348G	52.61	68.20	-15.59	3	Vertical	227	2.50
Mode 2	Pass	PK	11.37364G	52.90	74.00	-21.10	3	Vertical	229	1.90
Mode 2	Pass	PK	15.59952G	53.45	74.00	-20.55	3	Vertical	201	1.18
Mode 2	Pass	PK	17.06004G	54.82	68.20	-13.38	3	Vertical	245	1.01
Mode 2	Pass	AV	4.88388G	31.78	54.00	-22.22	3	Horizontal	279	2.86
Mode 2	Pass	AV	4.97362G	33.53	54.00	-20.47	3	Horizontal	292	1.94
Mode 2	Pass	AV	7.31024G	41.47	54.00	-12.53	3	Horizontal	305	2.25
Mode 2	Pass	AV	11.38888G	43.81	54.00	-10.19	3	Horizontal	91	2.19
Mode 2	Pass	AV	15.60812G	43.37	54.00	-10.63	3	Horizontal	265	2.63
Mode 2	Pass	PK	4.88396G	42.91	74.00	-31.09	3	Horizontal	279	2.86
Mode 2	Pass	PK	4.95058G	44.36	74.00	-29.64	3	Horizontal	292	1.94
Mode 2	Pass	PK	7.31768G	53.29	74.00	-20.71	3	Horizontal	305	2.25
Mode 2	Pass	PK	10.40692G	53.51	68.20	-14.69	3	Horizontal	32	2.99
Mode 2	Pass	PK	11.37178G	52.77	74.00	-21.23	3	Horizontal	91	2.19
Mode 2	Pass	PK	15.59912G	53.81	74.00	-20.19	3	Horizontal	265	2.63
Mode 2	Pass	PK	17.08254G	55.45	68.20	-12.75	3	Horizontal	341	2.89



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.86732G	32.17	54.00	-21.83	3	Vertical	113	1.12
Mode 3	Pass	AV	4.97302G	33.57	54.00	-20.43	3	Vertical	125	1.37
Mode 3	Pass	AV	7.31172G	40.06	54.00	-13.94	3	Vertical	320	2.29
Mode 3	Pass	AV	13.32319G	45.62	54.00	-8.38	3	Vertical	320	2.18
Mode 3	Pass	AV	15.60184G	43.34	54.00	-10.66	3	Vertical	237	1.91
Mode 3	Pass	PK	4.86676G	42.83	74.00	-31.17	3	Vertical	113	1.12
Mode 3	Pass	PK	4.95892G	43.99	74.00	-30.01	3	Vertical	125	1.37
Mode 3	Pass	PK	7.30232G	51.72	74.00	-22.28	3	Vertical	320	2.29
Mode 3	Pass	PK	10.40896G	52.47	68.20	-15.73	3	Vertical	13	1.85
Mode 3	Pass	PK	13.3426G	55.17	74.00	-18.83	3	Vertical	320	2.18
Mode 3	Pass	PK	15.5938G	53.30	74.00	-20.70	3	Vertical	237	1.91
Mode 3	Pass	AV	4.86508G	32.35	54.00	-21.65	3	Horizontal	92	2.43
Mode 3	Pass	AV	4.9648G	33.54	54.00	-20.46	3	Horizontal	138	2.93
Mode 3	Pass	AV	7.31252G	41.12	54.00	-12.88	3	Horizontal	305	2.27
Mode 3	Pass	AV	13.31926G	45.71	54.00	-8.29	3	Horizontal	3	2.79
Mode 3	Pass	AV	15.59484G	43.47	54.00	-10.53	3	Horizontal	144	2.60
Mode 3	Pass	PK	4.87124G	43.21	74.00	-30.79	3	Horizontal	92	2.43
Mode 3	Pass	PK	4.9534G	44.15	74.00	-29.85	3	Horizontal	138	2.93
Mode 3	Pass	PK	7.31272G	52.96	74.00	-21.04	3	Horizontal	305	2.27
Mode 3	Pass	PK	10.40324G	53.38	68.20	-14.82	3	Horizontal	24	1.50
Mode 3	Pass	PK	13.31815G	55.51	74.00	-18.49	3	Horizontal	3	2.79
Mode 3	Pass	PK	15.59596G	53.78	74.00	-20.22	3	Horizontal	144	2.60
Mode 4	Pass	AV	4.86432G	31.08	54.00	-22.92	3	Vertical	242	2.69
Mode 4	Pass	AV	4.97476G	33.57	54.00	-20.43	3	Vertical	154	1.22
Mode 4	Pass	AV	7.31088G	53.81	54.00	-0.19	3	Vertical	4	2.05
Mode 4	Pass	AV	12.69771G	45.17	54.00	-8.83	3	Vertical	127	1.89
Mode 4	Pass	AV	15.59148G	43.25	54.00	-10.75	3	Vertical	129	2.02
Mode 4	Pass	PK	4.8664G	42.23	74.00	-31.77	3	Vertical	242	2.69
Mode 4	Pass	PK	4.97422G	45.33	74.00	-28.67	3	Vertical	154	1.22
Mode 4	Pass	PK	7.30208G	69.11	74.00	-4.89	3	Vertical	4	2.05
Mode 4	Pass	PK	10.39652G	52.43	68.20	-15.77	3	Vertical	103	2.73
Mode 4	Pass	PK	12.69084G	53.62	74.00	-20.38	3	Vertical	127	1.89
Mode 4	Pass	PK	15.60016G	53.11	74.00	-20.89	3	Vertical	129	2.02
Mode 4	Pass	AV	4.86436G	31.09	54.00	-22.91	3	Horizontal	344	2.19
Mode 4	Pass	AV	4.97068G	33.52	54.00	-20.48	3	Horizontal	299	2.06
Mode 4	Pass	AV	7.31196G	53.29	54.00	-0.71	3	Horizontal	68	2.03
Mode 4	Pass	AV	12.69468G	45.21	54.00	-8.79	3	Horizontal	267	1.26
Mode 4	Pass	AV	15.59264G	43.10	54.00	-10.90	3	Horizontal	59	1.46
Mode 4	Pass	PK	4.87156G	42.44	74.00	-31.56	3	Horizontal	344	2.19
Mode 4	Pass	PK	4.97188G	44.17	74.00	-29.83	3	Horizontal	299	2.06
Mode 4	Pass	PK	7.30212G	69.45	74.00	-4.55	3	Horizontal	68	2.03
Mode 4	Pass	PK	10.3994G	53.13	68.20	-15.07	3	Horizontal	314	2.17
Mode 4	Pass	PK	12.67725G	54.41	74.00	-19.59	3	Horizontal	267	1.26
Mode 4	Pass	PK	15.60148G	53.17	74.00	-20.83	3	Horizontal	59	1.46
Mode 5	Pass	AV	4.97452G	33.59	54.00	-20.41	3	Vertical	352	1.96
Mode 5	Pass	AV	11.38582G	43.59	54.00	-10.41	3	Vertical	322	1.05
Mode 5	Pass	AV	12.68655G	44.92	54.00	-9.08	3	Vertical	164	2.72
Mode 5	Pass	AV	15.59952G	43.18	54.00	-10.82	3	Vertical	122	1.14
Mode 5	Pass	PK	4.96138G	44.61	74.00	-29.39	3	Vertical	352	1.96
Mode 5	Pass	PK	10.39788G	52.18	68.20	-16.02	3	Vertical	203	1.83



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	PK	11.3719G	52.70	74.00	-21.30	3	Vertical	322	1.05
Mode 5	Pass	PK	12.6978G	53.78	74.00	-20.22	3	Vertical	164	2.72
Mode 5	Pass	PK	15.59804G	54.15	74.00	-19.85	3	Vertical	122	1.14
Mode 5	Pass	PK	17.07762G	54.97	68.20	-13.23	3	Vertical	310	1.68
Mode 5	Pass	AV	4.97494G	33.53	54.00	-20.47	3	Horizontal	230	2.13
Mode 5	Pass	AV	11.36986G	43.53	54.00	-10.47	3	Horizontal	24	1.44
Mode 5	Pass	AV	12.69714G	45.07	54.00	-8.93	3	Horizontal	102	2.54
Mode 5	Pass	AV	15.59768G	43.27	54.00	-10.73	3	Horizontal	35	1.20
Mode 5	Pass	PK	4.9741G	44.94	74.00	-29.06	3	Horizontal	230	2.13
Mode 5	Pass	PK	10.40112G	52.45	68.20	-15.75	3	Horizontal	123	1.47
Mode 5	Pass	PK	11.37142G	53.10	74.00	-20.90	3	Horizontal	24	1.44
Mode 5	Pass	PK	12.69534G	54.11	74.00	-19.89	3	Horizontal	102	2.54
Mode 5	Pass	PK	15.60844G	53.97	74.00	-20.03	3	Horizontal	35	1.20
Mode 5	Pass	PK	17.07312G	55.04	68.20	-13.16	3	Horizontal	82	2.06
Mode 6	Pass	AV	4.9717G	33.69	54.00	-20.31	3	Vertical	52	2.39
Mode 6	Pass	AV	12.69702G	45.01	54.00	-8.99	3	Vertical	97	1.65
Mode 6	Pass	AV	13.33948G	45.70	54.00	-8.30	3	Vertical	326	2.25
Mode 6	Pass	AV	15.6012G	43.36	54.00	-10.64	3	Vertical	299	2.59
Mode 6	Pass	PK	4.9558G	44.34	74.00	-29.66	3	Vertical	52	2.39
Mode 6	Pass	PK	10.39888G	52.65	68.20	-15.55	3	Vertical	79	2.24
Mode 6	Pass	PK	12.68997G	54.13	74.00	-19.87	3	Vertical	97	1.65
Mode 6	Pass	PK	13.31941G	55.06	74.00	-18.94	3	Vertical	326	2.25
Mode 6	Pass	PK	15.60836G	53.57	74.00	-20.43	3	Vertical	299	2.59
Mode 6	Pass	AV	4.96996G	33.66	54.00	-20.34	3	Horizontal	111	1.08
Mode 6	Pass	AV	12.69099G	45.18	54.00	-8.82	3	Horizontal	110	2.67
Mode 6	Pass	AV	13.32535G	46.03	54.00	-7.97	3	Horizontal	230	1.00
Mode 6	Pass	AV	15.6022G	43.57	54.00	-10.43	3	Horizontal	220	2.32
Mode 6	Pass	PK	4.96366G	44.74	74.00	-29.26	3	Horizontal	111	1.08
Mode 6	Pass	PK	10.40304G	54.00	68.20	-14.20	3	Horizontal	153	2.73
Mode 6	Pass	PK	12.6948G	54.00	74.00	-20.00	3	Horizontal	110	2.67
Mode 6	Pass	PK	13.32301G	54.94	74.00	-19.06	3	Horizontal	230	1.00
Mode 6	Pass	PK	15.5956G	52.89	74.00	-21.11	3	Horizontal	220	2.32
Mode 7	Pass	AV	4.80873G	31.19	54.00	-22.81	3	Vertical	51	1.42
Mode 7	Pass	AV	4.87538G	32.62	54.00	-21.38	3	Vertical	325	1.41
Mode 7	Pass	AV	7.30584G	36.99	54.00	-17.01	3	Vertical	275	1.50
Mode 7	Pass	AV	15.6003G	43.03	54.00	-10.97	3	Vertical	124	1.40
Mode 7	Pass	PK	4.8082G	44.71	74.00	-29.29	3	Vertical	51	1.42
Mode 7	Pass	PK	4.86554G	45.47	74.00	-28.53	3	Vertical	325	1.41
Mode 7	Pass	PK	7.30276G	50.39	74.00	-23.61	3	Vertical	275	1.50
Mode 7	Pass	PK	10.39498G	54.15	68.20	-14.05	3	Vertical	51	1.50
Mode 7	Pass	PK	15.5914G	56.71	74.00	-17.29	3	Vertical	124	1.40
Mode 7	Pass	AV	4.81083G	31.84	54.00	-22.16	3	Horizontal	188	1.66
Mode 7	Pass	AV	4.86456G	33.06	54.00	-20.94	3	Horizontal	39	1.25
Mode 7	Pass	AV	7.30558G	37.06	54.00	-16.94	3	Horizontal	280	1.03
Mode 7	Pass	AV	15.59134G	43.08	54.00	-10.92	3	Horizontal	183	1.57
Mode 7	Pass	PK	4.81066G	45.98	74.00	-28.02	3	Horizontal	188	1.66
Mode 7	Pass	PK	4.8663G	46.29	74.00	-27.71	3	Horizontal	39	1.25
Mode 7	Pass	PK	7.30592G	51.33	74.00	-22.67	3	Horizontal	280	1.03
Mode 7	Pass	PK	10.3946G	54.73	68.20	-13.47	3	Horizontal	325	1.50
Mode 7	Pass	PK	15.60242G	56.93	74.00	-17.07	3	Horizontal	183	1.57



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 8	Pass	AV	4.81338G	31.98	54.00	-22.02	3	Vertical	144	1.50
Mode 8	Pass	AV	4.87438G	31.56	54.00	-22.44	3	Vertical	314	1.50
Mode 8	Pass	AV	7.31154G	37.35	54.00	-16.65	3	Vertical	359	1.50
Mode 8	Pass	AV	10.39926G	41.47	68.20	-26.73	3	Vertical	25	1.36
Mode 8	Pass	AV	11.38734G	41.52	54.00	-12.48	3	Vertical	30	1.13
Mode 8	Pass	AV	15.59214G	43.06	54.00	-10.94	3	Vertical	348	1.50
Mode 8	Pass	AV	17.06386G	44.30	68.20	-23.90	3	Vertical	329	1.50
Mode 8	Pass	PK	4.8107G	45.73	74.00	-28.27	3	Vertical	144	1.50
Mode 8	Pass	PK	4.87096G	44.90	74.00	-29.10	3	Vertical	314	1.50
Mode 8	Pass	PK	7.31414G	50.69	74.00	-23.31	3	Vertical	359	1.50
Mode 8	Pass	PK	10.39414G	58.52	68.20	-9.68	3	Vertical	25	1.36
Mode 8	Pass	PK	11.38426G	54.88	74.00	-19.12	3	Vertical	30	1.13
Mode 8	Pass	PK	15.6138G	57.18	74.00	-16.82	3	Vertical	348	1.50
Mode 8	Pass	PK	17.07112G	57.65	68.20	-10.55	3	Vertical	329	1.50
Mode 8	Pass	AV	4.8149G	31.90	54.00	-22.10	3	Horizontal	143	1.10
Mode 8	Pass	AV	4.86424G	31.58	54.00	-22.42	3	Horizontal	161	1.50
Mode 8	Pass	AV	7.31044G	37.20	54.00	-16.80	3	Horizontal	21	1.50
Mode 8	Pass	AV	10.40226G	41.56	68.20	-26.64	3	Horizontal	300	2.94
Mode 8	Pass	AV	11.38762G	41.29	54.00	-12.71	3	Horizontal	66	2.88
Mode 8	Pass	AV	15.5886G	42.99	54.00	-11.01	3	Horizontal	267	1.70
Mode 8	Pass	AV	17.06556G	44.41	68.20	-23.79	3	Horizontal	173	1.50
Mode 8	Pass	PK	4.80626G	45.92	74.00	-28.08	3	Horizontal	143	1.10
Mode 8	Pass	PK	4.87332G	45.48	74.00	-28.52	3	Horizontal	161	1.50
Mode 8	Pass	PK	7.30858G	50.82	74.00	-23.18	3	Horizontal	21	1.50
Mode 8	Pass	PK	10.39634G	58.93	68.20	-9.27	3	Horizontal	300	2.94
Mode 8	Pass	PK	11.38916G	55.04	74.00	-18.96	3	Horizontal	66	2.88
Mode 8	Pass	PK	15.5982G	56.26	74.00	-17.74	3	Horizontal	267	1.70
Mode 8	Pass	PK	17.07146G	57.17	68.20	-11.03	3	Horizontal	173	1.50
Mode 9	Pass	AV	4.81188G	32.01	54.00	-21.99	3	Vertical	186	1.50
Mode 9	Pass	AV	4.86548G	31.64	54.00	-22.36	3	Vertical	198	1.53
Mode 9	Pass	AV	7.30212G	37.28	54.00	-16.72	3	Vertical	48	1.50
Mode 9	Pass	AV	10.39928G	41.71	68.20	-26.49	3	Vertical	26	1.50
Mode 9	Pass	AV	13.32908G	42.93	54.00	-11.07	3	Vertical	276	1.49
Mode 9	Pass	AV	15.5924G	43.15	54.00	-10.85	3	Vertical	109	1.50
Mode 9	Pass	PK	4.80676G	44.99	74.00	-29.01	3	Vertical	186	1.50
Mode 9	Pass	PK	4.8654G	45.14	74.00	-28.86	3	Vertical	198	1.53
Mode 9	Pass	PK	7.30244G	51.08	74.00	-22.92	3	Vertical	48	1.50
Mode 9	Pass	PK	10.39436G	59.63	68.20	-8.57	3	Vertical	26	1.50
Mode 9	Pass	PK	13.33504G	56.17	74.00	-17.83	3	Vertical	276	1.49
Mode 9	Pass	PK	15.60812G	56.72	74.00	-17.28	3	Vertical	109	1.50
Mode 9	Pass	AV	4.8128G	31.89	54.00	-22.11	3	Horizontal	262	1.08
Mode 9	Pass	AV	4.8688G	31.52	54.00	-22.48	3	Horizontal	113	1.04
Mode 9	Pass	AV	7.30596G	37.14	54.00	-16.86	3	Horizontal	57	1.06
Mode 9	Pass	AV	10.39952G	41.43	68.20	-26.77	3	Horizontal	59	1.64
Mode 9	Pass	AV	13.33676G	42.90	54.00	-11.10	3	Horizontal	163	1.50
Mode 9	Pass	AV	15.59524G	43.03	54.00	-10.97	3	Horizontal	324	1.50
Mode 9	Pass	PK	4.80512G	45.17	74.00	-28.83	3	Horizontal	262	1.08
Mode 9	Pass	PK	4.86864G	44.69	74.00	-29.31	3	Horizontal	113	1.04
Mode 9	Pass	PK	7.30712G	50.10	74.00	-23.90	3	Horizontal	57	1.06
Mode 9	Pass	PK	10.39668G	57.57	68.20	-10.63	3	Horizontal	59	1.64



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 9	Pass	PK	13.33984G	57.31	74.00	-16.69	3	Horizontal	163	1.50
Mode 9	Pass	PK	15.59996G	56.68	74.00	-17.32	3	Horizontal	324	1.50
Mode 10	Pass	AV	4.82098G	31.66	54.00	-22.34	3	Vertical	325	1.30
Mode 10	Pass	AV	4.87376G	33.96	54.00	-20.04	3	Vertical	360	1.50
Mode 10	Pass	AV	7.31112G	51.72	54.00	-2.28	3	Vertical	8	1.65
Mode 10	Pass	AV	10.41374G	40.96	68.20	-27.24	3	Vertical	153	1.50
Mode 10	Pass	AV	12.67932G	42.29	54.00	-11.71	3	Vertical	215	1.77
Mode 10	Pass	AV	15.59412G	42.91	54.00	-11.09	3	Vertical	299	1.50
Mode 10	Pass	PK	4.81003G	44.55	74.00	-29.45	3	Vertical	325	1.30
Mode 10	Pass	PK	4.8737G	47.41	74.00	-26.59	3	Vertical	360	1.50
Mode 10	Pass	PK	7.31832G	65.35	74.00	-8.65	3	Vertical	8	1.65
Mode 10	Pass	PK	10.39187G	55.17	68.20	-13.03	3	Vertical	153	1.50
Mode 10	Pass	PK	12.68421G	55.79	74.00	-18.21	3	Vertical	215	1.77
Mode 10	Pass	PK	15.59139G	56.31	74.00	-17.69	3	Vertical	299	1.50
Mode 10	Pass	AV	4.80904G	32.93	54.00	-21.07	3	Horizontal	43	1.95
Mode 10	Pass	AV	4.87361G	34.89	54.00	-19.11	3	Horizontal	357	1.50
Mode 10	Pass	AV	7.3101G	47.20	54.00	-6.80	3	Horizontal	51	1.58
Mode 10	Pass	AV	10.40426G	41.03	68.20	-27.17	3	Horizontal	22	1.00
Mode 10	Pass	AV	12.68112G	42.32	54.00	-11.68	3	Horizontal	263	1.50
Mode 10	Pass	AV	15.59271G	42.96	54.00	-11.04	3	Horizontal	31	1.99
Mode 10	Pass	PK	4.81627G	44.79	74.00	-29.21	3	Horizontal	43	1.95
Mode 10	Pass	PK	4.86806G	47.73	74.00	-26.27	3	Horizontal	357	1.50
Mode 10	Pass	PK	7.30212G	60.91	74.00	-13.09	3	Horizontal	51	1.58
Mode 10	Pass	PK	10.39529G	54.34	68.20	-13.86	3	Horizontal	22	1.00
Mode 10	Pass	PK	12.70455G	55.68	68.20	-12.52	3	Horizontal	263	1.50
Mode 10	Pass	PK	15.60396G	56.40	74.00	-17.60	3	Horizontal	31	1.99
Mode 11	Pass	AV	4.81936G	33.10	54.00	-20.90	3	Vertical	0	1.28
Mode 11	Pass	AV	10.40762G	40.76	68.20	-27.44	3	Vertical	360	2.00
Mode 11	Pass	AV	11.39254G	41.58	54.00	-12.42	3	Vertical	55	1.83
Mode 11	Pass	AV	12.78592G	42.72	68.20	-25.48	3	Vertical	125	1.56
Mode 11	Pass	AV	15.59139G	43.01	54.00	-10.99	3	Vertical	242	1.50
Mode 11	Pass	AV	17.07336G	44.51	68.20	-23.69	3	Vertical	122	1.10
Mode 11	Pass	PK	4.79845G	46.73	74.00	-27.27	3	Vertical	0	1.28
Mode 11	Pass	PK	10.40318G	54.44	68.20	-13.76	3	Vertical	360	2.00
Mode 11	Pass	PK	11.37577G	54.68	74.00	-19.32	3	Vertical	55	1.83
Mode 11	Pass	PK	12.79732G	55.74	68.20	-12.46	3	Vertical	125	1.56
Mode 11	Pass	PK	15.59892G	55.93	74.00	-18.07	3	Vertical	242	1.50
Mode 11	Pass	PK	17.05521G	57.18	68.20	-11.02	3	Vertical	122	1.10
Mode 11	Pass	AV	4.82452G	33.39	54.00	-20.61	3	Horizontal	63	2.26
Mode 11	Pass	AV	10.40933G	40.67	68.20	-27.53	3	Horizontal	253	2.37
Mode 11	Pass	AV	11.39365G	41.54	54.00	-12.46	3	Horizontal	73	1.33
Mode 11	Pass	AV	12.79345G	42.65	68.20	-25.55	3	Horizontal	344	1.05
Mode 11	Pass	AV	15.60459G	42.90	54.00	-11.10	3	Horizontal	189	1.18
Mode 11	Pass	AV	17.06007G	44.50	68.20	-23.70	3	Horizontal	45	2.75
Mode 11	Pass	PK	4.81531G	46.98	74.00	-27.02	3	Horizontal	63	2.26
Mode 11	Pass	PK	10.40504G	54.44	68.20	-13.76	3	Horizontal	253	2.37
Mode 11	Pass	PK	11.38837G	54.99	74.00	-19.01	3	Horizontal	73	1.33
Mode 11	Pass	PK	12.8035G	55.53	68.20	-12.67	3	Horizontal	344	1.05
Mode 11	Pass	PK	15.59508G	56.05	74.00	-17.95	3	Horizontal	189	1.18
Mode 11	Pass	PK	17.06211G	57.79	68.20	-10.41	3	Horizontal	45	2.75



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 12	Pass	AV	4.82179G	31.93	54.00	-22.07	3	Vertical	153	2.92
Mode 12	Pass	AV	10.40282G	41.10	68.20	-27.10	3	Vertical	180	1.50
Mode 12	Pass	AV	12.68784G	42.09	54.00	-11.91	3	Vertical	360	1.50
Mode 12	Pass	AV	13.34167G	42.63	54.00	-11.37	3	Vertical	347	1.00
Mode 12	Pass	AV	15.59109G	43.10	54.00	-10.90	3	Vertical	211	1.92
Mode 12	Pass	PK	4.8208G	44.77	74.00	-29.23	3	Vertical	153	2.92
Mode 12	Pass	PK	10.39442G	54.64	68.20	-13.56	3	Vertical	180	1.50
Mode 12	Pass	PK	12.69435G	56.01	74.00	-17.99	3	Vertical	360	1.50
Mode 12	Pass	PK	13.31896G	56.27	74.00	-17.73	3	Vertical	347	1.00
Mode 12	Pass	PK	15.59544G	55.72	74.00	-18.28	3	Vertical	211	1.92
Mode 12	Pass	AV	4.82254G	32.07	54.00	-21.93	3	Horizontal	71	1.86
Mode 12	Pass	AV	10.39337G	41.08	68.20	-27.12	3	Horizontal	247	1.68
Mode 12	Pass	AV	12.67593G	41.93	54.00	-12.07	3	Horizontal	62	1.03
Mode 12	Pass	AV	13.32304G	42.61	54.00	-11.39	3	Horizontal	285	1.50
Mode 12	Pass	AV	15.5907G	43.17	54.00	-10.83	3	Horizontal	220	1.11
Mode 12	Pass	PK	4.82122G	45.76	74.00	-28.24	3	Horizontal	71	1.86
Mode 12	Pass	PK	10.39196G	54.85	68.20	-13.35	3	Horizontal	247	1.68
Mode 12	Pass	PK	12.6807G	54.97	74.00	-19.03	3	Horizontal	62	1.03
Mode 12	Pass	PK	13.31554G	55.88	74.00	-18.12	3	Horizontal	285	1.50
Mode 12	Pass	PK	15.59154G	55.29	74.00	-18.71	3	Horizontal	220	1.11
Mode 13	Pass	AV	4.87352G	35.10	54.00	-18.90	3	Vertical	308	1.50
Mode 13	Pass	AV	4.87532G	34.79	54.00	-19.21	3	Vertical	355	1.11
Mode 13	Pass	AV	7.31067G	42.68	54.00	-11.32	3	Vertical	293	1.60
Mode 13	Pass	AV	10.40294G	40.91	68.20	-27.29	3	Vertical	89	1.55
Mode 13	Pass	AV	15.61053G	43.17	54.00	-10.83	3	Vertical	25	1.17
Mode 13	Pass	PK	4.87562G	48.09	74.00	-25.91	3	Vertical	355	1.11
Mode 13	Pass	PK	4.87808G	49.06	74.00	-24.94	3	Vertical	308	1.50
Mode 13	Pass	PK	7.30797G	56.52	74.00	-17.48	3	Vertical	293	1.60
Mode 13	Pass	PK	10.39961G	53.90	68.20	-14.30	3	Vertical	89	1.55
Mode 13	Pass	PK	15.58749G	56.25	74.00	-17.75	3	Vertical	25	1.17
Mode 13	Pass	AV	4.87259G	36.21	54.00	-17.79	3	Horizontal	360	1.46
Mode 13	Pass	AV	4.87547G	35.76	54.00	-18.24	3	Horizontal	25	1.93
Mode 13	Pass	AV	7.3107G	43.43	54.00	-10.57	3	Horizontal	75	1.56
Mode 13	Pass	AV	10.38521G	40.78	68.20	-27.42	3	Horizontal	170	1.45
Mode 13	Pass	AV	15.58899G	43.24	54.00	-10.76	3	Horizontal	326	2.38
Mode 13	Pass	PK	4.87504G	49.88	74.00	-24.12	3	Horizontal	25	1.93
Mode 13	Pass	PK	4.88279G	49.89	74.00	-24.11	3	Horizontal	360	1.46
Mode 13	Pass	PK	7.31049G	57.00	74.00	-17.00	3	Horizontal	75	1.56
Mode 13	Pass	PK	10.38902G	55.01	68.20	-13.19	3	Horizontal	170	1.45
Mode 13	Pass	PK	15.60789G	56.17	74.00	-17.83	3	Horizontal	326	2.38
Mode 14	Pass	AV	4.87202G	34.34	54.00	-19.66	3	Vertical	336	1.50
Mode 14	Pass	AV	4.875G	33.95	54.00	-20.05	3	Vertical	99	1.00
Mode 14	Pass	AV	7.31049G	40.24	54.00	-13.76	3	Vertical	360	1.50
Mode 14	Pass	AV	10.40684G	41.29	68.20	-26.91	3	Vertical	28	1.50
Mode 14	Pass	AV	11.39242G	41.47	54.00	-12.53	3	Vertical	111	1.03
Mode 14	Pass	AV	15.61143G	43.13	54.00	-10.87	3	Vertical	95	2.79
Mode 14	Pass	AV	17.05614G	44.55	68.20	-23.65	3	Vertical	336	1.47
Mode 14	Pass	PK	4.86683G	47.52	74.00	-26.48	3	Vertical	336	1.50
Mode 14	Pass	PK	4.87696G	46.86	74.00	-27.14	3	Vertical	99	1.00
Mode 14	Pass	PK	7.3107G	54.69	74.00	-19.31	3	Vertical	360	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 14	Pass	PK	10.39409G	58.48	68.20	-9.72	3	Vertical	28	1.50
Mode 14	Pass	PK	11.39317G	54.45	74.00	-19.55	3	Vertical	111	1.03
Mode 14	Pass	PK	15.59724G	55.83	74.00	-18.17	3	Vertical	95	2.79
Mode 14	Pass	PK	17.06712G	57.54	68.20	-10.66	3	Vertical	336	1.47
Mode 14	Pass	AV	4.87226G	36.31	54.00	-17.69	3	Horizontal	328	2.00
Mode 14	Pass	AV	4.87583G	35.76	54.00	-18.24	3	Horizontal	123	1.26
Mode 14	Pass	AV	7.3101G	40.27	54.00	-13.73	3	Horizontal	315	1.51
Mode 14	Pass	AV	10.39187G	40.99	68.20	-27.21	3	Horizontal	96	1.54
Mode 14	Pass	AV	11.38645G	41.59	54.00	-12.41	3	Horizontal	343	2.61
Mode 14	Pass	AV	15.60354G	43.06	54.00	-10.94	3	Horizontal	360	1.70
Mode 14	Pass	AV	17.07549G	44.57	68.20	-23.63	3	Horizontal	326	1.14
Mode 14	Pass	PK	4.87403G	51.03	74.00	-22.97	3	Horizontal	328	2.00
Mode 14	Pass	PK	4.87529G	49.72	74.00	-24.28	3	Horizontal	123	1.26
Mode 14	Pass	PK	7.30785G	54.02	74.00	-19.98	3	Horizontal	315	1.51
Mode 14	Pass	PK	10.39898G	55.23	68.20	-12.97	3	Horizontal	96	1.54
Mode 14	Pass	PK	11.38954G	54.72	74.00	-19.28	3	Horizontal	343	2.61
Mode 14	Pass	PK	15.59115G	56.19	74.00	-17.81	3	Horizontal	360	1.70
Mode 14	Pass	PK	17.05821G	58.21	68.20	-9.99	3	Horizontal	326	1.14
Mode 15	Pass	AV	4.86692G	34.98	54.00	-19.02	3	Vertical	98	1.97
Mode 15	Pass	AV	4.8728G	34.84	54.00	-19.16	3	Vertical	342	2.80
Mode 15	Pass	AV	7.3116G	41.65	54.00	-12.35	3	Vertical	355	1.49
Mode 15	Pass	AV	13.33213G	45.32	54.00	-8.68	3	Vertical	17	2.53
Mode 15	Pass	AV	15.59892G	43.08	54.00	-10.92	3	Vertical	142	2.13
Mode 15	Pass	PK	4.86836G	45.82	74.00	-28.18	3	Vertical	342	2.80
Mode 15	Pass	PK	4.8695G	44.51	74.00	-29.49	3	Vertical	98	1.97
Mode 15	Pass	PK	7.31178G	52.57	74.00	-21.43	3	Vertical	355	1.49
Mode 15	Pass	PK	10.40768G	52.26	68.20	-15.94	3	Vertical	330	1.00
Mode 15	Pass	PK	13.32772G	54.74	74.00	-19.26	3	Vertical	17	2.53
Mode 15	Pass	PK	15.59676G	53.20	74.00	-20.80	3	Vertical	142	2.13
Mode 15	Pass	AV	4.86602G	36.13	54.00	-17.87	3	Horizontal	179	1.71
Mode 15	Pass	AV	4.87904G	38.03	54.00	-15.97	3	Horizontal	240	2.24
Mode 15	Pass	AV	7.31624G	40.51	54.00	-13.49	3	Horizontal	345	1.57
Mode 15	Pass	AV	13.3213G	45.40	54.00	-8.60	3	Horizontal	266	1.90
Mode 15	Pass	AV	15.59718G	43.26	54.00	-10.74	3	Horizontal	256	1.58
Mode 15	Pass	PK	4.87214G	47.75	74.00	-26.25	3	Horizontal	179	1.71
Mode 15	Pass	PK	4.87898G	49.32	74.00	-24.68	3	Horizontal	240	2.24
Mode 15	Pass	PK	7.31804G	52.21	74.00	-21.79	3	Horizontal	345	1.57
Mode 15	Pass	PK	10.40222G	51.89	68.20	-16.31	3	Horizontal	307	3.00
Mode 15	Pass	PK	13.31587G	54.24	74.00	-19.76	3	Horizontal	266	1.90
Mode 15	Pass	PK	15.59454G	53.61	74.00	-20.39	3	Horizontal	256	1.58
Mode 16	Pass	AV	4.87214G	34.89	54.00	-19.11	3	Vertical	16	1.55
Mode 16	Pass	AV	4.8736G	34.45	54.00	-19.55	3	Vertical	274	1.21
Mode 16	Pass	AV	7.31132G	49.96	54.00	-4.04	3	Vertical	11	1.48
Mode 16	Pass	AV	12.69537G	44.28	54.00	-9.72	3	Vertical	312	1.76
Mode 16	Pass	AV	15.59742G	42.85	54.00	-11.15	3	Vertical	335	2.03
Mode 16	Pass	PK	4.87584G	45.39	74.00	-28.61	3	Vertical	274	1.21
Mode 16	Pass	PK	4.87628G	44.97	74.00	-29.03	3	Vertical	16	1.55
Mode 16	Pass	PK	7.3114G	62.02	74.00	-11.98	3	Vertical	11	1.48
Mode 16	Pass	PK	10.39982G	52.71	68.20	-15.49	3	Vertical	283	2.47
Mode 16	Pass	PK	12.6942G	53.61	74.00	-20.39	3	Vertical	312	1.76




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 16	Pass	PK	15.59628G	52.63	74.00	-21.37	3	Vertical	335	2.03
Mode 16	Pass	AV	4.86752G	34.79	54.00	-19.21	3	Horizontal	247	1.83
Mode 16	Pass	AV	4.87346G	35.39	54.00	-18.61	3	Horizontal	116	1.35
Mode 16	Pass	AV	7.312G	49.52	54.00	-4.48	3	Horizontal	76	2.57
Mode 16	Pass	AV	12.68967G	44.91	54.00	-9.09	3	Horizontal	66	2.81
Mode 16	Pass	AV	15.59904G	42.93	54.00	-11.07	3	Horizontal	305	2.15
Mode 16	Pass	PK	4.8761G	45.54	74.00	-28.46	3	Horizontal	116	1.35
Mode 16	Pass	PK	4.87884G	46.78	74.00	-27.22	3	Horizontal	247	1.83
Mode 16	Pass	PK	7.30204G	62.79	74.00	-11.21	3	Horizontal	76	2.57
Mode 16	Pass	PK	10.39034G	51.43	68.20	-16.77	3	Horizontal	65	2.99
Mode 16	Pass	PK	12.70293G	53.82	68.20	-14.38	3	Horizontal	66	2.81
Mode 16	Pass	PK	15.60708G	53.56	74.00	-20.44	3	Horizontal	305	2.15
Mode 17	Pass	AV	4.86818G	34.99	54.00	-19.01	3	Vertical	104	1.38
Mode 17	Pass	AV	11.3674G	42.60	54.00	-11.40	3	Vertical	288	1.80
Mode 17	Pass	AV	12.68271G	44.70	54.00	-9.30	3	Vertical	43	2.34
Mode 17	Pass	AV	15.59604G	42.75	54.00	-11.25	3	Vertical	316	1.91
Mode 17	Pass	PK	4.86548G	45.49	74.00	-28.51	3	Vertical	104	1.38
Mode 17	Pass	PK	10.40616G	52.05	68.20	-16.15	3	Vertical	331	2.27
Mode 17	Pass	PK	11.36662G	52.82	74.00	-21.18	3	Vertical	288	1.80
Mode 17	Pass	PK	12.67605G	53.79	74.00	-20.21	3	Vertical	43	2.34
Mode 17	Pass	PK	15.60844G	53.61	74.00	-20.39	3	Vertical	316	1.91
Mode 17	Pass	PK	17.0685G	55.62	68.20	-12.58	3	Vertical	167	2.03
Mode 17	Pass	AV	4.8665G	35.03	54.00	-18.97	3	Horizontal	61	2.38
Mode 17	Pass	AV	11.38174G	42.69	54.00	-11.31	3	Horizontal	261	2.33
Mode 17	Pass	AV	12.68052G	44.82	54.00	-9.18	3	Horizontal	184	1.73
Mode 17	Pass	AV	15.60844G	43.09	54.00	-10.91	3	Horizontal	0	2.61
Mode 17	Pass	PK	4.8716G	45.50	74.00	-28.50	3	Horizontal	61	2.38
Mode 17	Pass	PK	10.40436G	51.67	68.20	-16.53	3	Horizontal	267	1.25
Mode 17	Pass	PK	11.3905G	52.55	74.00	-21.45	3	Horizontal	261	2.33
Mode 17	Pass	PK	12.68259G	53.59	74.00	-20.41	3	Horizontal	184	1.73
Mode 17	Pass	PK	15.59492G	53.13	74.00	-20.87	3	Horizontal	0	2.61
Mode 17	Pass	PK	17.058G	55.07	68.20	-13.13	3	Horizontal	130	1.38
Mode 18	Pass	AV	4.86692G	34.98	54.00	-19.02	3	Vertical	98	1.97
Mode 18	Pass	AV	4.8728G	34.84	54.00	-19.16	3	Vertical	342	2.80
Mode 18	Pass	AV	7.3116G	41.65	54.00	-12.35	3	Vertical	355	1.49
Mode 18	Pass	AV	13.33213G	45.32	54.00	-8.68	3	Vertical	17	2.53
Mode 18	Pass	AV	15.59892G	43.08	54.00	-10.92	3	Vertical	142	2.13
Mode 18	Pass	PK	4.86836G	45.82	74.00	-28.18	3	Vertical	342	2.80
Mode 18	Pass	PK	4.8695G	44.51	74.00	-29.49	3	Vertical	98	1.97
Mode 18	Pass	PK	7.31178G	52.57	74.00	-21.43	3	Vertical	355	1.49
Mode 18	Pass	PK	10.40768G	52.26	68.20	-15.94	3	Vertical	330	1.00
Mode 18	Pass	PK	13.32772G	54.74	74.00	-19.26	3	Vertical	17	2.53
Mode 18	Pass	PK	15.59676G	53.20	74.00	-20.80	3	Vertical	142	2.13
Mode 18	Pass	AV	4.86602G	36.13	54.00	-17.87	3	Horizontal	179	1.71
Mode 18	Pass	AV	4.87904G	38.03	54.00	-15.97	3	Horizontal	240	2.24
Mode 18	Pass	AV	7.31624G	40.51	54.00	-13.49	3	Horizontal	345	1.57
Mode 18	Pass	AV	13.3213G	45.40	54.00	-8.60	3	Horizontal	266	1.90
Mode 18	Pass	AV	15.59718G	43.26	54.00	-10.74	3	Horizontal	256	1.58
Mode 18	Pass	PK	4.87214G	47.75	74.00	-26.25	3	Horizontal	179	1.71
Mode 18	Pass	PK	4.87898G	49.32	74.00	-24.68	3	Horizontal	240	2.24




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 18	Pass	PK	7.31804G	52.21	74.00	-21.79	3	Horizontal	345	1.57
Mode 18	Pass	PK	10.40222G	51.89	68.20	-16.31	3	Horizontal	307	3.00
Mode 18	Pass	PK	13.31587G	54.24	74.00	-19.76	3	Horizontal	266	1.90
Mode 18	Pass	PK	15.59454G	53.61	74.00	-20.39	3	Horizontal	256	1.58

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88684G	31.85	54.00	-22.15	3.72	3	Vertical	38	1.66	-	28.13	32.65	5.72	34.65
AV	4.88834G	31.66	54.00	-22.34	3.72	3	Vertical	76	1.39	-	27.94	32.65	5.72	34.65
AV	4.966G	33.42	54.00	-20.58	4.19	3	Vertical	335	1.05	-	29.23	33.06	5.77	34.64
AV	7.31004G	42.52	54.00	-11.48	9.10	3	Vertical	60	1.88	-	33.42	37.06	6.82	34.78
AV	7.3136G	40.99	54.00	-13.01	9.09	3	Vertical	60	2.51	-	31.90	37.05	6.82	34.78
AV	15.60348G	43.33	54.00	-10.67	13.14	3	Vertical	105	2.09	-	30.19	38.28	9.82	34.96
PK	4.87616G	42.30	74.00	-31.70	3.67	3	Vertical	38	1.66	-	38.63	32.60	5.72	34.65
PK	4.8881G	43.09	74.00	-30.91	3.72	3	Vertical	76	1.39	-	39.37	32.65	5.72	34.65
PK	4.97014G	44.01	74.00	-29.99	4.21	3	Vertical	335	1.05	-	39.80	33.08	5.77	34.64
PK	7.31212G	53.54	74.00	-20.46	9.09	3	Vertical	60	2.5	-	44.45	37.05	6.82	34.78
PK	7.31848G	53.95	74.00	-20.05	9.08	3	Vertical	60	1.88	-	44.87	37.03	6.83	34.78
PK	10.39324G	52.49	68.20	-15.71	12.29	3	Vertical	15	2.09	-	40.20	39.08	8.04	34.83
PK	15.6098G	53.32	74.00	-20.68	13.11	3	Vertical	105	2.09	-	40.21	38.25	9.82	34.96

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88888G	32.00	54.00	-22.00	3.73	3	Horizontal	105	1.87	-	28.27	32.66	5.72	34.65
AV	4.88894G	31.70	54.00	-22.30	3.73	3	Horizontal	228	1.29	-	27.97	32.66	5.72	34.65
AV	4.9657G	33.52	54.00	-20.48	4.19	3	Horizontal	359	1.75	-	29.33	33.06	5.77	34.64
AV	7.31224G	43.33	54.00	-10.67	9.09	3	Horizontal	18	1.54	-	34.24	37.05	6.82	34.78
AV	7.31232G	44.18	54.00	-9.82	9.09	3	Horizontal	16	1.49	-	35.09	37.05	6.82	34.78
AV	15.60604G	43.27	54.00	-10.73	13.13	3	Horizontal	329	1.40	-	30.14	38.27	9.82	34.96
PK	4.87664G	43.79	74.00	-30.21	3.68	3	Horizontal	105	1.87	-	40.11	32.61	5.72	34.65
PK	4.88456G	43.08	74.00	-30.92	3.71	3	Horizontal	228	1.29	-	39.37	32.64	5.72	34.65
PK	4.97428G	44.76	74.00	-29.24	4.23	3	Horizontal	359	1.75	-	40.53	33.10	5.77	34.64
PK	7.30216G	55.74	74.00	-18.26	9.13	3	Horizontal	16	1.49	-	46.61	37.09	6.82	34.78
PK	7.3022G	56.33	74.00	-17.67	9.13	3	Horizontal	18	1.54	-	47.20	37.09	6.82	34.78
PK	10.41362G	52.95	68.20	-15.25	12.30	3	Horizontal	269	1.95	-	40.65	39.07	8.04	34.81
PK	15.60648G	53.91	74.00	-20.09	13.13	3	Horizontal	329	1.40	-	40.78	38.27	9.82	34.96

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88296G	32.01	54.00	-21.99	3.70	3	Vertical	263	2.25	-	28.31	32.63	5.72	34.65
AV	4.95976G	33.55	54.00	-20.45	4.17	3	Vertical	269	2.80	-	29.38	33.04	5.77	34.64
AV	7.3144G	40.29	54.00	-13.71	9.08	3	Vertical	321	2.30	-	31.21	37.04	6.82	34.78
AV	11.38684G	43.65	54.00	-10.35	12.97	3	Vertical	229	1.90	-	30.68	39.09	8.45	34.57
AV	15.60544G	43.33	54.00	-10.67	13.13	3	Vertical	201	1.18	-	30.20	38.27	9.82	34.96
PK	4.87208G	42.53	74.00	-31.47	3.65	3	Vertical	263	2.25	-	38.88	32.59	5.71	34.65
PK	4.97452G	44.32	74.00	-29.68	4.23	3	Vertical	269	2.80	-	40.09	33.10	5.77	34.64
PK	7.30912G	52.43	74.00	-21.57	9.10	3	Vertical	321	2.30	-	43.33	37.06	6.82	34.78
PK	10.39348G	52.61	68.20	-15.59	12.29	3	Vertical	227	2.50	-	40.32	39.08	8.04	34.83
PK	11.37364G	52.90	74.00	-21.10	12.95	3	Vertical	229	1.90	-	39.95	39.07	8.45	34.57
PK	15.59952G	53.45	74.00	-20.55	13.16	3	Vertical	201	1.18	-	40.29	38.30	9.81	34.95
PK	17.06004G	54.82	68.20	-13.38	13.79	3	Vertical	245	1.01	-	41.03	37.76	10.19	34.16

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88388G	31.78	54.00	-22.22	3.71	3	Horizontal	279	2.86	-	28.07	32.64	5.72	34.65
AV	4.97362G	33.53	54.00	-20.47	4.22	3	Horizontal	292	1.94	-	29.31	33.09	5.77	34.64
AV	7.31024G	41.47	54.00	-12.53	9.10	3	Horizontal	305	2.25	-	32.37	37.06	6.82	34.78
AV	11.38888G	43.81	54.00	-10.19	12.97	3	Horizontal	91	2.19	-	30.84	39.09	8.45	34.57
AV	15.60812G	43.37	54.00	-10.63	13.12	3	Horizontal	265	2.63	-	30.25	38.26	9.82	34.96
PK	4.88396G	42.91	74.00	-31.09	3.71	3	Horizontal	279	2.86	-	39.20	32.64	5.72	34.65
PK	4.95058G	44.36	74.00	-29.64	4.12	3	Horizontal	292	1.94	-	40.24	33.00	5.76	34.64
PK	7.31768G	53.29	74.00	-20.71	9.08	3	Horizontal	305	2.25	-	44.21	37.03	6.83	34.78
PK	10.40692G	53.51	68.20	-14.69	12.32	3	Horizontal	32	2.99	-	41.19	39.09	8.04	34.81
PK	11.37178G	52.77	74.00	-21.23	12.95	3	Horizontal	91	2.19	-	39.82	39.07	8.45	34.57
PK	15.59912G	53.81	74.00	-20.19	13.16	3	Horizontal	265	2.63	-	40.65	38.30	9.81	34.95
PK	17.08254G	55.45	68.20	-12.75	13.80	3	Horizontal	341	2.89	-	41.65	37.78	10.19	34.17

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86732G	32.17	54.00	-21.83	3.63	3	Vertical	113	1.12	-	28.54	32.57	5.71	34.65
AV	4.97302G	33.57	54.00	-20.43	4.22	3	Vertical	125	1.37	-	29.35	33.09	5.77	34.64
AV	7.31172G	40.06	54.00	-13.94	9.09	3	Vertical	320	2.29	-	30.97	37.05	6.82	34.78
AV	13.32319G	45.62	54.00	-8.38	16.12	3	Vertical	320	2.18	-	29.50	39.99	9.11	32.98
AV	15.60184G	43.34	54.00	-10.66	13.14	3	Vertical	237	1.91	-	30.20	38.29	9.81	34.96
PK	4.86676G	42.83	74.00	-31.17	3.63	3	Vertical	113	1.12	-	39.20	32.57	5.71	34.65
PK	4.95892G	43.99	74.00	-30.01	4.17	3	Vertical	125	1.37	-	39.82	33.04	5.77	34.64
PK	7.30232G	51.72	74.00	-22.28	9.13	3	Vertical	320	2.29	-	42.59	37.09	6.82	34.78
PK	10.40896G	52.47	68.20	-15.73	12.31	3	Vertical	13	1.85	-	40.16	39.08	8.04	34.81
PK	13.3426G	55.17	74.00	-18.83	16.23	3	Vertical	320	2.18	-	38.94	40.07	9.11	32.95
PK	15.5938G	53.30	74.00	-20.70	13.17	3	Vertical	237	1.91	-	40.13	38.31	9.81	34.95

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86508G	32.35	54.00	-21.65	3.62	3	Horizontal	92	2.43	-	28.73	32.56	5.71	34.65
AV	4.9648G	33.54	54.00	-20.46	4.19	3	Horizontal	138	2.93	-	29.35	33.06	5.77	34.64
AV	7.31252G	41.12	54.00	-12.88	9.09	3	Horizontal	305	2.27	-	32.03	37.05	6.82	34.78
AV	13.31926G	45.71	54.00	-8.29	16.10	3	Horizontal	3	2.79	-	29.61	39.98	9.11	32.99
AV	15.59484G	43.47	54.00	-10.53	13.17	3	Horizontal	144	2.60	-	30.30	38.31	9.81	34.95
PK	4.87124G	43.21	74.00	-30.79	3.64	3	Horizontal	92	2.43	-	39.57	32.58	5.71	34.65
PK	4.9534G	44.15	74.00	-29.85	4.13	3	Horizontal	138	2.93	-	40.02	33.01	5.76	34.64
PK	7.31272G	52.96	74.00	-21.04	9.09	3	Horizontal	305	2.27	-	43.87	37.05	6.82	34.78
PK	10.40324G	53.38	68.20	-14.82	12.31	3	Horizontal	24	1.50	-	41.07	39.09	8.04	34.82
PK	13.31815G	55.51	74.00	-18.49	16.09	3	Horizontal	3	2.79	-	39.42	39.97	9.11	32.99
PK	15.59596G	53.78	74.00	-20.22	13.17	3	Horizontal	144	2.60	-	40.61	38.31	9.81	34.95


Radiated Emissions above 1GHz_Mode 4



07/01/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86432G	31.08	54.00	-22.92	3.62	3	Vertical	242	2.69	-	27.46	32.56	5.71	34.65
AV	4.97476G	33.57	54.00	-20.43	4.23	3	Vertical	154	1.22	-	29.34	33.10	5.77	34.64
AV	7.31088G	53.81	54.00	-0.19	9.10	3	Vertical	4	2.05	-	44.71	37.06	6.82	34.78
AV	12.69771G	45.17	54.00	-8.83	14.37	3	Vertical	127	1.89	-	30.80	39.49	8.92	34.04
AV	15.59148G	43.25	54.00	-10.75	13.18	3	Vertical	129	2.02	-	30.07	38.32	9.81	34.95
PK	4.8664G	42.23	74.00	-31.77	3.63	3	Vertical	242	2.69	-	38.60	32.57	5.71	34.65
PK	4.97422G	45.33	74.00	-28.67	4.23	3	Vertical	154	1.22	-	41.10	33.10	5.77	34.64
PK	7.30208G	69.11	74.00	-4.89	9.13	3	Vertical	4	2.05	-	59.98	37.09	6.82	34.78
PK	10.39652G	52.43	68.20	-15.77	12.30	3	Vertical	103	2.73	-	40.13	39.09	8.04	34.83
PK	12.69084G	53.62	74.00	-20.38	14.34	3	Vertical	127	1.89	-	39.28	39.47	8.92	34.05
PK	15.60016G	53.11	74.00	-20.89	13.16	3	Vertical	129	2.02	-	39.95	38.30	9.81	34.95

Radiated Emissions above 1GHz_Mode 4




07/01/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86436G	31.09	54.00	-22.91	3.62	3	Horizontal	344	2.19	-	27.47	32.56	5.71	34.65
AV	4.97068G	33.52	54.00	-20.48	4.21	3	Horizontal	299	2.06	-	29.31	33.08	5.77	34.64
AV	7.31196G	53.29	54.00	-0.71	9.09	3	Horizontal	68	2.03	-	44.20	37.05	6.82	34.78
AV	12.69468G	45.21	54.00	-8.79	14.36	3	Horizontal	267	1.26	-	30.85	39.48	8.92	34.04
AV	15.59264G	43.10	54.00	-10.90	13.17	3	Horizontal	59	1.46	-	29.93	38.31	9.81	34.95
PK	4.87156G	42.44	74.00	-31.56	3.65	3	Horizontal	344	2.19	-	38.79	32.59	5.71	34.65
PK	4.97188G	44.17	74.00	-29.83	4.22	3	Horizontal	299	2.06	-	39.95	33.09	5.77	34.64
PK	7.30212G	69.45	74.00	-4.55	9.13	3	Horizontal	68	2.03	-	60.32	37.09	6.82	34.78
PK	10.3994G	53.13	68.20	-15.07	12.32	3	Horizontal	314	2.17	-	40.81	39.10	8.04	34.82
PK	12.67725G	54.41	74.00	-19.59	14.27	3	Horizontal	267	1.26	-	40.14	39.43	8.91	34.07
PK	15.60148G	53.17	74.00	-20.83	13.14	3	Horizontal	59	1.46	-	40.03	38.29	9.81	34.96




Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97452G	33.59	54.00	-20.41	4.23	3	Vertical	352	1.96	-	29.36	33.10	5.77	34.64
AV	11.38582G	43.59	54.00	-10.41	12.97	3	Vertical	322	1.05	-	30.62	39.09	8.45	34.57
AV	12.68655G	44.92	54.00	-9.08	14.32	3	Vertical	164	2.72	-	30.60	39.46	8.92	34.06
AV	15.59952G	43.18	54.00	-10.82	13.16	3	Vertical	122	1.14	-	30.02	38.30	9.81	34.95
PK	4.96138G	44.61	74.00	-29.39	4.18	3	Vertical	352	1.96	-	40.43	33.05	5.77	34.64
PK	10.39788G	52.18	68.20	-16.02	12.31	3	Vertical	203	1.83	-	39.87	39.09	8.04	34.82
PK	11.3719G	52.70	74.00	-21.30	12.95	3	Vertical	322	1.05	-	39.75	39.07	8.45	34.57
PK	12.6978G	53.78	74.00	-20.22	14.37	3	Vertical	164	2.72	-	39.41	39.49	8.92	34.04
PK	15.59804G	54.15	74.00	-19.85	13.16	3	Vertical	122	1.14	-	40.99	38.30	9.81	34.95
PK	17.07762G	54.97	68.20	-13.23	13.80	3	Vertical	310	1.68	-	41.17	37.78	10.19	34.17

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97494G	33.53	54.00	-20.47	4.23	3	Horizontal	230	2.13	-	29.30	33.10	5.77	34.64
AV	11.36986G	43.53	54.00	-10.47	12.95	3	Horizontal	24	1.44	-	30.58	39.07	8.45	34.57
AV	12.69714G	45.07	54.00	-8.93	14.37	3	Horizontal	102	2.54	-	30.70	39.49	8.92	34.04
AV	15.59768G	43.27	54.00	-10.73	13.16	3	Horizontal	35	1.20	-	30.11	38.30	9.81	34.95
PK	4.9741G	44.94	74.00	-29.06	4.23	3	Horizontal	230	2.13	-	40.71	33.10	5.77	34.64
PK	10.40112G	52.45	68.20	-15.75	12.32	3	Horizontal	123	1.47	-	40.13	39.10	8.04	34.82
PK	11.37142G	53.10	74.00	-20.90	12.95	3	Horizontal	24	1.44	-	40.15	39.07	8.45	34.57
PK	12.69534G	54.11	74.00	-19.89	14.37	3	Horizontal	102	2.54	-	39.74	39.49	8.92	34.04
PK	15.60844G	53.97	74.00	-20.03	13.12	3	Horizontal	35	1.20	-	40.85	38.26	9.82	34.96
PK	17.07312G	55.04	68.20	-13.16	13.80	3	Horizontal	82	2.06	-	41.24	37.77	10.19	34.16

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.9717G	33.69	54.00	-20.31	4.22	3	Vertical	52	2.39	-	29.47	33.09	5.77	34.64
AV	12.69702G	45.01	54.00	-8.99	14.37	3	Vertical	97	1.65	-	30.64	39.49	8.92	34.04
AV	13.33948G	45.70	54.00	-8.30	16.22	3	Vertical	326	2.25	-	29.48	40.06	9.11	32.95
AV	15.6012G	43.36	54.00	-10.64	13.15	3	Vertical	299	2.59	-	30.21	38.29	9.81	34.95
PK	4.9558G	44.34	74.00	-29.66	4.14	3	Vertical	52	2.39	-	40.20	33.02	5.76	34.64
PK	10.39888G	52.65	68.20	-15.55	12.32	3	Vertical	79	2.24	-	40.33	39.10	8.04	34.82
PK	12.68997G	54.13	74.00	-19.87	14.34	3	Vertical	97	1.65	-	39.79	39.47	8.92	34.05
PK	13.31941G	55.06	74.00	-18.94	16.10	3	Vertical	326	2.25	-	38.96	39.98	9.11	32.99
PK	15.60836G	53.57	74.00	-20.43	13.12	3	Vertical	299	2.59	-	40.45	38.26	9.82	34.96

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96996G	33.66	54.00	-20.34	4.21	3	Horizontal	111	1.08	-	29.45	33.08	5.77	34.64
AV	12.69099G	45.18	54.00	-8.82	14.34	3	Horizontal	110	2.67	-	30.84	39.47	8.92	34.05
AV	13.32535G	46.03	54.00	-7.97	16.13	3	Horizontal	230	1.00	-	29.90	40.00	9.11	32.98
AV	15.6022G	43.57	54.00	-10.43	13.14	3	Horizontal	220	2.32	-	30.43	38.29	9.81	34.96
PK	4.96366G	44.74	74.00	-29.26	4.18	3	Horizontal	111	1.08	-	40.56	33.05	5.77	34.64
PK	10.40304G	54.00	68.20	-14.20	12.31	3	Horizontal	153	2.73	-	41.69	39.09	8.04	34.82
PK	12.6948G	54.00	74.00	-20.00	14.36	3	Horizontal	110	2.67	-	39.64	39.48	8.92	34.04
PK	13.32301G	54.94	74.00	-19.06	16.12	3	Horizontal	230	1.00	-	38.82	39.99	9.11	32.98
PK	15.5956G	52.89	74.00	-21.11	13.17	3	Horizontal	220	2.32	-	39.72	38.31	9.81	34.95

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80873G	31.19	54.00	-22.81	4.96	3	Vertical	51	1.42	-	26.23	32.35	6.90	34.29
AV	4.87538G	32.62	54.00	-21.38	5.32	3	Vertical	325	1.41	-	27.30	32.70	6.90	34.28
AV	7.30584G	36.99	54.00	-17.01	10.60	3	Vertical	275	1.50	-	26.39	36.88	8.52	34.80
AV	15.6003G	43.03	54.00	-10.97	17.07	3	Vertical	124	1.40	-	25.96	38.70	12.55	34.18
PK	4.8082G	44.71	74.00	-29.29	4.96	3	Vertical	51	1.42	-	39.75	32.35	6.90	34.29
PK	4.86554G	45.47	74.00	-28.53	5.27	3	Vertical	325	1.41	-	40.20	32.66	6.90	34.29
PK	7.30276G	50.39	74.00	-23.61	10.61	3	Vertical	275	1.50	-	39.78	36.89	8.52	34.80
PK	10.39498G	54.15	68.20	-14.05	14.44	3	Vertical	51	1.50	-	39.71	38.99	10.34	34.89
PK	15.5914G	56.71	74.00	-17.29	17.08	3	Vertical	124	1.40	-	39.63	38.71	12.55	34.18

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81083G	31.84	54.00	-22.16	4.97	3	Horizontal	188	1.66	-	26.87	32.36	6.90	34.29
AV	4.86456G	33.06	54.00	-20.94	5.27	3	Horizontal	39	1.25	-	27.79	32.66	6.90	34.29
AV	7.30558G	37.06	54.00	-16.94	10.60	3	Horizontal	280	1.03	-	26.46	36.88	8.52	34.80
AV	15.59134G	43.08	54.00	-10.92	17.08	3	Horizontal	183	1.57	-	26.00	38.71	12.55	34.18
PK	4.81066G	45.98	74.00	-28.02	4.97	3	Horizontal	188	1.66	-	41.01	32.36	6.90	34.29
PK	4.8663G	46.29	74.00	-27.71	5.28	3	Horizontal	39	1.25	-	41.01	32.67	6.90	34.29
PK	7.30592G	51.33	74.00	-22.67	10.60	3	Horizontal	280	1.03	-	40.73	36.88	8.52	34.80
PK	10.3946G	54.73	68.20	-13.47	14.44	3	Horizontal	325	1.50	-	40.29	38.99	10.34	34.89
PK	15.60242G	56.93	74.00	-17.07	17.06	3	Horizontal	183	1.57	-	39.87	38.69	12.55	34.18

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81338G	31.98	54.00	-22.02	4.99	3	Vertical	144	1.50	-	26.99	32.38	6.90	34.29
AV	4.87438G	31.56	54.00	-22.44	5.31	3	Vertical	314	1.50	-	26.25	32.70	6.90	34.29
AV	7.31154G	37.35	54.00	-16.65	10.58	3	Vertical	359	1.50	-	26.77	36.85	8.53	34.80
AV	10.39926G	41.47	68.20	-26.73	14.46	3	Vertical	25	1.36	-	27.01	39.00	10.35	34.89
AV	11.38734G	41.52	54.00	-12.48	15.46	3	Vertical	30	1.13	-	26.06	39.19	10.76	34.49
AV	15.59214G	43.06	54.00	-10.94	17.08	3	Vertical	348	1.50	-	25.98	38.71	12.55	34.18
AV	17.06386G	44.30	68.20	-23.90	18.87	3	Vertical	329	1.50	-	25.43	38.23	13.85	33.21
PK	4.8107G	45.73	74.00	-28.27	4.97	3	Vertical	144	1.50	-	40.76	32.36	6.90	34.29
PK	4.87096G	44.90	74.00	-29.10	5.29	3	Vertical	314	1.50	-	39.61	32.68	6.90	34.29
PK	7.31414G	50.69	74.00	-23.31	10.57	3	Vertical	359	1.50	-	40.12	36.84	8.53	34.80
PK	10.39414G	58.52	68.20	-9.68	14.44	3	Vertical	25	1.36	-	44.08	38.99	10.34	34.89
PK	11.38426G	54.88	74.00	-19.12	15.44	3	Vertical	30	1.13	-	39.44	39.18	10.75	34.49
PK	15.6138G	57.18	74.00	-16.82	17.03	3	Vertical	348	1.50	-	40.15	38.66	12.56	34.19
PK	17.07112G	57.65	68.20	-10.55	18.89	3	Vertical	329	1.50	-	38.76	38.24	13.85	33.20

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8149G	31.90	54.00	-22.10	5.00	3	Horizontal	143	1.10	-	26.90	32.39	6.90	34.29
AV	4.86424G	31.58	54.00	-22.42	5.27	3	Horizontal	161	1.50	-	26.31	32.66	6.90	34.29
AV	7.31044G	37.20	54.00	-16.80	10.59	3	Horizontal	21	1.50	-	26.61	36.86	8.53	34.80
AV	10.40226G	41.56	68.20	-26.64	14.47	3	Horizontal	300	2.94	-	27.09	39.00	10.35	34.88
AV	11.38762G	41.29	54.00	-12.71	15.46	3	Horizontal	66	2.88	-	25.83	39.19	10.76	34.49
AV	15.5886G	42.99	54.00	-11.01	17.07	3	Horizontal	267	1.70	-	25.92	38.71	12.54	34.18
AV	17.06556G	44.41	68.20	-23.79	18.87	3	Horizontal	173	1.50	-	25.54	38.23	13.85	33.21
PK	4.80626G	45.92	74.00	-28.08	4.95	3	Horizontal	143	1.10	-	40.97	32.34	6.90	34.29
PK	4.87332G	45.48	74.00	-28.52	5.30	3	Horizontal	161	1.50	-	40.18	32.69	6.90	34.29
PK	7.30858G	50.82	74.00	-23.18	10.59	3	Horizontal	21	1.50	-	40.23	36.87	8.52	34.80
PK	10.39634G	58.93	68.20	-9.27	14.45	3	Horizontal	300	2.94	-	44.48	39.00	10.34	34.89
PK	11.38916G	55.04	74.00	-18.96	15.46	3	Horizontal	66	2.88	-	39.58	39.19	10.76	34.49
PK	15.5982G	56.26	74.00	-17.74	17.07	3	Horizontal	267	1.70	-	39.19	38.70	12.55	34.18
PK	17.07146G	57.17	68.20	-11.03	18.89	3	Horizontal	173	1.50	-	38.28	38.24	13.85	33.20

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81188G	32.01	54.00	-21.99	4.98	3	Vertical	186	1.50	-	27.03	32.37	6.90	34.29
AV	4.86548G	31.64	54.00	-22.36	5.27	3	Vertical	198	1.53	-	26.37	32.66	6.90	34.29
AV	7.30212G	37.28	54.00	-16.72	10.61	3	Vertical	48	1.50	-	26.67	36.89	8.52	34.80
AV	10.39928G	41.71	68.20	-26.49	14.46	3	Vertical	26	1.50	-	27.25	39.00	10.35	34.89
AV	13.32908G	42.93	54.00	-11.07	18.44	3	Vertical	276	1.49	-	24.49	39.92	11.53	33.01
AV	15.5924G	43.15	54.00	-10.85	17.08	3	Vertical	109	1.50	-	26.07	38.71	12.55	34.18
PK	4.80676G	44.99	74.00	-29.01	4.95	3	Vertical	186	1.50	-	40.04	32.34	6.90	34.29
PK	4.8654G	45.14	74.00	-28.86	5.27	3	Vertical	198	1.53	-	39.87	32.66	6.90	34.29
PK	7.30244G	51.08	74.00	-22.92	10.61	3	Vertical	48	1.50	-	40.47	36.89	8.52	34.80
PK	10.39436G	59.63	68.20	-8.57	14.44	3	Vertical	26	1.50	-	45.19	38.99	10.34	34.89
PK	13.33504G	56.17	74.00	-17.83	18.47	3	Vertical	276	1.49	-	37.70	39.94	11.53	33.00
PK	15.60812G	56.72	74.00	-17.28	17.04	3	Vertical	109	1.50	-	39.68	38.68	12.55	34.19

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8128G	31.89	54.00	-22.11	4.99	3	Horizontal	262	1.08	-	26.90	32.38	6.90	34.29
AV	4.8688G	31.52	54.00	-22.48	5.29	3	Horizontal	113	1.04	-	26.23	32.68	6.90	34.29
AV	7.30596G	37.14	54.00	-16.86	10.60	3	Horizontal	57	1.06	-	26.54	36.88	8.52	34.80
AV	10.39952G	41.43	68.20	-26.77	14.46	3	Horizontal	59	1.64	-	26.97	39.00	10.35	34.89
AV	13.33676G	42.90	54.00	-11.10	18.48	3	Horizontal	163	1.50	-	24.42	39.95	11.53	33.00
AV	15.59524G	43.03	54.00	-10.97	17.07	3	Horizontal	324	1.50	-	25.96	38.70	12.55	34.18
PK	4.80512G	45.17	74.00	-28.83	4.94	3	Horizontal	262	1.08	-	40.23	32.33	6.90	34.29
PK	4.86864G	44.69	74.00	-29.31	5.28	3	Horizontal	113	1.04	-	39.41	32.67	6.90	34.29
PK	7.30712G	50.10	74.00	-23.90	10.59	3	Horizontal	57	1.06	-	39.51	36.87	8.52	34.80
PK	10.39668G	57.57	68.20	-10.63	14.45	3	Horizontal	59	1.64	-	43.12	39.00	10.34	34.89
PK	13.33984G	57.31	74.00	-16.69	18.50	3	Horizontal	163	1.50	-	38.81	39.96	11.53	32.99
PK	15.59996G	56.68	74.00	-17.32	17.07	3	Horizontal	324	1.50	-	39.61	38.70	12.55	34.18

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82098G	31.66	54.00	-22.34	5.04	3	Vertical	325	1.30	-	26.62	32.43	6.90	34.29
AV	4.87376G	33.96	54.00	-20.04	5.31	3	Vertical	360	1.50	-	28.65	32.70	6.90	34.29
AV	7.31112G	51.72	54.00	-2.28	10.59	3	Vertical	8	1.65	-	41.13	36.86	8.53	34.80
AV	10.41374G	40.96	68.20	-27.24	14.47	3	Vertical	153	1.50	-	26.49	39.00	10.35	34.88
AV	12.67932G	42.29	54.00	-11.71	16.72	3	Vertical	215	1.77	-	25.57	39.48	11.27	34.03
AV	15.59412G	42.91	54.00	-11.09	17.08	3	Vertical	299	1.50	-	25.83	38.71	12.55	34.18
PK	4.81003G	44.55	74.00	-29.45	4.97	3	Vertical	325	1.30	-	39.58	32.36	6.90	34.29
PK	4.8737G	47.41	74.00	-26.59	5.30	3	Vertical	360	1.50	-	42.11	32.69	6.90	34.29
PK	7.31832G	65.35	74.00	-8.65	10.57	3	Vertical	8	1.65	-	54.78	36.83	8.54	34.80
PK	10.39187G	55.17	68.20	-13.03	14.44	3	Vertical	153	1.50	-	40.73	38.99	10.34	34.89
PK	12.68421G	55.79	74.00	-18.21	16.73	3	Vertical	215	1.77	-	39.06	39.48	11.28	34.03
PK	15.59139G	56.31	74.00	-17.69	17.08	3	Vertical	299	1.50	-	39.23	38.71	12.55	34.18

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80904G	32.93	54.00	-21.07	4.96	3	Horizontal	43	1.95	-	27.97	32.35	6.90	34.29
AV	4.87361G	34.89	54.00	-19.11	5.30	3	Horizontal	357	1.50	-	29.59	32.69	6.90	34.29
AV	7.3101G	47.20	54.00	-6.80	10.59	3	Horizontal	51	1.58	-	36.61	36.86	8.53	34.80
AV	10.40426G	41.03	68.20	-27.17	14.47	3	Horizontal	22	1.00	-	26.56	39.00	10.35	34.88
AV	12.68112G	42.32	54.00	-11.68	16.73	3	Horizontal	263	1.50	-	25.59	39.48	11.28	34.03
AV	15.59271G	42.96	54.00	-11.04	17.08	3	Horizontal	31	1.99	-	25.88	38.71	12.55	34.18
PK	4.81627G	44.79	74.00	-29.21	5.01	3	Horizontal	43	1.95	-	39.78	32.40	6.90	34.29
PK	4.86806G	47.73	74.00	-26.27	5.28	3	Horizontal	357	1.50	-	42.45	32.67	6.90	34.29
PK	7.30212G	60.91	74.00	-13.09	10.61	3	Horizontal	51	1.58	-	50.30	36.89	8.52	34.80
PK	10.39529G	54.34	68.20	-13.86	14.45	3	Horizontal	22	1.00	-	39.89	39.00	10.34	34.89
PK	12.70455G	55.68	68.20	-12.52	16.80	3	Horizontal	263	1.50	-	38.88	39.51	11.28	33.99
PK	15.60396G	56.40	74.00	-17.60	17.06	3	Horizontal	31	1.99	-	39.34	38.69	12.55	34.18

Radiated Emissions above 1GHz_Mode 11



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81936G	33.10	54.00	-20.90	5.03	3	Vertical	0	1.28	-	28.07	32.42	6.90	34.29
AV	10.40762G	40.76	68.20	-27.44	14.47	3	Vertical	360	2.00	-	26.29	39.00	10.35	34.88
AV	11.39254G	41.58	54.00	-12.42	15.46	3	Vertical	55	1.83	-	26.12	39.19	10.76	34.49
AV	12.78592G	42.72	68.20	-25.48	17.23	3	Vertical	125	1.56	-	25.49	39.76	11.32	33.85
AV	15.59139G	43.01	54.00	-10.99	17.08	3	Vertical	242	1.50	-	25.93	38.71	12.55	34.18
AV	17.07336G	44.51	68.20	-23.69	18.91	3	Vertical	122	1.10	-	25.60	38.25	13.86	33.20
PK	4.79845G	46.73	74.00	-27.27	4.91	3	Vertical	0	1.28	-	41.82	32.30	6.90	34.29
PK	10.40318G	54.44	68.20	-13.76	14.47	3	Vertical	360	2.00	-	39.97	39.00	10.35	34.88
PK	11.37577G	54.68	74.00	-19.32	15.44	3	Vertical	55	1.83	-	39.24	39.18	10.75	34.49
PK	12.79732G	55.74	68.20	-12.46	17.28	3	Vertical	125	1.56	-	38.46	39.79	11.32	33.83
PK	15.59892G	55.93	74.00	-18.07	17.07	3	Vertical	242	1.50	-	38.86	38.70	12.55	34.18
PK	17.05521G	57.18	68.20	-11.02	18.84	3	Vertical	122	1.10	-	38.34	38.21	13.84	33.21


Radiated Emissions above 1GHz_Mode 11



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82452G	33.39	54.00	-20.61	5.06	3	Horizontal	63	2.26	-	28.33	32.45	6.90	34.29
AV	10.40933G	40.67	68.20	-27.53	14.47	3	Horizontal	253	2.37	-	26.20	39.00	10.35	34.88
AV	11.39365G	41.54	54.00	-12.46	15.46	3	Horizontal	73	1.33	-	26.08	39.19	10.76	34.49
AV	12.79345G	42.65	68.20	-25.55	17.27	3	Horizontal	344	1.05	-	25.38	39.78	11.32	33.83
AV	15.60459G	42.90	54.00	-11.10	17.06	3	Horizontal	189	1.18	-	25.84	38.69	12.55	34.18
AV	17.06007G	44.50	68.20	-23.70	18.85	3	Horizontal	45	2.75	-	25.65	38.22	13.84	33.21
PK	4.81531G	46.98	74.00	-27.02	5.00	3	Horizontal	63	2.26	-	41.98	32.39	6.90	34.29
PK	10.40504G	54.44	68.20	-13.76	14.47	3	Horizontal	253	2.37	-	39.97	39.00	10.35	34.88
PK	11.38837G	54.99	74.00	-19.01	15.46	3	Horizontal	73	1.33	-	39.53	39.19	10.76	34.49
PK	12.8035G	55.53	68.20	-12.67	17.31	3	Horizontal	344	1.05	-	38.22	39.81	11.32	33.82
PK	15.59508G	56.05	74.00	-17.95	17.07	3	Horizontal	189	1.18	-	38.98	38.70	12.55	34.18
PK	17.06211G	57.79	68.20	-10.41	18.85	3	Horizontal	45	2.75	-	38.94	38.22	13.84	33.21




Radiated Emissions above 1GHz_Mode 12



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82179G	31.93	54.00	-22.07	5.04	3	Vertical	153	2.92	-	26.89	32.43	6.90	34.29
AV	10.40282G	41.10	68.20	-27.10	14.47	3	Vertical	180	1.50	-	26.63	39.00	10.35	34.88
AV	12.68784G	42.09	54.00	-11.91	16.75	3	Vertical	360	1.50	-	25.34	39.49	11.28	34.02
AV	13.34167G	42.63	54.00	-11.37	18.51	3	Vertical	347	1.00	-	24.12	39.97	11.53	32.99
AV	15.59109G	43.10	54.00	-10.90	17.08	3	Vertical	211	1.92	-	26.02	38.71	12.55	34.18
PK	4.8208G	44.77	74.00	-29.23	5.03	3	Vertical	153	2.92	-	39.74	32.42	6.90	34.29
PK	10.39442G	54.64	68.20	-13.56	14.44	3	Vertical	180	1.50	-	40.20	38.99	10.34	34.89
PK	12.69435G	56.01	74.00	-17.99	16.76	3	Vertical	360	1.50	-	39.25	39.49	11.28	34.01
PK	13.31896G	56.27	74.00	-17.73	18.38	3	Vertical	347	1.00	-	37.89	39.88	11.52	33.02
PK	15.59544G	55.72	74.00	-18.28	17.07	3	Vertical	211	1.92	-	38.65	38.70	12.55	34.18


Radiated Emissions above 1GHz_Mode 12



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82254G	32.07	54.00	-21.93	5.05	3	Horizontal	71	1.86	-	27.02	32.44	6.90	34.29
AV	10.39337G	41.08	68.20	-27.12	14.44	3	Horizontal	247	1.68	-	26.64	38.99	10.34	34.89
AV	12.67593G	41.93	54.00	-12.07	16.71	3	Horizontal	62	1.03	-	25.22	39.48	11.27	34.04
AV	13.32304G	42.61	54.00	-11.39	18.40	3	Horizontal	285	1.50	-	24.21	39.89	11.53	33.02
AV	15.5907G	43.17	54.00	-10.83	17.08	3	Horizontal	220	1.11	-	26.09	38.71	12.55	34.18
PK	4.82122G	45.76	74.00	-28.24	5.04	3	Horizontal	71	1.86	-	40.72	32.43	6.90	34.29
PK	10.39196G	54.85	68.20	-13.35	14.44	3	Horizontal	247	1.68	-	40.41	38.99	10.34	34.89
PK	12.6807G	54.97	74.00	-19.03	16.73	3	Horizontal	62	1.03	-	38.24	39.48	11.28	34.03
PK	13.31554G	55.88	74.00	-18.12	18.35	3	Horizontal	285	1.50	-	37.53	39.86	11.52	33.03
PK	15.59154G	55.29	74.00	-18.71	17.08	3	Horizontal	220	1.11	-	38.21	38.71	12.55	34.18




Radiated Emissions above 1GHz_Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87352G	35.10	54.00	-18.90	5.30	3	Vertical	308	1.50	-	29.80	32.69	6.90	34.29
AV	4.87532G	34.79	54.00	-19.21	5.32	3	Vertical	355	1.11	-	29.47	32.70	6.90	34.28
AV	7.31067G	42.68	54.00	-11.32	10.59	3	Vertical	293	1.60	-	32.09	36.86	8.53	34.80
AV	10.40294G	40.91	68.20	-27.29	14.47	3	Vertical	89	1.55	-	26.44	39.00	10.35	34.88
AV	15.61053G	43.17	54.00	-10.83	17.04	3	Vertical	25	1.17	-	26.13	38.67	12.56	34.19
PK	4.87562G	48.09	74.00	-25.91	5.32	3	Vertical	355	1.11	-	42.77	32.70	6.90	34.28
PK	4.87808G	49.06	74.00	-24.94	5.33	3	Vertical	308	1.50	-	43.73	32.71	6.90	34.28
PK	7.30797G	56.52	74.00	-17.48	10.59	3	Vertical	293	1.60	-	45.93	36.87	8.52	34.80
PK	10.39961G	53.90	68.20	-14.30	14.46	3	Vertical	89	1.55	-	39.44	39.00	10.35	34.89
PK	15.58749G	56.25	74.00	-17.75	17.07	3	Vertical	25	1.17	-	39.18	38.71	12.54	34.18

Radiated Emissions above 1GHz_Mode 13



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87259G	36.21	54.00	-17.79	5.30	3	Horizontal	360	1.46	-	30.91	32.69	6.90	34.29
AV	4.87547G	35.76	54.00	-18.24	5.32	3	Horizontal	25	1.93	-	30.44	32.70	6.90	34.28
AV	7.3107G	43.43	54.00	-10.57	10.59	3	Horizontal	75	1.56	-	32.84	36.86	8.53	34.80
AV	10.38521G	40.78	68.20	-27.42	14.44	3	Horizontal	170	1.45	-	26.34	38.99	10.34	34.89
AV	15.58899G	43.24	54.00	-10.76	17.07	3	Horizontal	326	2.38	-	26.17	38.71	12.54	34.18
PK	4.87504G	49.88	74.00	-24.12	5.32	3	Horizontal	25	1.93	-	44.56	32.70	6.90	34.28
PK	4.88279G	49.89	74.00	-24.11	5.35	3	Horizontal	360	1.46	-	44.54	32.73	6.90	34.28
PK	7.31049G	57.00	74.00	-17.00	10.59	3	Horizontal	75	1.56	-	46.41	36.86	8.53	34.80
PK	10.38902G	55.01	68.20	-13.19	14.44	3	Horizontal	170	1.45	-	40.57	38.99	10.34	34.89
PK	15.60789G	56.17	74.00	-17.83	17.04	3	Horizontal	326	2.38	-	39.13	38.68	12.55	34.19


Radiated Emissions above 1GHz_Mode 14



18/04/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87202G	34.34	54.00	-19.66	5.30	3	Vertical	336	1.50	-	29.04	32.69	6.90	34.29
AV	4.875G	33.95	54.00	-20.05	5.31	3	Vertical	99	1.00	-	28.64	32.70	6.90	34.29
AV	7.31049G	40.24	54.00	-13.76	10.59	3	Vertical	360	1.50	-	29.65	36.86	8.53	34.80
AV	10.40684G	41.29	68.20	-26.91	14.47	3	Vertical	28	1.50	-	26.82	39.00	10.35	34.88
AV	11.39242G	41.47	54.00	-12.53	15.46	3	Vertical	111	1.03	-	26.01	39.19	10.76	34.49
AV	15.61143G	43.13	54.00	-10.87	17.04	3	Vertical	95	2.79	-	26.09	38.67	12.56	34.19
AV	17.05614G	44.55	68.20	-23.65	18.84	3	Vertical	336	1.47	-	25.71	38.21	13.84	33.21
PK	4.86683G	47.52	74.00	-26.48	5.28	3	Vertical	336	1.50	-	42.24	32.67	6.90	34.29
PK	4.87696G	46.86	74.00	-27.14	5.33	3	Vertical	99	1.00	-	41.53	32.71	6.90	34.28
PK	7.3107G	54.69	74.00	-19.31	10.59	3	Vertical	360	1.50	-	44.10	36.86	8.53	34.80
PK	10.39409G	58.48	68.20	-9.72	14.44	3	Vertical	28	1.50	-	44.04	38.99	10.34	34.89
PK	11.39317G	54.45	74.00	-19.55	15.46	3	Vertical	111	1.03	-	38.99	39.19	10.76	34.49
PK	15.59724G	55.83	74.00	-18.17	17.07	3	Vertical	95	2.79	-	38.76	38.70	12.55	34.18
PK	17.06712G	57.54	68.20	-10.66	18.88	3	Vertical	336	1.47	-	38.66	38.23	13.85	33.20


Radiated Emissions above 1GHz_Mode 14



18/04/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87226G	36.31	54.00	-17.69	5.30	3	Horizontal	328	2.00	-	31.01	32.69	6.90	34.29
AV	4.87583G	35.76	54.00	-18.24	5.32	3	Horizontal	123	1.26	-	30.44	32.70	6.90	34.28
AV	7.3101G	40.27	54.00	-13.73	10.59	3	Horizontal	315	1.51	-	29.68	36.86	8.53	34.80
AV	10.39187G	40.99	68.20	-27.21	14.44	3	Horizontal	96	1.54	-	26.55	38.99	10.34	34.89
AV	11.38645G	41.59	54.00	-12.41	15.46	3	Horizontal	343	2.61	-	26.13	39.19	10.76	34.49
AV	15.60354G	43.06	54.00	-10.94	17.06	3	Horizontal	360	1.70	-	26.00	38.69	12.55	34.18
AV	17.07549G	44.57	68.20	-23.63	18.91	3	Horizontal	326	1.14	-	25.66	38.25	13.86	33.20
PK	4.87403G	51.03	74.00	-22.97	5.31	3	Horizontal	328	2.00	-	45.72	32.70	6.90	34.29
PK	4.87529G	49.72	74.00	-24.28	5.32	3	Horizontal	123	1.26	-	44.40	32.70	6.90	34.28
PK	7.30785G	54.02	74.00	-19.98	10.59	3	Horizontal	315	1.51	-	43.43	36.87	8.52	34.80
PK	10.39898G	55.23	68.20	-12.97	14.46	3	Horizontal	96	1.54	-	40.77	39.00	10.35	34.89
PK	11.38954G	54.72	74.00	-19.28	15.46	3	Horizontal	343	2.61	-	39.26	39.19	10.76	34.49
PK	15.59115G	56.19	74.00	-17.81	17.08	3	Horizontal	360	1.70	-	39.11	38.71	12.55	34.18
PK	17.05821G	58.21	68.20	-9.99	18.85	3	Horizontal	326	1.14	-	39.36	38.22	13.84	33.21


Radiated Emissions above 1GHz_Mode 15



18/04/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86692G	34.98	54.00	-19.02	3.32	3	Vertical	98	1.97	-	31.66	32.60	5.37	34.65
AV	4.8728G	34.84	54.00	-19.16	3.32	3	Vertical	342	2.80	-	31.52	32.60	5.37	34.65
AV	7.3116G	41.65	54.00	-12.35	8.54	3	Vertical	355	1.49	-	33.11	36.68	6.64	34.78
AV	13.33213G	45.32	54.00	-8.68	15.51	3	Vertical	17	2.53	-	29.81	39.66	8.82	32.97
AV	15.59892G	43.08	54.00	-10.92	12.59	3	Vertical	142	2.13	-	30.49	38.01	9.53	34.95
PK	4.86836G	45.82	74.00	-28.18	3.32	3	Vertical	342	2.80	-	42.50	32.60	5.37	34.65
PK	4.8695G	44.51	74.00	-29.49	3.32	3	Vertical	98	1.97	-	41.19	32.60	5.37	34.65
PK	7.31178G	52.57	74.00	-21.43	8.54	3	Vertical	355	1.49	-	44.03	36.68	6.64	34.78
PK	10.40768G	52.26	68.20	-15.94	11.58	3	Vertical	330	1.00	-	40.68	38.41	7.98	34.81
PK	13.32772G	54.74	74.00	-19.26	15.49	3	Vertical	17	2.53	-	39.25	39.64	8.82	32.97
PK	15.59676G	53.20	74.00	-20.80	12.59	3	Vertical	142	2.13	-	40.61	38.02	9.52	34.95


Radiated Emissions above 1GHz_Mode 15



18/04/2023


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86602G	36.13	54.00	-17.87	3.32	3	Horizontal	179	1.71	-	32.81	32.60	5.37	34.65
AV	4.87904G	38.03	54.00	-15.97	3.33	3	Horizontal	240	2.24	-	34.70	32.60	5.38	34.65
AV	7.31624G	40.51	54.00	-13.49	8.53	3	Horizontal	345	1.57	-	31.98	36.67	6.64	34.78
AV	13.3213G	45.40	54.00	-8.60	15.45	3	Horizontal	266	1.90	-	29.95	39.61	8.82	32.98
AV	15.59718G	43.26	54.00	-10.74	12.59	3	Horizontal	256	1.58	-	30.67	38.01	9.53	34.95
PK	4.87214G	47.75	74.00	-26.25	3.32	3	Horizontal	179	1.71	-	44.43	32.60	5.37	34.65
PK	4.87898G	49.32	74.00	-24.68	3.33	3	Horizontal	240	2.24	-	45.99	32.60	5.38	34.65
PK	7.31804G	52.21	74.00	-21.79	8.52	3	Horizontal	345	1.57	-	43.69	36.66	6.64	34.78
PK	10.40222G	51.89	68.20	-16.31	11.56	3	Horizontal	307	3.00	-	40.33	38.40	7.98	34.82
PK	13.31587G	54.24	74.00	-19.76	15.41	3	Horizontal	266	1.90	-	38.83	39.58	8.82	32.99
PK	15.59454G	53.61	74.00	-20.39	12.60	3	Horizontal	256	1.58	-	41.01	38.03	9.52	34.95

Radiated Emissions above 1GHz_Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87214G	34.89	54.00	-19.11	3.32	3	Vertical	16	1.55	-	31.57	32.60	5.37	34.65
AV	4.8736G	34.45	54.00	-19.55	3.33	3	Vertical	274	1.21	-	31.12	32.60	5.38	34.65
AV	7.31132G	49.96	54.00	-4.04	8.54	3	Vertical	11	1.48	-	41.42	36.68	6.64	34.78
AV	12.69537G	44.28	54.00	-9.72	13.81	3	Vertical	312	1.76	-	30.47	39.19	8.66	34.04
AV	15.59742G	42.85	54.00	-11.15	12.59	3	Vertical	335	2.03	-	30.26	38.01	9.53	34.95
PK	4.87584G	45.39	74.00	-28.61	3.33	3	Vertical	274	1.21	-	42.06	32.60	5.38	34.65
PK	4.87628G	44.97	74.00	-29.03	3.33	3	Vertical	16	1.55	-	41.64	32.60	5.38	34.65
PK	7.3114G	62.02	74.00	-11.98	8.54	3	Vertical	11	1.48	-	53.48	36.68	6.64	34.78
PK	10.39982G	52.71	68.20	-15.49	11.56	3	Vertical	283	2.47	-	41.15	38.40	7.98	34.82
PK	12.6942G	53.61	74.00	-20.39	13.81	3	Vertical	312	1.76	-	39.80	39.19	8.66	34.04
PK	15.59628G	52.63	74.00	-21.37	12.59	3	Vertical	335	2.03	-	40.04	38.02	9.52	34.95

Radiated Emissions above 1GHz_Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86752G	34.79	54.00	-19.21	3.32	3	Horizontal	247	1.83	-	31.47	32.60	5.37	34.65
AV	4.87346G	35.39	54.00	-18.61	3.33	3	Horizontal	116	1.35	-	32.06	32.60	5.38	34.65
AV	7.312G	49.52	54.00	-4.48	8.54	3	Horizontal	76	2.57	-	40.98	36.68	6.64	34.78
AV	12.68967G	44.91	54.00	-9.09	13.79	3	Horizontal	66	2.81	-	31.12	39.18	8.66	34.05
AV	15.59904G	42.93	54.00	-11.07	12.58	3	Horizontal	305	2.15	-	30.35	38.00	9.53	34.95
PK	4.8761G	45.54	74.00	-28.46	3.33	3	Horizontal	116	1.35	-	42.21	32.60	5.38	34.65
PK	4.87884G	46.78	74.00	-27.22	3.33	3	Horizontal	247	1.83	-	43.45	32.60	5.38	34.65
PK	7.30204G	62.79	74.00	-11.21	8.56	3	Horizontal	76	2.57	-	54.23	36.70	6.64	34.78
PK	10.39034G	51.43	68.20	-16.77	11.53	3	Horizontal	65	2.99	-	39.90	38.39	7.97	34.83
PK	12.70293G	53.82	68.20	-14.38	13.84	3	Horizontal	66	2.81	-	39.98	39.21	8.66	34.03
PK	15.60708G	53.56	74.00	-20.44	12.56	3	Horizontal	305	2.15	-	41.00	37.99	9.53	34.96

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86818G	34.99	54.00	-19.01	3.32	3	Vertical	104	1.38	-	31.67	32.60	5.37	34.65
AV	11.3674G	42.60	54.00	-11.40	12.64	3	Vertical	288	1.80	-	29.96	38.93	8.28	34.57
AV	12.68271G	44.70	54.00	-9.30	13.76	3	Vertical	43	2.34	-	30.94	39.17	8.65	34.06
AV	15.59604G	42.75	54.00	-11.25	12.59	3	Vertical	316	1.91	-	30.16	38.02	9.52	34.95
PK	4.86548G	45.49	74.00	-28.51	3.32	3	Vertical	104	1.38	-	42.17	32.60	5.37	34.65
PK	10.40616G	52.05	68.20	-16.15	11.57	3	Vertical	331	2.27	-	40.48	38.41	7.98	34.82
PK	11.36662G	52.82	74.00	-21.18	12.64	3	Vertical	288	1.80	-	40.18	38.93	8.28	34.57
PK	12.67605G	53.79	74.00	-20.21	13.73	3	Vertical	43	2.34	-	40.06	39.15	8.65	34.07
PK	15.60844G	53.61	74.00	-20.39	12.55	3	Vertical	316	1.91	-	41.06	37.98	9.53	34.96
PK	17.0685G	55.62	68.20	-12.58	14.02	3	Vertical	167	2.03	-	41.60	38.10	10.08	34.16

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8665G	35.03	54.00	-18.97	3.32	3	Horizontal	61	2.38	-	31.71	32.60	5.37	34.65
AV	11.38174G	42.69	54.00	-11.31	12.68	3	Horizontal	261	2.33	-	30.01	38.96	8.29	34.57
AV	12.68052G	44.82	54.00	-9.18	13.74	3	Horizontal	184	1.73	-	31.08	39.16	8.65	34.07
AV	15.60844G	43.09	54.00	-10.91	12.55	3	Horizontal	0	2.61	-	30.54	37.98	9.53	34.96
PK	4.8716G	45.50	74.00	-28.50	3.32	3	Horizontal	61	2.38	-	42.18	32.60	5.37	34.65
PK	10.40436G	51.67	68.20	-16.53	11.56	3	Horizontal	267	1.25	-	40.11	38.40	7.98	34.82
PK	11.3905G	52.55	74.00	-21.45	12.70	3	Horizontal	261	2.33	-	39.85	38.98	8.29	34.57
PK	12.68259G	53.59	74.00	-20.41	13.76	3	Horizontal	184	1.73	-	39.83	39.17	8.65	34.06
PK	15.59492G	53.13	74.00	-20.87	12.60	3	Horizontal	0	2.61	-	40.53	38.03	9.52	34.95
PK	17.058G	55.07	68.20	-13.13	14.03	3	Horizontal	130	1.38	-	41.04	38.10	10.08	34.15

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86692G	34.98	54.00	-19.02	3.32	3	Vertical	98	1.97	-	31.66	32.60	5.37	34.65
AV	4.8728G	34.84	54.00	-19.16	3.32	3	Vertical	342	2.80	-	31.52	32.60	5.37	34.65
AV	7.3116G	41.65	54.00	-12.35	8.54	3	Vertical	355	1.49	-	33.11	36.68	6.64	34.78
AV	13.33213G	45.32	54.00	-8.68	15.51	3	Vertical	17	2.53	-	29.81	39.66	8.82	32.97
AV	15.59892G	43.08	54.00	-10.92	12.59	3	Vertical	142	2.13	-	30.49	38.01	9.53	34.95
PK	4.86836G	45.82	74.00	-28.18	3.32	3	Vertical	342	2.80	-	42.50	32.60	5.37	34.65
PK	4.8695G	44.51	74.00	-29.49	3.32	3	Vertical	98	1.97	-	41.19	32.60	5.37	34.65
PK	7.31178G	52.57	74.00	-21.43	8.54	3	Vertical	355	1.49	-	44.03	36.68	6.64	34.78
PK	10.40768G	52.26	68.20	-15.94	11.58	3	Vertical	330	1.00	-	40.68	38.41	7.98	34.81
PK	13.32772G	54.74	74.00	-19.26	15.49	3	Vertical	17	2.53	-	39.25	39.64	8.82	32.97
PK	15.59676G	53.20	74.00	-20.80	12.59	3	Vertical	142	2.13	-	40.61	38.02	9.52	34.95

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86602G	36.13	54.00	-17.87	3.32	3	Horizontal	179	1.71	-	32.81	32.60	5.37	34.65
AV	4.87904G	38.03	54.00	-15.97	3.33	3	Horizontal	240	2.24	-	34.70	32.60	5.38	34.65
AV	7.31624G	40.51	54.00	-13.49	8.53	3	Horizontal	345	1.57	-	31.98	36.67	6.64	34.78
AV	13.3213G	45.40	54.00	-8.60	15.45	3	Horizontal	266	1.90	-	29.95	39.61	8.82	32.98
AV	15.59718G	43.26	54.00	-10.74	12.59	3	Horizontal	256	1.58	-	30.67	38.01	9.53	34.95
PK	4.87214G	47.75	74.00	-26.25	3.32	3	Horizontal	179	1.71	-	44.43	32.60	5.37	34.65
PK	4.87898G	49.32	74.00	-24.68	3.33	3	Horizontal	240	2.24	-	45.99	32.60	5.38	34.65
PK	7.31804G	52.21	74.00	-21.79	8.52	3	Horizontal	345	1.57	-	43.69	36.66	6.64	34.78
PK	10.40222G	51.89	68.20	-16.31	11.56	3	Horizontal	307	3.00	-	40.33	38.40	7.98	34.82
PK	13.31587G	54.24	74.00	-19.76	15.41	3	Horizontal	266	1.90	-	38.83	39.58	8.82	32.99
PK	15.59454G	53.61	74.00	-20.39	12.60	3	Horizontal	256	1.58	-	41.01	38.03	9.52	34.95