


802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 75
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2497G	58.71	88.20	-29.49	40.51	3	Vertical	87	2.89	-	39.95	9.56	31.31
RMS	13.24931G	46.39	68.20	-21.81	28.19	3	Vertical	87	2.89	-	39.95	9.56	31.31

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT X_1TX
Setting 75
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24986G	58.60	88.20	-29.60	40.40	3	Horizontal	119	1.65	-	39.95	9.56	31.31
RMS	13.24999G	46.38	68.20	-21.82	28.18	3	Horizontal	119	1.65	-	39.95	9.56	31.31

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT X_1TX
Setting 75
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8779G	45.45	83.54	-38.09	43.56	1	Vertical	55	1.57	-	37.60	13.99	49.70
AV	19.87106G	32.89	63.54	-30.65	30.99	1	Vertical	55	1.57	-	37.61	13.99	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT X_1TX
Setting 75
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87428G	45.43	83.54	-38.11	43.54	1	Horizontal	95	1.51	-	37.60	13.99	49.70
AV	19.87682G	32.79	63.54	-30.75	30.90	1	Horizontal	95	1.51	-	37.60	13.99	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT X_1TX
Setting 76
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.671G	100.24	Inf	-Inf	90.31	3	Vertical	50	2.21	-	35.96	7.00	33.03
RMS	6.677G	89.55	Inf	-Inf	79.63	3	Vertical	50	2.21	-	35.95	7.00	33.03
PK	7.147G	62.85	88.20	-25.35	51.88	3	Vertical	50	2.21	-	36.88	7.23	33.14
RMS	7.181G	53.09	68.20	-15.11	41.98	3	Vertical	50	2.21	-	37.02	7.21	33.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_X_1TX
Setting 76
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.667G	109.81	Inf	-Inf	99.87	3	Horizontal	287	2.45	-	35.97	7.00	33.03
RMS	6.697G	98.75	Inf	-Inf	88.88	3	Horizontal	287	2.45	-	35.91	7.00	33.04
PK	7.179G	64.17	88.20	-24.03	53.07	3	Horizontal	287	2.45	-	37.02	7.21	33.13
RMS	7.173G	53.12	68.20	-15.08	42.05	3	Horizontal	287	2.45	-	36.99	7.21	33.13

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40548G	59.43	88.20	-28.77	40.71	3	Vertical	113	2.39	-	40.20	9.63	31.11
RMS	13.40582G	47.12	68.20	-21.08	28.40	3	Vertical	113	2.39	-	40.20	9.63	31.11

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41342G	59.10	88.20	-29.10	40.36	3	Horizontal	119	1.23	-	40.20	9.64	31.10
RMS	13.4053G	46.99	68.20	-21.21	28.27	3	Horizontal	119	1.23	-	40.20	9.63	31.11

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11928G	47.94	83.54	-35.60	46.10	1	Vertical	285	1.52	-	37.50	14.09	49.75
AV	20.11664G	35.00	63.54	-28.54	33.17	1	Vertical	285	1.52	-	37.49	14.09	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11202G	47.68	83.54	-35.86	45.85	1	Horizontal	221	1.55	-	37.49	14.08	49.74
AV	20.11484G	35.21	63.54	-28.33	33.38	1	Horizontal	221	1.55	-	37.49	14.09	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 76
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7738G	98.34	Inf	-Inf	88.22	3	Vertical	57	1.80	-	36.20	7.00	33.08
RMS	6.7738G	88.22	Inf	-Inf	78.10	3	Vertical	57	1.80	-	36.20	7.00	33.08
PK	7.1338G	63.77	88.20	-24.43	52.91	3	Vertical	57	1.80	-	36.77	7.23	33.14
RMS	7.1482G	53.08	68.20	-15.12	42.10	3	Vertical	57	1.80	-	36.89	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 76
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.777G	108.36	Inf	-Inf	98.24	3	Horizontal	284	2.42	-	36.20	7.00	33.08
RMS	6.7722G	98.45	Inf	-Inf	88.33	3	Horizontal	284	2.42	-	36.20	7.00	33.08
PK	7.1338G	63.53	88.20	-24.67	52.67	3	Horizontal	284	2.42	-	36.77	7.23	33.14
RMS	7.1482G	53.10	68.20	-15.10	42.12	3	Horizontal	284	2.42	-	36.89	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5676G	60.45	88.20	-27.75	41.51	3	Vertical	344	2.48	-	40.27	9.71	31.04
RMS	13.56726G	47.57	68.20	-20.63	28.63	3	Vertical	344	2.48	-	40.27	9.71	31.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57128G	59.27	88.20	-28.93	40.33	3	Horizontal	111	1.43	-	40.27	9.71	31.04
RMS	13.56718G	47.40	68.20	-20.80	28.46	3	Horizontal	111	1.43	-	40.27	9.71	31.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35162G	45.64	83.54	-37.90	43.58	1	Vertical	144	1.57	-	37.64	14.26	49.84
AV	20.35554G	33.58	63.54	-29.96	31.51	1	Vertical	144	1.57	-	37.64	14.27	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TnomVnom



EUT X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3526G	46.03	83.54	-37.51	43.97	1	Horizontal	50	1.58	-	37.64	14.26	49.84
AV	20.3502G	33.73	63.54	-29.81	31.67	1	Horizontal	50	1.58	-	37.64	14.26	49.84


802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_1TX
 Setting 78
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8674G	98.89	Inf	-Inf	88.46	3	Vertical	55	1.80	-	36.46	7.10	33.13
RMS	6.8542G	88.64	Inf	-Inf	78.11	3	Vertical	55	1.80	-	36.57	7.08	33.12
PK	7.1434G	63.87	88.20	-24.33	52.93	3	Vertical	55	1.80	-	36.85	7.23	33.14
RMS	7.1434G	53.15	68.20	-15.05	42.21	3	Vertical	55	1.80	-	36.85	7.23	33.14


802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_1TX
 Setting 78
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8398G	107.84	Inf	-Inf	97.37	3	Horizontal	286	1.80	-	36.52	7.06	33.11
RMS	6.8506G	97.17	Inf	-Inf	86.61	3	Horizontal	286	1.80	-	36.60	7.08	33.12
PK	7.135G	63.21	88.20	-24.99	52.34	3	Horizontal	286	1.80	-	36.78	7.23	33.14
RMS	7.1494G	53.25	68.20	-14.95	42.26	3	Horizontal	286	1.80	-	36.90	7.23	33.14


802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
 Setting 78
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73362G	63.55	88.20	-24.65	44.32	3	Vertical	60	2.68	-	40.60	9.78	31.15
RMS	13.73004G	51.09	68.20	-17.11	31.87	3	Vertical	60	2.68	-	40.59	9.78	31.15


802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
 Setting 78
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7322G	63.10	88.20	-25.10	43.87	3	Horizontal	245	1.11	-	40.60	9.78	31.15
RMS	13.7284G	50.94	68.20	-17.26	31.72	3	Horizontal	245	1.11	-	40.59	9.78	31.15


802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
 Setting 78
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5902G	48.12	83.54	-35.42	45.73	1	Vertical	18	1.52	-	37.81	14.44	49.86
AV	20.59568G	35.63	63.54	-27.91	33.23	1	Vertical	18	1.52	-	37.81	14.45	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
 Setting 78
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59072G	48.68	83.54	-34.86	46.29	1	Horizontal	164	1.58	-	37.81	14.44	49.86
AV	20.59028G	35.70	63.54	-27.84	33.31	1	Horizontal	164	1.58	-	37.81	14.44	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT X_1TX
Setting 78
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9702G	101.38	Inf	-Inf	90.88	3	Vertical	42	2.23	-	36.42	7.26	33.18
RMS	6.9594G	90.61	Inf	-Inf	80.08	3	Vertical	42	2.23	-	36.46	7.24	33.17
PK	7.1262G	64.11	88.20	-24.09	53.30	3	Vertical	42	2.23	-	36.71	7.24	33.14
RMS	7.1766G	53.26	68.20	-14.94	42.17	3	Vertical	42	2.23	-	37.01	7.21	33.13

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_X_1TX
Setting 78
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9618G	108.49	Inf	-Inf	97.97	3	Horizontal	288	2.01	-	36.45	7.24	33.17
RMS	6.9342G	98.49	Inf	-Inf	88.04	3	Horizontal	288	2.01	-	36.41	7.20	33.16
PK	7.125G	65.00	88.20	-23.20	54.20	3	Horizontal	288	2.01	-	36.70	7.24	33.14
RMS	7.1262G	54.51	68.20	-13.69	43.70	3	Horizontal	288	2.01	-	36.71	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT X_1TX
Setting 78
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88752G	64.38	88.20	-23.82	44.89	3	Vertical	283	1.64	-	40.89	9.85	31.25
RMS	13.88956G	51.68	68.20	-16.52	32.19	3	Vertical	283	1.64	-	40.89	9.85	31.25

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT X_1TX
Setting 78
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88566G	64.08	88.20	-24.12	44.59	3	Horizontal	43	2.49	-	40.89	9.85	31.25
RMS	13.89362G	51.82	68.20	-16.38	32.34	3	Horizontal	43	2.49	-	40.89	9.85	31.26

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT X_1TX
Setting 78
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83564G	46.57	83.54	-36.97	43.85	1	Vertical	153	1.57	-	37.86	14.63	49.77
AV	20.83444G	34.53	63.54	-29.01	31.81	1	Vertical	153	1.57	-	37.86	14.63	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT X_1TX
Setting 78
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83756G	46.98	83.54	-36.56	44.25	1	Horizontal	317	1.51	-	37.86	14.63	49.76
AV	20.83278G	34.41	63.54	-29.13	31.69	1	Horizontal	317	1.51	-	37.87	14.62	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT X_1TX
Setting 80
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0242G	101.82	Inf	-Inf	91.26	3	Vertical	5	2.33	-	36.45	7.29	33.18
RMS	7.0178G	92.26	Inf	-Inf	81.74	3	Vertical	5	2.33	-	36.41	7.29	33.18
PK	7.1282G	72.48	88.20	-15.72	61.65	3	Vertical	5	2.33	-	36.73	7.24	33.14
RMS	7.125G	57.51	68.20	-10.69	46.71	3	Vertical	5	2.33	-	36.70	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT X_1TX
Setting 80
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0162G	109.90	Inf	-Inf	99.39	3	Horizontal	286	2.08	-	36.40	7.29	33.18
RMS	7.0138G	99.69	Inf	-Inf	89.21	3	Horizontal	286	2.08	-	36.38	7.29	33.19
PK	7.125G	77.31	88.20	-10.89	66.51	3	Horizontal	286	2.08	-	36.70	7.24	33.14
RMS	7.125G	64.98	68.20	-3.22	54.18	3	Horizontal	286	2.08	-	36.70	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT X_1TX
Setting 80
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05112G	63.57	88.20	-24.63	44.13	3	Vertical	16	2.93	-	40.90	9.92	31.38
RMS	14.05294G	51.02	68.20	-17.18	31.58	3	Vertical	16	2.93	-	40.90	9.92	31.38

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT X_1TX
Setting 80
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0523G	63.53	88.20	-24.67	44.09	3	Horizontal	298	2.37	-	40.90	9.92	31.38
RMS	14.05322G	51.01	68.20	-17.19	31.57	3	Horizontal	298	2.37	-	40.90	9.92	31.38

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT X_1TX
Setting 80
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0733G	47.83	83.54	-35.71	45.12	1	Vertical	166	1.51	-	37.60	14.80	49.69
AV	21.07332G	35.45	63.54	-28.09	32.74	1	Vertical	166	1.51	-	37.60	14.80	49.69

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT X_1TX
Setting 80
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07164G	47.32	83.54	-36.22	44.61	1	Horizontal	10	1.51	-	37.60	14.80	49.69
AV	21.07924G	35.42	63.54	-28.12	32.69	1	Horizontal	10	1.51	-	37.60	14.81	49.68

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_X_1TX
Setting 77
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	73.76	88.20	-14.44	65.10	3	Vertical	356	2.65	-	35.00	6.60	32.94
RMS	5.911G	60.20	68.20	-8.00	51.60	3	Vertical	356	2.65	-	34.94	6.60	32.94
PK	5.996G	101.27	Inf	-Inf	92.34	3	Vertical	356	2.65	-	35.28	6.60	32.95
RMS	5.97G	91.17	Inf	-Inf	82.34	3	Vertical	356	2.65	-	35.18	6.60	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT X_1TX
Setting 77
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	82.13	88.20	-6.07	73.53	3	Horizontal	287	2.26	-	34.94	6.60	32.94
RMS	5.911G	67.25	68.20	-0.95	58.65	3	Horizontal	287	2.26	-	34.94	6.60	32.94
PK	6.033G	108.30	Inf	-Inf	99.37	3	Horizontal	287	2.26	-	35.23	6.65	32.95
RMS	5.996G	96.94	Inf	-Inf	88.01	3	Horizontal	287	2.26	-	35.28	6.60	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT X_1TX
Setting 77
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05178G	57.01	74.00	-16.99	42.26	3	Vertical	238	1.91	-	38.55	9.02	32.82
RMS	12.05176G	45.60	54.00	-8.40	30.85	3	Vertical	238	1.91	-	38.55	9.02	32.82

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT X_1TX
Setting 77
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04934G	56.28	74.00	-17.72	41.53	3	Horizontal	115	2.90	-	38.55	9.02	32.82
RMS	12.04592G	45.97	54.00	-8.03	31.22	3	Horizontal	115	2.90	-	38.55	9.02	32.82

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT X_1TX
Setting 77
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07144G	47.38	83.54	-36.16	46.11	1	Vertical	98	1.54	-	37.64	13.90	50.27
AV	18.07366G	35.97	63.54	-27.57	34.70	1	Vertical	98	1.54	-	37.64	13.90	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT X_1TX
Setting 77
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07106G	46.78	83.54	-36.76	45.51	1	Horizontal	171	1.53	-	37.64	13.90	50.27
AV	18.07314G	36.56	63.54	-26.98	35.29	1	Horizontal	171	1.53	-	37.64	13.90	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 94
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	66.55	88.20	-21.65	58.03	3	Vertical	349	2.62	-	34.86	6.60	32.94
RMS	5.9226G	55.51	68.20	-12.69	46.86	3	Vertical	349	2.62	-	34.99	6.60	32.94
PK	6.1674G	104.48	Inf	-Inf	95.21	3	Vertical	349	2.62	-	35.37	6.85	32.95
RMS	6.169G	93.95	Inf	-Inf	84.67	3	Vertical	349	2.62	-	35.38	6.85	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 94
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	71.28	88.20	-16.92	62.64	3	Horizontal	289	2.25	-	34.98	6.60	32.94
RMS	5.9242G	60.37	68.20	-7.83	51.71	3	Horizontal	289	2.25	-	35.00	6.60	32.94
PK	6.2122G	110.59	Inf	-Inf	101.23	3	Horizontal	289	2.25	-	35.40	6.91	32.95
RMS	6.1706G	100.36	Inf	-Inf	91.07	3	Horizontal	289	2.25	-	35.38	6.86	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 94
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36968G	57.46	74.00	-16.54	42.07	3	Vertical	36	1.16	-	38.64	9.17	32.42
RMS	12.36646G	47.08	54.00	-6.92	31.72	3	Vertical	36	1.16	-	38.63	9.16	32.43

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT X_1TX
Setting 94
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36556G	57.36	74.00	-16.64	42.00	3	Horizontal	29	1.18	-	38.63	9.16	32.43
RMS	12.36914G	46.56	54.00	-7.44	31.17	3	Horizontal	29	1.18	-	38.64	9.17	32.42

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT X_1TX
Setting 94
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55352G	46.68	83.54	-36.86	45.02	1	Vertical	24	1.52	-	37.78	13.93	50.05
AV	18.55026G	35.61	63.54	-27.93	33.95	1	Vertical	24	1.52	-	37.78	13.93	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT X_1TX
Setting 94
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55886G	45.76	83.54	-37.78	44.09	1	Horizontal	160	1.50	-	37.78	13.93	50.04
AV	18.55446G	34.95	63.54	-28.59	33.29	1	Horizontal	160	1.50	-	37.78	13.93	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 88
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.865G	61.58	88.20	-26.62	53.09	3	Vertical	312	2.69	-	34.83	6.60	32.94
RMS	5.893G	51.48	68.20	-16.72	42.93	3	Vertical	312	2.69	-	34.89	6.60	32.94
PK	6.287G	101.35	Inf	-Inf	92.11	3	Vertical	312	2.69	-	35.25	6.94	32.95
RMS	6.293G	91.80	Inf	-Inf	82.53	3	Vertical	312	2.69	-	35.27	6.95	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 88
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	66.02	88.20	-22.18	57.40	3	Horizontal	290	2.28	-	34.96	6.60	32.94
RMS	5.925G	53.98	68.20	-14.22	45.32	3	Horizontal	290	2.28	-	35.00	6.60	32.94
PK	6.283G	108.61	Inf	-Inf	99.39	3	Horizontal	290	2.28	-	35.23	6.94	32.95
RMS	6.293G	99.05	Inf	-Inf	89.78	3	Horizontal	290	2.28	-	35.27	6.95	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT X_1TX
Setting 88
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6933G	58.63	74.00	-15.37	42.35	3	Vertical	151	2.10	-	38.98	9.31	32.01
AV	12.68598G	47.53	54.00	-6.47	31.28	3	Vertical	151	2.10	-	38.96	9.31	32.02

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT X_1TX
Setting 88
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68818G	58.04	74.00	-15.96	41.79	3	Horizontal	358	2.64	-	38.96	9.31	32.02
AV	12.69146G	47.04	54.00	-6.96	30.77	3	Horizontal	358	2.64	-	38.97	9.31	32.01

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 88
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03822G	45.59	83.54	-37.95	43.30	1	Vertical	151	1.58	-	37.95	13.95	49.61
AV	19.03018G	35.17	63.54	-28.37	32.87	1	Vertical	151	1.58	-	37.96	13.95	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TnomVnom



EUT X_1TX
Setting 88
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03924G	46.22	83.54	-37.32	43.93	1	Horizontal	272	1.55	-	37.95	13.95	49.61
AV	19.0317G	35.11	63.54	-28.43	32.81	1	Horizontal	272	1.55	-	37.96	13.95	49.61


802.11ax HEW160_Nss1,(MCS0)_1TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_1TX
 Setting 84
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.819G	60.85	88.20	-27.35	52.63	3	Vertical	311	2.68	-	34.55	6.60	32.93
RMS	5.9226G	50.84	68.20	-17.36	42.19	3	Vertical	311	2.68	-	34.99	6.60	32.94
PK	6.4826G	101.03	Inf	-Inf	91.45	3	Vertical	311	2.68	-	35.53	7.00	32.95
RMS	6.4826G	89.33	Inf	-Inf	79.75	3	Vertical	311	2.68	-	35.53	7.00	32.95
PK	7.1294G	63.15	88.20	-25.05	52.31	3	Vertical	311	2.68	-	36.74	7.24	33.14
RMS	7.1742G	53.45	68.20	-14.75	42.37	3	Vertical	311	2.68	-	37.00	7.21	33.13

802.11ax HEW160_Nss1,(MCS0)_1TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
 Setting 84
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8862G	62.05	88.20	-26.15	53.52	3	Horizontal	286	2.40	-	34.87	6.60	32.94
RMS	5.925G	51.48	68.20	-16.72	42.82	3	Horizontal	286	2.40	-	35.00	6.60	32.94
PK	6.4854G	107.89	Inf	-Inf	98.30	3	Horizontal	286	2.40	-	35.54	7.00	32.95
RMS	6.4826G	97.50	Inf	-Inf	87.92	3	Horizontal	286	2.40	-	35.53	7.00	32.95
PK	7.1434G	63.52	88.20	-24.68	52.58	3	Horizontal	286	2.40	-	36.85	7.23	33.14
RMS	7.1742G	53.50	68.20	-14.70	42.42	3	Horizontal	286	2.40	-	37.00	7.21	33.13

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 84
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01G	58.17	88.20	-30.03	40.72	3	Vertical	142	2.54	-	39.61	9.45	31.61
RMS	13.00514G	47.66	68.20	-20.54	30.21	3	Vertical	142	2.54	-	39.61	9.45	31.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




18/04/2022

EUT_X_1TX
Setting 84
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00538G	59.08	88.20	-29.12	41.63	3	Horizontal	64	1.83	-	39.61	9.45	31.61
RMS	13.00522G	47.85	68.20	-20.35	30.40	3	Horizontal	64	1.83	-	39.61	9.45	31.61

802.11ax HEW160_Nss1,(MCS0)_1TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_1TX
 Setting 84
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5144G	46.60	83.54	-36.94	44.43	1	Vertical	341	1.54	-	37.89	13.98	49.70
AV	19.5122G	36.36	63.54	-27.18	34.18	1	Vertical	341	1.54	-	37.90	13.98	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




18/04/2022

EUT X_1TX
Setting 84
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51642G	46.66	83.54	-36.88	44.49	1	Horizontal	37	1.53	-	37.89	13.98	49.70
AV	19.51038G	36.33	63.54	-27.21	34.15	1	Horizontal	37	1.53	-	37.90	13.98	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT X_1TX
Setting 97
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6364G	104.98	Inf	-Inf	95.03	3	Vertical	274	1.01	-	35.97	7.00	33.02
RMS	6.6408G	95.23	Inf	-Inf	85.27	3	Vertical	274	1.01	-	35.98	7.00	33.02
PK	7.149G	65.15	88.20	-23.05	54.17	3	Vertical	274	1.01	-	36.89	7.23	33.14
RMS	7.1314G	54.63	68.20	-13.57	43.79	3	Vertical	274	1.01	-	36.75	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 97
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6034G	109.71	Inf	-Inf	99.80	3	Horizontal	283	2.39	-	35.91	7.00	33.00
RMS	6.6408G	99.72	Inf	-Inf	89.76	3	Horizontal	283	2.39	-	35.98	7.00	33.02
PK	7.127G	67.25	88.20	-20.95	56.43	3	Horizontal	283	2.39	-	36.72	7.24	33.14
RMS	7.1314G	56.37	68.20	-11.83	45.53	3	Horizontal	283	2.39	-	36.75	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 97
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33052G	58.90	74.00	-15.10	40.44	3	Vertical	288	1.17	-	40.06	9.60	31.20
AV	13.32756G	48.63	54.00	-5.37	30.18	3	Vertical	288	1.17	-	40.06	9.60	31.21

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 97
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3262G	59.10	74.00	-14.90	40.66	3	Horizontal	39	2.95	-	40.05	9.60	31.21
AV	13.32628G	48.67	54.00	-5.33	30.23	3	Horizontal	39	2.95	-	40.05	9.60	31.21

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT X_1TX
Setting 97
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99704G	46.63	83.54	-36.91	44.93	1	Vertical	359	1.57	-	37.40	14.00	49.70
AV	19.9944G	36.12	63.54	-27.42	34.41	1	Vertical	359	1.57	-	37.41	14.00	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT X_1TX
Setting 97
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99688G	46.47	83.54	-37.07	44.77	1	Horizontal	58	1.50	-	37.40	14.00	49.70
AV	19.99694G	36.32	63.54	-27.22	34.62	1	Horizontal	58	1.50	-	37.40	14.00	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 97
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7946G	101.83	Inf	-Inf	91.72	3	Vertical	10	2.27	-	36.20	7.00	33.09
RMS	6.7962G	90.95	Inf	-Inf	80.84	3	Vertical	10	2.27	-	36.20	7.00	33.09
PK	7.1898G	66.66	88.20	-21.54	55.51	3	Vertical	10	2.27	-	37.06	7.21	33.12
RMS	7.129G	56.04	68.20	-12.16	45.21	3	Vertical	10	2.27	-	36.73	7.24	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
Setting 97
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8106G	108.27	Inf	-Inf	98.07	3	Horizontal	286	2.39	-	36.28	7.02	33.10
RMS	6.801G	98.21	Inf	-Inf	88.09	3	Horizontal	286	2.39	-	36.21	7.00	33.09
PK	7.1354G	71.88	88.20	-16.32	61.01	3	Horizontal	286	2.39	-	36.78	7.23	33.14
RMS	7.1258G	61.11	68.20	-7.09	50.30	3	Horizontal	286	2.39	-	36.71	7.24	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
 Setting 97
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65082G	62.13	88.20	-26.07	43.08	3	Vertical	75	1.08	-	40.40	9.74	31.09
RMS	13.65296G	51.60	68.20	-16.60	32.54	3	Vertical	75	1.08	-	40.41	9.74	31.09

802.11ax HEW160_Nss1,(MCS0)_1TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
Setting 97
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6471G	62.53	88.20	-25.67	43.49	3	Horizontal	232	1.97	-	40.39	9.74	31.09
RMS	13.64786G	51.66	68.20	-16.54	32.61	3	Horizontal	232	1.97	-	40.40	9.74	31.09


802.11ax HEW160_Nss1,(MCS0)_1TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_1TX
 Setting 97
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47426G	45.96	83.54	-37.58	43.80	1	Vertical	324	1.58	-	37.69	14.36	49.89
AV	20.47466G	35.61	63.54	-27.93	33.45	1	Vertical	324	1.58	-	37.69	14.36	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_1TX
 Setting 97
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4725G	46.25	83.54	-37.29	44.10	1	Horizontal	239	1.57	-	37.69	14.35	49.89
AV	20.47194G	35.88	63.54	-27.66	33.73	1	Horizontal	239	1.57	-	37.69	14.35	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 77
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.933G	100.42	Inf	-Inf	89.98	3	Vertical	39	2.35	-	36.40	7.20	33.16
RMS	7.013G	90.09	Inf	-Inf	79.61	3	Vertical	39	2.35	-	36.38	7.29	33.19
PK	7.132G	75.67	88.20	-12.53	64.82	3	Vertical	39	2.35	-	36.76	7.23	33.14
RMS	7.128G	64.35	68.20	-3.85	53.53	3	Vertical	39	2.35	-	36.72	7.24	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 77
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.01G	105.76	Inf	-Inf	95.30	3	Horizontal	286	2.08	-	36.36	7.29	33.19
RMS	7.013G	96.22	Inf	-Inf	85.74	3	Horizontal	286	2.08	-	36.38	7.29	33.19
PK	7.132G	81.61	88.20	-6.59	70.76	3	Horizontal	286	2.08	-	36.76	7.23	33.14
RMS	7.131G	67.80	68.20	-0.40	56.96	3	Horizontal	286	2.08	-	36.75	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 77
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97292G	63.74	88.20	-24.46	44.26	3	Vertical	246	1.86	-	40.90	9.89	31.31
RMS	13.97234G	52.65	68.20	-15.55	33.17	3	Vertical	246	1.86	-	40.90	9.89	31.31

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT X_1TX
Setting 77
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97488G	63.13	88.20	-25.07	43.65	3	Horizontal	288	2.28	-	40.90	9.89	31.31
RMS	13.9719G	52.89	68.20	-15.31	33.41	3	Horizontal	288	2.28	-	40.90	9.89	31.31

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT X_1TX
Setting 77
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95432G	46.77	83.54	-36.77	44.10	1	Vertical	33	1.53	-	37.67	14.72	49.72
AV	20.95438G	35.54	63.54	-28.00	32.87	1	Vertical	33	1.53	-	37.67	14.72	49.72

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom



EUT X_1TX
Setting 77
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9582G	46.23	83.54	-37.31	43.56	1	Horizontal	156	1.56	-	37.67	14.72	49.72
AV	20.95986G	35.39	63.54	-28.15	32.73	1	Horizontal	156	1.56	-	37.66	14.72	49.72

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TnomVnom

13/04/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9574G	-6.61	5.972G	-38.05	-30.33	-7.72	1
5.9573G	-5.60	5.9723G	-37.07	-28.18	-8.89	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6175MHz_TnomVnom

13/04/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1763G	-6.93	6.1605G	-36.10	-27.02	-9.08	1
6.1723G	-5.57	6.1574G	-36.99	-29.12	-7.87	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

13/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

13/04/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

13/04/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4712G	-6.76	6.4603G	-36.12	-26.84	-9.28	1
6.4723G	-4.97	6.4577G	-36.44	-27.95	-8.49	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

13/04/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5171G	-6.86	6.5006G	-36.03	-28.41	-7.62	1
6.5124G	-5.05	6.4977G	-36.22	-28.10	-8.12	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

13/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

13/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

13/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

13/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

13/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

13/04/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

13/04/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0925G	-7.03	7.1115G	-38.19	-30.14	-8.05	1
7.0963G	-5.51	7.1118G	-36.05	-27.73	-8.32	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7115MHz_TnomVnom

13/04/2022

CF Freq
7.115GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.1125G	-11.50	7.1012G	-40.73	-32.30	-8.43	1
7.1115G	-10.23	7.1318G	-41.48	-32.29	-9.19	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TnomVnom

13/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6165MHz_TnomVnom

13/04/2022



802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

13/04/2022

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39701G	-5.70	6.375G	-36.13	-28.25	-7.88	1
6.39241G	-4.61	6.3726G	-35.97	-28.42	-7.55	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

13/04/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4408G	-5.11	6.4152G	-35.44	-27.16	-8.28	1
6.43761G	-4.24	6.4126G	-35.68	-28.20	-7.48	2

802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

13/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

13/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

13/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

13/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TnomVnom

13/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

13/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6925MHz_TnomVnom

13/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7005MHz_TnomVnom

13/04/2022



802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7085MHz_TnomVnom

13/04/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07641G	-3.91	7.056G	-34.51	-26.16	-8.35	1
7.09639G	-3.52	7.052G	-34.51	-28.15	-6.36	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TnomVnom

13/04/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97741G	-2.60	6.0274G	-29.88	-22.61	-7.27	1
5.99699G	-2.09	6.0422G	-33.07	-24.78	-8.29	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TnomVnom

13/04/2022

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15659G	-2.61	6.2074G	-34.79	-26.03	-8.76	1
6.15739G	-2.19	6.1018G	-30.40	-22.25	-8.15	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TnomVnom

13/04/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37061G	-2.52	6.3278G	-33.08	-24.90	-8.18	1
6.37221G	-2.43	6.3274G	-32.89	-25.09	-7.80	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6465MHz_TnomVnom

13/04/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45101G	-1.49	6.421G	-29.86	-21.51	-8.35	1
6.45221G	-0.78	6.4218G	-28.74	-20.83	-7.91	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

13/04/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53661G	-2.27	6.5026G	-29.96	-22.28	-7.68	1
6.53181G	-1.67	6.5018G	-30.22	-21.72	-8.50	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TnomVnom

13/04/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63739G	-2.81	6.5822G	-30.41	-22.84	-7.57	1
6.61221G	-2.71	6.5674G	-33.76	-25.34	-8.42	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TnomVnom

13/04/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69181G	-1.71	6.6622G	-29.57	-21.73	-7.84	1
6.69221G	-1.86	6.6422G	-34.85	-25.47	-9.38	2

802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TnomVnom

13/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

13/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6945MHz_TnomVnom

13/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

7025MHz_TnomVnom

13/04/2022



802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TnomVnom

13/04/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05217G	0.97	6.241G	-40.74	-34.47	-6.27	1
6.05217G	1.18	6.2386G	-40.18	-33.82	-6.36	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TnomVnom

13/04/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15703G	0.65	5.941G	-45.69	-38.87	-6.82	1
6.15703G	0.59	6.445G	-47.52	-39.41	-8.11	2

802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TnomVnom

13/04/2022




802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

13/04/2022




802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TnomVnom

13/04/2022




802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

13/04/2022




802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6985MHz_TnomVnom

13/04/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96182G	0.98	6.6234G	-44.53	-38.93	-5.60	1
6.96182G	0.32	6.6114G	-45.60	-39.68	-5.92	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TnomVnom

13/04/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957G	-8.84	5.9695G	-38.36	-30.32	-8.04	1
5.9574G	-7.82	5.972G	-39.07	-31.19	-7.88	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6175MHz_TnomVnom

13/04/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1761G	-8.77	6.1606G	-38.06	-28.87	-9.19	1
6.1723G	-7.95	6.1578G	-39.07	-31.30	-7.77	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

13/04/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

13/04/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0924G	-7.09	7.1098G	-36.79	-27.38	-9.41	1
7.0965G	-5.59	7.112G	-36.12	-29.23	-6.89	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TnomVnom

13/04/2022

CF Freq
7.115GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.1125G	-11.77	7.0999G	-41.93	-33.16	-8.77	1
7.1115G	-10.56	7.1317G	-41.52	-33.93	-7.59	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TnomVnom

13/04/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9612G	-5.26	5.9972G	-36.71	-28.79	-7.92	1
5.9674G	-4.21	5.9976G	-35.61	-28.40	-7.21	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6165MHz_TnomVnom

13/04/2022

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1614G	-5.45	6.1322G	-37.14	-29.16	-7.98	1
6.15721G	-5.03	6.1324G	-36.79	-29.49	-7.30	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

13/04/2022



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

13/04/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5674G	-5.15	6.5318G	-37.55	-29.27	-8.28	1
6.55721G	-4.16	6.5322G	-36.20	-28.00	-8.20	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

13/04/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6812G	-6.16	6.7174G	-37.83	-30.07	-7.76	1
6.67741G	-5.50	6.6526G	-37.62	-29.34	-8.28	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6145MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

13/04/2022



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TnomVnom

13/04/2022

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93341G	-2.55	6.8186G	-50.33	-42.55	-7.78	1
6.93661G	-2.33	6.9018G	-30.50	-22.38	-8.12	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TnomVnom

13/04/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01141G	-2.05	6.9022G	-49.64	-41.90	-7.74	1
7.01181G	-1.79	6.9818G	-29.71	-21.79	-7.92	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TnomVnom

13/04/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05137G	1.82	6.381G	-46.01	-37.71	-8.30	1
6.05217G	1.66	6.4154G	-47.66	-38.34	-9.32	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TnomVnom

13/04/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16182G	1.39	6.4826G	-46.61	-38.61	-8.00	1
6.15703G	1.42	6.5738G	-48.92	-38.28	-10.64	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TnomVnom

13/04/2022

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31943G	0.44	6.0962G	-45.22	-39.56	-5.66	1
6.31703G	0.54	6.0506G	-46.62	-39.45	-7.17	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

13/04/2022

CF Freq
6.505GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47783G	0.52	6.2594G	-44.02	-39.07	-4.95	1
6.47703G	0.58	6.237G	-45.92	-39.42	-6.50	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TnomVnom

13/04/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

13/04/2022



802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TnomVnom

13/04/2022

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96022G	1.32	6.585G	-45.10	-34.68	-10.42	1
6.96182G	0.52	6.6114G	-45.06	-39.44	-5.62	2

802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TnomVnom

05/04/2022

CF Freq
5.955GHz


Span
100MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9561G	-0.81	5.9188G	-48.34	-40.79	-7.55	1

802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6175MHz_TnomVnom

05/04/2022

CF Freq
6.175GHz


Span
100MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1712G	-0.75	6.1394G	-48.93	-40.75	-8.18	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6415MHz_TnomVnom

MASK


05/04/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6435MHz_TnomVnom

MASK

05/04/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6475MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.475GHz


Span
100MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4713G	-0.54	6.4404G	-48.36	-40.54	-7.82	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6515MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.515GHz


Span
100MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5162G	-0.80	6.481G	-48.53	-40.80	-7.73	1

802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TnomVnom

05/04/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TnomVnom

05/04/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6855MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.855GHz


Span
100MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8576G	-0.79	6.894G	-48.49	-40.79	-7.70	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.875GHz


Span
100MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.873G	-0.68	6.9098G	-47.97	-40.68	-7.29	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6895MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.895GHz


Span
100MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8938G	-0.49	6.9292G	-47.88	-40.49	-7.39	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6995MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.995GHz


Span
100MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9926G	-0.72	6.954G	-48.09	-40.72	-7.37	1

802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TnomVnom

05/04/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7115MHz_TnomVnom

19/04/2022



802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TnomVnom

05/04/2022

CF Freq
5.965GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97079G	-0.84	5.903G	-47.09	-40.78	-6.31	1

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6165MHz_TnomVnom

05/04/2022

CF Freq
6.165GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15741G	-0.75	6.102G	-47.56	-40.75	-6.81	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6405MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.405GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41G	-0.84	6.3426G	-47.29	-40.84	-6.45	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6445MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.445GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4414G	-0.77	6.3828G	-47.50	-40.77	-6.73	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6485MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.485GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47721G	-0.70	6.4224G	-47.39	-40.70	-6.69	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.525GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51941G	-0.62	6.4626G	-47.40	-40.62	-6.78	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6565MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.565GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5624G	-0.59	6.6274G	-47.49	-40.59	-6.90	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6685MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.685GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.689G	-0.73	6.747G	-47.24	-40.73	-6.51	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6845MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.845GHz


Span
200MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83901G	-0.67	6.7828G	-47.06	-40.67	-6.39	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.885GHz


Span
200MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89119G	-0.75	6.9474G	-46.86	-40.75	-6.11	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6925MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.925GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91861G	-0.73	6.9902G	-46.84	-40.73	-6.11	1

802.11ax HEW40_Nss1,(MCS0)_1TX
7005MHz_TnomVnom

MASK

05/04/2022

CF Freq
7.005GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99981G	-0.88	6.9424G	-46.71	-40.88	-5.83	1

802.11ax HEW40_Nss1,(MCS0)_1TX
7085MHz_TnomVnom

MASK


05/04/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
5985MHz_TnomVnom

MASK

19/04/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
6145MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13621G	-0.83	6.0154G	-46.14	-40.83	-5.31	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6385MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.385GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35383G	-0.88	6.2574G	-45.91	-40.88	-5.03	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6465MHz_TnomVnom

MASK


05/04/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz_TnomVnom

MASK

05/04/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
6625MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63619G	-0.63	6.7574G	-44.89	-40.63	-4.26	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6705MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69381G	-0.74	6.8482G	-45.11	-40.74	-4.37	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6785MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77221G	-0.69	6.927G	-44.87	-40.69	-4.18	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz_TnomVnom

MASK

05/04/2022

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85261G	-0.75	6.941G	-29.46	-20.83	-8.63	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6945MHz_TnomVnom

MASK


05/04/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
7025MHz_TnomVnom

MASK

05/04/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TnomVnom

19/04/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TnomVnom

05/04/2022



802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TnomVnom

05/04/2022

CF Freq
6.345GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31623G	-2.22	6.1882G	-30.04	-22.25	-7.79	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6505MHz_TnomVnom

05/04/2022

CF Freq
6.505GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48022G	-2.77	6.6626G	-30.71	-22.86	-7.85	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TnomVnom

05/04/2022

CF Freq
6.665GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64022G	-0.42	6.8666G	-28.13	-20.43	-7.70	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6825MHz_TnomVnom

05/04/2022

CF Freq
6.825GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80022G	-1.01	6.6226G	-27.30	-21.03	-6.27	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6985MHz_TnomVnom

19/04/2022

CF Freq
6.985GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95783G	-3.56	6.809G	-33.60	-23.98	-9.62	1

Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-65	Stop Transmission	9	90	90	PASS
						-66	Stop & with Beacon	-			
						-82	Start Transmission	-			
6	101	20	6455	Center	6455	-64	Stop Transmission	10	100	90	PASS
						-65	Stop & with Beacon	-			
						-82	Start Transmission	-			
7	149	20	6695	Center	6695	-63	Stop Transmission	9	90	90	PASS
						-64	Stop & with Beacon	-			
						-82	Start Transmission	-			
8	213	20	7015	Center	7015	-62	Stop Transmission	10	100	90	PASS
						-63	Stop & with Beacon	-			
						-82	Start Transmission	-			

Note:

1. EUT antenna gain = UNII 5=5.85 / UNII 6=5.08 / UNII 7=5.08 / UNII 8=4.70 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)	AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result	
5	47	160	6185	Low edge	6110	-69.00	Stop Transmission	9	90	90	PASS
						-70.00	Stop & with Beacon				
						-82.00	Start Transmission				
				Center	6185	-68.00	Stop Transmission	9	90	90	PASS
						-69.00	Stop & with Beacon				
						-82.00	Start Transmission				
				High edge	6260	-69.00	Stop Transmission	10	100	90	PASS
						-70.00	Stop & with Beacon				
						-82.00	Start Transmission				
6	111	160	6505	Low edge	6430	-69.00	Stop Transmission	10	100	90	PASS
						-70.00	Stop & with Beacon				
						-82.00	Start Transmission				
				Center	6505	-66.00	Stop Transmission	9	90	90	PASS
						-67.00	Stop & with Beacon				
						-82.00	Start Transmission				
				High edge	6580	-68.00	Stop Transmission	9	90	90	PASS
						-69.00	Stop & with Beacon				
						-82.00	Start Transmission				
7	143	160	6665	Low edge	6590	-68.00	Stop Transmission	10	100	90	PASS
						-69.00	Stop & with Beacon				
						-82.00	Start Transmission				
				Center	6665	-66.00	Stop Transmission	9	90	90	PASS
						-69.00	Stop & with Beacon				
						-82.00	Start Transmission				
				High edge	6740	-69.00	Stop Transmission	9	90	90	PASS
						-70.00	Stop & with Beacon				
						-82.00	Start Transmission				
8	207	160	6985	Low edge	6910	-65.00	Stop Transmission	9	90	90	PASS
						-66.00	Stop & with Beacon				
						-82.00	Start Transmission				
				Center	6985	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon				
						-82.00	Start Transmission				
				High edge	7060	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon				
						-82.00	Start Transmission				


Note:

1. EUT antenna gain = UNII 5=5.85 / UNII 6=5.08 / UNII 7=5.08 / UNII 8=4.70 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz



Date: 20 JUN.2022 05:10:51

Frequency (MHz): 6455 MHz



Date: 20 JUN.2022 05:11:13

