

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	13.30	0.02138	18.90	0.07762
802.11ax HEW40_Nss1,(MCS0)_1TX	16.10	0.04074	21.70	0.14791
802.11ax HEW80_Nss1,(MCS0)_1TX	18.60	0.07244	24.20	0.26303
802.11ax HEW160_Nss1,(MCS0)_1TX	20.76	0.11912	26.36	0.43251
6.425-6.525GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	13.49	0.02234	18.99	0.07925
802.11ax HEW40_Nss1,(MCS0)_1TX	16.24	0.04207	21.74	0.14928
802.11ax HEW80_Nss1,(MCS0)_1TX	18.73	0.07464	24.23	0.26485
802.11ax HEW160_Nss1,(MCS0)_1TX	19.06	0.08054	24.56	0.28576
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	13.43	0.02203	18.93	0.07816
802.11ax HEW40_Nss1,(MCS0)_1TX	16.18	0.04150	21.68	0.14723
802.11ax HEW80_Nss1,(MCS0)_1TX	18.94	0.07834	24.44	0.27797
802.11ax HEW160_Nss1,(MCS0)_1TX	21.24	0.13305	26.74	0.47206
6.875-7.125GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	13.53	0.02254	19.13	0.08185
802.11ax HEW40_Nss1,(MCS0)_1TX	16.24	0.04207	21.84	0.15276
802.11ax HEW80_Nss1,(MCS0)_1TX	19.01	0.07962	24.61	0.28907
802.11ax HEW160_Nss1,(MCS0)_1TX	18.37	0.06871	23.97	0.24946



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	5.60	13.07	13.07	18.67	30.00
6175MHz	Pass	5.60	13.10	13.10	18.70	30.00
6415MHz	Pass	5.60	13.30	13.30	18.90	30.00
6435MHz	Pass	5.50	13.49	13.49	18.99	30.00
6475MHz	Pass	5.50	13.28	13.28	18.78	30.00
6515MHz	Pass	5.50	13.13	13.13	18.63	30.00
6535MHz	Pass	5.50	13.15	13.15	18.65	30.00
6695MHz	Pass	5.50	13.43	13.43	18.93	30.00
6855MHz	Pass	5.50	13.25	13.25	18.75	30.00
6875MHz	Pass	5.50	13.29	13.29	18.79	30.00
6895MHz	Pass	5.60	13.53	13.53	19.13	30.00
6995MHz	Pass	5.60	13.20	13.20	18.80	30.00
7095MHz	Pass	5.60	12.86	12.86	18.46	30.00
7115MHz	Pass	5.60	5.90	5.90	11.50	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	5.60	16.10	16.10	21.70	30.00
6165MHz	Pass	5.60	15.99	15.99	21.59	30.00
6405MHz	Pass	5.60	15.97	15.97	21.57	30.00
6445MHz	Pass	5.50	15.91	15.91	21.41	30.00
6485MHz	Pass	5.50	16.06	16.06	21.56	30.00
6525MHz	Pass	5.50	16.24	16.24	21.74	30.00
6565MHz	Pass	5.50	16.18	16.18	21.68	30.00
6685MHz	Pass	5.50	16.08	16.08	21.58	30.00
6845MHz	Pass	5.50	16.18	16.18	21.68	30.00
6885MHz	Pass	5.50	16.01	16.01	21.51	30.00
6925MHz	Pass	5.60	16.24	16.24	21.84	30.00
7005MHz	Pass	5.60	16.03	16.03	21.63	30.00
7085MHz	Pass	5.60	16.09	16.09	21.69	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	5.60	17.82	17.82	23.42	30.00
6145MHz	Pass	5.60	18.60	18.60	24.20	30.00
6385MHz	Pass	5.60	18.46	18.46	24.06	30.00
6465MHz	Pass	5.50	18.69	18.69	24.19	30.00
6545MHz	Pass	5.50	18.73	18.73	24.23	30.00
6625MHz	Pass	5.50	18.94	18.94	24.44	30.00
6705MHz	Pass	5.50	18.86	18.86	24.36	30.00
6785MHz	Pass	5.50	18.76	18.76	24.26	30.00
6865MHz	Pass	5.50	18.90	18.90	24.40	30.00
6945MHz	Pass	5.60	19.01	19.01	24.61	30.00
7025MHz	Pass	5.60	18.95	18.95	24.55	30.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	5.60	18.29	18.29	23.89	30.00
6185MHz	Pass	5.60	20.76	20.76	26.36	30.00
6345MHz	Pass	5.60	19.52	19.52	25.12	30.00
6505MHz	Pass	5.50	19.06	19.06	24.56	30.00
6665MHz	Pass	5.50	21.24	21.24	26.74	30.00
6825MHz	Pass	5.50	21.11	21.11	26.61	30.00
6985MHz	Pass	5.60	18.37	18.37	23.97	30.00

DG = Directional Gain; Port X = Port X output power

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.74
802.11ax HEW40_Nss1,(MCS0)_2TX	4.98
802.11ax HEW80_Nss1,(MCS0)_2TX	4.93
802.11ax HEW160_Nss1,(MCS0)_2TX	4.99
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.85
802.11ax HEW40_Nss1,(MCS0)_2TX	4.96
802.11ax HEW80_Nss1,(MCS0)_2TX	4.95
802.11ax HEW160_Nss1,(MCS0)_2TX	4.79
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.83
802.11ax HEW40_Nss1,(MCS0)_2TX	4.97
802.11ax HEW80_Nss1,(MCS0)_2TX	4.97
802.11ax HEW160_Nss1,(MCS0)_2TX	4.97
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.99
802.11ax HEW40_Nss1,(MCS0)_2TX	4.94
802.11ax HEW80_Nss1,(MCS0)_2TX	4.95
802.11ax HEW160_Nss1,(MCS0)_2TX	4.83


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;






Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.58	5.00
6175MHz	Pass	4.74	5.00
6415MHz	Pass	4.60	5.00
6435MHz	Pass	4.85	5.00
6475MHz	Pass	4.53	5.00
6515MHz	Pass	4.63	5.00
6535MHz	Pass	4.78	5.00
6695MHz	Pass	4.66	5.00
6855MHz	Pass	4.69	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.83	5.00
6895MHz	Pass	4.99	5.00
6995MHz	Pass	4.66	5.00
7095MHz	Pass	4.58	5.00
7115MHz	Pass	-0.58	5.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.91	5.00
6165MHz	Pass	4.98	5.00
6405MHz	Pass	4.97	5.00
6445MHz	Pass	4.84	5.00
6485MHz	Pass	4.89	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.96	5.00
6565MHz	Pass	4.97	5.00
6685MHz	Pass	4.85	5.00
6845MHz	Pass	4.86	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.78	5.00
6925MHz	Pass	4.94	5.00
7005MHz	Pass	4.92	5.00
7085MHz	Pass	4.80	5.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.79	5.00
6145MHz	Pass	4.84	5.00
6385MHz	Pass	4.93	5.00
6465MHz	Pass	4.95	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.88	5.00
6625MHz	Pass	4.79	5.00
6705MHz	Pass	4.96	5.00
6785MHz	Pass	4.92	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.97	5.00
6945MHz	Pass	4.95	5.00
7025MHz	Pass	4.81	5.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.78	5.00
6185MHz	Pass	4.99	5.00
6345MHz	Pass	4.92	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.79	5.00
6665MHz	Pass	4.97	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.92	5.00
6985MHz	Pass	4.83	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmit port summing can be performed maximum power density; Port X = Port X Power Density;










































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.99
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.95
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.99
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.99
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.81
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.91
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.98
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.96
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.99
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.99
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.99
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.91
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.86
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.94
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.90
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.91



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;






Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.99	5.00
6175MHz	Pass	4.53	5.00
6415MHz	Pass	4.76	5.00
6435MHz	Pass	4.70	5.00
6475MHz	Pass	4.81	5.00
6515MHz	Pass	4.75	5.00
6535MHz	Pass	4.99	5.00
6695MHz	Pass	4.88	5.00
6855MHz	Pass	4.98	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.77	5.00
6895MHz	Pass	4.69	5.00
6995MHz	Pass	4.86	5.00
7095MHz	Pass	4.65	5.00
7115MHz	Pass	-0.16	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.86	5.00
6165MHz	Pass	4.92	5.00
6405MHz	Pass	4.95	5.00
6445MHz	Pass	4.91	5.00
6485MHz	Pass	4.86	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.71	5.00
6565MHz	Pass	4.99	5.00
6685MHz	Pass	4.73	5.00
6845MHz	Pass	4.73	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.89	5.00
6925MHz	Pass	4.90	5.00
7005MHz	Pass	4.94	5.00
7085MHz	Pass	4.81	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.80	5.00
6145MHz	Pass	4.99	5.00
6385MHz	Pass	4.82	5.00
6465MHz	Pass	4.98	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.85	5.00
6625MHz	Pass	4.99	5.00
6705MHz	Pass	4.79	5.00
6785MHz	Pass	4.99	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.96	5.00
6945MHz	Pass	4.90	5.00
7025MHz	Pass	4.73	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.99	5.00
6185MHz	Pass	4.91	5.00
6345MHz	Pass	4.84	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.96	5.00
6665MHz	Pass	4.91	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.88	5.00
6985MHz	Pass	4.91	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmit port summing can be performed maximum power density; Port X = Port X Power Density;














































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-0.64	4.96
802.11ax HEW40_Nss1,(MCS0)_1TX	-0.74	4.86
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.63	4.97
802.11ax HEW160_Nss1,(MCS0)_1TX	-0.78	4.82
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-0.53	4.97
802.11ax HEW40_Nss1,(MCS0)_1TX	-0.58	4.92
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.53	4.97
802.11ax HEW160_Nss1,(MCS0)_1TX	-2.67	2.83
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-0.60	4.90
802.11ax HEW40_Nss1,(MCS0)_1TX	-0.63	4.87
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.55	4.95
802.11ax HEW160_Nss1,(MCS0)_1TX	-0.60	4.90
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-0.65	4.95
802.11ax HEW40_Nss1,(MCS0)_1TX	-0.62	4.98
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.64	4.96
802.11ax HEW160_Nss1,(MCS0)_1TX	-3.34	2.26

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	5.60	-0.77	-0.77	4.83	5.00
6175MHz	Pass	5.60	-0.74	-0.74	4.86	5.00
6415MHz	Pass	5.60	-0.64	-0.64	4.96	5.00
6435MHz	Pass	5.50	-0.53	-0.53	4.97	5.00
6475MHz	Pass	5.50	-0.65	-0.65	4.85	5.00
6515MHz	Pass	5.50	-0.69	-0.69	4.81	5.00
6535MHz	Pass	5.50	-0.66	-0.66	4.84	5.00
6695MHz	Pass	5.50	-0.60	-0.60	4.90	5.00
6855MHz	Pass	5.50	-0.71	-0.71	4.79	5.00
6875MHz	Pass	5.50	-0.64	-0.64	4.86	5.00
6895MHz	Pass	5.60	-0.65	-0.65	4.95	5.00
6995MHz	Pass	5.60	-0.70	-0.70	4.90	5.00
7095MHz	Pass	5.60	-0.81	-0.81	4.79	5.00
7115MHz	Pass	5.60	-6.55	-6.55	-0.95	5.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	5.60	-0.74	-0.74	4.86	5.00
6165MHz	Pass	5.60	-0.76	-0.76	4.84	5.00
6405MHz	Pass	5.60	-0.77	-0.77	4.83	5.00
6445MHz	Pass	5.50	-0.66	-0.66	4.84	5.00
6485MHz	Pass	5.50	-0.60	-0.60	4.90	5.00
6525MHz	Pass	5.50	-0.58	-0.58	4.92	5.00
6565MHz	Pass	5.50	-0.63	-0.63	4.87	5.00
6685MHz	Pass	5.50	-0.69	-0.69	4.81	5.00
6845MHz	Pass	5.50	-0.66	-0.66	4.84	5.00
6885MHz	Pass	5.50	-0.74	-0.74	4.76	5.00
6925MHz	Pass	5.60	-0.73	-0.73	4.87	5.00
7005MHz	Pass	5.60	-0.79	-0.79	4.81	5.00
7085MHz	Pass	5.60	-0.62	-0.62	4.98	5.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	5.60	-0.76	-0.76	4.84	5.00
6145MHz	Pass	5.60	-0.63	-0.63	4.97	5.00
6385MHz	Pass	5.60	-0.81	-0.81	4.79	5.00
6465MHz	Pass	5.50	-0.53	-0.53	4.97	5.00
6545MHz	Pass	5.50	-0.59	-0.59	4.91	5.00
6625MHz	Pass	5.50	-0.55	-0.55	4.95	5.00
6705MHz	Pass	5.50	-0.61	-0.61	4.89	5.00
6785MHz	Pass	5.50	-0.64	-0.64	4.86	5.00
6865MHz	Pass	5.50	-0.70	-0.70	4.80	5.00
6945MHz	Pass	5.60	-0.64	-0.64	4.96	5.00
7025MHz	Pass	5.60	-0.82	-0.82	4.78	5.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	5.60	-2.85	-2.85	2.75	5.00
6185MHz	Pass	5.60	-0.78	-0.78	4.82	5.00
6345MHz	Pass	5.60	-2.13	-2.13	3.47	5.00
6505MHz	Pass	5.50	-2.67	-2.67	2.83	5.00
6665MHz	Pass	5.50	-0.60	-0.60	4.90	5.00
6825MHz	Pass	5.50	-0.63	-0.63	4.87	5.00
6985MHz	Pass	5.60	-3.34	-3.34	2.26	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5955MHz

05/04/2022

CF
5.955GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.77	-0.77	-0.77


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6175MHz

05/04/2022

CF
6.175GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.74	-0.74	-0.74

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6415MHz

05/04/2022

CF
6.415GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.64	-0.64	-0.64

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6435MHz

05/04/2022

CF
6.435GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.53	-0.53	-0.53

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6475MHz

05/04/2022

CF
6.475GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.65	-0.65	-0.65

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6515MHz

05/04/2022

CF
6.515GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.69	-0.69	-0.69

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6535MHz

05/04/2022

CF
6.535GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.66	-0.66	-0.66

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6695MHz

05/04/2022

CF
6.695GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.60	-0.60	-0.60

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6855MHz

05/04/2022

CF
6.855GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.71	-0.71	-0.71

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6875MHz

05/04/2022

CF
6.875GHz


Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.64	-0.64	-0.64

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6895MHz

05/04/2022

CF
6.895GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.65	-0.65	-0.65

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6995MHz

05/04/2022

CF
6.995GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.70	-0.70	-0.70

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

7095MHz

05/04/2022

CF
7.095GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.81	-0.81	-0.81

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

7115MHz

19/04/2022

CF
7.115GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.55	-6.55	-6.55

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5965MHz

05/04/2022

CF
5.965GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.74	-0.74	-0.74

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6165MHz

05/04/2022

CF
6.165GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.76	-0.76	-0.76


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6405MHz

05/04/2022

CF
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.77	-0.77	-0.77


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6445MHz

05/04/2022

CF
6.445GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.66	-0.66	-0.66


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6485MHz

05/04/2022

CF
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.60	-0.60	-0.60

802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6525MHz

05/04/2022

CF
6.525GHz
Span
80MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.58	-0.58	-0.58


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6565MHz

05/04/2022

CF
6.565GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.63	-0.63	-0.63


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6685MHz

05/04/2022

CF
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.69	-0.69	-0.69


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6845MHz

05/04/2022

CF
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.66	-0.66	-0.66


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6885MHz

05/04/2022

CF
6.885GHz
Span
80MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.74	-0.74	-0.74

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6925MHz

05/04/2022

CF
6.925GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.73	-0.73	-0.73

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

7005MHz

05/04/2022

CF
7.005GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.79	-0.79	-0.79

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

7085MHz

05/04/2022

CF
7.085GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.62	-0.62	-0.62

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5985MHz

19/04/2022

CF
5.985GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.76	-0.76	-0.76

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6145MHz

05/04/2022

CF
6.145GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.63	-0.63	-0.63

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6385MHz

05/04/2022

CF
6.385GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.81	-0.81	-0.81


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6465MHz

05/04/2022

CF
6.465GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.53	-0.53	-0.53


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6545MHz

05/04/2022

CF
6.545GHz
Span
140MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.59	-0.59	-0.59

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6625MHz

05/04/2022

CF
6.625GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.55	-0.55	-0.55

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6705MHz

05/04/2022

CF
6.705GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.61	-0.61	-0.61


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6785MHz

05/04/2022

CF
6.785GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.64	-0.64	-0.64


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6865MHz

05/04/2022

CF
6.865GHz
Span
140MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.70	-0.70	-0.70


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6945MHz

05/04/2022

CF
6.945GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.64	-0.64	-0.64


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

7025MHz

05/04/2022

CF
7.025GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.82	-0.82	-0.82


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6025MHz

19/04/2022

CF
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.85	-2.85	-2.85


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6185MHz

05/04/2022

CF
6.185GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.78	-0.78	-0.78


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6345MHz

05/04/2022

CF
6.345GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.13	-2.13	-2.13


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6505MHz

05/04/2022

CF
6.505GHz
Span
260MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.67	-2.67	-2.67

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6665MHz

05/04/2022

CF
6.665GHz


Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.60	-0.60	-0.60

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6825MHz

05/04/2022

CF
6.825GHz


Span
260MHz


RBW
1MHz

VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.63	-0.63	-0.63






Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	55.22M	36.53	40.00	-3.47	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	44.55M	34.86	40.00	-5.14	-14.50	3	Vertical	360	1.00	-	49.36	16.22	0.99	31.71
QP	55.22M	36.53	40.00	-3.47	-18.02	3	Vertical	220	1.25	"Worst"	54.55	12.69	1.10	31.81
PK	81.41M	33.45	40.00	-6.55	-17.63	3	Vertical	288	1.50	-	51.08	12.89	1.40	31.92
PK	159.98M	34.60	43.50	-8.90	-14.21	3	Vertical	251	1.00	-	48.81	15.75	2.00	31.96
PK	722.58M	34.14	46.00	-11.86	-3.33	3	Vertical	360	1.00	-	37.47	24.76	4.59	32.68
PK	887.48M	33.90	46.00	-12.10	-1.27	3	Vertical	306	3.00	-	35.17	26.13	5.25	32.65

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30M	31.18	40.00	-8.82	-6.70	3	Horizontal	68	1.25	-	37.88	23.99	0.80	31.49
PK	53.28M	35.04	40.00	-4.96	-17.73	3	Horizontal	121	2.00	"Worst"	52.77	12.96	1.10	31.79
PK	82.38M	29.65	40.00	-10.35	-17.49	3	Horizontal	299	1.50	-	47.14	13.03	1.40	31.92
PK	159.98M	34.16	43.50	-9.34	-14.21	3	Horizontal	76	1.25	-	48.37	15.75	2.00	31.96
PK	739.07M	33.97	46.00	-12.03	-2.89	3	Horizontal	290	2.00	-	36.86	25.15	4.66	32.70
PK	777.87M	33.42	46.00	-12.58	-2.47	3	Horizontal	254	2.00	-	35.89	25.42	4.81	32.70



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	68.04	68.20	-0.16	3	Vertical	244	2.25	-


802.11ax HEW20_Nss1,(MCS0)_2TX
5955MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	60.07	88.20	-28.13	53.01	3	Vertical	52	2.37	-	35.05	5.36	33.35
RMS	5.9246G	49.70	68.20	-18.50	42.64	3	Vertical	52	2.37	-	35.05	5.36	33.35
PK	5.957G	110.32	Inf	-Inf	103.07	3	Vertical	52	2.37	-	35.23	5.38	33.36
RMS	5.9598G	99.85	Inf	-Inf	92.59	3	Vertical	52	2.37	-	35.24	5.38	33.36


802.11ax HEW20_Nss1,(MCS0)_2TX
5955MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8982G	58.92	88.20	-29.28	52.01	3	Horizontal	12	2.37	-	34.90	5.35	33.34
RMS	5.9242G	47.45	68.20	-20.75	40.39	3	Horizontal	12	2.37	-	35.05	5.36	33.35
PK	5.9466G	98.85	Inf	-Inf	91.66	3	Horizontal	12	2.37	-	35.18	5.37	33.36
RMS	5.949G	88.36	Inf	-Inf	81.16	3	Horizontal	12	2.37	-	35.19	5.37	33.36


802.11ax HEW20_Nss1,(MCS0)_2TX
5955MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90714G	56.94	74.00	-17.06	43.74	3	Vertical	346	1.63	-	39.18	8.93	34.91
AV	11.90756G	44.04	54.00	-9.96	30.83	3	Vertical	346	1.63	-	39.18	8.94	34.91
PK	17.8635G	61.95	74.00	-12.05	45.06	3	Vertical	196	1.99	-	41.89	9.75	34.75
AV	17.8687G	48.77	54.00	-5.23	31.86	3	Vertical	196	1.99	-	41.91	9.75	34.75


802.11ax HEW20_Nss1,(MCS0)_2TX
5955MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90838G	56.88	74.00	-17.12	43.69	3	Horizontal	16	1.34	-	39.17	8.94	34.92
AV	11.9075G	44.04	54.00	-9.96	30.83	3	Horizontal	16	1.34	-	39.18	8.94	34.91
PK	17.86162G	61.33	74.00	-12.67	44.45	3	Horizontal	20	1.13	-	41.88	9.75	34.75
AV	17.8693G	48.77	54.00	-5.23	31.86	3	Horizontal	20	1.13	-	41.91	9.75	34.75


802.11ax HEW20_Nss1,(MCS0)_2TX
6175MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	57.92	88.20	-30.28	51.02	3	Vertical	233	2.28	-	34.89	5.35	33.34
RMS	5.925G	47.23	68.20	-20.97	40.17	3	Vertical	233	2.28	-	35.05	5.36	33.35
PK	6.1666G	109.95	Inf	-Inf	102.15	3	Vertical	233	2.28	-	35.50	5.57	33.27
RMS	6.169G	99.48	Inf	-Inf	91.67	3	Vertical	233	2.28	-	35.51	5.57	33.27


802.11ax HEW20_Nss1,(MCS0)_2TX
6175MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8798G	57.92	88.20	-30.28	51.05	3	Horizontal	264	2.57	-	34.86	5.34	33.33
RMS	5.925G	47.07	68.20	-21.13	40.01	3	Horizontal	264	2.57	-	35.05	5.36	33.35
PK	6.1726G	100.84	Inf	-Inf	92.99	3	Horizontal	264	2.57	-	35.54	5.57	33.26
RMS	6.1702G	90.12	Inf	-Inf	82.29	3	Horizontal	264	2.57	-	35.52	5.57	33.26


802.11ax HEW20_Nss1,(MCS0)_2TX
6175MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3479G	55.84	74.00	-18.16	42.92	3	Vertical	306	1.81	-	38.84	8.93	34.85
AV	12.35456G	43.48	54.00	-10.52	30.53	3	Vertical	306	1.81	-	38.86	8.93	34.84

802.11ax HEW20_Nss1,(MCS0)_2TX
6175MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35022G	56.02	74.00	-17.98	43.08	3	Horizontal	143	2.04	-	38.85	8.93	34.84
AV	12.35078G	43.50	54.00	-10.50	30.56	3	Horizontal	143	2.04	-	38.85	8.93	34.84

802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TnomVnom



EUT_Z_2TX
 Setting 37
 04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52724G	57.60	83.54	-25.94	54.97	1	Vertical	165	1.53	-	37.79	14.91	50.07
AV	18.52584G	44.82	63.54	-18.72	42.19	1	Vertical	165	1.53	-	37.79	14.91	50.07


802.11ax HEW20_Nss1,(MCS0)_2TX
6175MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52518G	57.52	83.54	-26.02	54.89	1	Horizontal	141	1.57	-	37.79	14.91	50.07
AV	18.52694G	44.82	63.54	-18.72	42.19	1	Horizontal	141	1.57	-	37.79	14.91	50.07


**802.11ax HEW20_Nss1,(MCS0)_2TX
6415MHz_TnomVnom**



EUT_Z_2TX
Setting 37
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	57.64	88.20	-30.56	50.83	3	Vertical	219	2.43	-	34.80	5.33	33.32
RMS	5.925G	47.04	68.20	-21.16	39.98	3	Vertical	219	2.43	-	35.05	5.36	33.35
PK	6.4126G	109.08	Inf	-Inf	100.81	3	Vertical	219	2.43	-	35.67	5.70	33.10
RMS	6.4102G	97.67	Inf	-Inf	89.39	3	Vertical	219	2.43	-	35.68	5.70	33.10


802.11ax HEW20_Nss1,(MCS0)_2TX
6415MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8582G	57.47	88.20	-30.73	50.64	3	Horizontal	261	2.82	-	34.82	5.33	33.32
RMS	5.8222G	47.41	68.20	-20.79	40.78	3	Horizontal	261	2.82	-	34.63	5.31	33.31
PK	6.4102G	101.98	Inf	-Inf	93.70	3	Horizontal	261	2.82	-	35.68	5.70	33.10
RMS	6.4102G	89.50	Inf	-Inf	81.22	3	Horizontal	261	2.82	-	35.68	5.70	33.10


802.11ax HEW20_Nss1,(MCS0)_2TX
6415MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82632G	56.47	88.20	-31.73	42.94	3	Vertical	121	2.16	-	39.43	8.83	34.73
RMS	12.83468G	43.82	68.20	-24.38	30.29	3	Vertical	121	2.16	-	39.43	8.83	34.73


802.11ax HEW20_Nss1,(MCS0)_2TX
6415MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82566G	56.59	88.20	-31.61	43.06	3	Horizontal	16	2.85	-	39.43	8.83	34.73
RMS	12.82768G	43.83	68.20	-24.37	30.30	3	Horizontal	16	2.85	-	39.43	8.83	34.73


802.11ax HEW20_Nss1,(MCS0)_2TX
6415MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24886G	57.76	83.54	-25.78	54.51	1	Vertical	105	1.54	-	37.70	15.20	49.65
AV	19.24006G	45.45	63.54	-18.09	42.19	1	Vertical	105	1.54	-	37.71	15.20	49.65


802.11ax HEW20_Nss1,(MCS0)_2TX
6415MHz_TnomVnom



EUT_Z_2TX
Setting 37
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24088G	57.73	83.54	-25.81	54.47	1	Horizontal	94	1.54	-	37.71	15.20	49.65
AV	19.24006G	45.45	63.54	-18.09	42.19	1	Horizontal	94	1.54	-	37.71	15.20	49.65


802.11ax HEW20_Nss1,(MCS0)_2TX
6435MHz_TnomVnom



EUT_Z_2TX
Setting 38
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8292G	68.11	88.20	-20.09	61.43	3	Vertical	232	2.13	-	34.68	5.31	33.31
RMS	5.8318G	47.07	68.20	-21.13	40.37	3	Vertical	232	2.13	-	34.69	5.32	33.31
PK	6.4272G	108.52	Inf	-Inf	100.26	3	Vertical	232	2.13	-	35.65	5.70	33.09
RMS	6.4298G	97.10	Inf	-Inf	88.85	3	Vertical	232	2.13	-	35.64	5.70	33.09


802.11ax HEW20_Nss1,(MCS0)_2TX
6435MHz_TnomVnom



EUT_Z_2TX
Setting 38
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8916G	57.89	88.20	-30.31	51.00	3	Horizontal	225	2.31	-	34.88	5.35	33.34
RMS	5.925G	47.00	68.20	-21.20	39.94	3	Horizontal	225	2.31	-	35.05	5.36	33.35
PK	6.435G	102.02	Inf	-Inf	93.77	3	Horizontal	225	2.31	-	35.63	5.70	33.08
AV	6.4298G	93.12	Inf	-Inf	84.87	3	Horizontal	225	2.31	-	35.64	5.70	33.09


802.11ax HEW20_Nss1,(MCS0)_2TX
6435MHz_TnomVnom



EUT_Z_2TX
Setting 38
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8738G	57.07	88.20	-31.13	43.50	3	Vertical	277	1.32	-	39.47	8.83	34.73
RMS	12.87084G	44.61	68.20	-23.59	31.04	3	Vertical	277	1.32	-	39.47	8.83	34.73


802.11ax HEW20_Nss1,(MCS0)_2TX
6435MHz_TnomVnom



EUT_Z_2TX
Setting 38
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86816G	57.52	88.20	-30.68	43.95	3	Horizontal	219	2.74	-	39.47	8.83	34.73
RMS	12.86854G	44.67	68.20	-23.53	31.10	3	Horizontal	219	2.74	-	39.47	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_2TX
6435MHz_TnomVnom




EUT_Z_2TX
Setting 38
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30846G	58.13	83.54	-25.41	54.82	1	Vertical	258	1.54	-	37.75	15.22	49.66
AV	19.30012G	45.72	63.54	-17.82	42.42	1	Vertical	258	1.54	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TnomVnom



EUT_Z_2TX
 Setting 38
 04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30528G	58.50	83.54	-25.04	55.20	1	Horizontal	26	1.57	-	37.74	15.22	49.66
AV	19.3002G	45.72	63.54	-17.82	42.42	1	Horizontal	26	1.57	-	37.74	15.22	49.66


**802.11ax HEW20_Nss1,(MCS0)_2TX
6475MHz_TnomVnom**



EUT_Z_2TX
Setting 39
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	58.05	88.20	-30.15	51.03	3	Vertical	234	2.49	-	35.01	5.36	33.35
RMS	5.8254G	48.85	68.20	-19.35	42.20	3	Vertical	234	2.49	-	34.65	5.31	33.31
PK	6.4806G	109.96	Inf	-Inf	101.59	3	Vertical	234	2.49	-	35.72	5.70	33.05
RMS	6.4722G	97.91	Inf	-Inf	89.58	3	Vertical	234	2.49	-	35.69	5.70	33.06
PK	7.1554G	63.12	88.20	-25.08	53.50	3	Vertical	234	2.49	-	37.12	5.98	33.48
RMS	7.1666G	51.70	68.20	-16.50	42.04	3	Vertical	234	2.49	-	37.17	5.98	33.49


802.11ax HEW20_Nss1,(MCS0)_2TX
6475MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8086G	57.35	88.20	-30.85	50.80	3	Horizontal	260	2.66	-	34.55	5.30	33.30
RMS	5.8226G	47.21	68.20	-20.99	40.57	3	Horizontal	260	2.66	-	34.64	5.31	33.31
PK	6.4778G	100.83	Inf	-Inf	92.48	3	Horizontal	260	2.66	-	35.71	5.70	33.06
RMS	6.4722G	89.51	Inf	-Inf	81.18	3	Horizontal	260	2.66	-	35.69	5.70	33.06
PK	7.147G	62.08	88.20	-26.12	52.50	3	Horizontal	260	2.66	-	37.08	5.97	33.47
RMS	7.1722G	51.76	68.20	-16.44	42.08	3	Horizontal	260	2.66	-	37.19	5.99	33.50


802.11ax HEW20_Nss1,(MCS0)_2TX
6475MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94742G	56.47	88.20	-31.73	42.78	3	Vertical	267	1.48	-	39.59	8.81	34.71
RMS	12.945G	43.55	68.20	-24.65	29.86	3	Vertical	267	1.48	-	39.59	8.81	34.71


802.11ax HEW20_Nss1,(MCS0)_2TX
6475MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95316G	56.58	88.20	-31.62	42.87	3	Horizontal	246	1.75	-	39.61	8.81	34.71
RMS	12.945G	43.55	68.20	-24.65	29.86	3	Horizontal	246	1.75	-	39.59	8.81	34.71


802.11ax HEW20_Nss1,(MCS0)_2TX
6475MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4212G	58.59	83.54	-24.95	55.16	1	Vertical	275	1.57	-	37.84	15.27	49.68
AV	19.42552G	45.73	63.54	-17.81	42.31	1	Vertical	275	1.57	-	37.84	15.27	49.69


802.11ax HEW20_Nss1,(MCS0)_2TX
6475MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42914G	57.96	83.54	-25.58	54.54	1	Horizontal	183	1.51	-	37.84	15.27	49.69
AV	19.42124G	45.77	63.54	-17.77	42.34	1	Horizontal	183	1.51	-	37.84	15.27	49.68


802.11ax HEW20_Nss1,(MCS0)_2TX
6515MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.829G	67.76	88.20	-20.44	61.09	3	Vertical	235	2.45	-	34.67	5.31	33.31
RMS	5.815G	48.26	68.20	-19.94	41.67	3	Vertical	235	2.45	-	34.59	5.31	33.31
PK	6.5234G	109.68	Inf	-Inf	101.14	3	Vertical	235	2.45	-	35.89	5.70	33.05
RMS	6.5122G	98.41	Inf	-Inf	89.91	3	Vertical	235	2.45	-	35.85	5.70	33.05
PK	7.1422G	62.90	88.20	-25.30	53.35	3	Vertical	235	2.45	-	37.04	5.97	33.46
RMS	7.2038G	51.86	68.20	-16.34	42.08	3	Vertical	235	2.45	-	37.31	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_2TX
6515MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8318G	64.64	88.20	-23.56	57.94	3	Horizontal	260	2.72	-	34.69	5.32	33.31
RMS	5.9242G	46.96	68.20	-21.24	39.90	3	Horizontal	260	2.72	-	35.05	5.36	33.35
PK	6.5122G	100.73	Inf	-Inf	92.23	3	Horizontal	260	2.72	-	35.85	5.70	33.05
RMS	6.5178G	89.89	Inf	-Inf	81.37	3	Horizontal	260	2.72	-	35.87	5.70	33.05
PK	7.1898G	62.31	88.20	-25.89	52.58	3	Horizontal	260	2.72	-	37.26	5.99	33.52
RMS	7.2038G	51.86	68.20	-16.34	42.08	3	Horizontal	260	2.72	-	37.31	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TnomVnom



EUT_Z_2TX
 Setting 39
 04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0307G	57.22	88.20	-30.98	43.43	3	Vertical	223	1.28	-	39.70	8.79	34.70
RMS	13.03126G	43.95	68.20	-24.25	30.16	3	Vertical	223	1.28	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_2TX
6515MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03024G	57.23	88.20	-30.97	43.44	3	Horizontal	320	2.59	-	39.70	8.79	34.70
RMS	13.02872G	43.93	68.20	-24.27	30.14	3	Horizontal	320	2.59	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
 Setting 39
 04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54604G	58.70	83.54	-24.84	55.20	1	Vertical	263	1.52	-	37.88	15.32	49.70
AV	19.54186G	45.63	63.54	-17.91	42.13	1	Vertical	263	1.52	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TnomVnom



EUT_Z_2TX
 Setting 39
 04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54816G	58.16	83.54	-25.38	54.66	1	Horizontal	8	1.52	-	37.88	15.32	49.70
AV	19.54194G	45.63	63.54	-17.91	42.13	1	Horizontal	8	1.52	-	37.88	15.32	49.70


802.11ax HEW20_Nss1,(MCS0)_2TX
6535MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	57.36	88.20	-30.84	50.46	3	Vertical	222	2.25	-	34.89	5.35	33.34
RMS	5.9218G	46.91	68.20	-21.29	39.87	3	Vertical	222	2.25	-	35.03	5.36	33.35
PK	6.5266G	109.95	Inf	-Inf	101.39	3	Vertical	222	2.25	-	35.91	5.70	33.05
RMS	6.5294G	97.84	Inf	-Inf	89.27	3	Vertical	222	2.25	-	35.92	5.70	33.05
PK	7.1846G	63.55	88.20	-24.65	53.83	3	Vertical	222	2.25	-	37.24	5.99	33.51
RMS	7.179G	51.82	68.20	-16.38	42.11	3	Vertical	222	2.25	-	37.22	5.99	33.50


802.11ax HEW20_Nss1,(MCS0)_2TX
6535MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8798G	57.49	88.20	-30.71	50.62	3	Horizontal	260	2.72	-	34.86	5.34	33.33
RMS	5.9246G	46.86	68.20	-21.34	39.80	3	Horizontal	260	2.72	-	35.05	5.36	33.35
PK	6.535G	100.30	Inf	-Inf	91.72	3	Horizontal	260	2.72	-	35.94	5.70	33.06
RMS	6.5322G	89.87	Inf	-Inf	81.30	3	Horizontal	260	2.72	-	35.93	5.70	33.06
PK	7.179G	62.45	88.20	-25.75	52.74	3	Horizontal	260	2.72	-	37.22	5.99	33.50
RMS	7.1986G	51.84	68.20	-16.36	42.08	3	Horizontal	260	2.72	-	37.29	6.00	33.53


802.11ax HEW20_Nss1,(MCS0)_2TX
6535MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06542G	57.29	88.20	-30.91	43.50	3	Vertical	177	1.84	-	39.70	8.79	34.70
RMS	13.06888G	44.10	68.20	-24.10	30.31	3	Vertical	177	1.84	-	39.70	8.79	34.70


**802.11ax HEW20_Nss1,(MCS0)_2TX
6535MHz_TnomVnom**



EUT_Z_2TX
Setting 39
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07186G	56.82	88.20	-31.38	43.03	3	Horizontal	87	2.43	-	39.70	8.79	34.70
RMS	13.06608G	44.05	68.20	-24.15	30.26	3	Horizontal	87	2.43	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_2TX
6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60758G	57.95	83.54	-25.59	54.45	1	Vertical	345	1.51	-	37.86	15.34	49.70
AV	19.60238G	45.93	63.54	-17.61	42.43	1	Vertical	345	1.51	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TnomVnom



EUT_Z_2TX
 Setting 39
 04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60876G	58.24	83.54	-25.30	54.74	1	Horizontal	24	1.52	-	37.86	15.34	49.70
AV	19.60116G	45.93	63.54	-17.61	42.43	1	Horizontal	24	1.52	-	37.86	15.34	49.70


802.11ax HEW20_Nss1,(MCS0)_2TX
6695MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6928G	110.44	Inf	-Inf	101.68	3	Vertical	229	2.45	-	36.20	5.70	33.14
RMS	6.6928G	97.92	Inf	-Inf	89.16	3	Vertical	229	2.45	-	36.20	5.70	33.14
PK	7.1636G	62.95	88.20	-25.25	53.31	3	Vertical	229	2.45	-	37.15	5.98	33.49
RMS	7.201G	51.79	68.20	-16.41	42.02	3	Vertical	229	2.45	-	37.30	6.00	33.53


802.11ax HEW20_Nss1,(MCS0)_2TX
6695MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6884G	102.57	Inf	-Inf	93.80	3	Horizontal	280	2.68	-	36.20	5.70	33.13
RMS	6.6972G	90.82	Inf	-Inf	82.06	3	Horizontal	280	2.68	-	36.20	5.70	33.14
PK	7.2296G	62.65	88.20	-25.55	52.85	3	Horizontal	280	2.68	-	37.36	6.01	33.57
RMS	7.2032G	51.81	68.20	-16.39	42.03	3	Horizontal	280	2.68	-	37.31	6.00	33.53


802.11ax HEW20_Nss1,(MCS0)_2TX
6695MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38576G	57.18	74.00	-16.82	43.01	3	Vertical	226	1.66	-	40.17	8.72	34.72
AV	13.38872G	44.37	54.00	-9.63	30.19	3	Vertical	226	1.66	-	40.18	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_2TX
6695MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38712G	56.88	74.00	-17.12	42.71	3	Horizontal	302	1.72	-	40.17	8.72	34.72
AV	13.38522G	44.36	54.00	-9.64	30.19	3	Horizontal	302	1.72	-	40.17	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TnomVnom



EUT_Z_2TX
 Setting 39
 04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08382G	58.20	83.54	-25.34	54.92	1	Vertical	94	1.58	-	37.47	15.54	49.73
AV	20.08966G	45.60	63.54	-17.94	42.33	1	Vertical	94	1.58	-	37.47	15.54	49.74


**802.11ax HEW20_Nss1,(MCS0)_2TX
6695MHz_TnomVnom**



EUT_Z_2TX
Setting 39
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08098G	58.31	83.54	-25.23	55.04	1	Horizontal	184	1.56	-	37.46	15.54	49.73
AV	20.08708G	45.63	63.54	-17.91	42.35	1	Horizontal	184	1.56	-	37.47	15.54	49.73


802.11ax HEW20_Nss1,(MCS0)_2TX
6855MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8564G	110.10	Inf	-Inf	100.99	3	Vertical	231	2.35	-	36.57	5.76	33.22
RMS	6.8494G	99.50	Inf	-Inf	90.36	3	Vertical	231	2.35	-	36.60	5.75	33.21
PK	7.1994G	62.79	88.20	-25.41	53.02	3	Vertical	231	2.35	-	37.30	6.00	33.53
RMS	7.2036G	51.82	68.20	-16.38	42.04	3	Vertical	231	2.35	-	37.31	6.00	33.53


**802.11ax HEW20_Nss1,(MCS0)_2TX
6855MHz_TnomVnom**



EUT_Z_2TX
Setting 39
04-M-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8522G	100.50	Inf	-Inf	91.38	3	Horizontal	257	2.42	-	36.59	5.75	33.22
RMS	6.8522G	90.27	Inf	-Inf	81.15	3	Horizontal	257	2.42	-	36.59	5.75	33.22
PK	7.1378G	62.81	88.20	-25.39	53.30	3	Horizontal	257	2.42	-	37.00	5.97	33.46
RMS	7.2008G	51.82	68.20	-16.38	42.05	3	Horizontal	257	2.42	-	37.30	6.00	33.53


802.11ax HEW20_Nss1,(MCS0)_2TX
6855MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71026G	58.33	88.20	-29.87	44.07	3	Vertical	255	2.82	-	40.41	8.66	34.81
RMS	13.705G	45.23	68.20	-22.97	30.97	3	Vertical	255	2.82	-	40.41	8.66	34.81


802.11ax HEW20_Nss1,(MCS0)_2TX
6855MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70912G	58.01	88.20	-30.19	43.75	3	Horizontal	182	2.15	-	40.41	8.66	34.81
RMS	13.7051G	45.23	68.20	-22.97	30.97	3	Horizontal	182	2.15	-	40.41	8.66	34.81


802.11ax HEW20_Nss1,(MCS0)_2TX
6855MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56312G	58.31	83.54	-25.23	54.65	1	Vertical	168	1.50	-	37.78	15.75	49.87
AV	20.56072G	45.65	63.54	-17.89	42.01	1	Vertical	168	1.50	-	37.77	15.75	49.88


802.11ax HEW20_Nss1,(MCS0)_2TX
6855MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-M-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56818G	58.08	83.54	-25.46	54.41	1	Horizontal	22	1.54	-	37.78	15.76	49.87
AV	20.568G	45.65	63.54	-17.89	41.98	1	Horizontal	22	1.54	-	37.78	15.76	49.87


**802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz_TnomVnom**



EUT_Z_2TX
Setting 41
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.869G	108.25	Inf	-Inf	99.18	3	Vertical	63	2.28	-	36.52	5.77	33.22
RMS	6.8798G	97.85	Inf	-Inf	88.82	3	Vertical	63	2.28	-	36.48	5.78	33.23
PK	7.1258G	63.32	88.20	-24.88	53.89	3	Vertical	63	2.28	-	36.91	5.96	33.44
RMS	7.1726G	52.14	68.20	-16.06	42.46	3	Vertical	63	2.28	-	37.19	5.99	33.50


**802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz_TnomVnom**



EUT_Z_2TX
Setting 41
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8846G	97.58	Inf	-Inf	88.57	3	Horizontal	108	2.48	-	36.46	5.78	33.23
RMS	6.8822G	88.45	Inf	-Inf	79.43	3	Horizontal	108	2.48	-	36.47	5.78	33.23
PK	7.1642G	63.28	88.20	-24.92	53.63	3	Horizontal	108	2.48	-	37.16	5.98	33.49
RNS	7.1726G	52.09	68.20	-16.11	42.41	3	Horizontal	108	2.48	-	37.19	5.99	33.50


802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
 Setting 41
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74806G	69.79	88.20	-18.41	55.51	3	Vertical	164	2.19	-	40.45	8.65	34.82
RMS	13.75222G	54.93	68.20	-13.27	40.66	3	Vertical	164	2.19	-	40.45	8.65	34.83


802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
 Setting 41
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75438G	69.78	88.20	-18.42	55.51	3	Horizontal	275	1.85	-	40.45	8.65	34.83
RMS	13.7489G	54.93	68.20	-13.27	40.65	3	Horizontal	275	1.85	-	40.45	8.65	34.82


802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
 Setting 41
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62058G	59.90	83.54	-23.64	56.13	1	Vertical	337	1.56	-	37.84	15.78	49.85
AV	20.62658G	45.96	63.54	-17.58	42.18	1	Vertical	337	1.56	-	37.85	15.78	49.85


802.11ax HEW20_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
 Setting 41
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6217G	60.48	83.54	-23.06	56.70	1	Horizontal	161	1.52	-	37.85	15.78	49.85
AV	20.62976G	46.00	63.54	-17.54	42.21	1	Horizontal	161	1.52	-	37.86	15.78	49.85


**802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TnomVnom**



EUT_Z_2TX
Setting 35
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8926G	106.27	Inf	-Inf	97.29	3	Vertical	242	2.41	-	36.43	5.79	33.24
RMS	6.8902G	96.18	Inf	-Inf	87.19	3	Vertical	242	2.41	-	36.44	5.79	33.24
PK	7.1866G	62.89	88.20	-25.31	53.16	3	Vertical	242	2.41	-	37.25	5.99	33.51
RMS	7.1902G	52.16	68.20	-16.04	42.42	3	Vertical	242	2.41	-	37.26	6.00	33.52


802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TnomVnom



EUT_Z_2TX
Setting 35
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9022G	98.80	Inf	-Inf	89.82	3	Horizontal	104	2.56	-	36.42	5.80	33.24
AV	6.8902G	87.66	Inf	-Inf	78.67	3	Horizontal	104	2.56	-	36.44	5.79	33.24
PK	7.165G	62.55	88.20	-25.65	52.90	3	Horizontal	104	2.56	-	37.16	5.98	33.49
AV	7.1938G	52.13	68.20	-16.07	42.37	3	Horizontal	104	2.56	-	37.28	6.00	33.52


802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TnomVnom



EUT_Z_2TX
Setting 35
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79064G	58.62	88.20	-29.58	44.33	3	Vertical	320	2.25	-	40.49	8.64	34.84
RMS	13.78762G	44.67	68.20	-23.53	30.38	3	Vertical	320	2.25	-	40.49	8.64	34.84


802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TnomVnom



EUT_Z_2TX
Setting 35
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78956G	69.28	88.20	-28.92	44.99	3	Horizontal	184	1.66	-	40.49	8.64	34.84
RMS	13.78562G	54.66	68.20	-23.54	30.37	3	Horizontal	184	1.66	-	40.49	8.64	34.84


802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TnomVnom



EUT_Z_2TX
Setting 35
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68176G	60.03	83.54	-23.51	56.13	1	Vertical	183	1.57	-	37.92	15.81	49.83
AV	20.6891G	46.17	63.54	-17.37	42.25	1	Vertical	183	1.57	-	37.93	15.81	49.82


802.11ax HEW20_Nss1,(MCS0)_2TX
6895MHz_TnomVnom



EUT_Z_2TX
Setting 35
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68432G	59.60	83.54	-23.94	55.70	1	Horizontal	224	1.53	-	37.92	15.81	49.83
AV	20.6893G	46.20	63.54	-17.34	42.28	1	Horizontal	224	1.53	-	37.93	15.81	49.82


802.11ax HEW20_Nss1,(MCS0)_2TX
6995MHz_TnomVnom



EUT_Z_2TX
Setting 35
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9918G	107.43	Inf	-Inf	98.20	3	Vertical	239	2.46	-	36.63	5.89	33.29
RMS	6.9894G	97.47	Inf	-Inf	88.22	3	Vertical	239	2.46	-	36.64	5.89	33.28
PK	7.183G	63.04	88.20	-25.16	53.33	3	Vertical	239	2.46	-	37.23	5.99	33.51
RMS	7.1942G	52.13	68.20	-16.07	42.37	3	Vertical	239	2.46	-	37.28	6.00	33.52


**802.11ax HEW20_Nss1,(MCS0)_2TX
6995MHz_TnomVnom**



EUT_Z_2TX
Setting 35
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	100.11	Inf	-Inf	90.89	3	Horizontal	285	2.55	-	36.61	5.90	33.29
RMS	6.9974G	89.89	Inf	-Inf	80.67	3	Horizontal	285	2.55	-	36.61	5.90	33.29
PK	7.135G	63.08	88.20	-25.12	53.58	3	Horizontal	285	2.55	-	36.98	5.97	33.45
RMS	7.195G	52.07	68.20	-16.13	42.31	3	Horizontal	285	2.55	-	37.28	6.00	33.52


802.11ax HEW20_Nss1,(MCS0)_2TX
6995MHz_TnomVnom



EUT_Z_2TX
Setting 35
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98584G	59.50	88.20	-28.70	44.96	3	Vertical	234	1.69	-	40.86	8.60	34.92
RMS	13.98676G	45.48	68.20	-22.72	30.94	3	Vertical	234	1.69	-	40.86	8.60	34.92

802.11ax HEW20_Nss1,(MCS0)_2TX
6995MHz_TnomVnom




EUT_Z_2TX
Setting 35
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98728G	59.47	88.20	-28.73	44.93	3	Horizontal	128	2.35	-	40.86	8.60	34.92
RMS	13.99344G	45.50	68.20	-22.70	30.95	3	Horizontal	128	2.35	-	40.88	8.60	34.93

802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TnomVnom



EUT_Z_2TX
 Setting 35
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98994G	59.76	83.54	-23.78	55.89	1	Vertical	239	1.54	-	37.62	15.95	49.70
AV	20.98084G	45.73	63.54	-17.81	41.87	1	Vertical	239	1.54	-	37.63	15.94	49.71


802.11ax HEW20_Nss1,(MCS0)_2TX
6995MHz_TnomVnom



EUT_Z_2TX
Setting 35
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98776G	59.54	83.54	-24.00	55.68	1	Horizontal	88	1.50	-	37.62	15.94	49.70
AV	20.9828G	45.71	63.54	-17.83	41.85	1	Horizontal	88	1.50	-	37.63	15.94	49.71


802.11ax HEW20_Nss1,(MCS0)_2TX
7095MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0998G	107.18	Inf	-Inf	97.94	3	Vertical	62	2.50	-	36.70	5.95	33.41
RMS	7.0974G	97.55	Inf	-Inf	88.30	3	Vertical	62	2.50	-	36.71	5.95	33.41
PK	7.1586G	63.26	88.20	-24.94	53.63	3	Vertical	62	2.50	-	37.13	5.98	33.48
RMS	7.1254G	52.47	68.20	-15.73	43.05	3	Vertical	62	2.50	-	36.90	5.96	33.44


802.11ax HEW20_Nss1,(MCS0)_2TX
7095MHz_TnomVnom



EUT_Z_2TX
 Setting 39
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1014G	100.82	Inf	-Inf	91.57	3	Horizontal	86	2.50	-	36.71	5.95	33.41
RMS	7.1014G	90.84	Inf	-Inf	81.59	3	Horizontal	86	2.50	-	36.71	5.95	33.41
PK	7.125G	63.07	88.20	-25.13	53.65	3	Horizontal	86	2.50	-	36.90	5.96	33.44
RMS	7.195G	51.94	68.20	-16.26	42.18	3	Horizontal	86	2.50	-	37.28	6.00	33.52


802.11ax HEW20_Nss1,(MCS0)_2TX
7095MHz_TnomVnom



EUT_Z_2TX
Setting 39
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1908G	58.85	88.20	-29.35	44.29	3	Vertical	224	2.92	-	40.81	8.65	34.90
RMS	14.19088G	45.01	68.20	-23.19	30.45	3	Vertical	224	2.92	-	40.81	8.65	34.90

802.11ax HEW20_Nss1,(MCS0)_2TX
7095MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18702G	59.10	88.20	-29.10	44.54	3	Horizontal	255	2.84	-	40.81	8.65	34.90
RMS	14.19094G	45.03	68.20	-23.17	30.47	3	Horizontal	255	2.84	-	40.81	8.65	34.90

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
 Setting 39
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28016G	61.27	83.54	-22.27	57.19	1	Vertical	290	1.56	-	37.64	16.08	49.64
AV	21.28524G	47.04	63.54	-16.50	42.96	1	Vertical	290	1.56	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TnomVnom



EUT_Z_2TX
 Setting 39
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28246G	60.78	83.54	-22.76	56.70	1	Horizontal	167	1.50	-	37.64	16.08	49.64
AV	21.28836G	47.08	63.54	-16.46	42.99	1	Horizontal	167	1.50	-	37.65	16.08	49.64


802.11ax HEW20_Nss1,(MCS0)_2TX
7115MHz_TnomVnom



EUT_Z_2TX
Setting 20
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10873G	97.18	Inf	-Inf	86.51	3	Vertical	244	2.25	-	36.57	7.25	33.15
RMS	7.10948G	86.36	Inf	-Inf	75.68	3	Vertical	244	2.25	-	36.58	7.25	33.15
PK	7.1255G	79.79	88.20	-8.41	68.99	3	Vertical	244	2.25	-	36.70	7.24	33.14
RMS	7.1255G	68.04	68.20	-0.16	57.24	3	Vertical	244	2.25	-	36.70	7.24	33.14


**802.11ax HEW20_Nss1,(MCS0)_2TX
7115MHz_TnomVnom**



EUT_Z_2TX
Setting 20
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1087G	90.17	Inf	-Inf	79.50	3	Horizontal	85	2.28	-	36.57	7.25	33.15
RMS	7.1092G	79.30	Inf	-Inf	68.63	3	Horizontal	85	2.28	-	36.57	7.25	33.15
PK	7.1255G	72.96	88.20	-15.24	62.16	3	Horizontal	85	2.28	-	36.70	7.24	33.14
RMS	7.1255G	62.70	68.20	-5.50	51.90	3	Horizontal	85	2.28	-	36.70	7.24	33.14


802.11ax HEW20_Nss1,(MCS0)_2TX
7115MHz_TnomVnom



EUT_Z_2TX
Setting 20
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22946G	59.13	88.20	-29.07	44.62	3	Vertical	256	2.88	-	40.74	8.66	34.89
RMS	14.2265G	44.93	68.20	-23.27	30.41	3	Vertical	256	2.88	-	40.75	8.66	34.89


802.11ax HEW20_Nss1,(MCS0)_2TX
7115MHz_TnomVnom



EUT_Z_2TX
Setting 20
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23278G	59.21	88.20	-28.99	44.71	3	Horizontal	85	2.04	-	40.73	8.66	34.89
RMS	14.22654G	44.89	68.20	-23.31	30.37	3	Horizontal	85	2.04	-	40.75	8.66	34.89

802.11ax HEW20_Nss1,(MCS0)_2TX
7115MHz_TnomVnom




EUT_Z_2TX
Setting 20
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3429G	61.41	83.54	-22.13	57.23	1	Vertical	75	1.53	-	37.71	16.10	49.63
AV	21.34726G	47.40	63.54	-16.14	43.20	1	Vertical	75	1.53	-	37.72	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
 Setting 20
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34574G	61.23	83.54	-22.31	57.04	1	Horizontal	280	1.56	-	37.71	16.11	49.63
AV	21.3469G	47.39	63.54	-16.15	43.19	1	Horizontal	280	1.56	-	37.72	16.11	49.63

802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TnomVnom



EUT_Z_2TX
 Setting 46
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	72.32	88.20	-15.88	65.26	3	Vertical	59	2.35	-	35.05	5.36	33.35
RMS	5.9246G	58.74	68.20	-9.46	51.68	3	Vertical	59	2.35	-	35.05	5.36	33.35
PK	5.9622G	107.44	Inf	-Inf	100.17	3	Vertical	59	2.35	-	35.25	5.38	33.36
RMS	5.9674G	95.53	Inf	-Inf	88.25	3	Vertical	59	2.35	-	35.27	5.38	33.37


802.11ax HEW40_Nss1,(MCS0)_2TX
5965MHz_TnomVnom



EUT_Z_2TX
 Setting 46
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	60.90	88.20	-27.30	53.84	3	Horizontal	67.9	2.32	-	35.05	5.36	33.35
RMS	5.9234G	50.55	68.20	-17.65	43.50	3	Horizontal	67.9	2.32	-	35.04	5.36	33.35
PK	5.9786G	96.48	Inf	-Inf	89.15	3	Horizontal	67.9	2.32	-	35.31	5.39	33.37
RMS	5.9686G	85.60	Inf	-Inf	78.32	3	Horizontal	67.9	2.32	-	35.27	5.38	33.37


802.11ax HEW40_Nss1,(MCS0)_2TX
5965MHz_TnomVnom



EUT_Z_2TX
Setting 46
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92718G	57.26	74.00	-16.74	44.11	3	Vertical	323	1.43	-	39.12	8.95	34.92
AV	11.92512G	44.58	54.00	-9.42	31.43	3	Vertical	323	1.43	-	39.12	8.95	34.92
PK	17.89732G	61.50	74.00	-12.50	44.52	3	Vertical	153	2.05	-	41.99	9.76	34.77
AV	17.8955G	49.36	54.00	-4.64	32.38	3	Vertical	153	2.05	-	41.99	9.76	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX
5965MHz_TnomVnom



EUT_Z_2TX
Setting 46
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92992G	56.90	74.00	-17.10	43.76	3	Horizontal	41	1.89	-	39.11	8.95	34.92
AV	11.93154G	44.89	54.00	-9.11	31.75	3	Horizontal	41	1.89	-	39.11	8.95	34.92
PK	17.89818G	61.20	74.00	-12.80	44.22	3	Horizontal	211	1.63	-	41.99	9.76	34.77
AV	17.89002G	49.02	54.00	-4.98	32.06	3	Horizontal	211	1.63	-	41.97	9.76	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX
6165MHz_TnomVnom



EUT_Z_2TX
 Setting 44
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	59.75	88.20	-28.45	52.83	3	Vertical	52.3	2.26	-	34.91	5.35	33.34
RMS	5.925G	48.80	68.20	-19.40	41.74	3	Vertical	52.3	2.26	-	35.05	5.36	33.35
PK	6.1698G	106.08	Inf	-Inf	98.25	3	Vertical	52.3	2.26	-	35.52	5.57	33.26
RMS	6.1794G	96.21	Inf	-Inf	88.31	3	Vertical	52.3	2.26	-	35.58	5.58	33.26

802.11ax HEW40_Nss1,(MCS0)_2TX
6165MHz_TnomVnom




EUT_Z_2TX
Setting 44
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	60.19	88.20	-28.01	53.19	3	Horizontal	85	2.12	-	34.99	5.36	33.35
RMS	5.925G	48.65	68.20	-19.55	41.59	3	Horizontal	85	2.12	-	35.05	5.36	33.35
PK	6.1806G	96.94	Inf	-Inf	89.04	3	Horizontal	85	2.12	-	35.58	5.58	33.26
RMS	6.1698G	86.29	Inf	-Inf	78.46	3	Horizontal	85	2.12	-	35.52	5.57	33.26

802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TnomVnom



EUT_Z_2TX
 Setting 44
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32604G	56.25	74.00	-17.75	43.39	3	Vertical	166	1.17	-	38.78	8.93	34.85
AV	12.32756G	43.91	54.00	-10.09	31.05	3	Vertical	166	1.17	-	38.78	8.93	34.85

802.11ax HEW40_Nss1,(MCS0)_2TX
6165MHz_TnomVnom




EUT_Z_2TX
Setting 44
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33002G	56.87	74.00	-17.13	44.00	3	Horizontal	250	1.92	-	38.79	8.93	34.85
AV	12.32774G	43.84	54.00	-10.16	30.98	3	Horizontal	250	1.92	-	38.78	8.93	34.85

802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TnomVnom



EUT_Z_2TX
Setting 44
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49876G	58.13	83.54	-25.41	55.53	1	Vertical	49	1.50	-	37.80	14.90	50.10
AV	18.49742G	45.65	63.54	-17.89	43.05	1	Vertical	49	1.50	-	37.80	14.90	50.10


802.11ax HEW40_Nss1,(MCS0)_2TX
6165MHz_TnomVnom



EUT_Z_2TX
Setting 44
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49496G	57.53	83.54	-26.01	54.94	1	Horizontal	331	1.55	-	37.79	14.90	50.10
AV	18.49608G	45.54	63.54	-18.00	42.94	1	Horizontal	331	1.55	-	37.80	14.90	50.10


**802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TnomVnom**



EUT_Z_2TX
Setting 45
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.865G	59.34	88.20	-28.86	52.51	3	Vertical	87.2	1.85	-	34.83	5.33	33.33
RMS	5.925G	48.70	68.20	-19.50	41.64	3	Vertical	87.2	1.85	-	35.05	5.36	33.35
PK	6.405G	101.05	Inf	-Inf	92.76	3	Vertical	87.2	1.85	-	35.69	5.70	33.10
RMS	6.3978G	89.91	Inf	-Inf	81.62	3	Vertical	87.2	1.85	-	35.70	5.70	33.11


802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TnomVnom



EUT_Z_2TX
Setting 45
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.48	88.20	-28.72	52.42	3	Horizontal	146.5	1.85	-	35.05	5.36	33.35
RMS	5.9226G	48.66	68.20	-19.54	41.61	3	Horizontal	146.5	1.85	-	35.04	5.36	33.35
PK	6.4218G	93.21	Inf	-Inf	84.94	3	Horizontal	146.5	1.85	-	35.66	5.70	33.09
RMS	6.417G	81.91	Inf	-Inf	73.64	3	Horizontal	146.5	1.85	-	35.67	5.70	33.10


802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TnomVnom



EUT_Z_2TX
Setting 45
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81402G	56.91	88.20	-31.29	43.40	3	Vertical	288	2.50	-	39.41	8.84	34.74
RMS	12.81068G	44.50	68.20	-23.70	30.99	3	Vertical	288	2.50	-	39.41	8.84	34.74


**802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TnomVnom**



EUT_Z_2TX
Setting 45
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80582G	57.05	88.20	-31.15	43.54	3	Horizontal	196	2.02	-	39.41	8.84	34.74
RMS	12.81298G	44.44	68.20	-23.76	30.93	3	Horizontal	196	2.02	-	39.41	8.84	34.74


802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TnomVnom



EUT_Z_2TX
Setting 45
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21202G	59.94	83.54	-23.60	56.65	1	Vertical	149	1.53	-	37.75	15.18	49.64
AV	19.21912G	47.04	63.54	-16.50	43.75	1	Vertical	149	1.53	-	37.74	15.19	49.64


802.11ax HEW40_Nss1,(MCS0)_2TX
6405MHz_TnomVnom



EUT_Z_2TX
Setting 45
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21052G	59.37	83.54	-24.17	56.08	1	Horizontal	320	1.50	-	37.75	15.18	49.64
AV	19.21412G	47.18	63.54	-16.36	43.89	1	Horizontal	320	1.50	-	37.74	15.19	49.64


**802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TnomVnom**



EUT_Z_2TX
Setting 47
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8184G	58.74	88.20	-29.46	52.13	3	Vertical	155.7	2.03	-	34.61	5.31	33.31
RMS	5.9224G	48.70	68.20	-19.50	41.66	3	Vertical	155.7	2.03	-	35.03	5.36	33.35
PK	6.4528G	105.15	Inf	-Inf	96.91	3	Vertical	155.7	2.03	-	35.61	5.70	33.07
RMS	6.4346G	93.50	Inf	-Inf	85.25	3	Vertical	155.7	2.03	-	35.63	5.70	33.08


**802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TnomVnom**



EUT_Z_2TX
Setting 47
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.795G	58.78	88.20	-29.42	52.29	3	Horizontal	180.2	1.80	-	34.49	5.30	33.30
RMS	5.925G	48.64	68.20	-19.56	41.58	3	Horizontal	180.2	1.80	-	35.05	5.36	33.35
PK	6.4502G	93.66	Inf	-Inf	85.43	3	Horizontal	180.2	1.80	-	35.60	5.70	33.07
RMS	6.4294G	83.60	Inf	-Inf	75.35	3	Horizontal	180.2	1.80	-	35.64	5.70	33.09


802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TnomVnom



EUT_Z_2TX
Setting 47
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89252G	58.06	88.20	-30.14	44.47	3	Vertical	40	2.36	-	39.49	8.82	34.72
RMS	12.89024G	45.38	68.20	-22.82	31.79	3	Vertical	40	2.36	-	39.49	8.82	34.72


**802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TnomVnom**



EUT_Z_2TX
Setting 47
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89214G	58.06	88.20	-30.14	44.47	3	Horizontal	212	2.15	-	39.49	8.82	34.72
RMS	12.88744G	45.34	68.20	-22.86	31.75	3	Horizontal	212	2.15	-	39.49	8.82	34.72


802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TnomVnom



EUT_Z_2TX
Setting 47
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33928G	58.75	83.54	-24.79	55.41	1	Vertical	58	1.56	-	37.77	15.24	49.67
AV	19.3303G	46.40	63.54	-17.14	43.08	1	Vertical	58	1.56	-	37.76	15.23	49.67


802.11ax HEW40_Nss1,(MCS0)_2TX
6445MHz_TnomVnom



EUT_Z_2TX
Setting 47
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33852G	58.19	83.54	-25.35	54.85	1	Horizontal	168	1.52	-	37.77	15.24	49.67
AV	19.33742G	46.04	63.54	-17.50	42.71	1	Horizontal	168	1.52	-	37.77	15.23	49.67


802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TnomVnom



EUT_Z_2TX
 Setting 49
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8578G	58.90	88.20	-29.30	52.07	3	Vertical	212.2	1.91	-	34.82	5.33	33.32
RMS	5.925G	48.71	68.20	-19.49	41.65	3	Vertical	212.2	1.91	-	35.05	5.36	33.35
PK	6.4794G	102.16	Inf	-Inf	93.79	3	Vertical	212.2	1.91	-	35.72	5.70	33.05
RMS	6.4878G	91.77	Inf	-Inf	83.37	3	Vertical	212.2	1.91	-	35.75	5.70	33.05
PK	7.171G	62.20	88.20	-26.00	52.53	3	Vertical	212.2	1.91	-	37.18	5.99	33.50
RMS	7.1738G	52.02	68.20	-16.18	42.33	3	Vertical	212.2	1.91	-	37.20	5.99	33.50


**802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TnomVnom**



EUT_Z_2TX
Setting 49
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8578G	59.24	88.20	-28.96	52.41	3	Horizontal	211.5	2.17	-	34.82	5.33	33.32
RMS	5.925G	48.59	68.20	-19.61	41.53	3	Horizontal	211.5	2.17	-	35.05	5.36	33.35
PK	6.4878G	92.03	Inf	-Inf	83.63	3	Horizontal	211.5	2.17	-	35.75	5.70	33.05
RMS	6.4878G	80.79	Inf	-Inf	72.39	3	Horizontal	211.5	2.17	-	35.75	5.70	33.05
PK	7.1542G	63.38	88.20	-24.82	53.76	3	Horizontal	211.5	2.17	-	37.12	5.98	33.48
RMS	7.1766G	52.08	68.20	-16.12	42.38	3	Horizontal	211.5	2.17	-	37.21	5.99	33.50


802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TnomVnom



EUT_Z_2TX
Setting 49
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96598G	57.57	88.20	-30.63	43.84	3	Vertical	188	1.87	-	39.63	8.81	34.71
RMS	12.9729G	45.44	68.20	-22.76	31.69	3	Vertical	188	1.87	-	39.65	8.81	34.71


802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TnomVnom



EUT_Z_2TX
Setting 49
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97236G	58.26	88.20	-29.94	44.52	3	Horizontal	319	2.68	-	39.64	8.81	34.71
RMS	12.9713G	45.59	68.20	-22.61	31.85	3	Horizontal	319	2.68	-	39.64	8.81	34.71


802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TnomVnom



EUT_Z_2TX
Setting 49
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45336G	58.51	83.54	-25.03	55.06	1	Vertical	236	1.53	-	37.86	15.28	49.69
AV	19.4565G	46.46	63.54	-17.08	43.00	1	Vertical	236	1.53	-	37.87	15.28	49.69


802.11ax HEW40_Nss1,(MCS0)_2TX
6485MHz_TnomVnom



EUT_Z_2TX
Setting 49
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45072G	59.23	83.54	-24.31	55.78	1	Horizontal	241	1.50	-	37.86	15.28	49.69
AV	19.4549G	46.54	63.54	-17.00	43.09	1	Horizontal	241	1.50	-	37.86	15.28	49.69


802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz_TnomVnom



EUT_Z_2TX
Setting 49
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.867G	59.20	88.20	-29.00	52.37	3	Vertical	248.4	2.30	-	34.83	5.33	33.33
RMS	5.923G	48.65	68.20	-19.55	41.60	3	Vertical	248.4	2.30	-	35.04	5.36	33.35
PK	6.525G	105.39	Inf	-Inf	96.84	3	Vertical	248.4	2.30	-	35.90	5.70	33.05
RMS	6.5306G	94.25	Inf	-Inf	85.69	3	Vertical	248.4	2.30	-	35.92	5.70	33.06
PK	7.1914G	62.39	88.20	-25.81	52.64	3	Vertical	248.4	2.30	-	37.27	6.00	33.52
RMS	7.2222G	52.06	68.20	-16.14	42.27	3	Vertical	248.4	2.30	-	37.34	6.01	33.56


802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz_TnomVnom



EUT_Z_2TX
 Setting 49
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	58.82	88.20	-29.38	51.77	3	Horizontal	210	2.46	-	35.04	5.36	33.35
RMS	5.923G	48.63	68.20	-19.57	41.58	3	Horizontal	210	2.46	-	35.04	5.36	33.35
PK	6.5166G	95.94	Inf	-Inf	87.42	3	Horizontal	210	2.46	-	35.87	5.70	33.05
RMS	6.5166G	84.84	Inf	-Inf	76.32	3	Horizontal	210	2.46	-	35.87	5.70	33.05
PK	7.2138G	62.22	88.20	-25.98	52.43	3	Horizontal	210	2.46	-	37.33	6.01	33.55
RMS	7.2222G	52.13	68.20	-16.07	42.34	3	Horizontal	210	2.46	-	37.34	6.01	33.56


802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_2TX
 Setting 49
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04922G	58.15	88.20	-30.05	44.36	3	Vertical	105	1.83	-	39.70	8.79	34.70
RMS	13.04604G	45.72	68.20	-22.48	31.93	3	Vertical	105	1.83	-	39.70	8.79	34.70


802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_2TX
 Setting 49
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04946G	58.61	88.20	-29.59	44.82	3	Horizontal	328	2.47	-	39.70	8.79	34.70
RMS	13.0514G	45.73	68.20	-22.47	31.94	3	Horizontal	328	2.47	-	39.70	8.79	34.70


802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_2TX
 Setting 49
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57086G	59.53	83.54	-24.01	56.03	1	Vertical	198	1.51	-	37.87	15.33	49.70
AV	19.57G	47.06	63.54	-16.48	43.56	1	Vertical	198	1.51	-	37.87	15.33	49.70


802.11ax HEW40_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_2TX
 Setting 49
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57104G	59.80	83.54	-23.74	56.30	1	Horizontal	301	1.57	-	37.87	15.33	49.70
AV	19.57184G	47.13	63.54	-16.41	43.63	1	Horizontal	301	1.57	-	37.87	15.33	49.70


802.11ax HEW40_Nss1,(MCS0)_2TX
6565MHz_TnomVnom



EUT_Z_2TX
Setting 45
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5554G	105.57	Inf	-Inf	96.93	3	Vertical	237	2.29	-	36.01	5.70	33.07
RMS	6.5698G	94.77	Inf	-Inf	86.10	3	Vertical	237	2.29	-	36.04	5.70	33.07
PK	7.141G	63.42	88.20	-24.78	53.88	3	Vertical	237	2.29	-	37.03	5.97	33.46
RMS	7.1602G	51.79	68.20	-16.41	42.15	3	Vertical	237	2.29	-	37.14	5.98	33.48


**802.11ax HEW40_Nss1,(MCS0)_2TX
6565MHz_TnomVnom**



EUT_Z_2TX
Setting 45
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5554G	95.66	Inf	-Inf	87.02	3	Horizontal	243.6	2.36	-	36.01	5.70	33.07
RMS	6.5698G	83.80	Inf	-Inf	75.13	3	Horizontal	243.6	2.36	-	36.04	5.70	33.07
PK	7.1506G	62.27	88.20	-25.93	52.66	3	Horizontal	243.6	2.36	-	37.10	5.98	33.47
RMS	7.1602G	51.86	68.20	-16.34	42.22	3	Horizontal	243.6	2.36	-	37.14	5.98	33.48


802.11ax HEW40_Nss1,(MCS0)_2TX
6565MHz_TnomVnom



EUT_Z_2TX
Setting 45
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13346G	57.75	88.20	-30.45	43.92	3	Vertical	306	2.15	-	39.77	8.77	34.71
RMS	13.13358G	45.60	68.20	-22.60	31.77	3	Vertical	306	2.15	-	39.77	8.77	34.71

802.11ax HEW40_Nss1,(MCS0)_2TX
6565MHz_TnomVnom




EUT_Z_2TX
 Setting 45
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13002G	57.99	88.20	-30.21	44.17	3	Horizontal	255	2.15	-	39.76	8.77	34.71
RMS	13.12846G	45.55	68.20	-22.65	31.73	3	Horizontal	255	2.15	-	39.76	8.77	34.71

802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TnomVnom



EUT_Z_2TX
 Setting 45
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69832G	59.74	83.54	-23.80	56.24	1	Vertical	193	1.51	-	37.82	15.38	49.70
AV	19.69022G	48.14	63.54	-15.40	44.64	1	Vertical	193	1.51	-	37.82	15.38	49.70


802.11ax HEW40_Nss1,(MCS0)_2TX
6565MHz_TnomVnom



EUT_Z_2TX
Setting 45
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.698G	60.73	83.54	-22.81	57.23	1	Horizontal	137	1.57	-	37.82	15.38	49.70
AV	19.6907G	47.95	63.54	-15.59	44.45	1	Horizontal	137	1.57	-	37.82	15.38	49.70


**802.11ax HEW40_Nss1,(MCS0)_2TX
6685MHz_TnomVnom**



EUT_Z_2TX
Setting 47
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.689G	105.02	Inf	-Inf	96.25	3	Vertical	220.9	2.41	-	36.20	5.70	33.13
RMS	6.689G	94.64	Inf	-Inf	85.87	3	Vertical	220.9	2.41	-	36.20	5.70	33.13
PK	7.129G	62.24	88.20	-25.96	52.79	3	Vertical	220.9	2.41	-	36.93	5.96	33.44
RMS	7.183G	51.91	68.20	-16.29	42.20	3	Vertical	220.9	2.41	-	37.23	5.99	33.51


802.11ax HEW40_Nss1,(MCS0)_2TX
6685MHz_TnomVnom



EUT_Z_2TX
 Setting 47
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.673G	95.08	Inf	-Inf	86.31	3	Horizontal	248.9	2.34	-	36.20	5.70	33.13
RMS	6.681G	84.42	Inf	-Inf	75.65	3	Horizontal	248.9	2.34	-	36.20	5.70	33.13
PK	7.169G	62.02	88.20	-26.18	52.35	3	Horizontal	248.9	2.34	-	37.18	5.98	33.49
RMS	7.173G	51.96	68.20	-16.24	42.28	3	Horizontal	248.9	2.34	-	37.19	5.99	33.50


802.11ax HEW40_Nss1,(MCS0)_2TX
6685MHz_TnomVnom



EUT_Z_2TX
Setting 47
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36808G	57.55	74.00	-16.45	43.39	3	Vertical	264	1.06	-	40.14	8.73	34.71
AV	13.37216G	45.08	54.00	-8.92	30.92	3	Vertical	264	1.06	-	40.14	8.73	34.71

802.11ax HEW40_Nss1,(MCS0)_2TX
6685MHz_TnomVnom




EUT_Z_2TX
Setting 47
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3726G	57.34	74.00	-16.66	43.17	3	Horizontal	82	2.58	-	40.15	8.73	34.71
AV	13.37444G	45.27	54.00	-8.73	31.10	3	Horizontal	82	2.58	-	40.15	8.73	34.71

802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
 Setting 47
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05904G	58.53	83.54	-25.01	55.27	1	Vertical	121	1.57	-	37.45	15.53	49.72
AV	20.05828G	46.00	63.54	-17.54	42.74	1	Vertical	121	1.57	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TnomVnom



EUT_Z_2TX
 Setting 47
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05918G	58.23	83.54	-25.31	54.97	1	Horizontal	285	1.55	-	37.45	15.53	49.72
AV	20.05882G	46.08	63.54	-17.46	42.82	1	Horizontal	285	1.55	-	37.45	15.53	49.72


802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TnomVnom



EUT_Z_2TX
Setting 45
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8322G	105.47	Inf	-Inf	96.46	3	Vertical	229	2.40	-	36.49	5.73	33.21
RMS	6.8498G	94.93	Inf	-Inf	85.79	3	Vertical	229	2.40	-	36.60	5.75	33.21
PK	7.2242G	63.04	88.20	-25.16	53.24	3	Vertical	229	2.40	-	37.35	6.01	33.56
RMS	7.2162G	52.19	68.20	-16.01	42.40	3	Vertical	229	2.40	-	37.33	6.01	33.55


**802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TnomVnom**



EUT_Z_2TX
Setting 45
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.837G	91.38	Inf	-Inf	82.33	3	Horizontal	239.8	2.49	-	36.52	5.74	33.21
RMS	6.8498G	80.34	Inf	-Inf	71.20	3	Horizontal	239.8	2.49	-	36.60	5.75	33.21
PK	7.1714G	63.04	88.20	-25.16	53.36	3	Horizontal	239.8	2.49	-	37.19	5.99	33.50
RMS	7.2114G	52.25	68.20	-15.95	42.46	3	Horizontal	239.8	2.49	-	37.32	6.01	33.54


**802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TnomVnom**



EUT_Z_2TX
Setting 45
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68658G	68.85	88.20	-19.35	54.62	3	Vertical	15	2.04	-	40.37	8.66	34.80
RMS	13.68782G	56.69	68.20	-11.51	42.45	3	Vertical	15	2.04	-	40.38	8.66	34.80


802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TnomVnom



EUT_Z_2TX
Setting 45
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6896G	69.00	88.20	-19.20	54.76	3	Horizontal	49	2.88	-	40.38	8.66	34.80
RMS	13.69G	56.71	68.20	-11.49	42.47	3	Horizontal	49	2.88	-	40.38	8.66	34.80


802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TnomVnom



EUT_Z_2TX
Setting 45
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53678G	59.75	83.54	-23.79	56.16	1	Vertical	299	1.55	-	37.74	15.74	49.89
AV	20.53102G	47.19	63.54	-16.35	43.60	1	Vertical	299	1.55	-	37.74	15.74	49.89


802.11ax HEW40_Nss1,(MCS0)_2TX
6845MHz_TnomVnom



EUT_Z_2TX
Setting 45
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.537G	59.95	83.54	-23.59	56.36	1	Horizontal	63	1.52	-	37.74	15.74	49.89
AV	20.53934G	47.26	63.54	-16.28	43.65	1	Horizontal	63	1.52	-	37.75	15.74	49.88


**802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz_TnomVnom**



EUT_Z_2TX
Setting 49
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.899G	104.88	Inf	-Inf	95.92	3	Vertical	222.7	2.27	-	36.40	5.80	33.24
RMS	6.8696G	93.63	Inf	-Inf	84.56	3	Vertical	222.7	2.27	-	36.52	5.77	33.22
PK	7.1804G	62.81	88.20	-25.39	53.11	3	Vertical	222.7	2.27	-	37.22	5.99	33.51
RMS	7.1944G	52.23	68.20	-15.97	42.47	3	Vertical	222.7	2.27	-	37.28	6.00	33.52


802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz_TnomVnom



EUT_Z_2TX
Setting 49
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8682G	92.65	Inf	-Inf	83.57	3	Horizontal	225.6	2.30	-	36.53	5.77	33.22
RMS	6.8682G	82.93	Inf	-Inf	73.85	3	Horizontal	225.6	2.30	-	36.53	5.77	33.22
PK	7.1286G	62.98	88.20	-25.22	53.53	3	Horizontal	225.6	2.30	-	36.93	5.96	33.44
RMS	7.2182G	52.15	68.20	-16.05	42.35	3	Horizontal	225.6	2.30	-	37.34	6.01	33.55


802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
 Setting 49
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7664G	58.75	88.20	-29.45	44.46	3	Vertical	118	2.59	-	40.47	8.65	34.83
RMS	13.77114G	46.80	68.20	-21.40	32.51	3	Vertical	118	2.59	-	40.47	8.65	34.83


802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
 Setting 49
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76636G	58.76	88.20	-29.44	44.47	3	Horizontal	88	2.67	-	40.47	8.65	34.83
RMS	13.77292G	46.50	68.20	-21.70	32.21	3	Horizontal	88	2.67	-	40.47	8.65	34.83


802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
 Setting 49
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65778G	59.39	83.54	-24.15	55.54	1	Vertical	76	1.54	-	37.89	15.80	49.84
AV	20.65276G	47.65	63.54	-15.89	43.82	1	Vertical	76	1.54	-	37.88	15.79	49.84


802.11ax HEW40_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
 Setting 49
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6514G	59.70	83.54	-23.84	55.87	1	Horizontal	21	1.53	-	37.88	15.79	49.84
AV	20.65406G	47.71	63.54	-15.83	43.88	1	Horizontal	21	1.53	-	37.88	15.79	49.84


802.11ax HEW40_Nss1,(MCS0)_2TX
6925MHz_TnomVnom



EUT_Z_2TX
 Setting 47
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.931G	105.54	Inf	-Inf	96.32	3	Vertical	257	2.35	-	36.65	5.83	33.26
RMS	6.9106G	94.15	Inf	-Inf	85.11	3	Vertical	257	2.35	-	36.48	5.81	33.25
PK	7.1626G	63.00	88.20	-25.20	53.36	3	Vertical	257	2.35	-	37.15	5.98	33.49
RMS	7.1938G	52.19	68.20	-16.01	42.43	3	Vertical	257	2.35	-	37.28	6.00	33.52


802.11ax HEW40_Nss1,(MCS0)_2TX
6925MHz_TnomVnom



EUT_Z_2TX
Setting 47
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9238G	97.89	Inf	-Inf	88.73	3	Horizontal	279.7	2.28	-	36.59	5.82	33.25
RMS	6.9286G	88.26	Inf	-Inf	79.05	3	Horizontal	279.7	2.28	-	36.63	5.83	33.25
PK	7.2046G	63.31	88.20	-24.89	53.54	3	Horizontal	279.7	2.28	-	37.31	6.00	33.54
RMS	7.1878G	52.16	68.20	-16.04	42.44	3	Horizontal	279.7	2.28	-	37.25	5.99	33.52


802.11ax HEW40_Nss1,(MCS0)_2TX
6925MHz_TnomVnom



EUT_Z_2TX
Setting 47
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84878G	59.09	88.20	-29.11	44.78	3	Vertical	170	1.93	-	40.55	8.63	34.87
RMS	13.8472G	46.73	68.20	-21.47	32.42	3	Vertical	170	1.93	-	40.55	8.63	34.87

802.11ax HEW40_Nss1,(MCS0)_2TX
6925MHz_TnomVnom




EUT_Z_2TX
Setting 47
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84844G	58.92	88.20	-29.28	44.61	3	Horizontal	194	2.72	-	40.55	8.63	34.87
RMS	13.8519G	46.42	68.20	-21.78	32.11	3	Horizontal	194	2.72	-	40.55	8.63	34.87

802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TnomVnom



EUT_Z_2TX
 Setting 47
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77306G	61.52	83.54	-22.02	57.50	1	Vertical	73	1.53	-	37.96	15.85	49.79
AV	20.77628G	49.03	63.54	-14.51	45.01	1	Vertical	73	1.53	-	37.96	15.85	49.79


802.11ax HEW40_Nss1,(MCS0)_2TX
6925MHz_TnomVnom



EUT_Z_2TX
Setting 47
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77168G	62.06	83.54	-21.48	58.03	1	Horizontal	261	1.50	-	37.97	15.85	49.79
AV	20.77632G	49.29	63.54	-14.25	45.27	1	Horizontal	261	1.50	-	37.96	15.85	49.79


**802.11ax HEW40_Nss1,(MCS0)_2TX
7005MHz_TnomVnom**



EUT_Z_2TX
Setting 49
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.001G	108.66	Inf	-Inf	99.45	3	Vertical	251.9	2.36	-	36.60	5.90	33.29
RMS	6.9962G	98.07	Inf	-Inf	88.84	3	Vertical	251.9	2.36	-	36.62	5.90	33.29
PK	7.1922G	64.00	88.20	-24.20	54.25	3	Vertical	251.9	2.36	-	37.27	6.00	33.52
RMS	7.2034G	52.27	68.20	-15.93	42.49	3	Vertical	251.9	2.36	-	37.31	6.00	33.53


**802.11ax HEW40_Nss1,(MCS0)_2TX
7005MHz_TnomVnom**



EUT_Z_2TX
Setting 49
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	98.74	Inf	-Inf	89.51	3	Horizontal	265.3	2.24	-	36.63	5.90	33.30
RMS	7.0114G	88.30	Inf	-Inf	79.04	3	Horizontal	265.3	2.24	-	36.65	5.91	33.30
PK	7.1618G	63.23	88.20	-24.97	53.58	3	Horizontal	265.3	2.24	-	37.15	5.98	33.48
RMS	7.2042G	52.11	68.20	-16.09	42.34	3	Horizontal	265.3	2.24	-	37.31	6.00	33.54


802.11ax HEW40_Nss1,(MCS0)_2TX
7005MHz_TnomVnom



EUT_Z_2TX
Setting 49
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0072G	60.08	88.20	-28.12	45.51	3	Vertical	136	1.44	-	40.90	8.60	34.93
RMS	14.00748G	47.47	68.20	-20.73	32.90	3	Vertical	136	1.44	-	40.90	8.60	34.93

802.11ax HEW40_Nss1,(MCS0)_2TX
7005MHz_TnomVnom




EUT_Z_2TX
Setting 49
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00572G	59.95	88.20	-28.25	45.38	3	Horizontal	275	1.55	-	40.90	8.60	34.93
RMS	14.00824G	47.64	68.20	-20.56	33.07	3	Horizontal	275	1.55	-	40.90	8.60	34.93

802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
 Setting 49
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01976G	59.88	83.54	-23.66	56.02	1	Vertical	140	1.52	-	37.60	15.96	49.70
AV	21.01504G	47.74	63.54	-15.80	43.88	1	Vertical	140	1.52	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TnomVnom



EUT_Z_2TX
Setting 49
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01782G	59.61	83.54	-23.93	55.75	1	Horizontal	29	1.58	-	37.60	15.96	49.70
AV	21.01484G	47.44	63.54	-16.10	43.58	1	Horizontal	29	1.58	-	37.60	15.96	49.70


802.11ax HEW40_Nss1,(MCS0)_2TX
7085MHz_TnomVnom



EUT_Z_2TX
 Setting 54
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.079G	109.08	Inf	-Inf	99.78	3	Vertical	238	2.91	-	36.74	5.94	33.38
RMS	7.0766G	98.58	Inf	-Inf	89.27	3	Vertical	238	2.91	-	36.75	5.94	33.38
PK	7.127G	72.45	88.20	-15.75	63.01	3	Vertical	238	2.91	-	36.92	5.96	33.44
RMS	7.1266G	59.97	68.20	-8.23	50.54	3	Vertical	238	2.91	-	36.91	5.96	33.44


**802.11ax HEW40_Nss1,(MCS0)_2TX
7085MHz_TnomVnom**



EUT_Z_2TX
Setting 54
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.091G	97.04	Inf	-Inf	87.77	3	Horizontal	248	2.91	-	36.72	5.95	33.40
RMS	7.071G	86.57	Inf	-Inf	77.25	3	Horizontal	248	2.91	-	36.76	5.94	33.38
PK	7.1254G	64.37	88.20	-23.83	54.95	3	Horizontal	248	2.91	-	36.90	5.96	33.44
RMS	7.1262G	52.89	68.20	-15.31	43.46	3	Horizontal	248	2.91	-	36.91	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_2TX
7085MHz_TnomVnom



EUT_Z_2TX
Setting 54
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16904G	59.94	88.20	-28.26	45.37	3	Vertical	200	1.29	-	40.83	8.64	34.90
RMS	14.1656G	47.15	68.20	-21.05	32.58	3	Vertical	200	1.29	-	40.83	8.64	34.90