


802.11ax HEW40\_Nss1,(MCS0)\_2TX  
7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 54  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1707G	59.72	88.20	-28.48	45.15	3	Horizontal	5	2.45	-	40.83	8.64	34.90
RMS	14.17466G	47.40	68.20	-20.80	32.83	3	Horizontal	5	2.45	-	40.83	8.64	34.90

802.11ax HEW40\_Nss1,(MCS0)\_2TX


7085MHz\_TnomVnom



EUT\_Z\_2TX  
 Setting 54  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25626G	60.78	83.54	-22.76	56.75	1	Vertical	293	1.51	-	37.61	16.07	49.65
AV	21.2514G	48.72	63.54	-14.82	44.71	1	Vertical	293	1.51	-	37.60	16.06	49.65


802.11ax HEW40\_Nss1,(MCS0)\_2TX  
7085MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 54  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25246G	61.47	83.54	-22.07	57.46	1	Horizontal	189	1.55	-	37.60	16.06	49.65
AV	21.25478G	48.88	63.54	-14.66	44.86	1	Horizontal	189	1.55	-	37.61	16.06	49.65


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5985MHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 59  
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	76.06	88.20	-12.14	67.40	3	Vertical	230	2.42	-	35.00	6.60	32.94
RMS	5.925G	64.08	68.20	-4.12	55.42	3	Vertical	230	2.42	-	35.00	6.60	32.94
PK	6.0226G	110.49	Inf	-Inf	101.56	3	Vertical	230	2.42	-	35.25	6.63	32.95
RMS	6.0146G	99.14	Inf	-Inf	90.20	3	Vertical	230	2.42	-	35.27	6.62	32.95


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5985MHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 59  
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	67.08	88.20	-21.12	58.44	3	Horizontal	264	2.60	-	34.98	6.60	32.94
RMS	5.9234G	56.19	68.20	-12.01	47.54	3	Horizontal	264	2.60	-	34.99	6.60	32.94
PK	5.9706G	101.71	Inf	-Inf	92.88	3	Horizontal	264	2.60	-	35.18	6.60	32.95
RMS	5.993G	90.36	Inf	-Inf	81.44	3	Horizontal	264	2.60	-	35.27	6.60	32.95


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5985MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 59  
04-D-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96674G	56.81	74.00	-17.19	43.77	3	Vertical	360	1.07	-	39.00	8.98	34.94
AV	11.96824G	43.91	54.00	-10.09	30.87	3	Vertical	360	1.07	-	39.00	8.98	34.94
PK	17.95146G	62.35	74.00	-11.65	45.33	3	Vertical	90	1.64	-	42.05	9.78	34.81
AV	17.9555G	50.45	54.00	-3.55	33.43	3	Vertical	90	1.64	-	42.06	9.78	34.82


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5985MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 59  
04-D-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96598G	56.39	74.00	-17.61	43.35	3	Horizontal	338	2.30	-	39.00	8.98	34.94
AV	11.96526G	44.10	54.00	-9.90	31.06	3	Horizontal	338	2.30	-	39.00	8.98	34.94
PK	17.95942G	62.70	74.00	-11.30	45.67	3	Horizontal	355	1.59	-	42.06	9.79	34.82
AV	17.95726G	50.41	54.00	-3.59	33.38	3	Horizontal	355	1.59	-	42.06	9.79	34.82

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 58  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8486G	59.40	88.20	-28.80	52.61	3	Vertical	237.7	2.82	-	34.79	5.32	33.32
RMS	5.925G	48.93	68.20	-19.27	41.87	3	Vertical	237.7	2.82	-	35.05	5.36	33.35
PK	6.1474G	106.57	Inf	-Inf	98.89	3	Vertical	237.7	2.82	-	35.41	5.55	33.28
RMS	6.1498G	95.64	Inf	-Inf	87.97	3	Vertical	237.7	2.82	-	35.40	5.55	33.28




802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6145MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 58  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	58.73	88.20	-29.47	51.73	3	Horizontal	263.5	2.80	-	34.99	5.36	33.35
RMS	5.925G	48.68	68.20	-19.52	41.62	3	Horizontal	263.5	2.80	-	35.05	5.36	33.35
PK	6.1162G	98.77	Inf	-Inf	91.08	3	Horizontal	263.5	2.80	-	35.47	5.52	33.30
RMS	6.1546G	88.68	Inf	-Inf	80.97	3	Horizontal	263.5	2.80	-	35.43	5.55	33.27


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6145MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 58  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29338G	55.99	74.00	-18.01	43.20	3	Vertical	306	1.26	-	38.71	8.94	34.86
AV	12.28774G	43.18	54.00	-10.82	30.39	3	Vertical	306	1.26	-	38.71	8.94	34.86


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6145MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 58  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28612G	55.34	74.00	-18.66	42.55	3	Horizontal	44	1.78	-	38.71	8.94	34.86
AV	12.28898G	43.28	54.00	-10.72	30.49	3	Horizontal	44	1.78	-	38.71	8.94	34.86

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 58  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43156G	57.29	83.54	-26.25	54.83	1	Vertical	311	1.53	-	37.72	14.87	50.13
AV	18.43318G	45.22	63.54	-18.32	42.76	1	Vertical	311	1.53	-	37.72	14.87	50.13

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6145MHz\_TnomVnom



EUT\_Z\_2TX  
 Setting 58  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43084G	57.82	83.54	-25.72	55.36	1	Horizontal	221	1.51	-	37.72	14.87	50.13
AV	18.43834G	45.01	63.54	-18.53	42.52	1	Horizontal	221	1.51	-	37.73	14.88	50.12


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6385MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 59  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	59.44	88.20	-28.76	52.45	3	Vertical	243.6	2.80	-	34.97	5.36	33.34
RMS	5.9242G	48.82	68.20	-19.38	41.76	3	Vertical	243.6	2.80	-	35.05	5.36	33.35
PK	6.3802G	106.91	Inf	-Inf	98.68	3	Vertical	243.6	2.80	-	35.66	5.69	33.12
RMS	6.3706G	95.42	Inf	-Inf	87.22	3	Vertical	243.6	2.80	-	35.64	5.69	33.13


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6385MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 59  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	58.78	88.20	-29.42	51.84	3	Horizontal	238.4	2.65	-	34.93	5.35	33.34
RMS	5.9194G	48.57	68.20	-19.63	41.54	3	Horizontal	238.4	2.65	-	35.02	5.36	33.35
PK	6.3586G	93.15	Inf	-Inf	84.99	3	Horizontal	238.4	2.65	-	35.62	5.68	33.14
RMS	6.373G	81.77	Inf	-Inf	73.56	3	Horizontal	238.4	2.65	-	35.65	5.69	33.13

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6385MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 59  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7683G	57.31	88.20	-30.89	43.84	3	Vertical	156	2.02	-	39.37	8.85	34.75
RMS	12.77112G	44.07	68.20	-24.13	30.60	3	Vertical	156	2.02	-	39.37	8.85	34.75



**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6385MHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 59  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76932G	56.85	88.20	-31.35	43.38	3	Horizontal	46	2.67	-	39.37	8.85	34.75
RMS	12.77292G	44.36	68.20	-23.84	30.89	3	Horizontal	46	2.67	-	39.37	8.85	34.75

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6385MHz\_TnomVnom



EUT\_Z\_2TX  
 Setting 59  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15312G	59.31	83.54	-24.23	55.96	1	Vertical	328	1.53	-	37.82	15.16	49.63
AV	19.15552G	47.14	63.54	-16.40	43.80	1	Vertical	328	1.53	-	37.81	15.16	49.63


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6385MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 59  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1564G	59.77	83.54	-23.77	56.43	1	Horizontal	242	1.52	-	37.81	15.16	49.63
AV	19.15306G	47.03	63.54	-16.51	43.68	1	Horizontal	242	1.52	-	37.82	15.16	49.63


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6465MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 65  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	58.83	88.20	-29.37	51.84	3	Vertical	242.5	2.78	-	34.98	5.36	33.35
RMS	5.9242G	48.84	68.20	-19.36	41.78	3	Vertical	242.5	2.78	-	35.05	5.36	33.35
PK	6.4546G	107.65	Inf	-Inf	99.40	3	Vertical	242.5	2.78	-	35.62	5.70	33.07
RMS	6.452G	96.53	Inf	-Inf	88.29	3	Vertical	242.5	2.78	-	35.61	5.70	33.07


**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6465MHz\_TnomVnom**



EUT\_Z\_2TX  
Setting 65  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.828G	58.46	88.20	-29.74	51.79	3	Horizontal	253	2.60	-	34.67	5.31	33.31
RMS	5.9242G	48.66	68.20	-19.54	41.60	3	Horizontal	253	2.60	-	35.05	5.36	33.35
PK	6.452G	99.00	Inf	-Inf	90.76	3	Horizontal	253	2.60	-	35.61	5.70	33.07
RMS	6.4338G	87.92	Inf	-Inf	79.68	3	Horizontal	253	2.60	-	35.63	5.70	33.09


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6465MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 65  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92632G	57.47	88.20	-30.73	43.82	3	Vertical	325	2.33	-	39.55	8.81	34.71
RMS	12.93242G	45.60	68.20	-22.60	31.94	3	Vertical	325	2.33	-	39.56	8.81	34.71

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6465MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 65  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93152G	57.79	88.20	-30.41	44.13	3	Horizontal	71	1.29	-	39.56	8.81	34.71
RMS	12.92808G	45.42	68.20	-22.78	31.76	3	Horizontal	71	1.29	-	39.56	8.81	34.71

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 65  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3936G	58.89	83.54	-24.65	55.50	1	Vertical	171	1.54	-	37.81	15.26	49.68
AV	19.39288G	46.03	63.54	-17.51	42.64	1	Vertical	171	1.54	-	37.81	15.26	49.68



802.11ax HEW80\_Nss1,(MCS0)\_2TX


6465MHz\_TnomVnom



EUT\_Z\_2TX  
 Setting 65  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3924G	58.30	83.54	-25.24	54.91	1	Horizontal	92	1.53	-	37.81	15.26	49.68
AV	19.3992G	46.02	63.54	-17.52	42.62	1	Horizontal	92	1.53	-	37.82	15.26	49.68


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6545MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 62  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	58.55	88.20	-29.65	51.52	3	Vertical	237.6	2.69	-	35.02	5.36	33.35
RMS	5.9234G	48.66	68.20	-19.54	41.61	3	Vertical	237.6	2.69	-	35.04	5.36	33.35
PK	6.5338G	107.09	Inf	-Inf	98.51	3	Vertical	237.6	2.69	-	35.94	5.70	33.06
RMS	6.517G	95.39	Inf	-Inf	86.87	3	Vertical	237.6	2.69	-	35.87	5.70	33.05
PK	7.2338G	62.22	88.20	-25.98	52.40	3	Vertical	237.6	2.69	-	37.37	6.02	33.57
RMS	7.245G	51.95	68.20	-16.25	42.12	3	Vertical	237.6	2.69	-	37.39	6.02	33.58


**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6545MHz\_TnomVnom**



EUT\_Z\_2TX  
Setting 62  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8562G	58.83	88.20	-29.37	52.01	3	Horizontal	262.5	2.59	-	34.81	5.33	33.32
RMS	5.925G	48.59	68.20	-19.61	41.53	3	Horizontal	262.5	2.59	-	35.05	5.36	33.35
PK	6.5142G	99.38	Inf	-Inf	90.87	3	Horizontal	262.5	2.59	-	35.86	5.70	33.05
RMS	6.517G	88.65	Inf	-Inf	80.13	3	Horizontal	262.5	2.59	-	35.87	5.70	33.05
PK	7.1554G	62.49	88.20	-25.71	52.87	3	Horizontal	262.5	2.59	-	37.12	5.98	33.48
RMS	7.2338G	51.86	68.20	-16.34	42.04	3	Horizontal	262.5	2.59	-	37.37	6.02	33.57


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 62  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0894G	58.55	88.20	-29.65	44.77	3	Vertical	266	1.02	-	39.70	8.78	34.70
RMS	13.08676G	46.18	68.20	-22.02	32.40	3	Vertical	266	1.02	-	39.70	8.78	34.70


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 62  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08724G	59.02	88.20	-29.18	45.24	3	Horizontal	225	2.72	-	39.70	8.78	34.70
RMS	13.09032G	45.99	68.20	-22.21	32.21	3	Horizontal	225	2.72	-	39.70	8.78	34.70


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 62  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63806G	59.92	83.54	-23.62	56.42	1	Vertical	168	1.56	-	37.84	15.36	49.70
AV	19.63156G	47.42	63.54	-16.12	43.92	1	Vertical	168	1.56	-	37.85	15.35	49.70


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 62  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6305G	59.93	83.54	-23.61	56.43	1	Horizontal	226	1.54	-	37.85	15.35	49.70
AV	19.63074G	47.68	63.54	-15.86	44.18	1	Horizontal	226	1.54	-	37.85	15.35	49.70

**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6625MHz\_TnomVnom**




EUT\_Z\_2TX  
Setting 58  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6442G	104.55	Inf	-Inf	95.77	3	Vertical	251.5	2.62	-	36.19	5.70	33.11
RMS	6.6106G	93.50	Inf	-Inf	84.78	3	Vertical	251.5	2.62	-	36.12	5.70	33.10
PK	7.1938G	62.65	88.20	-25.55	52.89	3	Vertical	251.5	2.62	-	37.28	6.00	33.52
RMS	7.1698G	51.82	68.20	-16.38	42.15	3	Vertical	251.5	2.62	-	37.18	5.98	33.49




**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6625MHz\_TnomVnom**



EUT\_Z\_2TX  
Setting 58  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6394G	96.36	Inf	-Inf	87.59	3	Horizontal	271.4	2.57	-	36.18	5.70	33.11
RMS	6.6202G	84.56	Inf	-Inf	75.82	3	Horizontal	271.4	2.57	-	36.14	5.70	33.10
PK	7.1722G	62.83	88.20	-25.37	53.15	3	Horizontal	271.4	2.57	-	37.19	5.99	33.50
RMS	7.2226G	51.90	68.20	-16.30	42.10	3	Horizontal	271.4	2.57	-	37.35	6.01	33.56


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6625MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 58  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24688G	57.53	88.20	-30.67	43.54	3	Vertical	65	1.98	-	39.95	8.75	34.71
RMS	13.24812G	44.93	68.20	-23.27	30.94	3	Vertical	65	1.98	-	39.95	8.75	34.71

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6625MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 58  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2525G	57.49	74.00	-16.51	43.50	3	Horizontal	211	2.37	-	39.95	8.75	34.71
RMS	13.2549G	44.77	54.00	-9.23	30.78	3	Horizontal	211	2.37	-	39.95	8.75	34.71

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6625MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 58  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87598G	59.27	83.54	-24.27	55.92	1	Vertical	106	1.54	-	37.60	15.45	49.70
AV	19.87892G	46.35	63.54	-17.19	43.01	1	Vertical	106	1.54	-	37.59	15.45	49.70


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6625MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 58  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8773G	58.48	83.54	-25.06	55.13	1	Horizontal	152	1.56	-	37.60	15.45	49.70
AV	19.87684G	46.37	63.54	-17.17	43.02	1	Horizontal	152	1.56	-	37.60	15.45	49.70


**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6705MHz\_TnomVnom**



EUT\_Z\_2TX  
Setting 62  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.679G	106.89	Inf	-Inf	98.12	3	Vertical	229.4	2.64	-	36.20	5.70	33.13
RMS	6.719G	95.19	Inf	-Inf	86.36	3	Vertical	229.4	2.64	-	36.28	5.70	33.15
PK	7.169G	63.11	88.20	-25.09	53.44	3	Vertical	229.4	2.64	-	37.18	5.98	33.49
RMS	7.193G	52.16	68.20	-16.04	42.41	3	Vertical	229.4	2.64	-	37.27	6.00	33.52


**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6705MHz\_TnomVnom**



EUT\_Z\_2TX  
Setting 62  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.673G	97.72	Inf	-Inf	88.95	3	Horizontal	264.1	2.78	-	36.20	5.70	33.13
RMS	6.691G	86.81	Inf	-Inf	78.05	3	Horizontal	264.1	2.78	-	36.20	5.70	33.14
PK	7.165G	62.23	88.20	-25.97	52.58	3	Horizontal	264.1	2.78	-	37.16	5.98	33.49
RMS	7.195G	52.05	68.20	-16.15	42.29	3	Horizontal	264.1	2.78	-	37.28	6.00	33.52

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6705MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 62  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40574G	58.34	88.20	-29.86	44.14	3	Vertical	1	2.12	-	40.20	8.72	34.72
RMS	13.41026G	46.22	68.20	-21.98	32.02	3	Vertical	1	2.12	-	40.20	8.72	34.72



802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6705MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 62  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41466G	58.16	88.20	-30.04	43.96	3	Horizontal	3	2.72	-	40.20	8.72	34.72
RMS	13.40842G	45.99	68.20	-22.21	31.79	3	Horizontal	3	2.72	-	40.20	8.72	34.72

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6705MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 62  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11612G	59.55	83.54	-23.99	56.26	1	Vertical	182	1.57	-	37.49	15.55	49.75
AV	20.11564G	47.29	63.54	-16.25	44.00	1	Vertical	182	1.57	-	37.49	15.55	49.75


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6705MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 62  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11004G	59.31	83.54	-24.23	56.01	1	Horizontal	126	1.50	-	37.49	15.55	49.74
AV	20.11168G	47.34	63.54	-16.20	44.04	1	Horizontal	126	1.50	-	37.49	15.55	49.74


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6785MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 59  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8144G	105.68	Inf	-Inf	96.78	3	Vertical	235.7	2.75	-	36.39	5.71	33.20
RMS	6.7738G	96.06	Inf	-Inf	87.19	3	Vertical	235.7	2.75	-	36.35	5.70	33.18
PK	7.1308G	61.69	88.20	-26.51	52.22	3	Vertical	235.7	2.75	-	36.95	5.97	33.45
RMS	7.128G	51.72	68.20	-16.48	42.28	3	Vertical	235.7	2.75	-	36.92	5.96	33.44


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6785MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 59  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7542G	97.23	Inf	-Inf	88.31	3	Horizontal	260.1	2.68	-	36.39	5.70	33.17
RMS	6.7794G	87.51	Inf	-Inf	78.65	3	Horizontal	260.1	2.68	-	36.34	5.70	33.18
PK	7.1336G	61.19	88.20	-27.01	51.70	3	Horizontal	260.1	2.68	-	36.97	5.97	33.45
RMS	7.1336G	51.66	68.20	-16.54	42.17	3	Horizontal	260.1	2.68	-	36.97	5.97	33.45


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6785MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 59  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57046G	58.10	88.20	-30.10	43.96	3	Vertical	68	1.34	-	40.20	8.69	34.75
RMS	13.56982G	45.71	68.20	-22.49	31.57	3	Vertical	68	1.34	-	40.20	8.69	34.75


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6785MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 59  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.565G	58.27	88.20	-29.93	44.13	3	Horizontal	331	2.25	-	40.20	8.69	34.75
RMS	13.56734G	45.66	68.20	-22.54	31.52	3	Horizontal	331	2.25	-	40.20	8.69	34.75

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6785MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 59  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35644G	59.84	83.54	-23.70	56.38	1	Vertical	88	1.52	-	37.64	15.66	49.84
AV	20.3571G	47.34	63.54	-16.20	43.88	1	Vertical	88	1.52	-	37.64	15.66	49.84




802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6785MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 59  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35108G	59.50	83.54	-24.04	56.04	1	Horizontal	281	1.52	-	37.64	15.66	49.84
AV	20.35704G	47.41	63.54	-16.13	43.95	1	Horizontal	281	1.52	-	37.64	15.66	49.84


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 57  
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	105.85	Inf	-Inf	96.71	3	Vertical	235.3	2.63	-	36.60	5.75	33.21
RMS	6.8542G	94.84	Inf	-Inf	85.73	3	Vertical	235.3	2.63	-	36.58	5.75	33.22
PK	7.147G	62.65	88.20	-25.55	53.07	3	Vertical	235.3	2.63	-	37.08	5.97	33.47
RMS	7.1566G	52.04	68.20	-16.16	42.41	3	Vertical	235.3	2.63	-	37.13	5.98	33.48


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 57  
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8362G	96.67	Inf	-Inf	87.62	3	Horizontal	277.3	2.57	-	36.52	5.74	33.21
RMS	6.8734G	86.14	Inf	-Inf	77.09	3	Horizontal	277.3	2.57	-	36.51	5.77	33.23
PK	7.1614G	62.82	88.20	-25.38	53.17	3	Horizontal	277.3	2.57	-	37.15	5.98	33.48
RMS	7.1626G	52.00	68.20	-16.20	42.36	3	Horizontal	277.3	2.57	-	37.15	5.98	33.49


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 57  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72852G	59.26	88.20	-28.94	45.00	3	Vertical	346	1.27	-	40.43	8.65	34.82
RMS	13.73334G	46.86	68.20	-21.34	32.60	3	Vertical	346	1.27	-	40.43	8.65	34.82


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 57  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72734G	59.18	88.20	-29.02	44.92	3	Horizontal	304	2.55	-	40.43	8.65	34.82
RMS	13.73498G	46.83	68.20	-21.37	32.57	3	Horizontal	304	2.55	-	40.43	8.65	34.82


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 57  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59856G	59.80	83.54	-23.74	56.07	1	Vertical	324	1.57	-	37.82	15.77	49.86
AV	20.59156G	47.10	63.54	-16.44	43.38	1	Vertical	324	1.57	-	37.81	15.77	49.86


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 57  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59302G	60.04	83.54	-23.50	56.32	1	Horizontal	30	1.52	-	37.81	15.77	49.86
AV	20.59978G	47.20	63.54	-16.34	43.47	1	Horizontal	30	1.52	-	37.82	15.77	49.86

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6945MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 61  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9558G	105.26	Inf	-Inf	95.89	3	Vertical	253.3	2.56	-	36.78	5.86	33.27
RMS	6.951G	95.59	Inf	-Inf	86.21	3	Vertical	253.3	2.56	-	36.80	5.85	33.27
PK	7.2198G	63.29	88.20	-24.91	53.49	3	Vertical	253.3	2.56	-	37.34	6.01	33.55
RMS	7.1838G	52.28	68.20	-15.92	42.56	3	Vertical	253.3	2.56	-	37.24	5.99	33.51




**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6945MHz\_TnomVnom**



EUT\_Z\_2TX  
Setting 61  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9522G	97.71	Inf	-Inf	88.34	3	Horizontal	264.7	2.52	-	36.79	5.85	33.27
RMS	6.9714G	86.86	Inf	-Inf	77.56	3	Horizontal	264.7	2.52	-	36.71	5.87	33.28
PK	7.1946G	62.73	88.20	-25.47	52.97	3	Horizontal	264.7	2.52	-	37.28	6.00	33.52
RMS	7.2414G	52.27	68.20	-15.93	42.45	3	Horizontal	264.7	2.52	-	37.38	6.02	33.58


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6945MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 61  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89492G	58.97	88.20	-29.23	44.65	3	Vertical	155	2.07	-	40.59	8.62	34.89
RMS	13.89446G	46.63	68.20	-21.57	32.31	3	Vertical	155	2.07	-	40.59	8.62	34.89


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6945MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 61  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8894G	59.75	88.20	-28.45	45.42	3	Horizontal	271	1.28	-	40.59	8.62	34.88
RMS	13.89112G	46.55	68.20	-21.65	32.22	3	Horizontal	271	1.28	-	40.59	8.62	34.88

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
6945MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 61  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8384G	61.04	83.54	-22.50	57.06	1	Vertical	238	1.51	-	37.86	15.88	49.76
AV	20.8378G	48.69	63.54	-14.85	44.71	1	Vertical	238	1.51	-	37.86	15.88	49.76

802.11ax HEW80\_Nss1,(MCS0)\_2TX


6945MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 61  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83104G	60.81	83.54	-22.73	56.84	1	Horizontal	306	1.51	-	37.87	15.87	49.77
AV	20.83956G	48.72	63.54	-14.82	44.74	1	Horizontal	306	1.51	-	37.86	15.88	49.76


**802.11ax HEW80\_Nss1,(MCS0)\_2TX  
7025MHz\_TnomVnom**



EUT\_Z\_2TX  
Setting 61  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0002G	110.86	Inf	-Inf	100.45	3	Vertical	242	2.60	-	36.30	7.30	33.19
RMS	7.0146G	99.13	Inf	-Inf	88.63	3	Vertical	242	2.60	-	36.39	7.29	33.18
PK	7.125G	65.28	88.20	-22.92	54.48	3	Vertical	242	2.60	-	36.70	7.24	33.14
RMS	7.125G	54.92	68.20	-13.28	44.12	3	Vertical	242	2.60	-	36.70	7.24	33.14


802.11ax HEW80\_Nss1,(MCS0)\_2TX  
7025MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 61  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0122G	102.65	Inf	-Inf	92.18	3	Horizontal	276	2.56	-	36.37	7.29	33.19
RMS	7.0154G	91.55	Inf	-Inf	81.05	3	Horizontal	276	2.56	-	36.39	7.29	33.18
PK	7.1842G	64.52	88.20	-23.68	53.39	3	Horizontal	276	2.56	-	37.04	7.21	33.12
RMS	7.2226G	53.65	68.20	-14.55	42.44	3	Horizontal	276	2.56	-	37.10	7.22	33.11

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
7025MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 61  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05164G	60.28	88.20	-27.92	45.69	3	Vertical	357	2.51	-	40.90	8.61	34.92
RMS	14.05116G	47.37	68.20	-20.83	32.78	3	Vertical	357	2.51	-	40.90	8.61	34.92




802.11ax HEW80\_Nss1,(MCS0)\_2TX  
7025MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 61  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05404G	60.06	88.20	-28.14	45.47	3	Horizontal	192	2.79	-	40.90	8.61	34.92
RMS	14.0504G	47.44	68.20	-20.76	32.85	3	Horizontal	192	2.79	-	40.90	8.61	34.92

802.11ax HEW80\_Nss1,(MCS0)\_2TX  
7025MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 61  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07776G	59.61	83.54	-23.93	55.71	1	Vertical	47	1.57	-	37.60	15.98	49.68
AV	21.07294G	46.90	63.54	-16.64	43.01	1	Vertical	47	1.57	-	37.60	15.98	49.69

802.11ax HEW80\_Nss1,(MCS0)\_2TX


7025MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 61  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0755G	59.31	83.54	-24.23	55.41	1	Horizontal	31	1.53	-	37.60	15.98	49.68
AV	21.07794G	46.78	63.54	-16.76	42.87	1	Horizontal	31	1.53	-	37.60	15.99	49.68


802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6025MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 72  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	75.57	88.20	-12.63	66.97	3	Vertical	230	2.64	-	34.94	6.60	32.94
RMS	5.92G	60.54	68.20	-7.66	51.90	3	Vertical	230	2.64	-	34.98	6.60	32.94
PK	6.062G	109.87	Inf	-Inf	100.91	3	Vertical	230	2.64	-	35.22	6.69	32.95
RMS	6.05G	99.70	Inf	-Inf	90.78	3	Vertical	230	2.64	-	35.20	6.67	32.95

802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6025MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 72  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	67.15	88.20	-21.05	58.55	3	Horizontal	276	2.45	-	34.94	6.60	32.94
RMS	5.911G	53.90	68.20	-14.30	45.30	3	Horizontal	276	2.45	-	34.94	6.60	32.94
PK	5.998G	99.10	Inf	-Inf	90.16	3	Horizontal	276	2.45	-	35.29	6.60	32.95
RMS	6.05G	88.27	Inf	-Inf	79.35	3	Horizontal	276	2.45	-	35.20	6.67	32.95

802.11ax HEW160\_Nss1,(MCS0)\_2TX


6025MHz\_TnomVnom



EUT\_Z\_2TX  
 Setting 72  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04524G	55.82	74.00	-18.18	42.87	3	Vertical	134	1.66	-	38.90	8.99	34.94
AV	12.04892G	45.27	54.00	-8.73	32.32	3	Vertical	134	1.66	-	38.90	8.99	34.94

802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6025MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 72  
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04996G	56.13	74.00	-17.87	43.18	3	Horizontal	288	2.00	-	38.90	8.99	34.94
AV	12.0537G	45.12	54.00	-8.88	32.16	3	Horizontal	288	2.00	-	38.90	8.99	34.93

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 72  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07974G	58.62	83.54	-24.92	56.52	1	Vertical	32	1.58	-	37.64	14.73	50.27
AV	18.07932G	47.58	63.54	-15.96	45.48	1	Vertical	32	1.58	-	37.64	14.73	50.27



802.11ax HEW160\_Nss1,(MCS0)\_2TX


6025MHz\_TnomVnom



EUT\_Z\_2TX  
 Setting 72  
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0753G	58.62	83.54	-24.92	56.52	1	Horizontal	111	1.58	-	37.64	14.73	50.27
AV	18.076G	47.44	63.54	-16.10	45.34	1	Horizontal	111	1.58	-	37.64	14.73	50.27


802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6185MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 71  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	59.90	88.20	-28.30	52.91	3	Vertical	250	2.54	-	34.98	5.36	33.35
RMS	5.9226G	49.86	68.20	-18.34	42.81	3	Vertical	250	2.54	-	35.04	5.36	33.35
PK	6.217G	105.42	Inf	-Inf	97.44	3	Vertical	250	2.54	-	35.60	5.61	33.23
RMS	6.1994G	94.27	Inf	-Inf	86.21	3	Vertical	250	2.54	-	35.70	5.60	33.24

802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6185MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 71  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	59.61	88.20	-28.59	52.61	3	Horizontal	259.3	2.56	-	34.99	5.36	33.35
RMS	5.9226G	48.94	68.20	-19.26	41.89	3	Horizontal	259.3	2.56	-	35.04	5.36	33.35
PK	6.2106G	95.84	Inf	-Inf	87.83	3	Horizontal	259.3	2.56	-	35.64	5.61	33.24
RMS	6.2106G	86.07	Inf	-Inf	78.06	3	Horizontal	259.3	2.56	-	35.64	5.61	33.24

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 71  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37482G	57.32	74.00	-16.68	44.31	3	Vertical	32	1.99	-	38.92	8.93	34.84
AV	12.3689G	46.45	54.00	-7.55	33.45	3	Vertical	32	1.99	-	38.91	8.93	34.84

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 71  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37412G	57.08	74.00	-16.92	44.07	3	Horizontal	29	1.53	-	38.92	8.93	34.84
AV	12.37366G	46.46	54.00	-7.54	33.45	3	Horizontal	29	1.53	-	38.92	8.93	34.84

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 71  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5522G	58.18	83.54	-25.36	55.53	1	Vertical	154	1.55	-	37.78	14.92	50.05
AV	18.55782G	47.63	63.54	-15.91	44.97	1	Vertical	154	1.55	-	37.78	14.92	50.04

802.11ax HEW160\_Nss1,(MCS0)\_2TX


6185MHz\_TnomVnom



EUT\_Z\_2TX  
 Setting 71  
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5549G	58.70	83.54	-34.84	46.05	1	Horizontal	137	1.51	-	37.78	14.92	50.05
AV	18.55522G	47.72	63.54	-25.82	35.06	1	Horizontal	137	1.51	-	37.78	14.92	50.04

802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6345MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 71  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	59.37	88.20	-28.83	52.37	3	Vertical	281.5	2.69	-	34.99	5.36	33.35
RMS	5.923G	49.54	68.20	-18.66	42.49	3	Vertical	281.5	2.69	-	35.04	5.36	33.35
PK	6.325G	104.46	Inf	-Inf	96.36	3	Vertical	281.5	2.69	-	35.60	5.66	33.16
RMS	6.319G	92.43	Inf	-Inf	84.33	3	Vertical	281.5	2.69	-	35.60	5.66	33.16



802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6345MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 71  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	58.79	88.20	-29.41	51.85	3	Horizontal	272.3	2.66	-	34.93	5.35	33.34
RMS	5.925G	48.90	68.20	-19.30	41.84	3	Horizontal	272.3	2.66	-	35.05	5.36	33.35
PK	6.319G	97.53	Inf	-Inf	89.43	3	Horizontal	272.3	2.66	-	35.60	5.66	33.16
RMS	6.331G	86.62	Inf	-Inf	78.50	3	Horizontal	272.3	2.66	-	35.60	5.67	33.15

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 71  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68938G	56.91	74.00	-17.09	43.55	3	Vertical	211	2.46	-	39.26	8.86	34.76
AV	12.68554G	45.55	54.00	-8.45	32.21	3	Vertical	211	2.46	-	39.24	8.86	34.76

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 71  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68784G	56.59	74.00	-17.41	43.24	3	Horizontal	21	2.60	-	39.25	8.86	34.76
AV	12.69228G	45.23	54.00	-8.77	31.86	3	Horizontal	21	2.60	-	39.27	8.86	34.76

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 71  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03158G	58.72	83.54	-24.82	55.26	1	Vertical	282	1.52	-	37.96	15.11	49.61
AV	19.03934G	48.24	63.54	-15.30	44.78	1	Vertical	282	1.52	-	37.95	15.12	49.61

802.11ax HEW160\_Nss1,(MCS0)\_2TX


6345MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 71  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0358G	58.51	83.54	-25.03	55.05	1	Horizontal	82	1.53	-	37.96	15.11	49.61
AV	19.0367G	47.96	63.54	-15.58	44.50	1	Horizontal	82	1.53	-	37.96	15.11	49.61


802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6505MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 74  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8442G	58.69	88.20	-29.51	51.92	3	Vertical	235.8	2.91	-	34.77	5.32	33.32
RMS	5.925G	48.93	68.20	-19.27	41.87	3	Vertical	235.8	2.91	-	35.05	5.36	33.35
PK	6.477G	105.34	Inf	-Inf	96.99	3	Vertical	235.8	2.91	-	35.71	5.70	33.06
RMS	6.477G	94.68	Inf	-Inf	86.33	3	Vertical	235.8	2.91	-	35.71	5.70	33.06
PK	7.1322G	61.93	88.20	-26.27	52.45	3	Vertical	235.8	2.91	-	36.96	5.97	33.45
RMS	7.177G	52.12	68.20	-16.08	42.42	3	Vertical	235.8	2.91	-	37.21	5.99	33.50


**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6505MHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 74  
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.833G	58.44	88.20	-29.76	51.73	3	Horizontal	290.5	2.62	-	34.70	5.32	33.31
RMS	5.9226G	48.81	68.20	-19.39	41.76	3	Horizontal	290.5	2.62	-	35.04	5.36	33.35
PK	6.5302G	98.88	Inf	-Inf	90.32	3	Horizontal	290.5	2.62	-	35.92	5.70	33.06
RMS	6.5218G	86.97	Inf	-Inf	78.43	3	Horizontal	290.5	2.62	-	35.89	5.70	33.05
PK	7.1742G	62.29	88.20	-25.91	52.60	3	Horizontal	290.5	2.62	-	37.20	5.99	33.50
RMS	7.1742G	52.14	68.20	-16.06	42.45	3	Horizontal	290.5	2.62	-	37.20	5.99	33.50

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 74  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01392G	58.87	88.20	-29.33	45.07	3	Vertical	2	2.05	-	39.70	8.80	34.70
RMS	13.00624G	48.04	68.20	-20.16	34.24	3	Vertical	2	2.05	-	39.70	8.80	34.70




**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 74  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0119G	59.24	88.20	-28.96	45.44	3	Horizontal	209	1.08	-	39.70	8.80	34.70
RMS	13.01122G	47.98	68.20	-20.22	34.18	3	Horizontal	209	1.08	-	39.70	8.80	34.70


**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 74  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5135G	58.22	83.54	-25.32	54.72	1	Vertical	68	1.54	-	37.89	15.31	49.70
AV	19.51402G	47.68	63.54	-15.86	44.18	1	Vertical	68	1.54	-	37.89	15.31	49.70


**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 74  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51472G	58.33	83.54	-25.21	54.83	1	Horizontal	25	1.57	-	37.89	15.31	49.70
AV	19.51218G	47.63	63.54	-15.91	44.13	1	Horizontal	25	1.57	-	37.90	15.30	49.70


802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6665MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 71  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.632G	106.17	Inf	-Inf	97.42	3	Vertical	247.2	2.88	-	36.16	5.70	33.11
RMS	6.6408G	94.43	Inf	-Inf	85.66	3	Vertical	247.2	2.88	-	36.18	5.70	33.11
PK	7.1468G	61.64	88.20	-26.56	52.07	3	Vertical	247.2	2.88	-	37.07	5.97	33.47
RMS	7.1952G	52.25	68.20	-15.95	42.49	3	Vertical	247.2	2.88	-	37.28	6.00	33.52

802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6665MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 71  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6474G	97.78	Inf	-Inf	89.00	3	Horizontal	278.9	2.69	-	36.19	5.70	33.11
RMS	6.6408G	86.76	Inf	-Inf	77.99	3	Horizontal	278.9	2.69	-	36.18	5.70	33.11
PK	7.1776G	63.70	88.20	-24.50	54.00	3	Horizontal	278.9	2.69	-	37.21	5.99	33.50
RMS	7.1952G	52.26	68.20	-15.94	42.50	3	Horizontal	278.9	2.69	-	37.28	6.00	33.52

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 71  
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33026G	56.77	74.00	-17.23	42.69	3	Vertical	267	1.46	-	40.06	8.73	34.71
AV	13.32614G	46.53	54.00	-7.47	32.46	3	Vertical	267	1.46	-	40.05	8.73	34.71

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 71  
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3341G	57.15	74.00	-16.85	43.06	3	Horizontal	209	2.69	-	40.07	8.73	34.71
AV	13.3285G	46.58	54.00	-7.42	32.50	3	Horizontal	209	2.69	-	40.06	8.73	34.71

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 71  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99642G	58.50	83.54	-25.04	55.29	1	Vertical	93	1.55	-	37.41	15.50	49.70
AV	19.9936G	47.92	63.54	-15.62	44.71	1	Vertical	93	1.55	-	37.41	15.50	49.70



802.11ax HEW160\_Nss1,(MCS0)\_2TX


6665MHz\_TnomVnom



EUT\_Z\_2TX  
 Setting 71  
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99508G	58.80	83.54	-24.74	55.59	1	Horizontal	186	1.58	-	37.41	15.50	49.70
AV	19.9982G	47.14	63.54	-16.40	43.94	1	Horizontal	186	1.58	-	37.40	15.50	49.70


**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6825MHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 66  
 04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7606G	105.57	Inf	-Inf	96.66	3	Vertical	242.5	2.70	-	36.38	5.70	33.17
RMS	6.7662G	95.34	Inf	-Inf	86.44	3	Vertical	242.5	2.70	-	36.37	5.70	33.17
PK	7.1652G	62.86	88.20	-25.34	53.21	3	Vertical	242.5	2.70	-	37.16	5.98	33.49
RMS	7.168G	52.52	68.20	-15.68	42.86	3	Vertical	242.5	2.70	-	37.17	5.98	33.49


**802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6825MHz\_TnomVnom**



EUT\_Z\_2TX  
Setting 66  
04-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8488G	97.34	Inf	-Inf	88.21	3	Horizontal	288.4	2.73	-	36.59	5.75	33.21
RMS	6.769G	86.91	Inf	-Inf	78.02	3	Horizontal	288.4	2.73	-	36.36	5.70	33.17
PK	7.1526G	62.03	88.20	-26.17	52.41	3	Horizontal	288.4	2.73	-	37.11	5.98	33.47
RMS	7.1722G	52.24	68.20	-15.96	42.56	3	Horizontal	288.4	2.73	-	37.19	5.99	33.50


**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 66  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64548G	59.72	88.20	-28.48	45.54	3	Vertical	153	1.82	-	40.29	8.67	34.78
RMS	13.64962G	48.66	68.20	-19.54	34.47	3	Vertical	153	1.82	-	40.30	8.67	34.78


**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 66  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6487G	58.99	88.20	-29.21	44.80	3	Horizontal	285	2.95	-	40.30	8.67	34.78
RMS	13.64654G	48.73	68.20	-19.47	34.55	3	Horizontal	285	2.95	-	40.29	8.67	34.78


**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 66  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4717G	59.19	83.54	-24.35	55.68	1	Vertical	290	1.54	-	37.69	15.71	49.89
AV	20.47114G	48.76	63.54	-14.78	45.25	1	Vertical	290	1.54	-	37.69	15.71	49.89


**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 66  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47956G	59.61	83.54	-23.93	56.09	1	Horizontal	216	1.54	-	37.69	15.72	49.89
AV	20.47088G	48.51	63.54	-15.03	45.00	1	Horizontal	216	1.54	-	37.69	15.71	49.89

**802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**6985MHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 71  
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.965G	109.86	Inf	-Inf	99.34	3	Vertical	242	2.63	-	36.44	7.25	33.17
RMS	6.96G	98.96	Inf	-Inf	88.43	3	Vertical	242	2.63	-	36.46	7.24	33.17
PK	7.139G	77.37	88.20	-10.83	66.47	3	Vertical	242	2.63	-	36.81	7.23	33.14
RMS	7.139G	62.23	68.20	-5.97	51.33	3	Vertical	242	2.63	-	36.81	7.23	33.14




802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6985MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 71  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.975G	102.36	Inf	-Inf	91.88	3	Horizontal	276	2.45	-	36.40	7.26	33.18
RMS	6.97G	91.11	Inf	-Inf	80.62	3	Horizontal	276	2.45	-	36.42	7.25	33.18
PK	7.13G	72.22	88.20	-15.98	61.38	3	Horizontal	276	2.45	-	36.74	7.24	33.14
RMS	7.13G	57.89	68.20	-10.31	47.05	3	Horizontal	276	2.45	-	36.74	7.24	33.14


802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6985MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 71  
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96514G	59.30	88.20	-28.90	44.81	3	Vertical	89	2.29	-	40.80	8.61	34.92
RMS	13.96794G	48.67	68.20	-19.53	34.18	3	Vertical	89	2.29	-	40.80	8.61	34.92

802.11ax HEW160\_Nss1,(MCS0)\_2TX  
6985MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 71  
04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96514G	59.94	88.20	-28.26	45.45	3	Horizontal	244	1.36	-	40.80	8.61	34.92
RMS	13.97098G	48.78	68.20	-19.42	34.28	3	Horizontal	244	1.36	-	40.81	8.61	34.92

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 71  
 04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9553G	59.89	83.54	-23.65	56.01	1	Vertical	196	1.56	-	37.67	15.93	49.72
AV	20.95072G	49.05	63.54	-14.49	45.16	1	Vertical	196	1.56	-	37.68	15.93	49.72

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TnomVnom



EUT\_Z\_2TX  
 Setting 71  
 04-C-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95858G	60.31	83.54	-23.23	56.43	1	Horizontal	199	1.56	-	37.67	15.93	49.72
AV	20.9508G	49.05	63.54	-14.49	45.16	1	Horizontal	199	1.56	-	37.68	15.93	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	67.91	68.20	-0.29	3	Vertical	249.3	2.73	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9232G	73.57	88.20	-14.63	64.92	3	Vertical	56	2.40	-	34.99	6.60	32.94
RMS	5.9248G	58.57	68.20	-9.63	49.91	3	Vertical	56	2.40	-	35.00	6.60	32.94
PK	5.9508G	121.35	Inf	-Inf	112.60	3	Vertical	56	2.40	-	35.10	6.60	32.95
RMS	5.9512G	108.69	Inf	-Inf	99.94	3	Vertical	56	2.40	-	35.10	6.60	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	63.01	88.20	-25.19	54.35	3	Horizontal	0	2.34	-	35.00	6.60	32.94
RMS	5.9246G	49.93	68.20	-18.27	41.27	3	Horizontal	0	2.34	-	35.00	6.60	32.94
PK	5.9618G	110.34	Inf	-Inf	101.54	3	Horizontal	0	2.34	-	35.15	6.60	32.95
RMS	5.964G	99.32	Inf	-Inf	90.51	3	Horizontal	0	2.34	-	35.16	6.60	32.95



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91488G	56.62	74.00	-17.38	42.01	3	Vertical	305	1.41	-	38.50	8.98	32.87
AV	11.9148G	43.76	54.00	-10.24	29.15	3	Vertical	305	1.41	-	38.50	8.98	32.87
PK	17.86506G	66.53	74.00	-7.47	44.51	3	Vertical	268	1.24	-	42.66	11.06	31.70
AV	17.8669G	52.99	54.00	-1.01	30.96	3	Vertical	268	1.24	-	42.67	11.06	31.70

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91042G	56.48	74.00	-17.52	41.87	3	Horizontal	199	2.32	-	38.50	8.98	32.87
AV	11.91424G	43.50	54.00	-10.50	28.89	3	Horizontal	199	2.32	-	38.50	8.98	32.87
PK	17.8609G	65.71	74.00	-8.29	43.71	3	Horizontal	278	1.91	-	42.64	11.06	31.70
AV	17.86194G	52.96	54.00	-1.04	30.95	3	Horizontal	278	1.91	-	42.65	11.06	31.70

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6175MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.839G	61.62	88.20	-26.58	53.24	3	Vertical	230	2.27	-	34.71	6.60	32.93
RMS	5.9238G	49.07	68.20	-19.13	40.41	3	Vertical	230	2.27	-	35.00	6.60	32.94
PK	6.1718G	120.49	Inf	-Inf	111.19	3	Vertical	230	2.27	-	35.39	6.86	32.95
RMS	6.1718G	109.63	Inf	-Inf	100.33	3	Vertical	230	2.27	-	35.39	6.86	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6175MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8566G	61.81	88.20	-26.39	53.34	3	Horizontal	263	2.45	-	34.81	6.60	32.94
RMS	5.9062G	48.60	68.20	-19.60	40.02	3	Horizontal	263	2.45	-	34.92	6.60	32.94
PK	6.1718G	112.42	Inf	-Inf	103.12	3	Horizontal	263	2.45	-	35.39	6.86	32.95
RMS	6.1734G	101.32	Inf	-Inf	92.02	3	Horizontal	263	2.45	-	35.39	6.86	32.95

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6175MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34564G	57.48	74.00	-16.52	42.18	3	Vertical	268	2.08	-	38.59	9.16	32.45
AV	12.34594G	43.54	54.00	-10.46	28.24	3	Vertical	268	2.08	-	38.59	9.16	32.45

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6175MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34952G	57.06	74.00	-16.94	41.75	3	Horizontal	104	1.70	-	38.60	9.16	32.45
AV	12.34986G	43.78	54.00	-10.22	28.47	3	Horizontal	104	1.70	-	38.60	9.16	32.45

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6175MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52956G	48.07	83.54	-35.47	43.45	1	Vertical	105	1.53	-	43.43	11.26	50.07
AV	18.52026G	34.58	63.54	-28.96	29.98	1	Vertical	105	1.53	-	43.42	11.26	50.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6175MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5266G	47.42	83.54	-36.12	42.80	1	Horizontal	56	1.50	-	43.43	11.26	50.07
AV	18.52958G	34.60	63.54	-28.94	29.98	1	Horizontal	56	1.50	-	43.43	11.26	50.07



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	60.69	88.20	-27.51	52.11	3	Vertical	231	2.20	-	34.92	6.60	32.94
RMS	5.923G	48.56	68.20	-19.64	39.91	3	Vertical	231	2.20	-	34.99	6.60	32.94
PK	6.4102G	120.46	Inf	-Inf	110.85	3	Vertical	231	2.20	-	35.56	7.00	32.95
RMS	6.4054G	108.69	Inf	-Inf	99.06	3	Vertical	231	2.20	-	35.58	7.00	32.95

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	60.09	88.20	-28.11	51.51	3	Horizontal	14	2.40	-	34.92	6.60	32.94
RMS	5.8798G	48.25	68.20	-19.95	39.73	3	Horizontal	14	2.40	-	34.86	6.60	32.94
PK	6.4078G	112.09	Inf	-Inf	102.47	3	Horizontal	14	2.40	-	35.57	7.00	32.95
RMS	6.4078G	99.58	Inf	-Inf	89.96	3	Horizontal	14	2.40	-	35.57	7.00	32.95

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82642G	57.92	88.20	-30.28	41.16	3	Vertical	345	2.57	-	39.23	9.37	31.84
RMS	12.82822G	44.84	68.20	-23.36	28.08	3	Vertical	345	2.57	-	39.23	9.37	31.84

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82984G	58.31	88.20	-29.89	41.55	3	Horizontal	83	1.96	-	39.23	9.37	31.84
RMS	12.83312G	44.68	68.20	-23.52	27.91	3	Horizontal	83	1.96	-	39.23	9.37	31.83

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2433G	48.42	83.54	-35.12	42.46	1	Vertical	301	1.52	-	44.14	11.47	49.65
AV	19.24054G	34.27	63.54	-29.27	28.31	1	Vertical	301	1.52	-	44.14	11.47	49.65

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24396G	47.75	83.54	-35.79	41.79	1	Horizontal	306	1.55	-	44.14	11.47	49.65
AV	19.24698G	34.34	63.54	-29.20	28.37	1	Horizontal	306	1.55	-	44.15	11.47	49.65

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	60.64	88.20	-27.56	52.10	3	Vertical	214	2.37	-	34.88	6.60	32.94
RMS	5.915G	48.43	68.20	-19.77	39.81	3	Vertical	214	2.37	-	34.96	6.60	32.94
PK	6.4324G	119.24	Inf	-Inf	109.72	3	Vertical	214	2.37	-	35.47	7.00	32.95
RMS	6.4298G	107.75	Inf	-Inf	98.22	3	Vertical	214	2.37	-	35.48	7.00	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	60.98	88.20	-27.22	52.44	3	Horizontal	31	2.06	-	34.88	6.60	32.94
RMS	5.8812G	48.25	68.20	-19.95	39.73	3	Horizontal	31	2.06	-	34.86	6.60	32.94
PK	6.4246G	104.29	Inf	-Inf	94.74	3	Horizontal	31	2.06	-	35.50	7.00	32.95
RMS	6.4272G	95.48	Inf	-Inf	85.94	3	Horizontal	31	2.06	-	35.49	7.00	32.95



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6435MHz\_TnomVnom




13/05/2022

EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87G	58.14	88.20	-30.06	41.27	3	Vertical	315	1.86	-	39.27	9.39	31.79
RMS	12.87196G	44.59	68.20	-23.61	27.71	3	Vertical	315	1.86	-	39.27	9.39	31.78

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87212G	57.70	88.20	-30.50	40.82	3	Horizontal	178	1.52	-	39.27	9.39	31.78
RMS	12.86682G	44.56	68.20	-23.64	27.69	3	Horizontal	178	1.52	-	39.27	9.39	31.79

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30624G	48.06	83.54	-35.48	42.02	1	Vertical	186	1.51	-	44.21	11.49	49.66
AV	19.30934G	34.71	63.54	-28.83	28.67	1	Vertical	186	1.51	-	44.21	11.49	49.66

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3008G	47.81	83.54	-35.73	41.78	1	Horizontal	42	1.51	-	44.20	11.49	49.66
AV	19.30596G	34.93	63.54	-28.61	28.89	1	Horizontal	42	1.51	-	44.21	11.49	49.66

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.755G	61.07	88.20	-27.13	53.00	3	Vertical	57	2.30	-	34.40	6.60	32.93
RMS	5.89G	48.37	68.20	-19.83	39.83	3	Vertical	57	2.30	-	34.88	6.60	32.94
PK	6.469G	117.32	Inf	-Inf	107.79	3	Vertical	57	2.30	-	35.48	7.00	32.95
RMS	6.469G	107.52	Inf	-Inf	97.99	3	Vertical	57	2.30	-	35.48	7.00	32.95
PK	7.222G	62.20	88.20	-26.00	50.99	3	Vertical	57	2.30	-	37.10	7.22	33.11
RMS	7.219G	50.73	68.20	-17.47	39.52	3	Vertical	57	2.30	-	37.10	7.22	33.11

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.77G	60.30	88.20	-27.90	52.23	3	Horizontal	261	2.28	-	34.40	6.60	32.93
RMS	5.881G	48.14	68.20	-20.06	39.62	3	Horizontal	261	2.28	-	34.86	6.60	32.94
PK	6.481G	110.78	Inf	-Inf	101.21	3	Horizontal	261	2.28	-	35.52	7.00	32.95
RMS	6.478G	101.68	Inf	-Inf	92.12	3	Horizontal	261	2.28	-	35.51	7.00	32.95
PK	7.159G	62.89	88.20	-25.31	51.86	3	Horizontal	261	2.28	-	36.94	7.22	33.13
RMS	7.216G	50.71	68.20	-17.49	39.50	3	Horizontal	261	2.28	-	37.10	7.22	33.11

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9475G	58.31	88.20	-29.89	41.13	3	Vertical	290	1.30	-	39.44	9.43	31.69
RMS	12.94804G	45.05	68.20	-23.15	27.87	3	Vertical	290	1.30	-	39.44	9.43	31.69

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95434G	58.35	88.20	-29.85	41.14	3	Horizontal	68	2.91	-	39.46	9.43	31.68
RMS	12.94752G	44.93	68.20	-23.27	27.75	3	Horizontal	68	2.91	-	39.44	9.43	31.69



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.421G	48.11	83.54	-35.43	41.94	1	Vertical	2	1.54	-	44.32	11.53	49.68
AV	19.42104G	35.62	63.54	-27.92	29.45	1	Vertical	2	1.54	-	44.32	11.53	49.68

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42956G	48.14	83.54	-35.40	41.97	1	Horizontal	332	1.54	-	44.33	11.53	49.69
AV	19.42072G	35.60	63.54	-27.94	29.43	1	Horizontal	332	1.54	-	44.32	11.53	49.68

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8626G	61.28	88.20	-26.92	52.79	3	Vertical	56	2.17	-	34.83	6.60	32.94
RMS	5.9214G	48.44	68.20	-19.76	39.79	3	Vertical	56	2.17	-	34.99	6.60	32.94
PK	6.5094G	118.79	Inf	-Inf	109.10	3	Vertical	56	2.17	-	35.64	7.00	32.95
RMS	6.5066G	109.07	Inf	-Inf	99.39	3	Vertical	56	2.17	-	35.63	7.00	32.95
PK	7.2094G	63.06	88.20	-25.14	51.86	3	Vertical	56	2.17	-	37.10	7.21	33.11
RMS	7.187G	50.83	68.20	-17.37	39.69	3	Vertical	56	2.17	-	37.05	7.21	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8822G	60.32	88.20	-27.88	51.80	3	Horizontal	287	2.61	-	34.86	6.60	32.94
RMS	5.9242G	48.30	68.20	-19.90	39.64	3	Horizontal	287	2.61	-	35.00	6.60	32.94
PK	6.5206G	111.25	Inf	-Inf	101.53	3	Horizontal	287	2.61	-	35.68	7.00	32.96
RMS	6.5234G	100.12	Inf	-Inf	90.39	3	Horizontal	287	2.61	-	35.69	7.00	32.96
PK	7.173G	62.62	88.20	-25.58	51.55	3	Horizontal	287	2.61	-	36.99	7.21	33.13
RMS	7.1338G	50.77	68.20	-17.43	39.91	3	Horizontal	287	2.61	-	36.77	7.23	33.14

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02924G	58.23	88.20	-29.97	40.72	3	Vertical	232	2.23	-	39.63	9.46	31.58
RMS	13.03154G	45.19	68.20	-23.01	27.68	3	Vertical	232	2.23	-	39.63	9.46	31.58

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03028G	58.66	88.20	-29.54	41.15	3	Horizontal	29	2.77	-	39.63	9.46	31.58
RMS	13.02552G	45.28	68.20	-22.92	27.78	3	Horizontal	29	2.77	-	39.63	9.46	31.59

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54698G	49.51	83.54	-34.03	43.20	1	Vertical	178	1.56	-	44.45	11.56	49.70
AV	19.54512G	36.09	63.54	-27.45	29.78	1	Vertical	178	1.56	-	44.45	11.56	49.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5436G	49.80	83.54	-33.74	43.50	1	Horizontal	263	1.52	-	44.44	11.56	49.70
AV	19.5429G	36.10	63.54	-27.44	29.80	1	Horizontal	263	1.52	-	44.44	11.56	49.70



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8854G	61.15	88.20	-27.05	52.62	3	Vertical	227	2.46	-	34.87	6.60	32.94
RMS	5.8714G	48.46	68.20	-19.74	39.96	3	Vertical	227	2.46	-	34.84	6.60	32.94
PK	6.535G	117.93	Inf	-Inf	108.16	3	Vertical	227	2.46	-	35.74	7.00	32.97
RMS	6.5406G	107.56	Inf	-Inf	97.77	3	Vertical	227	2.46	-	35.76	7.00	32.97
PK	7.2266G	62.34	88.20	-25.86	51.12	3	Vertical	227	2.46	-	37.10	7.23	33.11
RMS	7.2266G	50.77	68.20	-17.43	39.55	3	Vertical	227	2.46	-	37.10	7.23	33.11

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8602G	60.43	88.20	-27.77	51.95	3	Horizontal	97	2.96	-	34.82	6.60	32.94
RMS	5.919G	48.41	68.20	-19.79	39.77	3	Horizontal	97	2.96	-	34.98	6.60	32.94
PK	6.5266G	109.76	Inf	-Inf	100.01	3	Horizontal	97	2.96	-	35.71	7.00	32.96
RMS	6.5294G	99.89	Inf	-Inf	90.13	3	Horizontal	97	2.96	-	35.72	7.00	32.96
PK	7.2266G	62.80	88.20	-25.40	51.58	3	Horizontal	97	2.96	-	37.10	7.23	33.11
RMS	7.1454G	50.80	68.20	-17.40	39.85	3	Horizontal	97	2.96	-	36.86	7.23	33.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06946G	58.36	88.20	-29.84	40.74	3	Vertical	89	1.91	-	39.67	9.48	31.53
RMS	13.07114G	45.27	68.20	-22.93	27.65	3	Vertical	89	1.91	-	39.67	9.48	31.53

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06774G	57.95	88.20	-30.25	40.33	3	Horizontal	155	1.60	-	39.67	9.48	31.53
RMS	13.06518G	45.32	68.20	-22.88	27.71	3	Horizontal	155	1.60	-	39.67	9.48	31.54

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60172G	49.49	83.54	-34.05	43.11	1	Vertical	294	1.50	-	44.50	11.58	49.70
AV	19.60696G	36.06	63.54	-27.48	29.67	1	Vertical	294	1.50	-	44.51	11.58	49.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60914G	49.55	83.54	-33.99	43.16	1	Horizontal	93	1.53	-	44.51	11.58	49.70
AV	19.6052G	36.12	63.54	-27.42	29.73	1	Horizontal	93	1.53	-	44.51	11.58	49.70

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	118.75	Inf	-Inf	108.88	3	Vertical	242	2.77	-	35.91	7.00	33.04
RMS	6.6972G	107.85	Inf	-Inf	97.98	3	Vertical	242	2.77	-	35.91	7.00	33.04
PK	7.2428G	63.58	88.20	-24.62	52.34	3	Vertical	242	2.77	-	37.10	7.24	33.10
RMS	7.2362G	50.73	68.20	-17.47	39.49	3	Vertical	242	2.77	-	37.10	7.24	33.10

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	109.97	Inf	-Inf	100.09	3	Horizontal	289	2.89	-	35.92	7.00	33.04
RMS	6.6884G	99.82	Inf	-Inf	89.94	3	Horizontal	289	2.89	-	35.92	7.00	33.04
PK	7.245G	62.80	88.20	-25.40	51.55	3	Horizontal	289	2.89	-	37.10	7.25	33.10
RMS	7.2384G	50.83	68.20	-17.37	39.59	3	Horizontal	289	2.89	-	37.10	7.24	33.10



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39394G	59.62	74.00	-14.38	40.92	3	Vertical	180	1.19	-	40.19	9.63	31.12
AV	13.38696G	46.61	54.00	-7.39	27.95	3	Vertical	180	1.19	-	40.17	9.62	31.13

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38714G	59.61	74.00	-14.39	40.95	3	Horizontal	26	2.65	-	40.17	9.62	31.13
AV	13.39336G	46.41	54.00	-7.59	27.71	3	Horizontal	26	2.65	-	40.19	9.63	31.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08824G	50.12	83.54	-33.42	43.14	1	Vertical	6	1.54	-	44.99	11.73	49.74
AV	20.08452G	36.53	63.54	-27.01	29.55	1	Vertical	6	1.54	-	44.98	11.73	49.73

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08132G	49.42	83.54	-34.12	42.45	1	Horizontal	65	1.58	-	44.98	11.72	49.73
AV	20.08184G	36.43	63.54	-27.11	29.46	1	Horizontal	65	1.58	-	44.98	11.72	49.73

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8452G	115.34	Inf	-Inf	104.83	3	Vertical	111	2.31	-	36.56	7.07	33.12
RMS	6.8466G	106.15	Inf	-Inf	95.63	3	Vertical	111	2.31	-	36.57	7.07	33.12
PK	7.1266G	63.52	88.20	-24.68	52.71	3	Vertical	111	2.31	-	36.71	7.24	33.14
RMS	7.1462G	51.08	68.20	-17.12	40.12	3	Vertical	111	2.31	-	36.87	7.23	33.14

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8592G	109.44	Inf	-Inf	98.94	3	Horizontal	97	2.28	-	36.53	7.09	33.12
RMS	6.8606G	97.86	Inf	-Inf	87.37	3	Horizontal	97	2.28	-	36.52	7.09	33.12
PK	7.2036G	62.96	88.20	-25.24	51.78	3	Horizontal	97	2.28	-	37.10	7.20	33.12
RMS	7.163G	50.79	68.20	-17.41	39.75	3	Horizontal	97	2.28	-	36.95	7.22	33.13

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70994G	62.46	88.20	-25.74	43.29	3	Vertical	172	2.85	-	40.53	9.77	31.13
RMS	13.70864G	49.21	68.20	-18.99	30.04	3	Vertical	172	2.85	-	40.53	9.77	31.13

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6855MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71082G	62.77	88.20	-25.43	43.60	3	Horizontal	250	2.48	-	40.53	9.77	31.13
RMS	13.71436G	49.25	68.20	-18.95	30.08	3	Horizontal	250	2.48	-	40.54	9.77	31.14



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6855MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56628G	51.84	83.54	-31.70	44.37	1	Vertical	186	1.57	-	45.47	11.87	49.87
AV	20.56266G	38.41	63.54	-25.13	30.95	1	Vertical	186	1.57	-	45.46	11.87	49.87

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


6855MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56266G	51.97	83.54	-31.57	44.51	1	Horizontal	232	1.58	-	45.46	11.87	49.87
AV	20.56554G	38.44	63.54	-25.10	30.97	1	Horizontal	232	1.58	-	45.47	11.87	49.87


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 80  
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8694G	118.13	Inf	-Inf	107.72	3	Vertical	244	2.26	-	36.44	7.10	33.13
RMS	6.8722G	107.07	Inf	-Inf	96.67	3	Vertical	244	2.26	-	36.42	7.11	33.13
PK	7.155G	63.99	88.20	-24.21	52.98	3	Vertical	244	2.26	-	36.92	7.22	33.13
RMS	7.1634G	50.94	68.20	-17.26	39.90	3	Vertical	244	2.26	-	36.95	7.22	33.13

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 80  
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8666G	111.90	Inf	-Inf	101.46	3	Horizontal	105	3.00	-	36.47	7.10	33.13
RMS	6.8666G	100.99	Inf	-Inf	90.55	3	Horizontal	105	3.00	-	36.47	7.10	33.13
PK	7.1382G	63.37	88.20	-24.83	52.47	3	Horizontal	105	3.00	-	36.81	7.23	33.14
RMS	7.1424G	50.90	68.20	-17.30	39.97	3	Horizontal	105	3.00	-	36.84	7.23	33.14

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**


**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7474G	63.61	88.20	-24.59	44.34	3	Vertical	143	2.08	-	40.64	9.79	31.16
RMS	13.74864G	49.82	68.20	-18.38	30.54	3	Vertical	143	2.08	-	40.65	9.79	31.16

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 80  
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74938G	63.34	88.20	-24.86	44.06	3	Horizontal	348	2.52	-	40.65	9.79	31.16
RMS	13.74834G	49.70	68.20	-18.50	30.42	3	Horizontal	348	2.52	-	40.65	9.79	31.16

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6875MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62122G	51.52	83.54	-32.02	43.96	1	Vertical	173	1.54	-	45.52	11.89	49.85
AV	20.62302G	38.34	63.54	-25.20	30.78	1	Vertical	173	1.54	-	45.52	11.89	49.85

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6875MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62836G	51.35	83.54	-32.19	43.78	1	Horizontal	323	1.52	-	45.53	11.89	49.85
AV	20.62604G	38.41	63.54	-25.13	30.84	1	Horizontal	323	1.52	-	45.53	11.89	49.85



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8894G	119.08	Inf	-Inf	108.81	3	Vertical	231	2.15	-	36.28	7.13	33.14
RMS	6.8908G	107.40	Inf	-Inf	97.13	3	Vertical	231	2.15	-	36.27	7.14	33.14
PK	7.2254G	62.92	88.20	-25.28	51.70	3	Vertical	231	2.15	-	37.10	7.23	33.11
RMS	7.2058G	50.96	68.20	-17.24	39.77	3	Vertical	231	2.15	-	37.10	7.21	33.12

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	110.28	Inf	-Inf	100.04	3	Horizontal	170	2.40	-	36.22	7.16	33.14
RMS	6.9034G	100.91	Inf	-Inf	90.67	3	Horizontal	170	2.40	-	36.22	7.16	33.14
PK	7.1484G	63.04	88.20	-25.16	52.06	3	Horizontal	170	2.40	-	36.89	7.23	33.14
RMS	7.2268G	50.97	68.20	-17.23	39.75	3	Horizontal	170	2.40	-	37.10	7.23	33.11

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79132G	64.58	88.20	-23.62	45.19	3	Vertical	159	2.77	-	40.77	9.81	31.19
RMS	13.79294G	50.07	68.20	-18.13	30.67	3	Vertical	159	2.77	-	40.78	9.81	31.19

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78834G	63.57	88.20	-24.63	44.19	3	Horizontal	207	2.63	-	40.77	9.80	31.19
RMS	13.78888G	50.07	68.20	-18.13	30.69	3	Horizontal	207	2.63	-	40.77	9.80	31.19

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68456G	51.36	83.54	-32.18	43.70	1	Vertical	164	1.50	-	45.58	11.91	49.83
AV	20.68408G	38.39	63.54	-25.15	30.73	1	Vertical	164	1.50	-	45.58	11.91	49.83

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68326G	51.26	83.54	-32.28	43.61	1	Horizontal	162	1.52	-	45.58	11.90	49.83
AV	20.68394G	38.38	63.54	-25.16	30.72	1	Horizontal	162	1.52	-	45.58	11.91	49.83

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7G	118.53	Inf	-Inf	108.12	3	Vertical	222	2.16	-	36.30	7.30	33.19
RMS	7.002G	107.91	Inf	-Inf	97.49	3	Vertical	222	2.16	-	36.31	7.30	33.19
PK	7.173G	64.60	88.20	-23.60	53.53	3	Vertical	222	2.16	-	36.99	7.21	33.13
RMS	7.19G	51.27	68.20	-16.93	40.12	3	Vertical	222	2.16	-	37.06	7.21	33.12

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.987G	111.52	Inf	-Inf	101.07	3	Horizontal	78	2.19	-	36.35	7.28	33.18
RMS	6.986G	101.84	Inf	-Inf	91.38	3	Horizontal	78	2.19	-	36.36	7.28	33.18
PK	7.189G	64.22	88.20	-23.98	53.07	3	Horizontal	78	2.19	-	37.06	7.21	33.12
RMS	7.188G	50.94	68.20	-17.26	39.80	3	Horizontal	78	2.19	-	37.05	7.21	33.12



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98846G	63.19	88.20	-25.01	43.72	3	Vertical	220	2.82	-	40.90	9.89	31.32
RMS	13.99188G	50.03	68.20	-18.17	30.55	3	Vertical	220	2.82	-	40.90	9.90	31.32

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98514G	63.15	88.20	-25.05	43.68	3	Horizontal	159	1.49	-	40.90	9.89	31.32
RMS	13.98968G	50.02	68.20	-18.18	30.54	3	Horizontal	159	1.49	-	40.90	9.90	31.32

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9896G	50.27	83.54	-33.27	42.08	1	Vertical	38	1.58	-	45.89	12.00	49.70
AV	20.98036G	37.52	63.54	-26.02	29.36	1	Vertical	38	1.58	-	45.88	11.99	49.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98512G	50.83	83.54	-32.71	42.65	1	Horizontal	135	1.58	-	45.89	12.00	49.71
AV	20.98094G	37.64	63.54	-25.90	29.48	1	Horizontal	135	1.58	-	45.88	11.99	49.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1G	119.75	Inf	-Inf	109.15	3	Vertical	240	2.40	-	36.50	7.25	33.15
RMS	7.0988G	107.44	Inf	-Inf	96.84	3	Vertical	240	2.40	-	36.50	7.25	33.15
PK	7.1272G	75.94	88.20	-12.26	65.12	3	Vertical	240	2.40	-	36.72	7.24	33.14
RMS	7.126G	61.55	68.20	-6.65	50.74	3	Vertical	240	2.40	-	36.71	7.24	33.14

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.097G	113.08	Inf	-Inf	102.48	3	Horizontal	85	2.29	-	36.51	7.25	33.16
RMS	7.098G	100.45	Inf	-Inf	89.85	3	Horizontal	85	2.29	-	36.50	7.25	33.15
PK	7.1286G	68.37	88.20	-19.83	57.54	3	Horizontal	85	2.29	-	36.73	7.24	33.14
RMS	7.1252G	54.35	68.20	-13.85	43.55	3	Horizontal	85	2.29	-	36.70	7.24	33.14

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18562G	62.25	88.20	-25.95	42.99	3	Vertical	12	1.99	-	40.81	9.96	31.51
RMS	14.18856G	48.79	68.20	-19.41	29.53	3	Vertical	12	1.99	-	40.81	9.96	31.51

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1881G	62.47	88.20	-25.73	43.21	3	Horizontal	199	1.37	-	40.81	9.96	31.51
RMS	14.18586G	49.03	68.20	-19.17	29.77	3	Horizontal	199	1.37	-	40.81	9.96	31.51



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28836G	52.32	83.54	-31.22	43.68	1	Vertical	227	1.53	-	46.19	12.09	49.64
AV	21.2898G	39.36	63.54	-24.18	30.72	1	Vertical	227	1.53	-	46.19	12.09	49.64

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28368G	52.39	83.54	-31.15	43.76	1	Horizontal	216	1.53	-	46.18	12.09	49.64
AV	21.2865G	39.37	63.54	-24.17	30.73	1	Horizontal	216	1.53	-	46.19	12.09	49.64

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11143G	94.40	Inf	-Inf	83.72	3	Vertical	249.3	2.73	-	36.59	7.24	33.15
RMS	7.10995G	85.55	Inf	-Inf	74.87	3	Vertical	249.3	2.73	-	36.58	7.25	33.15
PK	7.1255G	79.09	88.20	-9.11	68.29	3	Vertical	249.3	2.73	-	36.70	7.24	33.14
RMS	7.1255G	67.91	68.20	-0.29	57.11	3	Vertical	249.3	2.73	-	36.70	7.24	33.14

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10868G	91.26	Inf	-Inf	80.59	3	Horizontal	86	2.32	-	36.57	7.25	33.15
RMS	7.1066G	81.38	Inf	-Inf	70.73	3	Horizontal	86	2.32	-	36.55	7.25	33.15
PK	7.1255G	75.77	88.20	-12.43	64.97	3	Horizontal	86	2.32	-	36.70	7.24	33.14
RMS	7.1255G	65.16	68.20	-3.04	54.36	3	Horizontal	86	2.32	-	36.70	7.24	33.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22938G	62.22	88.20	-25.98	43.06	3	Vertical	287	1.76	-	40.74	9.97	31.55
RMS	14.23464G	48.87	68.20	-19.33	29.73	3	Vertical	287	1.76	-	40.73	9.97	31.56

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2296G	62.63	88.20	-25.57	43.48	3	Horizontal	52	1.56	-	40.74	9.97	31.56
RMS	14.23056G	49.07	68.20	-19.13	29.92	3	Horizontal	52	1.56	-	40.74	9.97	31.56

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 7115MHz\_TnomVnom




EUT\_Z\_2TX

01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3473G	52.56	83.54	-30.98	43.84	1	Vertical	262	1.56	-	46.25	12.10	49.63
AV	21.34994G	39.29	63.54	-24.25	30.57	1	Vertical	262	1.56	-	46.25	12.10	49.63

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 7115MHz\_TnomVnom



EUT\_Z\_2TX


01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34676G	52.44	83.54	-31.10	43.72	1	Horizontal	147	1.53	-	46.25	12.10	49.63
AV	21.34422G	39.32	63.54	-24.22	30.61	1	Horizontal	147	1.53	-	46.24	12.10	49.63



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	80.66	88.20	-7.54	72.00	3	Vertical	232	2.27	-	35.00	6.60	32.94
RMS	5.9248G	62.76	68.20	-5.44	54.10	3	Vertical	232	2.27	-	35.00	6.60	32.94
PK	5.9662G	117.27	Inf	-Inf	108.46	3	Vertical	232	2.27	-	35.16	6.60	32.95
RMS	5.9704G	105.26	Inf	-Inf	96.43	3	Vertical	232	2.27	-	35.18	6.60	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5965MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	67.47	88.20	-20.73	58.82	3	Horizontal	264	2.45	-	34.99	6.60	32.94
RMS	5.9248G	52.36	68.20	-15.84	43.70	3	Horizontal	264	2.45	-	35.00	6.60	32.94
PK	5.9686G	109.41	Inf	-Inf	100.59	3	Horizontal	264	2.45	-	35.17	6.60	32.95
RMS	5.9716G	96.91	Inf	-Inf	88.07	3	Horizontal	264	2.45	-	35.19	6.60	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5965MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92606G	57.23	74.00	-16.77	42.62	3	Vertical	157	1.88	-	38.50	8.98	32.87
AV	11.92948G	43.33	54.00	-10.67	28.72	3	Vertical	157	1.88	-	38.50	8.98	32.87
PK	17.8929G	66.14	74.00	-7.86	43.99	3	Vertical	299	1.22	-	42.77	11.07	31.69
AV	17.89146G	52.47	54.00	-1.53	30.32	3	Vertical	299	1.22	-	42.77	11.07	31.69

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5965MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92584G	57.90	74.00	-16.10	43.29	3	Horizontal	73	1.60	-	38.50	8.98	32.87
AV	11.926G	43.25	54.00	-10.75	28.64	3	Horizontal	73	1.60	-	38.50	8.98	32.87
PK	17.89392G	66.46	74.00	-7.54	44.30	3	Horizontal	170	2.36	-	42.78	11.07	31.69
AV	17.89622G	52.58	54.00	-1.42	30.42	3	Horizontal	170	2.36	-	42.78	11.07	31.69

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6165MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	61.19	88.20	-27.01	52.54	3	Vertical	217	2.30	-	34.99	6.60	32.94
RMS	5.9186G	48.58	68.20	-19.62	39.95	3	Vertical	217	2.30	-	34.97	6.60	32.94
PK	6.1748G	117.75	Inf	-Inf	108.44	3	Vertical	217	2.30	-	35.40	6.86	32.95
RMS	6.172G	106.54	Inf	-Inf	97.24	3	Vertical	217	2.30	-	35.39	6.86	32.95

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6165MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	60.30	88.20	-27.90	51.76	3	Horizontal	262	2.50	-	34.88	6.60	32.94
RMS	5.9158G	47.97	68.20	-20.23	39.35	3	Horizontal	262	2.50	-	34.96	6.60	32.94
PK	6.1482G	111.14	Inf	-Inf	101.97	3	Horizontal	262	2.50	-	35.30	6.82	32.95
RMS	6.1482G	99.65	Inf	-Inf	90.48	3	Horizontal	262	2.50	-	35.30	6.82	32.95

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6165MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32506G	56.86	74.00	-17.14	41.64	3	Vertical	102	2.27	-	38.55	9.15	32.48
AV	12.32542G	43.82	54.00	-10.18	28.60	3	Vertical	102	2.27	-	38.55	9.15	32.48

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6165MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32832G	56.68	74.00	-17.32	41.44	3	Horizontal	261	1.21	-	38.56	9.15	32.47
AV	12.33386G	43.07	54.00	-10.93	27.82	3	Horizontal	261	1.21	-	38.57	9.15	32.47



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6165MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49848G	47.44	83.54	-36.10	42.89	1	Vertical	150	1.52	-	43.40	11.25	50.10
AV	18.49414G	34.21	63.54	-29.33	29.67	1	Vertical	150	1.52	-	43.39	11.25	50.10

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6165MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49556G	48.07	83.54	-35.47	43.52	1	Horizontal	288	1.51	-	43.40	11.25	50.10
AV	18.49152G	34.17	63.54	-29.37	29.63	1	Horizontal	288	1.51	-	43.39	11.25	50.10

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	60.63	88.20	-27.57	52.02	3	Vertical	226	2.28	-	34.95	6.60	32.94
RMS	5.925G	48.28	68.20	-19.92	39.62	3	Vertical	226	2.28	-	35.00	6.60	32.94
PK	6.3882G	116.84	Inf	-Inf	107.27	3	Vertical	226	2.28	-	35.53	6.99	32.95
RMS	6.3882G	105.48	Inf	-Inf	95.91	3	Vertical	226	2.28	-	35.53	6.99	32.95

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8314G	60.79	88.20	-27.41	52.47	3	Horizontal	182	2.26	-	34.65	6.60	32.93
RMS	5.925G	48.06	68.20	-20.14	39.40	3	Horizontal	182	2.26	-	35.00	6.60	32.94
PK	6.3882G	107.70	Inf	-Inf	98.13	3	Horizontal	182	2.26	-	35.53	6.99	32.95
RMS	6.3882G	96.52	Inf	-Inf	86.95	3	Horizontal	182	2.26	-	35.53	6.99	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80574G	57.89	88.20	-30.31	41.19	3	Vertical	165	1.72	-	39.21	9.36	31.87
RMS	12.80644G	44.30	68.20	-23.90	27.60	3	Vertical	165	1.72	-	39.21	9.36	31.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80844G	57.98	88.20	-30.22	41.28	3	Horizontal	173	1.62	-	39.21	9.36	31.87
RMS	12.80982G	44.29	68.20	-23.91	27.58	3	Horizontal	173	1.62	-	39.21	9.36	31.86

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21404G	47.87	83.54	-35.67	41.94	1	Vertical	270	1.51	-	44.11	11.46	49.64
AV	19.2124G	33.80	63.54	-29.74	27.87	1	Vertical	270	1.51	-	44.11	11.46	49.64

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21416G	47.27	83.54	-36.27	41.34	1	Horizontal	107	1.57	-	44.11	11.46	49.64
AV	19.21858G	33.84	63.54	-29.70	27.89	1	Horizontal	107	1.57	-	44.12	11.47	49.64



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	60.47	88.20	-27.73	51.81	3	Vertical	59	2.10	-	35.00	6.60	32.94
RMS	5.925G	48.12	68.20	-20.08	39.46	3	Vertical	59	2.10	-	35.00	6.60	32.94
PK	6.4294G	116.53	Inf	-Inf	107.00	3	Vertical	59	2.10	-	35.48	7.00	32.95
RMS	6.4294G	105.89	Inf	-Inf	96.36	3	Vertical	59	2.10	-	35.48	7.00	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8756G	60.62	88.20	-27.58	52.11	3	Horizontal	262	2.32	-	34.85	6.60	32.94
RMS	5.925G	47.98	68.20	-20.22	39.32	3	Horizontal	262	2.32	-	35.00	6.60	32.94
PK	6.4294G	107.57	Inf	-Inf	98.04	3	Horizontal	262	2.32	-	35.48	7.00	32.95
RMS	6.4268G	97.67	Inf	-Inf	88.13	3	Horizontal	262	2.32	-	35.49	7.00	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88968G	57.63	88.20	-30.57	40.70	3	Vertical	79	1.54	-	39.29	9.40	31.76
RMS	12.89008G	44.10	68.20	-24.10	27.17	3	Vertical	79	1.54	-	39.29	9.40	31.76

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88942G	58.23	88.20	-29.97	41.30	3	Horizontal	206	1.39	-	39.29	9.40	31.76
RMS	12.89186G	43.99	68.20	-24.21	27.06	3	Horizontal	206	1.39	-	39.29	9.40	31.76

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33588G	48.70	83.54	-34.84	42.63	1	Vertical	224	1.51	-	44.24	11.50	49.67
AV	19.33752G	34.48	63.54	-29.06	28.41	1	Vertical	224	1.51	-	44.24	11.50	49.67

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3381G	48.24	83.54	-35.30	42.17	1	Horizontal	265	1.57	-	44.24	11.50	49.67
AV	19.33622G	34.53	63.54	-29.01	28.46	1	Horizontal	265	1.57	-	44.24	11.50	49.67

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6485MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.825G	60.42	88.20	-27.78	52.15	3	Vertical	231	2.27	-	34.60	6.60	32.93
RMS	5.921G	48.15	68.20	-20.05	39.51	3	Vertical	231	2.27	-	34.98	6.60	32.94
PK	6.485G	117.02	Inf	-Inf	107.43	3	Vertical	231	2.27	-	35.54	7.00	32.95
RMS	6.479G	105.02	Inf	-Inf	95.45	3	Vertical	231	2.27	-	35.52	7.00	32.95
PK	7.22G	62.64	88.20	-25.56	51.43	3	Vertical	231	2.27	-	37.10	7.22	33.11
RMS	7.22G	50.51	68.20	-17.69	39.30	3	Vertical	231	2.27	-	37.10	7.22	33.11

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.78G	61.02	88.20	-27.18	52.95	3	Horizontal	261	1.80	-	34.40	6.60	32.93
RMS	5.921G	47.94	68.20	-20.26	39.30	3	Horizontal	261	1.80	-	34.98	6.60	32.94
PK	6.479G	104.20	Inf	-Inf	94.63	3	Horizontal	261	1.80	-	35.52	7.00	32.95
RMS	6.476G	92.56	Inf	-Inf	83.01	3	Horizontal	261	1.80	-	35.50	7.00	32.95
PK	7.163G	63.13	88.20	-25.07	52.09	3	Horizontal	261	1.80	-	36.95	7.22	33.13
RMS	7.211G	50.47	68.20	-17.73	39.27	3	Horizontal	261	1.80	-	37.10	7.21	33.11



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6485MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97254G	58.76	88.20	-29.44	41.46	3	Vertical	320	2.35	-	39.52	9.44	31.66
RMS	12.97326G	44.82	68.20	-23.38	27.51	3	Vertical	320	2.35	-	39.52	9.44	31.65

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6485MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97286G	59.39	88.20	-28.81	42.08	3	Horizontal	43	1.87	-	39.52	9.44	31.65
RMS	12.97064G	44.73	68.20	-23.47	27.44	3	Horizontal	43	1.87	-	39.51	9.44	31.66

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6485MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4531G	48.95	83.54	-34.59	42.75	1	Vertical	127	1.58	-	44.35	11.54	49.69
AV	19.45504G	35.27	63.54	-28.27	29.06	1	Vertical	127	1.58	-	44.36	11.54	49.69

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


#### 6485MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45712G	48.72	83.54	-34.82	42.51	1	Horizontal	336	1.55	-	44.36	11.54	49.69
AV	19.45436G	35.23	63.54	-28.31	29.03	1	Horizontal	336	1.55	-	44.35	11.54	49.69


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 80  
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	59.76	88.20	-28.44	51.14	3	Vertical	360	2.49	-	34.96	6.60	32.94
RMS	5.9062G	48.08	68.20	-20.12	39.50	3	Vertical	360	2.49	-	34.92	6.60	32.94
PK	6.539G	113.34	Inf	-Inf	103.55	3	Vertical	360	2.49	-	35.76	7.00	32.97
RMS	6.5362G	102.29	Inf	-Inf	92.52	3	Vertical	360	2.49	-	35.74	7.00	32.97
PK	7.2054G	63.03	88.20	-25.17	51.84	3	Vertical	360	2.49	-	37.10	7.21	33.12
RMS	7.183G	50.53	68.20	-17.67	39.41	3	Vertical	360	2.49	-	37.03	7.21	33.12

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 80  
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	60.75	88.20	-27.45	52.17	3	Horizontal	259	2.49	-	34.92	6.60	32.94
RMS	5.9174G	47.96	68.20	-20.24	39.33	3	Horizontal	259	2.49	-	34.97	6.60	32.94
PK	6.5082G	109.45	Inf	-Inf	99.77	3	Horizontal	259	2.49	-	35.63	7.00	32.95
RMS	6.5082G	98.89	Inf	-Inf	89.21	3	Horizontal	259	2.49	-	35.63	7.00	32.95
PK	7.2166G	64.06	88.20	-24.14	52.85	3	Horizontal	259	2.49	-	37.10	7.22	33.11
RMS	7.2166G	50.53	68.20	-17.67	39.32	3	Horizontal	259	2.49	-	37.10	7.22	33.11

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.425-6.525GHz\_TnomVnom



EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05156G	58.93	88.20	-29.27	41.37	3	Vertical	23	1.50	-	39.65	9.47	31.56
RMS	13.0539G	44.96	68.20	-23.24	27.39	3	Vertical	23	1.50	-	39.65	9.47	31.55

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 80  
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05386G	59.68	88.20	-28.52	42.11	3	Horizontal	110	2.55	-	39.65	9.47	31.55
RMS	13.04824G	44.94	68.20	-23.26	27.38	3	Horizontal	110	2.55	-	39.65	9.47	31.56



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6525MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57884G	49.70	83.54	-33.84	43.35	1	Vertical	205	1.55	-	44.48	11.57	49.70
AV	19.57726G	35.55	63.54	-27.99	29.20	1	Vertical	205	1.55	-	44.48	11.57	49.70

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6525MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57864G	49.02	83.54	-34.52	42.67	1	Horizontal	91	1.51	-	44.48	11.57	49.70
AV	19.57048G	35.56	63.54	-27.98	29.22	1	Horizontal	91	1.51	-	44.47	11.57	49.70

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5578G	115.49	Inf	-Inf	105.65	3	Vertical	229	1.95	-	35.82	7.00	32.98
RMS	6.5626G	103.74	Inf	-Inf	93.89	3	Vertical	229	1.95	-	35.83	7.00	32.98
PK	7.1482G	62.37	88.20	-25.83	51.39	3	Vertical	229	1.95	-	36.89	7.23	33.14
RMS	7.1458G	50.45	68.20	-17.75	39.49	3	Vertical	229	1.95	-	36.87	7.23	33.14

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.577G	105.55	Inf	-Inf	95.69	3	Horizontal	176	1.80	-	35.85	7.00	32.99
RMS	6.577G	93.38	Inf	-Inf	83.52	3	Horizontal	176	1.80	-	35.85	7.00	32.99
PK	7.1602G	62.55	88.20	-25.65	51.52	3	Horizontal	176	1.80	-	36.94	7.22	33.13
RMS	7.1266G	50.41	68.20	-17.79	39.60	3	Horizontal	176	1.80	-	36.71	7.24	33.14

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1301G	58.96	88.20	-29.24	41.15	3	Vertical	304	1.16	-	39.76	9.51	31.46
RMS	13.1332G	45.06	68.20	-23.14	27.23	3	Vertical	304	1.16	-	39.77	9.51	31.45

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1272G	59.00	88.20	-29.20	41.20	3	Horizontal	326	1.94	-	39.75	9.51	31.46
RMS	13.13282G	45.08	68.20	-23.12	27.25	3	Horizontal	326	1.94	-	39.77	9.51	31.45

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69356G	50.02	83.54	-33.52	43.52	1	Vertical	296	1.53	-	44.59	11.61	49.70
AV	19.6976G	35.69	63.54	-27.85	29.18	1	Vertical	296	1.53	-	44.60	11.61	49.70

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69466G	49.26	83.54	-34.28	42.76	1	Horizontal	130	1.56	-	44.59	11.61	49.70
AV	19.69896G	35.67	63.54	-27.87	29.16	1	Horizontal	130	1.56	-	44.60	11.61	49.70



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6894G	117.12	Inf	-Inf	107.24	3	Vertical	234	2.17	-	35.92	7.00	33.04
RMS	6.6982G	105.50	Inf	-Inf	95.65	3	Vertical	234	2.17	-	35.90	7.00	33.05
PK	7.1294G	63.28	88.20	-24.92	52.44	3	Vertical	234	2.17	-	36.74	7.24	33.14
RMS	7.2262G	50.50	68.20	-17.70	39.28	3	Vertical	234	2.17	-	37.10	7.23	33.11

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7026G	108.57	Inf	-Inf	98.70	3	Horizontal	268	2.36	-	35.92	7.00	33.05
RMS	6.7026G	97.32	Inf	-Inf	87.45	3	Horizontal	268	2.36	-	35.92	7.00	33.05
PK	7.1646G	62.82	88.20	-25.38	51.77	3	Horizontal	268	2.36	-	36.96	7.22	33.13
RMS	7.1998G	50.54	68.20	-17.66	39.36	3	Horizontal	268	2.36	-	37.10	7.20	33.12

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36966G	60.02	74.00	-13.98	41.41	3	Vertical	252	1.80	-	40.14	9.62	31.15
AV	13.36834G	45.94	54.00	-8.06	27.34	3	Vertical	252	1.80	-	40.14	9.62	31.16

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36762G	59.41	74.00	-14.59	40.81	3	Horizontal	48	2.31	-	40.14	9.62	31.16
AV	13.37174G	45.98	54.00	-8.02	27.37	3	Horizontal	48	2.31	-	40.14	9.62	31.15

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05864G	50.17	83.54	-33.37	43.21	1	Vertical	174	1.56	-	44.96	11.72	49.72
AV	20.0524G	36.10	63.54	-27.44	29.15	1	Vertical	174	1.56	-	44.95	11.72	49.72

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05348G	49.75	83.54	-33.79	42.80	1	Horizontal	99	1.57	-	44.95	11.72	49.72
AV	20.0521G	36.24	63.54	-27.30	29.29	1	Horizontal	99	1.57	-	44.95	11.72	49.72

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8562G	114.81	Inf	-Inf	104.30	3	Vertical	46	2.15	-	36.55	7.08	33.12
RMS	6.8274G	103.44	Inf	-Inf	93.09	3	Vertical	46	2.15	-	36.42	7.04	33.11
PK	7.1298G	63.25	88.20	-24.95	52.41	3	Vertical	46	2.15	-	36.74	7.24	33.14
RMS	7.133G	50.66	68.20	-17.54	39.81	3	Vertical	46	2.15	-	36.76	7.23	33.14

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8562G	108.61	Inf	-Inf	98.10	3	Horizontal	278	2.86	-	36.55	7.08	33.12
RMS	6.8594G	96.81	Inf	-Inf	86.32	3	Horizontal	278	2.86	-	36.52	7.09	33.12
PK	7.1314G	63.57	88.20	-24.63	52.73	3	Horizontal	278	2.86	-	36.75	7.23	33.14
RMS	7.1346G	50.56	68.20	-17.64	39.69	3	Horizontal	278	2.86	-	36.78	7.23	33.14



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68954G	62.32	88.20	-25.88	43.20	3	Vertical	292	1.83	-	40.48	9.76	31.12
RMS	13.69434G	48.35	68.20	-19.85	29.22	3	Vertical	292	1.83	-	40.49	9.76	31.12

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6845MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69064G	62.63	88.20	-25.57	43.51	3	Horizontal	253	1.30	-	40.48	9.76	31.12
RMS	13.69404G	48.42	68.20	-19.78	29.29	3	Horizontal	253	1.30	-	40.49	9.76	31.12

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6845MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53578G	51.54	83.54	-32.00	44.13	1	Vertical	144	1.54	-	45.44	11.86	49.89
AV	20.5361G	37.86	63.54	-25.68	30.45	1	Vertical	144	1.54	-	45.44	11.86	49.89

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


#### 6845MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5351G	51.70	83.54	-31.84	44.29	1	Horizontal	64	1.58	-	45.44	11.86	49.89
AV	20.53658G	37.79	63.54	-25.75	30.38	1	Horizontal	64	1.58	-	45.44	11.86	49.89


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 80  
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8892G	115.97	Inf	-Inf	105.69	3	Vertical	232	2.08	-	36.29	7.13	33.14
RMS	6.892G	104.18	Inf	-Inf	93.92	3	Vertical	232	2.08	-	36.26	7.14	33.14
PK	7.228G	64.21	88.20	-23.99	52.99	3	Vertical	232	2.08	-	37.10	7.23	33.11
RMS	7.1468G	50.81	68.20	-17.39	39.85	3	Vertical	232	2.08	-	36.87	7.23	33.14

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 80  
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9032G	107.52	Inf	-Inf	97.29	3	Horizontal	170	2.34	-	36.22	7.15	33.14
RMS	6.9032G	97.58	Inf	-Inf	87.35	3	Horizontal	170	2.34	-	36.22	7.15	33.14
PK	7.2G	64.40	88.20	-23.80	53.22	3	Horizontal	170	2.34	-	37.10	7.20	33.12
RMS	7.235G	50.58	68.20	-17.62	39.36	3	Horizontal	170	2.34	-	37.10	7.23	33.11

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76554G	63.05	88.20	-25.15	43.73	3	Vertical	95	1.81	-	40.70	9.79	31.17
RMS	13.77124G	49.51	68.20	-18.69	30.17	3	Vertical	95	1.81	-	40.71	9.80	31.17

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76712G	63.49	88.20	-24.71	44.16	3	Horizontal	113	1.68	-	40.70	9.80	31.17
RMS	13.76928G	49.39	68.20	-18.81	30.05	3	Horizontal	113	1.68	-	40.71	9.80	31.17



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6885MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65516G	51.90	83.54	-31.64	44.28	1	Vertical	238	1.52	-	45.56	11.90	49.84
AV	20.65172G	37.94	63.54	-25.60	30.33	1	Vertical	238	1.52	-	45.55	11.90	49.84

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6885MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6551G	51.38	83.54	-32.16	43.76	1	Horizontal	253	1.52	-	45.56	11.90	49.84
AV	20.65734G	37.92	63.54	-25.62	30.30	1	Horizontal	253	1.52	-	45.56	11.90	49.84

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6925MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.937G	116.19	Inf	-Inf	105.72	3	Vertical	242	2.73	-	36.42	7.21	33.16
RMS	6.9394G	104.83	Inf	-Inf	94.34	3	Vertical	242	2.73	-	36.44	7.21	33.16
PK	7.2034G	64.62	88.20	-23.58	53.44	3	Vertical	242	2.73	-	37.10	7.20	33.12
RMS	7.1374G	51.06	68.20	-17.14	40.17	3	Vertical	242	2.73	-	36.80	7.23	33.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.937G	107.57	Inf	-Inf	97.10	3	Horizontal	104	2.79	-	36.42	7.21	33.16
RMS	6.9394G	96.87	Inf	-Inf	86.38	3	Horizontal	104	2.79	-	36.44	7.21	33.16
PK	7.1314G	63.55	88.20	-24.65	52.71	3	Horizontal	104	2.79	-	36.75	7.23	33.14
RMS	7.1398G	50.70	68.20	-17.50	39.79	3	Horizontal	104	2.79	-	36.82	7.23	33.14

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6925MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85466G	64.10	88.20	-24.10	44.65	3	Vertical	20	1.28	-	40.85	9.83	31.23
RMS	13.85094G	49.88	68.20	-18.32	30.43	3	Vertical	20	1.28	-	40.85	9.83	31.23

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6925MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85298G	63.77	88.20	-24.43	44.32	3	Horizontal	27	1.61	-	40.85	9.83	31.23
RMS	13.84892G	49.76	68.20	-18.44	30.31	3	Horizontal	27	1.61	-	40.85	9.83	31.23

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 6925MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77798G	51.76	83.54	-31.78	43.94	1	Vertical	216	1.53	-	45.68	11.93	49.79
AV	20.77186G	37.84	63.54	-25.70	30.03	1	Vertical	216	1.53	-	45.67	11.93	49.79

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6925MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7781G	51.71	83.54	-31.83	43.89	1	Horizontal	178	1.56	-	45.68	11.93	49.79
AV	20.77202G	37.90	63.54	-25.64	30.09	1	Horizontal	178	1.56	-	45.67	11.93	49.79



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0186G	117.72	Inf	-Inf	107.20	3	Vertical	245	2.26	-	36.41	7.29	33.18
RMS	7.0194G	105.84	Inf	-Inf	95.31	3	Vertical	245	2.26	-	36.42	7.29	33.18
PK	7.1282G	64.14	88.20	-24.06	53.31	3	Vertical	245	2.26	-	36.73	7.24	33.14
RMS	7.1346G	51.91	68.20	-16.29	41.04	3	Vertical	245	2.26	-	36.78	7.23	33.14

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9866G	108.68	Inf	-Inf	98.23	3	Horizontal	273	2.67	-	36.35	7.28	33.18
RMS	6.9866G	97.39	Inf	-Inf	86.94	3	Horizontal	273	2.67	-	36.35	7.28	33.18
PK	7.141G	63.94	88.20	-24.26	53.02	3	Horizontal	273	2.67	-	36.83	7.23	33.14
RMS	7.1346G	50.77	68.20	-17.43	39.90	3	Horizontal	273	2.67	-	36.78	7.23	33.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01394G	62.97	88.20	-25.23	43.51	3	Vertical	199	2.16	-	40.90	9.90	31.34
RMS	14.00756G	49.25	68.20	-18.95	29.79	3	Vertical	199	2.16	-	40.90	9.90	31.34

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00938G	62.87	88.20	-25.33	43.41	3	Horizontal	324	1.43	-	40.90	9.90	31.34
RMS	14.00756G	49.26	68.20	-18.94	29.80	3	Horizontal	324	1.43	-	40.90	9.90	31.34

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0195G	50.70	83.54	-32.84	42.47	1	Vertical	78	1.54	-	45.92	12.01	49.70
AV	21.01266G	37.31	63.54	-26.23	29.10	1	Vertical	78	1.54	-	45.91	12.00	49.70

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01594G	51.04	83.54	-32.50	42.82	1	Horizontal	38	1.52	-	45.92	12.00	49.70
AV	21.01994G	37.24	63.54	-26.30	29.01	1	Horizontal	38	1.52	-	45.92	12.01	49.70

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0902G	116.69	Inf	-Inf	106.08	3	Vertical	240	2.31	-	36.52	7.25	33.16
RMS	7.0794G	103.63	Inf	-Inf	92.99	3	Vertical	240	2.31	-	36.54	7.26	33.16
PK	7.1258G	81.36	88.20	-6.84	70.55	3	Vertical	240	2.31	-	36.71	7.24	33.14
RMS	7.125G	66.85	68.20	-1.35	56.05	3	Vertical	240	2.31	-	36.70	7.24	33.14

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1002G	109.82	Inf	-Inf	99.22	3	Horizontal	85	2.32	-	36.50	7.25	33.15
RMS	7.0974G	97.24	Inf	-Inf	86.63	3	Horizontal	85	2.32	-	36.51	7.25	33.15
PK	7.1278G	77.63	88.20	-10.57	66.81	3	Horizontal	85	2.32	-	36.72	7.24	33.14
RMS	7.125G	61.25	68.20	-6.95	50.45	3	Horizontal	85	2.32	-	36.70	7.24	33.14



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17324G	62.57	88.20	-25.63	43.29	3	Vertical	356	1.96	-	40.83	9.95	31.50
RMS	14.16528G	48.47	68.20	-19.73	29.18	3	Vertical	356	1.96	-	40.83	9.95	31.49

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17172G	62.12	88.20	-26.08	42.84	3	Horizontal	143	2.41	-	40.83	9.95	31.50
RMS	14.16988G	48.52	68.20	-19.68	29.24	3	Horizontal	143	2.41	-	40.83	9.95	31.50

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25566G	52.99	83.54	-30.55	44.40	1	Vertical	174	1.53	-	46.16	12.08	49.65
AV	21.2518G	38.67	63.54	-24.87	30.09	1	Vertical	174	1.53	-	46.15	12.08	49.65

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 80  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25762G	52.92	83.54	-30.62	44.33	1	Horizontal	179	1.51	-	46.16	12.08	49.65
AV	21.2549G	38.62	63.54	-24.92	30.04	1	Horizontal	179	1.51	-	46.15	12.08	49.65

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 60  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	73.37	88.20	-14.83	64.72	3	Vertical	234.1	2.44	-	34.99	6.60	32.94
RMS	5.925G	62.30	68.20	-5.90	53.64	3	Vertical	234.1	2.44	-	35.00	6.60	32.94
PK	5.9762G	110.18	Inf	-Inf	101.33	3	Vertical	234.1	2.44	-	35.20	6.60	32.95
RMS	5.9834G	99.57	Inf	-Inf	90.69	3	Vertical	234.1	2.44	-	35.23	6.60	32.95

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5985MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 60  
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	65.98	88.20	-22.22	57.32	3	Horizontal	162	2.36	-	35.00	6.60	32.94
RMS	5.925G	54.77	68.20	-13.43	46.11	3	Horizontal	162	2.36	-	35.00	6.60	32.94
PK	5.9778G	99.08	Inf	-Inf	90.22	3	Horizontal	162	2.36	-	35.21	6.60	32.95
RMS	5.9762G	88.24	Inf	-Inf	79.39	3	Horizontal	162	2.36	-	35.20	6.60	32.95

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5985MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 60  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97242G	56.90	74.00	-17.10	42.29	3	Vertical	260	2.86	-	38.50	8.99	32.88
AV	11.97254G	43.22	54.00	-10.78	28.61	3	Vertical	260	2.86	-	38.50	8.99	32.88
PK	17.95472G	66.89	74.00	-7.11	44.61	3	Vertical	84	2.02	-	42.85	11.09	31.66
AV	17.95882G	52.55	54.00	-1.45	30.26	3	Vertical	84	2.02	-	42.86	11.09	31.66

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5985MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 60  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97438G	57.08	74.00	-16.92	42.47	3	Horizontal	278	1.70	-	38.50	8.99	32.88
AV	11.9664G	43.15	54.00	-10.85	28.54	3	Horizontal	278	1.70	-	38.50	8.99	32.88
PK	17.95758G	65.98	74.00	-8.02	43.69	3	Horizontal	238	1.71	-	42.86	11.09	31.66
AV	17.95672G	52.40	54.00	-1.60	30.11	3	Horizontal	238	1.71	-	42.86	11.09	31.66



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 70  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8106G	60.84	88.20	-27.36	52.69	3	Vertical	232	2.22	-	34.48	6.60	32.93
RMS	5.9178G	48.57	68.20	-19.63	39.94	3	Vertical	232	2.22	-	34.97	6.60	32.94
PK	6.1386G	113.45	Inf	-Inf	104.29	3	Vertical	232	2.22	-	35.30	6.81	32.95
RMS	6.137G	101.92	Inf	-Inf	92.76	3	Vertical	232	2.22	-	35.30	6.81	32.95

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 70  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7562G	60.43	88.20	-27.77	52.36	3	Horizontal	260	2.22	-	34.40	6.60	32.93
RMS	5.9242G	48.07	68.20	-20.13	39.41	3	Horizontal	260	2.22	-	35.00	6.60	32.94
PK	6.121G	103.42	Inf	-Inf	94.29	3	Horizontal	260	2.22	-	35.30	6.78	32.95
RMS	6.1146G	91.66	Inf	-Inf	82.54	3	Horizontal	260	2.22	-	35.30	6.77	32.95

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 70  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29208G	56.80	74.00	-17.20	41.71	3	Vertical	134	1.52	-	38.48	9.13	32.52
AV	12.29456G	44.00	54.00	-10.00	28.89	3	Vertical	134	1.52	-	38.49	9.13	32.51

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 70  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29108G	57.22	74.00	-16.78	42.13	3	Horizontal	218	1.35	-	38.48	9.13	32.52
AV	12.29464G	44.08	54.00	-9.92	28.97	3	Horizontal	218	1.35	-	38.49	9.13	32.51

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 70  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43292G	48.13	83.54	-35.41	43.70	1	Vertical	278	1.57	-	43.33	11.23	50.13
AV	18.43216G	34.27	63.54	-29.27	29.84	1	Vertical	278	1.57	-	43.33	11.23	50.13

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 70  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4372G	47.72	83.54	-35.82	43.28	1	Horizontal	246	1.57	-	43.34	11.23	50.13
AV	18.43564G	34.39	63.54	-29.15	29.95	1	Horizontal	246	1.57	-	43.34	11.23	50.13

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6385MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 70  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8402G	60.88	88.20	-27.32	52.49	3	Vertical	221	1.80	-	34.72	6.60	32.93
RMS	5.9098G	48.24	68.20	-19.96	39.64	3	Vertical	221	1.80	-	34.94	6.60	32.94
PK	6.3778G	107.66	Inf	-Inf	98.15	3	Vertical	221	1.80	-	35.47	6.99	32.95
RMS	6.3754G	96.49	Inf	-Inf	87.00	3	Vertical	221	1.80	-	35.45	6.99	32.95

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6385MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 70  
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	60.92	88.20	-27.28	52.38	3	Horizontal	360	2.67	-	34.88	6.60	32.94
RMS	5.9098G	48.10	68.20	-20.10	39.50	3	Horizontal	360	2.67	-	34.94	6.60	32.94
PK	6.3826G	99.83	Inf	-Inf	90.29	3	Horizontal	360	2.67	-	35.50	6.99	32.95
RMS	6.3562G	88.23	Inf	-Inf	78.86	3	Horizontal	360	2.67	-	35.34	6.98	32.95



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6385MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 70  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7747G	57.89	88.20	-30.31	41.30	3	Vertical	163	2.92	-	39.15	9.35	31.91
RMS	12.76774G	44.18	68.20	-24.02	27.61	3	Vertical	163	2.92	-	39.14	9.35	31.92