


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77364G	57.96	88.20	-30.24	41.37	3	Horizontal	220	1.67	-	39.15	9.35	31.91
RMS	12.77014G	44.22	68.20	-23.98	27.64	3	Horizontal	220	1.67	-	39.14	9.35	31.91

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15428G	47.73	83.54	-35.81	41.86	1	Vertical	70	1.57	-	44.05	11.45	49.63
AV	19.15036G	33.99	63.54	-29.55	28.12	1	Vertical	70	1.57	-	44.05	11.45	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15608G	48.87	83.54	-34.67	42.99	1	Horizontal	356	1.51	-	44.06	11.45	49.63
AV	19.153G	34.12	63.54	-29.42	28.25	1	Horizontal	356	1.51	-	44.05	11.45	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	60.21	88.20	-27.99	51.57	3	Vertical	234	2.15	-	34.98	6.60	32.94
RMS	5.9242G	48.29	68.20	-19.91	39.63	3	Vertical	234	2.15	-	35.00	6.60	32.94
PK	6.4416G	115.39	Inf	-Inf	105.91	3	Vertical	234	2.15	-	35.43	7.00	32.95
RMS	6.426G	101.73	Inf	-Inf	92.18	3	Vertical	234	2.15	-	35.50	7.00	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8644G	61.07	88.20	-27.13	52.58	3	Horizontal	284	2.92	-	34.83	6.60	32.94
RMS	5.9216G	48.05	68.20	-20.15	39.40	3	Horizontal	284	2.92	-	34.99	6.60	32.94
PK	6.4338G	102.59	Inf	-Inf	93.08	3	Horizontal	284	2.92	-	35.46	7.00	32.95
RMS	6.4312G	91.70	Inf	-Inf	82.17	3	Horizontal	284	2.92	-	35.48	7.00	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93158G	58.29	88.20	-29.91	41.19	3	Vertical	60	1.33	-	39.39	9.42	31.71
RMS	12.92922G	44.36	68.20	-23.84	27.26	3	Vertical	60	1.33	-	39.39	9.42	31.71

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92656G	58.04	88.20	-30.16	40.95	3	Horizontal	198	2.59	-	39.38	9.42	31.71
RMS	12.93462G	44.34	68.20	-23.86	27.22	3	Horizontal	198	2.59	-	39.40	9.42	31.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39878G	48.52	83.54	-35.02	42.38	1	Vertical	278	1.55	-	44.30	11.52	49.68
AV	19.39118G	34.87	63.54	-28.67	28.74	1	Vertical	278	1.55	-	44.29	11.52	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3942G	48.73	83.54	-34.81	42.60	1	Horizontal	70	1.58	-	44.29	11.52	49.68
AV	19.397G	34.92	63.54	-28.62	28.78	1	Horizontal	70	1.58	-	44.30	11.52	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8926G	60.54	88.20	-27.66	51.99	3	Vertical	235	2.31	-	34.89	6.60	32.94
RMS	5.9094G	48.11	68.20	-20.09	39.51	3	Vertical	235	2.31	-	34.94	6.60	32.94
PK	6.573G	112.61	Inf	-Inf	102.75	3	Vertical	235	2.31	-	35.85	7.00	32.99
RMS	6.573G	101.10	Inf	-Inf	91.24	3	Vertical	235	2.31	-	35.85	7.00	32.99
PK	7.203G	63.29	88.20	-24.91	52.11	3	Vertical	235	2.31	-	37.10	7.20	33.12
RMS	7.2366G	50.68	68.20	-17.52	39.44	3	Vertical	235	2.31	-	37.10	7.24	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
 Setting 70
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8646G	59.96	88.20	-28.24	51.47	3	Horizontal	34	2.19	-	34.83	6.60	32.94
RMS	5.8954G	48.05	68.20	-20.15	39.50	3	Horizontal	34	2.19	-	34.89	6.60	32.94
PK	6.5366G	101.15	Inf	-Inf	91.37	3	Horizontal	34	2.19	-	35.75	7.00	32.97
RMS	6.5338G	88.71	Inf	-Inf	78.94	3	Horizontal	34	2.19	-	35.74	7.00	32.97
PK	7.1806G	63.05	88.20	-25.15	51.94	3	Horizontal	34	2.19	-	37.02	7.21	33.12
RMS	7.245G	50.63	68.20	-17.57	39.38	3	Horizontal	34	2.19	-	37.10	7.25	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08704G	58.84	88.20	-29.36	41.17	3	Vertical	260	1.09	-	39.69	9.49	31.51
RMS	13.09316G	45.10	68.20	-23.10	27.42	3	Vertical	260	1.09	-	39.69	9.49	31.50

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09262G	59.04	88.20	-29.16	41.36	3	Horizontal	210	2.77	-	39.69	9.49	31.50
RMS	13.0904G	45.06	68.20	-23.14	27.39	3	Horizontal	210	2.77	-	39.69	9.49	31.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63356G	49.50	83.54	-34.04	43.08	1	Vertical	223	1.56	-	44.53	11.59	49.70
AV	19.6373G	35.75	63.54	-27.79	29.32	1	Vertical	223	1.56	-	44.54	11.59	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63278G	49.10	83.54	-34.44	42.68	1	Horizontal	340	1.50	-	44.53	11.59	49.70
AV	19.63552G	35.70	63.54	-27.84	29.27	1	Horizontal	340	1.50	-	44.54	11.59	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.613G	112.44	Inf	-Inf	102.51	3	Vertical	243	2.11	-	35.93	7.00	33.00
RMS	6.6178G	99.99	Inf	-Inf	90.06	3	Vertical	243	2.11	-	35.94	7.00	33.01
PK	7.2154G	63.87	88.20	-24.33	52.66	3	Vertical	243	2.11	-	37.10	7.22	33.11
RMS	7.1506G	50.64	68.20	-17.56	39.66	3	Vertical	243	2.11	-	36.90	7.22	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5962G	104.81	Inf	-Inf	94.92	3	Horizontal	260	2.30	-	35.89	7.00	33.00
RMS	6.6154G	92.44	Inf	-Inf	82.52	3	Horizontal	260	2.30	-	35.93	7.00	33.01
PK	7.2202G	62.49	88.20	-25.71	51.28	3	Horizontal	260	2.30	-	37.10	7.22	33.11
RMS	7.225G	50.63	68.20	-17.57	39.41	3	Horizontal	260	2.30	-	37.10	7.23	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24772G	59.87	88.20	-28.33	41.67	3	Vertical	101	1.91	-	39.95	9.56	31.31
RMS	13.24834G	45.65	68.20	-22.55	27.45	3	Vertical	101	1.91	-	39.95	9.56	31.31

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2477G	59.76	88.20	-28.44	41.56	3	Horizontal	215	1.10	-	39.95	9.56	31.31
RMS	13.24506G	45.76	68.20	-22.44	27.56	3	Horizontal	215	1.10	-	39.95	9.56	31.31

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87294G	49.34	83.54	-34.20	42.61	1	Vertical	93	1.53	-	44.77	11.66	49.70
AV	19.87012G	35.66	63.54	-27.88	28.93	1	Vertical	93	1.53	-	44.77	11.66	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8766G	49.31	83.54	-34.23	42.57	1	Horizontal	270	1.56	-	44.78	11.66	49.70
AV	19.87534G	35.73	63.54	-27.81	28.99	1	Horizontal	270	1.56	-	44.78	11.66	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.699G	112.91	Inf	-Inf	103.06	3	Vertical	232	2.09	-	35.90	7.00	33.05
RMS	6.691G	100.66	Inf	-Inf	90.78	3	Vertical	232	2.09	-	35.92	7.00	33.04
PK	7.125G	63.92	88.20	-24.28	53.12	3	Vertical	232	2.09	-	36.70	7.24	33.14
RMS	7.125G	50.70	68.20	-17.50	39.90	3	Vertical	232	2.09	-	36.70	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.727G	102.98	Inf	-Inf	92.98	3	Horizontal	76	2.28	-	36.06	7.00	33.06
RMS	6.701G	90.04	Inf	-Inf	80.18	3	Horizontal	76	2.28	-	35.91	7.00	33.05
PK	7.125G	62.82	88.20	-25.38	52.02	3	Horizontal	76	2.28	-	36.70	7.24	33.14
RMS	7.143G	50.44	68.20	-17.76	39.51	3	Horizontal	76	2.28	-	36.84	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4074G	59.56	88.20	-28.64	40.84	3	Vertical	247	2.54	-	40.20	9.63	31.11
RMS	13.4069G	45.94	68.20	-22.26	27.22	3	Vertical	247	2.54	-	40.20	9.63	31.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.406G	59.78	88.20	-28.42	41.06	3	Horizontal	91	1.72	-	40.20	9.63	31.11
RMS	13.40818G	45.87	68.20	-22.33	27.15	3	Horizontal	91	1.72	-	40.20	9.63	31.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11852G	50.95	83.54	-32.59	43.94	1	Vertical	308	1.51	-	45.02	11.74	49.75
AV	20.11558G	37.35	63.54	-26.19	30.35	1	Vertical	308	1.51	-	45.02	11.73	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1152G	51.45	83.54	-32.09	44.45	1	Horizontal	25	1.56	-	45.02	11.73	49.75
AV	20.1184G	37.27	63.54	-26.27	30.26	1	Horizontal	25	1.56	-	45.02	11.74	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.767G	112.72	Inf	-Inf	102.60	3	Vertical	232	2.22	-	36.20	7.00	33.08
RMS	6.7706G	101.06	Inf	-Inf	90.94	3	Vertical	232	2.22	-	36.20	7.00	33.08
PK	7.1432G	63.04	88.20	-25.16	52.10	3	Vertical	232	2.22	-	36.85	7.23	33.14
RMS	7.1342G	50.67	68.20	-17.53	39.81	3	Vertical	232	2.22	-	36.77	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.776G	104.07	Inf	-Inf	93.95	3	Horizontal	294	2.59	-	36.20	7.00	33.08
RMS	6.7724G	91.55	Inf	-Inf	81.43	3	Horizontal	294	2.59	-	36.20	7.00	33.08
PK	7.1432G	63.54	88.20	-24.66	52.60	3	Horizontal	294	2.59	-	36.85	7.23	33.14
RMS	7.2152G	50.57	68.20	-17.63	39.36	3	Horizontal	294	2.59	-	37.10	7.22	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56884G	59.42	88.20	-28.78	40.48	3	Vertical	21	1.23	-	40.27	9.71	31.04
RMS	13.56804G	45.60	68.20	-22.60	26.66	3	Vertical	21	1.23	-	40.27	9.71	31.04

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57098G	59.55	88.20	-28.65	40.61	3	Horizontal	306	1.67	-	40.27	9.71	31.04
RMS	13.57172G	45.53	68.20	-22.67	26.59	3	Horizontal	306	1.67	-	40.27	9.71	31.04

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35094G	50.20	83.54	-33.34	42.98	1	Vertical	154	1.53	-	45.25	11.81	49.84
AV	20.35122G	36.62	63.54	-26.92	29.40	1	Vertical	154	1.53	-	45.25	11.81	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35632G	50.50	83.54	-33.04	43.27	1	Horizontal	22	1.58	-	45.26	11.81	49.84
AV	20.35874G	36.53	63.54	-27.01	29.30	1	Horizontal	22	1.58	-	45.26	11.81	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8552G	112.21	Inf	-Inf	101.69	3	Vertical	226	2.20	-	36.56	7.08	33.12
RMS	6.8552G	100.15	Inf	-Inf	89.63	3	Vertical	226	2.20	-	36.56	7.08	33.12
PK	7.1464G	63.08	88.20	-25.12	52.12	3	Vertical	226	2.20	-	36.87	7.23	33.14
RMS	7.138G	50.69	68.20	-17.51	39.80	3	Vertical	226	2.20	-	36.80	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
 Setting 70
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.83G	101.92	Inf	-Inf	91.55	3	Horizontal	258	2.20	-	36.44	7.04	33.11
RMS	6.8272G	89.93	Inf	-Inf	79.58	3	Horizontal	258	2.20	-	36.42	7.04	33.11
PK	7.138G	63.18	88.20	-25.02	52.29	3	Horizontal	258	2.20	-	36.80	7.23	33.14
RMS	7.208G	50.54	68.20	-17.66	39.35	3	Horizontal	258	2.20	-	37.10	7.21	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73306G	63.00	88.20	-25.20	43.77	3	Vertical	101	2.92	-	40.60	9.78	31.15
RMS	13.73422G	48.91	68.20	-19.29	29.68	3	Vertical	101	2.92	-	40.60	9.78	31.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73344G	62.71	88.20	-25.49	43.48	3	Horizontal	49	1.23	-	40.60	9.78	31.15
RMS	13.73422G	48.93	68.20	-19.27	29.70	3	Horizontal	49	1.23	-	40.60	9.78	31.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59704G	51.99	83.54	-31.55	44.47	1	Vertical	299	1.53	-	45.50	11.88	49.86
AV	20.5997G	38.01	63.54	-25.53	30.49	1	Vertical	299	1.53	-	45.50	11.88	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59736G	51.49	83.54	-32.05	43.97	1	Horizontal	116	1.57	-	45.50	11.88	49.86
AV	20.59664G	37.96	63.54	-25.58	30.44	1	Horizontal	116	1.57	-	45.50	11.88	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.918G	112.24	Inf	-Inf	101.90	3	Vertical	229	2.15	-	36.31	7.18	33.15
RMS	6.914G	99.53	Inf	-Inf	89.23	3	Vertical	229	2.15	-	36.28	7.17	33.15
PK	7.131G	63.59	88.20	-24.61	52.75	3	Vertical	229	2.15	-	36.75	7.23	33.14
RMS	7.128G	50.91	68.20	-17.29	40.09	3	Vertical	229	2.15	-	36.72	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.982G	103.09	Inf	-Inf	92.63	3	Horizontal	97	2.49	-	36.37	7.27	33.18
RMS	6.981G	90.70	Inf	-Inf	80.23	3	Horizontal	97	2.49	-	36.38	7.27	33.18
PK	7.13G	64.16	88.20	-24.04	53.32	3	Horizontal	97	2.49	-	36.74	7.24	33.14
RMS	7.158G	50.73	68.20	-17.47	39.71	3	Horizontal	97	2.49	-	36.93	7.22	33.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89256G	64.22	88.20	-23.98	44.74	3	Vertical	2	1.19	-	40.89	9.85	31.26
RMS	13.88668G	49.85	68.20	-18.35	30.36	3	Vertical	2	1.19	-	40.89	9.85	31.25

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89074G	63.84	88.20	-24.36	44.36	3	Horizontal	341	1.64	-	40.89	9.85	31.26
RMS	13.89172G	49.84	68.20	-18.36	30.36	3	Horizontal	341	1.64	-	40.89	9.85	31.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83584G	51.62	83.54	-31.92	43.70	1	Vertical	171	1.52	-	45.74	11.95	49.77
AV	20.83216G	37.50	63.54	-26.04	29.59	1	Vertical	171	1.52	-	45.73	11.95	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 70
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83576G	51.58	83.54	-31.96	43.66	1	Horizontal	85	1.52	-	45.74	11.95	49.77
AV	20.83142G	37.47	63.54	-26.07	29.56	1	Horizontal	85	1.52	-	45.73	11.95	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 62
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0058G	109.10	Inf	-Inf	98.66	3	Vertical	237	2.28	-	36.33	7.30	33.19
RMS	7.0154G	99.20	Inf	-Inf	88.70	3	Vertical	237	2.28	-	36.39	7.29	33.18
PK	7.169G	64.49	88.20	-23.71	53.42	3	Vertical	237	2.28	-	36.98	7.22	33.13
RMS	7.125G	53.78	68.20	-14.42	42.98	3	Vertical	237	2.28	-	36.70	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT Z_2TX
Setting 62
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9866G	95.53	Inf	-Inf	85.08	3	Horizontal	8	2.30	-	36.35	7.28	33.18
RMS	6.9874G	85.63	Inf	-Inf	75.18	3	Horizontal	8	2.30	-	36.35	7.28	33.18
PK	7.189G	64.94	88.20	-23.26	53.79	3	Horizontal	8	2.30	-	37.06	7.21	33.12
RMS	7.2226G	53.42	68.20	-14.78	42.21	3	Horizontal	8	2.30	-	37.10	7.22	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 62
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04868G	63.09	88.20	-25.11	43.66	3	Vertical	37	1.32	-	40.90	9.91	31.38
RMS	14.0537G	48.96	68.20	-19.24	29.52	3	Vertical	37	1.32	-	40.90	9.92	31.38

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 62
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0474G	62.89	88.20	-25.31	43.46	3	Horizontal	186	2.54	-	40.90	9.91	31.38
RMS	14.04954G	48.98	68.20	-19.22	29.55	3	Horizontal	186	2.54	-	40.90	9.91	31.38

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 62
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0737G	51.50	83.54	-32.04	43.20	1	Vertical	341	1.53	-	45.97	12.02	49.69
AV	21.07862G	37.73	63.54	-25.81	29.41	1	Vertical	341	1.53	-	45.98	12.02	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 62
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07584G	51.76	83.54	-31.78	43.44	1	Horizontal	341	1.58	-	45.98	12.02	49.68
AV	21.07812G	37.76	63.54	-25.78	29.44	1	Horizontal	341	1.58	-	45.98	12.02	49.68

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Z_2TX
Setting 77
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.906G	82.72	88.20	-5.48	74.14	3	Vertical	231	2.40	-	34.92	6.60	32.94
RMS	5.925G	63.07	68.20	-5.13	54.41	3	Vertical	231	2.40	-	35.00	6.60	32.94
PK	6.086G	109.82	Inf	-Inf	100.77	3	Vertical	231	2.40	-	35.27	6.73	32.95
RMS	6.081G	99.52	Inf	-Inf	90.49	3	Vertical	231	2.40	-	35.26	6.72	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Z_2TX
Setting 77
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.916G	71.00	88.20	-17.20	62.38	3	Horizontal	8	2.30	-	34.96	6.60	32.94
RMS	5.925G	54.64	68.20	-13.56	45.98	3	Horizontal	8	2.30	-	35.00	6.60	32.94
PK	5.975G	98.82	Inf	-Inf	89.97	3	Horizontal	8	2.30	-	35.20	6.60	32.95
RMS	5.973G	88.26	Inf	-Inf	79.42	3	Horizontal	8	2.30	-	35.19	6.60	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04596G	57.35	74.00	-16.65	42.60	3	Vertical	37	2.47	-	38.55	9.02	32.82
AV	12.04654G	43.04	54.00	-10.96	28.29	3	Vertical	37	2.47	-	38.55	9.02	32.82

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04884G	57.89	74.00	-16.11	43.14	3	Horizontal	213	1.41	-	38.55	9.02	32.82
AV	12.04664G	43.07	54.00	-10.93	28.32	3	Horizontal	213	1.41	-	38.55	9.02	32.82

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07918G	46.33	83.54	-37.21	44.23	1	Vertical	170	1.51	-	37.64	14.73	50.27
AV	18.07972G	32.65	63.54	-30.89	30.55	1	Vertical	170	1.51	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07102G	46.50	83.54	-37.04	44.40	1	Horizontal	259	1.51	-	37.64	14.73	50.27
AV	18.0782G	32.52	63.54	-31.02	30.42	1	Horizontal	259	1.51	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	61.55	88.20	-26.65	52.98	3	Vertical	218	1.80	-	34.91	6.60	32.94
RMS	5.925G	49.72	68.20	-18.48	41.06	3	Vertical	218	1.80	-	35.00	6.60	32.94
PK	6.1894G	107.98	Inf	-Inf	98.59	3	Vertical	218	1.80	-	35.46	6.88	32.95
RMS	6.218G	95.99	Inf	-Inf	86.67	3	Vertical	218	1.80	-	35.36	6.91	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9012G	60.71	88.20	-27.49	52.15	3	Horizontal	7	2.51	-	34.90	6.60	32.94
RMS	5.9144G	48.31	68.20	-19.89	39.69	3	Horizontal	7	2.51	-	34.96	6.60	32.94
PK	6.1784G	100.95	Inf	-Inf	91.62	3	Horizontal	7	2.51	-	35.41	6.87	32.95
RMS	6.1784G	88.41	Inf	-Inf	79.08	3	Horizontal	7	2.51	-	35.41	6.87	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36726G	56.72	74.00	-17.28	41.34	3	Vertical	142	2.57	-	38.63	9.17	32.42
AV	12.36826G	42.99	54.00	-11.01	27.60	3	Vertical	142	2.57	-	38.64	9.17	32.42

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36956G	57.27	74.00	-16.73	41.88	3	Horizontal	49	1.08	-	38.64	9.17	32.42
AV	12.3709G	42.92	54.00	-11.08	27.53	3	Horizontal	49	1.08	-	38.64	9.17	32.42

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55136G	47.55	83.54	-35.99	42.88	1	Vertical	75	1.52	-	43.45	11.27	50.05
AV	18.55632G	33.96	63.54	-29.58	29.27	1	Vertical	75	1.52	-	43.46	11.27	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55864G	47.91	83.54	-35.63	43.22	1	Horizontal	120	1.52	-	43.46	11.27	50.04
AV	18.55994G	34.04	63.54	-29.50	29.35	1	Horizontal	120	1.52	-	43.46	11.27	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	61.66	88.20	-26.54	53.07	3	Vertical	56	1.98	-	34.93	6.60	32.94
RMS	5.9238G	49.22	68.20	-18.98	40.56	3	Vertical	56	1.98	-	35.00	6.60	32.94
PK	6.3632G	110.00	Inf	-Inf	100.59	3	Vertical	56	1.98	-	35.38	6.98	32.95
RMS	6.3242G	97.05	Inf	-Inf	87.74	3	Vertical	56	1.98	-	35.30	6.96	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7886G	60.06	88.20	-28.14	51.99	3	Horizontal	1	2.50	-	34.40	6.60	32.93
RMS	5.9212G	48.07	68.20	-20.13	39.43	3	Horizontal	1	2.50	-	34.98	6.60	32.94
PK	6.3658G	100.16	Inf	-Inf	90.74	3	Horizontal	1	2.50	-	35.39	6.98	32.95
RMS	6.3606G	88.12	Inf	-Inf	78.73	3	Horizontal	1	2.50	-	35.36	6.98	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68706G	58.09	74.00	-15.91	41.84	3	Vertical	71	1.81	-	38.96	9.31	32.02
AV	12.6851G	44.01	54.00	-9.99	27.76	3	Vertical	71	1.81	-	38.96	9.31	32.02

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68632G	57.75	74.00	-16.25	41.50	3	Horizontal	168	1.34	-	38.96	9.31	32.02
AV	12.68772G	44.02	54.00	-9.98	27.77	3	Horizontal	168	1.34	-	38.96	9.31	32.02

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03322G	48.53	83.54	-35.01	42.80	1	Vertical	152	1.53	-	43.93	11.41	49.61
AV	19.03036G	34.49	63.54	-29.05	28.76	1	Vertical	152	1.53	-	43.93	11.41	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6345MHz_TnomVnom



EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03258G	48.03	83.54	-35.51	42.30	1	Horizontal	279	1.57	-	43.93	11.41	49.61
AV	19.03134G	34.40	63.54	-29.14	28.67	1	Horizontal	279	1.57	-	43.93	11.41	49.61


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8162G	60.09	88.20	-28.11	51.89	3	Vertical	52	2.82	-	34.53	6.60	32.93
RMS	5.925G	48.33	68.20	-19.87	39.67	3	Vertical	52	2.82	-	35.00	6.60	32.94
PK	6.4434G	107.78	Inf	-Inf	98.30	3	Vertical	52	2.82	-	35.43	7.00	32.95
RMS	6.4434G	97.49	Inf	-Inf	88.01	3	Vertical	52	2.82	-	35.43	7.00	32.95
PK	7.1574G	62.40	88.20	-25.80	51.38	3	Vertical	52	2.82	-	36.93	7.22	33.13
RMS	7.1546G	50.53	68.20	-17.67	39.52	3	Vertical	52	2.82	-	36.92	7.22	33.13


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8946G	61.29	88.20	-26.91	52.74	3	Horizontal	171	2.95	-	34.89	6.60	32.94
RMS	5.889G	47.94	68.20	-20.26	39.40	3	Horizontal	171	2.95	-	34.88	6.60	32.94
PK	6.5274G	99.35	Inf	-Inf	89.60	3	Horizontal	171	2.95	-	35.71	7.00	32.96
RMS	6.4826G	88.85	Inf	-Inf	79.27	3	Horizontal	171	2.95	-	35.53	7.00	32.95
PK	7.1798G	62.47	88.20	-25.73	51.37	3	Horizontal	171	2.95	-	37.02	7.21	33.13
RMS	7.1686G	50.52	68.20	-17.68	39.46	3	Horizontal	171	2.95	-	36.97	7.22	33.13


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_2TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00566G	58.39	88.20	-29.81	40.94	3	Vertical	317	2.40	-	39.61	9.45	31.61
RMS	13.00696G	44.82	68.20	-23.38	27.37	3	Vertical	317	2.40	-	39.61	9.45	31.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00752G	58.46	88.20	-29.74	41.01	3	Horizontal	316	2.28	-	39.61	9.45	31.61
RMS	13.01346G	44.93	68.20	-23.27	27.46	3	Horizontal	316	2.28	-	39.61	9.46	31.60

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51418G	49.27	83.54	-34.27	43.01	1	Vertical	73	1.54	-	44.41	11.55	49.70
AV	19.518G	35.45	63.54	-28.09	29.17	1	Vertical	73	1.54	-	44.42	11.56	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51272G	50.89	83.54	-32.65	44.63	1	Horizontal	208	1.57	-	44.41	11.55	49.70
AV	19.51764G	35.55	63.54	-27.99	29.27	1	Horizontal	208	1.57	-	44.42	11.56	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6892G	112.27	Inf	-Inf	102.39	3	Vertical	61	2.44	-	35.92	7.00	33.04
RMS	6.6914G	99.44	Inf	-Inf	89.56	3	Vertical	61	2.44	-	35.92	7.00	33.04
PK	7.127G	63.56	88.20	-24.64	52.74	3	Vertical	61	2.44	-	36.72	7.24	33.14
RMS	7.1424G	50.77	68.20	-17.43	39.84	3	Vertical	61	2.44	-	36.84	7.23	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5902G	98.48	Inf	-Inf	88.59	3	Horizontal	266	2.67	-	35.88	7.00	32.99
RMS	6.7288G	87.63	Inf	-Inf	77.62	3	Horizontal	266	2.67	-	36.07	7.00	33.06
PK	7.1952G	64.23	88.20	-23.97	53.07	3	Horizontal	266	2.67	-	37.08	7.20	33.12
RMS	7.149G	50.42	68.20	-17.78	39.44	3	Horizontal	266	2.67	-	36.89	7.23	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3286G	59.82	74.00	-14.18	41.37	3	Vertical	360	1.05	-	40.06	9.60	31.21
AV	13.32858G	45.90	54.00	-8.10	27.45	3	Vertical	360	1.05	-	40.06	9.60	31.21

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33298G	59.67	74.00	-14.33	41.20	3	Horizontal	199	2.72	-	40.07	9.60	31.20
AV	13.3262G	45.91	54.00	-8.09	27.47	3	Horizontal	199	2.72	-	40.05	9.60	31.21

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9917G	50.23	83.54	-33.31	43.34	1	Vertical	36	1.56	-	44.89	11.70	49.70
AV	19.99174G	36.19	63.54	-27.35	29.30	1	Vertical	36	1.56	-	44.89	11.70	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6665MHz_TnomVnom



EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99722G	49.80	83.54	-33.74	42.90	1	Horizontal	1	1.58	-	44.90	11.70	49.70
AV	19.99456G	36.22	63.54	-27.32	29.33	1	Horizontal	1	1.58	-	44.89	11.70	49.70


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8042G	110.45	Inf	-Inf	100.31	3	Vertical	227	1.80	-	36.23	7.01	33.10
RMS	6.7978G	98.08	Inf	-Inf	87.97	3	Vertical	227	1.80	-	36.20	7.00	33.09
PK	7.1338G	66.05	88.20	-22.15	55.19	3	Vertical	227	1.80	-	36.77	7.23	33.14
RMS	7.1338G	52.61	68.20	-15.59	41.75	3	Vertical	227	1.80	-	36.77	7.23	33.14


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8058G	102.35	Inf	-Inf	92.19	3	Horizontal	284	2.55	-	36.25	7.01	33.10
RMS	6.7466G	90.60	Inf	-Inf	80.49	3	Horizontal	284	2.55	-	36.18	7.00	33.07
PK	7.145G	64.09	88.20	-24.11	53.14	3	Horizontal	284	2.55	-	36.86	7.23	33.14
RMS	7.1258G	51.15	68.20	-17.05	40.34	3	Horizontal	284	2.55	-	36.71	7.24	33.14


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_2TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64766G	61.70	88.20	-26.50	42.65	3	Vertical	301	1.03	-	40.40	9.74	31.09
RMS	13.65138G	48.10	68.20	-20.10	29.05	3	Vertical	301	1.03	-	40.40	9.74	31.09

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64584G	62.07	88.20	-26.13	43.03	3	Horizontal	149	2.87	-	40.39	9.74	31.09
RMS	13.65022G	48.23	68.20	-19.97	29.18	3	Horizontal	149	2.87	-	40.40	9.74	31.09

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47586G	50.91	83.54	-32.63	43.58	1	Vertical	325	1.55	-	45.38	11.84	49.89
AV	20.474G	37.10	63.54	-26.44	29.78	1	Vertical	325	1.55	-	45.37	11.84	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz_TnomVnom




EUT_Z_2TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4782G	50.46	83.54	-33.08	43.13	1	Horizontal	279	1.50	-	45.38	11.84	49.89
AV	20.47422G	37.12	63.54	-26.42	29.80	1	Horizontal	279	1.50	-	45.37	11.84	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 74
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.953G	111.12	Inf	-Inf	100.57	3	Vertical	220	2.36	-	36.49	7.23	33.17
RMS	6.958G	100.14	Inf	-Inf	89.60	3	Vertical	220	2.36	-	36.47	7.24	33.17
PK	7.134G	81.85	88.20	-6.35	70.99	3	Vertical	220	2.36	-	36.77	7.23	33.14
RMS	7.134G	64.71	68.20	-3.49	53.85	3	Vertical	220	2.36	-	36.77	7.23	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Z_2TX
Setting 74
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.923G	101.41	Inf	-Inf	91.04	3	Horizontal	95	2.33	-	36.34	7.18	33.15
RMS	6.964G	90.65	Inf	-Inf	80.13	3	Horizontal	95	2.33	-	36.44	7.25	33.17
PK	7.138G	74.80	88.20	-13.40	63.91	3	Horizontal	95	2.33	-	36.80	7.23	33.14
RMS	7.136G	58.87	68.20	-9.33	47.99	3	Horizontal	95	2.33	-	36.79	7.23	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 74
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97332G	63.89	88.20	-24.31	44.41	3	Vertical	37	2.16	-	40.90	9.89	31.31
RMS	13.9657G	49.45	68.20	-18.75	29.98	3	Vertical	37	2.16	-	40.90	9.88	31.31

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 74
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96958G	63.38	88.20	-24.82	43.90	3	Horizontal	109	2.87	-	40.90	9.89	31.31
RMS	13.96768G	49.46	68.20	-18.74	29.98	3	Horizontal	109	2.87	-	40.90	9.89	31.31

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 74
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95474G	50.79	83.54	-32.75	42.67	1	Vertical	99	1.58	-	45.85	11.99	49.72
AV	20.95466G	36.99	63.54	-26.55	28.87	1	Vertical	99	1.58	-	45.85	11.99	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom



EUT_Z_2TX
Setting 74
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95392G	50.58	83.54	-32.96	42.46	1	Horizontal	36	1.56	-	45.85	11.99	49.72
AV	20.95538G	36.91	63.54	-26.63	28.78	1	Horizontal	36	1.56	-	45.86	11.99	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	68.17	68.20	-0.03	3	Horizontal	308	2.68	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9156G	61.30	88.20	-26.90	52.68	3	Vertical	355	2.54	-	34.96	6.60	32.94
RMS	5.9246G	50.30	68.20	-17.90	41.64	3	Vertical	355	2.54	-	35.00	6.60	32.94
PK	5.9522G	105.86	Inf	-Inf	97.10	3	Vertical	355	2.54	-	35.11	6.60	32.95
RMS	5.9528G	94.01	Inf	-Inf	85.25	3	Vertical	355	2.54	-	35.11	6.60	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	63.11	88.20	-25.09	54.45	3	Horizontal	289	2.35	-	35.00	6.60	32.94
RMS	5.9242G	51.70	68.20	-16.50	43.04	3	Horizontal	289	2.35	-	35.00	6.60	32.94
PK	5.9542G	110.46	Inf	-Inf	101.69	3	Horizontal	289	2.35	-	35.12	6.60	32.95
RMS	5.9498G	99.07	Inf	-Inf	90.31	3	Horizontal	289	2.35	-	35.10	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90664G	56.84	74.00	-17.16	42.23	3	Vertical	225	2.21	-	38.50	8.98	32.87
AV	11.90924G	42.93	54.00	-11.07	28.32	3	Vertical	225	2.21	-	38.50	8.98	32.87
PK	17.86666G	67.09	74.00	-6.91	45.06	3	Vertical	52	2.62	-	42.67	11.06	31.70
AV	17.8697G	52.73	54.00	-1.27	30.69	3	Vertical	52	2.62	-	42.68	11.06	31.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90738G	58.21	74.00	-15.79	43.60	3	Horizontal	227	2.96	-	38.50	8.98	32.87
AV	11.9089G	42.92	54.00	-11.08	28.31	3	Horizontal	227	2.96	-	38.50	8.98	32.87
PK	17.86978G	67.96	74.00	-6.04	45.92	3	Horizontal	65	2.91	-	42.68	11.06	31.70
AV	17.86978G	52.76	54.00	-1.24	30.72	3	Horizontal	65	2.91	-	42.68	11.06	31.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	60.69	88.20	-27.51	52.03	3	Vertical	352	2.76	-	35.00	6.60	32.94
RMS	5.875G	49.79	68.20	-18.41	41.28	3	Vertical	352	2.76	-	34.85	6.60	32.94
PK	6.1822G	103.36	Inf	-Inf	94.01	3	Vertical	352	2.76	-	35.43	6.87	32.95
RMS	6.1774G	92.53	Inf	-Inf	83.20	3	Vertical	352	2.76	-	35.41	6.87	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8858G	60.31	88.20	-27.89	51.78	3	Horizontal	291	2.26	-	34.87	6.60	32.94
RMS	5.923G	49.97	68.20	-18.23	41.32	3	Horizontal	291	2.26	-	34.99	6.60	32.94
PK	6.169G	110.18	Inf	-Inf	100.90	3	Horizontal	291	2.26	-	35.38	6.85	32.95
RMS	6.1702G	100.08	Inf	-Inf	90.79	3	Horizontal	291	2.26	-	35.38	6.86	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34788G	58.05	74.00	-15.95	42.74	3	Vertical	327	1.80	-	38.60	9.16	32.45
AV	12.34952G	44.45	54.00	-9.55	29.14	3	Vertical	327	1.80	-	38.60	9.16	32.45

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35156G	57.33	74.00	-16.67	42.01	3	Horizontal	278	2.81	-	38.60	9.16	32.44
AV	12.34948G	44.05	54.00	-9.95	28.74	3	Horizontal	278	2.81	-	38.60	9.16	32.45

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52936G	46.57	83.54	-36.97	44.92	1	Vertical	138	1.53	-	37.79	13.93	50.07
AV	18.5207G	32.26	63.54	-31.28	30.62	1	Vertical	138	1.53	-	37.79	13.93	50.08

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52418G	47.07	83.54	-36.47	45.43	1	Horizontal	104	1.53	-	37.79	13.93	50.08
AV	18.52014G	32.24	63.54	-31.30	30.60	1	Horizontal	104	1.53	-	37.79	13.93	50.08

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_X_1TX
Setting 52
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8222G	61.10	88.20	-27.10	52.85	3	Vertical	345	2.79	-	34.58	6.60	32.93
RMS	5.9206G	49.70	68.20	-18.50	41.06	3	Vertical	345	2.79	-	34.98	6.60	32.94
PK	6.4198G	102.45	Inf	-Inf	92.88	3	Vertical	345	2.79	-	35.52	7.00	32.95
RMS	6.4174G	92.58	Inf	-Inf	83.00	3	Vertical	345	2.79	-	35.53	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_X_1TX
Setting 52
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	60.46	88.20	-27.74	51.96	3	Horizontal	289	2.44	-	34.84	6.60	32.94
RMS	5.925G	49.87	68.20	-18.33	41.21	3	Horizontal	289	2.44	-	35.00	6.60	32.94
PK	6.4198G	108.88	Inf	-Inf	99.31	3	Horizontal	289	2.44	-	35.52	7.00	32.95
RMS	6.4174G	99.37	Inf	-Inf	89.79	3	Horizontal	289	2.44	-	35.53	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT X_1TX
Setting 52
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8261G	58.31	88.20	-29.89	41.55	3	Vertical	295	1.37	-	39.23	9.37	31.84
RMS	12.83446G	43.67	68.20	-24.53	26.89	3	Vertical	295	1.37	-	39.23	9.38	31.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT X_1TX
Setting 52
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8332G	58.08	88.20	-30.12	41.31	3	Horizontal	79	2.50	-	39.23	9.37	31.83
RMS	12.83482G	43.69	68.20	-24.51	26.91	3	Horizontal	79	2.50	-	39.23	9.38	31.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT X_1TX
Setting 52
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2429G	45.22	83.54	-38.32	43.20	1	Vertical	290	1.52	-	37.71	13.96	49.65
AV	19.24098G	30.85	63.54	-32.69	28.83	1	Vertical	290	1.52	-	37.71	13.96	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT X_1TX
Setting 52
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24872G	44.93	83.54	-38.61	42.92	1	Horizontal	304	1.58	-	37.70	13.96	49.65
AV	19.24834G	30.83	63.54	-32.71	28.82	1	Horizontal	304	1.58	-	37.70	13.96	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8084G	60.23	88.20	-27.97	52.09	3	Vertical	319	2.02	-	34.47	6.60	32.93
RMS	5.925G	49.74	68.20	-18.46	41.08	3	Vertical	319	2.02	-	35.00	6.60	32.94
PK	6.4376G	99.46	Inf	-Inf	89.96	3	Vertical	319	2.02	-	35.45	7.00	32.95
RMS	6.4376G	90.18	Inf	-Inf	80.68	3	Vertical	319	2.02	-	35.45	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8578G	60.10	88.20	-28.10	51.62	3	Horizontal	287	2.42	-	34.82	6.60	32.94
RMS	5.925G	49.88	68.20	-18.32	41.22	3	Horizontal	287	2.42	-	35.00	6.60	32.94
PK	6.4376G	108.68	Inf	-Inf	99.18	3	Horizontal	287	2.42	-	35.45	7.00	32.95
RMS	6.4402G	98.94	Inf	-Inf	89.45	3	Horizontal	287	2.42	-	35.44	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8655G	58.01	88.20	-30.19	41.14	3	Vertical	134	2.08	-	39.27	9.39	31.79
RMS	12.87124G	44.08	68.20	-24.12	27.20	3	Vertical	134	2.08	-	39.27	9.39	31.78

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87092G	57.90	88.20	-30.30	41.03	3	Horizontal	174	1.26	-	39.27	9.39	31.79
RMS	12.87406G	44.12	68.20	-24.08	27.24	3	Horizontal	174	1.26	-	39.27	9.39	31.78

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30534G	44.60	83.54	-38.94	42.55	1	Vertical	232	1.53	-	37.74	13.97	49.66
AV	19.30512G	30.74	63.54	-32.80	28.69	1	Vertical	232	1.53	-	37.74	13.97	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30142G	44.68	83.54	-38.86	42.63	1	Horizontal	97	1.53	-	37.74	13.97	49.66
AV	19.30842G	30.76	63.54	-32.78	28.70	1	Horizontal	97	1.53	-	37.75	13.97	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8002G	60.83	88.20	-27.37	52.76	3	Vertical	321	1.97	-	34.40	6.60	32.93
RMS	5.9066G	49.72	68.20	-18.48	41.13	3	Vertical	321	1.97	-	34.93	6.60	32.94
PK	6.4778G	99.21	Inf	-Inf	89.65	3	Vertical	321	1.97	-	35.51	7.00	32.95
RMS	6.4778G	90.18	Inf	-Inf	80.62	3	Vertical	321	1.97	-	35.51	7.00	32.95
PK	7.1498G	62.41	88.20	-25.79	51.42	3	Vertical	321	1.97	-	36.90	7.23	33.14
RMS	7.1694G	52.28	68.20	-15.92	41.21	3	Vertical	321	1.97	-	36.98	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8282G	60.92	88.20	-27.28	52.62	3	Horizontal	286	2.41	-	34.63	6.60	32.93
RMS	5.9178G	49.78	68.20	-18.42	41.15	3	Horizontal	286	2.41	-	34.97	6.60	32.94
PK	6.4666G	108.83	Inf	-Inf	99.31	3	Horizontal	286	2.41	-	35.47	7.00	32.95
RMS	6.4778G	98.68	Inf	-Inf	89.12	3	Horizontal	286	2.41	-	35.51	7.00	32.95
PK	7.1274G	62.47	88.20	-25.73	51.65	3	Horizontal	286	2.41	-	36.72	7.24	33.14
RMS	7.1442G	52.24	68.20	-15.96	41.30	3	Horizontal	286	2.41	-	36.85	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95168G	58.34	88.20	-29.86	41.13	3	Vertical	246	2.33	-	39.46	9.43	31.68
RMS	12.94984G	44.34	68.20	-23.86	27.14	3	Vertical	246	2.33	-	39.45	9.43	31.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95358G	58.78	88.20	-29.42	41.57	3	Horizontal	234	2.70	-	39.46	9.43	31.68
RMS	12.9471G	44.34	68.20	-23.86	27.16	3	Horizontal	234	2.70	-	39.44	9.43	31.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4299G	46.07	83.54	-37.47	43.95	1	Vertical	303	1.55	-	37.84	13.97	49.69
AV	19.42946G	32.24	63.54	-31.30	30.12	1	Vertical	303	1.55	-	37.84	13.97	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42936G	46.03	83.54	-37.51	43.91	1	Horizontal	157	1.54	-	37.84	13.97	49.69
AV	19.42946G	32.22	63.54	-31.32	30.10	1	Horizontal	157	1.54	-	37.84	13.97	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8206G	60.54	88.20	-27.66	52.31	3	Vertical	320	1.96	-	34.56	6.60	32.93
RMS	5.815G	49.76	68.20	-18.44	41.57	3	Vertical	320	1.96	-	34.52	6.60	32.93
PK	6.515G	99.57	Inf	-Inf	89.87	3	Vertical	320	1.96	-	35.66	7.00	32.96
RMS	6.5178G	90.13	Inf	-Inf	80.42	3	Vertical	320	1.96	-	35.67	7.00	32.96
PK	7.187G	62.69	88.20	-25.51	51.55	3	Vertical	320	1.96	-	37.05	7.21	33.12
RMS	7.173G	52.36	68.20	-15.84	41.29	3	Vertical	320	1.96	-	36.99	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.871G	60.65	88.20	-27.55	52.15	3	Horizontal	283	2.48	-	34.84	6.60	32.94
RMS	5.9242G	49.77	68.20	-18.43	41.11	3	Horizontal	283	2.48	-	35.00	6.60	32.94
PK	6.5178G	107.72	Inf	-Inf	98.01	3	Horizontal	283	2.48	-	35.67	7.00	32.96
RMS	6.5122G	98.50	Inf	-Inf	88.81	3	Horizontal	283	2.48	-	35.65	7.00	32.96
PK	7.2066G	63.47	88.20	-24.73	52.28	3	Horizontal	283	2.48	-	37.10	7.21	33.12
RMS	7.1954G	52.40	68.20	-15.80	41.24	3	Horizontal	283	2.48	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0307G	58.46	88.20	-29.74	40.95	3	Vertical	210	1.32	-	39.63	9.46	31.58
RMS	13.02798G	44.28	68.20	-23.92	26.77	3	Vertical	210	1.32	-	39.63	9.46	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03034G	58.16	88.20	-30.04	40.65	3	Horizontal	303	2.74	-	39.63	9.46	31.58
RMS	13.02848G	44.28	68.20	-23.92	26.77	3	Horizontal	303	2.74	-	39.63	9.46	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54962G	46.81	83.54	-36.73	44.65	1	Vertical	82	1.58	-	37.88	13.98	49.70
AV	19.54016G	32.98	63.54	-30.56	30.82	1	Vertical	82	1.58	-	37.88	13.98	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54696G	47.05	83.54	-36.49	44.89	1	Horizontal	318	1.52	-	37.88	13.98	49.70
AV	19.5406G	32.96	63.54	-30.58	30.80	1	Horizontal	318	1.52	-	37.88	13.98	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	60.83	88.20	-27.37	52.29	3	Vertical	320	1.97	-	34.88	6.60	32.94
RMS	5.835G	49.72	68.20	-18.48	41.37	3	Vertical	320	1.97	-	34.68	6.60	32.93
PK	6.5406G	101.11	Inf	-Inf	91.32	3	Vertical	320	1.97	-	35.76	7.00	32.97
RMS	6.5322G	90.89	Inf	-Inf	81.13	3	Vertical	320	1.97	-	35.73	7.00	32.97
PK	7.1286G	62.33	88.20	-25.87	51.50	3	Vertical	320	1.97	-	36.73	7.24	33.14
RMS	7.2322G	52.40	68.20	-15.80	41.18	3	Vertical	320	1.97	-	37.10	7.23	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8994G	60.41	88.20	-27.79	51.85	3	Horizontal	284	2.46	-	34.90	6.60	32.94
RMS	5.8462G	49.73	68.20	-18.47	41.29	3	Horizontal	284	2.46	-	34.77	6.60	32.93
PK	6.5434G	108.75	Inf	-Inf	98.95	3	Horizontal	284	2.46	-	35.77	7.00	32.97
RMS	6.5322G	99.21	Inf	-Inf	89.45	3	Horizontal	284	2.46	-	35.73	7.00	32.97
PK	7.1958G	62.36	88.20	-25.84	51.20	3	Horizontal	284	2.46	-	37.08	7.20	33.12
RMS	7.2322G	52.42	68.20	-15.78	41.20	3	Horizontal	284	2.46	-	37.10	7.23	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06572G	58.42	88.20	-29.78	40.81	3	Vertical	121	1.93	-	39.67	9.48	31.54
RMS	13.06752G	44.16	68.20	-24.04	26.54	3	Vertical	121	1.93	-	39.67	9.48	31.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06602G	58.12	88.20	-30.08	40.51	3	Horizontal	179	2.26	-	39.67	9.48	31.54
RMS	13.06748G	44.18	68.20	-24.02	26.56	3	Horizontal	179	2.26	-	39.67	9.48	31.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60472G	46.35	83.54	-37.19	44.21	1	Vertical	168	1.54	-	37.86	13.98	49.70
AV	19.60072G	32.77	63.54	-30.77	30.63	1	Vertical	168	1.54	-	37.86	13.98	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60176G	46.76	83.54	-36.78	44.62	1	Horizontal	18	1.50	-	37.86	13.98	49.70
AV	19.60014G	32.79	63.54	-30.75	30.65	1	Horizontal	18	1.50	-	37.86	13.98	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6994G	99.97	Inf	-Inf	90.12	3	Vertical	39	2.25	-	35.90	7.00	33.05
RMS	6.6972G	90.30	Inf	-Inf	80.43	3	Vertical	39	2.25	-	35.91	7.00	33.04
PK	7.234G	63.09	88.20	-25.11	51.87	3	Vertical	39	2.25	-	37.10	7.23	33.11
RMS	7.1724G	52.37	68.20	-15.83	41.30	3	Vertical	39	2.25	-	36.99	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 50
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6994G	109.48	Inf	-Inf	99.63	3	Horizontal	285	2.45	-	35.90	7.00	33.05
RMS	6.6972G	98.48	Inf	-Inf	88.61	3	Horizontal	285	2.45	-	35.91	7.00	33.04
PK	7.1812G	63.26	88.20	-24.94	52.15	3	Horizontal	285	2.45	-	37.02	7.21	33.12
RMS	7.1922G	52.41	68.20	-15.79	41.26	3	Horizontal	285	2.45	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3903G	59.87	74.00	-14.13	41.19	3	Vertical	208	1.56	-	40.18	9.63	31.13
AV	13.3884G	45.67	54.00	-8.33	27.00	3	Vertical	208	1.56	-	40.18	9.62	31.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39284G	59.53	74.00	-14.47	40.84	3	Horizontal	314	2.28	-	40.19	9.63	31.13
AV	13.38862G	45.66	54.00	-8.34	26.99	3	Horizontal	314	2.28	-	40.18	9.62	31.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.084G	47.33	83.54	-36.21	45.53	1	Vertical	171	1.50	-	37.47	14.06	49.73
AV	20.0809G	33.11	63.54	-30.43	31.32	1	Vertical	171	1.50	-	37.46	14.06	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT X_1TX
Setting 50
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08752G	46.57	83.54	-36.97	44.77	1	Horizontal	134	1.53	-	37.47	14.07	49.74
AV	20.08284G	33.12	63.54	-30.42	31.32	1	Horizontal	134	1.53	-	37.47	14.06	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_X_1TX
Setting 53
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	100.84	Inf	-Inf	90.33	3	Vertical	41	2.19	-	36.54	7.09	33.12
RMS	6.8508G	90.52	Inf	-Inf	79.97	3	Vertical	41	2.19	-	36.59	7.08	33.12
PK	7.1602G	64.57	88.20	-23.63	53.54	3	Vertical	41	2.19	-	36.94	7.22	33.13
RMS	7.1728G	53.04	68.20	-15.16	41.97	3	Vertical	41	2.19	-	36.99	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT X_1TX
Setting 53
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8522G	107.95	Inf	-Inf	97.41	3	Horizontal	286	1.80	-	36.58	7.08	33.12
RMS	6.8494G	97.10	Inf	-Inf	86.55	3	Horizontal	286	1.80	-	36.60	7.07	33.12
PK	7.191G	63.72	88.20	-24.48	52.58	3	Horizontal	286	1.80	-	37.06	7.20	33.12
RMS	7.1728G	53.07	68.20	-15.13	42.00	3	Horizontal	286	1.80	-	36.99	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT X_1TX
Setting 53
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70912G	63.03	88.20	-25.17	43.86	3	Vertical	16	1.04	-	40.53	9.77	31.13
RMS	13.71214G	48.92	68.20	-19.28	29.74	3	Vertical	16	1.04	-	40.54	9.77	31.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT X_1TX
Setting 53
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7111G	63.31	88.20	-24.89	44.14	3	Horizontal	70	2.95	-	40.53	9.77	31.13
RMS	13.7124G	48.92	68.20	-19.28	29.74	3	Horizontal	70	2.95	-	40.54	9.77	31.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT X_1TX
Setting 53
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56426G	48.04	83.54	-35.50	45.71	1	Vertical	225	1.58	-	37.78	14.42	49.87
AV	20.56288G	34.23	63.54	-29.31	31.90	1	Vertical	225	1.58	-	37.78	14.42	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TnomVnom



EUT X_1TX
Setting 53
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56842G	47.93	83.54	-35.61	45.59	1	Horizontal	231	1.50	-	37.78	14.43	49.87
AV	20.56388G	34.26	63.54	-29.28	31.93	1	Horizontal	231	1.50	-	37.78	14.42	49.87


802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
 Setting 53
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8774G	100.42	Inf	-Inf	90.05	3	Vertical	43	2.48	-	36.38	7.12	33.13
RMS	6.8774G	89.83	Inf	-Inf	79.46	3	Vertical	43	2.48	-	36.38	7.12	33.13
PK	7.145G	63.30	88.20	-24.90	52.35	3	Vertical	43	2.48	-	36.86	7.23	33.14
RMS	7.1438G	52.87	68.20	-15.33	41.93	3	Vertical	43	2.48	-	36.85	7.23	33.14


802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_1TX
 Setting 53
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8786G	107.21	Inf	-Inf	96.85	3	Horizontal	286	1.98	-	36.37	7.12	33.13
RMS	6.8714G	97.53	Inf	-Inf	87.12	3	Horizontal	286	1.98	-	36.43	7.11	33.13
PK	7.151G	63.45	88.20	-24.75	52.47	3	Horizontal	286	1.98	-	36.90	7.22	33.14
RMS	7.1726G	52.91	68.20	-15.29	41.84	3	Horizontal	286	1.98	-	36.99	7.21	33.13


802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
 Setting 53
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75084G	64.17	88.20	-24.03	44.89	3	Vertical	171	2.35	-	40.65	9.79	31.16
RMS	13.75464G	49.75	68.20	-18.45	30.46	3	Vertical	171	2.35	-	40.66	9.79	31.16


802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
 Setting 53
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75406G	63.63	88.20	-24.57	44.34	3	Horizontal	168	2.30	-	40.66	9.79	31.16
RMS	13.75464G	49.76	68.20	-18.44	30.47	3	Horizontal	168	2.30	-	40.66	9.79	31.16


802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
 Setting 53
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62234G	47.66	83.54	-35.88	45.19	1	Vertical	113	1.56	-	37.85	14.47	49.85
AV	20.62134G	33.95	63.54	-29.59	31.48	1	Vertical	113	1.56	-	37.85	14.47	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_1TX
 Setting 53
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6267G	47.79	83.54	-35.75	45.32	1	Horizontal	23	1.55	-	37.85	14.47	49.85
AV	20.62192G	33.95	63.54	-29.59	31.48	1	Horizontal	23	1.55	-	37.85	14.47	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_X_1TX
Setting 53
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8974G	100.16	Inf	-Inf	89.93	3	Vertical	34	2.53	-	36.22	7.15	33.14
RMS	6.8974G	90.17	Inf	-Inf	79.94	3	Vertical	34	2.53	-	36.22	7.15	33.14
PK	7.1506G	64.38	88.20	-23.82	53.40	3	Vertical	34	2.53	-	36.90	7.22	33.14
RMS	7.1494G	52.94	68.20	-15.26	41.95	3	Vertical	34	2.53	-	36.90	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_X_1TX
Setting 53
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8902G	106.94	Inf	-Inf	96.66	3	Horizontal	285	1.80	-	36.28	7.14	33.14
RMS	6.8974G	97.10	Inf	-Inf	86.87	3	Horizontal	285	1.80	-	36.22	7.15	33.14
PK	7.1578G	63.34	88.20	-24.86	52.32	3	Horizontal	285	1.80	-	36.93	7.22	33.13
RMS	7.1494G	52.91	68.20	-15.29	41.92	3	Horizontal	285	1.80	-	36.90	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT X_1TX
Setting 53
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78604G	64.26	88.20	-23.94	44.88	3	Vertical	262	1.35	-	40.76	9.80	31.18
RMS	13.79212G	50.11	68.20	-18.09	30.71	3	Vertical	262	1.35	-	40.78	9.81	31.19

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT X_1TX
Setting 53
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7861G	64.11	88.20	-24.09	44.73	3	Horizontal	24	1.78	-	40.76	9.80	31.18
RMS	13.79206G	50.06	68.20	-18.14	30.66	3	Horizontal	24	1.78	-	40.78	9.81	31.19

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT X_1TX
Setting 53
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68534G	47.50	83.54	-36.04	44.90	1	Vertical	135	1.54	-	37.92	14.51	49.83
AV	20.6812G	33.71	63.54	-29.83	31.11	1	Vertical	135	1.54	-	37.92	14.51	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT X_1TX
Setting 53
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68264G	47.55	83.54	-35.99	44.95	1	Horizontal	43	1.50	-	37.92	14.51	49.83
AV	20.68112G	33.71	63.54	-29.83	31.11	1	Horizontal	43	1.50	-	37.92	14.51	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT X_1TX
Setting 52
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9998G	100.81	Inf	-Inf	90.40	3	Vertical	32	2.49	-	36.30	7.30	33.19
RMS	7.0006G	90.92	Inf	-Inf	80.51	3	Vertical	32	2.49	-	36.30	7.30	33.19
PK	7.1366G	63.57	88.20	-24.63	52.69	3	Vertical	32	2.49	-	36.79	7.23	33.14
RMS	7.143G	52.98	68.20	-15.22	42.05	3	Vertical	32	2.49	-	36.84	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT X_1TX
Setting 52
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0022G	108.06	Inf	-Inf	97.64	3	Horizontal	283	1.80	-	36.31	7.30	33.19
RMS	7.0006G	97.30	Inf	-Inf	86.89	3	Horizontal	283	1.80	-	36.30	7.30	33.19
PK	7.1758G	64.32	88.20	-23.88	53.24	3	Horizontal	283	1.80	-	37.00	7.21	33.13
RMS	7.1486G	53.05	68.20	-15.15	42.07	3	Horizontal	283	1.80	-	36.89	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT X_1TX
Setting 52
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99282G	63.98	88.20	-24.22	44.51	3	Vertical	46	1.46	-	40.90	9.90	31.33
RMS	13.98574G	49.71	68.20	-18.49	30.24	3	Vertical	46	1.46	-	40.90	9.89	31.32

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT X_1TX
Setting 52
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99152G	64.35	88.20	-23.85	44.87	3	Horizontal	278	1.55	-	40.90	9.90	31.32
RMS	13.98902G	49.73	68.20	-18.47	30.25	3	Horizontal	278	1.55	-	40.90	9.90	31.32

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT X_1TX
Setting 52
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98872G	45.78	83.54	-37.76	43.12	1	Vertical	115	1.52	-	37.62	14.74	49.70
AV	20.98928G	32.08	63.54	-31.46	29.42	1	Vertical	115	1.52	-	37.62	14.74	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT X_1TX
Setting 52
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98072G	46.50	83.54	-37.04	43.84	1	Horizontal	333	1.53	-	37.63	14.74	49.71
AV	20.98886G	32.11	63.54	-31.43	29.45	1	Horizontal	333	1.53	-	37.62	14.74	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_X_1TX
Setting 51
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0922G	102.86	Inf	-Inf	92.25	3	Vertical	33	2.49	-	36.52	7.25	33.16
RMS	7.0926G	90.89	Inf	-Inf	80.29	3	Vertical	33	2.49	-	36.51	7.25	33.16
PK	7.149G	64.11	88.20	-24.09	53.13	3	Vertical	33	2.49	-	36.89	7.23	33.14
RMS	7.185G	53.15	68.20	-15.05	42.02	3	Vertical	33	2.49	-	37.04	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_X_1TX
Setting 51
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0986G	109.25	Inf	-Inf	98.65	3	Horizontal	286	2.06	-	36.50	7.25	33.15
RMS	7.101G	98.25	Inf	-Inf	87.64	3	Horizontal	286	2.06	-	36.51	7.25	33.15
PK	7.1294G	65.56	88.20	-22.64	54.72	3	Horizontal	286	2.06	-	36.74	7.24	33.14
RMS	7.1258G	53.88	68.20	-14.32	43.07	3	Horizontal	286	2.06	-	36.71	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT X_1TX
Setting 51
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1942G	62.59	88.20	-25.61	43.34	3	Vertical	130	1.87	-	40.81	9.96	31.52
RMS	14.18792G	48.63	68.20	-19.57	29.37	3	Vertical	130	1.87	-	40.81	9.96	31.51

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT X_1TX
Setting 51
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18596G	63.78	88.20	-24.42	44.52	3	Horizontal	229	1.16	-	40.81	9.96	31.51
RMS	14.18524G	48.63	68.20	-19.57	29.37	3	Horizontal	229	1.16	-	40.81	9.96	31.51

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT X_1TX
Setting 51
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28088G	47.48	83.54	-36.06	44.52	1	Vertical	293	1.52	-	37.64	14.96	49.64
AV	21.28224G	33.69	63.54	-29.85	30.73	1	Vertical	293	1.52	-	37.64	14.96	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_X_1TX
Setting 51
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28234G	47.85	83.54	-35.69	44.89	1	Horizontal	173	1.53	-	37.64	14.96	49.64
AV	21.28238G	33.69	63.54	-29.85	30.73	1	Horizontal	173	1.53	-	37.64	14.96	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_X_1TX
Setting 24
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10998G	84.37	Inf	-Inf	73.69	3	Vertical	34	2.15	-	36.58	7.25	33.15
RMS	7.11G	73.75	Inf	-Inf	63.07	3	Vertical	34	2.15	-	36.58	7.25	33.15
PK	7.1255G	70.36	88.20	-17.84	59.56	3	Vertical	34	2.15	-	36.70	7.24	33.14
RMS	7.1255G	60.22	68.20	-7.98	49.42	3	Vertical	34	2.15	-	36.70	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_X_1TX
Setting 24
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10995G	93.45	Inf	-Inf	82.77	3	Horizontal	308	2.68	-	36.58	7.25	33.15
RMS	7.10998G	82.87	Inf	-Inf	72.19	3	Horizontal	308	2.68	-	36.58	7.25	33.15
PK	7.1255G	78.44	88.20	-9.76	67.64	3	Horizontal	308	2.68	-	36.70	7.24	33.14
RMS	7.1255G	68.17	68.20	-0.03	57.37	3	Horizontal	308	2.68	-	36.70	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 24
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2318G	62.68	88.20	-25.52	43.53	3	Vertical	138	2.66	-	40.74	9.97	31.56
RMS	14.2296G	48.43	68.20	-19.77	29.28	3	Vertical	138	2.66	-	40.74	9.97	31.56

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 24
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22528G	62.64	88.20	-25.56	43.47	3	Horizontal	203	2.67	-	40.75	9.97	31.55
RMS	14.22998G	48.44	68.20	-19.76	29.29	3	Horizontal	203	2.67	-	40.74	9.97	31.56

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 24
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3426G	47.61	83.54	-35.93	44.52	1	Vertical	112	1.51	-	37.71	15.01	49.63
AV	21.34066G	33.56	63.54	-29.98	30.47	1	Vertical	112	1.51	-	37.71	15.01	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 24
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3401G	47.77	83.54	-35.77	44.68	1	Horizontal	87	1.55	-	37.71	15.01	49.63
AV	21.34012G	33.55	63.54	-29.99	30.46	1	Horizontal	87	1.55	-	37.71	15.01	49.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT X_1TX
Setting 61
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	69.23	88.20	-18.97	60.57	3	Vertical	358	2.54	-	35.00	6.60	32.94
RMS	5.925G	56.83	68.20	-11.37	48.17	3	Vertical	358	2.54	-	35.00	6.60	32.94
PK	5.9726G	104.86	Inf	-Inf	96.02	3	Vertical	358	2.54	-	35.19	6.60	32.95
RMS	5.9678G	94.40	Inf	-Inf	85.58	3	Vertical	358	2.54	-	35.17	6.60	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT X_1TX
Setting 61
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	74.85	88.20	-13.35	66.19	3	Horizontal	292	2.35	-	35.00	6.60	32.94
RMS	5.925G	61.87	68.20	-6.33	53.21	3	Horizontal	292	2.35	-	35.00	6.60	32.94
PK	5.9494G	109.29	Inf	-Inf	100.53	3	Horizontal	292	2.35	-	35.10	6.60	32.94
RMS	5.9686G	99.02	Inf	-Inf	90.20	3	Horizontal	292	2.35	-	35.17	6.60	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT X_1TX
Setting 61
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92752G	56.65	74.00	-17.35	42.04	3	Vertical	28	1.05	-	38.50	8.98	32.87
AV	11.9329G	44.14	54.00	-9.86	29.53	3	Vertical	28	1.05	-	38.50	8.98	32.87
PK	17.89388G	67.67	74.00	-6.33	45.51	3	Vertical	210	1.29	-	42.78	11.07	31.69
AV	17.89164G	52.46	54.00	-1.54	30.31	3	Vertical	210	1.29	-	42.77	11.07	31.69

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT X_1TX
Setting 61
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92636G	56.44	74.00	-17.56	41.83	3	Horizontal	132	2.36	-	38.50	8.98	32.87
AV	11.9329G	44.24	54.00	-9.76	29.63	3	Horizontal	132	2.36	-	38.50	8.98	32.87
PK	17.89434G	67.59	74.00	-6.41	45.43	3	Horizontal	224	2.92	-	42.78	11.07	31.69
AV	17.89408G	52.58	54.00	-1.42	30.42	3	Horizontal	224	2.92	-	42.78	11.07	31.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT X_1TX
Setting 62
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8734G	61.36	88.20	-26.84	52.85	3	Vertical	348	2.75	-	34.85	6.60	32.94
RMS	5.8758G	50.41	68.20	-17.79	41.90	3	Vertical	348	2.75	-	34.85	6.60	32.94
PK	6.1734G	105.17	Inf	-Inf	95.87	3	Vertical	348	2.75	-	35.39	6.86	32.95
RMS	6.177G	93.90	Inf	-Inf	84.57	3	Vertical	348	2.75	-	35.41	6.87	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT_X_1TX
Setting 62
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	61.46	88.20	-26.74	52.82	3	Horizontal	292	2.35	-	34.98	6.60	32.94
RMS	5.920G	50.75	68.20	-17.45	42.11	3	Horizontal	292	2.35	-	34.98	6.60	32.94
PK	6.171G	110.57	Inf	-Inf	101.28	3	Horizontal	292	2.35	-	35.38	6.86	32.95
RMS	6.1674G	99.96	Inf	-Inf	90.69	3	Horizontal	292	2.35	-	35.37	6.85	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT X_1TX
Setting 62
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32586G	56.94	74.00	-17.06	41.72	3	Vertical	270	2.21	-	38.55	9.15	32.48
AV	12.33478G	44.45	54.00	-9.55	29.19	3	Vertical	270	2.21	-	38.57	9.15	32.46

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT X_1TX
Setting 62
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3272G	57.02	74.00	-16.98	41.79	3	Horizontal	322	2.43	-	38.55	9.15	32.47
AV	12.33374G	44.22	54.00	-9.78	28.97	3	Horizontal	322	2.43	-	38.57	9.15	32.47

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT X_1TX
Setting 62
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4973G	46.23	83.54	-37.31	44.61	1	Vertical	265	1.57	-	37.80	13.92	50.10
AV	18.49116G	33.96	63.54	-29.58	32.35	1	Vertical	265	1.57	-	37.79	13.92	50.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT X_1TX
Setting 62
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49722G	46.55	83.54	-36.99	44.93	1	Horizontal	83	1.50	-	37.80	13.92	50.10
AV	18.49442G	33.91	63.54	-29.63	32.30	1	Horizontal	83	1.50	-	37.79	13.92	50.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_X_1TX
Setting 65
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8722G	61.30	88.20	-26.90	52.80	3	Vertical	272	1.04	-	34.84	6.60	32.94
RMS	5.925G	50.26	68.20	-17.94	41.60	3	Vertical	272	1.04	-	35.00	6.60	32.94
PK	6.3954G	103.75	Inf	-Inf	94.13	3	Vertical	272	1.04	-	35.57	7.00	32.95
RMS	6.4122G	93.57	Inf	-Inf	83.97	3	Vertical	272	1.04	-	35.55	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_X_1TX
Setting 65
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.817G	61.76	88.20	-26.44	53.55	3	Horizontal	288	2.45	-	34.54	6.60	32.93
RMS	5.9226G	50.50	68.20	-17.70	41.85	3	Horizontal	288	2.45	-	34.99	6.60	32.94
PK	6.4074G	110.41	Inf	-Inf	100.79	3	Horizontal	288	2.45	-	35.57	7.00	32.95
RMS	6.3978G	99.95	Inf	-Inf	90.31	3	Horizontal	288	2.45	-	35.59	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_X_1TX
Setting 65
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8113G	58.15	88.20	-30.05	41.43	3	Vertical	343	2.25	-	39.21	9.37	31.86
RMS	12.81434G	45.39	68.20	-22.81	28.67	3	Vertical	343	2.25	-	39.21	9.37	31.86

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT X_1TX
Setting 65
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81162G	57.91	88.20	-30.29	41.19	3	Horizontal	279	1.22	-	39.21	9.37	31.86
RMS	12.8057G	45.55	68.20	-22.65	28.85	3	Horizontal	279	1.22	-	39.21	9.36	31.87

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT X_1TX
Setting 65
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.216G	44.92	83.54	-38.62	42.86	1	Vertical	84	1.54	-	37.74	13.96	49.64
AV	19.2186G	32.68	63.54	-30.86	30.62	1	Vertical	84	1.54	-	37.74	13.96	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT X_1TX
Setting 65
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21088G	45.02	83.54	-38.52	42.95	1	Horizontal	348	1.51	-	37.75	13.96	49.64
AV	19.2155G	32.60	63.54	-30.94	30.54	1	Horizontal	348	1.51	-	37.74	13.96	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT X_1TX
Setting 64
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.912G	61.17	88.20	-27.03	52.56	3	Vertical	319	1.92	-	34.95	6.60	32.94
RMS	5.9198G	50.22	68.20	-17.98	41.58	3	Vertical	319	1.92	-	34.98	6.60	32.94
PK	6.432G	101.38	Inf	-Inf	91.86	3	Vertical	319	1.92	-	35.47	7.00	32.95
RMS	6.4398G	90.44	Inf	-Inf	80.95	3	Vertical	319	1.92	-	35.44	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_X_1TX
Setting 64
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.886G	61.39	88.20	-26.81	52.86	3	Horizontal	286	2.42	-	34.87	6.60	32.94
RMS	5.925G	50.30	68.20	-17.90	41.64	3	Horizontal	286	2.42	-	35.00	6.60	32.94
PK	6.4294G	109.13	Inf	-Inf	99.60	3	Horizontal	286	2.42	-	35.48	7.00	32.95
RMS	6.4398G	99.20	Inf	-Inf	89.71	3	Horizontal	286	2.42	-	35.44	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT X_1TX
Setting 64
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88524G	58.61	88.20	-29.59	41.69	3	Vertical	17	2.97	-	39.29	9.40	31.77
RMS	12.88676G	45.76	68.20	-22.44	28.83	3	Vertical	17	2.97	-	39.29	9.40	31.76

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT X_1TX
Setting 64
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89244G	58.46	88.20	-29.74	41.53	3	Horizontal	150	1.02	-	39.29	9.40	31.76
RMS	12.89256G	45.60	68.20	-22.60	28.67	3	Horizontal	150	1.02	-	39.29	9.40	31.76

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT X_1TX
Setting 64
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33052G	44.62	83.54	-38.92	42.56	1	Vertical	350	1.56	-	37.76	13.97	49.67
AV	19.3317G	32.57	63.54	-30.97	30.50	1	Vertical	350	1.56	-	37.77	13.97	49.67

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT X_1TX
Setting 64
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33216G	45.25	83.54	-38.29	43.18	1	Horizontal	75	1.51	-	37.77	13.97	49.67
AV	19.33666G	32.52	63.54	-31.02	30.45	1	Horizontal	75	1.51	-	37.77	13.97	49.67

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_X_1TX
Setting 65
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9054G	60.86	88.20	-27.34	52.28	3	Vertical	320	1.97	-	34.92	6.60	32.94
RMS	5.925G	50.23	68.20	-17.97	41.57	3	Vertical	320	1.97	-	35.00	6.60	32.94
PK	6.4794G	102.09	Inf	-Inf	92.52	3	Vertical	320	1.97	-	35.52	7.00	32.95
RMS	6.4906G	91.16	Inf	-Inf	81.55	3	Vertical	320	1.97	-	35.56	7.00	32.95
PK	7.1542G	63.84	88.20	-24.36	52.83	3	Vertical	320	1.97	-	36.92	7.22	33.13
RMS	7.1738G	52.78	68.20	-15.42	41.70	3	Vertical	320	1.97	-	37.00	7.21	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_X_1TX
Setting 65
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.883G	61.03	88.20	-27.17	52.50	3	Horizontal	284	2.45	-	34.87	6.60	32.94
RMS	5.8578G	50.33	68.20	-17.87	41.85	3	Horizontal	284	2.45	-	34.82	6.60	32.94
PK	6.4766G	108.56	Inf	-Inf	99.00	3	Horizontal	284	2.45	-	35.51	7.00	32.95
RMS	6.4822G	98.91	Inf	-Inf	89.33	3	Horizontal	284	2.45	-	35.53	7.00	32.95
PK	7.1794G	63.54	88.20	-24.66	52.44	3	Horizontal	284	2.45	-	37.02	7.21	33.13
RMS	7.1738G	52.87	68.20	-15.33	41.79	3	Horizontal	284	2.45	-	37.00	7.21	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_X_1TX
Setting 65
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96976G	58.66	88.20	-29.54	41.37	3	Vertical	273	2.77	-	39.51	9.44	31.66
RMS	12.97286G	46.17	68.20	-22.03	28.86	3	Vertical	273	2.77	-	39.52	9.44	31.65

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT X_1TX
Setting 65
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96618G	58.44	88.20	-29.76	41.17	3	Horizontal	333	2.86	-	39.50	9.43	31.66
RMS	12.97038G	46.46	68.20	-21.74	29.17	3	Horizontal	333	2.86	-	39.51	9.44	31.66

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT X_1TX
Setting 65
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4562G	46.64	83.54	-36.90	44.50	1	Vertical	26	1.56	-	37.86	13.97	49.69
AV	19.45658G	34.31	63.54	-29.23	32.16	1	Vertical	26	1.56	-	37.87	13.97	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX


6485MHz_TnomVnom



EUT X_1TX
Setting 65
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45822G	47.00	83.54	-36.54	44.85	1	Horizontal	127	1.56	-	37.87	13.97	49.69
AV	19.45594G	34.57	63.54	-28.97	32.43	1	Horizontal	127	1.56	-	37.86	13.97	49.69


802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_1TX
 Setting 66
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8446G	60.97	88.20	-27.23	52.54	3	Vertical	321	1.97	-	34.76	6.60	32.93
RMS	5.8474G	50.25	68.20	-17.95	41.80	3	Vertical	321	1.97	-	34.78	6.60	32.93
PK	6.5278G	101.63	Inf	-Inf	91.88	3	Vertical	321	1.97	-	35.71	7.00	32.96
RMS	6.5334G	91.99	Inf	-Inf	82.23	3	Vertical	321	1.97	-	35.73	7.00	32.97
PK	7.2026G	63.77	88.20	-24.43	52.59	3	Vertical	321	1.97	-	37.10	7.20	33.12
RMS	7.197G	52.73	68.20	-15.47	41.56	3	Vertical	321	1.97	-	37.09	7.20	33.12


802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_1TX
 Setting 66
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	60.72	88.20	-27.48	52.12	3	Horizontal	285	2.45	-	34.94	6.60	32.94
RMS	5.8558G	50.33	68.20	-17.87	41.86	3	Horizontal	285	2.45	-	34.81	6.60	32.94
PK	6.5166G	109.28	Inf	-Inf	99.57	3	Horizontal	285	2.45	-	35.67	7.00	32.96
RMS	6.5306G	99.84	Inf	-Inf	90.08	3	Horizontal	285	2.45	-	35.72	7.00	32.96
PK	7.1662G	64.63	88.20	-23.57	53.58	3	Horizontal	285	2.45	-	36.96	7.22	33.13
RMS	7.2138G	52.77	68.20	-15.43	41.57	3	Horizontal	285	2.45	-	37.10	7.21	33.11


802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_1TX
 Setting 66
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0502G	58.65	88.20	-29.55	41.09	3	Vertical	300	1.32	-	39.65	9.47	31.56
RMS	13.0457G	46.06	68.20	-22.14	28.50	3	Vertical	300	1.32	-	39.65	9.47	31.56


802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_1TX
 Setting 66
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05284G	58.23	88.20	-29.97	40.66	3	Horizontal	359	1.83	-	39.65	9.47	31.55
RMS	13.04972G	45.93	68.20	-22.27	28.37	3	Horizontal	359	1.83	-	39.65	9.47	31.56


802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_1TX
 Setting 66
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5717G	47.05	83.54	-36.49	44.90	1	Vertical	250	1.56	-	37.87	13.98	49.70
AV	19.57376G	34.90	63.54	-28.64	32.75	1	Vertical	250	1.56	-	37.87	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_1TX
 Setting 66
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57166G	46.64	83.54	-36.90	44.49	1	Horizontal	322	1.56	-	37.87	13.98	49.70
AV	19.5768G	34.67	63.54	-28.87	32.52	1	Horizontal	322	1.56	-	37.87	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT X_1TX
Setting 66
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5578G	101.93	Inf	-Inf	92.09	3	Vertical	320	1.97	-	35.82	7.00	32.98
RMS	6.5626G	91.80	Inf	-Inf	81.95	3	Vertical	320	1.97	-	35.83	7.00	32.98
PK	7.1434G	63.35	88.20	-24.85	52.41	3	Vertical	320	1.97	-	36.85	7.23	33.14
RMS	7.1506G	52.73	68.20	-15.47	41.75	3	Vertical	320	1.97	-	36.90	7.22	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT X_1TX
Setting 66
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5578G	109.50	Inf	-Inf	99.66	3	Horizontal	282	2.43	-	35.82	7.00	32.98
RMS	6.5578G	99.89	Inf	-Inf	90.05	3	Horizontal	282	2.43	-	35.82	7.00	32.98
PK	7.1338G	63.52	88.20	-24.68	52.66	3	Horizontal	282	2.43	-	36.77	7.23	33.14
RMS	7.1434G	52.75	68.20	-15.45	41.81	3	Horizontal	282	2.43	-	36.85	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT X_1TX
Setting 66
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1253G	58.39	88.20	-29.81	40.59	3	Vertical	105	2.75	-	39.75	9.51	31.46
RMS	13.1336G	45.99	68.20	-22.21	28.16	3	Vertical	105	2.75	-	39.77	9.51	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT X_1TX
Setting 66
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1329G	58.60	88.20	-29.60	40.77	3	Horizontal	327	2.74	-	39.77	9.51	31.45
RMS	13.13256G	46.24	68.20	-21.96	28.41	3	Horizontal	327	2.74	-	39.77	9.51	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT X_1TX
Setting 66
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6916G	45.77	83.54	-37.77	43.67	1	Vertical	176	1.56	-	37.82	13.98	49.70
AV	19.69666G	33.70	63.54	-29.84	31.60	1	Vertical	176	1.56	-	37.82	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT X_1TX
Setting 66
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69868G	46.11	83.54	-37.43	44.01	1	Horizontal	210	1.55	-	37.82	13.98	49.70
AV	19.69114G	33.82	63.54	-29.72	31.72	1	Horizontal	210	1.55	-	37.82	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_X_1TX
Setting 64
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.669G	99.68	Inf	-Inf	89.75	3	Vertical	320	1.97	-	35.96	7.00	33.03
RMS	6.671G	90.09	Inf	-Inf	80.16	3	Vertical	320	1.97	-	35.96	7.00	33.03
PK	7.139G	64.00	88.20	-24.20	53.10	3	Vertical	320	1.97	-	36.81	7.23	33.14
RMS	7.175G	52.87	68.20	-15.33	41.79	3	Vertical	320	1.97	-	37.00	7.21	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT X_1TX
Setting 64
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.699G	109.16	Inf	-Inf	99.31	3	Horizontal	287	2.45	-	35.90	7.00	33.05
RMS	6.681G	98.75	Inf	-Inf	88.85	3	Horizontal	287	2.45	-	35.94	7.00	33.04
PK	7.181G	63.48	88.20	-24.72	52.37	3	Horizontal	287	2.45	-	37.02	7.21	33.12
RMS	7.173G	52.90	68.20	-15.30	41.83	3	Horizontal	287	2.45	-	36.99	7.21	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT X_1TX
Setting 64
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36866G	60.50	74.00	-13.50	41.90	3	Vertical	82	2.14	-	40.14	9.62	31.16
AV	13.36576G	47.28	54.00	-6.72	28.70	3	Vertical	82	2.14	-	40.13	9.61	31.16

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT X_1TX
Setting 64
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36834G	59.83	74.00	-14.17	41.23	3	Horizontal	268	2.43	-	40.14	9.62	31.16
AV	13.36998G	47.44	54.00	-6.56	28.83	3	Horizontal	268	2.43	-	40.14	9.62	31.15

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT X_1TX
Setting 64
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05062G	47.58	83.54	-35.96	45.82	1	Vertical	180	1.57	-	37.44	14.04	49.72
AV	20.05762G	34.78	63.54	-28.76	33.01	1	Vertical	180	1.57	-	37.45	14.04	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT X_1TX
Setting 64
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05024G	47.04	83.54	-36.50	45.28	1	Horizontal	142	1.54	-	37.44	14.04	49.72
AV	20.05384G	34.70	63.54	-28.84	32.94	1	Horizontal	142	1.54	-	37.44	14.04	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT X_1TX
Setting 66
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8418G	98.50	Inf	-Inf	88.02	3	Vertical	319	1.96	-	36.53	7.06	33.11
RMS	6.8418G	88.29	Inf	-Inf	77.81	3	Vertical	319	1.96	-	36.53	7.06	33.11
PK	7.2194G	63.25	88.20	-24.95	52.04	3	Vertical	319	1.96	-	37.10	7.22	33.11
RMS	7.173G	52.90	68.20	-15.30	41.83	3	Vertical	319	1.96	-	36.99	7.21	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT_X_1TX
Setting 66
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8418G	107.34	Inf	-Inf	96.86	3	Horizontal	284	1.80	-	36.53	7.06	33.11
RMS	6.8482G	97.38	Inf	-Inf	86.84	3	Horizontal	284	1.80	-	36.59	7.07	33.12
PK	7.2002G	63.66	88.20	-24.54	52.48	3	Horizontal	284	1.80	-	37.10	7.20	33.12
RMS	7.173G	53.01	68.20	-15.19	41.94	3	Horizontal	284	1.80	-	36.99	7.21	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT X_1TX
Setting 66
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69014G	62.93	88.20	-25.27	43.81	3	Vertical	308	1.52	-	40.48	9.76	31.12
RMS	13.6907G	50.58	68.20	-17.62	31.46	3	Vertical	308	1.52	-	40.48	9.76	31.12

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT X_1TX
Setting 66
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69204G	62.51	88.20	-25.69	43.39	3	Horizontal	20	1.68	-	40.48	9.76	31.12
RMS	13.69014G	50.40	68.20	-17.80	31.28	3	Horizontal	20	1.68	-	40.48	9.76	31.12

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT X_1TX
Setting 66
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53448G	48.02	83.54	-35.52	45.77	1	Vertical	212	1.50	-	37.74	14.40	49.89
AV	20.53692G	35.62	63.54	-27.92	33.37	1	Vertical	212	1.50	-	37.74	14.40	49.89

802.11ax HEW40_Nss1,(MCS0)_1TX


6845MHz_TnomVnom



EUT X_1TX
Setting 66
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5335G	48.24	83.54	-35.30	45.99	1	Horizontal	311	1.58	-	37.74	14.40	49.89
AV	20.53192G	35.70	63.54	-27.84	33.45	1	Horizontal	311	1.58	-	37.74	14.40	49.89


802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
 Setting 66
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8836G	98.24	Inf	-Inf	87.91	3	Vertical	321	1.97	-	36.33	7.13	33.13
RMS	6.8808G	87.55	Inf	-Inf	77.21	3	Vertical	321	1.97	-	36.35	7.12	33.13
PK	7.1734G	64.06	88.20	-24.14	52.99	3	Vertical	321	1.97	-	36.99	7.21	33.13
RMS	7.1426G	52.86	68.20	-15.34	41.93	3	Vertical	321	1.97	-	36.84	7.23	33.14


802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_1TX
 Setting 66
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8934G	107.03	Inf	-Inf	96.78	3	Horizontal	286	1.80	-	36.25	7.14	33.14
RMS	6.8976G	96.68	Inf	-Inf	86.45	3	Horizontal	286	1.80	-	36.22	7.15	33.14
PK	7.1328G	64.25	88.20	-23.95	53.40	3	Horizontal	286	1.80	-	36.76	7.23	33.14
RMS	7.1482G	52.97	68.20	-15.23	41.99	3	Horizontal	286	1.80	-	36.89	7.23	33.14


802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
 Setting 66
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77328G	63.72	88.20	-24.48	44.38	3	Vertical	66	2.10	-	40.72	9.80	31.18
RMS	13.77208G	51.79	68.20	-16.41	32.45	3	Vertical	66	2.10	-	40.72	9.80	31.18


802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
 Setting 66
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77154G	64.15	88.20	-24.05	44.81	3	Horizontal	39	2.72	-	40.71	9.80	31.17
RMS	13.77006G	51.80	68.20	-16.40	32.46	3	Horizontal	39	2.72	-	40.71	9.80	31.17


802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_1TX
 Setting 66
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65538G	47.82	83.54	-35.72	45.28	1	Vertical	261	1.58	-	37.89	14.49	49.84
AV	20.65746G	35.71	63.54	-27.83	33.17	1	Vertical	261	1.58	-	37.89	14.49	49.84

802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_1TX
 Setting 66
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65704G	47.98	83.54	-35.56	45.44	1	Horizontal	352	1.51	-	37.89	14.49	49.84
AV	20.6562G	35.37	63.54	-28.17	32.83	1	Horizontal	352	1.51	-	37.89	14.49	49.84

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT X_1TX
Setting 61
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	98.38	Inf	-Inf	88.04	3	Vertical	320	1.96	-	36.31	7.18	33.15
RMS	6.931G	87.78	Inf	-Inf	77.35	3	Vertical	320	1.96	-	36.39	7.20	33.16
PK	7.1374G	64.62	88.20	-23.58	53.73	3	Vertical	320	1.96	-	36.80	7.23	33.14
RMS	7.1854G	52.95	68.20	-15.25	41.82	3	Vertical	320	1.96	-	37.04	7.21	33.12

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_X_1TX
Setting 61
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9334G	107.86	Inf	-Inf	97.42	3	Horizontal	286	1.80	-	36.40	7.20	33.16
RMS	6.931G	96.90	Inf	-Inf	86.47	3	Horizontal	286	1.80	-	36.39	7.20	33.16
PK	7.2106G	64.18	88.20	-24.02	52.98	3	Horizontal	286	1.80	-	37.10	7.21	33.11
RMS	7.1374G	53.01	68.20	-15.19	42.12	3	Horizontal	286	1.80	-	36.80	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT X_1TX
Setting 61
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85132G	64.01	88.20	-24.19	44.56	3	Vertical	292	2.64	-	40.85	9.83	31.23
RMS	13.85158G	51.87	68.20	-16.33	32.42	3	Vertical	292	2.64	-	40.85	9.83	31.23

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT X_1TX
Setting 61
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85126G	64.09	88.20	-24.11	44.64	3	Horizontal	254	2.00	-	40.85	9.83	31.23
RMS	13.8549G	51.92	68.20	-16.28	32.47	3	Horizontal	254	2.00	-	40.85	9.83	31.23

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT X_1TX
Setting 61
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77652G	46.69	83.54	-36.85	43.94	1	Vertical	101	1.54	-	37.96	14.58	49.79
AV	20.77496G	35.13	63.54	-28.41	32.38	1	Vertical	101	1.54	-	37.96	14.58	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT X_1TX
Setting 61
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77312G	47.60	83.54	-35.94	44.85	1	Horizontal	114	1.55	-	37.96	14.58	49.79
AV	20.77798G	34.82	63.54	-28.72	32.07	1	Horizontal	114	1.55	-	37.96	14.58	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT X_1TX
Setting 62
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.001G	99.05	Inf	-Inf	88.63	3	Vertical	322	1.95	-	36.31	7.30	33.19
RMS	7.001G	87.73	Inf	-Inf	77.31	3	Vertical	322	1.95	-	36.31	7.30	33.19
PK	7.1554G	64.39	88.20	-23.81	53.38	3	Vertical	322	1.95	-	36.92	7.22	33.13
RMS	7.1834G	53.01	68.20	-15.19	41.89	3	Vertical	322	1.95	-	37.03	7.21	33.12

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_X_1TX
Setting 62
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0122G	107.45	Inf	-Inf	96.98	3	Horizontal	284	1.80	-	36.37	7.29	33.19
RMS	7.0098G	97.36	Inf	-Inf	86.89	3	Horizontal	284	1.80	-	36.36	7.30	33.19
PK	7.157G	63.86	88.20	-24.34	52.84	3	Horizontal	284	1.80	-	36.93	7.22	33.13
RMS	7.1906G	53.10	68.20	-15.10	41.96	3	Horizontal	284	1.80	-	37.06	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT X_1TX
Setting 62
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00796G	63.98	88.20	-24.22	44.52	3	Vertical	142	1.62	-	40.90	9.90	31.34
RMS	14.007G	51.60	68.20	-16.60	32.14	3	Vertical	142	1.62	-	40.90	9.90	31.34

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT X_1TX
Setting 62
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00584G	63.79	88.20	-24.41	44.33	3	Horizontal	340	1.79	-	40.90	9.90	31.34
RMS	14.00756G	51.55	88.20	-36.65	32.09	3	Horizontal	340	1.79	-	40.90	9.90	31.34

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT X_1TX
Setting 62
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01758G	46.36	83.54	-37.18	43.70	1	Vertical	285	1.50	-	37.60	14.76	49.70
AV	21.0179G	34.08	63.54	-29.46	31.42	1	Vertical	285	1.50	-	37.60	14.76	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT X_1TX
Setting 62
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0119G	46.59	83.54	-36.95	43.93	1	Horizontal	159	1.51	-	37.60	14.76	49.70
AV	21.01248G	34.08	63.54	-29.46	31.42	1	Horizontal	159	1.51	-	37.60	14.76	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT X_1TX
Setting 63
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.073G	97.14	Inf	-Inf	86.49	3	Vertical	320	1.97	-	36.55	7.26	33.16
RMS	7.0898G	86.54	Inf	-Inf	75.92	3	Vertical	320	1.97	-	36.52	7.26	33.16
PK	7.1258G	65.68	88.20	-22.52	54.87	3	Vertical	320	1.97	-	36.71	7.24	33.14
RMS	7.125G	54.54	68.20	-13.66	43.74	3	Vertical	320	1.97	-	36.70	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT X_1TX
Setting 63
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0906G	108.71	Inf	-Inf	98.10	3	Horizontal	292	2.00	-	36.52	7.25	33.16
RMS	7.0898G	97.80	Inf	-Inf	87.18	3	Horizontal	292	2.00	-	36.52	7.26	33.16
PK	7.1266G	74.45	88.20	-13.75	63.64	3	Horizontal	292	2.00	-	36.71	7.24	33.14
RMS	7.125G	60.95	68.20	-7.25	50.15	3	Horizontal	292	2.00	-	36.70	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT X_1TX
Setting 63
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1749G	63.60	88.20	-24.60	44.32	3	Vertical	300	1.20	-	40.83	9.95	31.50
RMS	14.16854G	50.43	68.20	-17.77	31.15	3	Vertical	300	1.20	-	40.83	9.95	31.50

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT X_1TX
Setting 63
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16678G	63.07	88.20	-25.13	43.78	3	Horizontal	191	1.37	-	40.83	9.95	31.49
RMS	14.1711G	50.64	68.20	-17.56	31.36	3	Horizontal	191	1.37	-	40.83	9.95	31.50

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT X_1TX
Setting 63
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25806G	48.95	83.54	-34.59	46.05	1	Vertical	256	1.58	-	37.61	14.94	49.65
AV	21.25892G	35.33	63.54	-28.21	32.43	1	Vertical	256	1.58	-	37.61	14.94	49.65

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT X_1TX
Setting 63
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25048G	47.78	83.54	-35.76	44.89	1	Horizontal	101	1.54	-	37.60	14.94	49.65
AV	21.25716G	35.38	63.54	-28.16	32.48	1	Horizontal	101	1.54	-	37.61	14.94	49.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT X_1TX
Setting 74
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	74.38	88.20	-13.82	65.72	3	Vertical	356	2.55	-	35.00	6.60	32.94
RMS	5.925G	62.73	68.20	-5.47	54.07	3	Vertical	356	2.55	-	35.00	6.60	32.94
PK	5.9706G	105.34	Inf	-Inf	96.51	3	Vertical	356	2.55	-	35.18	6.60	32.95
RMS	5.9698G	94.70	Inf	-Inf	85.87	3	Vertical	356	2.55	-	35.18	6.60	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_X_1TX
Setting 74
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	79.40	88.20	-8.80	70.75	3	Horizontal	291	2.31	-	34.99	6.60	32.94
RMS	5.925G	67.82	68.20	-0.38	59.16	3	Horizontal	291	2.31	-	35.00	6.60	32.94
PK	5.981G	110.34	Inf	-Inf	101.47	3	Horizontal	291	2.31	-	35.22	6.60	32.95
RMS	5.9738G	99.99	Inf	-Inf	91.14	3	Horizontal	291	2.31	-	35.20	6.60	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT X_1TX
Setting 74
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96534G	57.00	74.00	-17.00	42.39	3	Vertical	232	1.15	-	38.50	8.99	32.88
AV	11.96754G	43.96	54.00	-10.04	29.35	3	Vertical	232	1.15	-	38.50	8.99	32.88
PK	17.95004G	68.03	74.00	-5.97	45.75	3	Vertical	242	2.89	-	42.85	11.09	31.66
AV	17.95168G	52.26	54.00	-1.74	29.98	3	Vertical	242	2.89	-	42.85	11.09	31.66

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_X_1TX
Setting 74
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97368G	56.24	74.00	-17.76	41.63	3	Horizontal	150	2.11	-	38.50	8.99	32.88
AV	11.9719G	44.14	54.00	-9.86	29.53	3	Horizontal	150	2.11	-	38.50	8.99	32.88
PK	17.95622G	68.09	74.00	-5.91	45.80	3	Horizontal	100	1.06	-	42.86	11.09	31.66
AV	17.95208G	52.99	54.00	-1.01	30.71	3	Horizontal	100	1.06	-	42.85	11.09	31.66

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT_X_1TX
Setting 73
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.845G	61.03	88.20	-27.17	52.60	3	Vertical	350	2.54	-	34.76	6.60	32.93
RMS	5.8498G	50.72	68.20	-17.48	42.25	3	Vertical	350	2.54	-	34.80	6.60	32.93
PK	6.139G	104.46	Inf	-Inf	95.30	3	Vertical	350	2.54	-	35.30	6.81	32.95
RMS	6.1342G	93.87	Inf	-Inf	84.72	3	Vertical	350	2.54	-	35.30	6.80	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT X_1TX
Setting 73
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9074G	62.36	88.20	-25.84	53.77	3	Horizontal	291	2.26	-	34.93	6.60	32.94
RMS	5.925G	51.69	68.20	-16.51	43.03	3	Horizontal	291	2.26	-	35.00	6.60	32.94
PK	6.133G	111.30	Inf	-Inf	102.15	3	Horizontal	291	2.26	-	35.30	6.80	32.95
RMS	6.1342G	99.97	Inf	-Inf	90.82	3	Horizontal	291	2.26	-	35.30	6.80	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT X_1TX
Setting 73
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2855G	56.55	74.00	-17.45	41.48	3	Vertical	357	2.56	-	38.47	9.13	32.53
AV	12.28542G	44.25	54.00	-9.75	29.18	3	Vertical	357	2.56	-	38.47	9.13	32.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT X_1TX
Setting 73
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29088G	57.15	74.00	-16.85	42.06	3	Horizontal	77	1.17	-	38.48	9.13	32.52
AV	12.28556G	44.40	54.00	-9.60	29.33	3	Horizontal	77	1.17	-	38.47	9.13	32.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT X_1TX
Setting 73
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43904G	46.25	83.54	-37.29	44.72	1	Vertical	243	1.57	-	37.73	13.92	50.12
AV	18.4317G	34.39	63.54	-29.15	32.88	1	Vertical	243	1.57	-	37.72	13.92	50.13

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT X_1TX
Setting 73
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43064G	46.06	83.54	-37.48	44.55	1	Horizontal	43	1.54	-	37.72	13.92	50.13
AV	18.4348G	34.18	63.54	-29.36	32.67	1	Horizontal	43	1.54	-	37.72	13.92	50.13

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_X_1TX
Setting 76
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	61.00	88.20	-27.20	52.40	3	Vertical	354	2.72	-	34.94	6.60	32.94
RMS	5.917G	50.75	68.20	-17.45	42.12	3	Vertical	354	2.72	-	34.97	6.60	32.94
PK	6.3706G	102.39	Inf	-Inf	92.93	3	Vertical	354	2.72	-	35.42	6.99	32.95
RMS	6.3562G	91.57	Inf	-Inf	82.20	3	Vertical	354	2.72	-	35.34	6.98	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_X_1TX
Setting 76
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	60.85	88.20	-27.35	52.35	3	Horizontal	282	2.50	-	34.84	6.60	32.94
RMS	5.917G	51.20	68.20	-17.00	42.57	3	Horizontal	282	2.50	-	34.97	6.60	32.94
PK	6.3706G	109.31	Inf	-Inf	99.85	3	Horizontal	282	2.50	-	35.42	6.99	32.95
RMS	6.3706G	99.04	Inf	-Inf	89.58	3	Horizontal	282	2.50	-	35.42	6.99	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76988G	58.10	88.20	-30.10	41.52	3	Vertical	3	2.32	-	39.14	9.35	31.91
RMS	12.77336G	45.40	68.20	-22.80	28.81	3	Vertical	3	2.32	-	39.15	9.35	31.91

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77222G	57.55	88.20	-30.65	40.97	3	Horizontal	241	1.27	-	39.14	9.35	31.91
RMS	12.76578G	45.40	68.20	-22.80	28.85	3	Horizontal	241	1.27	-	39.13	9.34	31.92

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1537G	45.21	83.54	-38.33	43.06	1	Vertical	133	1.57	-	37.82	13.96	49.63
AV	19.15116G	33.00	63.54	-30.54	30.85	1	Vertical	133	1.57	-	37.82	13.96	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT X_1TX
Setting 76
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15116G	45.22	83.54	-38.32	43.07	1	Horizontal	266	1.57	-	37.82	13.96	49.63
AV	19.15568G	33.06	63.54	-30.48	30.92	1	Horizontal	266	1.57	-	37.81	13.96	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 75
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8748G	60.69	88.20	-27.51	52.18	3	Vertical	322	1.97	-	34.85	6.60	32.94
RMS	5.8384G	50.45	68.20	-17.75	42.07	3	Vertical	322	1.97	-	34.71	6.60	32.93
PK	6.4832G	100.55	Inf	-Inf	90.97	3	Vertical	322	1.97	-	35.53	7.00	32.95
RMS	6.452G	90.84	Inf	-Inf	81.38	3	Vertical	322	1.97	-	35.41	7.00	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 75
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8592G	61.07	88.20	-27.13	52.59	3	Horizontal	286	2.42	-	34.82	6.60	32.94
RMS	5.9164G	50.77	68.20	-17.43	42.14	3	Horizontal	286	2.42	-	34.97	6.60	32.94
PK	6.4572G	110.19	Inf	-Inf	100.71	3	Horizontal	286	2.42	-	35.43	7.00	32.95
RMS	6.4364G	99.02	Inf	-Inf	89.52	3	Horizontal	286	2.42	-	35.45	7.00	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT X_1TX
Setting 75
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9297G	58.53	88.20	-29.67	41.43	3	Vertical	204	2.12	-	39.39	9.42	31.71
RMS	12.93216G	46.10	68.20	-22.10	28.99	3	Vertical	204	2.12	-	39.40	9.42	31.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT X_1TX
Setting 75
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92954G	59.16	88.20	-29.04	42.06	3	Horizontal	128	2.83	-	39.39	9.42	31.71
RMS	12.92916G	46.05	68.20	-22.15	28.95	3	Horizontal	128	2.83	-	39.39	9.42	31.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT X_1TX
Setting 75
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.399G	45.63	83.54	-37.91	43.52	1	Vertical	81	1.55	-	37.82	13.97	49.68
AV	19.39508G	33.22	63.54	-30.32	31.11	1	Vertical	81	1.55	-	37.82	13.97	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX


6465MHz_TnomVnom



EUT X_1TX
Setting 75
01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3904G	45.51	83.54	-38.03	43.41	1	Horizontal	179	1.52	-	37.81	13.97	49.68
AV	19.39572G	33.06	63.54	-30.48	30.95	1	Horizontal	179	1.52	-	37.82	13.97	49.68


802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_1TX
 Setting 76
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8786G	60.43	88.20	-27.77	51.91	3	Vertical	323	2.03	-	34.86	6.60	32.94
RMS	5.8646G	50.42	68.20	-17.78	41.93	3	Vertical	323	2.03	-	34.83	6.60	32.94
PK	6.5506G	101.51	Inf	-Inf	91.68	3	Vertical	323	2.03	-	35.80	7.00	32.97
RMS	6.531G	92.20	Inf	-Inf	82.44	3	Vertical	323	2.03	-	35.72	7.00	32.96
PK	7.2142G	63.53	88.20	-24.67	52.33	3	Vertical	323	2.03	-	37.10	7.21	33.11
RMS	7.245G	52.98	68.20	-15.22	41.73	3	Vertical	323	2.03	-	37.10	7.25	33.10


802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_1TX
 Setting 76
 01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8898G	60.81	88.20	-27.39	52.27	3	Horizontal	283	2.44	-	34.88	6.60	32.94
RMS	5.8534G	50.54	68.20	-17.66	42.07	3	Horizontal	283	2.44	-	34.81	6.60	32.94
PK	6.531G	110.76	Inf	-Inf	101.00	3	Horizontal	283	2.44	-	35.72	7.00	32.96
RMS	6.5338G	100.22	Inf	-Inf	90.45	3	Horizontal	283	2.44	-	35.74	7.00	32.97
PK	7.2282G	63.25	88.20	-24.95	52.03	3	Horizontal	283	2.44	-	37.10	7.23	33.11
RMS	7.2422G	53.00	68.20	-15.20	41.76	3	Horizontal	283	2.44	-	37.10	7.24	33.10


802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_1TX
 Setting 76
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08746G	58.59	88.20	-29.61	40.92	3	Vertical	235	2.76	-	39.69	9.49	31.51
RMS	13.08758G	46.22	68.20	-21.98	28.55	3	Vertical	235	2.76	-	39.69	9.49	31.51


802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_1TX
 Setting 76
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09256G	58.04	88.20	-30.16	40.36	3	Horizontal	92	1.13	-	39.69	9.49	31.50
RMS	13.09296G	45.81	68.20	-22.39	28.13	3	Horizontal	92	1.13	-	39.69	9.49	31.50


802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_1TX
 Setting 76
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63906G	46.51	83.54	-37.03	44.39	1	Vertical	178	1.54	-	37.84	13.98	49.70
AV	19.63962G	34.38	63.54	-29.16	32.26	1	Vertical	178	1.54	-	37.84	13.98	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_1TX
 Setting 76
 01-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63154G	46.66	83.54	-36.88	44.53	1	Horizontal	247	1.57	-	37.85	13.98	49.70
AV	19.63266G	34.18	63.54	-29.36	32.05	1	Horizontal	247	1.57	-	37.85	13.98	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 75
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.589G	101.99	Inf	-Inf	92.10	3	Vertical	34	2.20	-	35.88	7.00	32.99
RMS	6.613G	92.90	Inf	-Inf	82.97	3	Vertical	34	2.20	-	35.93	7.00	33.00
PK	7.2226G	62.80	88.20	-25.40	51.59	3	Vertical	34	2.20	-	37.10	7.22	33.11
RMS	7.1938G	52.99	68.20	-15.21	41.83	3	Vertical	34	2.20	-	37.08	7.20	33.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom



EUT_X_1TX
Setting 75
01-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6226G	109.70	Inf	-Inf	99.76	3	Horizontal	288	2.51	-	35.95	7.00	33.01
RMS	6.613G	99.79	Inf	-Inf	89.86	3	Horizontal	288	2.51	-	35.93	7.00	33.00
PK	7.1914G	62.98	88.20	-25.22	51.83	3	Horizontal	288	2.51	-	37.07	7.20	33.12
RMS	7.1506G	53.04	68.20	-15.16	42.06	3	Horizontal	288	2.51	-	36.90	7.22	33.14