


802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 77
02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.146G | 68.59 | 74.00 | -5.41 | 61.99 | 3 | Vertical | 354 | 2.69 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1498G | 53.05 | 54.00 | -0.95 | 46.45 | 3 | Vertical | 354 | 2.69 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1714G | 116.12 | Inf | -Inf | 109.50 | 3 | Vertical | 354 | 2.69 | - | 33.50 | 5.27 | 32.15 |
| AV | 5.184G | 102.53 | Inf | -Inf | 95.90 | 3 | Vertical | 354 | 2.69 | - | 33.50 | 5.28 | 32.15 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 77
02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1484G | 63.57 | 74.00 | -10.43 | 56.97 | 3 | Horizontal | 28 | 2.66 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1498G | 49.67 | 54.00 | -4.33 | 43.07 | 3 | Horizontal | 28 | 2.66 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1874G | 110.44 | Inf | -Inf | 103.80 | 3 | Horizontal | 28 | 2.66 | - | 33.50 | 5.29 | 32.15 |
| AV | 5.1846G | 97.19 | Inf | -Inf | 90.56 | 3 | Horizontal | 28 | 2.66 | - | 33.50 | 5.28 | 32.15 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 77
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.53682G | 54.79 | 74.00 | -19.21 | 40.40 | 3 | Vertical | 331 | 2.79 | - | 37.79 | 9.79 | 33.19 |
| AV | 15.53814G | 41.08 | 54.00 | -12.92 | 26.70 | 3 | Vertical | 331 | 2.79 | - | 37.79 | 9.79 | 33.20 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 77
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.53916G | 53.99 | 74.00 | -20.01 | 39.62 | 3 | Horizontal | 0 | 2.62 | - | 37.78 | 9.79 | 33.20 |
| AV | 15.52512G | 39.87 | 54.00 | -14.13 | 25.44 | 3 | Horizontal | 0 | 2.62 | - | 37.82 | 9.79 | 33.18 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 84
02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1444G | 73.29 | 74.00 | -0.71 | 66.70 | 3 | Vertical | 287 | 2.53 | - | 33.50 | 5.24 | 32.15 |
| AV | 5.1492G | 53.94 | 54.00 | -0.06 | 47.34 | 3 | Vertical | 287 | 2.53 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2028G | 117.36 | Inf | -Inf | 110.70 | 3 | Vertical | 287 | 2.53 | - | 33.51 | 5.30 | 32.15 |
| AV | 5.1956G | 104.05 | Inf | -Inf | 97.40 | 3 | Vertical | 287 | 2.53 | - | 33.50 | 5.30 | 32.15 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 84
02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1492G | 70.43 | 74.00 | -3.57 | 63.83 | 3 | Horizontal | 27 | 2.52 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1488G | 50.66 | 54.00 | -3.34 | 44.06 | 3 | Horizontal | 27 | 2.52 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2052G | 112.60 | Inf | -Inf | 105.94 | 3 | Horizontal | 27 | 2.52 | - | 33.51 | 5.30 | 32.15 |
| AV | 5.2044G | 99.20 | Inf | -Inf | 92.54 | 3 | Horizontal | 27 | 2.52 | - | 33.51 | 5.30 | 32.15 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 84
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.5384G | 54.66 | 74.00 | -19.34 | 40.29 | 3 | Vertical | 160 | 2.16 | - | 37.78 | 9.79 | 33.20 |
| AV | 15.5048G | 41.82 | 54.00 | -12.18 | 27.31 | 3 | Vertical | 160 | 2.16 | - | 37.89 | 9.78 | 33.16 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 84
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.59514G | 53.03 | 74.00 | -20.97 | 38.86 | 3 | Horizontal | 289 | 2.36 | - | 37.61 | 9.82 | 33.26 |
| AV | 15.59016G | 39.31 | 54.00 | -14.69 | 25.12 | 3 | Horizontal | 289 | 2.36 | - | 37.63 | 9.82 | 33.26 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
Setting 108
02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1404G | 71.78 | 74.00 | -2.22 | 65.19 | 3 | Vertical | 82 | 2.28 | - | 33.50 | 5.24 | 32.15 |
| AV | 5.15G | 52.91 | 54.00 | -1.09 | 46.31 | 3 | Vertical | 82 | 2.28 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.24G | 119.56 | Inf | -Inf | 112.81 | 3 | Vertical | 82 | 2.28 | - | 33.58 | 5.32 | 32.15 |
| AV | 5.2424G | 105.91 | Inf | -Inf | 99.16 | 3 | Vertical | 82 | 2.28 | - | 33.58 | 5.32 | 32.15 |
| PK | 5.3576G | 67.69 | 74.00 | -6.31 | 60.73 | 3 | Vertical | 82 | 2.28 | - | 33.72 | 5.38 | 32.14 |
| AV | 5.3504G | 50.36 | 54.00 | -3.64 | 43.42 | 3 | Vertical | 82 | 2.28 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
 Setting 108
 02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1494G | 66.01 | 74.00 | -7.99 | 59.41 | 3 | Horizontal | 332 | 2.13 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1494G | 47.83 | 54.00 | -6.17 | 41.23 | 3 | Horizontal | 332 | 2.13 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2418G | 112.71 | Inf | -Inf | 105.96 | 3 | Horizontal | 332 | 2.13 | - | 33.58 | 5.32 | 32.15 |
| AV | 5.2448G | 99.00 | Inf | -Inf | 92.24 | 3 | Horizontal | 332 | 2.13 | - | 33.59 | 5.32 | 32.15 |
| PK | 5.3516G | 61.95 | 74.00 | -12.05 | 55.01 | 3 | Horizontal | 332 | 2.13 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 45.97 | 54.00 | -8.03 | 39.03 | 3 | Horizontal | 332 | 2.13 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
Setting 108
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.71298G | 56.58 | 74.00 | -17.42 | 42.71 | 3 | Vertical | 116 | 1.80 | - | 37.40 | 9.87 | 33.40 |
| AV | 15.72048G | 42.44 | 54.00 | -11.56 | 28.58 | 3 | Vertical | 116 | 1.80 | - | 37.40 | 9.87 | 33.41 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
Setting 108
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.73158G | 52.76 | 74.00 | -21.24 | 38.90 | 3 | Horizontal | 154 | 1.80 | - | 37.40 | 9.88 | 33.42 |
| AV | 15.72066G | 39.35 | 54.00 | -14.65 | 25.49 | 3 | Horizontal | 154 | 1.80 | - | 37.40 | 9.87 | 33.41 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 85
02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.651G | 68.76 | 68.94 | -0.18 | 61.50 | 3 | Vertical | 120 | 2.35 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.74G | 116.57 | Inf | -Inf | 109.33 | 3 | Vertical | 120 | 2.35 | - | 33.78 | 5.60 | 32.14 |
| AV | 5.75G | 103.48 | Inf | -Inf | 96.22 | 3 | Vertical | 120 | 2.35 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.964G | 57.62 | 68.20 | -10.58 | 49.92 | 3 | Vertical | 120 | 2.35 | - | 34.10 | 5.76 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 85
02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.64G | 63.63 | 68.20 | -4.57 | 56.35 | 3 | Horizontal | 32 | 2.22 | - | 33.82 | 5.60 | 32.14 |
| PK | 5.74G | 110.01 | Inf | -Inf | 102.77 | 3 | Horizontal | 32 | 2.22 | - | 33.78 | 5.60 | 32.14 |
| AV | 5.74G | 96.70 | Inf | -Inf | 89.46 | 3 | Horizontal | 32 | 2.22 | - | 33.78 | 5.60 | 32.14 |
| PK | 5.965G | 57.21 | 68.20 | -10.99 | 49.51 | 3 | Horizontal | 32 | 2.22 | - | 34.10 | 5.76 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 85
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.50452G | 52.17 | 74.00 | -21.83 | 38.48 | 3 | Vertical | 33 | 1.51 | - | 39.01 | 7.90 | 33.22 |
| AV | 11.48268G | 38.57 | 54.00 | -15.43 | 24.93 | 3 | Vertical | 33 | 1.51 | - | 38.97 | 7.89 | 33.22 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 85
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.48118G | 53.04 | 74.00 | -20.96 | 39.41 | 3 | Horizontal | 175 | 2.01 | - | 38.96 | 7.89 | 33.22 |
| AV | 11.49024G | 38.53 | 54.00 | -15.47 | 24.87 | 3 | Horizontal | 175 | 2.01 | - | 38.98 | 7.90 | 33.22 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.649G | 63.09 | 68.20 | -5.11 | 55.83 | 3 | Vertical | 123 | 2.14 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.793G | 116.84 | Inf | -Inf | 109.68 | 3 | Vertical | 123 | 2.14 | - | 33.71 | 5.60 | 32.15 |
| AV | 5.78G | 103.57 | Inf | -Inf | 96.38 | 3 | Vertical | 123 | 2.14 | - | 33.74 | 5.60 | 32.15 |
| PK | 5.961G | 57.54 | 68.20 | -10.66 | 49.84 | 3 | Vertical | 123 | 2.14 | - | 34.10 | 5.76 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.63G | 58.27 | 68.20 | -9.93 | 50.97 | 3 | Horizontal | 204 | 2.26 | - | 33.84 | 5.60 | 32.14 |
| PK | 5.779G | 110.01 | Inf | -Inf | 102.82 | 3 | Horizontal | 204 | 2.26 | - | 33.74 | 5.60 | 32.15 |
| AV | 5.779G | 96.89 | Inf | -Inf | 89.70 | 3 | Horizontal | 204 | 2.26 | - | 33.74 | 5.60 | 32.15 |
| PK | 5.949G | 58.76 | 68.20 | -9.44 | 51.07 | 3 | Horizontal | 204 | 2.26 | - | 34.10 | 5.75 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.56904G | 52.28 | 74.00 | -21.72 | 38.38 | 3 | Vertical | 174 | 1.42 | - | 39.21 | 7.93 | 33.24 |
| AV | 11.57594G | 38.53 | 54.00 | -15.47 | 24.61 | 3 | Vertical | 174 | 1.42 | - | 39.23 | 7.93 | 33.24 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.58014G | 53.10 | 74.00 | -20.90 | 39.17 | 3 | Horizontal | 118 | 1.03 | - | 39.24 | 7.93 | 33.24 |
| AV | 11.57294G | 38.36 | 54.00 | -15.64 | 24.45 | 3 | Horizontal | 118 | 1.03 | - | 39.22 | 7.93 | 33.24 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.626G | 58.56 | 68.20 | -9.64 | 51.25 | 3 | Vertical | 128 | 2.51 | - | 33.85 | 5.60 | 32.14 |
| PK | 5.821G | 115.92 | Inf | -Inf | 108.71 | 3 | Vertical | 128 | 2.51 | - | 33.74 | 5.62 | 32.15 |
| AV | 5.821G | 102.22 | Inf | -Inf | 95.01 | 3 | Vertical | 128 | 2.51 | - | 33.74 | 5.62 | 32.15 |
| PK | 5.946G | 57.89 | 68.20 | -10.31 | 50.21 | 3 | Vertical | 128 | 2.51 | - | 34.09 | 5.75 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-C-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.578G | 57.44 | 68.20 | -10.76 | 50.09 | 3 | Horizontal | 150 | 2.26 | - | 33.90 | 5.58 | 32.13 |
| PK | 5.821G | 107.69 | Inf | -Inf | 100.48 | 3 | Horizontal | 150 | 2.26 | - | 33.74 | 5.62 | 32.15 |
| AV | 5.823G | 94.71 | Inf | -Inf | 87.49 | 3 | Horizontal | 150 | 2.26 | - | 33.75 | 5.62 | 32.15 |
| PK | 6.066G | 57.99 | 68.20 | -10.21 | 50.02 | 3 | Horizontal | 150 | 2.26 | - | 34.33 | 5.80 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.65084G | 52.79 | 74.00 | -21.21 | 38.74 | 3 | Vertical | 173 | 1.41 | - | 39.35 | 7.96 | 33.26 |
| AV | 11.65078G | 38.82 | 54.00 | -15.18 | 24.77 | 3 | Vertical | 173 | 1.41 | - | 39.35 | 7.96 | 33.26 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-C-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.65834G | 53.47 | 74.00 | -20.53 | 39.41 | 3 | Horizontal | 272 | 1.14 | - | 39.36 | 7.96 | 33.26 |
| AV | 11.64538G | 38.84 | 54.00 | -15.16 | 24.79 | 3 | Horizontal | 272 | 1.14 | - | 39.35 | 7.96 | 33.26 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_Z_2TX
Setting 69
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1496G | 67.25 | 74.00 | -6.75 | 60.65 | 3 | Vertical | 243 | 2.81 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1496G | 53.86 | 54.00 | -0.14 | 47.26 | 3 | Vertical | 243 | 2.81 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1876G | 111.61 | Inf | -Inf | 104.97 | 3 | Vertical | 243 | 2.81 | - | 33.50 | 5.29 | 32.15 |
| AV | 5.1872G | 99.88 | Inf | -Inf | 93.24 | 3 | Vertical | 243 | 2.81 | - | 33.50 | 5.29 | 32.15 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_Z_2TX
Setting 69
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1492G | 61.52 | 74.00 | -12.48 | 54.92 | 3 | Horizontal | 27 | 2.77 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 47.95 | 54.00 | -6.05 | 41.35 | 3 | Horizontal | 27 | 2.77 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1876G | 105.55 | Inf | -Inf | 98.91 | 3 | Horizontal | 27 | 2.77 | - | 33.50 | 5.29 | 32.15 |
| AV | 5.1948G | 93.95 | Inf | -Inf | 87.31 | 3 | Horizontal | 27 | 2.77 | - | 33.50 | 5.29 | 32.15 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_Z_2TX
Setting 69
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.5675G | 52.24 | 74.00 | -21.76 | 37.96 | 3 | Vertical | 292 | 2.66 | - | 37.70 | 9.81 | 33.23 |
| AV | 15.5718G | 40.15 | 54.00 | -13.85 | 25.89 | 3 | Vertical | 292 | 2.66 | - | 37.68 | 9.81 | 33.23 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_Z_2TX
Setting 69
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.5714G | 52.47 | 74.00 | -21.53 | 38.20 | 3 | Horizontal | 165 | 2.15 | - | 37.69 | 9.81 | 33.23 |
| AV | 15.56758G | 40.18 | 54.00 | -13.82 | 25.90 | 3 | Horizontal | 165 | 2.15 | - | 37.70 | 9.81 | 33.23 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1464G | 66.56 | 74.00 | -7.44 | 59.96 | 3 | Vertical | 243 | 2.72 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1492G | 53.88 | 54.00 | -0.12 | 47.28 | 3 | Vertical | 243 | 2.72 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2324G | 113.90 | Inf | -Inf | 107.17 | 3 | Vertical | 243 | 2.72 | - | 33.56 | 5.32 | 32.15 |
| AV | 5.2352G | 102.81 | Inf | -Inf | 96.07 | 3 | Vertical | 243 | 2.72 | - | 33.57 | 5.32 | 32.15 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.15G | 63.00 | 74.00 | -11.00 | 56.40 | 3 | Horizontal | 153 | 2.58 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1496G | 49.36 | 54.00 | -4.64 | 42.76 | 3 | Horizontal | 153 | 2.58 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2416G | 108.84 | Inf | -Inf | 102.09 | 3 | Horizontal | 153 | 2.58 | - | 33.58 | 5.32 | 32.15 |
| AV | 5.242G | 96.91 | Inf | -Inf | 90.16 | 3 | Horizontal | 153 | 2.58 | - | 33.58 | 5.32 | 32.15 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.69302G | 52.30 | 74.00 | -21.70 | 38.41 | 3 | Vertical | 238 | 1.21 | - | 37.41 | 9.86 | 33.38 |
| AV | 15.69242G | 39.90 | 54.00 | -14.10 | 26.00 | 3 | Vertical | 238 | 1.21 | - | 37.42 | 9.86 | 33.38 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.69418G | 51.93 | 74.00 | -22.07 | 38.04 | 3 | Horizontal | 128 | 2.05 | - | 37.41 | 9.86 | 33.38 |
| AV | 15.69394G | 39.66 | 54.00 | -14.34 | 25.77 | 3 | Horizontal | 128 | 2.05 | - | 37.41 | 9.86 | 33.38 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_Z_2TX
Setting 87
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.648G | 67.97 | 68.20 | -0.23 | 60.71 | 3 | Vertical | 36 | 2.69 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.761G | 113.71 | Inf | -Inf | 106.48 | 3 | Vertical | 36 | 2.69 | - | 33.78 | 5.60 | 32.15 |
| AV | 5.758G | 102.52 | Inf | -Inf | 95.29 | 3 | Vertical | 36 | 2.69 | - | 33.78 | 5.60 | 32.15 |
| PK | 6.005G | 58.20 | 68.20 | -10.00 | 50.44 | 3 | Vertical | 36 | 2.69 | - | 34.12 | 5.80 | 32.16 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_Z_2TX
Setting 87
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.653G | 65.03 | 70.42 | -5.39 | 57.78 | 3 | Horizontal | 33 | 2.56 | - | 33.79 | 5.60 | 32.14 |
| PK | 5.75G | 106.01 | Inf | -Inf | 98.75 | 3 | Horizontal | 33 | 2.56 | - | 33.80 | 5.60 | 32.14 |
| AV | 5.751G | 94.61 | Inf | -Inf | 87.36 | 3 | Horizontal | 33 | 2.56 | - | 33.80 | 5.60 | 32.15 |
| PK | 5.997G | 57.64 | 68.20 | -10.56 | 49.90 | 3 | Horizontal | 33 | 2.56 | - | 34.10 | 5.80 | 32.16 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_Z_2TX
Setting 87
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.5067G | 52.30 | 74.00 | -21.70 | 38.60 | 3 | Vertical | 142 | 1.04 | - | 39.02 | 7.90 | 33.22 |
| AV | 11.51402G | 38.92 | 54.00 | -15.08 | 25.19 | 3 | Vertical | 142 | 1.04 | - | 39.04 | 7.91 | 33.22 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_Z_2TX
Setting 87
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.5112G | 52.38 | 74.00 | -21.62 | 38.67 | 3 | Horizontal | 80 | 1.41 | - | 39.03 | 7.90 | 33.22 |
| AV | 11.50788G | 39.19 | 54.00 | -14.81 | 25.49 | 3 | Horizontal | 80 | 1.41 | - | 39.02 | 7.90 | 33.22 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.65G | 64.33 | 68.20 | -3.87 | 57.07 | 3 | Vertical | 39 | 2.68 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.78G | 112.71 | Inf | -Inf | 105.52 | 3 | Vertical | 39 | 2.68 | - | 33.74 | 5.60 | 32.15 |
| AV | 5.79G | 100.68 | Inf | -Inf | 93.51 | 3 | Vertical | 39 | 2.68 | - | 33.72 | 5.60 | 32.15 |
| PK | 5.937G | 57.61 | 68.20 | -10.59 | 49.96 | 3 | Vertical | 39 | 2.68 | - | 34.07 | 5.74 | 32.16 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.641G | 58.25 | 68.20 | -9.95 | 50.97 | 3 | Horizontal | 203 | 2.24 | - | 33.82 | 5.60 | 32.14 |
| PK | 5.792G | 105.10 | Inf | -Inf | 97.93 | 3 | Horizontal | 203 | 2.24 | - | 33.72 | 5.60 | 32.15 |
| AV | 5.781G | 94.27 | Inf | -Inf | 87.08 | 3 | Horizontal | 203 | 2.24 | - | 33.74 | 5.60 | 32.15 |
| PK | 6.003G | 57.30 | 68.20 | -10.90 | 49.55 | 3 | Horizontal | 203 | 2.24 | - | 34.11 | 5.80 | 32.16 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.58808G | 51.81 | 74.00 | -22.19 | 37.85 | 3 | Vertical | 7 | 1.92 | - | 39.26 | 7.94 | 33.24 |
| AV | 11.59312G | 39.58 | 54.00 | -14.42 | 25.60 | 3 | Vertical | 7 | 1.92 | - | 39.28 | 7.94 | 33.24 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_Z_2TX
Setting 88
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.59084G | 52.19 | 74.00 | -21.81 | 38.22 | 3 | Horizontal | 202 | 2.60 | - | 39.27 | 7.94 | 33.24 |
| AV | 11.58864G | 39.42 | 54.00 | -14.58 | 25.45 | 3 | Horizontal | 202 | 2.60 | - | 39.27 | 7.94 | 33.24 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_Z_2TX
Setting 71
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.15G | 66.69 | 74.00 | -7.31 | 60.09 | 3 | Vertical | 6 | 2.31 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 53.96 | 54.00 | -0.04 | 47.36 | 3 | Vertical | 6 | 2.31 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.222G | 107.95 | Inf | -Inf | 101.25 | 3 | Vertical | 6 | 2.31 | - | 33.54 | 5.31 | 32.15 |
| AV | 5.227G | 95.60 | Inf | -Inf | 88.89 | 3 | Vertical | 6 | 2.31 | - | 33.55 | 5.31 | 32.15 |
| PK | 5.376G | 57.89 | 74.00 | -16.11 | 50.89 | 3 | Vertical | 6 | 2.31 | - | 33.75 | 5.39 | 32.14 |
| AV | 5.35G | 47.05 | 54.00 | -6.95 | 40.11 | 3 | Vertical | 6 | 2.31 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_Z_2TX
Setting 71
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.149G | 61.10 | 74.00 | -12.90 | 54.50 | 3 | Horizontal | 154 | 2.58 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 49.40 | 54.00 | -4.60 | 42.80 | 3 | Horizontal | 154 | 2.58 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.227G | 101.84 | Inf | -Inf | 95.13 | 3 | Horizontal | 154 | 2.58 | - | 33.55 | 5.31 | 32.15 |
| AV | 5.242G | 89.95 | Inf | -Inf | 83.20 | 3 | Horizontal | 154 | 2.58 | - | 33.58 | 5.32 | 32.15 |
| PK | 5.454G | 57.23 | 74.00 | -16.77 | 50.01 | 3 | Horizontal | 154 | 2.58 | - | 33.90 | 5.45 | 32.13 |
| AV | 5.433G | 45.61 | 54.00 | -8.39 | 38.44 | 3 | Horizontal | 154 | 2.58 | - | 33.87 | 5.43 | 32.13 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_Z_2TX
Setting 71
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.63462G | 52.14 | 74.00 | -21.86 | 38.08 | 3 | Vertical | 317 | 2.72 | - | 37.53 | 9.84 | 33.31 |
| AV | 15.63136G | 39.82 | 54.00 | -14.18 | 25.76 | 3 | Vertical | 317 | 2.72 | - | 37.54 | 9.83 | 33.31 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_Z_2TX
Setting 71
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.6349G | 52.97 | 74.00 | -21.03 | 38.91 | 3 | Horizontal | 302 | 2.69 | - | 37.53 | 9.84 | 33.31 |
| AV | 15.63308G | 39.88 | 54.00 | -14.12 | 25.83 | 3 | Horizontal | 302 | 2.69 | - | 37.53 | 9.83 | 33.31 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_Z_2TX
Setting 77
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.647G | 67.96 | 68.20 | -0.24 | 60.69 | 3 | Vertical | 306 | 2.36 | - | 33.81 | 5.60 | 32.14 |
| PK | 5.76G | 108.16 | Inf | -Inf | 100.93 | 3 | Vertical | 306 | 2.36 | - | 33.78 | 5.60 | 32.15 |
| AV | 5.762G | 96.90 | Inf | -Inf | 89.67 | 3 | Vertical | 306 | 2.36 | - | 33.78 | 5.60 | 32.15 |
| PK | 6.004G | 57.68 | 68.20 | -10.52 | 49.92 | 3 | Vertical | 306 | 2.36 | - | 34.12 | 5.80 | 32.16 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_Z_2TX
Setting 77
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.649G | 61.94 | 68.20 | -6.26 | 54.68 | 3 | Horizontal | 316 | 1.00 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.738G | 100.86 | Inf | -Inf | 93.62 | 3 | Horizontal | 316 | 1.00 | - | 33.78 | 5.60 | 32.14 |
| AV | 5.765G | 89.32 | Inf | -Inf | 82.10 | 3 | Horizontal | 316 | 1.00 | - | 33.77 | 5.60 | 32.15 |
| PK | 5.97G | 57.87 | 68.20 | -10.33 | 50.16 | 3 | Horizontal | 316 | 1.00 | - | 34.10 | 5.77 | 32.16 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_Z_2TX
Setting 77
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.55114G | 51.87 | 74.00 | -22.13 | 38.03 | 3 | Vertical | 235 | 2.01 | - | 39.15 | 7.92 | 33.23 |
| AV | 11.55074G | 39.33 | 54.00 | -14.67 | 25.49 | 3 | Vertical | 235 | 2.01 | - | 39.15 | 7.92 | 33.23 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT_Z_2TX
Setting 77
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.55024G | 51.39 | 74.00 | -22.61 | 37.55 | 3 | Horizontal | 154 | 1.54 | - | 39.15 | 7.92 | 33.23 |
| AV | 11.55096G | 39.22 | 54.00 | -14.78 | 25.38 | 3 | Horizontal | 154 | 1.54 | - | 39.15 | 7.92 | 33.23 |




Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 5.25-5.35GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | AV | 5.35G | 53.97 | 54.00 | -0.03 | 3 | Vertical | 80 | 2.34 | - |

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 108
02-B-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1484G | 62.17 | 74.00 | -11.83 | 55.57 | 3 | Vertical | 244 | 3.00 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1484G | 47.76 | 54.00 | -6.24 | 41.16 | 3 | Vertical | 244 | 3.00 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2642G | 119.25 | Inf | -Inf | 112.43 | 3 | Vertical | 244 | 3.00 | - | 33.63 | 5.33 | 32.14 |
| AV | 5.2594G | 108.24 | Inf | -Inf | 101.43 | 3 | Vertical | 244 | 3.00 | - | 33.62 | 5.33 | 32.14 |
| PK | 5.35G | 66.03 | 74.00 | -7.97 | 59.09 | 3 | Vertical | 244 | 3.00 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 51.05 | 54.00 | -2.95 | 44.11 | 3 | Vertical | 244 | 3.00 | - | 33.70 | 5.38 | 32.14 |

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 108
02-B-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1478G | 58.63 | 74.00 | -15.37 | 52.03 | 3 | Horizontal | 208 | 2.84 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1478G | 45.24 | 54.00 | -8.76 | 38.64 | 3 | Horizontal | 208 | 2.84 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2624G | 112.87 | Inf | -Inf | 106.06 | 3 | Horizontal | 208 | 2.84 | - | 33.62 | 5.33 | 32.14 |
| AV | 5.2576G | 101.39 | Inf | -Inf | 94.58 | 3 | Horizontal | 208 | 2.84 | - | 33.62 | 5.33 | 32.14 |
| PK | 5.3512G | 61.54 | 74.00 | -12.46 | 54.60 | 3 | Horizontal | 208 | 2.84 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.3518G | 47.11 | 54.00 | -6.89 | 40.17 | 3 | Horizontal | 208 | 2.84 | - | 33.70 | 5.38 | 32.14 |

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 108
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.5234G | 50.39 | 68.20 | -17.81 | 37.52 | 3 | Vertical | -0 | 1.60 | - | 38.42 | 7.51 | 33.06 |
| PK | 15.78096G | 55.81 | 74.00 | -18.19 | 41.99 | 3 | Vertical | 278 | 2.47 | - | 37.40 | 9.90 | 33.48 |
| AV | 15.77588G | 42.91 | 54.00 | -11.09 | 29.09 | 3 | Vertical | 278 | 2.47 | - | 37.40 | 9.90 | 33.48 |

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 108
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 10.51044G | 50.46 | 68.20 | -17.74 | 37.60 | 3 | Horizontal | 250 | 3.00 | - | 38.41 | 7.50 | 33.05 |
| PK | 15.78116G | 52.77 | 74.00 | -21.23 | 38.95 | 3 | Horizontal | 36 | 1.67 | - | 37.40 | 9.90 | 33.48 |
| AV | 15.78828G | 39.52 | 54.00 | -14.48 | 25.71 | 3 | Horizontal | 36 | 1.67 | - | 37.40 | 9.90 | 33.49 |

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 89
02-B-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3012G | 115.77 | Inf | -Inf | 108.86 | 3 | Vertical | 292 | 2.44 | - | 33.70 | 5.35 | 32.14 |
| AV | 5.3008G | 105.80 | Inf | -Inf | 98.89 | 3 | Vertical | 292 | 2.44 | - | 33.70 | 5.35 | 32.14 |
| PK | 5.3524G | 68.33 | 74.00 | -5.67 | 61.39 | 3 | Vertical | 292 | 2.44 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.3508G | 53.96 | 54.00 | -0.04 | 47.02 | 3 | Vertical | 292 | 2.44 | - | 33.70 | 5.38 | 32.14 |

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 89
02-B-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2992G | 109.94 | Inf | -Inf | 103.03 | 3 | Horizontal | 153 | 2.54 | - | 33.70 | 5.35 | 32.14 |
| AV | 5.2988G | 100.46 | Inf | -Inf | 93.55 | 3 | Horizontal | 153 | 2.54 | - | 33.70 | 5.35 | 32.14 |
| PK | 5.3524G | 62.05 | 74.00 | -11.95 | 55.11 | 3 | Horizontal | 153 | 2.54 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 47.53 | 54.00 | -6.47 | 40.59 | 3 | Horizontal | 153 | 2.54 | - | 33.70 | 5.38 | 32.14 |

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 89
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.90384G | 52.90 | 74.00 | -21.10 | 39.07 | 3 | Vertical | 268 | 2.36 | - | 37.50 | 9.96 | 33.63 |
| AV | 15.89798G | 39.15 | 54.00 | -14.85 | 25.32 | 3 | Vertical | 268 | 2.36 | - | 37.50 | 9.95 | 33.62 |

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 89
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.90072G | 52.36 | 74.00 | -21.64 | 38.52 | 3 | Horizontal | 208 | 2.05 | - | 37.50 | 9.96 | 33.62 |
| AV | 15.90294G | 39.28 | 54.00 | -14.72 | 25.45 | 3 | Horizontal | 208 | 2.05 | - | 37.50 | 9.96 | 33.63 |

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3148G | 114.06 | Inf | -Inf | 107.14 | 3 | Vertical | 244 | 2.94 | - | 33.70 | 5.36 | 32.14 |
| AV | 5.3142G | 104.24 | Inf | -Inf | 97.32 | 3 | Vertical | 244 | 2.94 | - | 33.70 | 5.36 | 32.14 |
| PK | 5.3536G | 67.28 | 74.00 | -6.72 | 60.33 | 3 | Vertical | 244 | 2.94 | - | 33.71 | 5.38 | 32.14 |
| AV | 5.35G | 53.80 | 54.00 | -0.20 | 46.86 | 3 | Vertical | 244 | 2.94 | - | 33.70 | 5.38 | 32.14 |

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3184G | 107.72 | Inf | -Inf | 100.80 | 3 | Horizontal | 210 | 2.77 | - | 33.70 | 5.36 | 32.14 |
| AV | 5.3184G | 97.91 | Inf | -Inf | 90.99 | 3 | Horizontal | 210 | 2.77 | - | 33.70 | 5.36 | 32.14 |
| PK | 5.3526G | 62.43 | 74.00 | -11.57 | 55.48 | 3 | Horizontal | 210 | 2.77 | - | 33.71 | 5.38 | 32.14 |
| AV | 5.352G | 48.29 | 54.00 | -5.71 | 41.35 | 3 | Horizontal | 210 | 2.77 | - | 33.70 | 5.38 | 32.14 |

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.96214G | 52.70 | 74.00 | -21.30 | 38.98 | 3 | Vertical | 99 | 1.06 | - | 37.44 | 9.98 | 33.70 |
| AV | 15.955G | 38.93 | 54.00 | -15.07 | 25.19 | 3 | Vertical | 99 | 1.06 | - | 37.45 | 9.98 | 33.69 |

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.96176G | 52.17 | 74.00 | -21.83 | 38.44 | 3 | Horizontal | 155 | 1.38 | - | 37.44 | 9.98 | 33.69 |
| AV | 15.9553G | 39.01 | 54.00 | -14.99 | 25.28 | 3 | Horizontal | 155 | 1.38 | - | 37.44 | 9.98 | 33.69 |

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 79
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.455G | 62.81 | 74.00 | -11.19 | 55.58 | 3 | Vertical | 1 | 2.58 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.4598G | 48.35 | 54.00 | -5.65 | 41.12 | 3 | Vertical | 1 | 2.58 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.47G | 67.98 | 68.20 | -0.22 | 60.74 | 3 | Vertical | 1 | 2.58 | - | 33.90 | 5.47 | 32.13 |
| PK | 5.4956G | 114.76 | Inf | -Inf | 107.49 | 3 | Vertical | 1 | 2.58 | - | 33.90 | 5.50 | 32.13 |
| AV | 5.4958G | 104.42 | Inf | -Inf | 97.15 | 3 | Vertical | 1 | 2.58 | - | 33.90 | 5.50 | 32.13 |

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 79
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4582G | 57.52 | 74.00 | -16.48 | 50.29 | 3 | Horizontal | 327 | 2.19 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.459G | 45.36 | 54.00 | -8.64 | 38.13 | 3 | Horizontal | 327 | 2.19 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.465G | 61.75 | 68.20 | -6.45 | 54.52 | 3 | Horizontal | 327 | 2.19 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.4952G | 107.15 | Inf | -Inf | 99.88 | 3 | Horizontal | 327 | 2.19 | - | 33.90 | 5.50 | 32.13 |
| AV | 5.4956G | 96.77 | Inf | -Inf | 89.50 | 3 | Horizontal | 327 | 2.19 | - | 33.90 | 5.50 | 32.13 |

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 79
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.99836G | 51.04 | 74.00 | -22.96 | 38.11 | 3 | Vertical | 126 | 1.59 | - | 38.50 | 7.70 | 33.27 |
| AV | 11.0031G | 37.82 | 54.00 | -16.18 | 24.89 | 3 | Vertical | 126 | 1.59 | - | 38.50 | 7.70 | 33.27 |

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 79
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 10.99864G | 51.56 | 74.00 | -22.44 | 38.63 | 3 | Horizontal | 293 | 1.42 | - | 38.50 | 7.70 | 33.27 |
| AV | 11.0044G | 37.76 | 54.00 | -16.24 | 24.83 | 3 | Horizontal | 293 | 1.42 | - | 38.50 | 7.70 | 33.27 |

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 95
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.454G | 64.20 | 74.00 | -9.80 | 56.98 | 3 | Vertical | 293 | 2.60 | - | 33.90 | 5.45 | 32.13 |
| AV | 5.4576G | 48.58 | 54.00 | -5.42 | 41.35 | 3 | Vertical | 293 | 2.60 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.466G | 68.12 | 68.20 | -0.08 | 60.88 | 3 | Vertical | 293 | 2.60 | - | 33.90 | 5.47 | 32.13 |
| PK | 5.586G | 119.00 | Inf | -Inf | 111.65 | 3 | Vertical | 293 | 2.60 | - | 33.90 | 5.59 | 32.14 |
| AV | 5.5764G | 107.88 | Inf | -Inf | 100.53 | 3 | Vertical | 293 | 2.60 | - | 33.90 | 5.58 | 32.13 |
| PK | 5.7294G | 59.50 | 68.20 | -8.70 | 52.28 | 3 | Vertical | 293 | 2.60 | - | 33.76 | 5.60 | 32.14 |

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 95
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4582G | 58.51 | 74.00 | -15.49 | 51.28 | 3 | Horizontal | 33 | 2.30 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.4576G | 45.21 | 54.00 | -8.79 | 37.98 | 3 | Horizontal | 33 | 2.30 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.4624G | 58.74 | 68.20 | -9.46 | 51.51 | 3 | Horizontal | 33 | 2.30 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.5758G | 112.12 | Inf | -Inf | 104.77 | 3 | Horizontal | 33 | 2.30 | - | 33.90 | 5.58 | 32.13 |
| AV | 5.5758G | 101.09 | Inf | -Inf | 93.74 | 3 | Horizontal | 33 | 2.30 | - | 33.90 | 5.58 | 32.13 |
| PK | 5.727G | 56.73 | 68.20 | -11.47 | 49.52 | 3 | Horizontal | 33 | 2.30 | - | 33.75 | 5.60 | 32.14 |

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 95
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.1646G | 50.91 | 74.00 | -23.09 | 37.73 | 3 | Vertical | 183 | 1.01 | - | 38.66 | 7.77 | 33.25 |
| AV | 11.15036G | 37.73 | 54.00 | -16.27 | 24.57 | 3 | Vertical | 183 | 1.01 | - | 38.65 | 7.76 | 33.25 |
| PK | 16.74152G | 60.47 | 68.20 | -7.73 | 43.45 | 3 | Vertical | 17 | 2.63 | - | 39.95 | 10.37 | 33.30 |

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 95
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.16008G | 51.15 | 74.00 | -22.85 | 37.98 | 3 | Horizontal | 219 | 2.03 | - | 38.66 | 7.76 | 33.25 |
| AV | 11.16432G | 37.78 | 54.00 | -16.22 | 24.60 | 3 | Horizontal | 219 | 2.03 | - | 38.66 | 7.77 | 33.25 |
| PK | 16.73536G | 56.20 | 68.20 | -12.00 | 39.21 | 3 | Horizontal | 96 | 1.21 | - | 39.91 | 10.37 | 33.29 |

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 70
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.7036G | 111.59 | Inf | -Inf | 104.42 | 3 | Vertical | 83 | 2.61 | - | 33.71 | 5.60 | 32.14 |
| AV | 5.7042G | 101.31 | Inf | -Inf | 94.14 | 3 | Vertical | 83 | 2.61 | - | 33.71 | 5.60 | 32.14 |
| PK | 5.7294G | 67.96 | 68.20 | -0.24 | 60.74 | 3 | Vertical | 83 | 2.61 | - | 33.76 | 5.60 | 32.14 |

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 70
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.7054G | 102.81 | Inf | -Inf | 95.64 | 3 | Horizontal | 32 | 2.29 | - | 33.71 | 5.60 | 32.14 |
| AV | 5.7054G | 93.50 | Inf | -Inf | 86.33 | 3 | Horizontal | 32 | 2.29 | - | 33.71 | 5.60 | 32.14 |
| PK | 5.727G | 62.57 | 68.20 | -5.63 | 55.36 | 3 | Horizontal | 32 | 2.29 | - | 33.75 | 5.60 | 32.14 |

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 70
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.39902G | 51.68 | 74.00 | -22.32 | 38.25 | 3 | Vertical | 33 | 2.36 | - | 38.80 | 7.86 | 33.23 |
| AV | 11.39504G | 38.27 | 54.00 | -15.73 | 24.84 | 3 | Vertical | 33 | 2.36 | - | 38.80 | 7.86 | 33.23 |

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 70
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.4036G | 52.53 | 74.00 | -21.47 | 39.09 | 3 | Horizontal | 190 | 1.93 | - | 38.81 | 7.86 | 33.23 |
| AV | 11.39714G | 38.37 | 54.00 | -15.63 | 24.94 | 3 | Horizontal | 190 | 1.93 | - | 38.80 | 7.86 | 33.23 |

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 95
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.7182G | 116.42 | Inf | -Inf | 109.22 | 3 | Vertical | 281 | 2.37 | - | 33.74 | 5.60 | 32.14 |
| AV | 5.723G | 105.42 | Inf | -Inf | 98.21 | 3 | Vertical | 281 | 2.37 | - | 33.75 | 5.60 | 32.14 |
| PK | 5.852G | 61.62 | 68.20 | -6.58 | 54.31 | 3 | Vertical | 281 | 2.37 | - | 33.81 | 5.65 | 32.15 |

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 95
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.726G | 109.54 | Inf | -Inf | 102.33 | 3 | Horizontal | 31 | 2.25 | - | 33.75 | 5.60 | 32.14 |
| AV | 5.7212G | 98.61 | Inf | -Inf | 91.41 | 3 | Horizontal | 31 | 2.25 | - | 33.74 | 5.60 | 32.14 |
| PK | 5.87G | 57.07 | 68.20 | -11.13 | 49.67 | 3 | Horizontal | 31 | 2.25 | - | 33.88 | 5.67 | 32.15 |

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 95
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.44416G | 51.54 | 74.00 | -22.46 | 38.00 | 3 | Vertical | 134 | 2.05 | - | 38.89 | 7.88 | 33.23 |
| AV | 11.44024G | 38.41 | 54.00 | -15.59 | 24.88 | 3 | Vertical | 134 | 2.05 | - | 38.88 | 7.88 | 33.23 |

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 95
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.43766G | 52.30 | 74.00 | -21.70 | 38.77 | 3 | Horizontal | 21 | 1.47 | - | 38.88 | 7.88 | 33.23 |
| AV | 11.44376G | 38.44 | 54.00 | -15.56 | 24.90 | 3 | Horizontal | 21 | 1.47 | - | 38.89 | 7.88 | 33.23 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 108
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1394G | 64.72 | 74.00 | -9.28 | 58.13 | 3 | Vertical | 244 | 3.00 | - | 33.50 | 5.24 | 32.15 |
| AV | 5.149G | 49.34 | 54.00 | -4.66 | 42.74 | 3 | Vertical | 244 | 3.00 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2594G | 119.21 | Inf | -Inf | 112.40 | 3 | Vertical | 244 | 3.00 | - | 33.62 | 5.33 | 32.14 |
| AV | 5.2546G | 105.68 | Inf | -Inf | 98.88 | 3 | Vertical | 244 | 3.00 | - | 33.61 | 5.33 | 32.14 |
| PK | 5.3602G | 70.91 | 74.00 | -3.09 | 63.95 | 3 | Vertical | 244 | 3.00 | - | 33.72 | 5.38 | 32.14 |
| AV | 5.35G | 52.74 | 54.00 | -1.26 | 45.80 | 3 | Vertical | 244 | 3.00 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 108
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.146G | 58.59 | 74.00 | -15.41 | 51.99 | 3 | Horizontal | 208 | 2.22 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1496G | 45.28 | 54.00 | -8.72 | 38.68 | 3 | Horizontal | 208 | 2.22 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2546G | 112.87 | Inf | -Inf | 106.07 | 3 | Horizontal | 208 | 2.22 | - | 33.61 | 5.33 | 32.14 |
| AV | 5.257G | 98.73 | Inf | -Inf | 91.93 | 3 | Horizontal | 208 | 2.22 | - | 33.61 | 5.33 | 32.14 |
| PK | 5.35G | 65.46 | 74.00 | -8.54 | 58.52 | 3 | Horizontal | 208 | 2.22 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 47.48 | 54.00 | -6.52 | 40.54 | 3 | Horizontal | 208 | 2.22 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 108
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.77748G | 53.14 | 74.00 | -20.86 | 39.32 | 3 | Vertical | 48 | 2.48 | - | 37.40 | 9.90 | 33.48 |
| AV | 15.78486G | 38.46 | 54.00 | -15.54 | 24.65 | 3 | Vertical | 48 | 2.48 | - | 37.40 | 9.90 | 33.49 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 108
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.7753G | 53.12 | 74.00 | -20.88 | 39.29 | 3 | Horizontal | 200 | 2.85 | - | 37.40 | 9.90 | 33.47 |
| AV | 15.7758G | 38.52 | 54.00 | -15.48 | 24.70 | 3 | Horizontal | 200 | 2.85 | - | 37.40 | 9.90 | 33.48 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 87
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.303G | 116.65 | Inf | -Inf | 109.74 | 3 | Vertical | 291 | 2.10 | - | 33.70 | 5.35 | 32.14 |
| AV | 5.3054G | 103.19 | Inf | -Inf | 96.28 | 3 | Vertical | 291 | 2.10 | - | 33.70 | 5.35 | 32.14 |
| PK | 5.3576G | 68.74 | 74.00 | -5.26 | 61.78 | 3 | Vertical | 291 | 2.10 | - | 33.72 | 5.38 | 32.14 |
| AV | 5.351G | 53.77 | 54.00 | -0.23 | 46.83 | 3 | Vertical | 291 | 2.10 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 87
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2922G | 110.63 | Inf | -Inf | 103.74 | 3 | Horizontal | 154 | 2.69 | - | 33.68 | 5.35 | 32.14 |
| AV | 5.2922G | 97.27 | Inf | -Inf | 90.38 | 3 | Horizontal | 154 | 2.69 | - | 33.68 | 5.35 | 32.14 |
| PK | 5.35G | 64.66 | 74.00 | -9.34 | 57.72 | 3 | Horizontal | 154 | 2.69 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 48.21 | 54.00 | -5.79 | 41.27 | 3 | Horizontal | 154 | 2.69 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 87
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.89508G | 52.07 | 74.00 | -21.93 | 38.24 | 3 | Vertical | 89 | 1.63 | - | 37.50 | 9.95 | 33.62 |
| AV | 15.89704G | 38.31 | 54.00 | -15.69 | 24.48 | 3 | Vertical | 89 | 1.63 | - | 37.50 | 9.95 | 33.62 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 87
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.89762G | 52.51 | 74.00 | -21.49 | 38.68 | 3 | Horizontal | 202 | 2.70 | - | 37.50 | 9.95 | 33.62 |
| AV | 15.89708G | 38.25 | 54.00 | -15.75 | 24.42 | 3 | Horizontal | 202 | 2.70 | - | 37.50 | 9.95 | 33.62 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3228G | 115.32 | Inf | -Inf | 108.40 | 3 | Vertical | 80 | 2.34 | - | 33.70 | 5.36 | 32.14 |
| AV | 5.3152G | 102.12 | Inf | -Inf | 95.20 | 3 | Vertical | 80 | 2.34 | - | 33.70 | 5.36 | 32.14 |
| PK | 5.358G | 67.05 | 74.00 | -6.95 | 60.09 | 3 | Vertical | 80 | 2.34 | - | 33.72 | 5.38 | 32.14 |
| AV | 5.35G | 53.97 | 54.00 | -0.03 | 47.03 | 3 | Vertical | 80 | 2.34 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3216G | 108.46 | Inf | -Inf | 101.54 | 3 | Horizontal | 207 | 2.37 | - | 33.70 | 5.36 | 32.14 |
| AV | 5.3192G | 95.23 | Inf | -Inf | 88.31 | 3 | Horizontal | 207 | 2.37 | - | 33.70 | 5.36 | 32.14 |
| PK | 5.352G | 63.49 | 74.00 | -10.51 | 56.55 | 3 | Horizontal | 207 | 2.37 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.3516G | 48.84 | 54.00 | -5.16 | 41.90 | 3 | Horizontal | 207 | 2.37 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.95924G | 52.06 | 74.00 | -21.94 | 38.33 | 3 | Vertical | 252 | 2.23 | - | 37.44 | 9.98 | 33.69 |
| AV | 15.95588G | 37.92 | 54.00 | -16.08 | 24.19 | 3 | Vertical | 252 | 2.23 | - | 37.44 | 9.98 | 33.69 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.9646G | 51.64 | 74.00 | -22.36 | 37.92 | 3 | Horizontal | 336 | 1.05 | - | 37.44 | 9.98 | 33.70 |
| AV | 15.95562G | 37.88 | 54.00 | -16.12 | 24.15 | 3 | Horizontal | 336 | 1.05 | - | 37.44 | 9.98 | 33.69 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 80
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.46G | 67.14 | 74.00 | -6.86 | 59.91 | 3 | Vertical | 250 | 2.42 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.46G | 49.76 | 54.00 | -4.24 | 42.53 | 3 | Vertical | 250 | 2.42 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.468G | 68.01 | 68.20 | -0.19 | 60.77 | 3 | Vertical | 250 | 2.42 | - | 33.90 | 5.47 | 32.13 |
| PK | 5.4984G | 116.30 | Inf | -Inf | 109.03 | 3 | Vertical | 250 | 2.42 | - | 33.90 | 5.50 | 32.13 |
| AV | 5.498G | 102.18 | Inf | -Inf | 94.91 | 3 | Vertical | 250 | 2.42 | - | 33.90 | 5.50 | 32.13 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 80
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4588G | 57.97 | 74.00 | -16.03 | 50.74 | 3 | Horizontal | 316 | 2.17 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.4592G | 44.89 | 54.00 | -9.11 | 37.66 | 3 | Horizontal | 316 | 2.17 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.4696G | 61.23 | 68.20 | -6.97 | 53.99 | 3 | Horizontal | 316 | 2.17 | - | 33.90 | 5.47 | 32.13 |
| PK | 5.492G | 106.22 | Inf | -Inf | 98.96 | 3 | Horizontal | 316 | 2.17 | - | 33.90 | 5.49 | 32.13 |
| AV | 5.494G | 93.29 | Inf | -Inf | 86.03 | 3 | Horizontal | 316 | 2.17 | - | 33.90 | 5.49 | 32.13 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 80
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.00472G | 51.60 | 74.00 | -22.40 | 38.67 | 3 | Vertical | 57 | 2.42 | - | 38.50 | 7.70 | 33.27 |
| AV | 11.00484G | 36.93 | 54.00 | -17.07 | 24.00 | 3 | Vertical | 57 | 2.42 | - | 38.50 | 7.70 | 33.27 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 80
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 10.99882G | 51.65 | 74.00 | -22.35 | 38.72 | 3 | Horizontal | 316 | 1.10 | - | 38.50 | 7.70 | 33.27 |
| AV | 11.00348G | 36.92 | 54.00 | -17.08 | 23.99 | 3 | Horizontal | 316 | 1.10 | - | 38.50 | 7.70 | 33.27 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 94
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4536G | 63.96 | 74.00 | -10.04 | 56.74 | 3 | Vertical | 85 | 2.36 | - | 33.90 | 5.45 | 32.13 |
| PK | 5.4632G | 67.98 | 68.20 | -0.22 | 60.75 | 3 | Vertical | 85 | 2.36 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.46G | 46.87 | 54.00 | -7.13 | 39.64 | 3 | Vertical | 85 | 2.36 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.5848G | 117.17 | Inf | -Inf | 109.83 | 3 | Vertical | 85 | 2.36 | - | 33.90 | 5.58 | 32.14 |
| AV | 5.5848G | 104.08 | Inf | -Inf | 96.74 | 3 | Vertical | 85 | 2.36 | - | 33.90 | 5.58 | 32.14 |
| PK | 5.732G | 58.74 | 68.20 | -9.46 | 51.52 | 3 | Vertical | 85 | 2.36 | - | 33.76 | 5.60 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 94
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.388G | 56.98 | 74.00 | -17.02 | 49.95 | 3 | Horizontal | 32 | 2.35 | - | 33.78 | 5.39 | 32.14 |
| PK | 5.4624G | 57.66 | 68.20 | -10.54 | 50.43 | 3 | Horizontal | 32 | 2.35 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.4584G | 44.19 | 54.00 | -9.81 | 36.96 | 3 | Horizontal | 32 | 2.35 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.588G | 110.67 | Inf | -Inf | 103.32 | 3 | Horizontal | 32 | 2.35 | - | 33.90 | 5.59 | 32.14 |
| AV | 5.5728G | 97.68 | Inf | -Inf | 90.34 | 3 | Horizontal | 32 | 2.35 | - | 33.90 | 5.57 | 32.13 |
| PK | 5.7656G | 56.75 | 68.20 | -11.45 | 49.53 | 3 | Horizontal | 32 | 2.35 | - | 33.77 | 5.60 | 32.15 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 94
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.16972G | 51.42 | 74.00 | -22.58 | 38.23 | 3 | Vertical | 211 | 2.55 | - | 38.67 | 7.77 | 33.25 |
| AV | 11.16504G | 37.75 | 54.00 | -16.25 | 24.56 | 3 | Vertical | 211 | 2.55 | - | 38.67 | 7.77 | 33.25 |
| PK | 16.74768G | 56.92 | 68.20 | -11.28 | 39.86 | 3 | Vertical | 176 | 2.15 | - | 39.99 | 10.37 | 33.30 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 94
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.16756G | 50.65 | 74.00 | -23.35 | 37.46 | 3 | Horizontal | 277 | 2.35 | - | 38.67 | 7.77 | 33.25 |
| AV | 11.162G | 37.04 | 54.00 | -16.96 | 23.87 | 3 | Horizontal | 277 | 2.35 | - | 38.66 | 7.76 | 33.25 |
| PK | 16.73464G | 55.19 | 68.20 | -13.01 | 38.20 | 3 | Horizontal | 89 | 2.00 | - | 39.91 | 10.37 | 33.29 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.7048G | 109.86 | Inf | -Inf | 102.69 | 3 | Vertical | 83 | 2.41 | - | 33.71 | 5.60 | 32.14 |
| AV | 5.6968G | 97.08 | Inf | -Inf | 89.91 | 3 | Vertical | 83 | 2.41 | - | 33.71 | 5.60 | 32.14 |
| PK | 5.7272G | 66.98 | 68.20 | -1.22 | 59.77 | 3 | Vertical | 83 | 2.41 | - | 33.75 | 5.60 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.704G | 101.77 | Inf | -Inf | 94.60 | 3 | Horizontal | 137 | 2.16 | - | 33.71 | 5.60 | 32.14 |
| AV | 5.7008G | 89.28 | Inf | -Inf | 82.12 | 3 | Horizontal | 137 | 2.16 | - | 33.70 | 5.60 | 32.14 |
| PK | 5.7256G | 59.89 | 68.20 | -8.31 | 52.68 | 3 | Horizontal | 137 | 2.16 | - | 33.75 | 5.60 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.3994G | 51.95 | 74.00 | -22.05 | 38.52 | 3 | Vertical | 56 | 1.14 | - | 38.80 | 7.86 | 33.23 |
| AV | 11.40408G | 37.44 | 54.00 | -16.56 | 24.00 | 3 | Vertical | 56 | 1.14 | - | 38.81 | 7.86 | 33.23 |

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TnomVnom



EUT_Z_2TX
Setting 63
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.4002G | 52.04 | 74.00 | -21.96 | 38.61 | 3 | Horizontal | 236 | 2.90 | - | 38.80 | 7.86 | 33.23 |
| AV | 11.40296G | 37.40 | 54.00 | -16.60 | 23.96 | 3 | Horizontal | 236 | 2.90 | - | 38.81 | 7.86 | 33.23 |


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 95
 02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.7168G | 115.85 | Inf | -Inf | 108.66 | 3 | Vertical | 280 | 2.38 | - | 33.73 | 5.60 | 32.14 |
| AV | 5.7216G | 104.03 | Inf | -Inf | 96.83 | 3 | Vertical | 280 | 2.38 | - | 33.74 | 5.60 | 32.14 |
| PK | 5.8512G | 61.73 | 68.20 | -6.47 | 54.43 | 3 | Vertical | 280 | 2.38 | - | 33.80 | 5.65 | 32.15 |


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 95
 02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.7208G | 108.46 | Inf | -Inf | 101.26 | 3 | Horizontal | 32 | 2.30 | - | 33.74 | 5.60 | 32.14 |
| AV | 5.7176G | 97.67 | Inf | -Inf | 90.47 | 3 | Horizontal | 32 | 2.30 | - | 33.74 | 5.60 | 32.14 |
| PK | 5.9016G | 57.23 | 68.20 | -10.97 | 49.68 | 3 | Horizontal | 32 | 2.30 | - | 34.00 | 5.70 | 32.15 |


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 95
 02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.43528G | 51.88 | 74.00 | -22.12 | 38.37 | 3 | Vertical | 117 | 2.94 | - | 38.87 | 7.87 | 33.23 |
| AV | 11.44358G | 38.29 | 54.00 | -15.71 | 24.75 | 3 | Vertical | 117 | 2.94 | - | 38.89 | 7.88 | 33.23 |

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
 Setting 95
 02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.43772G | 51.54 | 74.00 | -22.46 | 38.01 | 3 | Horizontal | 20 | 2.05 | - | 38.88 | 7.88 | 33.23 |
| AV | 11.44086G | 38.43 | 54.00 | -15.57 | 24.90 | 3 | Horizontal | 20 | 2.05 | - | 38.88 | 7.88 | 33.23 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 82
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.15G | 60.43 | 74.00 | -13.57 | 53.83 | 3 | Vertical | 243 | 2.46 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 47.08 | 54.00 | -6.92 | 40.48 | 3 | Vertical | 243 | 2.46 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2676G | 113.28 | Inf | -Inf | 106.45 | 3 | Vertical | 243 | 2.46 | - | 33.64 | 5.33 | 32.14 |
| AV | 5.2748G | 101.95 | Inf | -Inf | 95.10 | 3 | Vertical | 243 | 2.46 | - | 33.65 | 5.34 | 32.14 |
| PK | 5.3524G | 66.27 | 74.00 | -7.73 | 59.33 | 3 | Vertical | 243 | 2.46 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 53.76 | 54.00 | -0.24 | 46.83 | 3 | Vertical | 243 | 2.46 | - | 33.70 | 5.37 | 32.14 |
| PK | 5.4684G | 57.47 | 68.20 | -10.73 | 50.23 | 3 | Vertical | 243 | 2.46 | - | 33.90 | 5.47 | 32.13 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 82
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1292G | 56.90 | 74.00 | -17.10 | 50.32 | 3 | Horizontal | 331 | 2.33 | - | 33.50 | 5.23 | 32.15 |
| AV | 5.1492G | 44.21 | 54.00 | -9.79 | 37.61 | 3 | Horizontal | 331 | 2.33 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2844G | 108.13 | Inf | -Inf | 101.26 | 3 | Horizontal | 331 | 2.33 | - | 33.67 | 5.34 | 32.14 |
| AV | 5.2748G | 93.98 | Inf | -Inf | 87.13 | 3 | Horizontal | 331 | 2.33 | - | 33.65 | 5.34 | 32.14 |
| PK | 5.3516G | 62.79 | 74.00 | -11.21 | 55.85 | 3 | Horizontal | 331 | 2.33 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 48.84 | 54.00 | -5.16 | 41.90 | 3 | Horizontal | 331 | 2.33 | - | 33.70 | 5.38 | 32.14 |
| PK | 5.4628G | 56.61 | 68.20 | -11.59 | 49.38 | 3 | Horizontal | 331 | 2.33 | - | 33.90 | 5.46 | 32.13 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 82
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.81148G | 52.58 | 74.00 | -21.42 | 38.77 | 3 | Vertical | 145 | 2.38 | - | 37.41 | 9.92 | 33.52 |
| AV | 15.81138G | 40.41 | 54.00 | -13.59 | 26.60 | 3 | Vertical | 145 | 2.38 | - | 37.41 | 9.92 | 33.52 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 82
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.81378G | 52.53 | 74.00 | -21.47 | 38.72 | 3 | Horizontal | 49 | 2.06 | - | 37.41 | 9.92 | 33.52 |
| AV | 15.80546G | 39.82 | 54.00 | -14.18 | 26.01 | 3 | Horizontal | 49 | 2.06 | - | 37.41 | 9.91 | 33.51 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_Z_2TX
Setting 72
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3048G | 110.14 | Inf | -Inf | 103.23 | 3 | Vertical | 241 | 2.56 | - | 33.70 | 5.35 | 32.14 |
| AV | 5.3196G | 98.32 | Inf | -Inf | 91.40 | 3 | Vertical | 241 | 2.56 | - | 33.70 | 5.36 | 32.14 |
| PK | 5.352G | 65.78 | 74.00 | -8.22 | 58.84 | 3 | Vertical | 241 | 2.56 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 53.84 | 54.00 | -0.16 | 46.91 | 3 | Vertical | 241 | 2.56 | - | 33.70 | 5.37 | 32.14 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_Z_2TX
Setting 72
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3068G | 104.65 | Inf | -Inf | 97.74 | 3 | Horizontal | 153 | 2.42 | - | 33.70 | 5.35 | 32.14 |
| AV | 5.3244G | 92.03 | Inf | -Inf | 85.11 | 3 | Horizontal | 153 | 2.42 | - | 33.70 | 5.36 | 32.14 |
| PK | 5.3544G | 58.95 | 74.00 | -15.05 | 52.00 | 3 | Horizontal | 153 | 2.42 | - | 33.71 | 5.38 | 32.14 |
| AV | 5.352G | 46.97 | 54.00 | -7.03 | 40.03 | 3 | Horizontal | 153 | 2.42 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_Z_2TX
Setting 72
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.93042G | 52.49 | 74.00 | -21.51 | 38.71 | 3 | Vertical | 31 | 1.55 | - | 37.47 | 9.97 | 33.66 |
| AV | 15.93256G | 39.65 | 54.00 | -14.35 | 25.87 | 3 | Vertical | 31 | 1.55 | - | 37.47 | 9.97 | 33.66 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_Z_2TX
Setting 72
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.92634G | 52.55 | 74.00 | -21.45 | 38.76 | 3 | Horizontal | 271 | 1.86 | - | 37.47 | 9.97 | 33.65 |
| AV | 15.92574G | 39.69 | 54.00 | -14.31 | 25.90 | 3 | Horizontal | 271 | 1.86 | - | 37.47 | 9.97 | 33.65 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 71
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.46G | 63.74 | 74.00 | -10.26 | 56.51 | 3 | Vertical | 290 | 2.40 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.46G | 49.77 | 54.00 | -4.23 | 42.54 | 3 | Vertical | 290 | 2.40 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.4676G | 67.97 | 68.20 | -0.23 | 60.73 | 3 | Vertical | 290 | 2.40 | - | 33.90 | 5.47 | 32.13 |
| PK | 5.5184G | 111.13 | Inf | -Inf | 103.84 | 3 | Vertical | 290 | 2.40 | - | 33.90 | 5.52 | 32.13 |
| AV | 5.518G | 99.05 | Inf | -Inf | 91.76 | 3 | Vertical | 290 | 2.40 | - | 33.90 | 5.52 | 32.13 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 71
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.46G | 59.55 | 74.00 | -14.45 | 52.32 | 3 | Horizontal | 31 | 2.79 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.4588G | 46.45 | 54.00 | -7.55 | 39.22 | 3 | Horizontal | 31 | 2.79 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.4636G | 63.67 | 68.20 | -4.53 | 56.44 | 3 | Horizontal | 31 | 2.79 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.5016G | 104.39 | Inf | -Inf | 97.12 | 3 | Horizontal | 31 | 2.79 | - | 33.90 | 5.50 | 32.13 |
| AV | 5.5092G | 92.70 | Inf | -Inf | 85.42 | 3 | Horizontal | 31 | 2.79 | - | 33.90 | 5.51 | 32.13 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 71
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.02026G | 51.98 | 74.00 | -22.02 | 39.02 | 3 | Vertical | 240 | 2.54 | - | 38.52 | 7.71 | 33.27 |
| AV | 11.01984G | 38.86 | 54.00 | -15.14 | 25.90 | 3 | Vertical | 240 | 2.54 | - | 38.52 | 7.71 | 33.27 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 71
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.02218G | 51.32 | 74.00 | -22.68 | 38.36 | 3 | Horizontal | 168 | 1.18 | - | 38.52 | 7.71 | 33.27 |
| AV | 11.01698G | 38.75 | 54.00 | -15.25 | 25.79 | 3 | Horizontal | 168 | 1.18 | - | 38.52 | 7.71 | 33.27 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4588G | 66.20 | 74.00 | -7.80 | 58.97 | 3 | Vertical | 83 | 2.39 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.4594G | 52.64 | 54.00 | -1.36 | 45.41 | 3 | Vertical | 83 | 2.39 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.4696G | 67.98 | 68.20 | -0.22 | 60.74 | 3 | Vertical | 83 | 2.39 | - | 33.90 | 5.47 | 32.13 |
| PK | 5.5596G | 113.33 | Inf | -Inf | 106.00 | 3 | Vertical | 83 | 2.39 | - | 33.90 | 5.56 | 32.13 |
| AV | 5.5572G | 101.25 | Inf | -Inf | 93.92 | 3 | Vertical | 83 | 2.39 | - | 33.90 | 5.56 | 32.13 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4552G | 60.05 | 74.00 | -13.95 | 52.82 | 3 | Horizontal | 21 | 2.73 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.46G | 47.95 | 54.00 | -6.05 | 40.72 | 3 | Horizontal | 21 | 2.73 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.4678G | 61.40 | 68.20 | -6.80 | 54.16 | 3 | Horizontal | 21 | 2.73 | - | 33.90 | 5.47 | 32.13 |
| PK | 5.5452G | 106.53 | Inf | -Inf | 99.21 | 3 | Horizontal | 21 | 2.73 | - | 33.90 | 5.55 | 32.13 |
| AV | 5.5458G | 94.57 | Inf | -Inf | 87.25 | 3 | Horizontal | 21 | 2.73 | - | 33.90 | 5.55 | 32.13 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.10032G | 53.15 | 74.00 | -20.85 | 40.07 | 3 | Vertical | 33 | 1.86 | - | 38.60 | 7.74 | 33.26 |
| AV | 11.1043G | 38.70 | 54.00 | -15.30 | 25.62 | 3 | Vertical | 33 | 1.86 | - | 38.60 | 7.74 | 33.26 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 81
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.101G | 51.99 | 74.00 | -22.01 | 38.91 | 3 | Horizontal | 320 | 1.22 | - | 38.60 | 7.74 | 33.26 |
| AV | 11.09598G | 38.47 | 54.00 | -15.53 | 25.39 | 3 | Horizontal | 320 | 1.22 | - | 38.60 | 7.74 | 33.26 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_Z_2TX
Setting 74
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6664G | 110.81 | Inf | -Inf | 103.58 | 3 | Vertical | 282 | 2.41 | - | 33.77 | 5.60 | 32.14 |
| AV | 5.6688G | 99.04 | Inf | -Inf | 91.82 | 3 | Vertical | 282 | 2.41 | - | 33.76 | 5.60 | 32.14 |
| PK | 5.7264G | 68.10 | 68.20 | -0.10 | 60.89 | 3 | Vertical | 282 | 2.41 | - | 33.75 | 5.60 | 32.14 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Z_2TX
Setting 74
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6778G | 104.16 | Inf | -Inf | 96.96 | 3 | Horizontal | 35 | 2.64 | - | 33.74 | 5.60 | 32.14 |
| AV | 5.6724G | 92.31 | Inf | -Inf | 85.09 | 3 | Horizontal | 35 | 2.64 | - | 33.76 | 5.60 | 32.14 |
| PK | 5.7276G | 63.25 | 68.20 | -4.95 | 56.03 | 3 | Horizontal | 35 | 2.64 | - | 33.76 | 5.60 | 32.14 |

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_Z_2TX
Setting 74
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.34074G | 51.19 | 74.00 | -22.81 | 37.85 | 3 | Vertical | 56 | 2.29 | - | 38.74 | 7.84 | 33.24 |
| AV | 11.33538G | 38.37 | 54.00 | -15.63 | 25.04 | 3 | Vertical | 56 | 2.29 | - | 38.74 | 7.83 | 33.24 |

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TnomVnom



EUT_Z_2TX
Setting 74
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.33802G | 50.50 | 74.00 | -23.50 | 37.16 | 3 | Horizontal | 6 | 2.46 | - | 38.74 | 7.84 | 33.24 |
| AV | 11.34414G | 38.30 | 54.00 | -15.70 | 24.96 | 3 | Horizontal | 6 | 2.46 | - | 38.74 | 7.84 | 33.24 |


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 95
 02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6972G | 112.77 | Inf | -Inf | 105.60 | 3 | Vertical | 83 | 2.62 | - | 33.71 | 5.60 | 32.14 |
| AV | 5.7044G | 102.26 | Inf | -Inf | 95.09 | 3 | Vertical | 83 | 2.62 | - | 33.71 | 5.60 | 32.14 |
| PK | 5.858G | 61.04 | 68.20 | -7.16 | 53.70 | 3 | Vertical | 83 | 2.62 | - | 33.83 | 5.66 | 32.15 |


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 95
 02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.698G | 106.38 | Inf | -Inf | 99.22 | 3 | Horizontal | 33 | 2.29 | - | 33.70 | 5.60 | 32.14 |
| AV | 5.7076G | 95.06 | Inf | -Inf | 87.88 | 3 | Horizontal | 33 | 2.29 | - | 33.72 | 5.60 | 32.14 |
| PK | 5.85G | 58.38 | 68.20 | -9.82 | 51.08 | 3 | Horizontal | 33 | 2.29 | - | 33.80 | 5.65 | 32.15 |


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 95
 02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.41878G | 51.75 | 74.00 | -22.25 | 38.27 | 3 | Vertical | 300 | 1.47 | - | 38.84 | 7.87 | 33.23 |
| AV | 11.42114G | 39.04 | 54.00 | -14.96 | 25.56 | 3 | Vertical | 300 | 1.47 | - | 38.84 | 7.87 | 33.23 |

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
 Setting 95
 02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.41806G | 52.10 | 74.00 | -21.90 | 38.62 | 3 | Horizontal | 14 | 1.67 | - | 38.84 | 7.87 | 33.23 |
| AV | 11.4219G | 38.91 | 54.00 | -15.09 | 25.43 | 3 | Horizontal | 14 | 1.67 | - | 38.84 | 7.87 | 33.23 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 72
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.15G | 58.27 | 74.00 | -15.73 | 51.67 | 3 | Vertical | 244 | 2.44 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.148G | 46.41 | 54.00 | -7.59 | 39.81 | 3 | Vertical | 244 | 2.44 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.26G | 107.74 | Inf | -Inf | 100.93 | 3 | Vertical | 244 | 2.44 | - | 33.62 | 5.33 | 32.14 |
| AV | 5.278G | 95.92 | Inf | -Inf | 89.06 | 3 | Vertical | 244 | 2.44 | - | 33.66 | 5.34 | 32.14 |
| PK | 5.35G | 65.47 | 74.00 | -8.53 | 58.54 | 3 | Vertical | 244 | 2.44 | - | 33.70 | 5.37 | 32.14 |
| AV | 5.35G | 53.77 | 54.00 | -0.23 | 46.84 | 3 | Vertical | 244 | 2.44 | - | 33.70 | 5.37 | 32.14 |
| PK | 5.473G | 58.98 | 68.20 | -9.22 | 51.74 | 3 | Vertical | 244 | 2.44 | - | 33.90 | 5.47 | 32.13 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 72
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.096G | 56.95 | 74.00 | -17.05 | 50.42 | 3 | Horizontal | 331 | 2.35 | - | 33.48 | 5.20 | 32.15 |
| AV | 5.115G | 45.28 | 54.00 | -8.72 | 38.72 | 3 | Horizontal | 331 | 2.35 | - | 33.50 | 5.21 | 32.15 |
| PK | 5.282G | 102.20 | Inf | -Inf | 95.34 | 3 | Horizontal | 331 | 2.35 | - | 33.66 | 5.34 | 32.14 |
| AV | 5.285G | 89.81 | Inf | -Inf | 82.94 | 3 | Horizontal | 331 | 2.35 | - | 33.67 | 5.34 | 32.14 |
| PK | 5.35G | 61.54 | 74.00 | -12.46 | 54.60 | 3 | Horizontal | 331 | 2.35 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 49.49 | 54.00 | -4.51 | 42.55 | 3 | Horizontal | 331 | 2.35 | - | 33.70 | 5.38 | 32.14 |
| PK | 5.54G | 56.76 | 68.20 | -11.44 | 49.45 | 3 | Horizontal | 331 | 2.35 | - | 33.90 | 5.54 | 32.13 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 72
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.86948G | 52.48 | 74.00 | -21.52 | 38.66 | 3 | Vertical | 66 | 2.43 | - | 37.47 | 9.94 | 33.59 |
| AV | 15.8664G | 39.73 | 54.00 | -14.27 | 25.90 | 3 | Vertical | 66 | 2.43 | - | 37.47 | 9.94 | 33.58 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 72
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.86918G | 52.40 | 74.00 | -21.60 | 38.58 | 3 | Horizontal | 327 | 2.78 | - | 37.47 | 9.94 | 33.59 |
| AV | 15.87422G | 39.63 | 54.00 | -14.37 | 25.81 | 3 | Horizontal | 327 | 2.78 | - | 37.47 | 9.94 | 33.59 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 69
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.35G | 57.68 | 74.00 | -16.32 | 50.75 | 3 | Vertical | 293 | 2.39 | - | 33.70 | 5.37 | 32.14 |
| PK | 5.46G | 67.13 | 74.00 | -6.87 | 59.90 | 3 | Vertical | 293 | 2.39 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.46G | 53.89 | 54.00 | -0.11 | 46.66 | 3 | Vertical | 293 | 2.39 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.463G | 67.96 | 68.20 | -0.24 | 60.73 | 3 | Vertical | 293 | 2.39 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.52G | 108.08 | Inf | -Inf | 100.79 | 3 | Vertical | 293 | 2.39 | - | 33.90 | 5.52 | 32.13 |
| AV | 5.525G | 95.92 | Inf | -Inf | 88.62 | 3 | Vertical | 293 | 2.39 | - | 33.90 | 5.53 | 32.13 |
| PK | 5.732G | 57.47 | 68.20 | -10.73 | 50.25 | 3 | Vertical | 293 | 2.39 | - | 33.76 | 5.60 | 32.14 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 69
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.347G | 56.48 | 68.20 | -11.72 | 49.55 | 3 | Horizontal | 28 | 2.94 | - | 33.70 | 5.37 | 32.14 |
| PK | 5.456G | 60.54 | 74.00 | -13.46 | 53.31 | 3 | Horizontal | 28 | 2.94 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.456G | 48.44 | 54.00 | -5.56 | 41.21 | 3 | Horizontal | 28 | 2.94 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.467G | 60.96 | 68.20 | -7.24 | 53.72 | 3 | Horizontal | 28 | 2.94 | - | 33.90 | 5.47 | 32.13 |
| PK | 5.515G | 101.05 | Inf | -Inf | 93.77 | 3 | Horizontal | 28 | 2.94 | - | 33.90 | 5.51 | 32.13 |
| AV | 5.52G | 89.21 | Inf | -Inf | 81.92 | 3 | Horizontal | 28 | 2.94 | - | 33.90 | 5.52 | 32.13 |
| PK | 5.745G | 56.76 | 68.20 | -11.44 | 49.51 | 3 | Horizontal | 28 | 2.94 | - | 33.79 | 5.60 | 32.14 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 69
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.06376G | 50.69 | 74.00 | -23.31 | 37.66 | 3 | Vertical | 190 | 2.58 | - | 38.56 | 7.73 | 33.26 |
| AV | 11.059G | 38.43 | 54.00 | -15.57 | 25.41 | 3 | Vertical | 190 | 2.58 | - | 38.56 | 7.72 | 33.26 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 69
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.05786G | 51.45 | 74.00 | -22.55 | 38.43 | 3 | Horizontal | 126 | 2.42 | - | 38.56 | 7.72 | 33.26 |
| AV | 11.06214G | 38.22 | 54.00 | -15.78 | 25.20 | 3 | Horizontal | 126 | 2.42 | - | 38.56 | 7.72 | 33.26 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_Z_2TX
Setting 78
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.447G | 64.90 | 74.00 | -9.10 | 57.69 | 3 | Vertical | 84 | 2.46 | - | 33.89 | 5.45 | 32.13 |
| AV | 5.457G | 52.09 | 54.00 | -1.91 | 44.86 | 3 | Vertical | 84 | 2.46 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.469G | 66.28 | 68.20 | -1.92 | 59.04 | 3 | Vertical | 84 | 2.46 | - | 33.90 | 5.47 | 32.13 |
| PK | 5.627G | 109.42 | Inf | -Inf | 102.11 | 3 | Vertical | 84 | 2.46 | - | 33.85 | 5.60 | 32.14 |
| AV | 5.614G | 97.38 | Inf | -Inf | 90.05 | 3 | Vertical | 84 | 2.46 | - | 33.87 | 5.60 | 32.14 |
| PK | 5.734G | 67.98 | 68.20 | -0.22 | 60.75 | 3 | Vertical | 84 | 2.46 | - | 33.77 | 5.60 | 32.14 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_Z_2TX
Setting 78
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.451G | 60.04 | 74.00 | -13.96 | 52.82 | 3 | Horizontal | 150 | 2.40 | - | 33.90 | 5.45 | 32.13 |
| PK | 5.463G | 59.80 | 68.20 | -8.40 | 52.57 | 3 | Horizontal | 150 | 2.40 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.458G | 47.55 | 54.00 | -6.45 | 40.32 | 3 | Horizontal | 150 | 2.40 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.586G | 102.13 | Inf | -Inf | 94.78 | 3 | Horizontal | 150 | 2.40 | - | 33.90 | 5.59 | 32.14 |
| AV | 5.593G | 90.48 | Inf | -Inf | 83.13 | 3 | Horizontal | 150 | 2.40 | - | 33.90 | 5.59 | 32.14 |
| PK | 5.726G | 60.82 | 68.20 | -7.38 | 53.61 | 3 | Horizontal | 150 | 2.40 | - | 33.75 | 5.60 | 32.14 |

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_Z_2TX
Setting 78
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.21746G | 50.74 | 74.00 | -23.26 | 37.50 | 3 | Vertical | 204 | 2.05 | - | 38.70 | 7.79 | 33.25 |
| AV | 11.21618G | 38.67 | 54.00 | -15.33 | 25.43 | 3 | Vertical | 204 | 2.05 | - | 38.70 | 7.79 | 33.25 |

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TnomVnom



EUT_Z_2TX
Setting 78
02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.22024G | 51.36 | 74.00 | -22.64 | 38.12 | 3 | Horizontal | 96 | 1.53 | - | 38.70 | 7.79 | 33.25 |
| AV | 11.22328G | 38.53 | 54.00 | -15.47 | 25.29 | 3 | Horizontal | 96 | 1.53 | - | 38.70 | 7.79 | 33.25 |


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 90
 02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.457G | 62.39 | 74.00 | -11.61 | 55.16 | 3 | Vertical | 296 | 2.30 | - | 33.90 | 5.46 | 32.13 |
| AV | 5.459G | 50.27 | 54.00 | -3.73 | 43.04 | 3 | Vertical | 296 | 2.30 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.467G | 62.89 | 68.20 | -5.31 | 55.65 | 3 | Vertical | 296 | 2.30 | - | 33.90 | 5.47 | 32.13 |
| PK | 5.661G | 110.81 | Inf | -Inf | 103.57 | 3 | Vertical | 296 | 2.30 | - | 33.78 | 5.60 | 32.14 |
| AV | 5.675G | 99.52 | Inf | -Inf | 92.31 | 3 | Vertical | 296 | 2.30 | - | 33.75 | 5.60 | 32.14 |
| PK | 5.851G | 67.97 | 68.20 | -0.23 | 60.67 | 3 | Vertical | 296 | 2.30 | - | 33.80 | 5.65 | 32.15 |


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 90
 02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.447G | 59.19 | 74.00 | -14.81 | 51.98 | 3 | Horizontal | 210 | 2.62 | - | 33.89 | 5.45 | 32.13 |
| PK | 5.469G | 58.54 | 68.20 | -9.66 | 51.30 | 3 | Horizontal | 210 | 2.62 | - | 33.90 | 5.47 | 32.13 |
| AV | 5.459G | 46.79 | 54.00 | -7.21 | 39.56 | 3 | Horizontal | 210 | 2.62 | - | 33.90 | 5.46 | 32.13 |
| PK | 5.659G | 103.97 | Inf | -Inf | 96.73 | 3 | Horizontal | 210 | 2.62 | - | 33.78 | 5.60 | 32.14 |
| AV | 5.659G | 91.72 | Inf | -Inf | 84.48 | 3 | Horizontal | 210 | 2.62 | - | 33.78 | 5.60 | 32.14 |
| PK | 5.85G | 61.49 | 68.20 | -6.71 | 54.19 | 3 | Horizontal | 210 | 2.62 | - | 33.80 | 5.65 | 32.15 |


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 90
 02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.37898G | 51.39 | 74.00 | -22.61 | 37.99 | 3 | Vertical | 287 | 1.63 | - | 38.78 | 7.85 | 33.23 |
| AV | 11.38132G | 38.92 | 54.00 | -15.08 | 25.52 | 3 | Vertical | 287 | 1.63 | - | 38.78 | 7.85 | 33.23 |

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
 Setting 90
 02-B-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.3767G | 51.61 | 74.00 | -22.39 | 38.21 | 3 | Horizontal | 59 | 1.24 | - | 38.78 | 7.85 | 33.23 |
| AV | 11.3827G | 38.90 | 54.00 | -15.10 | 25.50 | 3 | Horizontal | 59 | 1.24 | - | 38.78 | 7.85 | 33.23 |




Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 5.15-5.25GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_1TX | Pass | AV | 5.1498G | 53.97 | 54.00 | -0.03 | 3 | Vertical | 281 | 2.44 | - |

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 88
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1454G | 68.60 | 74.00 | -5.40 | 62.00 | 3 | Vertical | 281 | 2.44 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1498G | 53.97 | 54.00 | -0.03 | 47.37 | 3 | Vertical | 281 | 2.44 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1858G | 112.02 | Inf | -Inf | 105.38 | 3 | Vertical | 281 | 2.44 | - | 33.50 | 5.29 | 32.15 |
| AV | 5.179G | 102.14 | Inf | -Inf | 95.51 | 3 | Vertical | 281 | 2.44 | - | 33.50 | 5.28 | 32.15 |

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 88
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1486G | 67.47 | 74.00 | -6.53 | 60.87 | 3 | Horizontal | 329 | 2.92 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1498G | 52.63 | 54.00 | -1.37 | 46.03 | 3 | Horizontal | 329 | 2.92 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.175G | 110.16 | Inf | -Inf | 103.54 | 3 | Horizontal | 329 | 2.92 | - | 33.50 | 5.27 | 32.15 |
| AV | 5.1772G | 99.79 | Inf | -Inf | 93.16 | 3 | Horizontal | 329 | 2.92 | - | 33.50 | 5.28 | 32.15 |

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 88
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.54282G | 53.07 | 74.00 | -20.93 | 38.71 | 3 | Vertical | 304 | 1.62 | - | 37.77 | 9.79 | 33.20 |
| AV | 15.54108G | 39.94 | 54.00 | -14.06 | 25.57 | 3 | Vertical | 304 | 1.62 | - | 37.78 | 9.79 | 33.20 |

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 88
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.54024G | 53.11 | 74.00 | -20.89 | 38.74 | 3 | Horizontal | 68 | 1.01 | - | 37.78 | 9.79 | 33.20 |
| AV | 15.53602G | 39.86 | 54.00 | -14.14 | 25.47 | 3 | Horizontal | 68 | 1.01 | - | 37.79 | 9.79 | 33.19 |

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 97
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1492G | 66.77 | 74.00 | -7.23 | 60.17 | 3 | Vertical | 278 | 2.75 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 52.87 | 54.00 | -1.13 | 46.27 | 3 | Vertical | 278 | 2.75 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1948G | 112.90 | Inf | -Inf | 106.26 | 3 | Vertical | 278 | 2.75 | - | 33.50 | 5.29 | 32.15 |
| AV | 5.2036G | 102.58 | Inf | -Inf | 95.92 | 3 | Vertical | 278 | 2.75 | - | 33.51 | 5.30 | 32.15 |

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 97
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1492G | 66.58 | 74.00 | -7.42 | 59.98 | 3 | Horizontal | 330 | 2.33 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 52.10 | 54.00 | -1.90 | 45.50 | 3 | Horizontal | 330 | 2.33 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1944G | 110.90 | Inf | -Inf | 104.26 | 3 | Horizontal | 330 | 2.33 | - | 33.50 | 5.29 | 32.15 |
| AV | 5.1932G | 100.58 | Inf | -Inf | 93.94 | 3 | Horizontal | 330 | 2.33 | - | 33.50 | 5.29 | 32.15 |

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 97
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.5971G | 52.62 | 74.00 | -21.38 | 38.45 | 3 | Vertical | 133 | 2.97 | - | 37.61 | 9.82 | 33.26 |
| AV | 15.59772G | 39.94 | 54.00 | -14.06 | 25.78 | 3 | Vertical | 133 | 2.97 | - | 37.61 | 9.82 | 33.27 |

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 97
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.60064G | 53.41 | 74.00 | -20.59 | 39.26 | 3 | Horizontal | 3 | 2.94 | - | 37.60 | 9.82 | 33.27 |
| AV | 15.59758G | 39.81 | 54.00 | -14.19 | 25.65 | 3 | Horizontal | 3 | 2.94 | - | 37.61 | 9.82 | 33.27 |

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1446G | 64.66 | 74.00 | -9.34 | 58.07 | 3 | Vertical | 282 | 2.39 | - | 33.50 | 5.24 | 32.15 |
| AV | 5.15G | 47.62 | 54.00 | -6.38 | 41.02 | 3 | Vertical | 282 | 2.39 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2412G | 116.15 | Inf | -Inf | 109.40 | 3 | Vertical | 282 | 2.39 | - | 33.58 | 5.32 | 32.15 |
| AV | 5.2376G | 104.66 | Inf | -Inf | 97.91 | 3 | Vertical | 282 | 2.39 | - | 33.58 | 5.32 | 32.15 |
| PK | 5.3504G | 60.66 | 74.00 | -13.34 | 53.72 | 3 | Vertical | 282 | 2.39 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 46.82 | 54.00 | -7.18 | 39.88 | 3 | Vertical | 282 | 2.39 | - | 33.70 | 5.38 | 32.14 |

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1446G | 61.30 | 74.00 | -12.70 | 54.71 | 3 | Horizontal | 330 | 2.40 | - | 33.50 | 5.24 | 32.15 |
| AV | 5.15G | 47.43 | 54.00 | -6.57 | 40.83 | 3 | Horizontal | 330 | 2.40 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2412G | 112.77 | Inf | -Inf | 106.02 | 3 | Horizontal | 330 | 2.40 | - | 33.58 | 5.32 | 32.15 |
| AV | 5.2412G | 101.88 | Inf | -Inf | 95.13 | 3 | Horizontal | 330 | 2.40 | - | 33.58 | 5.32 | 32.15 |
| PK | 5.35G | 60.32 | 74.00 | -13.68 | 53.38 | 3 | Horizontal | 330 | 2.40 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.351G | 45.45 | 54.00 | -8.55 | 38.51 | 3 | Horizontal | 330 | 2.40 | - | 33.70 | 5.38 | 32.14 |

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.48088G | 60.89 | 68.20 | -7.31 | 48.04 | 3 | Vertical | 310 | 1.87 | - | 38.40 | 7.49 | 33.04 |
| PK | 15.72176G | 61.31 | 74.00 | -12.69 | 47.45 | 3 | Vertical | 127 | 2.95 | - | 37.40 | 9.87 | 33.41 |
| AV | 15.72296G | 47.71 | 54.00 | -6.29 | 33.84 | 3 | Vertical | 127 | 2.95 | - | 37.40 | 9.88 | 33.41 |

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 10.47904G | 56.44 | 68.20 | -11.76 | 43.59 | 3 | Horizontal | 298 | 1.78 | - | 38.40 | 7.49 | 33.04 |
| PK | 15.72224G | 55.17 | 74.00 | -18.83 | 41.30 | 3 | Horizontal | 125 | 2.33 | - | 37.40 | 9.88 | 33.41 |
| AV | 15.72068G | 41.82 | 54.00 | -12.18 | 27.96 | 3 | Horizontal | 125 | 2.33 | - | 37.40 | 9.87 | 33.41 |

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.647G | 62.38 | 68.20 | -5.82 | 55.11 | 3 | Vertical | 8 | 2.30 | - | 33.81 | 5.60 | 32.14 |
| PK | 5.748G | 116.04 | Inf | -Inf | 108.78 | 3 | Vertical | 8 | 2.30 | - | 33.80 | 5.60 | 32.14 |
| AV | 5.746G | 104.78 | Inf | -Inf | 97.53 | 3 | Vertical | 8 | 2.30 | - | 33.79 | 5.60 | 32.14 |
| PK | 5.941G | 58.38 | 68.20 | -9.82 | 50.72 | 3 | Vertical | 8 | 2.30 | - | 34.08 | 5.74 | 32.16 |

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.647G | 59.75 | 68.20 | -8.45 | 52.48 | 3 | Horizontal | 3 | 2.40 | - | 33.81 | 5.60 | 32.14 |
| PK | 5.751G | 112.52 | Inf | -Inf | 105.27 | 3 | Horizontal | 3 | 2.40 | - | 33.80 | 5.60 | 32.15 |
| AV | 5.749G | 100.79 | Inf | -Inf | 93.53 | 3 | Horizontal | 3 | 2.40 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.929G | 58.05 | 68.20 | -10.15 | 50.42 | 3 | Horizontal | 3 | 2.40 | - | 34.06 | 5.73 | 32.16 |

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.48742G | 51.60 | 74.00 | -22.40 | 37.96 | 3 | Vertical | 354 | 2.40 | - | 38.97 | 7.89 | 33.22 |
| AV | 11.48548G | 38.64 | 54.00 | -15.36 | 25.00 | 3 | Vertical | 354 | 2.40 | - | 38.97 | 7.89 | 33.22 |

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.4931G | 51.40 | 74.00 | -22.60 | 37.73 | 3 | Horizontal | 109 | 1.94 | - | 38.99 | 7.90 | 33.22 |
| AV | 11.48516G | 38.69 | 54.00 | -15.31 | 25.05 | 3 | Horizontal | 109 | 1.94 | - | 38.97 | 7.89 | 33.22 |

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.649G | 60.69 | 68.20 | -7.51 | 53.43 | 3 | Vertical | 8 | 2.29 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.789G | 115.89 | Inf | -Inf | 108.72 | 3 | Vertical | 8 | 2.29 | - | 33.72 | 5.60 | 32.15 |
| AV | 5.787G | 104.65 | Inf | -Inf | 97.47 | 3 | Vertical | 8 | 2.29 | - | 33.73 | 5.60 | 32.15 |
| PK | 5.93G | 60.76 | 68.20 | -7.44 | 53.13 | 3 | Vertical | 8 | 2.29 | - | 34.06 | 5.73 | 32.16 |

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.636G | 58.45 | 68.20 | -9.75 | 51.16 | 3 | Horizontal | 4 | 2.47 | - | 33.83 | 5.60 | 32.14 |
| PK | 5.786G | 112.15 | Inf | -Inf | 104.97 | 3 | Horizontal | 4 | 2.47 | - | 33.73 | 5.60 | 32.15 |
| AV | 5.784G | 100.60 | Inf | -Inf | 93.42 | 3 | Horizontal | 4 | 2.47 | - | 33.73 | 5.60 | 32.15 |
| PK | 5.932G | 59.07 | 68.20 | -9.13 | 51.44 | 3 | Horizontal | 4 | 2.47 | - | 34.06 | 5.73 | 32.16 |

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.57216G | 57.98 | 74.00 | -16.02 | 44.07 | 3 | Vertical | 303 | 2.93 | - | 39.22 | 7.93 | 33.24 |
| AV | 11.57112G | 44.94 | 54.00 | -9.06 | 31.04 | 3 | Vertical | 303 | 2.93 | - | 39.21 | 7.93 | 33.24 |

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.56984G | 53.03 | 74.00 | -20.97 | 39.13 | 3 | Horizontal | 317 | 2.04 | - | 39.21 | 7.93 | 33.24 |
| AV | 11.57012G | 40.03 | 54.00 | -13.97 | 26.13 | 3 | Horizontal | 317 | 2.04 | - | 39.21 | 7.93 | 33.24 |

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.621G | 58.52 | 68.20 | -9.68 | 51.20 | 3 | Vertical | 7 | 2.34 | - | 33.86 | 5.60 | 32.14 |
| PK | 5.829G | 116.68 | Inf | -Inf | 109.44 | 3 | Vertical | 7 | 2.34 | - | 33.76 | 5.63 | 32.15 |
| AV | 5.826G | 105.08 | Inf | -Inf | 97.85 | 3 | Vertical | 7 | 2.34 | - | 33.75 | 5.63 | 32.15 |
| PK | 5.923G | 69.41 | 69.68 | -0.27 | 61.80 | 3 | Vertical | 7 | 2.34 | - | 34.05 | 5.72 | 32.16 |

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 108
02-B-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.619G | 57.62 | 68.20 | -10.58 | 50.30 | 3 | Horizontal | 0 | 2.29 | - | 33.86 | 5.60 | 32.14 |
| PK | 5.826G | 111.77 | Inf | -Inf | 104.54 | 3 | Horizontal | 0 | 2.29 | - | 33.75 | 5.63 | 32.15 |
| AV | 5.821G | 100.22 | Inf | -Inf | 93.01 | 3 | Horizontal | 0 | 2.29 | - | 33.74 | 5.62 | 32.15 |
| PK | 5.925G | 65.76 | 68.20 | -2.44 | 58.14 | 3 | Horizontal | 0 | 2.29 | - | 34.05 | 5.73 | 32.16 |

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.65116G | 59.50 | 74.00 | -14.50 | 45.45 | 3 | Vertical | 301 | 2.95 | - | 39.35 | 7.96 | 33.26 |
| AV | 11.6488G | 45.70 | 54.00 | -8.30 | 31.65 | 3 | Vertical | 301 | 2.95 | - | 39.35 | 7.96 | 33.26 |
| PK | 17.47444G | 60.12 | 68.20 | -8.08 | 38.76 | 3 | Vertical | 360 | 1.80 | - | 43.62 | 10.74 | 33.00 |

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-K-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.64748G | 53.96 | 74.00 | -20.04 | 39.91 | 3 | Horizontal | 303 | 2.15 | - | 39.35 | 7.96 | 33.26 |
| AV | 11.64712G | 40.65 | 54.00 | -13.35 | 26.60 | 3 | Horizontal | 303 | 2.15 | - | 39.35 | 7.96 | 33.26 |
| PK | 17.4836G | 60.40 | 68.20 | -7.80 | 38.96 | 3 | Horizontal | 199 | 1.80 | - | 43.69 | 10.74 | 32.99 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 86
02-B-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1424G | 68.62 | 74.00 | -5.38 | 62.03 | 3 | Vertical | 0 | 2.52 | - | 33.50 | 5.24 | 32.15 |
| AV | 5.15G | 53.76 | 54.00 | -0.24 | 47.16 | 3 | Vertical | 0 | 2.52 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1822G | 113.91 | Inf | -Inf | 107.28 | 3 | Vertical | 0 | 2.52 | - | 33.50 | 5.28 | 32.15 |
| AV | 5.1764G | 99.88 | Inf | -Inf | 93.25 | 3 | Vertical | 0 | 2.52 | - | 33.50 | 5.28 | 32.15 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 86
02-B-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1418G | 65.75 | 74.00 | -8.25 | 59.16 | 3 | Horizontal | 330 | 2.24 | - | 33.50 | 5.24 | 32.15 |
| AV | 5.15G | 51.44 | 54.00 | -2.56 | 44.84 | 3 | Horizontal | 330 | 2.24 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1758G | 110.97 | Inf | -Inf | 104.34 | 3 | Horizontal | 330 | 2.24 | - | 33.50 | 5.28 | 32.15 |
| AV | 5.1724G | 97.01 | Inf | -Inf | 90.39 | 3 | Horizontal | 330 | 2.24 | - | 33.50 | 5.27 | 32.15 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 86
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.53862G | 53.39 | 74.00 | -20.61 | 39.02 | 3 | Vertical | 163 | 1.82 | - | 37.78 | 9.79 | 33.20 |
| AV | 15.52854G | 39.86 | 54.00 | -14.14 | 25.44 | 3 | Vertical | 163 | 1.82 | - | 37.81 | 9.79 | 33.18 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 86
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.5253G | 53.50 | 74.00 | -20.50 | 39.07 | 3 | Horizontal | 116 | 2.66 | - | 37.82 | 9.79 | 33.18 |
| AV | 15.53538G | 39.83 | 54.00 | -14.17 | 25.44 | 3 | Horizontal | 116 | 2.66 | - | 37.79 | 9.79 | 33.19 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT Z_1TX
Setting 94
02-B-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1476G | 69.64 | 74.00 | -4.36 | 63.04 | 3 | Vertical | 12 | 2.21 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 53.80 | 54.00 | -0.20 | 47.20 | 3 | Vertical | 12 | 2.21 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1928G | 115.30 | Inf | -Inf | 108.66 | 3 | Vertical | 12 | 2.21 | - | 33.50 | 5.29 | 32.15 |
| AV | 5.1952G | 101.39 | Inf | -Inf | 94.74 | 3 | Vertical | 12 | 2.21 | - | 33.50 | 5.30 | 32.15 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT Z_1TX
Setting 94
02-B-K-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1484G | 68.30 | 74.00 | -5.70 | 61.70 | 3 | Horizontal | 332 | 2.70 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 52.05 | 54.00 | -1.95 | 45.45 | 3 | Horizontal | 332 | 2.70 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1972G | 113.35 | Inf | -Inf | 106.70 | 3 | Horizontal | 332 | 2.70 | - | 33.50 | 5.30 | 32.15 |
| AV | 5.2024G | 99.01 | Inf | -Inf | 92.36 | 3 | Horizontal | 332 | 2.70 | - | 33.50 | 5.30 | 32.15 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 94
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.59916G | 53.18 | 74.00 | -20.82 | 39.03 | 3 | Vertical | 148 | 2.51 | - | 37.60 | 9.82 | 33.27 |
| AV | 15.58608G | 39.68 | 54.00 | -14.32 | 25.48 | 3 | Vertical | 148 | 2.51 | - | 37.64 | 9.81 | 33.25 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 94
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.61332G | 53.42 | 74.00 | -20.58 | 39.30 | 3 | Horizontal | 43 | 1.97 | - | 37.57 | 9.83 | 33.28 |
| AV | 15.59316G | 39.65 | 54.00 | -14.35 | 25.47 | 3 | Horizontal | 43 | 1.97 | - | 37.62 | 9.82 | 33.26 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1476G | 68.35 | 74.00 | -5.65 | 61.75 | 3 | Vertical | 15 | 2.38 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 51.23 | 54.00 | -2.77 | 44.63 | 3 | Vertical | 15 | 2.38 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2418G | 117.88 | Inf | -Inf | 111.13 | 3 | Vertical | 15 | 2.38 | - | 33.58 | 5.32 | 32.15 |
| AV | 5.2418G | 104.42 | Inf | -Inf | 97.67 | 3 | Vertical | 15 | 2.38 | - | 33.58 | 5.32 | 32.15 |
| PK | 5.35G | 63.84 | 74.00 | -10.16 | 56.90 | 3 | Vertical | 15 | 2.38 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 48.80 | 54.00 | -5.20 | 41.86 | 3 | Vertical | 15 | 2.38 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1476G | 64.82 | 74.00 | -9.18 | 58.22 | 3 | Horizontal | 332 | 2.42 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 49.34 | 54.00 | -4.66 | 42.74 | 3 | Horizontal | 332 | 2.42 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2448G | 114.82 | Inf | -Inf | 108.06 | 3 | Horizontal | 332 | 2.42 | - | 33.59 | 5.32 | 32.15 |
| AV | 5.243G | 101.14 | Inf | -Inf | 94.38 | 3 | Horizontal | 332 | 2.42 | - | 33.59 | 5.32 | 32.15 |
| PK | 5.351G | 62.12 | 74.00 | -11.88 | 55.18 | 3 | Horizontal | 332 | 2.42 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.35G | 47.19 | 54.00 | -6.81 | 40.25 | 3 | Horizontal | 332 | 2.42 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.47964G | 58.44 | 68.20 | -9.76 | 45.59 | 3 | Vertical | 310 | 1.80 | - | 38.40 | 7.49 | 33.04 |
| PK | 15.71862G | 58.82 | 74.00 | -15.18 | 44.96 | 3 | Vertical | 131 | 2.02 | - | 37.40 | 9.87 | 33.41 |
| AV | 15.72288G | 44.56 | 54.00 | -9.44 | 30.69 | 3 | Vertical | 131 | 2.02 | - | 37.40 | 9.88 | 33.41 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 10.47958G | 55.49 | 68.20 | -12.71 | 42.64 | 3 | Horizontal | 298 | 1.78 | - | 38.40 | 7.49 | 33.04 |
| PK | 15.73428G | 54.53 | 74.00 | -19.47 | 40.68 | 3 | Horizontal | 159 | 1.85 | - | 37.40 | 9.88 | 33.43 |
| AV | 15.71988G | 40.51 | 54.00 | -13.49 | 26.65 | 3 | Horizontal | 159 | 1.85 | - | 37.40 | 9.87 | 33.41 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.651G | 68.66 | 68.94 | -0.28 | 61.40 | 3 | Vertical | 8 | 2.28 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.751G | 118.37 | Inf | -Inf | 111.12 | 3 | Vertical | 8 | 2.28 | - | 33.80 | 5.60 | 32.15 |
| AV | 5.748G | 104.49 | Inf | -Inf | 97.23 | 3 | Vertical | 8 | 2.28 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.927G | 60.26 | 68.20 | -7.94 | 52.64 | 3 | Vertical | 8 | 2.28 | - | 34.05 | 5.73 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.645G | 63.29 | 68.20 | -4.91 | 56.02 | 3 | Horizontal | 4 | 2.41 | - | 33.81 | 5.60 | 32.14 |
| PK | 5.737G | 114.38 | Inf | -Inf | 107.15 | 3 | Horizontal | 4 | 2.41 | - | 33.77 | 5.60 | 32.14 |
| AV | 5.739G | 100.33 | Inf | -Inf | 93.09 | 3 | Horizontal | 4 | 2.41 | - | 33.78 | 5.60 | 32.14 |
| PK | 5.943G | 58.64 | 68.20 | -9.56 | 50.97 | 3 | Horizontal | 4 | 2.41 | - | 34.09 | 5.74 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.47734G | 52.42 | 74.00 | -21.58 | 38.80 | 3 | Vertical | 40 | 2.28 | - | 38.95 | 7.89 | 33.22 |
| AV | 11.4858G | 38.44 | 54.00 | -15.56 | 24.80 | 3 | Vertical | 40 | 2.28 | - | 38.97 | 7.89 | 33.22 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.49816G | 52.12 | 74.00 | -21.88 | 38.44 | 3 | Horizontal | 69 | 2.61 | - | 39.00 | 7.90 | 33.22 |
| AV | 11.48184G | 38.47 | 54.00 | -15.53 | 24.84 | 3 | Horizontal | 69 | 2.61 | - | 38.96 | 7.89 | 33.22 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.647G | 64.56 | 68.20 | -3.64 | 57.29 | 3 | Vertical | 7 | 2.28 | - | 33.81 | 5.60 | 32.14 |
| PK | 5.785G | 118.16 | Inf | -Inf | 110.98 | 3 | Vertical | 7 | 2.28 | - | 33.73 | 5.60 | 32.15 |
| AV | 5.787G | 104.61 | Inf | -Inf | 97.43 | 3 | Vertical | 7 | 2.28 | - | 33.73 | 5.60 | 32.15 |
| PK | 5.93G | 66.18 | 68.20 | -2.02 | 58.55 | 3 | Vertical | 7 | 2.28 | - | 34.06 | 5.73 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.646G | 61.94 | 68.20 | -6.26 | 54.67 | 3 | Horizontal | 3 | 2.39 | - | 33.81 | 5.60 | 32.14 |
| PK | 5.78G | 114.34 | Inf | -Inf | 107.15 | 3 | Horizontal | 3 | 2.39 | - | 33.74 | 5.60 | 32.15 |
| AV | 5.781G | 100.29 | Inf | -Inf | 93.10 | 3 | Horizontal | 3 | 2.39 | - | 33.74 | 5.60 | 32.15 |
| PK | 5.929G | 63.35 | 68.20 | -4.85 | 55.72 | 3 | Horizontal | 3 | 2.39 | - | 34.06 | 5.73 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.56892G | 57.73 | 74.00 | -16.27 | 43.83 | 3 | Vertical | 305 | 2.88 | - | 39.21 | 7.93 | 33.24 |
| AV | 11.56994G | 44.03 | 54.00 | -9.97 | 30.13 | 3 | Vertical | 305 | 2.88 | - | 39.21 | 7.93 | 33.24 |
| PK | 17.36832G | 59.93 | 68.20 | -8.27 | 39.52 | 3 | Vertical | 161 | 1.08 | - | 42.85 | 10.68 | 33.12 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 108
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.57606G | 54.65 | 74.00 | -19.35 | 40.73 | 3 | Horizontal | 303 | 2.16 | - | 39.23 | 7.93 | 33.24 |
| AV | 11.57006G | 40.17 | 54.00 | -13.83 | 26.27 | 3 | Horizontal | 303 | 2.16 | - | 39.21 | 7.93 | 33.24 |
| PK | 17.35518G | 60.12 | 68.20 | -8.08 | 39.84 | 3 | Horizontal | 307 | 1.07 | - | 42.74 | 10.68 | 33.14 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 97
02-B-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.634G | 59.63 | 68.20 | -8.57 | 52.34 | 3 | Vertical | 6 | 2.34 | - | 33.83 | 5.60 | 32.14 |
| PK | 5.828G | 117.50 | Inf | -Inf | 110.26 | 3 | Vertical | 6 | 2.34 | - | 33.76 | 5.63 | 32.15 |
| AV | 5.827G | 104.48 | Inf | -Inf | 97.25 | 3 | Vertical | 6 | 2.34 | - | 33.75 | 5.63 | 32.15 |
| PK | 5.932G | 67.85 | 68.20 | -0.35 | 60.22 | 3 | Vertical | 6 | 2.34 | - | 34.06 | 5.73 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 97
02-B-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.617G | 57.93 | 68.20 | -10.27 | 50.60 | 3 | Horizontal | 2 | 2.29 | - | 33.87 | 5.60 | 32.14 |
| PK | 5.826G | 113.99 | Inf | -Inf | 106.76 | 3 | Horizontal | 2 | 2.29 | - | 33.75 | 5.63 | 32.15 |
| AV | 5.822G | 100.29 | Inf | -Inf | 93.08 | 3 | Horizontal | 2 | 2.29 | - | 33.74 | 5.62 | 32.15 |
| PK | 5.924G | 62.90 | 68.94 | -6.04 | 55.29 | 3 | Horizontal | 2 | 2.29 | - | 34.05 | 5.72 | 32.16 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 97
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.63536G | 52.65 | 74.00 | -21.35 | 38.62 | 3 | Vertical | 97 | 2.29 | - | 39.34 | 7.95 | 33.26 |
| AV | 11.644G | 38.90 | 54.00 | -15.10 | 24.86 | 3 | Vertical | 97 | 2.29 | - | 39.34 | 7.96 | 33.26 |

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 97
02-B-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.6527G | 52.98 | 74.00 | -21.02 | 38.93 | 3 | Horizontal | 153 | 1.21 | - | 39.35 | 7.96 | 33.26 |
| AV | 11.65504G | 38.99 | 54.00 | -15.01 | 24.93 | 3 | Horizontal | 153 | 1.21 | - | 39.36 | 7.96 | 33.26 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_Z_1TX
Setting 78
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.15G | 65.92 | 74.00 | -8.08 | 59.32 | 3 | Vertical | 281 | 2.40 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1492G | 52.59 | 54.00 | -1.41 | 45.99 | 3 | Vertical | 281 | 2.40 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.184G | 109.29 | Inf | -Inf | 102.66 | 3 | Vertical | 281 | 2.40 | - | 33.50 | 5.28 | 32.15 |
| AV | 5.1884G | 96.44 | Inf | -Inf | 89.80 | 3 | Vertical | 281 | 2.40 | - | 33.50 | 5.29 | 32.15 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_Z_1TX
Setting 78
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.146G | 64.56 | 74.00 | -9.44 | 57.96 | 3 | Horizontal | 331 | 2.70 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 52.22 | 54.00 | -1.78 | 45.62 | 3 | Horizontal | 331 | 2.70 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.18G | 106.93 | Inf | -Inf | 100.30 | 3 | Horizontal | 331 | 2.70 | - | 33.50 | 5.28 | 32.15 |
| AV | 5.184G | 94.87 | Inf | -Inf | 88.24 | 3 | Horizontal | 331 | 2.70 | - | 33.50 | 5.28 | 32.15 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_Z_1TX
Setting 78
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.56812G | 53.18 | 74.00 | -20.82 | 38.90 | 3 | Vertical | 335 | 2.40 | - | 37.70 | 9.81 | 33.23 |
| AV | 15.56804G | 40.45 | 54.00 | -13.55 | 26.17 | 3 | Vertical | 335 | 2.40 | - | 37.70 | 9.81 | 33.23 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_Z_1TX
Setting 78
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.56944G | 52.68 | 74.00 | -21.32 | 38.41 | 3 | Horizontal | 303 | 2.53 | - | 37.69 | 9.81 | 33.23 |
| AV | 15.56396G | 40.44 | 54.00 | -13.56 | 26.16 | 3 | Horizontal | 303 | 2.53 | - | 37.71 | 9.80 | 33.23 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_Z_1TX
Setting 91
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1496G | 66.64 | 74.00 | -7.36 | 60.04 | 3 | Vertical | 332 | 2.41 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.1496G | 53.85 | 54.00 | -0.15 | 47.25 | 3 | Vertical | 332 | 2.41 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2474G | 109.67 | Inf | -Inf | 102.91 | 3 | Vertical | 332 | 2.41 | - | 33.59 | 5.32 | 32.15 |
| AV | 5.239G | 96.98 | Inf | -Inf | 90.23 | 3 | Vertical | 332 | 2.41 | - | 33.58 | 5.32 | 32.15 |
| PK | 5.35G | 61.49 | 74.00 | -12.51 | 54.55 | 3 | Vertical | 332 | 2.41 | - | 33.70 | 5.38 | 32.14 |
| AV | 5.3506G | 47.21 | 54.00 | -6.79 | 40.27 | 3 | Vertical | 332 | 2.41 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_Z_1TX
Setting 91
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1472G | 66.40 | 74.00 | -7.60 | 59.80 | 3 | Horizontal | 331 | 2.42 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 53.84 | 54.00 | -0.16 | 47.24 | 3 | Horizontal | 331 | 2.42 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.2348G | 108.74 | Inf | -Inf | 102.00 | 3 | Horizontal | 331 | 2.42 | - | 33.57 | 5.32 | 32.15 |
| AV | 5.2438G | 96.78 | Inf | -Inf | 90.02 | 3 | Horizontal | 331 | 2.42 | - | 33.59 | 5.32 | 32.15 |
| PK | 5.3536G | 59.98 | 74.00 | -14.02 | 53.03 | 3 | Horizontal | 331 | 2.42 | - | 33.71 | 5.38 | 32.14 |
| AV | 5.3512G | 47.42 | 54.00 | -6.58 | 40.48 | 3 | Horizontal | 331 | 2.42 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_Z_1TX
Setting 91
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.68756G | 52.79 | 74.00 | -21.21 | 38.88 | 3 | Vertical | 18 | 2.49 | - | 37.42 | 9.86 | 33.37 |
| AV | 15.68556G | 40.12 | 54.00 | -13.88 | 26.20 | 3 | Vertical | 18 | 2.49 | - | 37.43 | 9.86 | 33.37 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_Z_1TX
Setting 91
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.69016G | 52.31 | 74.00 | -21.69 | 38.40 | 3 | Horizontal | 286 | 2.39 | - | 37.42 | 9.86 | 33.37 |
| AV | 15.6964G | 39.98 | 54.00 | -14.02 | 26.09 | 3 | Horizontal | 286 | 2.39 | - | 37.41 | 9.86 | 33.38 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 96
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.647G | 67.51 | 68.20 | -0.69 | 60.24 | 3 | Vertical | 8 | 2.38 | - | 33.81 | 5.60 | 32.14 |
| PK | 5.752G | 114.03 | Inf | -Inf | 106.78 | 3 | Vertical | 8 | 2.38 | - | 33.80 | 5.60 | 32.15 |
| AV | 5.762G | 101.39 | Inf | -Inf | 94.16 | 3 | Vertical | 8 | 2.38 | - | 33.78 | 5.60 | 32.15 |
| PK | 5.937G | 60.78 | 68.20 | -7.42 | 53.13 | 3 | Vertical | 8 | 2.38 | - | 34.07 | 5.74 | 32.16 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 96
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.65G | 64.64 | 68.20 | -3.56 | 57.38 | 3 | Horizontal | 4 | 2.40 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.747G | 108.96 | Inf | -Inf | 101.71 | 3 | Horizontal | 4 | 2.40 | - | 33.79 | 5.60 | 32.14 |
| AV | 5.751G | 97.42 | Inf | -Inf | 90.17 | 3 | Horizontal | 4 | 2.40 | - | 33.80 | 5.60 | 32.15 |
| PK | 5.935G | 59.82 | 68.20 | -8.38 | 52.17 | 3 | Horizontal | 4 | 2.40 | - | 34.07 | 5.74 | 32.16 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 96
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.50412G | 51.94 | 74.00 | -22.06 | 38.25 | 3 | Vertical | 22 | 2.65 | - | 39.01 | 7.90 | 33.22 |
| AV | 11.51856G | 39.34 | 54.00 | -14.66 | 25.59 | 3 | Vertical | 22 | 2.65 | - | 39.06 | 7.91 | 33.22 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 96
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.51316G | 51.73 | 74.00 | -22.27 | 38.00 | 3 | Horizontal | 149 | 1.82 | - | 39.04 | 7.91 | 33.22 |
| AV | 11.50484G | 39.31 | 54.00 | -14.69 | 25.62 | 3 | Horizontal | 149 | 1.82 | - | 39.01 | 7.90 | 33.22 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.652G | 65.65 | 69.68 | -4.03 | 58.39 | 3 | Vertical | 6 | 2.28 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.798G | 112.98 | Inf | -Inf | 105.83 | 3 | Vertical | 6 | 2.28 | - | 33.70 | 5.60 | 32.15 |
| AV | 5.787G | 101.11 | Inf | -Inf | 93.93 | 3 | Vertical | 6 | 2.28 | - | 33.73 | 5.60 | 32.15 |
| PK | 5.924G | 68.37 | 68.94 | -0.57 | 60.76 | 3 | Vertical | 6 | 2.28 | - | 34.05 | 5.72 | 32.16 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.648G | 62.27 | 68.20 | -5.93 | 55.01 | 3 | Horizontal | 4 | 2.37 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.794G | 108.60 | Inf | -Inf | 101.44 | 3 | Horizontal | 4 | 2.37 | - | 33.71 | 5.60 | 32.15 |
| AV | 5.794G | 97.11 | Inf | -Inf | 89.95 | 3 | Horizontal | 4 | 2.37 | - | 33.71 | 5.60 | 32.15 |
| PK | 5.924G | 62.71 | 68.94 | -6.23 | 55.10 | 3 | Horizontal | 4 | 2.37 | - | 34.05 | 5.72 | 32.16 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.58812G | 51.52 | 74.00 | -22.48 | 37.56 | 3 | Vertical | 98 | 2.68 | - | 39.26 | 7.94 | 33.24 |
| AV | 11.6G | 39.74 | 54.00 | -14.26 | 25.75 | 3 | Vertical | 98 | 2.68 | - | 39.30 | 7.94 | 33.25 |

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 98
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.59384G | 51.71 | 74.00 | -22.29 | 37.73 | 3 | Horizontal | 207 | 1.98 | - | 39.28 | 7.94 | 33.24 |
| AV | 11.58744G | 39.58 | 54.00 | -14.42 | 25.63 | 3 | Horizontal | 207 | 1.98 | - | 39.26 | 7.93 | 33.24 |

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 80
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1484G | 67.28 | 74.00 | -6.72 | 60.68 | 3 | Vertical | 283 | 2.63 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 53.26 | 54.00 | -0.74 | 46.66 | 3 | Vertical | 283 | 2.63 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1916G | 106.06 | Inf | -Inf | 99.42 | 3 | Vertical | 283 | 2.63 | - | 33.50 | 5.29 | 32.15 |
| AV | 5.198G | 93.61 | Inf | -Inf | 86.96 | 3 | Vertical | 283 | 2.63 | - | 33.50 | 5.30 | 32.15 |
| PK | 5.354G | 58.46 | 74.00 | -15.54 | 51.51 | 3 | Vertical | 283 | 2.63 | - | 33.71 | 5.38 | 32.14 |
| AV | 5.3508G | 46.72 | 54.00 | -7.28 | 39.78 | 3 | Vertical | 283 | 2.63 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 80
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.15G | 64.46 | 74.00 | -9.54 | 57.86 | 3 | Horizontal | 331 | 2.46 | - | 33.50 | 5.25 | 32.15 |
| AV | 5.15G | 52.15 | 54.00 | -1.85 | 45.55 | 3 | Horizontal | 331 | 2.46 | - | 33.50 | 5.25 | 32.15 |
| PK | 5.1892G | 103.76 | Inf | -Inf | 97.12 | 3 | Horizontal | 331 | 2.46 | - | 33.50 | 5.29 | 32.15 |
| AV | 5.1788G | 90.85 | Inf | -Inf | 84.22 | 3 | Horizontal | 331 | 2.46 | - | 33.50 | 5.28 | 32.15 |
| PK | 5.3628G | 57.93 | 74.00 | -16.07 | 50.96 | 3 | Horizontal | 331 | 2.46 | - | 33.73 | 5.38 | 32.14 |
| AV | 5.3516G | 46.11 | 54.00 | -7.89 | 39.17 | 3 | Horizontal | 331 | 2.46 | - | 33.70 | 5.38 | 32.14 |

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 80
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.63464G | 52.38 | 74.00 | -21.62 | 38.32 | 3 | Vertical | 149 | 2.35 | - | 37.53 | 9.84 | 33.31 |
| AV | 15.63728G | 40.18 | 54.00 | -13.82 | 26.12 | 3 | Vertical | 149 | 2.35 | - | 37.53 | 9.84 | 33.31 |

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 80
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.636G | 52.84 | 74.00 | -21.16 | 38.78 | 3 | Horizontal | 148 | 1.58 | - | 37.53 | 9.84 | 33.31 |
| AV | 15.62564G | 40.31 | 54.00 | -13.69 | 26.23 | 3 | Horizontal | 148 | 1.58 | - | 37.55 | 9.83 | 33.30 |

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT Z_1TX
Setting 87
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.65G | 68.06 | 68.20 | -0.14 | 60.80 | 3 | Vertical | 9 | 2.18 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.76G | 109.23 | Inf | -Inf | 102.00 | 3 | Vertical | 9 | 2.18 | - | 33.78 | 5.60 | 32.15 |
| AV | 5.766G | 96.87 | Inf | -Inf | 89.65 | 3 | Vertical | 9 | 2.18 | - | 33.77 | 5.60 | 32.15 |
| PK | 5.926G | 66.27 | 68.20 | -1.93 | 58.65 | 3 | Vertical | 9 | 2.18 | - | 34.05 | 5.73 | 32.16 |

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT Z_1TX
Setting 87
02-B-R-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.65G | 64.10 | 68.20 | -4.10 | 56.84 | 3 | Horizontal | 2 | 2.30 | - | 33.80 | 5.60 | 32.14 |
| PK | 5.757G | 104.54 | Inf | -Inf | 97.30 | 3 | Horizontal | 2 | 2.30 | - | 33.79 | 5.60 | 32.15 |
| AV | 5.763G | 92.83 | Inf | -Inf | 85.61 | 3 | Horizontal | 2 | 2.30 | - | 33.77 | 5.60 | 32.15 |
| PK | 5.931G | 62.85 | 68.20 | -5.35 | 55.22 | 3 | Horizontal | 2 | 2.30 | - | 34.06 | 5.73 | 32.16 |

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 87
02-B-R-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.5522G | 51.61 | 74.00 | -22.39 | 37.76 | 3 | Vertical | 23 | 2.45 | - | 39.16 | 7.92 | 33.23 |
| AV | 11.55228G | 39.27 | 54.00 | -14.73 | 25.42 | 3 | Vertical | 23 | 2.45 | - | 39.16 | 7.92 | 33.23 |

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT_Z_1TX
Setting 87
02-B-R-5


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.54788G | 51.84 | 74.00 | -22.16 | 38.01 | 3 | Horizontal | 237 | 2.92 | - | 39.14 | 7.92 | 33.23 |
| AV | 11.55768G | 39.56 | 54.00 | -14.44 | 25.70 | 3 | Horizontal | 237 | 2.92 | - | 39.17 | 7.92 | 33.23 |



Summary


| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Condition |
|--------|--------|------|-----------|----------------|----------------|-------------|-----------|
| Mode 1 | Pass | AV | 1.17866G | 31.19 | 54.00 | -22.81 | Vertical |

Mode 1



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| PK | 1.17908G | 41.58 | 74.00 | -32.42 | -8.74 | 3 | Vertical | 360 | 2.18 | - | 50.32 | 25.40 | 3.17 | 37.31 |
| AV | 1.17866G | 31.19 | 54.00 | -22.81 | -8.74 | 3 | Vertical | 360 | 2.18 | "Worst" | 39.93 | 25.40 | 3.17 | 37.31 |

Mode 1



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| PK | 1.1769G | 39.58 | 74.00 | -34.42 | -8.74 | 3 | Horizontal | 360 | 1.06 | - | 48.32 | 25.40 | 3.17 | 37.31 |
| AV | 1.17848G | 28.53 | 54.00 | -25.47 | -8.74 | 3 | Horizontal | 360 | 1.06 | "Worst" | 37.27 | 25.40 | 3.17 | 37.31 |