


### 802.11g\_Nss1,(6Mbps)\_1TX

### 2457MHz\_TX




EUT Y\_1TX  
Setting 83  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4544G	112.95	Inf	-Inf	81.68	3	Horizontal	342	2.10	-	28.42	2.85	-
AV	2.4582G	102.40	Inf	-Inf	71.11	3	Horizontal	342	2.10	-	28.43	2.86	-
PK	2.4835G	68.96	74.00	-5.04	37.55	3	Horizontal	342	2.10	-	28.53	2.88	-
AV	2.4835G	53.98	54.00	-0.02	22.57	3	Horizontal	342	2.10	-	28.53	2.88	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 75  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4556G	106.03	Inf	-Inf	74.75	3	Vertical	-0	2.64	-	28.42	2.86	-
AV	2.4568G	95.87	Inf	-Inf	64.58	3	Vertical	-0	2.64	-	28.43	2.86	-
PK	2.4836G	65.48	74.00	-8.52	34.07	3	Vertical	-0	2.64	-	28.53	2.88	-
AV	2.4835G	49.68	54.00	-4.32	18.27	3	Vertical	-0	2.64	-	28.53	2.88	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 75  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4666G	110.98	Inf	-Inf	79.64	3	Horizontal	35	2.45	-	28.47	2.87	-
AV	2.4608G	99.98	Inf	-Inf	68.68	3	Horizontal	35	2.45	-	28.44	2.86	-
PK	2.4836G	69.71	74.00	-4.29	38.30	3	Horizontal	35	2.45	-	28.53	2.88	-
AV	2.4835G	53.63	54.00	-0.37	22.22	3	Horizontal	35	2.45	-	28.53	2.88	-

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 75  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92754G	45.55	74.00	-28.45	39.47	3	Vertical	81	1.28	-	33.17	5.10	32.19
AV	4.9255G	31.95	54.00	-22.05	25.89	3	Vertical	81	1.28	-	33.15	5.10	32.19

### 802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 75  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92834G	45.11	74.00	-28.89	39.03	3	Horizontal	157	2.28	-	33.17	5.10	32.19
AV	4.92304G	32.01	54.00	-21.99	25.96	3	Horizontal	157	2.28	-	33.14	5.10	32.19

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 76  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	62.00	74.00	-12.00	30.83	3	Vertical	11	2.69	-	28.38	2.79	-
AV	2.3898G	49.53	54.00	-4.47	18.36	3	Vertical	11	2.69	-	28.38	2.79	-
PK	2.4184G	109.53	Inf	-Inf	78.31	3	Vertical	11	2.69	-	28.40	2.82	-
AV	2.4132G	96.63	Inf	-Inf	65.42	3	Vertical	11	2.69	-	28.40	2.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 76  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	64.90	74.00	-9.10	33.73	3	Horizontal	40	2.46	-	28.38	2.79	-
AV	2.39G	52.05	54.00	-1.95	20.88	3	Horizontal	40	2.46	-	28.38	2.79	-
PK	2.4146G	113.25	Inf	-Inf	82.04	3	Horizontal	40	2.46	-	28.40	2.81	-
AV	2.4112G	100.40	Inf	-Inf	69.19	3	Horizontal	40	2.46	-	28.40	2.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 76  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82054G	45.09	74.00	-28.91	39.43	3	Vertical	357	2.22	-	32.78	5.10	32.22
AV	4.82896G	31.60	54.00	-22.40	25.90	3	Vertical	357	2.22	-	32.82	5.10	32.22



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 76  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82214G	44.89	74.00	-29.11	39.22	3	Horizontal	139	2.71	-	32.79	5.10	32.22
AV	4.82392G	31.67	54.00	-22.33	25.99	3	Horizontal	139	2.71	-	32.80	5.10	32.22

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT V\_1TX  
Setting 84  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	69.44	74.00	-4.56	38.27	3	Vertical	8	2.49	-	28.38	2.79	-
AV	2.3898G	50.19	54.00	-3.81	19.02	3	Vertical	8	2.49	-	28.38	2.79	-
PK	2.4346G	111.96	Inf	-Inf	80.73	3	Vertical	8	2.49	-	28.40	2.83	-
AV	2.4314G	99.13	Inf	-Inf	67.90	3	Vertical	8	2.49	-	28.40	2.83	-
PK	2.4842G	65.17	74.00	-8.83	33.75	3	Vertical	8	2.49	-	28.54	2.88	-
AV	2.4835G	48.41	54.00	-5.59	17.00	3	Vertical	8	2.49	-	28.53	2.88	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT V\_1TX  
Setting 84  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	71.53	74.00	-2.47	40.36	3	Horizontal	38	2.26	-	28.38	2.79	-
AV	2.3898G	53.93	54.00	-0.07	22.76	3	Horizontal	38	2.26	-	28.38	2.79	-
PK	2.4334G	114.98	Inf	-Inf	83.75	3	Horizontal	38	2.26	-	28.40	2.83	-
AV	2.4338G	102.45	Inf	-Inf	71.22	3	Horizontal	38	2.26	-	28.40	2.83	-
PK	2.4835G	66.86	74.00	-7.14	35.45	3	Horizontal	38	2.26	-	28.53	2.88	-
AV	2.4835G	50.24	54.00	-3.76	18.83	3	Horizontal	38	2.26	-	28.53	2.88	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 84  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87502G	48.44	74.00	-25.56	42.59	3	Vertical	289	2.13	-	32.95	5.10	32.20
AV	4.87304G	35.30	54.00	-18.70	29.46	3	Vertical	289	2.13	-	32.95	5.10	32.21
PK	7.30782G	51.28	74.00	-22.72	41.53	3	Vertical	18	1.26	-	36.42	6.15	32.82
AV	7.31454G	38.11	54.00	-15.89	28.35	3	Vertical	18	1.26	-	36.43	6.16	32.83

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 84  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87268G	53.56	74.00	-20.44	47.72	3	Horizontal	10	2.94	-	32.95	5.10	32.21
AV	4.874G	40.74	54.00	-13.26	34.90	3	Horizontal	10	2.94	-	32.95	5.10	32.21
PK	7.30158G	51.07	74.00	-22.93	41.32	3	Horizontal	316	1.70	-	36.40	6.15	32.80
AV	7.31292G	38.27	54.00	-15.73	28.50	3	Horizontal	316	1.70	-	36.43	6.16	32.82

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 74  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4566G	107.64	Inf	-Inf	76.35	3	Vertical	0	2.65	-	28.43	2.86	-
AV	2.4564G	94.88	Inf	-Inf	63.59	3	Vertical	0	2.65	-	28.43	2.86	-
PK	2.4835G	65.51	74.00	-8.49	34.10	3	Vertical	0	2.65	-	28.53	2.88	-
AV	2.4835G	50.09	54.00	-3.91	18.68	3	Vertical	0	2.65	-	28.53	2.88	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 74  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.459G	112.59	Inf	-Inf	81.29	3	Horizontal	37	2.21	-	28.44	2.86	-
AV	2.46G	99.32	Inf	-Inf	68.02	3	Horizontal	37	2.21	-	28.44	2.86	-
PK	2.4842G	67.90	74.00	-6.10	36.48	3	Horizontal	37	2.21	-	28.54	2.88	-
AV	2.4836G	53.87	54.00	-0.13	22.46	3	Horizontal	37	2.21	-	28.53	2.88	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 74  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9271G	45.35	74.00	-28.65	39.28	3	Vertical	249	2.34	-	33.16	5.10	32.19
AV	4.92466G	31.82	54.00	-22.18	25.76	3	Vertical	249	2.34	-	33.15	5.10	32.19



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 74  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92856G	44.99	74.00	-29.01	38.91	3	Horizontal	78	2.91	-	33.17	5.10	32.19
AV	4.92596G	31.84	54.00	-22.16	25.77	3	Horizontal	78	2.91	-	33.16	5.10	32.19

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT\_V\_1TX  
Setting 71  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	63.86	74.00	-10.14	32.69	3	Vertical	0	2.70	-	28.38	2.79	-
AV	2.39G	50.81	54.00	-3.19	19.64	3	Vertical	0	2.70	-	28.38	2.79	-
PK	2.4228G	105.92	Inf	-Inf	74.70	3	Vertical	0	2.70	-	28.40	2.82	-
AV	2.4208G	93.67	Inf	-Inf	62.45	3	Vertical	0	2.70	-	28.40	2.82	-
PK	2.484G	56.53	74.00	-17.47	25.11	3	Vertical	0	2.70	-	28.54	2.88	-
AV	2.5G	45.11	54.00	-8.89	13.61	3	Vertical	0	2.70	-	28.60	2.90	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT V\_1TX  
Setting 71  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3864G	65.45	74.00	-8.55	34.29	3	Horizontal	39	2.49	-	28.37	2.79	-
AV	2.3896G	53.91	54.00	-0.09	22.74	3	Horizontal	39	2.49	-	28.38	2.79	-
PK	2.4164G	109.86	Inf	-Inf	78.64	3	Horizontal	39	2.49	-	28.40	2.82	-
AV	2.41G	97.60	Inf	-Inf	66.39	3	Horizontal	39	2.49	-	28.40	2.81	-
PK	2.484G	56.91	74.00	-17.09	25.49	3	Horizontal	39	2.49	-	28.54	2.88	-
AV	2.484G	45.73	54.00	-8.27	14.31	3	Horizontal	39	2.49	-	28.54	2.88	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT Y\_1TX  
Setting 71  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8459G	45.24	74.00	-28.76	39.48	3	Vertical	199	2.63	-	32.88	5.10	32.22
AV	4.83914G	32.86	54.00	-21.14	27.12	3	Vertical	199	2.63	-	32.86	5.10	32.22

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2422MHz\_TX




EUT Y\_1TX  
Setting 71  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84424G	45.44	74.00	-28.56	39.68	3	Horizontal	1	1.18	-	32.88	5.10	32.22
AV	4.84018G	32.65	54.00	-21.35	26.91	3	Horizontal	1	1.18	-	32.86	5.10	32.22

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT V\_1TX  
Setting 65  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.80	74.00	-8.20	34.63	3	Vertical	10	2.50	-	28.38	2.79	-
AV	2.3898G	50.59	54.00	-3.41	19.42	3	Vertical	10	2.50	-	28.38	2.79	-
PK	2.4314G	104.75	Inf	-Inf	73.52	3	Vertical	10	2.50	-	28.40	2.83	-
AV	2.4306G	92.67	Inf	-Inf	61.44	3	Vertical	10	2.50	-	28.40	2.83	-
PK	2.4838G	63.78	74.00	-10.22	32.36	3	Vertical	10	2.50	-	28.54	2.88	-
AV	2.4835G	48.15	54.00	-5.85	16.74	3	Vertical	10	2.50	-	28.53	2.88	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT V\_1TX  
Setting 65  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	71.20	74.00	-2.80	40.04	3	Horizontal	39	2.26	-	28.37	2.79	-
AV	2.3894G	53.70	54.00	-0.30	22.53	3	Horizontal	39	2.26	-	28.38	2.79	-
PK	2.431G	108.79	Inf	-Inf	77.56	3	Horizontal	39	2.26	-	28.40	2.83	-
AV	2.431G	95.82	Inf	-Inf	64.59	3	Horizontal	39	2.26	-	28.40	2.83	-
PK	2.4838G	66.62	74.00	-7.38	35.20	3	Horizontal	39	2.26	-	28.54	2.88	-
AV	2.4835G	50.31	54.00	-3.69	18.90	3	Horizontal	39	2.26	-	28.53	2.88	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 65  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86906G	45.28	74.00	-28.72	39.45	3	Vertical	81	1.79	-	32.94	5.10	32.21
AV	4.87342G	32.81	54.00	-21.19	26.97	3	Vertical	81	1.79	-	32.95	5.10	32.21



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 65  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87668G	45.12	74.00	-28.88	39.27	3	Horizontal	24	1.83	-	32.95	5.10	32.20
AV	4.87146G	32.78	54.00	-21.22	26.95	3	Horizontal	24	1.83	-	32.94	5.10	32.21

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT V\_1TX  
Setting 69  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3824G	56.42	74.00	-17.58	25.27	3	Vertical	256	1.76	-	28.36	2.79	-
AV	2.3876G	44.93	54.00	-9.07	13.76	3	Vertical	256	1.76	-	28.38	2.79	-
PK	2.4376G	104.25	Inf	-Inf	73.01	3	Vertical	256	1.76	-	28.40	2.84	-
AV	2.4348G	91.38	Inf	-Inf	60.15	3	Vertical	256	1.76	-	28.40	2.83	-
PK	2.4848G	58.75	74.00	-15.25	27.33	3	Vertical	256	1.76	-	28.54	2.88	-
AV	2.4835G	47.87	54.00	-6.13	16.46	3	Vertical	256	1.76	-	28.53	2.88	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT V\_1TX  
Setting 69  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	58.89	74.00	-15.11	27.73	3	Horizontal	39	1.86	-	28.37	2.79	-
AV	2.386G	47.09	54.00	-6.91	15.93	3	Horizontal	39	1.86	-	28.37	2.79	-
PK	2.4504G	108.35	Inf	-Inf	77.10	3	Horizontal	39	1.86	-	28.40	2.85	-
AV	2.4392G	96.02	Inf	-Inf	64.78	3	Horizontal	39	1.86	-	28.40	2.84	-
PK	2.4848G	64.85	74.00	-9.15	33.43	3	Horizontal	39	1.86	-	28.54	2.88	-
AV	2.4844G	53.29	54.00	-0.71	21.87	3	Horizontal	39	1.86	-	28.54	2.88	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX




EUT Y\_1TX  
Setting 69  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90456G	45.67	74.00	-28.33	39.73	3	Vertical	229	1.69	-	33.03	5.10	32.19
AV	4.90758G	33.12	54.00	-20.88	27.16	3	Vertical	229	1.69	-	33.05	5.10	32.19
PK	7.35856G	49.83	74.00	-24.17	40.03	3	Vertical	18	2.00	-	36.52	6.18	32.90
AV	7.35588G	37.23	54.00	-16.77	27.44	3	Vertical	18	2.00	-	36.51	6.18	32.90

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 2452MHz\_TX



EUT Y\_1TX  
Setting 69  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90686G	45.99	74.00	-28.01	40.04	3	Horizontal	232	2.12	-	33.04	5.10	32.19
AV	4.9066G	33.19	54.00	-20.81	27.24	3	Horizontal	232	2.12	-	33.04	5.10	32.19
PK	7.35474G	50.02	74.00	-23.98	40.23	3	Horizontal	293	1.49	-	36.51	6.18	32.90
AV	7.35678G	37.44	54.00	-16.56	27.65	3	Horizontal	293	1.49	-	36.51	6.18	32.90




For radio 2 / Ant. 16 / non beamforming  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	2.3899G	53.88	54.00	-0.12	3	Vertical	320	1.10	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
 SET 78  
 60/80/70/75/77/78  
 7.96/-0.61/6.02/4.02/2.51/1.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	62.87	74.00	-11.13	31.51	3	Vertical	54	1.28	-	27.56	3.80	-
AV	2.3853G	52.55	54.00	-1.45	21.21	3	Vertical	54	1.28	-	27.54	3.80	-
PK	2.411G	119.79	Inf	-Inf	88.40	3	Vertical	54	1.28	-	27.58	3.81	-
AV	2.4112G	116.06	Inf	-Inf	84.67	3	Vertical	54	1.28	-	27.58	3.81	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 78  
78  
7.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3854G	58.28	74.00	-15.72	26.94	3	Horizontal	314	1.80	-	27.54	3.80	-
AV	2.3854G	46.91	54.00	-7.09	15.57	3	Horizontal	314	1.80	-	27.54	3.80	-
PK	2.413G	111.40	Inf	-Inf	80.02	3	Horizontal	314	1.80	-	27.57	3.81	-
AV	2.4127G	107.43	Inf	-Inf	76.05	3	Horizontal	314	1.80	-	27.57	3.81	-



### 802.11b\_Nss1,(1Mbps)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 78  
78  
5.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.824G	53.11	74.00	-20.89	47.34	3	Vertical	360	2.10	-	32.45	6.30	32.98
AV	4.82396G	48.09	54.00	-5.91	42.32	3	Vertical	360	2.10	-	32.45	6.30	32.98

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 78  
78  
12.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.824G	48.74	74.00	-25.26	42.97	3	Horizontal	322	1.53	-	32.45	6.30	32.98
AV	4.82394G	41.30	54.00	-12.70	35.53	3	Horizontal	322	1.53	-	32.45	6.30	32.98

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2417MHz\_TX




EUTY\_4TX  
 SET 81  
 83/63/73/78/80/81  
 -0.05/7.68/5.22/2.02/1.01/0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	63.92	74.00	-10.08	32.56	3	Vertical	53	1.08	-	27.56	3.80	-
AV	2.39G	53.71	54.00	-0.29	22.35	3	Vertical	53	1.08	-	27.56	3.80	-
PK	2.4179G	120.07	Inf	-Inf	88.70	3	Vertical	53	1.08	-	27.56	3.81	-
AV	2.4162G	116.35	Inf	-Inf	84.97	3	Vertical	53	1.08	-	27.57	3.81	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2417MHz\_TX




EUTY\_4TX  
SET 81  
81  
7.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	58.29	74.00	-15.71	26.93	3	Horizontal	312	1.80	-	27.56	3.80	-
AV	2.39G	46.98	54.00	-7.02	15.62	3	Horizontal	312	1.80	-	27.56	3.80	-
PK	2.416G	112.04	Inf	-Inf	80.66	3	Horizontal	312	1.80	-	27.57	3.81	-
AV	2.4162G	108.30	Inf	-Inf	76.92	3	Horizontal	312	1.80	-	27.57	3.81	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2437MHz\_TX




EUT\_Y\_4TX  
 SET 88  
 88/108/98/93/91/90/88  
 3.88/-25.62/-25.50/-10.95/-4.15/-1.48/0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	61.96	74.00	-12.04	30.60	3	Vertical	279	2.15	-	27.56	3.80	-
AV	2.38852G	53.08	54.00	-0.92	21.73	3	Vertical	279	2.15	-	27.55	3.80	-
PK	2.43796G	120.34	Inf	-Inf	89.00	3	Vertical	279	2.15	-	27.52	3.82	-
AV	2.4362G	116.56	Inf	-Inf	85.21	3	Vertical	279	2.15	-	27.53	3.82	-
PK	2.48388G	62.67	74.00	-11.33	31.13	3	Vertical	279	2.15	-	27.70	3.84	-
AV	2.4835G	49.81	54.00	-4.19	18.27	3	Vertical	279	2.15	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 88  
88  
9.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38868G	56.83	74.00	-17.17	25.48	3	Horizontal	19	1.92	-	27.55	3.80	-
AV	2.38996G	44.50	54.00	-9.50	13.14	3	Horizontal	19	1.92	-	27.56	3.80	-
PK	2.43796G	113.82	Inf	-Inf	82.48	3	Horizontal	19	1.92	-	27.52	3.82	-
AV	2.4378G	109.97	Inf	-Inf	78.63	3	Horizontal	19	1.92	-	27.52	3.82	-
PK	2.48852G	57.04	74.00	-16.96	25.47	3	Horizontal	19	1.92	-	27.73	3.84	-
AV	2.48564G	44.57	54.00	-9.43	13.02	3	Horizontal	19	1.92	-	27.71	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 88  
88  
5.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87396G	53.22	74.00	-20.78	47.35	3	Vertical	0	1.80	-	32.55	6.30	32.98
AV	4.87396G	48.69	54.00	-5.31	42.82	3	Vertical	0	1.80	-	32.55	6.30	32.98

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 88  
88  
14.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87412G	48.79	74.00	-25.21	42.92	3	Horizontal	188	2.13	-	32.55	6.30	32.98
AV	4.874G	39.97	54.00	-14.03	34.10	3	Horizontal	188	2.13	-	32.55	6.30	32.98



### 802.11b\_Nss1,(1Mbps)\_4TX

### 2457MHz\_TX




EUTY\_4TX  
 SET 82  
 80/100/90/85/83/82  
 1.21/-40.68/-24.23/-6.64/-0.91/0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.456G	119.31	Inf	-Inf	87.94	3	Vertical	57	1.13	-	27.54	3.83	-
AV	2.4562G	115.61	Inf	-Inf	84.24	3	Vertical	57	1.13	-	27.54	3.83	-
PK	2.4839G	64.26	74.00	-9.74	32.72	3	Vertical	57	1.13	-	27.70	3.84	-
AV	2.4837G	53.83	54.00	-0.17	22.29	3	Vertical	57	1.13	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2457MHz\_TX




EUTY\_4TX  
SET 82  
82  
8.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.456G	112.23	Inf	-Inf	80.86	3	Horizontal	21	1.85	-	27.54	3.83	-
AV	2.4562G	108.41	Inf	-Inf	77.04	3	Horizontal	21	1.85	-	27.54	3.83	-
PK	2.4837G	57.02	74.00	-16.98	25.48	3	Horizontal	21	1.85	-	27.70	3.84	-
AV	2.4837G	45.82	54.00	-8.18	14.28	3	Horizontal	21	1.85	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUT Y\_4TX  
 SET 78  
 78/98/88/83/81/80/78  
 1.99/-41.32/-20.59/-2.87/-3.95/-1.59/1.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	118.92	Inf	-Inf	87.52	3	Vertical	276	2.44	-	27.57	3.83	-
AV	2.4612G	115.17	Inf	-Inf	83.77	3	Vertical	276	2.44	-	27.57	3.83	-
PK	2.4835G	62.57	74.00	-11.43	31.03	3	Vertical	276	2.44	-	27.70	3.84	-
AV	2.4835G	52.39	54.00	-1.61	20.85	3	Vertical	276	2.44	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 78  
78  
9.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	111.52	Inf	-Inf	80.12	3	Horizontal	26	2.15	-	27.57	3.83	-
AV	2.4612G	107.78	Inf	-Inf	76.38	3	Horizontal	26	2.15	-	27.57	3.83	-
PK	2.4869G	56.58	74.00	-17.42	25.02	3	Horizontal	26	2.15	-	27.72	3.84	-
AV	2.4835G	44.47	54.00	-9.53	12.93	3	Horizontal	26	2.15	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 78  
78  
10.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92408G	50.56	74.00	-23.44	44.58	3	Vertical	360	1.80	-	32.65	6.30	32.97
AV	4.92396G	43.65	54.00	-10.35	37.67	3	Vertical	360	1.80	-	32.65	6.30	32.97

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 78  
78  
14.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92376G	48.21	74.00	-25.79	42.23	3	Horizontal	185	1.80	-	32.65	6.30	32.97
AV	4.92392G	39.01	54.00	-14.99	33.03	3	Horizontal	185	1.80	-	32.65	6.30	32.97

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
 SET 67  
 47/67/77/72/70/69/67  
 6.90/0.28/-10.50/-3.37/-1.94/-0.79/0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	67.34	74.00	-6.66	35.98	3	Vertical	61	1.79	-	27.56	3.80	-
AV	2.39G	53.52	54.00	-0.48	22.16	3	Vertical	61	1.79	-	27.56	3.80	-
PK	2.4102G	117.13	Inf	-Inf	85.74	3	Vertical	61	1.79	-	27.58	3.81	-
AV	2.4102G	107.13	Inf	-Inf	75.74	3	Vertical	61	1.79	-	27.58	3.81	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 67  
67  
6.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	60.68	74.00	-13.32	29.32	3	Horizontal	313	1.64	-	27.56	3.80	-
AV	2.39G	47.78	54.00	-6.22	16.42	3	Horizontal	313	1.64	-	27.56	3.80	-
PK	2.41G	109.72	Inf	-Inf	78.34	3	Horizontal	313	1.64	-	27.58	3.80	-
AV	2.4105G	99.60	Inf	-Inf	68.21	3	Horizontal	313	1.64	-	27.58	3.81	-



### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 67  
67  
15.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81936G	52.30	74.00	-21.70	46.55	3	Vertical	0	2.79	-	32.44	6.30	32.99
AV	4.81812G	38.47	54.00	-15.53	32.72	3	Vertical	0	2.79	-	32.44	6.30	32.99

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 67  
67  
19.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81756G	48.52	74.00	-25.48	42.77	3	Horizontal	14	1.80	-	32.44	6.30	32.99
AV	4.81682G	34.89	54.00	-19.11	29.15	3	Horizontal	14	1.80	-	32.43	6.30	32.99

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2417MHz\_TX




EUTY\_4TX  
 SET 74  
 52/72/82/77/75/74  
 9.07/2.14/-7.04/-1.92/-0.09/1.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3877G	68.25	74.00	-5.75	36.90	3	Vertical	62	1.75	-	27.55	3.80	-
AV	2.3879G	52.94	54.00	-1.06	21.59	3	Vertical	62	1.75	-	27.55	3.80	-
PK	2.4151G	118.65	Inf	-Inf	87.27	3	Vertical	62	1.75	-	27.57	3.81	-
AV	2.4148G	108.73	Inf	-Inf	77.35	3	Vertical	62	1.75	-	27.57	3.81	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2417MHz\_TX




EUTY\_4TX  
SET 74  
74  
9.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3841G	58.00	74.00	-16.00	26.66	3	Horizontal	313	1.80	-	27.54	3.80	-
AV	2.3896G	44.97	54.00	-9.03	13.61	3	Horizontal	313	1.80	-	27.56	3.80	-
PK	2.4152G	111.51	Inf	-Inf	80.13	3	Horizontal	313	1.80	-	27.57	3.81	-
AV	2.4157G	101.58	Inf	-Inf	70.20	3	Horizontal	313	1.80	-	27.57	3.81	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUT\_Y\_4TX  
 SET 76  
 83/63/73/78/80/79/78/77/76  
 -3.36/8.36/6.22/1.28/-1.74/-2.30/-2.10/-0.65/0.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38804G	70.45	74.00	-3.55	39.10	3	Vertical	62	2.17	-	27.55	3.80	-
AV	2.38932G	48.85	54.00	-5.15	17.49	3	Vertical	62	2.17	-	27.56	3.80	-
PK	2.43508G	119.74	Inf	-Inf	88.39	3	Vertical	62	2.17	-	27.53	3.82	-
AV	2.43444G	109.95	Inf	-Inf	78.60	3	Vertical	62	2.17	-	27.53	3.82	-
PK	2.48772G	73.49	74.00	-0.51	41.92	3	Vertical	62	2.17	-	27.73	3.84	-
AV	2.48852G	49.33	54.00	-4.67	17.76	3	Vertical	62	2.17	-	27.73	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 76  
76  
9.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38964G	58.53	74.00	-15.47	27.17	3	Horizontal	230	2.20	-	27.56	3.80	-
AV	2.38932G	43.99	54.00	-10.01	12.63	3	Horizontal	230	2.20	-	27.56	3.80	-
PK	2.4354G	112.79	Inf	-Inf	81.44	3	Horizontal	230	2.20	-	27.53	3.82	-
AV	2.43524G	103.04	Inf	-Inf	71.69	3	Horizontal	230	2.20	-	27.53	3.82	-
PK	2.48868G	58.31	74.00	-15.69	26.74	3	Horizontal	230	2.20	-	27.73	3.84	-
AV	2.4835G	44.09	54.00	-9.91	12.55	3	Horizontal	230	2.20	-	27.70	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 76  
76  
15.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86888G	52.11	74.00	-21.89	46.25	3	Vertical	3	1.50	-	32.54	6.30	32.98
AV	4.8684G	38.54	54.00	-15.46	32.68	3	Vertical	3	1.50	-	32.54	6.30	32.98

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 76  
76  
19.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88544G	47.98	74.00	-26.02	42.09	3	Horizontal	344	1.77	-	32.57	6.30	32.98
AV	4.88144G	34.85	54.00	-19.15	28.97	3	Horizontal	344	1.77	-	32.56	6.30	32.98



### 802.11g\_Nss1,(6Mbps)\_4TX

### 2457MHz\_TX




EUTY\_4TX  
 SET 75  
 53/73/83/78/76/75  
 8.72/2.67/-9.54/-2.19/-0.15/0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4544G	119.39	Inf	-Inf	88.03	3	Vertical	66	1.96	-	27.53	3.83	-
AV	2.4547G	109.42	Inf	-Inf	78.06	3	Vertical	66	1.96	-	27.53	3.83	-
PK	2.4874G	67.99	74.00	-6.01	36.43	3	Vertical	66	1.96	-	27.72	3.84	-
AV	2.4835G	53.15	54.00	-0.85	21.61	3	Vertical	66	1.96	-	27.70	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2457MHz\_TX




EUTY\_4TX  
SET 75  
75  
7.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4546G	112.98	Inf	-Inf	81.62	3	Horizontal	228	2.72	-	27.53	3.83	-
AV	2.4546G	102.81	Inf	-Inf	71.45	3	Horizontal	228	2.72	-	27.53	3.83	-
PK	2.493G	59.79	74.00	-14.21	28.18	3	Horizontal	228	2.72	-	27.76	3.85	-
AV	2.4839G	46.40	54.00	-7.60	14.86	3	Horizontal	228	2.72	-	27.70	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
 SET 72  
 45/65/75/70/72/73/72  
 9.19/5.02/-4.87/2.23/0.29/-0.85/0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4589G	118.39	Inf	-Inf	87.01	3	Vertical	66	1.96	-	27.55	3.83	-
AV	2.4594G	108.59	Inf	-Inf	77.20	3	Vertical	66	1.96	-	27.56	3.83	-
PK	2.4841G	68.45	74.00	-5.55	36.91	3	Vertical	66	1.96	-	27.70	3.84	-
AV	2.4866G	53.50	54.00	-0.50	21.94	3	Vertical	66	1.96	-	27.72	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 72  
72  
6.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4593G	112.32	Inf	-Inf	80.93	3	Horizontal	228	2.39	-	27.56	3.83	-
AV	2.4598G	102.34	Inf	-Inf	70.95	3	Horizontal	228	2.39	-	27.56	3.83	-
PK	2.4835G	61.25	74.00	-12.75	29.71	3	Horizontal	228	2.39	-	27.70	3.84	-
AV	2.4835G	47.77	54.00	-6.23	16.23	3	Horizontal	228	2.39	-	27.70	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 72  
72  
15.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91312G	51.52	74.00	-22.48	45.56	3	Vertical	0	1.47	-	32.63	6.30	32.97
AV	4.91956G	38.07	54.00	-15.93	32.10	3	Vertical	0	1.47	-	32.64	6.30	32.97

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 72  
72  
18.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91548G	48.42	74.00	-25.58	42.46	3	Horizontal	224	1.54	-	32.63	6.30	32.97
AV	4.9187G	35.30	54.00	-18.70	29.33	3	Horizontal	224	1.54	-	32.64	6.30	32.97

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
 SET 57  
 47/67/57/62/60/59/57  
 3.76/-1.36/0.30/-0.92/-0.64/-0.30/0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	68.78	74.00	-5.22	37.42	3	Vertical	320	1.10	-	27.56	3.80	-
AV	2.3899G	53.88	54.00	-0.12	22.52	3	Vertical	320	1.10	-	27.56	3.80	-
PK	2.4094G	116.67	Inf	-Inf	85.29	3	Vertical	320	1.10	-	27.58	3.80	-
AV	2.4145G	104.40	Inf	-Inf	73.02	3	Vertical	320	1.10	-	27.57	3.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 57  
57  
8.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	58.98	74.00	-15.02	27.63	3	Horizontal	356	1.86	-	27.55	3.80	-
AV	2.388G	45.72	54.00	-8.28	14.37	3	Horizontal	356	1.86	-	27.55	3.80	-
PK	2.4132G	108.94	Inf	-Inf	77.56	3	Horizontal	356	1.86	-	27.57	3.81	-
AV	2.4134G	96.04	Inf	-Inf	64.66	3	Horizontal	356	1.86	-	27.57	3.81	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 57  
57  
16.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81772G	49.76	74.00	-24.24	44.01	3	Vertical	360	2.54	-	32.44	6.30	32.99
AV	4.82284G	37.43	54.00	-16.57	31.66	3	Vertical	360	2.54	-	32.45	6.30	32.98

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUTY\_4TX  
SET 57  
57  
19.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8126G	47.21	74.00	-26.79	41.47	3	Horizontal	321	1.64	-	32.43	6.30	32.99
AV	4.82254G	34.06	54.00	-19.94	28.29	3	Horizontal	321	1.64	-	32.45	6.30	32.98

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2417MHz\_TX




EUTY\_4TX  
 SET 68  
 58/78/68/73/71/70/68  
 4.95/-8.26/0.42/-3.15/-1.03/-0.86/0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3895G	66.93	74.00	-7.07	35.57	3	Vertical	320	1.11	-	27.56	3.80	-
AV	2.3897G	53.81	54.00	-0.19	22.45	3	Vertical	320	1.11	-	27.56	3.80	-
PK	2.4148G	120.54	Inf	-Inf	89.16	3	Vertical	320	1.11	-	27.57	3.81	-
AV	2.4146G	107.58	Inf	-Inf	76.20	3	Vertical	320	1.11	-	27.57	3.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2417MHz\_TX




EUTY\_4TX  
SET 68  
68  
7.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	59.01	74.00	-14.99	27.66	3	Horizontal	354	1.42	-	27.55	3.80	-
AV	2.388G	46.13	54.00	-7.87	14.78	3	Horizontal	354	1.42	-	27.55	3.80	-
PK	2.4184G	110.87	Inf	-Inf	79.50	3	Horizontal	354	1.42	-	27.56	3.81	-
AV	2.4132G	98.58	Inf	-Inf	67.20	3	Horizontal	354	1.42	-	27.57	3.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_V\_4TX  
 SET 72  
 84/64/74/69/71/72  
 -8.22/8.05/-1.51/1.53/2.46/0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38948G	73.49	74.00	-0.51	42.13	3	Vertical	318	1.21	-	27.56	3.80	-
AV	2.38932G	49.72	54.00	-4.28	18.36	3	Vertical	318	1.21	-	27.56	3.80	-
PK	2.43444G	121.30	Inf	-Inf	89.95	3	Vertical	318	1.21	-	27.53	3.82	-
AV	2.43476G	109.71	Inf	-Inf	78.36	3	Vertical	318	1.21	-	27.53	3.82	-
PK	2.48468G	73.59	74.00	-0.41	42.04	3	Vertical	318	1.21	-	27.71	3.84	-
AV	2.48436G	49.21	54.00	-4.79	17.66	3	Vertical	318	1.21	-	27.71	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_V\_4TX  
SET 72  
72  
7.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38804G	66.29	74.00	-7.71	34.94	3	Horizontal	357	1.80	-	27.55	3.80	-
AV	2.3882G	45.17	54.00	-8.83	13.82	3	Horizontal	357	1.80	-	27.55	3.80	-
PK	2.4434G	113.91	Inf	-Inf	82.58	3	Horizontal	357	1.80	-	27.51	3.82	-
AV	2.43828G	100.63	Inf	-Inf	69.29	3	Horizontal	357	1.80	-	27.52	3.82	-
PK	2.48964G	63.20	74.00	-10.80	31.62	3	Horizontal	357	1.80	-	27.74	3.84	-
AV	2.48436G	44.73	54.00	-9.27	13.18	3	Horizontal	357	1.80	-	27.71	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 72  
72  
15.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87572G	51.42	74.00	-22.58	45.55	3	Vertical	0	1.64	-	32.55	6.30	32.98
AV	4.8757G	38.84	54.00	-15.16	32.97	3	Vertical	0	1.64	-	32.55	6.30	32.98

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 72  
72  
18.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87344G	48.54	74.00	-25.46	42.67	3	Horizontal	169	2.23	-	32.55	6.30	32.98
AV	4.87784G	35.55	54.00	-18.45	29.67	3	Horizontal	169	2.23	-	32.56	6.30	32.98



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2457MHz\_TX




EUTY\_4TX  
 SET 72  
 55/75/65/70/72/73/72  
 8.23/-3.48/5.56/2.99/0.53/-0.45/0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4595G	121.59	Inf	-Inf	90.20	3	Vertical	315	1.80	-	27.56	3.83	-
AV	2.4594G	107.92	Inf	-Inf	76.53	3	Vertical	315	1.80	-	27.56	3.83	-
PK	2.4837G	68.89	74.00	-5.11	37.35	3	Vertical	315	1.80	-	27.70	3.84	-
AV	2.4845G	53.74	54.00	-0.26	22.19	3	Vertical	315	1.80	-	27.71	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2457MHz\_TX




EUTY\_4TX  
SET 72  
72  
8.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4531G	112.46	Inf	-Inf	81.11	3	Horizontal	356	1.57	-	27.52	3.83	-
AV	2.4534G	99.71	Inf	-Inf	68.36	3	Horizontal	356	1.57	-	27.52	3.83	-
PK	2.4836G	58.84	74.00	-15.16	27.30	3	Horizontal	356	1.57	-	27.70	3.84	-
AV	2.4847G	45.53	54.00	-8.47	13.98	3	Horizontal	356	1.57	-	27.71	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
 SET 68  
 45/65/75/70/68/69/68  
 7.83/3.46/-10.53/-1.82/1.16/-0.86/1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4548G	119.17	Inf	-Inf	87.81	3	Vertical	315	1.47	-	27.53	3.83	-
AV	2.4645G	106.90	Inf	-Inf	75.48	3	Vertical	315	1.47	-	27.59	3.83	-
PK	2.4844G	66.39	74.00	-7.61	34.84	3	Vertical	315	1.47	-	27.71	3.84	-
AV	2.4843G	52.88	54.00	-1.12	21.33	3	Vertical	315	1.47	-	27.71	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 68  
68  
8.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4581G	110.74	Inf	-Inf	79.36	3	Horizontal	355	1.73	-	27.55	3.83	-
AV	2.4585G	98.32	Inf	-Inf	66.94	3	Horizontal	355	1.73	-	27.55	3.83	-
PK	2.4873G	57.78	74.00	-16.22	26.22	3	Horizontal	355	1.73	-	27.72	3.84	-
AV	2.4846G	45.30	54.00	-8.70	13.75	3	Horizontal	355	1.73	-	27.71	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 68  
68  
17.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91288G	49.51	74.00	-24.49	43.55	3	Vertical	3	1.72	-	32.63	6.30	32.97
AV	4.91784G	36.78	54.00	-17.22	30.81	3	Vertical	3	1.72	-	32.64	6.30	32.97

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX




EUTY\_4TX  
SET 68  
68  
19.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91772G	47.85	74.00	-26.15	41.88	3	Horizontal	190	1.80	-	32.64	6.30	32.97
AV	4.92298G	34.82	54.00	-19.18	28.84	3	Horizontal	190	1.80	-	32.65	6.30	32.97

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2422MHz\_TX




EUTY\_4TX  
 SET 54  
 47/67/57/52/54/55/54  
 2.30/-1.51/-0.77/0.96/0.44/-0.21/0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38948G	65.63	74.00	-8.37	34.27	3	Vertical	319	1.26	-	27.56	3.80	-
AV	2.3896G	53.61	54.00	-0.39	22.25	3	Vertical	319	1.26	-	27.56	3.80	-
PK	2.42464G	114.14	Inf	-Inf	82.78	3	Vertical	319	1.26	-	27.55	3.81	-
AV	2.42944G	101.93	Inf	-Inf	70.58	3	Vertical	319	1.26	-	27.54	3.81	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2422MHz\_TX




EUTY\_4TX  
SET 54  
54  
7.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38804G	59.41	74.00	-14.59	28.06	3	Horizontal	357	1.80	-	27.55	3.80	-
AV	2.38816G	46.85	54.00	-7.15	15.50	3	Horizontal	357	1.80	-	27.55	3.80	-
PK	2.42812G	105.37	Inf	-Inf	74.02	3	Horizontal	357	1.80	-	27.54	3.81	-
AV	2.41324G	92.83	Inf	-Inf	61.45	3	Horizontal	357	1.80	-	27.57	3.81	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2422MHz\_TX




EUTY\_4TX  
SET 54  
54  
17.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85304G	47.37	74.00	-26.63	41.54	3	Vertical	360	2.52	-	32.51	6.30	32.98
AV	4.853G	36.19	54.00	-17.81	30.36	3	Vertical	360	2.52	-	32.51	6.30	32.98

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2422MHz\_TX




EUTY\_4TX  
SET 54  
54  
19.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83344G	47.30	74.00	-26.70	41.51	3	Horizontal	320	1.67	-	32.47	6.30	32.98
AV	4.83288G	34.14	54.00	-19.86	28.35	3	Horizontal	320	1.67	-	32.47	6.30	32.98

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUT Y\_4TX  
 SET 57  
 63/43/53/58/56/57  
 -10.65/7.38/3.65/-0.12/1.47/0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38948G	72.88	74.00	-1.12	41.52	3	Vertical	320	1.23	-	27.56	3.80	-
AV	2.38964G	53.43	54.00	-0.57	22.07	3	Vertical	320	1.23	-	27.56	3.80	-
PK	2.4298G	116.04	Inf	-Inf	84.69	3	Vertical	320	1.23	-	27.54	3.81	-
AV	2.42964G	103.27	Inf	-Inf	71.92	3	Vertical	320	1.23	-	27.54	3.81	-
PK	2.48404G	70.48	74.00	-3.52	38.94	3	Vertical	320	1.23	-	27.70	3.84	-
AV	2.48452G	51.92	54.00	-2.08	20.37	3	Vertical	320	1.23	-	27.71	3.84	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 57  
57  
6.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38884G	66.16	74.00	-7.84	34.80	3	Horizontal	356	1.80	-	27.56	3.80	-
AV	2.38804G	47.13	54.00	-6.87	15.78	3	Horizontal	356	1.80	-	27.55	3.80	-
PK	2.44324G	106.75	Inf	-Inf	75.42	3	Horizontal	356	1.80	-	27.51	3.82	-
AV	2.4434G	94.40	Inf	-Inf	63.07	3	Horizontal	356	1.80	-	27.51	3.82	-
PK	2.4835G	60.24	74.00	-13.76	28.70	3	Horizontal	356	1.80	-	27.70	3.84	-
AV	2.48372G	45.30	54.00	-8.70	13.76	3	Horizontal	356	1.80	-	27.70	3.84	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 57  
57  
18.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8812G	48.21	74.00	-25.79	42.33	3	Vertical	360	1.49	-	32.56	6.30	32.98
AV	4.87582G	35.79	54.00	-18.21	29.92	3	Vertical	360	1.49	-	32.55	6.30	32.98

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUTY\_4TX  
SET 57  
57  
19.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87784G	46.80	74.00	-27.20	40.92	3	Horizontal	46	1.80	-	32.56	6.30	32.98
AV	4.8783G	34.58	54.00	-19.42	28.70	3	Horizontal	46	1.80	-	32.56	6.30	32.98

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2452MHz\_TX




EUT Y\_4TX  
 SET 65  
 65/85/75/70/68/67/65  
 2.17/-31.91/-14.70/-5.95/-2.85/-0.54/1.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.44456G	116.66	Inf	-Inf	85.33	3	Vertical	317	1.19	-	27.51	3.82	-
AV	2.43952G	104.62	Inf	-Inf	73.28	3	Vertical	317	1.19	-	27.52	3.82	-
PK	2.48416G	64.50	74.00	-9.50	32.96	3	Vertical	317	1.19	-	27.70	3.84	-
AV	2.48464G	52.37	54.00	-1.63	20.82	3	Vertical	317	1.19	-	27.71	3.84	-

802.11ax HEW40\_Nss1,(MCS0)\_4TX

2452MHz\_TX




EUT Y\_4TX  
SET 65  
65  
7.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.44348G	108.34	Inf	-Inf	77.01	3	Horizontal	360	1.80	-	27.51	3.82	-
AV	2.43844G	95.82	Inf	-Inf	64.48	3	Horizontal	360	1.80	-	27.52	3.82	-
PK	2.4835G	58.21	74.00	-15.79	26.67	3	Horizontal	360	1.80	-	27.70	3.84	-
AV	2.48656G	46.01	54.00	-7.99	14.45	3	Horizontal	360	1.80	-	27.72	3.84	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2452MHz\_TX




EUT Y\_4TX  
SET 65  
65  
18.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90094G	48.05	74.00	-25.95	42.12	3	Vertical	70	2.45	-	32.60	6.30	32.97
AV	4.90864G	35.14	54.00	-18.86	29.19	3	Vertical	70	2.45	-	32.62	6.30	32.97

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2452MHz\_TX



EUT Y\_4TX  
SET 65  
65  
18.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9071G	48.40	74.00	-25.60	42.46	3	Horizontal	161	2.95	-	32.61	6.30	32.97
AV	4.90232G	35.05	54.00	-18.95	29.12	3	Horizontal	161	2.95	-	32.60	6.30	32.97




For radio 2 / Ant. 17 / non beamforming

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	2.38708G	53.97	54.00	-0.03	3	Horizontal	0	1.67	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2412MHz\_TX




EUT\_Z\_4TX  
 SET 74  
 80/60/70/75/73/74  
 -5.26/5.40/2.63/-0.09/0.57/0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3891G	65.26	74.00	-8.74	33.90	3	Vertical	22	1.78	-	27.56	3.80	-
AV	2.389G	53.29	54.00	-0.71	21.93	3	Vertical	22	1.78	-	27.56	3.80	-
PK	2.4129G	121.75	Inf	-Inf	90.37	3	Vertical	22	1.78	-	27.57	3.81	-
AV	2.4112G	117.90	Inf	-Inf	86.51	3	Vertical	22	1.78	-	27.58	3.81	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2412MHz\_TX




EUT\_Z\_4TX  
 SET 71  
 74/54/64/69/71/72/71  
 -1.36/5.97/3.67/1.44/0.89/-1.93/0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3881G	66.17	74.00	-7.83	34.82	3	Horizontal	0	1.51	-	27.55	3.80	-
AV	2.3874G	53.59	54.00	-0.41	22.24	3	Horizontal	0	1.51	-	27.55	3.80	-
PK	2.4129G	122.25	Inf	-Inf	90.87	3	Horizontal	0	1.51	-	27.57	3.81	-
AV	2.4112G	118.46	Inf	-Inf	87.07	3	Horizontal	0	1.51	-	27.58	3.81	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
SET 71  
71  
8.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82408G	51.40	74.00	-22.60	45.63	3	Vertical	147	3.00	-	32.45	6.30	32.98
AV	4.82398G	45.57	54.00	-8.43	39.80	3	Vertical	147	3.00	-	32.45	6.30	32.98

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
SET 71  
71  
14.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82376G	48.11	74.00	-25.89	42.34	3	Horizontal	147	2.05	-	32.45	6.30	32.98
AV	4.824G	39.22	54.00	-14.78	33.45	3	Horizontal	147	2.05	-	32.45	6.30	32.98

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2417MHz\_TX




EUT\_Z\_4TX  
 SET 75  
 80/60/70/75  
 -3.26/5.33/2.96/0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	65.33	74.00	-8.67	33.97	3	Vertical	344	2.19	-	27.56	3.80	-
AV	2.39G	53.62	54.00	-0.38	22.26	3	Vertical	344	2.19	-	27.56	3.80	-
PK	2.416G	122.78	Inf	-Inf	91.40	3	Vertical	344	2.19	-	27.57	3.81	-
AV	2.4162G	118.94	Inf	-Inf	87.56	3	Vertical	344	2.19	-	27.57	3.81	-



### 802.11b\_Nss1,(1Mbps)\_4TX

### 2417MHz\_TX




EUT\_Z\_4TX  
 SET 73  
 75/55/65/70/72/73  
 -0.12/6.00/3.94/2.21/1.27/1.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	65.26	74.00	-8.74	33.90	3	Horizontal	360	1.74	-	27.56	3.80	-
AV	2.39G	52.67	54.00	-1.33	21.31	3	Horizontal	360	1.74	-	27.56	3.80	-
PK	2.416G	122.25	Inf	-Inf	90.87	3	Horizontal	360	1.74	-	27.57	3.81	-
AV	2.4162G	118.46	Inf	-Inf	87.08	3	Horizontal	360	1.74	-	27.57	3.81	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
 SET 87  
 80/100/90/85/87/88/87  
 4.24/-30.95/-4.87/2.80/1.69/-1.01/0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38852G	66.73	74.00	-7.27	35.38	3	Vertical	341	1.97	-	27.55	3.80	-
AV	2.38852G	53.70	54.00	-0.30	22.35	3	Vertical	341	1.97	-	27.55	3.80	-
PK	2.43604G	124.29	Inf	-Inf	92.94	3	Vertical	341	1.97	-	27.53	3.82	-
AV	2.4362G	120.37	Inf	-Inf	89.02	3	Vertical	341	1.97	-	27.53	3.82	-
PK	2.48388G	65.52	74.00	-8.48	33.98	3	Vertical	341	1.97	-	27.70	3.84	-
AV	2.48404G	51.92	54.00	-2.08	20.38	3	Vertical	341	1.97	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
SET 87  
87  
0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38948G	66.32	74.00	-7.68	34.96	3	Horizontal	0	1.50	-	27.56	3.80	-
AV	2.38996G	53.01	54.00	-0.99	21.65	3	Horizontal	0	1.50	-	27.56	3.80	-
PK	2.43604G	125.34	Inf	-Inf	93.99	3	Horizontal	0	1.50	-	27.53	3.82	-
AV	2.43764G	121.41	Inf	-Inf	90.07	3	Horizontal	0	1.50	-	27.52	3.82	-
PK	2.48468G	66.61	74.00	-7.39	35.06	3	Horizontal	0	1.50	-	27.71	3.84	-
AV	2.48548G	53.58	54.00	-0.42	22.03	3	Horizontal	0	1.50	-	27.71	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2437MHz\_TX




EUTZ\_4TX  
SET 87  
87  
6.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87404G	52.99	74.00	-21.01	47.12	3	Vertical	216	1.72	-	32.55	6.30	32.98
AV	4.87396G	47.94	54.00	-6.06	42.07	3	Vertical	216	1.72	-	32.55	6.30	32.98

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2437MHz\_TX




EUTZ\_4TX  
SET 87  
87  
10.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87404G	50.71	74.00	-23.29	44.84	3	Horizontal	190	3.00	-	32.55	6.30	32.98
AV	4.87398G	43.56	54.00	-10.44	37.69	3	Horizontal	190	3.00	-	32.55	6.30	32.98

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2457MHz\_TX




EUT\_Z\_4TX  
 SET 78  
 80/60/70/75/77/78  
 -3.25/5.50/3.71/2.59/1.74/1.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.456G	123.09	Inf	-Inf	91.72	3	Vertical	347	2.18	-	27.54	3.83	-
AV	2.4562G	119.29	Inf	-Inf	87.92	3	Vertical	347	2.18	-	27.54	3.83	-
PK	2.485G	65.32	74.00	-8.68	33.77	3	Vertical	347	2.18	-	27.71	3.84	-
AV	2.4835G	52.65	54.00	-1.35	21.11	3	Vertical	347	2.18	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2457MHz\_TX




EUT\_Z\_4TX  
SET 78  
78  
1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	124.12	Inf	-Inf	92.74	3	Horizontal	0	1.66	-	27.55	3.83	-
AV	2.4562G	120.13	Inf	-Inf	88.76	3	Horizontal	0	1.66	-	27.54	3.83	-
PK	2.4888G	65.88	74.00	-8.12	34.31	3	Horizontal	0	1.66	-	27.73	3.84	-
AV	2.4835G	52.90	54.00	-1.10	21.36	3	Horizontal	0	1.66	-	27.70	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
 SET 77  
 80/60/70/75/77/78/77  
 -6.43/4.52/3.00/1.40/0.68/-1.35/0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	122.83	Inf	-Inf	91.43	3	Vertical	346	2.22	-	27.57	3.83	-
AV	2.4612G	118.92	Inf	-Inf	87.52	3	Vertical	346	2.22	-	27.57	3.83	-
PK	2.4889G	65.65	74.00	-8.35	34.08	3	Vertical	346	2.22	-	27.73	3.84	-
AV	2.4835G	53.34	54.00	-0.66	21.80	3	Vertical	346	2.22	-	27.70	3.84	-



### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
 SET 75  
 77/57/67/72/74/75  
 -0.39/4.97/2.74/1.82/1.32/0.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	123.53	Inf	-Inf	92.13	3	Horizontal	0	1.66	-	27.57	3.83	-
AV	2.4612G	119.74	Inf	-Inf	88.34	3	Horizontal	0	1.66	-	27.57	3.83	-
PK	2.4943G	65.62	74.00	-8.38	34.00	3	Horizontal	0	1.66	-	27.77	3.85	-
AV	2.4867G	53.28	54.00	-0.72	21.72	3	Horizontal	0	1.66	-	27.72	3.84	-

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
SET 75  
75  
8.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91568G	51.75	74.00	-22.25	45.79	3	Vertical	175	1.92	-	32.63	6.30	32.97
AV	4.92392G	45.64	54.00	-8.36	39.66	3	Vertical	175	1.92	-	32.65	6.30	32.97

### 802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
SET 75  
75  
20.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90636G	48.35	74.00	-25.65	42.41	3	Horizontal	339	1.00	-	32.61	6.30	32.97
AV	4.90292G	33.60	54.00	-20.40	27.66	3	Horizontal	339	1.00	-	32.61	6.30	32.97

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
 SET 58  
 80/60/50/55/57/58  
 -16.54/-0.83/3.10/1.25/0.51/0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	69.89	74.00	-4.11	38.53	3	Vertical	0	1.54	-	27.56	3.80	-
AV	2.3895G	53.80	54.00	-0.20	22.44	3	Vertical	0	1.54	-	27.56	3.80	-
PK	2.4175G	117.75	Inf	-Inf	86.37	3	Vertical	0	1.54	-	27.57	3.81	-
AV	2.4072G	108.11	Inf	-Inf	76.72	3	Vertical	0	1.54	-	27.59	3.80	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
SET 58  
58  
2.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3851G	65.40	74.00	-8.60	34.06	3	Horizontal	2	1.80	-	27.54	3.80	-
AV	2.3846G	51.56	54.00	-2.44	20.22	3	Horizontal	2	1.80	-	27.54	3.80	-
PK	2.4137G	118.38	Inf	-Inf	87.00	3	Horizontal	2	1.80	-	27.57	3.81	-
AV	2.4134G	108.50	Inf	-Inf	77.12	3	Horizontal	2	1.80	-	27.57	3.81	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
SET 58  
58  
16.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83148G	50.74	74.00	-23.26	44.96	3	Vertical	213	2.16	-	32.46	6.30	32.98
AV	4.83176G	37.11	54.00	-16.89	31.33	3	Vertical	213	2.16	-	32.46	6.30	32.98

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
SET 58  
58  
19.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81628G	48.47	74.00	-25.53	42.73	3	Horizontal	161	2.18	-	32.43	6.30	32.99
AV	4.81338G	34.64	54.00	-19.36	28.90	3	Horizontal	161	2.18	-	32.43	6.30	32.99

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2417MHz\_TX




EUT\_Z\_4TX  
 SET 68  
 80/60/70/65/67/68  
 -9.70/3.52/-1.11/1.83/0.70/0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3843G	68.87	74.00	-5.13	37.53	3	Vertical	0	1.22	-	27.54	3.80	-
AV	2.3851G	53.74	54.00	-0.26	22.40	3	Vertical	0	1.22	-	27.54	3.80	-
PK	2.4137G	120.58	Inf	-Inf	89.20	3	Vertical	0	1.22	-	27.57	3.81	-
AV	2.413G	110.71	Inf	-Inf	79.33	3	Vertical	0	1.22	-	27.57	3.81	-



### 802.11g\_Nss1,(6Mbps)\_4TX

### 2417MHz\_TX




EUT\_Z\_4TX  
 SET 62  
 68/48/58/63/61/62  
 -2.74/6.01/2.50/-0.24/1.13/0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	67.34	74.00	-6.66	35.98	3	Horizontal	1	1.86	-	27.56	3.80	-
AV	2.3898G	53.50	54.00	-0.50	22.14	3	Horizontal	1	1.86	-	27.56	3.80	-
PK	2.4184G	119.22	Inf	-Inf	87.85	3	Horizontal	1	1.86	-	27.56	3.81	-
AV	2.4181G	108.93	Inf	-Inf	77.56	3	Horizontal	1	1.86	-	27.56	3.81	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
 SET 71  
 80/60/70/75/73/74/73/72/71  
 -6.64/5.42/3.37/-2.08/0.83/-2.03/-1.19/-0.72/2.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38964G	71.58	74.00	-2.42	40.22	3	Vertical	360	1.36	-	27.56	3.80	-
AV	2.38564G	51.03	54.00	-2.97	19.69	3	Vertical	360	1.36	-	27.54	3.80	-
PK	2.44292G	121.78	Inf	-Inf	90.45	3	Vertical	360	1.36	-	27.51	3.82	-
AV	2.43252G	111.83	Inf	-Inf	80.48	3	Vertical	360	1.36	-	27.53	3.82	-
PK	2.4842G	70.86	74.00	-3.14	39.31	3	Vertical	360	1.36	-	27.71	3.84	-
AV	2.48532G	50.71	54.00	-3.29	19.16	3	Vertical	360	1.36	-	27.71	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
SET 71  
71  
1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38996G	72.95	74.00	-1.05	41.59	3	Horizontal	5	1.80	-	27.56	3.80	-
AV	2.3898G	51.09	54.00	-2.91	19.73	3	Horizontal	5	1.80	-	27.56	3.80	-
PK	2.43972G	122.52	Inf	-Inf	91.18	3	Horizontal	5	1.80	-	27.52	3.82	-
AV	2.4386G	112.09	Inf	-Inf	80.75	3	Horizontal	5	1.80	-	27.52	3.82	-
PK	2.48932G	71.56	74.00	-2.44	39.98	3	Horizontal	5	1.80	-	27.74	3.84	-
AV	2.48404G	51.18	54.00	-2.82	19.64	3	Horizontal	5	1.80	-	27.70	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUTZ\_4TX  
SET 71  
71  
14.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86864G	52.20	74.00	-21.80	46.34	3	Vertical	216	1.80	-	32.54	6.30	32.98
AV	4.86856G	39.09	54.00	-14.91	33.23	3	Vertical	216	1.80	-	32.54	6.30	32.98

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2437MHz\_TX




EUTZ\_4TX  
SET 71  
71  
17.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86244G	49.94	74.00	-24.06	44.10	3	Horizontal	184	3.00	-	32.52	6.30	32.98
AV	4.86886G	36.66	54.00	-17.34	30.80	3	Horizontal	184	3.00	-	32.54	6.30	32.98

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2457MHz\_TX




EUT\_Z\_4TX  
 SET 70  
 80/60/70  
 -11.28/4.30/0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4615G	120.74	Inf	-Inf	89.34	3	Vertical	359	1.80	-	27.57	3.83	-
AV	2.4615G	110.72	Inf	-Inf	79.32	3	Vertical	359	1.80	-	27.57	3.83	-
PK	2.4916G	66.59	74.00	-7.41	34.99	3	Vertical	359	1.80	-	27.75	3.85	-
AV	2.4835G	53.72	54.00	-0.28	22.18	3	Vertical	359	1.80	-	27.70	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2457MHz\_TX




EUT\_Z\_4TX  
 SET 68  
 70/50/60/65/67/68  
 -0.63/6.40/3.89/1.95/1.36/0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4581G	121.19	Inf	-Inf	89.81	3	Horizontal	3	1.68	-	27.55	3.83	-
AV	2.4584G	111.19	Inf	-Inf	79.81	3	Horizontal	3	1.68	-	27.55	3.83	-
PK	2.4887G	68.41	74.00	-5.59	36.84	3	Horizontal	3	1.68	-	27.73	3.84	-
AV	2.4875G	53.30	54.00	-0.70	21.73	3	Horizontal	3	1.68	-	27.73	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
 SET 68  
 80/60/70/65/67/68  
 -14.16/3.49/-1.09/1.61/0.66/0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4576G	120.14	Inf	-Inf	88.76	3	Vertical	360	1.42	-	27.55	3.83	-
AV	2.458G	110.13	Inf	-Inf	78.75	3	Vertical	360	1.42	-	27.55	3.83	-
PK	2.484G	66.81	74.00	-7.19	35.27	3	Vertical	360	1.42	-	27.70	3.84	-
AV	2.4874G	53.47	54.00	-0.53	21.91	3	Vertical	360	1.42	-	27.72	3.84	-



### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
 SET 62  
 68/48/58/63/61/62  
 -3.19/4.18/1.77/-0.05/1.07/0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4631G	119.21	Inf	-Inf	87.80	3	Horizontal	1	1.88	-	27.58	3.83	-
AV	2.4633G	109.48	Inf	-Inf	78.07	3	Horizontal	1	1.88	-	27.58	3.83	-
PK	2.4839G	66.66	74.00	-7.34	35.12	3	Horizontal	1	1.88	-	27.70	3.84	-
AV	2.4835G	53.47	54.00	-0.53	21.93	3	Horizontal	1	1.88	-	27.70	3.84	-

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUTZ\_4TX  
SET 62  
62  
16.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9172G	51.82	74.00	-22.18	45.86	3	Vertical	177	2.02	-	32.63	6.30	32.97
AV	4.91856G	37.51	54.00	-16.49	31.54	3	Vertical	177	2.02	-	32.64	6.30	32.97

### 802.11g\_Nss1,(6Mbps)\_4TX

### 2462MHz\_TX




EUTZ\_4TX  
SET 62  
62  
18.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91988G	49.20	74.00	-24.80	43.23	3	Horizontal	200	2.60	-	32.64	6.30	32.97
AV	4.91898G	35.83	54.00	-18.17	29.86	3	Horizontal	200	2.60	-	32.64	6.30	32.97

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUT\_Z\_4TX  
 SET 50  
 80/60/50/55/53/52/50  
 -21.26/-2.52/0.55/-1.05/-0.51/-0.12/0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3899G	68.62	74.00	-5.38	37.26	3	Vertical	360	1.23	-	27.56	3.80	-
AV	2.39G	53.66	54.00	-0.34	22.30	3	Vertical	360	1.23	-	27.56	3.80	-
PK	2.4101G	117.99	Inf	-Inf	86.60	3	Vertical	360	1.23	-	27.58	3.81	-
AV	2.4103G	104.56	Inf	-Inf	73.17	3	Vertical	360	1.23	-	27.58	3.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
SET 50  
50  
2.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	68.52	74.00	-5.48	37.17	3	Horizontal	0	1.80	-	27.55	3.80	-
AV	2.3879G	51.71	54.00	-2.29	20.36	3	Horizontal	0	1.80	-	27.55	3.80	-
PK	2.4126G	117.76	Inf	-Inf	86.38	3	Horizontal	0	1.80	-	27.57	3.81	-
AV	2.4128G	104.37	Inf	-Inf	72.99	3	Horizontal	0	1.80	-	27.57	3.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
SET 50  
50  
18.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8232G	48.89	74.00	-25.11	43.12	3	Vertical	209	2.39	-	32.45	6.30	32.98
AV	4.8226G	35.44	54.00	-18.56	29.67	3	Vertical	209	2.39	-	32.45	6.30	32.98

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUTZ\_4TX  
SET 50  
50  
20.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83264G	47.91	74.00	-26.09	42.12	3	Horizontal	143	1.80	-	32.47	6.30	32.98
AV	4.82276G	33.42	54.00	-20.58	27.65	3	Horizontal	143	1.80	-	32.45	6.30	32.98

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2417MHz\_TX




EUT\_Z\_4TX  
 SET 62  
 80/60/70/65/63/62  
 -13.89/1.34/-3.30/-0.94/-0.18/0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	67.63	74.00	-6.37	36.27	3	Vertical	0	1.21	-	27.56	3.80	-
AV	2.39G	53.62	54.00	-0.38	22.26	3	Vertical	0	1.21	-	27.56	3.80	-
PK	2.4157G	121.15	Inf	-Inf	89.77	3	Vertical	0	1.21	-	27.57	3.81	-
AV	2.4154G	107.68	Inf	-Inf	76.30	3	Vertical	0	1.21	-	27.57	3.81	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2417MHz\_TX




EUT\_Z\_4TX  
SET 62  
62  
0.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3881G	67.71	74.00	-6.29	36.36	3	Horizontal	360	1.77	-	27.55	3.80	-
AV	2.3877G	53.26	54.00	-0.74	21.91	3	Horizontal	360	1.77	-	27.55	3.80	-
PK	2.4123G	120.81	Inf	-Inf	89.42	3	Horizontal	360	1.77	-	27.58	3.81	-
AV	2.4123G	107.01	Inf	-Inf	75.62	3	Horizontal	360	1.77	-	27.58	3.81	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
 SET 66  
 80/60/70/65/67/66  
 -8.62/6.21/-6.28/3.17/-0.83/2.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38948G	71.23	74.00	-2.77	39.87	3	Vertical	3	1.18	-	27.56	3.80	-
AV	2.38996G	49.35	54.00	-4.65	17.99	3	Vertical	3	1.18	-	27.56	3.80	-
PK	2.44052G	123.86	Inf	-Inf	92.52	3	Vertical	3	1.18	-	27.52	3.82	-
AV	2.43556G	109.19	Inf	-Inf	77.84	3	Vertical	3	1.18	-	27.53	3.82	-
PK	2.48644G	71.91	74.00	-2.09	40.35	3	Vertical	3	1.18	-	27.72	3.84	-
AV	2.48564G	48.63	54.00	-5.37	17.08	3	Vertical	3	1.18	-	27.71	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
 SET 64  
 66/46/56/61/63/64  
 -0.65/8.33/7.05/6.00/5.48/1.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	72.59	74.00	-1.41	41.25	3	Horizontal	1	1.71	-	27.54	3.80	-
AV	2.38836G	48.82	54.00	-5.18	17.47	3	Horizontal	1	1.71	-	27.55	3.80	-
PK	2.433G	122.60	Inf	-Inf	91.25	3	Horizontal	1	1.71	-	27.53	3.82	-
AV	2.43764G	108.57	Inf	-Inf	77.23	3	Horizontal	1	1.71	-	27.52	3.82	-
PK	2.48772G	72.63	74.00	-1.37	41.06	3	Horizontal	1	1.71	-	27.73	3.84	-
AV	2.48372G	48.58	54.00	-5.42	17.04	3	Horizontal	1	1.71	-	27.70	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUTZ\_4TX  
SET 64  
64  
16.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87272G	51.86	74.00	-22.14	45.99	3	Vertical	216	1.63	-	32.55	6.30	32.98
AV	4.8729G	37.62	54.00	-16.38	31.75	3	Vertical	216	1.63	-	32.55	6.30	32.98

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUTZ\_4TX  
SET 64  
64  
18.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87792G	49.81	74.00	-24.19	43.93	3	Horizontal	184	3.00	-	32.56	6.30	32.98
AV	4.87282G	35.77	54.00	-18.23	29.90	3	Horizontal	184	3.00	-	32.55	6.30	32.98

802.11ax HEW20\_Nss1,(MCS0)\_4TX

2457MHz\_TX




EUTZ\_4TX  
 SET 70  
 80/60/70  
 -11.91/4.37/0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4553G	123.70	Inf	-Inf	92.34	3	Vertical	2	1.40	-	27.53	3.83	-
AV	2.4552G	109.25	Inf	-Inf	77.89	3	Vertical	2	1.40	-	27.53	3.83	-
PK	2.4835G	67.97	74.00	-6.03	36.43	3	Vertical	2	1.40	-	27.70	3.84	-
AV	2.4855G	53.74	54.00	-0.26	22.19	3	Vertical	2	1.40	-	27.71	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2457MHz\_TX




EUT\_Z\_4TX  
 SET 68  
 70/50/60/65/67/68  
 -0.44/6.66/3.73/2.40/1.54/0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4628G	124.20	Inf	-Inf	92.79	3	Horizontal	0	1.72	-	27.58	3.83	-
AV	2.4522G	108.66	Inf	-Inf	77.32	3	Horizontal	0	1.72	-	27.51	3.83	-
PK	2.4835G	67.83	74.00	-6.17	36.29	3	Horizontal	0	1.72	-	27.70	3.84	-
AV	2.487G	53.10	54.00	-0.90	21.54	3	Horizontal	0	1.72	-	27.72	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
 SET 66  
 80/60/70/65/67/66  
 -21.54/2.44/-4.55/1.18/-0.22/0.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4686G	121.48	Inf	-Inf	90.04	3	Vertical	356	1.76	-	27.61	3.83	-
AV	2.464G	107.82	Inf	-Inf	76.41	3	Vertical	356	1.76	-	27.58	3.83	-
PK	2.4849G	67.79	74.00	-6.21	36.24	3	Vertical	356	1.76	-	27.71	3.84	-
AV	2.4843G	53.33	54.00	-0.67	21.78	3	Vertical	356	1.76	-	27.71	3.84	-



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX




EUT\_Z\_4TX  
SET 66  
66  
0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4573G	121.81	Inf	-Inf	90.44	3	Horizontal	1	1.87	-	27.54	3.83	-
AV	2.4629G	108.25	Inf	-Inf	76.84	3	Horizontal	1	1.87	-	27.58	3.83	-
PK	2.484G	67.32	74.00	-6.68	35.78	3	Horizontal	1	1.87	-	27.70	3.84	-
AV	2.4835G	53.87	54.00	-0.13	22.33	3	Horizontal	1	1.87	-	27.70	3.84	-

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX




EUTZ\_4TX  
SET 66  
66  
16.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92044G	50.82	74.00	-23.18	44.85	3	Vertical	176	2.03	-	32.64	6.30	32.97
AV	4.92296G	37.02	54.00	-16.98	31.04	3	Vertical	176	2.03	-	32.65	6.30	32.97

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX




EUTZ\_4TX  
SET 66  
66  
19.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9228G	48.52	74.00	-25.48	42.54	3	Horizontal	183	1.94	-	32.65	6.30	32.97
AV	4.92304G	34.82	54.00	-19.18	28.84	3	Horizontal	183	1.94	-	32.65	6.30	32.97

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2422MHz\_TX




EUT\_Z\_4TX  
 SET 44  
 80/60/50/45/43/44  
 -26.41/-4.63/-2.35/-0.01/0.71/0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38564G	66.77	74.00	-7.23	35.43	3	Vertical	0	1.23	-	27.54	3.80	-
AV	2.38996G	53.87	54.00	-0.13	22.51	3	Vertical	0	1.23	-	27.56	3.80	-
PK	2.43064G	114.20	Inf	-Inf	82.84	3	Vertical	0	1.23	-	27.54	3.82	-
AV	2.41528G	102.07	Inf	-Inf	70.69	3	Vertical	0	1.23	-	27.57	3.81	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2422MHz\_TX




EUT\_Z\_4TX  
SET 44  
44  
0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38696G	65.60	74.00	-8.40	34.25	3	Horizontal	0	1.66	-	27.55	3.80	-
AV	2.3878G	53.89	54.00	-0.11	22.54	3	Horizontal	0	1.66	-	27.55	3.80	-
PK	2.43712G	115.32	Inf	-Inf	83.97	3	Horizontal	0	1.66	-	27.53	3.82	-
AV	2.42764G	101.63	Inf	-Inf	70.28	3	Horizontal	0	1.66	-	27.54	3.81	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2422MHz\_TX




EUT\_Z\_4TX  
SET 44  
44  
18.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85528G	47.31	74.00	-26.69	41.48	3	Vertical	212	2.29	-	32.51	6.30	32.98
AV	4.85276G	35.25	54.00	-18.75	29.42	3	Vertical	212	2.29	-	32.51	6.30	32.98

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2422MHz\_TX




EUT\_Z\_4TX  
SET 44  
44  
19.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82192G	47.18	74.00	-26.82	41.42	3	Horizontal	360	1.80	-	32.44	6.30	32.98
AV	4.82756G	34.70	54.00	-19.30	28.92	3	Horizontal	360	1.80	-	32.46	6.30	32.98

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
 SET 51  
 80/60/50/55/53/51  
 -25.76/-4.88/1.85/-0.61/-0.01/0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38964G	73.51	74.00	-0.49	42.15	3	Vertical	4	1.04	-	27.56	3.80	-
AV	2.38996G	53.05	54.00	-0.95	21.69	3	Vertical	4	1.04	-	27.56	3.80	-
PK	2.43076G	117.02	Inf	-Inf	85.66	3	Vertical	4	1.04	-	27.54	3.82	-
AV	2.43092G	104.02	Inf	-Inf	72.66	3	Vertical	4	1.04	-	27.54	3.82	-
PK	2.48516G	71.03	74.00	-2.97	39.48	3	Vertical	4	1.04	-	27.71	3.84	-
AV	2.48596G	50.64	54.00	-3.36	19.08	3	Vertical	4	1.04	-	27.72	3.84	-



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
SET 51  
51  
0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38788G	73.55	74.00	-0.45	42.20	3	Horizontal	0	1.67	-	27.55	3.80	-
AV	2.38708G	53.97	54.00	-0.03	22.62	3	Horizontal	0	1.67	-	27.55	3.80	-
PK	2.44228G	116.60	Inf	-Inf	85.26	3	Horizontal	0	1.67	-	27.52	3.82	-
AV	2.44244G	104.27	Inf	-Inf	72.93	3	Horizontal	0	1.67	-	27.52	3.82	-
PK	2.48628G	71.12	74.00	-2.88	39.56	3	Horizontal	0	1.67	-	27.72	3.84	-
AV	2.48756G	52.26	54.00	-1.74	20.69	3	Horizontal	0	1.67	-	27.73	3.84	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
SET 51  
51  
18.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89808G	47.94	74.00	-26.06	42.01	3	Vertical	176	1.80	-	32.60	6.30	32.97
AV	4.89046G	35.48	54.00	-18.52	29.58	3	Vertical	176	1.80	-	32.58	6.30	32.98

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2437MHz\_TX




EUT\_Z\_4TX  
SET 51  
51  
18.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89536G	47.60	74.00	-26.40	41.68	3	Horizontal	187	1.80	-	32.59	6.30	32.97
AV	4.8933G	35.14	54.00	-18.86	29.22	3	Horizontal	187	1.80	-	32.59	6.30	32.97

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2452MHz\_TX




EUT Z\_4TX  
 SET 47  
 80/60/50/45/47  
 -26.12/-1.35/-0.51/1.04/0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.44012G	114.77	Inf	-Inf	83.43	3	Vertical	0	1.38	-	27.52	3.82	-
AV	2.455G	102.53	Inf	-Inf	71.17	3	Vertical	0	1.38	-	27.53	3.83	-
PK	2.48524G	66.22	74.00	-7.78	34.67	3	Vertical	0	1.38	-	27.71	3.84	-
AV	2.48572G	53.55	54.00	-0.45	22.00	3	Vertical	0	1.38	-	27.71	3.84	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2452MHz\_TX




EUT\_Z\_4TX  
 SET 45  
 47/27/37/42/44/45  
 -0.32/1.53/1.24/0.96/0.58/0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.46244G	115.18	Inf	-Inf	83.78	3	Horizontal	0	1.84	-	27.57	3.83	-
AV	2.458G	102.11	Inf	-Inf	70.73	3	Horizontal	0	1.84	-	27.55	3.83	-
PK	2.48788G	65.31	74.00	-8.69	33.74	3	Horizontal	0	1.84	-	27.73	3.84	-
AV	2.4835G	53.64	54.00	-0.36	22.10	3	Horizontal	0	1.84	-	27.70	3.84	-

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2452MHz\_TX




EUT\_Z\_4TX  
SET 45  
45  
18.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90204G	47.41	74.00	-26.59	41.48	3	Vertical	155	1.76	-	32.60	6.30	32.97
AV	4.90894G	35.14	54.00	-18.86	29.19	3	Vertical	155	1.76	-	32.62	6.30	32.97

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 2452MHz\_TX



EUT Z\_4TX  
SET 45  
45  
18.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90446G	47.82	74.00	-26.18	41.88	3	Horizontal	186	2.93	-	32.61	6.30	32.97
AV	4.90784G	35.13	54.00	-18.87	29.18	3	Horizontal	186	2.93	-	32.62	6.30	32.97




**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.36066G	48.40	54.00	-5.60	Vertical




### Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.36246G	53.15	74.00	-20.85	-4.54	3	Vertical	125	3.00	-	57.69	25.88	3.56	33.98
AV	1.36066G	48.40	54.00	-5.60	-4.54	3	Vertical	125	3.00	"Worst"	52.94	25.88	3.56	33.98

### Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.36098G	50.67	74.00	-23.33	-4.54	3	Horizontal	243	2.95	-	55.21	25.88	3.56	33.98
AV	1.36076G	44.35	54.00	-9.65	-4.54	3	Horizontal	243	2.95	"Worst"	48.89	25.88	3.56	33.98