


802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Z_4TX
Setting 82
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5434G	56.76	74.00	-17.24	42.40	3	Horizontal	99	1.82	-	37.77	9.79	33.20
AV	15.5405G	43.29	54.00	-10.71	28.92	3	Horizontal	99	1.82	-	37.78	9.79	33.20

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 86
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	57.05	74.00	-16.95	50.45	3	Vertical	2	2.45	-	33.50	5.25	32.15
AV	5.1468G	44.90	54.00	-9.10	38.30	3	Vertical	2	2.45	-	33.50	5.25	32.15
PK	5.2076G	101.37	Inf	-Inf	94.70	3	Vertical	2	2.45	-	33.52	5.30	32.15
AV	5.1972G	95.17	Inf	-Inf	88.52	3	Vertical	2	2.45	-	33.50	5.30	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 86
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	70.31	74.00	-3.69	63.71	3	Horizontal	316	2.49	-	33.50	5.25	32.15
AV	5.1492G	53.64	54.00	-0.36	47.04	3	Horizontal	316	2.49	-	33.50	5.25	32.15
PK	5.1992G	123.19	Inf	-Inf	116.54	3	Horizontal	316	2.49	-	33.50	5.30	32.15
AV	5.1992G	109.03	Inf	-Inf	102.38	3	Horizontal	316	2.49	-	33.50	5.30	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 86
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60438G	57.45	74.00	-16.55	43.31	3	Vertical	80	1.93	-	37.59	9.82	33.27
AV	15.59564G	43.70	54.00	-10.30	29.53	3	Vertical	80	1.93	-	37.61	9.82	33.26

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 86
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5964G	57.12	74.00	-16.88	42.95	3	Horizontal	205	1.07	-	37.61	9.82	33.26
AV	15.59536G	43.68	54.00	-10.32	29.51	3	Horizontal	205	1.07	-	37.61	9.82	33.26

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 103
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1218G	57.77	74.00	-16.23	51.20	3	Vertical	4	2.39	-	33.50	5.22	32.15
AV	5.1476G	45.49	54.00	-8.51	38.89	3	Vertical	4	2.39	-	33.50	5.25	32.15
PK	5.2478G	108.94	Inf	-Inf	102.17	3	Vertical	4	2.39	-	33.60	5.32	32.15
AV	5.237G	97.06	Inf	-Inf	90.32	3	Vertical	4	2.39	-	33.57	5.32	32.15
PK	5.3756G	58.16	74.00	-15.84	51.16	3	Vertical	4	2.39	-	33.75	5.39	32.14
AV	5.3762G	44.82	54.00	-9.18	37.82	3	Vertical	4	2.39	-	33.75	5.39	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 103
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	72.31	74.00	-1.69	65.71	3	Horizontal	316	2.39	-	33.50	5.25	32.15
AV	5.1488G	53.96	54.00	-0.04	47.36	3	Horizontal	316	2.39	-	33.50	5.25	32.15
PK	5.2448G	124.28	Inf	-Inf	117.52	3	Horizontal	316	2.39	-	33.59	5.32	32.15
AV	5.2394G	111.94	Inf	-Inf	105.19	3	Horizontal	316	2.39	-	33.58	5.32	32.15
PK	5.35G	65.03	74.00	-8.97	58.09	3	Horizontal	316	2.39	-	33.70	5.38	32.14
AV	5.3504G	49.93	54.00	-4.07	42.99	3	Horizontal	316	2.39	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Z_4TX
Setting 103
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71944G	56.45	74.00	-17.55	42.59	3	Vertical	29	2.54	-	37.40	9.87	33.41
AV	15.72072G	42.47	54.00	-11.53	28.61	3	Vertical	29	2.54	-	37.40	9.87	33.41

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Z_4TX
Setting 103
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72386G	56.17	74.00	-17.83	42.30	3	Horizontal	316	2.92	-	37.40	9.88	33.41
AV	15.7194G	47.45	54.00	-6.55	33.59	3	Horizontal	316	2.92	-	37.40	9.87	33.41

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 74
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0936G	57.94	74.00	-16.06	51.43	3	Vertical	5	2.38	-	33.47	5.19	32.15
AV	5.1268G	45.74	54.00	-8.26	39.16	3	Vertical	5	2.38	-	33.50	5.23	32.15
PK	5.1876G	98.73	Inf	-Inf	92.09	3	Vertical	5	2.38	-	33.50	5.29	32.15
AV	5.1876G	90.37	Inf	-Inf	83.73	3	Vertical	5	2.38	-	33.50	5.29	32.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 74
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.37	74.00	-7.63	59.77	3	Horizontal	316	2.58	-	33.50	5.25	32.15
AV	5.1496G	53.56	54.00	-0.44	46.96	3	Horizontal	316	2.58	-	33.50	5.25	32.15
PK	5.1944G	116.77	Inf	-Inf	110.13	3	Horizontal	316	2.58	-	33.50	5.29	32.15
AV	5.1844G	104.50	Inf	-Inf	97.87	3	Horizontal	316	2.58	-	33.50	5.28	32.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 74
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56542G	57.33	74.00	-16.67	43.06	3	Vertical	227	1.78	-	37.70	9.80	33.23
AV	15.57274G	45.23	54.00	-8.77	30.98	3	Vertical	227	1.78	-	37.68	9.81	33.24

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 74
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56832G	57.29	74.00	-16.71	43.01	3	Horizontal	283	2.74	-	37.70	9.81	33.23
AV	15.5719G	45.17	54.00	-8.83	30.91	3	Horizontal	283	2.74	-	37.68	9.81	33.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 83
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	57.44	74.00	-16.56	50.84	3	Vertical	267	2.36	-	33.50	5.25	32.15
AV	5.1472G	45.80	54.00	-8.20	39.20	3	Vertical	267	2.36	-	33.50	5.25	32.15
PK	5.2126G	103.59	Inf	-Inf	96.90	3	Vertical	267	2.36	-	33.53	5.31	32.15
AV	5.2378G	92.45	Inf	-Inf	85.70	3	Vertical	267	2.36	-	33.58	5.32	32.15
PK	5.3746G	57.77	74.00	-16.23	50.77	3	Vertical	267	2.36	-	33.75	5.39	32.14
AV	5.3698G	46.01	54.00	-7.99	39.03	3	Vertical	267	2.36	-	33.74	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 83
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	67.51	74.00	-6.49	60.92	3	Horizontal	317	2.65	-	33.50	5.24	32.15
AV	5.149G	53.98	54.00	-0.02	47.38	3	Horizontal	317	2.65	-	33.50	5.25	32.15
PK	5.2294G	118.64	Inf	-Inf	111.92	3	Horizontal	317	2.65	-	33.56	5.31	32.15
AV	5.2246G	107.21	Inf	-Inf	100.50	3	Horizontal	317	2.65	-	33.55	5.31	32.15
PK	5.35G	59.57	74.00	-14.43	52.63	3	Horizontal	317	2.65	-	33.70	5.38	32.14
AV	5.3704G	48.23	54.00	-5.77	41.24	3	Horizontal	317	2.65	-	33.74	5.39	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 83
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69138G	56.98	74.00	-17.02	43.08	3	Vertical	344	1.36	-	37.42	9.86	33.38
AV	15.69418G	44.18	54.00	-9.82	30.29	3	Vertical	344	1.36	-	37.41	9.86	33.38

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 83
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6859G	57.41	74.00	-16.59	43.49	3	Horizontal	304	2.87	-	37.43	9.86	33.37
AV	15.69188G	44.38	54.00	-9.62	30.48	3	Horizontal	304	2.87	-	37.42	9.86	33.38

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 74
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.111G	57.03	74.00	-16.97	50.47	3	Vertical	360	2.45	-	33.50	5.21	32.15
AV	5.148G	45.61	54.00	-8.39	39.01	3	Vertical	360	2.45	-	33.50	5.25	32.15
PK	5.197G	99.11	Inf	-Inf	92.46	3	Vertical	360	2.45	-	33.50	5.30	32.15
AV	5.197G	88.21	Inf	-Inf	81.56	3	Vertical	360	2.45	-	33.50	5.30	32.15
PK	5.414G	58.29	74.00	-15.71	51.19	3	Vertical	360	2.45	-	33.83	5.41	32.14
AV	5.392G	46.24	54.00	-7.76	39.20	3	Vertical	360	2.45	-	33.78	5.40	32.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 74
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.43	74.00	-9.57	57.83	3	Horizontal	316	2.65	-	33.50	5.25	32.15
PK	5.194G	112.85	Inf	-Inf	106.21	3	Horizontal	316	2.65	-	33.50	5.29	32.15
AV	5.209G	102.17	Inf	-Inf	95.50	3	Horizontal	316	2.65	-	33.52	5.30	32.15
PK	5.376G	60.18	74.00	-13.82	53.18	3	Horizontal	316	2.65	-	33.75	5.39	32.14
AV	5.37G	48.26	54.00	-5.74	41.27	3	Horizontal	316	2.65	-	33.74	5.39	32.14
AV	5.15G	53.95	54.00	-0.05	47.35	3	Horizontal	316	2.65	-	33.50	5.25	32.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 74
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63296G	56.73	74.00	-17.27	42.68	3	Vertical	221	1.95	-	37.53	9.83	33.31
AV	15.62928G	45.21	54.00	-8.79	31.14	3	Vertical	221	1.95	-	37.54	9.83	33.30

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom



EUT Z_4TX
Setting 74
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63164G	57.33	74.00	-16.67	43.27	3	Horizontal	40	2.33	-	37.54	9.83	33.31
AV	15.62582G	44.97	54.00	-9.03	30.89	3	Horizontal	40	2.33	-	37.55	9.83	33.30




For Radio 4 / Ant. 13-Ant. 14 / non beamforming mode

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.1458G	73.95	74.00	-0.05	3	Horizontal	4	2.72	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT Y_1TX
Setting 80
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	64.11	74.00	-9.89	57.51	3	Vertical	289	1.41	-	33.50	5.25	32.15
AV	5.15G	49.93	54.00	-4.07	43.33	3	Vertical	289	1.41	-	33.50	5.25	32.15
PK	5.1776G	108.31	Inf	-Inf	101.68	3	Vertical	289	1.41	-	33.50	5.28	32.15
AV	5.1826G	97.78	Inf	-Inf	91.15	3	Vertical	289	1.41	-	33.50	5.28	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT Y_1TX
Setting 80
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	67.28	74.00	-6.72	60.68	3	Horizontal	345	1.80	-	33.50	5.25	32.15
AV	5.1498G	52.47	54.00	-1.53	45.87	3	Horizontal	345	1.80	-	33.50	5.25	32.15
PK	5.1788G	111.68	Inf	-Inf	105.05	3	Horizontal	345	1.80	-	33.50	5.28	32.15
AV	5.1816G	101.50	Inf	-Inf	94.87	3	Horizontal	345	1.80	-	33.50	5.28	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT Y_1TX
Setting 80
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5393G	56.85	74.00	-17.15	42.48	3	Vertical	61	2.31	-	37.78	9.79	33.20
AV	15.54128G	44.25	54.00	-9.75	29.88	3	Vertical	61	2.31	-	37.78	9.79	33.20

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 80
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53754G	57.09	74.00	-16.91	42.70	3	Horizontal	72	1.07	-	37.79	9.79	33.19
AV	15.5439G	44.24	54.00	-9.76	29.88	3	Horizontal	72	1.07	-	37.77	9.79	33.20

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT Y_1TX
Setting 87
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	63.25	74.00	-10.75	56.65	3	Vertical	303	2.95	-	33.50	5.25	32.15
AV	5.15G	48.30	54.00	-5.70	41.70	3	Vertical	303	2.95	-	33.50	5.25	32.15
PK	5.1948G	111.16	Inf	-Inf	104.52	3	Vertical	303	2.95	-	33.50	5.29	32.15
AV	5.1964G	100.98	Inf	-Inf	94.33	3	Vertical	303	2.95	-	33.50	5.30	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT Y_1TX
Setting 87
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1432G	69.19	74.00	-4.81	62.60	3	Horizontal	287	2.03	-	33.50	5.24	32.15
AV	5.1496G	53.37	54.00	-0.63	46.77	3	Horizontal	287	2.03	-	33.50	5.25	32.15
PK	5.1976G	115.88	Inf	-Inf	109.23	3	Horizontal	287	2.03	-	33.50	5.30	32.15
AV	5.2012G	105.50	Inf	-Inf	98.85	3	Horizontal	287	2.03	-	33.50	5.30	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT Y_1TX
Setting 87
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60076G	58.32	74.00	-15.68	44.17	3	Vertical	155	2.01	-	37.60	9.82	33.27
AV	15.59624G	44.71	54.00	-9.29	30.54	3	Vertical	155	2.01	-	37.61	9.82	33.26

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 87
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60208G	57.40	74.00	-16.60	43.25	3	Horizontal	242	2.55	-	37.60	9.82	33.27
AV	15.60252G	44.65	54.00	-9.35	30.51	3	Horizontal	242	2.55	-	37.59	9.82	33.27

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 95
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	66.28	74.00	-7.72	59.68	3	Vertical	5	2.73	-	33.50	5.25	32.15
AV	5.1494G	51.02	54.00	-2.98	44.42	3	Vertical	5	2.73	-	33.50	5.25	32.15
PK	5.2352G	118.11	Inf	-Inf	111.37	3	Vertical	5	2.73	-	33.57	5.32	32.15
AV	5.2376G	106.82	Inf	-Inf	100.07	3	Vertical	5	2.73	-	33.58	5.32	32.15
PK	5.3528G	63.69	74.00	-10.31	56.74	3	Vertical	5	2.73	-	33.71	5.38	32.14
AV	5.35G	49.02	54.00	-4.98	42.08	3	Vertical	5	2.73	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 95
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	65.79	74.00	-8.21	59.20	3	Horizontal	4	2.73	-	33.50	5.24	32.15
AV	5.1494G	51.02	54.00	-2.98	44.42	3	Horizontal	4	2.73	-	33.50	5.25	32.15
PK	5.2394G	117.93	Inf	-Inf	111.18	3	Horizontal	4	2.73	-	33.58	5.32	32.15
AV	5.2388G	106.83	Inf	-Inf	100.08	3	Horizontal	4	2.73	-	33.58	5.32	32.15
PK	5.3504G	63.26	74.00	-10.74	56.32	3	Horizontal	4	2.73	-	33.70	5.38	32.14
AV	5.3528G	49.22	54.00	-4.78	42.27	3	Horizontal	4	2.73	-	33.71	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT Y_1TX
Setting 95
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4791G	56.78	68.20	-11.42	43.93	3	Vertical	338	1.24	-	38.40	7.49	33.04
PK	15.7189G	58.07	74.00	-15.93	44.21	3	Vertical	0	1.37	-	37.40	9.87	33.41
AV	15.7191G	44.91	54.00	-9.09	31.05	3	Vertical	0	1.37	-	37.40	9.87	33.41

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT Y_1TX
Setting 95
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4775G	60.39	68.20	-7.81	47.54	3	Horizontal	316	1.82	-	38.40	7.49	33.04
PK	15.7165G	60.57	74.00	-13.43	46.71	3	Horizontal	337	1.79	-	37.40	9.87	33.41
AV	15.7165G	46.53	54.00	-7.47	32.67	3	Horizontal	337	1.79	-	37.40	9.87	33.41

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT Y_1TX
Setting 94
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.09	68.20	-8.11	52.83	3	Vertical	282	1.79	-	33.80	5.60	32.14
PK	5.748G	111.96	Inf	-Inf	104.70	3	Vertical	282	1.79	-	33.80	5.60	32.14
AV	5.751G	100.63	Inf	-Inf	93.38	3	Vertical	282	1.79	-	33.80	5.60	32.15
PK	5.952G	59.18	68.20	-9.02	51.49	3	Vertical	282	1.79	-	34.10	5.75	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT Y_1TX
Setting 94
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.01	68.20	-1.19	59.75	3	Horizontal	291	2.21	-	33.80	5.60	32.14
PK	5.742G	117.47	Inf	-Inf	110.23	3	Horizontal	291	2.21	-	33.78	5.60	32.14
AV	5.746G	106.33	Inf	-Inf	99.08	3	Horizontal	291	2.21	-	33.79	5.60	32.14
PK	5.931G	60.43	68.20	-7.77	52.80	3	Horizontal	291	2.21	-	34.06	5.73	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT Y_1TX
Setting 94
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.492G	52.76	74.00	-21.24	39.10	3	Vertical	100	1.02	-	38.98	7.90	33.22
AV	11.48752G	40.00	54.00	-14.00	26.34	3	Vertical	100	1.02	-	38.98	7.90	33.22

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 94
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48792G	52.89	74.00	-21.11	39.23	3	Horizontal	217	2.84	-	38.98	7.90	33.22
AV	11.48552G	39.96	54.00	-14.04	26.32	3	Horizontal	217	2.84	-	38.97	7.89	33.22

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT Y_1TX
Setting 95
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	59.59	68.20	-8.61	52.30	3	Vertical	283	1.08	-	33.83	5.60	32.14
PK	5.78G	111.22	Inf	-Inf	104.03	3	Vertical	283	1.08	-	33.74	5.60	32.15
AV	5.783G	100.48	Inf	-Inf	93.30	3	Vertical	283	1.08	-	33.73	5.60	32.15
PK	5.936G	59.34	68.20	-8.86	51.69	3	Vertical	283	1.08	-	34.07	5.74	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_V_1TX
Setting 95
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	63.92	68.20	-4.28	56.65	3	Horizontal	290	2.17	-	33.81	5.60	32.14
PK	5.779G	118.35	Inf	-Inf	111.16	3	Horizontal	290	2.17	-	33.74	5.60	32.15
AV	5.778G	106.41	Inf	-Inf	99.22	3	Horizontal	290	2.17	-	33.74	5.60	32.15
PK	5.938G	63.71	68.20	-4.49	56.05	3	Horizontal	290	2.17	-	34.08	5.74	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT Y_1TX
Setting 95
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5678G	55.18	74.00	-18.82	41.29	3	Vertical	317	1.93	-	39.20	7.93	33.24
AV	11.5701G	41.82	54.00	-12.18	27.92	3	Vertical	317	1.93	-	39.21	7.93	33.24
PK	17.3566G	63.69	68.20	-4.51	43.39	3	Vertical	0	1.80	-	42.75	10.68	33.13

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT Y_1TX
Setting 95
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57312G	55.54	74.00	-18.46	41.63	3	Horizontal	305	1.32	-	39.22	7.93	33.24
AV	11.5712G	42.60	54.00	-11.40	28.70	3	Horizontal	305	1.32	-	39.21	7.93	33.24
PK	17.38G	62.90	68.20	-5.30	42.38	3	Horizontal	22	1.80	-	42.94	10.69	33.11

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT Y_1TX
Setting 90
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	59.39	68.20	-8.81	52.06	3	Vertical	286	2.56	-	33.87	5.60	32.14
PK	5.818G	110.41	Inf	-Inf	103.20	3	Vertical	286	2.56	-	33.74	5.62	32.15
AV	5.823G	98.95	Inf	-Inf	91.73	3	Vertical	286	2.56	-	33.75	5.62	32.15
PK	5.926G	60.88	68.20	-7.32	53.26	3	Vertical	286	2.56	-	34.05	5.73	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_V_1TX
Setting 90
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	60.65	68.20	-7.55	53.35	3	Horizontal	290	2.50	-	33.84	5.60	32.14
PK	5.819G	116.36	Inf	-Inf	109.15	3	Horizontal	290	2.50	-	33.74	5.62	32.15
AV	5.82G	105.04	Inf	-Inf	97.83	3	Horizontal	290	2.50	-	33.74	5.62	32.15
PK	5.927G	64.99	68.20	-3.21	57.37	3	Horizontal	290	2.50	-	34.05	5.73	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT Y_1TX
Setting 90
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65292G	53.99	74.00	-20.01	39.94	3	Vertical	212	2.43	-	39.35	7.96	33.26
AV	11.65052G	39.87	54.00	-14.13	25.82	3	Vertical	212	2.43	-	39.35	7.96	33.26

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 90
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65396G	53.71	74.00	-20.29	39.66	3	Horizontal	280	2.61	-	39.35	7.96	33.26
AV	11.65346G	39.91	54.00	-14.09	25.86	3	Horizontal	280	2.61	-	39.35	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT Y_1TX
Setting 80
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	59.85	74.00	-14.15	53.25	3	Vertical	304	2.94	-	33.50	5.25	32.15
AV	5.1498G	46.78	54.00	-7.22	40.18	3	Vertical	304	2.94	-	33.50	5.25	32.15
PK	5.1862G	111.23	Inf	-Inf	104.59	3	Vertical	304	2.94	-	33.50	5.29	32.15
AV	5.1822G	96.94	Inf	-Inf	90.31	3	Vertical	304	2.94	-	33.50	5.28	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT Y_1TX
Setting 80
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1426G	69.75	74.00	-4.25	63.16	3	Horizontal	349	1.78	-	33.50	5.24	32.15
AV	5.15G	53.05	54.00	-0.95	46.45	3	Horizontal	349	1.78	-	33.50	5.25	32.15
PK	5.1772G	114.52	Inf	-Inf	107.89	3	Horizontal	349	1.78	-	33.50	5.28	32.15
AV	5.1826G	100.05	Inf	-Inf	93.42	3	Horizontal	349	1.78	-	33.50	5.28	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT Y_1TX
Setting 80
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53528G	57.16	74.00	-16.84	42.77	3	Vertical	32	2.82	-	37.79	9.79	33.19
AV	15.54372G	43.58	54.00	-10.42	29.22	3	Vertical	32	2.82	-	37.77	9.79	33.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT Y_1TX
Setting 80
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53794G	57.54	74.00	-16.46	43.15	3	Horizontal	346	1.20	-	37.79	9.79	33.19
AV	15.54358G	43.51	54.00	-10.49	29.15	3	Horizontal	346	1.20	-	37.77	9.79	33.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT Y_1TX
Setting 86
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	62.70	74.00	-11.30	56.10	3	Vertical	303	2.95	-	33.50	5.25	32.15
AV	5.15G	48.01	54.00	-5.99	41.41	3	Vertical	303	2.95	-	33.50	5.25	32.15
PK	5.1984G	111.68	Inf	-Inf	105.03	3	Vertical	303	2.95	-	33.50	5.30	32.15
AV	5.1948G	98.61	Inf	-Inf	91.97	3	Vertical	303	2.95	-	33.50	5.29	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT Y_1TX
Setting 86
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	69.36	74.00	-4.64	62.76	3	Horizontal	288	2.02	-	33.50	5.25	32.15
AV	5.15G	52.58	54.00	-1.42	45.98	3	Horizontal	288	2.02	-	33.50	5.25	32.15
PK	5.1972G	117.16	Inf	-Inf	110.51	3	Horizontal	288	2.02	-	33.50	5.30	32.15
AV	5.202G	102.90	Inf	-Inf	96.25	3	Horizontal	288	2.02	-	33.50	5.30	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT Y_1TX
Setting 86
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59544G	57.83	74.00	-16.17	43.66	3	Vertical	275	1.01	-	37.61	9.82	33.26
AV	15.5957G	43.92	54.00	-10.08	29.75	3	Vertical	275	1.01	-	37.61	9.82	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT Y_1TX
Setting 86
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60456G	57.43	74.00	-16.57	43.29	3	Horizontal	132	1.87	-	37.59	9.82	33.27
AV	15.59822G	43.86	54.00	-10.14	29.70	3	Horizontal	132	1.87	-	37.61	9.82	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 95
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	66.89	74.00	-7.11	60.30	3	Vertical	298	2.90	-	33.50	5.24	32.15
AV	5.144G	47.56	54.00	-6.44	40.97	3	Vertical	298	2.90	-	33.50	5.24	32.15
PK	5.2346G	115.32	Inf	-Inf	108.58	3	Vertical	298	2.90	-	33.57	5.32	32.15
AV	5.2364G	101.01	Inf	-Inf	94.27	3	Vertical	298	2.90	-	33.57	5.32	32.15
PK	5.3504G	61.84	74.00	-12.16	54.90	3	Vertical	298	2.90	-	33.70	5.38	32.14
AV	5.35G	47.27	54.00	-6.73	40.33	3	Vertical	298	2.90	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 95
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	73.95	74.00	-0.05	67.35	3	Horizontal	4	2.72	-	33.50	5.25	32.15
AV	5.15G	52.92	54.00	-1.08	46.32	3	Horizontal	4	2.72	-	33.50	5.25	32.15
PK	5.2328G	119.30	Inf	-Inf	112.56	3	Horizontal	4	2.72	-	33.57	5.32	32.15
AV	5.2388G	104.84	Inf	-Inf	98.09	3	Horizontal	4	2.72	-	33.58	5.32	32.15
PK	5.3504G	66.75	74.00	-7.25	59.81	3	Horizontal	4	2.72	-	33.70	5.38	32.14
AV	5.35G	49.97	54.00	-4.03	43.03	3	Horizontal	4	2.72	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT Y_1TX
Setting 95
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71892G	56.14	74.00	-17.86	42.28	3	Vertical	78	1.58	-	37.40	9.87	33.41
AV	15.71522G	42.71	54.00	-11.29	28.84	3	Vertical	78	1.58	-	37.40	9.87	33.40

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT Y_1TX
Setting 95
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71736G	57.67	74.00	-16.33	43.81	3	Horizontal	166	1.55	-	37.40	9.87	33.41
AV	15.71528G	42.71	54.00	-11.29	28.84	3	Horizontal	166	1.55	-	37.40	9.87	33.40

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT Y_1TX
Setting 93
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.35	68.20	-7.85	53.09	3	Vertical	279	1.08	-	33.80	5.60	32.14
PK	5.738G	112.35	Inf	-Inf	105.11	3	Vertical	279	1.08	-	33.78	5.60	32.14
AV	5.739G	98.54	Inf	-Inf	91.30	3	Vertical	279	1.08	-	33.78	5.60	32.14
PK	5.951G	59.36	68.20	-8.84	51.67	3	Vertical	279	1.08	-	34.10	5.75	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT Y_1TX
Setting 93
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	64.80	68.20	-3.40	57.54	3	Horizontal	288	2.18	-	33.80	5.60	32.14
PK	5.746G	118.11	Inf	-Inf	110.86	3	Horizontal	288	2.18	-	33.79	5.60	32.14
AV	5.749G	104.18	Inf	-Inf	96.92	3	Horizontal	288	2.18	-	33.80	5.60	32.14
PK	5.938G	60.50	68.20	-7.70	52.84	3	Horizontal	288	2.18	-	34.08	5.74	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT Y_1TX
Setting 93
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49204G	53.16	74.00	-20.84	39.50	3	Vertical	54	1.79	-	38.98	7.90	33.22
AV	11.48706G	39.04	54.00	-14.96	25.40	3	Vertical	54	1.79	-	38.97	7.89	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 93
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48718G	53.53	74.00	-20.47	39.89	3	Horizontal	359	1.99	-	38.97	7.89	33.22
AV	11.48538G	39.08	54.00	-14.92	25.44	3	Horizontal	359	1.99	-	38.97	7.89	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT Y_1TX
Setting 94
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	63.47	68.20	-4.73	56.20	3	Vertical	282	1.08	-	33.81	5.60	32.14
PK	5.781G	111.93	Inf	-Inf	104.74	3	Vertical	282	1.08	-	33.74	5.60	32.15
AV	5.783G	98.53	Inf	-Inf	91.35	3	Vertical	282	1.08	-	33.73	5.60	32.15
PK	5.929G	62.32	68.20	-5.88	54.69	3	Vertical	282	1.08	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT Y_1TX
Setting 94
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	67.52	68.20	-0.68	60.25	3	Horizontal	289	2.15	-	33.81	5.60	32.14
PK	5.78G	118.51	Inf	-Inf	111.32	3	Horizontal	289	2.15	-	33.74	5.60	32.15
AV	5.783G	104.36	Inf	-Inf	97.18	3	Horizontal	289	2.15	-	33.73	5.60	32.15
PK	5.927G	67.87	68.20	-0.33	60.25	3	Horizontal	289	2.15	-	34.05	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT Y_1TX
Setting 94
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56642G	53.51	74.00	-20.49	39.62	3	Vertical	326	1.74	-	39.20	7.93	33.24
AV	11.56922G	39.36	54.00	-14.64	25.46	3	Vertical	326	1.74	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT Y_1TX
Setting 94
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5722G	53.55	74.00	-20.45	39.64	3	Horizontal	295	2.19	-	39.22	7.93	33.24
AV	11.56916G	39.33	54.00	-14.67	25.43	3	Horizontal	295	2.19	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Y_1TX
Setting 89
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	59.03	68.20	-9.17	51.71	3	Vertical	288	1.86	-	33.86	5.60	32.14
PK	5.818G	109.86	Inf	-Inf	102.65	3	Vertical	288	1.86	-	33.74	5.62	32.15
AV	5.821G	96.70	Inf	-Inf	89.49	3	Vertical	288	1.86	-	33.74	5.62	32.15
PK	5.925G	61.37	68.20	-6.83	53.75	3	Vertical	288	1.86	-	34.05	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Y_1TX
Setting 89
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	60.60	68.20	-7.60	53.29	3	Horizontal	290	2.50	-	33.85	5.60	32.14
PK	5.821G	116.05	Inf	-Inf	108.84	3	Horizontal	290	2.50	-	33.74	5.62	32.15
AV	5.822G	102.75	Inf	-Inf	95.54	3	Horizontal	290	2.50	-	33.74	5.62	32.15
PK	5.928G	65.18	68.20	-3.02	57.55	3	Horizontal	290	2.50	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 89
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6471G	53.05	74.00	-20.95	39.00	3	Vertical	339	2.20	-	39.35	7.96	33.26
AV	11.65168G	39.15	54.00	-14.85	25.10	3	Vertical	339	2.20	-	39.35	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Y_1TX
Setting 89
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64694G	52.80	74.00	-21.20	38.75	3	Horizontal	22	2.38	-	39.35	7.96	33.26
AV	11.65178G	39.07	54.00	-14.93	25.02	3	Horizontal	22	2.38	-	39.35	7.96	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Y_1TX
Setting 75
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	64.29	74.00	-9.71	57.69	3	Vertical	289	1.64	-	33.50	5.25	32.15
AV	5.1496G	49.77	54.00	-4.23	43.17	3	Vertical	289	1.64	-	33.50	5.25	32.15
PK	5.2048G	105.08	Inf	-Inf	98.42	3	Vertical	289	1.64	-	33.51	5.30	32.15
AV	5.1956G	93.22	Inf	-Inf	86.57	3	Vertical	289	1.64	-	33.50	5.30	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Y_1TX
Setting 75
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	66.99	74.00	-7.01	60.39	3	Horizontal	287	1.99	-	33.50	5.25	32.15
AV	5.148G	52.99	54.00	-1.01	46.39	3	Horizontal	287	1.99	-	33.50	5.25	32.15
PK	5.2044G	109.77	Inf	-Inf	103.11	3	Horizontal	287	1.99	-	33.51	5.30	32.15
AV	5.2068G	97.54	Inf	-Inf	90.88	3	Horizontal	287	1.99	-	33.51	5.30	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Y_1TX
Setting 75
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57062G	57.68	74.00	-16.32	43.41	3	Vertical	241	1.63	-	37.69	9.81	33.23
AV	15.57114G	45.36	54.00	-8.64	31.09	3	Vertical	241	1.63	-	37.69	9.81	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Y_1TX
Setting 75
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56946G	57.82	74.00	-16.18	43.55	3	Horizontal	320	1.04	-	37.69	9.81	33.23
AV	15.57272G	45.13	54.00	-8.87	30.88	3	Horizontal	320	1.04	-	37.68	9.81	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_V_1TX
Setting 85
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	61.89	74.00	-12.11	55.29	3	Vertical	292	2.55	-	33.50	5.25	32.15
AV	5.1496G	49.43	54.00	-4.57	42.83	3	Vertical	292	2.55	-	33.50	5.25	32.15
PK	5.224G	109.20	Inf	-Inf	102.49	3	Vertical	292	2.55	-	33.55	5.31	32.15
AV	5.2252G	96.53	Inf	-Inf	89.82	3	Vertical	292	2.55	-	33.55	5.31	32.15
PK	5.3698G	58.95	74.00	-15.05	51.97	3	Vertical	292	2.55	-	33.74	5.38	32.14
AV	5.3728G	47.22	54.00	-6.78	40.22	3	Vertical	292	2.55	-	33.75	5.39	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 85
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	67.41	74.00	-6.59	60.81	3	Horizontal	4	2.63	-	33.50	5.25	32.15
AV	5.15G	53.57	54.00	-0.43	46.97	3	Horizontal	4	2.63	-	33.50	5.25	32.15
PK	5.2174G	113.58	Inf	-Inf	106.89	3	Horizontal	4	2.63	-	33.53	5.31	32.15
AV	5.215G	100.92	Inf	-Inf	94.23	3	Horizontal	4	2.63	-	33.53	5.31	32.15
PK	5.3632G	61.04	74.00	-12.96	54.07	3	Horizontal	4	2.63	-	33.73	5.38	32.14
AV	5.3506G	48.35	54.00	-5.65	41.41	3	Horizontal	4	2.63	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT Y_1TX
Setting 85
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69318G	56.83	74.00	-17.17	42.94	3	Vertical	60	1.26	-	37.41	9.86	33.38
AV	15.68744G	44.70	54.00	-9.30	30.78	3	Vertical	60	1.26	-	37.43	9.86	33.37

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT Y_1TX
Setting 85
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69386G	56.84	74.00	-17.16	42.95	3	Horizontal	103	2.72	-	37.41	9.86	33.38
AV	15.6853G	44.76	54.00	-9.24	30.84	3	Horizontal	103	2.72	-	37.43	9.86	33.37

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT Y_1TX
Setting 92
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	62.08	68.20	-6.12	54.80	3	Vertical	283	1.79	-	33.82	5.60	32.14
PK	5.752G	109.45	Inf	-Inf	102.20	3	Vertical	283	1.79	-	33.80	5.60	32.15
AV	5.752G	96.77	Inf	-Inf	89.52	3	Vertical	283	1.79	-	33.80	5.60	32.15
PK	5.931G	59.77	68.20	-8.43	52.14	3	Vertical	283	1.79	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT Y_1TX
Setting 92
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	65.94	68.20	-2.26	58.68	3	Horizontal	290	2.18	-	33.80	5.60	32.14
PK	5.765G	115.62	Inf	-Inf	108.40	3	Horizontal	290	2.18	-	33.77	5.60	32.15
AV	5.762G	102.51	Inf	-Inf	95.28	3	Horizontal	290	2.18	-	33.78	5.60	32.15
PK	5.927G	61.63	68.20	-6.57	54.01	3	Horizontal	290	2.18	-	34.05	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT Y_1TX
Setting 92
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50606G	53.49	74.00	-20.51	39.79	3	Vertical	177	2.43	-	39.02	7.90	33.22
AV	11.50636G	40.97	54.00	-13.03	27.27	3	Vertical	177	2.43	-	39.02	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 92
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50994G	53.65	74.00	-20.35	39.94	3	Horizontal	141	2.40	-	39.03	7.90	33.22
AV	11.51318G	41.04	54.00	-12.96	27.31	3	Horizontal	141	2.40	-	39.04	7.91	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT Y_1TX
Setting 93
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	60.93	68.20	-7.27	53.65	3	Vertical	282	1.07	-	33.82	5.60	32.14
PK	5.789G	108.54	Inf	-Inf	101.37	3	Vertical	282	1.07	-	33.72	5.60	32.15
AV	5.787G	96.37	Inf	-Inf	89.19	3	Vertical	282	1.07	-	33.73	5.60	32.15
PK	5.926G	64.22	68.20	-3.98	56.60	3	Vertical	282	1.07	-	34.05	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT Y_1TX
Setting 93
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	64.15	68.20	-4.05	56.89	3	Horizontal	290	2.16	-	33.80	5.60	32.14
PK	5.792G	114.29	Inf	-Inf	107.12	3	Horizontal	290	2.16	-	33.72	5.60	32.15
AV	5.782G	102.34	Inf	-Inf	95.15	3	Horizontal	290	2.16	-	33.74	5.60	32.15
PK	5.926G	67.52	68.20	-0.68	59.90	3	Horizontal	290	2.16	-	34.05	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 93
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59482G	53.30	74.00	-20.70	39.32	3	Vertical	323	2.51	-	39.28	7.94	33.24
AV	11.5876G	40.98	54.00	-13.02	27.02	3	Vertical	323	2.51	-	39.26	7.94	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT Y_1TX
Setting 93
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58516G	53.22	74.00	-20.78	39.27	3	Horizontal	284	1.50	-	39.26	7.93	33.24
AV	11.58888G	40.85	54.00	-13.15	26.88	3	Horizontal	284	1.50	-	39.27	7.94	33.24

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_V_1TX
Setting 75
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1212G	60.00	74.00	-14.00	53.43	3	Vertical	295	2.56	-	33.50	5.22	32.15
AV	5.146G	47.73	54.00	-6.27	41.13	3	Vertical	295	2.56	-	33.50	5.25	32.15
PK	5.2084G	103.24	Inf	-Inf	96.57	3	Vertical	295	2.56	-	33.52	5.30	32.15
AV	5.2236G	91.02	Inf	-Inf	84.31	3	Vertical	295	2.56	-	33.55	5.31	32.15
PK	5.3596G	59.55	74.00	-14.45	52.59	3	Vertical	295	2.56	-	33.72	5.38	32.14
AV	5.3812G	47.19	54.00	-6.81	40.18	3	Vertical	295	2.56	-	33.76	5.39	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_V_1TX
Setting 75
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	64.83	74.00	-9.17	58.23	3	Horizontal	286	2.03	-	33.50	5.25	32.15
AV	5.15G	52.53	54.00	-1.47	45.93	3	Horizontal	286	2.03	-	33.50	5.25	32.15
PK	5.2012G	107.84	Inf	-Inf	101.19	3	Horizontal	286	2.03	-	33.50	5.30	32.15
AV	5.202G	95.25	Inf	-Inf	88.60	3	Horizontal	286	2.03	-	33.50	5.30	32.15
PK	5.3508G	60.37	74.00	-13.63	53.43	3	Horizontal	286	2.03	-	33.70	5.38	32.14
AV	5.37G	48.33	54.00	-5.67	41.34	3	Horizontal	286	2.03	-	33.74	5.39	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT Y_1TX
Setting 75
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62536G	57.44	74.00	-16.56	43.36	3	Vertical	186	1.82	-	37.55	9.83	33.30
AV	15.63024G	45.25	54.00	-8.75	31.18	3	Vertical	186	1.82	-	37.54	9.83	33.30

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 75
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62884G	58.31	74.00	-15.69	44.24	3	Horizontal	265	2.14	-	37.54	9.83	33.30
AV	15.63092G	45.07	54.00	-8.93	31.00	3	Horizontal	265	2.14	-	37.54	9.83	33.30

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 82
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	62.11	68.20	-6.09	54.85	3	Vertical	284	1.80	-	33.80	5.60	32.14
PK	5.76G	104.83	Inf	-Inf	97.60	3	Vertical	284	1.80	-	33.78	5.60	32.15
AV	5.759G	92.35	Inf	-Inf	85.12	3	Vertical	284	1.80	-	33.78	5.60	32.15
PK	5.932G	62.35	68.20	-5.85	54.72	3	Vertical	284	1.80	-	34.06	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 82
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	67.12	68.20	-1.08	59.85	3	Horizontal	291	2.20	-	33.81	5.60	32.14
PK	5.769G	110.89	Inf	-Inf	103.68	3	Horizontal	291	2.20	-	33.76	5.60	32.15
AV	5.76G	98.02	Inf	-Inf	90.79	3	Horizontal	291	2.20	-	33.78	5.60	32.15
PK	5.927G	66.48	68.20	-1.72	58.86	3	Horizontal	291	2.20	-	34.05	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 82
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55388G	53.42	74.00	-20.58	39.57	3	Vertical	295	1.43	-	39.16	7.92	33.23
AV	11.5511G	41.04	54.00	-12.96	27.20	3	Vertical	295	1.43	-	39.15	7.92	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT V_1TX
Setting 82
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54648G	53.37	74.00	-20.63	39.54	3	Horizontal	85	1.91	-	39.14	7.92	33.23
AV	11.555G	41.05	54.00	-12.95	27.20	3	Horizontal	85	1.91	-	39.16	7.92	33.23




For Radio 1 / Ant. 16 / non beamforming mode

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.64628G	68.10	68.20	-0.10	3	Vertical	330	1.80	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
 SET 63
 80/60/70/65/63/64/63
 -26.18/3.19/-7.93/-1.88/0.65/-0.23/0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	69.19	74.00	-4.81	63.05	3	Vertical	354	1.80	-	32.71	6.37	32.94
AV	5.1482G	53.24	54.00	-0.76	47.11	3	Vertical	354	1.80	-	32.70	6.37	32.94
PK	5.1875G	119.45	Inf	-Inf	113.30	3	Vertical	354	1.80	-	32.70	6.39	32.94
AV	5.1877G	109.45	Inf	-Inf	103.30	3	Vertical	354	1.80	-	32.70	6.39	32.94

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 63
63
7.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1306G	58.90	74.00	-15.10	52.73	3	Horizontal	24	1.78	-	32.74	6.37	32.94
AV	5.1495G	46.23	54.00	-7.77	40.10	3	Horizontal	24	1.78	-	32.70	6.37	32.94
PK	5.1741G	105.11	Inf	-Inf	98.96	3	Horizontal	24	1.78	-	32.70	6.39	32.94
AV	5.1747G	95.52	Inf	-Inf	89.37	3	Horizontal	24	1.78	-	32.70	6.39	32.94

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 63
63
12.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36964G	55.24	68.20	-12.96	41.36	3	Vertical	44	1.80	-	38.40	8.59	33.11

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 63
63
6.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54572G	60.82	74.00	-13.18	45.25	3	Vertical	102	1.80	-	38.02	10.36	32.81
AV	15.53356G	47.82	54.00	-6.18	32.20	3	Vertical	102	1.80	-	38.07	10.36	32.81

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 63
63
12.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.3506G	55.40	68.20	-12.80	41.54	3	Horizontal	337	1.80	-	38.40	8.59	33.13

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 63
63
6.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53312G	60.72	74.00	-13.28	45.10	3	Horizontal	138	1.72	-	38.07	10.36	32.81
AV	15.53208G	47.48	54.00	-6.52	31.86	3	Horizontal	138	1.72	-	38.07	10.36	32.81

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Y_4TX
 SET 70
 80/60/70/75/73/72/70
 -8.50/4.89/0.76/-2.49/-0.92/-0.72/0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	71.74	74.00	-2.26	65.61	3	Vertical	354	1.78	-	32.70	6.37	32.94
AV	5.14876G	53.43	54.00	-0.57	47.30	3	Vertical	354	1.78	-	32.70	6.37	32.94
PK	5.20756G	122.05	Inf	-Inf	115.87	3	Vertical	354	1.78	-	32.72	6.40	32.94
AV	5.20756G	111.88	Inf	-Inf	105.70	3	Vertical	354	1.78	-	32.72	6.40	32.94

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 70
70
7.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13476G	59.82	74.00	-14.18	53.66	3	Horizontal	24	1.80	-	32.73	6.37	32.94
AV	5.14484G	46.31	54.00	-7.69	40.17	3	Horizontal	24	1.80	-	32.71	6.37	32.94
PK	5.19496G	106.08	Inf	-Inf	99.92	3	Horizontal	24	1.80	-	32.70	6.40	32.94
AV	5.19412G	96.46	Inf	-Inf	90.30	3	Horizontal	24	1.80	-	32.70	6.40	32.94

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 70
70
13.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.40008G	55.16	68.20	-13.04	41.25	3	Vertical	59	1.80	-	38.40	8.60	33.09

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 70
70
5.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5974G	62.77	74.00	-11.23	47.38	3	Vertical	166	2.80	-	37.81	10.38	32.80
AV	15.59652G	48.93	54.00	-5.07	33.54	3	Vertical	166	2.80	-	37.81	10.38	32.80

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 70
70
12.95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.41488G	55.25	68.20	-12.95	41.32	3	Horizontal	106	1.80	-	38.41	8.60	33.08

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 70
70
5.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.604G	61.46	74.00	-12.54	46.08	3	Horizontal	135	1.78	-	37.80	10.38	32.80
AV	15.59776G	48.43	54.00	-5.57	33.04	3	Horizontal	135	1.78	-	37.81	10.38	32.80

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
 SET 83
 80/100/90/85/83/84/83
 4.13/-6.62/-6.35/-1.74/1.50/-0.05/1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.31	74.00	-5.69	62.18	3	Vertical	352	1.77	-	32.70	6.37	32.94
AV	5.15G	52.88	54.00	-1.12	46.75	3	Vertical	352	1.77	-	32.70	6.37	32.94
PK	5.24676G	125.87	Inf	-Inf	119.61	3	Vertical	352	1.77	-	32.79	6.40	32.93
AV	5.24676G	114.73	Inf	-Inf	108.47	3	Vertical	352	1.77	-	32.79	6.40	32.93
PK	5.35G	65.05	74.00	-8.95	58.57	3	Vertical	352	1.77	-	33.00	6.40	32.92
AV	5.35076G	50.98	54.00	-3.02	44.50	3	Vertical	352	1.77	-	33.00	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_V_4TX
 SET 83
 83
 7.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11936G	59.56	74.00	-14.44	53.39	3	Horizontal	318	1.00	-	32.76	6.36	32.95
AV	5.12612G	46.29	54.00	-7.71	40.12	3	Horizontal	318	1.00	-	32.75	6.36	32.94
PK	5.23428G	110.60	Inf	-Inf	104.36	3	Horizontal	318	1.00	-	32.77	6.40	32.93
AV	5.23324G	100.37	Inf	-Inf	94.13	3	Horizontal	318	1.00	-	32.77	6.40	32.93
PK	5.36116G	59.51	74.00	-14.49	52.99	3	Horizontal	318	1.00	-	33.04	6.40	32.92
AV	5.35908G	46.83	54.00	-7.17	40.31	3	Horizontal	318	1.00	-	33.04	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 83
83
12.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48352G	55.41	68.20	-12.79	41.33	3	Vertical	281	3.00	-	38.48	8.62	33.02

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 83
83
2.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.726G	64.18	74.00	-9.82	48.68	3	Vertical	137	1.16	-	37.86	10.42	32.78
AV	15.72448G	51.53	54.00	-2.47	36.04	3	Vertical	137	1.16	-	37.85	10.42	32.78

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 83
83
12.75

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.47764G	55.45	68.20	-12.75	41.38	3	Horizontal	135	3.00	-	38.48	8.62	33.03

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 83
83
0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72544G	67.39	74.00	-6.61	51.90	3	Horizontal	219	2.73	-	37.85	10.42	32.78
AV	15.72628G	53.51	54.00	-0.49	38.01	3	Horizontal	219	2.73	-	37.86	10.42	32.78

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
 SET 77
 80/60/70/75/77/78/77
 -11.03/5.84/5.52/5.65/2.13/-2.73/0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64772G	67.81	68.20	-0.39	60.03	3	Vertical	328	1.80	-	34.09	6.60	32.91
PK	5.73968G	125.28	Inf	-Inf	117.28	3	Vertical	328	1.80	-	34.32	6.60	32.92
AV	5.73892G	114.47	Inf	-Inf	106.48	3	Vertical	328	1.80	-	34.31	6.60	32.92
PK	5.93196G	60.85	68.20	-7.35	52.16	3	Vertical	328	1.80	-	35.03	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 77
77
7.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62568G	60.16	68.20	-8.04	52.52	3	Horizontal	340	2.23	-	33.95	6.60	32.91
PK	5.73816G	110.32	Inf	-Inf	102.33	3	Horizontal	340	2.23	-	34.31	6.60	32.92
AV	5.7374G	99.70	Inf	-Inf	91.72	3	Horizontal	340	2.23	-	34.30	6.60	32.92
PK	5.92968G	60.25	68.20	-7.95	51.57	3	Horizontal	340	2.23	-	35.02	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 77
77
12.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47812G	55.01	74.00	-18.99	40.55	3	Vertical	135	1.12	-	38.40	8.87	32.81
AV	11.50972G	41.86	54.00	-12.14	27.37	3	Vertical	135	1.12	-	38.42	8.88	32.81

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
 SET 73
 77/57/67/72/74/73
 -0.48/1.64/2.08/1.14/-0.47/0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.2328G	67.62	68.20	-0.58	47.00	3	Vertical	138	1.09	-	41.76	10.87	32.01

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 73
73
12.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47208G	54.94	74.00	-19.06	40.48	3	Horizontal	123	1.04	-	38.40	8.87	32.81
AV	11.50744G	41.95	54.00	-12.05	27.47	3	Horizontal	123	1.04	-	38.41	8.88	32.81

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
 SET 69
 73/53/63/68/70/69
 -1.43/2.10/1.79/0.85/-0.15/0.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.23328G	67.82	68.20	-0.38	47.19	3	Horizontal	174	1.77	-	41.77	10.87	32.01

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
 SET 108
 80/100/108
 6.10/4.79/4.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6458G	63.81	68.20	-4.39	56.05	3	Vertical	328	1.80	-	34.07	6.60	32.91
PK	5.7778G	123.99	Inf	-Inf	115.92	3	Vertical	328	1.80	-	34.40	6.60	32.93
AV	5.779G	113.78	Inf	-Inf	105.71	3	Vertical	328	1.80	-	34.40	6.60	32.93
PK	5.9332G	60.42	68.20	-7.78	51.73	3	Vertical	328	1.80	-	35.03	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_V_4TX
SET 108
108
7.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6368G	60.12	68.20	-8.08	52.41	3	Horizontal	338	2.17	-	34.02	6.60	32.91
PK	5.7778G	111.91	Inf	-Inf	103.84	3	Horizontal	338	2.17	-	34.40	6.60	32.93
AV	5.7772G	100.25	Inf	-Inf	92.18	3	Horizontal	338	2.17	-	34.40	6.60	32.93
PK	5.9338G	60.85	68.20	-7.35	52.15	3	Horizontal	338	2.17	-	35.04	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
SET 108
108
11.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58588G	56.58	74.00	-17.42	41.93	3	Vertical	21	2.56	-	38.57	8.90	32.82
AV	11.58848G	42.81	54.00	-11.19	28.15	3	Vertical	21	2.56	-	38.58	8.90	32.82

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
 SET 75
 108/88/78/73/75
 -1.71/-0.97/-0.11/1.21/0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.35224G	68.06	68.20	-0.14	46.95	3	Vertical	158	1.40	-	42.15	10.91	31.95

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
SET 75
75
11.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5854G	55.70	74.00	-18.30	41.05	3	Horizontal	332	1.01	-	38.57	8.90	32.82
AV	11.58512G	42.93	54.00	-11.07	28.28	3	Horizontal	332	1.01	-	38.57	8.90	32.82

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
 SET 67
 75/55/65/70/68/67
 -2.29/2.03/1.21/-0.47/-0.25/1.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.3574G	67.17	68.20	-1.03	46.04	3	Horizontal	174	1.79	-	42.16	10.91	31.94

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 108
80/100/108
6.08/6.69/5.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63576G	62.51	68.20	-5.69	54.81	3	Vertical	326	1.80	-	34.01	6.60	32.91
PK	5.81816G	122.49	Inf	-Inf	114.27	3	Vertical	326	1.80	-	34.55	6.60	32.93
AV	5.81968G	112.03	Inf	-Inf	103.80	3	Vertical	326	1.80	-	34.56	6.60	32.93
PK	5.92912G	62.38	68.20	-5.82	53.70	3	Vertical	326	1.80	-	35.02	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 108
108
6.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64792G	59.76	68.20	-8.44	51.98	3	Horizontal	336	1.93	-	34.09	6.60	32.91
PK	5.81816G	107.79	Inf	-Inf	99.57	3	Horizontal	336	1.93	-	34.55	6.60	32.93
AV	5.8174G	96.70	Inf	-Inf	88.49	3	Horizontal	336	1.93	-	34.54	6.60	32.93
PK	5.97548G	61.73	68.20	-6.47	52.88	3	Horizontal	336	1.93	-	35.20	6.60	32.95

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 108
108
10.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.632G	56.50	74.00	-17.50	41.82	3	Vertical	277	1.67	-	38.60	8.91	32.83
AV	11.66948G	43.10	54.00	-10.90	28.41	3	Vertical	277	1.67	-	38.60	8.92	32.83

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
 SET 75
 108/88/78/73/75/76/75
 -0.97/-0.96/-0.32/1.01/0.61/-0.07/0.62

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.47916G	67.58	68.20	-0.62	46.24	3	Vertical	180	2.72	-	42.28	10.94	31.88

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 75
75
11.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65296G	56.65	74.00	-17.35	41.97	3	Horizontal	30	1.84	-	38.60	8.91	32.83
AV	11.66412G	42.94	54.00	-11.06	28.25	3	Horizontal	30	1.84	-	38.60	8.92	32.83

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 75
75
0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.47004G	67.95	68.20	-0.25	46.63	3	Horizontal	163	1.72	-	42.27	10.94	31.89

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
 SET 63
 80/60/70/65/63/64/63
 -27.10/3.53/-9.42/-1.51/0.94/-1.19/0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.28	74.00	-6.72	61.15	3	Vertical	354	1.80	-	32.70	6.37	32.94
AV	5.1488G	53.21	54.00	-0.79	47.08	3	Vertical	354	1.80	-	32.70	6.37	32.94
PK	5.1788G	121.73	Inf	-Inf	115.58	3	Vertical	354	1.80	-	32.70	6.39	32.94
AV	5.1788G	108.71	Inf	-Inf	102.56	3	Vertical	354	1.80	-	32.70	6.39	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 63
63
7.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	59.36	74.00	-14.64	53.22	3	Horizontal	24	1.80	-	32.71	6.37	32.94
AV	5.1468G	46.02	54.00	-7.98	39.88	3	Horizontal	24	1.80	-	32.71	6.37	32.94
PK	5.1866G	106.49	Inf	-Inf	100.34	3	Horizontal	24	1.80	-	32.70	6.39	32.94
AV	5.1772G	93.69	Inf	-Inf	87.54	3	Horizontal	24	1.80	-	32.70	6.39	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 63
63
13.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.3658G	54.94	68.20	-13.26	41.07	3	Vertical	61	2.86	-	38.40	8.59	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 63
63
7.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55256G	60.53	74.00	-13.47	44.98	3	Vertical	53	2.60	-	37.99	10.37	32.81
AV	15.52124G	46.63	54.00	-7.37	30.97	3	Vertical	53	2.60	-	38.12	10.36	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
 SET 63
 63
 12.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35804G	55.42	68.20	-12.78	41.55	3	Horizontal	360	1.62	-	38.40	8.59	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
 SET 63
 63
 7.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54432G	61.57	74.00	-12.43	46.00	3	Horizontal	171	1.80	-	38.02	10.36	32.81
AV	15.52732G	46.77	54.00	-7.23	31.14	3	Horizontal	171	1.80	-	38.09	10.36	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
 SET 67
 80/60/70/65/67/68/67
 -11.63/4.40/-1.82/1.47/0.68/-0.48/0.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	71.61	74.00	-2.39	65.47	3	Vertical	354	1.79	-	32.71	6.37	32.94
AV	5.14876G	53.44	54.00	-0.56	47.31	3	Vertical	354	1.79	-	32.70	6.37	32.94
PK	5.20392G	124.07	Inf	-Inf	117.90	3	Vertical	354	1.79	-	32.71	6.40	32.94
AV	5.19888G	110.32	Inf	-Inf	104.16	3	Vertical	354	1.79	-	32.70	6.40	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 67
67
7.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14708G	59.65	74.00	-14.35	53.51	3	Horizontal	23	1.80	-	32.71	6.37	32.94
AV	5.1468G	46.03	54.00	-7.97	39.89	3	Horizontal	23	1.80	-	32.71	6.37	32.94
PK	5.20196G	107.48	Inf	-Inf	101.32	3	Horizontal	23	1.80	-	32.70	6.40	32.94
AV	5.20196G	94.60	Inf	-Inf	88.44	3	Horizontal	23	1.80	-	32.70	6.40	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 67
67
12.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.41124G	55.41	68.20	-12.79	41.48	3	Vertical	138	2.98	-	38.41	8.60	33.08

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 67
67
6.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.599G	60.89	74.00	-13.11	45.51	3	Vertical	176	1.80	-	37.80	10.38	32.80
AV	15.59656G	47.04	54.00	-6.96	31.65	3	Vertical	176	1.80	-	37.81	10.38	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 67
67
12.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39484G	55.69	68.20	-12.51	41.78	3	Horizontal	128	1.80	-	38.40	8.60	33.09

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 67
67
6.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59664G	61.24	74.00	-12.76	45.85	3	Horizontal	135	1.80	-	37.81	10.38	32.80
AV	15.59772G	47.15	54.00	-6.85	31.76	3	Horizontal	135	1.80	-	37.81	10.38	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
 SET 80
 79/100/90/85/83/82/80
 2.29/-6.63/-6.45/-4.26/-1.79/-0.11/1.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14692G	68.59	74.00	-5.41	62.45	3	Vertical	344	1.80	-	32.71	6.37	32.94
AV	5.14692G	52.83	54.00	-1.17	46.69	3	Vertical	344	1.80	-	32.71	6.37	32.94
PK	5.2426G	125.83	Inf	-Inf	119.57	3	Vertical	344	1.80	-	32.79	6.40	32.93
AV	5.2374G	112.74	Inf	-Inf	106.50	3	Vertical	344	1.80	-	32.77	6.40	32.93
PK	5.35128G	65.01	74.00	-8.99	58.52	3	Vertical	344	1.80	-	33.01	6.40	32.92
AV	5.35G	50.38	54.00	-3.62	43.90	3	Vertical	344	1.80	-	33.00	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 80
80
7.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14276G	58.37	74.00	-15.63	52.23	3	Horizontal	342	1.80	-	32.71	6.37	32.94
AV	5.15G	45.59	54.00	-8.41	39.46	3	Horizontal	342	1.80	-	32.70	6.37	32.94
PK	5.23636G	109.33	Inf	-Inf	103.09	3	Horizontal	342	1.80	-	32.77	6.40	32.93
AV	5.24156G	97.58	Inf	-Inf	91.33	3	Horizontal	342	1.80	-	32.78	6.40	32.93
PK	5.35544G	59.43	74.00	-14.57	52.93	3	Horizontal	342	1.80	-	33.02	6.40	32.92
AV	5.36636G	46.19	54.00	-7.81	39.64	3	Horizontal	342	1.80	-	33.07	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
 SET 80
 80
 12.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.4754G	55.82	68.20	-12.38	41.75	3	Vertical	299	1.80	-	38.48	8.62	33.03

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
 SET 80
 80
 4.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71792G	63.55	74.00	-10.45	48.11	3	Vertical	138	1.12	-	37.81	10.42	32.79
AV	15.7178G	49.57	54.00	-4.43	34.13	3	Vertical	138	1.12	-	37.81	10.42	32.79

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
 SET 80
 80
 12.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46728G	56.20	68.20	-12.00	42.15	3	Horizontal	164	1.80	-	38.47	8.62	33.04

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 80
80
3.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.723G	64.90	74.00	-9.10	49.42	3	Horizontal	224	2.80	-	37.84	10.42	32.78
AV	15.71848G	50.96	54.00	-3.04	35.52	3	Horizontal	224	2.80	-	37.81	10.42	32.79

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Y_4TX
 SET 75
 80/60/70/75/77/76/75
 -9.29/5.76/5.63/2.78/-0.50/-1.04/1.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63632G	66.46	68.20	-1.74	58.75	3	Vertical	329	1.80	-	34.02	6.60	32.91
PK	5.7374G	125.00	Inf	-Inf	117.02	3	Vertical	329	1.80	-	34.30	6.60	32.92
AV	5.74196G	112.45	Inf	-Inf	104.43	3	Vertical	329	1.80	-	34.34	6.60	32.92
PK	5.93424G	60.25	68.20	-7.95	51.55	3	Vertical	329	1.80	-	35.04	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 75
75
7.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55728G	60.19	68.20	-8.01	52.65	3	Horizontal	338	2.01	-	33.89	6.56	32.91
PK	5.74652G	110.42	Inf	-Inf	102.37	3	Horizontal	338	2.01	-	34.37	6.60	32.92
AV	5.7412G	96.87	Inf	-Inf	88.86	3	Horizontal	338	2.01	-	34.33	6.60	32.92
PK	5.9274G	60.38	68.20	-7.82	51.71	3	Horizontal	338	2.01	-	35.01	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 75
75
12.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49372G	55.54	74.00	-18.46	41.08	3	Vertical	0	1.77	-	38.40	8.87	32.81
AV	11.50928G	41.29	54.00	-12.71	26.80	3	Vertical	0	1.77	-	38.42	8.88	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
 SET 70
 75/55/65/70
 -0.55/2.30/1.88/0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.23868G	67.90	68.20	-0.30	47.25	3	Vertical	134	1.89	-	41.79	10.87	32.01

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 70
70
12.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4994G	55.51	74.00	-18.49	41.05	3	Horizontal	209	1.80	-	38.40	8.87	32.81
AV	11.5066G	41.23	54.00	-12.77	26.75	3	Horizontal	209	1.80	-	38.41	8.88	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 70
70
0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.22492G	67.91	68.20	-0.29	47.33	3	Horizontal	173	1.88	-	41.72	10.87	32.01

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
 SET 108
 80/100/108
 4.29/3.53/1.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6482G	66.78	68.20	-1.42	59.00	3	Vertical	328	1.80	-	34.09	6.60	32.91
PK	5.7922G	124.44	Inf	-Inf	116.37	3	Vertical	328	1.80	-	34.40	6.60	32.93
AV	5.782G	111.86	Inf	-Inf	103.79	3	Vertical	328	1.80	-	34.40	6.60	32.93
PK	5.9338G	60.97	68.20	-7.23	52.27	3	Vertical	328	1.80	-	35.04	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
SET 108
108
7.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6506G	60.34	68.64	-8.30	52.56	3	Horizontal	339	2.16	-	34.10	6.60	32.92
PK	5.776G	110.38	Inf	-Inf	102.31	3	Horizontal	339	2.16	-	34.40	6.60	32.93
AV	5.776G	97.94	Inf	-Inf	89.87	3	Horizontal	339	2.16	-	34.40	6.60	32.93
PK	5.9332G	60.87	68.20	-7.33	52.18	3	Horizontal	339	2.16	-	35.03	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
SET 108
108
11.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58408G	56.19	74.00	-17.81	41.54	3	Vertical	358	1.80	-	38.57	8.90	32.82
AV	11.58772G	42.22	54.00	-11.78	27.56	3	Vertical	358	1.80	-	38.58	8.90	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
 SET 78
 108/88/78
 -0.32/-0.39/0.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.363G	67.97	68.20	-0.23	46.84	3	Vertical	147	1.80	-	42.16	10.91	31.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
SET 78
78
11.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55396G	55.99	74.00	-18.01	41.41	3	Horizontal	16	1.20	-	38.51	8.89	32.82
AV	11.58816G	42.28	54.00	-11.72	27.62	3	Horizontal	16	1.20	-	38.58	8.90	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
 SET 71
 78/58/68/73/71
 -1.23/2.33/1.12/-0.08/0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.356G	67.94	68.20	-0.26	46.81	3	Horizontal	163	1.80	-	42.16	10.91	31.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 108
80/100/108
5.61/5.71/6.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6502G	62.21	68.35	-6.14	54.43	3	Vertical	327	1.80	-	34.10	6.60	32.92
PK	5.8174G	122.98	Inf	-Inf	114.77	3	Vertical	327	1.80	-	34.54	6.60	32.93
AV	5.8174G	110.65	Inf	-Inf	102.44	3	Vertical	327	1.80	-	34.54	6.60	32.93
PK	6.00284G	61.55	68.20	-6.65	52.61	3	Vertical	327	1.80	-	35.29	6.60	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 108
108
6.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64336G	59.81	68.20	-8.39	52.06	3	Horizontal	270	1.80	-	34.06	6.60	32.91
PK	5.8174G	106.23	Inf	-Inf	98.02	3	Horizontal	270	1.80	-	34.54	6.60	32.93
AV	5.81816G	94.65	Inf	-Inf	86.43	3	Horizontal	270	1.80	-	34.55	6.60	32.93
PK	6.00664G	62.10	68.20	-6.10	53.15	3	Horizontal	270	1.80	-	35.29	6.61	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 108
108
11.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6692G	56.15	74.00	-17.85	41.46	3	Vertical	300	2.71	-	38.60	8.92	32.83
AV	11.6696G	42.54	54.00	-11.46	27.85	3	Vertical	300	2.71	-	38.60	8.92	32.83

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
 SET 73
 108/88/78/73
 -0.95/-0.29/-0.42/0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.4778G	67.74	68.20	-0.46	46.40	3	Vertical	180	2.69	-	42.28	10.94	31.88

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 73
73
11.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65284G	56.82	74.00	-17.18	42.14	3	Horizontal	144	2.64	-	38.60	8.91	32.83
AV	11.6696G	42.59	54.00	-11.41	27.90	3	Horizontal	144	2.64	-	38.60	8.92	32.83

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 73
73
0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.46604G	67.30	68.20	-0.90	45.98	3	Horizontal	162	1.77	-	42.27	10.94	31.89

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
 SET 55
 80/60/50/55
 -34.21/-4.46/2.65/0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	66.73	74.00	-7.27	60.60	3	Vertical	356	1.80	-	32.70	6.37	32.94
AV	5.14848G	53.76	54.00	-0.24	47.63	3	Vertical	356	1.80	-	32.70	6.37	32.94
PK	5.184G	117.76	Inf	-Inf	111.61	3	Vertical	356	1.80	-	32.70	6.39	32.94
AV	5.19384G	105.53	Inf	-Inf	99.37	3	Vertical	356	1.80	-	32.70	6.40	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
SET 55
55
6.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14824G	59.39	74.00	-14.61	53.26	3	Horizontal	25	1.80	-	32.70	6.37	32.94
AV	5.14872G	47.26	54.00	-6.74	41.13	3	Horizontal	25	1.80	-	32.70	6.37	32.94
PK	5.18208G	102.12	Inf	-Inf	95.97	3	Horizontal	25	1.80	-	32.70	6.39	32.94
AV	5.18712G	89.68	Inf	-Inf	83.53	3	Horizontal	25	1.80	-	32.70	6.39	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
SET 55
55
12.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.4192G	55.37	68.20	-12.83	41.42	3	Vertical	313	2.42	-	38.42	8.60	33.07

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
SET 55
55
5.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5948G	60.48	74.00	-13.52	45.08	3	Vertical	62	1.34	-	37.82	10.38	32.80
AV	15.54144G	48.19	54.00	-5.81	32.61	3	Vertical	62	1.34	-	38.03	10.36	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
SET 55
55
12.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39136G	55.60	68.20	-12.60	41.70	3	Horizontal	11	1.80	-	38.40	8.60	33.10

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
 SET 55
 55
 5.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59048G	60.72	74.00	-13.28	45.31	3	Horizontal	258	1.55	-	37.84	10.38	32.81
AV	15.5332G	48.47	54.00	-5.53	32.85	3	Horizontal	258	1.55	-	38.07	10.36	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
 SET 63
 80/60/70/65/63/64/63
 -13.34/2.94/-5.12/-0.98/0.82/-0.29/0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	70.00	74.00	-4.00	63.87	3	Vertical	355	1.80	-	32.70	6.37	32.94
AV	5.14888G	53.59	54.00	-0.41	47.46	3	Vertical	355	1.80	-	32.70	6.37	32.94
PK	5.22376G	119.25	Inf	-Inf	113.03	3	Vertical	355	1.80	-	32.75	6.40	32.93
AV	5.22896G	107.43	Inf	-Inf	101.20	3	Vertical	355	1.80	-	32.76	6.40	32.93
PK	5.35116G	60.79	74.00	-13.21	54.31	3	Vertical	355	1.80	-	33.00	6.40	32.92
AV	5.35G	49.50	54.00	-4.50	43.02	3	Vertical	355	1.80	-	33.00	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
SET 63
63
6.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14004G	59.15	74.00	-14.85	53.00	3	Horizontal	24	1.80	-	32.72	6.37	32.94
AV	5.12184G	47.14	54.00	-6.86	40.97	3	Horizontal	24	1.80	-	32.76	6.36	32.95
PK	5.22636G	103.22	Inf	-Inf	97.00	3	Horizontal	24	1.80	-	32.75	6.40	32.93
AV	5.23728G	92.07	Inf	-Inf	85.83	3	Horizontal	24	1.80	-	32.77	6.40	32.93
PK	5.35792G	59.06	74.00	-14.94	52.55	3	Horizontal	24	1.80	-	33.03	6.40	32.92
AV	5.35688G	47.41	54.00	-6.59	40.90	3	Horizontal	24	1.80	-	33.03	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
SET 63
63
12.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43528G	55.57	68.20	-12.63	41.58	3	Vertical	231	2.92	-	38.44	8.61	33.06

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
SET 63
63
6.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.65984G	59.91	74.00	-14.09	44.56	3	Vertical	86	1.80	-	37.74	10.40	32.79
AV	15.6544G	47.88	54.00	-6.12	32.53	3	Vertical	86	1.80	-	37.75	10.40	32.80

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
 SET 63
 63
 12.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47584G	55.56	68.20	-12.64	41.49	3	Horizontal	232	1.80	-	38.48	8.62	33.03

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
SET 63
63
6.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.67616G	60.99	74.00	-13.01	45.66	3	Horizontal	263	1.80	-	37.72	10.40	32.79
AV	15.672G	47.87	54.00	-6.13	32.53	3	Horizontal	263	1.80	-	37.73	10.40	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
 SET 68
 80/60/70/65/67/68
 -7.81/4.05/-1.44/2.64/2.37/0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64628G	68.10	68.20	-0.10	60.33	3	Vertical	330	1.80	-	34.08	6.60	32.91
PK	5.7622G	120.17	Inf	-Inf	112.10	3	Vertical	330	1.80	-	34.40	6.60	32.93
AV	5.74708G	109.20	Inf	-Inf	101.14	3	Vertical	330	1.80	-	34.38	6.60	32.92
PK	5.9278G	60.66	68.20	-7.54	51.99	3	Vertical	330	1.80	-	35.01	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
SET 68
68
7.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6002G	60.26	68.20	-7.94	52.77	3	Horizontal	339	2.09	-	33.80	6.60	32.91
PK	5.74636G	104.77	Inf	-Inf	96.72	3	Horizontal	339	2.09	-	34.37	6.60	32.92
AV	5.76148G	93.96	Inf	-Inf	85.89	3	Horizontal	339	2.09	-	34.40	6.60	32.93
PK	5.935G	61.09	68.20	-7.11	52.39	3	Horizontal	339	2.09	-	35.04	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
SET 68
68
10.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52656G	55.55	74.00	-18.45	41.03	3	Vertical	360	1.73	-	38.45	8.88	32.81
AV	11.54344G	43.21	54.00	-10.79	28.65	3	Vertical	360	1.73	-	38.49	8.89	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
SET 68
68
1.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.25188G	66.31	68.20	-1.89	45.57	3	Vertical	100	3.00	-	41.86	10.88	32.00

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
SET 68
68
10.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54736G	56.14	74.00	-17.86	41.58	3	Horizontal	0	1.84	-	38.49	8.89	32.82
AV	11.5488G	43.22	54.00	-10.78	28.65	3	Horizontal	0	1.84	-	38.50	8.89	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
SET 68
68
2.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.30452G	65.90	68.20	-2.30	44.88	3	Horizontal	65	1.80	-	42.10	10.89	31.97

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
 SET 72
 80/60/70/75/73/72
 -2.75/6.33/2.44/-1.43/-0.17/1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64652G	67.20	68.20	-1.00	59.43	3	Vertical	330	1.80	-	34.08	6.60	32.91
PK	5.79244G	120.65	Inf	-Inf	112.58	3	Vertical	330	1.80	-	34.40	6.60	32.93
AV	5.79244G	108.87	Inf	-Inf	100.80	3	Vertical	330	1.80	-	34.40	6.60	32.93
PK	5.94348G	61.65	68.20	-6.55	52.92	3	Vertical	330	1.80	-	35.07	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
SET 72
72
6.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6446G	60.39	68.20	-7.81	52.63	3	Horizontal	339	2.16	-	34.07	6.60	32.91
PK	5.78604G	106.33	Inf	-Inf	98.26	3	Horizontal	339	2.16	-	34.40	6.60	32.93
AV	5.78092G	94.78	Inf	-Inf	86.71	3	Horizontal	339	2.16	-	34.40	6.60	32.93
PK	5.95052G	61.25	68.20	-6.95	52.50	3	Horizontal	339	2.16	-	35.10	6.60	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
SET 72
72
10.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6012G	55.96	74.00	-18.04	41.28	3	Vertical	356	1.41	-	38.60	8.90	32.82
AV	11.59408G	43.75	54.00	-10.25	29.08	3	Vertical	356	1.41	-	38.59	8.90	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
SET 72
72
2.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.38724G	66.02	68.20	-2.18	44.84	3	Vertical	160	1.15	-	42.19	10.92	31.93

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
SET 72
72
10.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5924G	56.20	74.00	-17.80	41.54	3	Horizontal	166	1.18	-	38.58	8.90	32.82
AV	11.61608G	43.70	54.00	-10.30	29.03	3	Horizontal	166	1.18	-	38.60	8.90	32.83

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
SET 72
72
1.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.35948G	66.75	68.20	-1.45	45.62	3	Horizontal	174	1.73	-	42.16	10.91	31.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
 SET 54
 80/60/50/55/53/54
 -35.77/-5.81/2.18/-0.28/1.21/0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14408G	64.18	74.00	-9.82	58.04	3	Vertical	353	1.80	-	32.71	6.37	32.94
AV	5.14024G	53.75	54.00	-0.25	47.60	3	Vertical	353	1.80	-	32.72	6.37	32.94
PK	5.2388G	114.84	Inf	-Inf	108.59	3	Vertical	353	1.80	-	32.78	6.40	32.93
AV	5.19912G	102.37	Inf	-Inf	96.21	3	Vertical	353	1.80	-	32.70	6.40	32.94
PK	5.35208G	61.80	74.00	-12.20	55.31	3	Vertical	353	1.80	-	33.01	6.40	32.92
AV	5.35336G	49.75	54.00	-4.25	43.26	3	Vertical	353	1.80	-	33.01	6.40	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
SET 54
54
6.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1076G	59.14	74.00	-14.86	52.96	3	Horizontal	24	1.86	-	32.78	6.35	32.95
AV	5.12296G	47.44	54.00	-6.56	41.28	3	Horizontal	24	1.86	-	32.75	6.36	32.95
PK	5.22216G	98.20	Inf	-Inf	91.99	3	Horizontal	24	1.86	-	32.74	6.40	32.93
AV	5.22664G	87.14	Inf	-Inf	80.92	3	Horizontal	24	1.86	-	32.75	6.40	32.93
PK	5.35208G	59.21	74.00	-14.79	52.72	3	Horizontal	24	1.86	-	33.01	6.40	32.92
AV	5.36616G	47.58	54.00	-6.42	41.04	3	Horizontal	24	1.86	-	33.06	6.40	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
 SET 54
 54
 12.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.4104G	55.84	68.20	-12.36	41.91	3	Vertical	169	1.80	-	38.41	8.60	33.08

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
SET 54
54
5.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6084G	60.94	74.00	-13.06	45.57	3	Vertical	239	1.80	-	37.79	10.38	32.80
AV	15.63064G	48.08	54.00	-5.92	32.72	3	Vertical	239	1.80	-	37.77	10.39	32.80

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
 SET 54
 54
 13.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.3992G	55.16	68.20	-13.04	41.25	3	Horizontal	182	1.80	-	38.40	8.60	33.09

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
SET 54
54
6.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61384G	60.42	74.00	-13.58	45.05	3	Horizontal	130	1.80	-	37.79	10.38	32.80
AV	15.58616G	47.76	54.00	-6.24	32.33	3	Horizontal	130	1.80	-	37.86	10.38	32.81

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
 SET 58
 80/60/50/55/57/58
 -21.57/-0.03/5.15/2.82/1.00/1.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.19	68.20	-1.01	59.42	3	Vertical	330	1.80	-	34.08	6.60	32.91
PK	5.74172G	115.59	Inf	-Inf	107.58	3	Vertical	330	1.80	-	34.33	6.60	32.92
AV	5.7622G	103.53	Inf	-Inf	95.46	3	Vertical	330	1.80	-	34.40	6.60	32.93
PK	5.92668G	60.48	68.20	-7.72	51.81	3	Vertical	330	1.80	-	35.01	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
SET 58
58
7.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62908G	60.48	68.20	-7.72	52.82	3	Horizontal	338	2.03	-	33.97	6.60	32.91
PK	5.76156G	100.67	Inf	-Inf	92.60	3	Horizontal	338	2.03	-	34.40	6.60	32.93
AV	5.76156G	87.82	Inf	-Inf	79.75	3	Horizontal	338	2.03	-	34.40	6.60	32.93
PK	5.93052G	60.87	68.20	-7.33	52.19	3	Horizontal	338	2.03	-	35.02	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
 SET 58
 58
 10.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.61208G	56.05	74.00	-17.95	41.38	3	Vertical	348	1.69	-	38.60	8.90	32.83
AV	11.61944G	43.42	54.00	-10.58	28.75	3	Vertical	348	1.69	-	38.60	8.90	32.83

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
 SET 58
 58
 2.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.313G	65.50	68.20	-2.70	44.47	3	Vertical	122	2.74	-	42.11	10.89	31.97

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
 SET 58
 58
 10.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62408G	55.48	74.00	-18.52	40.80	3	Horizontal	122	1.80	-	38.60	8.91	32.83
AV	11.60488G	43.28	54.00	-10.72	28.60	3	Horizontal	122	1.80	-	38.60	8.90	32.82

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT Y_4TX
 SET 58
 58
 2.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.40132G	65.89	68.20	-2.31	44.69	3	Horizontal	319	1.79	-	42.20	10.92	31.92




For Radio 1 / Ant. 17 / non beamforming mode

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.14992G	53.91	54.00	-0.09	3	Vertical	0	1.80	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
 SET 64
 80/60/70/65/63/64
 -24.05/2.55/-5.92/-0.66/1.33/0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	69.32	74.00	-4.68	63.19	3	Vertical	3	1.80	-	32.70	6.37	32.94
AV	5.1484G	53.86	54.00	-0.14	47.73	3	Vertical	3	1.80	-	32.70	6.37	32.94
PK	5.1782G	119.97	Inf	-Inf	113.82	3	Vertical	3	1.80	-	32.70	6.39	32.94
AV	5.179G	110.10	Inf	-Inf	103.95	3	Vertical	3	1.80	-	32.70	6.39	32.94

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
 SET 62
 64/44/54/59/61/62
 -1.06/5.36/3.87/2.39/1.35/1.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	69.03	74.00	-4.97	62.89	3	Horizontal	3	1.80	-	32.71	6.37	32.94
AV	5.146G	52.97	54.00	-1.03	46.83	3	Horizontal	3	1.80	-	32.71	6.37	32.94
PK	5.1756G	119.39	Inf	-Inf	113.24	3	Horizontal	3	1.80	-	32.70	6.39	32.94
AV	5.1758G	109.84	Inf	-Inf	103.69	3	Horizontal	3	1.80	-	32.70	6.39	32.94

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 62
62
13.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.36088G	54.85	68.20	-13.35	40.98	3	Vertical	222	2.96	-	38.40	8.59	33.12

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 62
62
6.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5426G	61.20	74.00	-12.80	45.62	3	Vertical	205	2.54	-	38.03	10.36	32.81
AV	15.52212G	47.89	54.00	-6.11	32.24	3	Vertical	205	2.54	-	38.11	10.36	32.82

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 62
62
13.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3564G	55.06	68.20	-13.14	41.19	3	Horizontal	84	1.80	-	38.40	8.59	33.12

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
 SET 62
 62
 6.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5228G	60.71	74.00	-13.29	45.06	3	Horizontal	268	1.80	-	38.11	10.36	32.82
AV	15.52268G	47.78	54.00	-6.22	32.13	3	Horizontal	268	1.80	-	38.11	10.36	32.82

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
 SET 68
 80/60/70/65/67/68
 -11.34/3.78/-1.11/2.00/0.94/0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14232G	71.40	74.00	-2.60	65.25	3	Vertical	358	1.80	-	32.72	6.37	32.94
AV	5.14988G	53.65	54.00	-0.35	47.52	3	Vertical	358	1.80	-	32.70	6.37	32.94
PK	5.20168G	122.17	Inf	-Inf	116.01	3	Vertical	358	1.80	-	32.70	6.40	32.94
AV	5.20112G	112.43	Inf	-Inf	106.27	3	Vertical	358	1.80	-	32.70	6.40	32.94

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
SET 68
68
1.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14736G	69.99	74.00	-4.01	63.85	3	Horizontal	0	1.80	-	32.71	6.37	32.94
AV	5.14792G	52.21	54.00	-1.79	46.08	3	Horizontal	0	1.80	-	32.70	6.37	32.94
PK	5.19804G	121.85	Inf	-Inf	115.69	3	Horizontal	0	1.80	-	32.70	6.40	32.94
AV	5.19692G	111.52	Inf	-Inf	105.36	3	Horizontal	0	1.80	-	32.70	6.40	32.94

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 68
68
13.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.40052G	54.86	68.20	-13.34	40.95	3	Vertical	12	2.93	-	38.40	8.60	33.09

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 68
68
6.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60164G	60.79	74.00	-13.21	45.41	3	Vertical	142	1.80	-	37.80	10.38	32.80
AV	15.59644G	47.85	54.00	-6.15	32.46	3	Vertical	142	1.80	-	37.81	10.38	32.80

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 68
68
13.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41788G	54.86	68.20	-13.34	40.92	3	Horizontal	141	1.76	-	38.42	8.60	33.08

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 68
68
6.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59008G	61.33	74.00	-12.67	45.92	3	Horizontal	138	1.80	-	37.84	10.38	32.81
AV	15.60444G	47.90	54.00	-6.10	32.52	3	Horizontal	138	1.80	-	37.80	10.38	32.80

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
 SET 84
 80/100/90/85/83/84
 3.05/-4.93/-4.42/-1.51/1.17/0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14796G	68.20	74.00	-5.80	62.07	3	Vertical	355	1.80	-	32.70	6.37	32.94
AV	5.14692G	53.30	54.00	-0.70	47.16	3	Vertical	355	1.80	-	32.71	6.37	32.94
PK	5.2426G	127.36	Inf	-Inf	121.10	3	Vertical	355	1.80	-	32.79	6.40	32.93
AV	5.24208G	116.84	Inf	-Inf	110.59	3	Vertical	355	1.80	-	32.78	6.40	32.93
PK	5.35804G	64.84	74.00	-9.16	58.33	3	Vertical	355	1.80	-	33.03	6.40	32.92
AV	5.35G	52.17	54.00	-1.83	45.69	3	Vertical	355	1.80	-	33.00	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
 SET 82
 84/64/74/79/81/82
 -1.64/4.16/3.03/2.73/2.20/0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1438G	70.55	74.00	-3.45	64.41	3	Horizontal	355	1.80	-	32.71	6.37	32.94
AV	5.14484G	53.30	54.00	-0.70	47.16	3	Horizontal	355	1.80	-	32.71	6.37	32.94
PK	5.23896G	126.56	Inf	-Inf	120.31	3	Horizontal	355	1.80	-	32.78	6.40	32.93
AV	5.23844G	116.34	Inf	-Inf	110.09	3	Horizontal	355	1.80	-	32.78	6.40	32.93
PK	5.35388G	66.96	74.00	-7.04	60.46	3	Horizontal	355	1.80	-	33.02	6.40	32.92
AV	5.3518G	52.20	54.00	-1.80	45.71	3	Horizontal	355	1.80	-	33.01	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 82
82
12.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.46912G	55.86	68.20	-12.34	41.80	3	Vertical	14	2.66	-	38.47	8.62	33.03

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 82
82
2.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72396G	63.93	74.00	-10.07	48.45	3	Vertical	178	2.66	-	37.84	10.42	32.78
AV	15.72344G	51.56	54.00	-2.44	36.08	3	Vertical	178	2.66	-	37.84	10.42	32.78

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 82
82
13.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46796G	55.14	68.20	-13.06	41.09	3	Horizontal	353	1.80	-	38.47	8.62	33.04

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 82
82
1.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72596G	65.35	74.00	-8.65	49.85	3	Horizontal	218	2.61	-	37.86	10.42	32.78
AV	15.72652G	52.25	54.00	-1.75	36.75	3	Horizontal	218	2.61	-	37.86	10.42	32.78

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
 SET 78
 80/60/70/75/77/78
 -11.70/4.25/3.58/3.01/1.19/1.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6462G	67.07	68.20	-1.13	59.30	3	Vertical	0	1.80	-	34.08	6.60	32.91
PK	5.74348G	126.18	Inf	-Inf	118.15	3	Vertical	0	1.80	-	34.35	6.60	32.92
AV	5.74348G	115.77	Inf	-Inf	107.74	3	Vertical	0	1.80	-	34.35	6.60	32.92
PK	5.93044G	60.75	68.20	-7.45	52.07	3	Vertical	0	1.80	-	35.02	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
 SET 73
 78/58/68/73/75/76/75/74/73
 -16.75/4.16/2.64/2.74/1.76/-0.94/-0.23/-1.97/2.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	65.79	68.20	-2.41	58.00	3	Horizontal	358	1.80	-	34.10	6.60	32.91
PK	5.73968G	126.06	Inf	-Inf	118.06	3	Horizontal	358	1.80	-	34.32	6.60	32.92
AV	5.73968G	116.35	Inf	-Inf	108.35	3	Horizontal	358	1.80	-	34.32	6.60	32.92
PK	5.92588G	61.23	68.20	-6.97	52.57	3	Horizontal	358	1.80	-	35.00	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 73
73
11.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50188G	56.26	74.00	-17.74	41.79	3	Vertical	346	1.80	-	38.40	8.88	32.81
AV	11.50452G	42.61	54.00	-11.39	28.13	3	Vertical	346	1.80	-	38.41	8.88	32.81

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 73
73
1.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.23176G	66.42	68.20	-1.78	45.80	3	Vertical	141	1.77	-	41.76	10.87	32.01

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 73
73
11.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50564G	56.88	74.00	-17.12	42.40	3	Horizontal	223	1.80	-	38.41	8.88	32.81
AV	11.492G	42.87	54.00	-11.13	28.41	3	Horizontal	223	1.80	-	38.40	8.87	32.81

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
 SET 71
 73/53/63/68/70/71
 -0.42/3.03/2.60/1.21/1.13/0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.23208G	67.96	68.20	-0.24	47.34	3	Horizontal	178	1.67	-	41.76	10.87	32.01

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
SET 108
80/100/108
3.75/1.42/1.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6422G	67.00	68.20	-1.20	59.26	3	Vertical	0	1.80	-	34.05	6.60	32.91
PK	5.7838G	125.68	Inf	-Inf	117.61	3	Vertical	0	1.80	-	34.40	6.60	32.93
AV	5.7838G	115.33	Inf	-Inf	107.26	3	Vertical	0	1.80	-	34.40	6.60	32.93
PK	5.932G	60.40	68.20	-7.80	51.71	3	Vertical	0	1.80	-	35.03	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
SET 108
108
2.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6404G	66.20	68.20	-2.00	58.47	3	Horizontal	0	1.80	-	34.04	6.60	32.91
PK	5.7784G	125.26	Inf	-Inf	117.19	3	Horizontal	0	1.80	-	34.40	6.60	32.93
AV	5.7784G	114.30	Inf	-Inf	106.23	3	Horizontal	0	1.80	-	34.40	6.60	32.93
PK	5.9338G	61.06	68.20	-7.14	52.36	3	Horizontal	0	1.80	-	35.04	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
SET 108
108
11.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58708G	55.97	74.00	-18.03	41.32	3	Vertical	236	1.80	-	38.57	8.90	32.82
AV	11.583G	42.72	54.00	-11.28	28.07	3	Vertical	236	1.80	-	38.57	8.90	32.82

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
SET 108
108
0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.36G	68.01	68.20	-0.19	46.88	3	Vertical	152	1.80	-	42.16	10.91	31.94

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
SET 108
108
11.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5834G	56.60	74.00	-17.40	41.95	3	Horizontal	4	1.82	-	38.57	8.90	32.82
AV	11.5638G	42.82	54.00	-11.18	28.22	3	Horizontal	4	1.82	-	38.53	8.89	32.82

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
 SET 73
 108/88/78/73/75/74/73
 -1.98/-0.96/-0.74/0.63/-0.50/-0.43/0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.35468G	67.85	68.20	-0.35	46.74	3	Horizontal	184	1.86	-	42.15	10.91	31.95

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
 SET 108
 80/100/108
 4.21/4.40/3.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64792G	65.19	68.20	-3.01	57.41	3	Vertical	2	1.80	-	34.09	6.60	32.91
PK	5.8212G	124.24	Inf	-Inf	116.00	3	Vertical	2	1.80	-	34.57	6.60	32.93
AV	5.82272G	114.11	Inf	-Inf	105.86	3	Vertical	2	1.80	-	34.58	6.60	32.93
PK	5.98992G	62.05	68.20	-6.15	53.14	3	Vertical	2	1.80	-	35.26	6.60	32.95

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
SET 108
108
5.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64868G	62.99	68.20	-5.21	55.21	3	Horizontal	360	1.80	-	34.09	6.60	32.91
PK	5.81816G	126.10	Inf	-Inf	117.88	3	Horizontal	360	1.80	-	34.55	6.60	32.93
AV	5.81816G	114.76	Inf	-Inf	106.54	3	Horizontal	360	1.80	-	34.55	6.60	32.93
PK	5.95344G	61.80	68.20	-6.40	53.04	3	Horizontal	360	1.80	-	35.11	6.60	32.95

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 108
108
11.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66084G	56.79	74.00	-17.21	42.10	3	Vertical	96	1.41	-	38.60	8.92	32.83
AV	11.6684G	42.88	54.00	-11.12	28.19	3	Vertical	96	1.41	-	38.60	8.92	32.83

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
 SET 74
 108/88/78/73/75/74
 -1.25/-0.72/-0.66/1.08/-0.17/0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.47988G	67.35	68.20	-0.85	46.01	3	Vertical	163	1.26	-	42.28	10.94	31.88

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 74
74
11.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66748G	56.07	74.00	-17.93	41.38	3	Horizontal	344	1.80	-	38.60	8.92	32.83
AV	11.6642G	42.88	54.00	-11.12	28.19	3	Horizontal	344	1.80	-	38.60	8.92	32.83

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 74
74
0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.47168G	67.67	68.20	-0.53	46.34	3	Horizontal	141	1.86	-	42.27	10.94	31.88

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
 SET 63
 80/60/70/65/63/64/63
 -27.53/3.72/-8.24/-1.64/1.08/-0.33/1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.53	74.00	-6.47	61.40	3	Vertical	360	1.80	-	32.70	6.37	32.94
AV	5.15G	53.00	54.00	-1.00	46.87	3	Vertical	360	1.80	-	32.70	6.37	32.94
PK	5.1746G	120.84	Inf	-Inf	114.69	3	Vertical	360	1.80	-	32.70	6.39	32.94
AV	5.175G	107.31	Inf	-Inf	101.16	3	Vertical	360	1.80	-	32.70	6.39	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
 SET 61
 63/43/53/58/60/61
 -1.31/6.12/4.13/3.37/2.20/0.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.12	74.00	-6.88	60.99	3	Horizontal	360	1.80	-	32.70	6.37	32.94
AV	5.148G	53.41	54.00	-0.59	47.28	3	Horizontal	360	1.80	-	32.70	6.37	32.94
PK	5.1734G	120.28	Inf	-Inf	114.13	3	Horizontal	360	1.80	-	32.70	6.39	32.94
AV	5.1786G	107.15	Inf	-Inf	101.00	3	Horizontal	360	1.80	-	32.70	6.39	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 61
61
13.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.36608G	54.70	68.20	-13.50	40.83	3	Vertical	339	2.70	-	38.40	8.59	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
 SET 61
 61
 6.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5276G	61.18	74.00	-12.82	45.55	3	Vertical	159	1.76	-	38.09	10.36	32.82
AV	15.52472G	47.07	54.00	-6.93	31.43	3	Vertical	159	1.76	-	38.10	10.36	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 61
61
12.97

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.3464G	55.23	68.20	-12.97	41.37	3	Horizontal	308	2.89	-	38.40	8.59	33.13

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
SET 61
61
6.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52172G	61.07	74.00	-12.93	45.42	3	Horizontal	172	1.78	-	38.11	10.36	32.82
AV	15.52024G	47.12	54.00	-6.88	31.46	3	Horizontal	172	1.78	-	38.12	10.36	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
 SET 66
 80/60/70/65/67/66
 -13.76/3.39/-2.61/0.92/-1.02/0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	72.00	74.00	-2.00	65.87	3	Vertical	0	1.80	-	32.70	6.37	32.94
AV	5.1496G	53.75	54.00	-0.25	47.62	3	Vertical	0	1.80	-	32.70	6.37	32.94
PK	5.20532G	123.58	Inf	-Inf	117.41	3	Vertical	0	1.80	-	32.71	6.40	32.94
AV	5.20504G	109.49	Inf	-Inf	103.32	3	Vertical	0	1.80	-	32.71	6.40	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
SET 66
66
1.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13924G	70.62	74.00	-3.38	64.47	3	Horizontal	358	1.80	-	32.72	6.37	32.94
AV	5.14848G	52.32	54.00	-1.68	46.19	3	Horizontal	358	1.80	-	32.70	6.37	32.94
PK	5.20364G	122.87	Inf	-Inf	116.70	3	Horizontal	358	1.80	-	32.71	6.40	32.94
AV	5.19888G	108.99	Inf	-Inf	102.83	3	Horizontal	358	1.80	-	32.70	6.40	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 66
66
13.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.38392G	54.89	68.20	-13.31	40.99	3	Vertical	279	1.80	-	38.40	8.60	33.10

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 66
66
7.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59636G	60.79	74.00	-13.21	45.40	3	Vertical	155	1.02	-	37.81	10.38	32.80
AV	15.59928G	46.98	54.00	-7.02	31.60	3	Vertical	155	1.02	-	37.80	10.38	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
SET 66
66
13.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.39472G	54.92	68.20	-13.28	41.01	3	Horizontal	230	1.80	-	38.40	8.60	33.09

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
 SET 66
 66
 7.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58732G	61.59	74.00	-12.41	46.17	3	Horizontal	152	1.88	-	37.85	10.38	32.81
AV	15.6026G	46.91	54.00	-7.09	31.53	3	Horizontal	152	1.88	-	37.80	10.38	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
 SET 83
 80/100/90/85/83
 3.40/-7.50/-9.09/-3.93/0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14588G	70.91	74.00	-3.09	64.77	3	Vertical	4	1.80	-	32.71	6.37	32.94
AV	5.14744G	53.50	54.00	-0.50	47.36	3	Vertical	4	1.80	-	32.71	6.37	32.94
PK	5.23896G	128.15	Inf	-Inf	121.90	3	Vertical	4	1.80	-	32.78	6.40	32.93
AV	5.23896G	114.62	Inf	-Inf	108.37	3	Vertical	4	1.80	-	32.78	6.40	32.93
PK	5.35284G	69.64	74.00	-4.36	63.15	3	Vertical	4	1.80	-	33.01	6.40	32.92
AV	5.3518G	52.19	54.00	-1.81	45.70	3	Vertical	4	1.80	-	33.01	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
 SET 81
 83/63/73/78/80/81
 -4.57/5.17/4.16/2.97/1.28/0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14588G	70.85	74.00	-3.15	64.71	3	Horizontal	358	1.80	-	32.71	6.37	32.94
AV	5.1464G	53.84	54.00	-0.16	47.70	3	Horizontal	358	1.80	-	32.71	6.37	32.94
PK	5.24364G	127.55	Inf	-Inf	121.29	3	Horizontal	358	1.80	-	32.79	6.40	32.93
AV	5.23844G	113.97	Inf	-Inf	107.72	3	Horizontal	358	1.80	-	32.78	6.40	32.93
PK	5.35232G	68.14	74.00	-5.86	61.65	3	Horizontal	358	1.80	-	33.01	6.40	32.92
AV	5.35128G	52.76	54.00	-1.24	46.27	3	Horizontal	358	1.80	-	33.01	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 81
81
13.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.46668G	54.99	68.20	-13.21	40.94	3	Vertical	140	1.60	-	38.47	8.62	33.04

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
 SET 81
 81
 5.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7194G	62.71	74.00	-11.29	47.25	3	Vertical	190	1.85	-	37.82	10.42	32.78
AV	15.7188G	48.99	54.00	-5.01	33.54	3	Vertical	190	1.85	-	37.81	10.42	32.78

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
 SET 81
 81
 13.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49104G	55.12	68.20	-13.08	41.03	3	Horizontal	120	2.09	-	38.49	8.62	33.02

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
SET 81
81
2.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.728G	65.23	74.00	-8.77	49.72	3	Horizontal	224	2.94	-	37.87	10.42	32.78
AV	15.71824G	51.22	54.00	-2.78	35.78	3	Horizontal	224	2.94	-	37.81	10.42	32.79

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
 SET 75
 80/60/70/75/77/76/75
 -15.01/4.33/3.78/1.42/-2.22/-0.31/0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.74	68.20	-0.46	59.95	3	Vertical	0	1.80	-	34.10	6.60	32.91
PK	5.74956G	126.03	Inf	-Inf	117.95	3	Vertical	0	1.80	-	34.40	6.60	32.92
AV	5.73968G	113.42	Inf	-Inf	105.42	3	Vertical	0	1.80	-	34.32	6.60	32.92
PK	5.92588G	60.16	68.20	-8.04	51.50	3	Vertical	0	1.80	-	35.00	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
 SET 71
 75/55/65/70/72/71
 -6.78/4.34/4.25/3.94/-0.83/3.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63784G	64.91	68.20	-3.29	57.19	3	Horizontal	360	1.80	-	34.03	6.60	32.91
PK	5.74196G	126.92	Inf	-Inf	118.90	3	Horizontal	360	1.80	-	34.34	6.60	32.92
AV	5.74196G	114.01	Inf	-Inf	105.99	3	Horizontal	360	1.80	-	34.34	6.60	32.92
PK	5.93196G	60.55	68.20	-7.65	51.86	3	Horizontal	360	1.80	-	35.03	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 71
71
11.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48908G	57.04	74.00	-16.96	42.58	3	Vertical	304	1.80	-	38.40	8.87	32.81
AV	11.47864G	42.08	54.00	-11.92	27.62	3	Vertical	304	1.80	-	38.40	8.87	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 71
71
1.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.2438G	66.98	68.20	-1.22	46.29	3	Vertical	138	1.92	-	41.82	10.87	32.00

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 71
71
11.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49592G	56.29	74.00	-17.71	41.83	3	Horizontal	277	1.80	-	38.40	8.87	32.81
AV	11.50184G	42.06	54.00	-11.94	27.59	3	Horizontal	277	1.80	-	38.40	8.88	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
SET 71
71
1.68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.23056G	66.52	68.20	-1.68	45.91	3	Horizontal	177	1.80	-	41.75	10.87	32.01

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
 SET 80
 80/100/90/85/83/82/80
 1.39/-4.57/-0.67/-0.36/-0.94/-1.44/1.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6434G	66.80	68.20	-1.40	59.05	3	Vertical	0	1.80	-	34.06	6.60	32.91
PK	5.7838G	126.15	Inf	-Inf	118.08	3	Vertical	0	1.80	-	34.40	6.60	32.93
AV	5.7844G	112.72	Inf	-Inf	104.65	3	Vertical	0	1.80	-	34.40	6.60	32.93
PK	5.932G	60.83	68.20	-7.37	52.14	3	Vertical	0	1.80	-	35.03	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
 SET 75
 80/60/70/75/77/76/75
 -0.40/4.51/3.80/0.51/-0.85/-1.29/0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6368G	67.91	68.20	-0.29	60.20	3	Horizontal	360	1.80	-	34.02	6.60	32.91
PK	5.7814G	125.23	Inf	-Inf	117.16	3	Horizontal	360	1.80	-	34.40	6.60	32.93
AV	5.7772G	112.04	Inf	-Inf	103.97	3	Horizontal	360	1.80	-	34.40	6.60	32.93
PK	5.9272G	60.93	68.20	-7.27	52.26	3	Horizontal	360	1.80	-	35.01	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
 SET 75
 75
 11.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58284G	56.15	74.00	-17.85	41.50	3	Vertical	0	1.80	-	38.57	8.90	32.82
AV	11.58848G	42.22	54.00	-11.78	27.56	3	Vertical	0	1.80	-	38.58	8.90	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
SET 75
75
0.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.35292G	67.54	68.20	-0.66	46.43	3	Vertical	150	1.86	-	42.15	10.91	31.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
SET 75
75
11.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58076G	56.20	74.00	-17.80	41.56	3	Horizontal	292	1.80	-	38.56	8.90	32.82
AV	11.586G	42.12	54.00	-11.88	27.47	3	Horizontal	292	1.80	-	38.57	8.90	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
 SET 73
 75/55/65/70/72/73
 -0.36/3.36/2.82/1.66/0.54/0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.3504G	67.54	68.20	-0.66	46.43	3	Horizontal	180	1.67	-	42.15	10.91	31.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
 SET 108
 80/100/108
 3.18/1.51/2.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6426G	65.34	68.20	-2.86	57.59	3	Vertical	360	1.80	-	34.06	6.60	32.91
PK	5.82424G	125.12	Inf	-Inf	116.86	3	Vertical	360	1.80	-	34.59	6.60	32.93
AV	5.81968G	112.10	Inf	-Inf	103.87	3	Vertical	360	1.80	-	34.56	6.60	32.93
PK	5.95724G	61.47	68.20	-6.73	52.69	3	Vertical	360	1.80	-	35.13	6.60	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
SET 108
108
3.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64184G	64.45	68.20	-3.75	56.71	3	Horizontal	0	1.80	-	34.05	6.60	32.91
PK	5.82576G	125.30	Inf	-Inf	117.02	3	Horizontal	0	1.80	-	34.61	6.60	32.93
AV	5.82196G	112.68	Inf	-Inf	104.43	3	Horizontal	0	1.80	-	34.58	6.60	32.93
PK	5.9884G	61.58	68.20	-6.62	52.68	3	Horizontal	0	1.80	-	35.25	6.60	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 108
108
11.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64136G	55.96	74.00	-18.04	41.28	3	Vertical	356	1.80	-	38.60	8.91	32.83
AV	11.66972G	42.21	54.00	-11.79	27.52	3	Vertical	356	1.80	-	38.60	8.92	32.83

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 108
108
1.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.47188G	66.43	68.20	-1.77	45.10	3	Vertical	174	1.80	-	42.27	10.94	31.88

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
SET 108
108
11.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63064G	56.32	74.00	-17.68	41.64	3	Horizontal	3	1.80	-	38.60	8.91	32.83
AV	11.66996G	42.14	54.00	-11.86	27.45	3	Horizontal	3	1.80	-	38.60	8.92	32.83

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
 SET 74
 108/88/74
 -0.23/-0.94/0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.47148G	67.89	68.20	-0.31	46.56	3	Horizontal	147	1.02	-	42.27	10.94	31.88

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
 SET 48
 80/60/50/45/47/48
 -34.13/-7.91/-0.36/0.99/0.60/0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	66.31	74.00	-7.69	60.18	3	Vertical	2	1.80	-	32.70	6.37	32.94
AV	5.14848G	53.67	54.00	-0.33	47.54	3	Vertical	2	1.80	-	32.70	6.37	32.94
PK	5.2044G	115.15	Inf	-Inf	108.98	3	Vertical	2	1.80	-	32.71	6.40	32.94
AV	5.20488G	102.94	Inf	-Inf	96.77	3	Vertical	2	1.80	-	32.71	6.40	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
 SET 44
 48/28/38/43/45/44
 -0.41/2.85/2.29/1.52/-0.50/1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	65.59	74.00	-8.41	59.46	3	Horizontal	360	1.80	-	32.70	6.37	32.94
AV	5.1492G	52.95	54.00	-1.05	46.82	3	Horizontal	360	1.80	-	32.70	6.37	32.94
PK	5.20368G	113.89	Inf	-Inf	107.72	3	Horizontal	360	1.80	-	32.71	6.40	32.94
AV	5.19864G	101.88	Inf	-Inf	95.72	3	Horizontal	360	1.80	-	32.70	6.40	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
 SET 44
 44
 13.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.39112G	54.67	68.20	-13.53	40.77	3	Vertical	360	2.81	-	38.40	8.60	33.10

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
SET 44
44
5.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53688G	60.34	74.00	-13.66	44.74	3	Vertical	360	2.18	-	38.05	10.36	32.81
AV	15.53168G	48.65	54.00	-5.35	33.03	3	Vertical	360	2.18	-	38.07	10.36	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
SET 44
44
13.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.37792G	54.99	68.20	-13.21	41.11	3	Horizontal	68	1.80	-	38.40	8.59	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
 SET 44
 44
 5.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57488G	60.69	74.00	-13.31	45.23	3	Horizontal	9	1.80	-	37.90	10.37	32.81
AV	15.5476G	48.50	54.00	-5.50	32.94	3	Horizontal	9	1.80	-	38.01	10.36	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
 SET 63
 80/60/70/65/63
 -13.10/2.10/-4.75/-1.33/0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	69.07	74.00	-4.93	62.94	3	Vertical	0	1.80	-	32.70	6.37	32.94
AV	5.14992G	53.91	54.00	-0.09	47.78	3	Vertical	0	1.80	-	32.70	6.37	32.94
PK	5.2404G	120.92	Inf	-Inf	114.67	3	Vertical	0	1.80	-	32.78	6.40	32.93
AV	5.23468G	108.87	Inf	-Inf	102.63	3	Vertical	0	1.80	-	32.77	6.40	32.93
PK	5.35324G	64.10	74.00	-9.90	57.61	3	Vertical	0	1.80	-	33.01	6.40	32.92
AV	5.35064G	51.66	54.00	-2.34	45.18	3	Vertical	0	1.80	-	33.00	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
 SET 61
 63/43/53/58/60/61
 -0.21/4.98/4.25/3.17/2.03/0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	68.21	74.00	-5.79	62.07	3	Horizontal	357	1.80	-	32.71	6.37	32.94
AV	5.14888G	53.39	54.00	-0.61	47.26	3	Horizontal	357	1.80	-	32.70	6.37	32.94
PK	5.23884G	120.09	Inf	-Inf	113.84	3	Horizontal	357	1.80	-	32.78	6.40	32.93
AV	5.23884G	108.00	Inf	-Inf	101.75	3	Horizontal	357	1.80	-	32.78	6.40	32.93
PK	5.35428G	62.76	74.00	-11.24	56.26	3	Horizontal	357	1.80	-	33.02	6.40	32.92
AV	5.35272G	50.82	54.00	-3.18	44.33	3	Horizontal	357	1.80	-	33.01	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
SET 61
61
13.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.44536G	54.79	68.20	-13.41	40.78	3	Vertical	5	1.02	-	38.45	8.61	33.05

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
SET 61
61
6.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.67616G	60.40	74.00	-13.60	45.07	3	Vertical	249	1.80	-	37.72	10.40	32.79
AV	15.67048G	47.56	54.00	-6.44	32.22	3	Vertical	249	1.80	-	37.73	10.40	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
 SET 61
 61
 12.84

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.45648G	55.36	68.20	-12.84	41.33	3	Horizontal	229	1.80	-	38.46	8.61	33.04

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
SET 61
61
6.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.65192G	60.16	74.00	-13.84	44.81	3	Horizontal	219	2.92	-	37.75	10.40	32.80
AV	15.67008G	47.86	54.00	-6.14	32.52	3	Horizontal	219	2.92	-	37.73	10.40	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
 SET 65
 80/60/70/65/67/66/65
 -12.36/3.24/-6.73/0.78/-1.58/-1.16/0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64988G	68.11	68.20	-0.09	60.32	3	Vertical	358	1.80	-	34.10	6.60	32.91
PK	5.73988G	121.62	Inf	-Inf	113.62	3	Vertical	358	1.80	-	34.32	6.60	32.92
AV	5.7406G	110.11	Inf	-Inf	102.11	3	Vertical	358	1.80	-	34.32	6.60	32.92
PK	5.92636G	60.96	68.20	-7.24	52.29	3	Vertical	358	1.80	-	35.01	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
SET 65
65
1.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64844G	66.35	68.20	-1.85	58.57	3	Horizontal	360	1.80	-	34.09	6.60	32.91
PK	5.73628G	122.24	Inf	-Inf	114.27	3	Horizontal	360	1.80	-	34.29	6.60	32.92
AV	5.737G	110.52	Inf	-Inf	102.54	3	Horizontal	360	1.80	-	34.30	6.60	32.92
PK	5.935G	61.10	68.20	-7.10	52.40	3	Horizontal	360	1.80	-	35.04	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
 SET 65
 65
 10.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50624G	57.56	74.00	-16.44	43.08	3	Vertical	210	1.80	-	38.41	8.88	32.81
AV	11.5476G	43.75	54.00	-10.25	29.18	3	Vertical	210	1.80	-	38.50	8.89	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
SET 65
65
3.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.281G	65.03	68.20	-3.17	44.12	3	Vertical	233	1.80	-	42.01	10.88	31.98

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
SET 65
65
10.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50176G	55.89	74.00	-18.11	41.42	3	Horizontal	334	1.80	-	38.40	8.88	32.81
AV	11.54104G	43.60	54.00	-10.40	29.05	3	Horizontal	334	1.80	-	38.48	8.89	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
SET 65
65
2.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.27372G	65.26	68.20	-2.94	44.40	3	Horizontal	142	1.80	-	41.97	10.88	31.99

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
 SET 68
 80/60/70/65/67/68
 -6.75/3.85/-0.49/2.63/1.39/0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64908G	67.72	68.20	-0.48	59.94	3	Vertical	0	1.80	-	34.09	6.60	32.91
PK	5.79948G	121.44	Inf	-Inf	113.37	3	Vertical	0	1.80	-	34.40	6.60	32.93
AV	5.78988G	109.34	Inf	-Inf	101.27	3	Vertical	0	1.80	-	34.40	6.60	32.93
PK	5.9518G	61.77	68.20	-6.43	53.01	3	Vertical	0	1.80	-	35.11	6.60	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
SET 68
68
1.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6414G	66.87	68.20	-1.33	59.13	3	Horizontal	360	1.80	-	34.05	6.60	32.91
PK	5.80716G	120.05	Inf	-Inf	111.92	3	Horizontal	360	1.80	-	34.46	6.60	32.93
AV	5.77708G	109.26	Inf	-Inf	101.19	3	Horizontal	360	1.80	-	34.40	6.60	32.93
PK	5.94476G	61.51	68.20	-6.69	52.77	3	Horizontal	360	1.80	-	35.08	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
 SET 68
 68
 10.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59552G	56.36	74.00	-17.64	41.69	3	Vertical	155	2.39	-	38.59	8.90	32.82
AV	11.58992G	43.77	54.00	-10.23	29.11	3	Vertical	155	2.39	-	38.58	8.90	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
 SET 68
 68
 3.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.36364G	64.65	68.20	-3.55	43.52	3	Vertical	25	1.80	-	42.16	10.91	31.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
 SET 68
 68
 10.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62232G	56.25	74.00	-17.75	41.57	3	Horizontal	297	1.80	-	38.60	8.91	32.83
AV	11.59808G	43.68	54.00	-10.32	29.00	3	Horizontal	297	1.80	-	38.60	8.90	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
SET 68
68
2.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.37588G	65.55	68.20	-2.65	44.39	3	Horizontal	165	1.96	-	42.18	10.91	31.93

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
 SET 50
 80/60/50
 -34.04/-7.13/0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14472G	64.49	74.00	-9.51	58.35	3	Vertical	0	1.80	-	32.71	6.37	32.94
AV	5.14856G	53.87	54.00	-0.13	47.74	3	Vertical	0	1.80	-	32.70	6.37	32.94
PK	5.21448G	113.17	Inf	-Inf	106.97	3	Vertical	0	1.80	-	32.73	6.40	32.93
AV	5.22472G	101.95	Inf	-Inf	95.73	3	Vertical	0	1.80	-	32.75	6.40	32.93
PK	5.354G	61.79	74.00	-12.21	55.29	3	Vertical	0	1.80	-	33.02	6.40	32.92
AV	5.35912G	50.44	54.00	-3.56	43.92	3	Vertical	0	1.80	-	33.04	6.40	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
 SET 47
 50/30/40/45/47
 -0.66/3.02/3.18/1.37/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14472G	65.52	74.00	-8.48	59.38	3	Horizontal	358	1.80	-	32.71	6.37	32.94
AV	5.14984G	53.60	54.00	-0.40	47.47	3	Horizontal	358	1.80	-	32.70	6.37	32.94
PK	5.2388G	114.01	Inf	-Inf	107.76	3	Horizontal	358	1.80	-	32.78	6.40	32.93
AV	5.2388G	101.69	Inf	-Inf	95.44	3	Horizontal	358	1.80	-	32.78	6.40	32.93
PK	5.35208G	62.61	74.00	-11.39	56.12	3	Horizontal	358	1.80	-	33.01	6.40	32.92
AV	5.36424G	50.42	54.00	-3.58	43.88	3	Horizontal	358	1.80	-	33.06	6.40	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
 SET 47
 47
 13.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.4608G	55.14	68.20	-13.06	41.10	3	Vertical	360	2.11	-	38.46	8.62	33.04

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
SET 47
47
6.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58888G	60.30	74.00	-13.70	44.89	3	Vertical	267	1.80	-	37.84	10.38	32.81
AV	15.55384G	47.89	54.00	-6.11	32.35	3	Vertical	267	1.80	-	37.98	10.37	32.81

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
SET 47
47
13.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.43568G	55.01	68.20	-13.19	41.02	3	Horizontal	108	1.80	-	38.44	8.61	33.06

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
 SET 47
 47
 5.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60712G	61.16	74.00	-12.84	45.79	3	Horizontal	31	1.80	-	37.79	10.38	32.80
AV	15.55128G	48.11	54.00	-5.89	32.56	3	Horizontal	31	1.80	-	37.99	10.37	32.81

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
 SET 50
 80/60/50
 -23.95/-2.87/0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64828G	67.89	68.20	-0.31	60.11	3	Vertical	360	1.80	-	34.09	6.60	32.91
PK	5.74428G	113.86	Inf	-Inf	105.83	3	Vertical	360	1.80	-	34.35	6.60	32.92
AV	5.74492G	102.88	Inf	-Inf	94.84	3	Vertical	360	1.80	-	34.36	6.60	32.92
PK	5.93244G	60.60	68.20	-7.60	51.91	3	Vertical	360	1.80	-	35.03	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Z_4TX
SET 50
50
1.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64188G	66.36	68.20	-1.84	58.62	3	Horizontal	360	1.80	-	34.05	6.60	32.91
PK	5.74172G	115.93	Inf	-Inf	107.92	3	Horizontal	360	1.80	-	34.33	6.60	32.92
AV	5.73724G	103.68	Inf	-Inf	95.70	3	Horizontal	360	1.80	-	34.30	6.60	32.92
PK	5.9318G	60.94	68.20	-7.26	52.25	3	Horizontal	360	1.80	-	35.03	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
 SET 50
 50
 10.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4812G	56.09	74.00	-17.91	41.63	3	Vertical	284	1.80	-	38.40	8.87	32.81
AV	11.48216G	43.93	54.00	-10.07	29.47	3	Vertical	284	1.80	-	38.40	8.87	32.81

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
SET 50
50
3.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.2706G	65.17	68.20	-3.03	44.33	3	Vertical	267	1.80	-	41.95	10.88	31.99

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
SET 50
50
10.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5828G	56.31	74.00	-17.69	41.66	3	Horizontal	155	1.80	-	38.57	8.90	32.82
AV	11.58104G	43.82	54.00	-10.18	29.18	3	Horizontal	155	1.80	-	38.56	8.90	32.82

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT Y_4TX
SET 50
50
2.64


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.3794G	65.56	68.20	-2.64	44.40	3	Horizontal	360	1.80	-	42.18	10.91	31.93



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.36066G	48.40	54.00	-5.60	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.36246G	53.15	74.00	-20.85	-4.54	3	Vertical	125	3.00	-	57.69	25.88	3.56	33.98
AV	1.36066G	48.40	54.00	-5.60	-4.54	3	Vertical	125	3.00	"Worst"	52.94	25.88	3.56	33.98

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.36098G	50.67	74.00	-23.33	-4.54	3	Horizontal	243	2.95	-	55.21	25.88	3.56	33.98
AV	1.36076G	44.35	54.00	-9.65	-4.54	3	Horizontal	243	2.95	"Worst"	48.89	25.88	3.56	33.98