


802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 30
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78916G	60.77	88.20	-27.43	43.48	3	Vertical	160	1.80	-	40.17	11.14	34.02
RMS	13.79556G	46.78	68.20	-21.42	29.47	3	Vertical	160	1.80	-	40.19	11.15	34.03

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 30
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79852G	60.69	88.20	-27.51	43.37	3	Horizontal	244	1.80	-	40.20	11.15	34.03
RMS	13.7952G	46.78	68.20	-21.42	29.47	3	Horizontal	244	1.80	-	40.19	11.15	34.03

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 30
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68228G	53.77	83.54	-29.77	51.17	1	Vertical	75	1.53	-	37.92	14.51	49.83
AV	20.68216G	40.29	63.54	-23.25	37.69	1	Vertical	75	1.53	-	37.92	14.51	49.83

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 30
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6835G	53.63	83.54	-29.91	51.03	1	Horizontal	250	1.57	-	37.92	14.51	49.83
AV	20.68212G	40.37	63.54	-23.17	37.77	1	Horizontal	250	1.57	-	37.92	14.51	49.83

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9918G	106.91	Inf	-Inf	98.53	3	Vertical	177	2.96	-	34.98	6.70	33.30
RMS	7.0022G	95.12	Inf	-Inf	86.72	3	Vertical	177	2.96	-	35.01	6.70	33.31
PK	7.1854G	61.54	88.20	-26.66	52.01	3	Vertical	177	2.96	-	36.04	6.89	33.40
RMS	7.195G	50.73	68.20	-17.47	41.16	3	Vertical	177	2.96	-	36.08	6.90	33.41

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9934G	108.68	Inf	-Inf	100.29	3	Horizontal	233	2.76	-	34.99	6.70	33.30
RMS	6.9934G	98.15	Inf	-Inf	89.76	3	Horizontal	233	2.76	-	34.99	6.70	33.30
PK	7.1798G	62.39	88.20	-25.81	52.89	3	Horizontal	233	2.76	-	36.02	6.88	33.40
RMS	7.1934G	50.76	68.20	-17.44	41.21	3	Horizontal	233	2.76	-	36.07	6.89	33.41

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99098G	61.05	88.20	-27.15	43.32	3	Vertical	334	2.61	-	40.57	11.29	34.13
RMS	13.99252G	47.94	68.20	-20.26	30.20	3	Vertical	334	2.61	-	40.58	11.29	34.13

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99294G	62.20	88.20	-26.00	44.46	3	Horizontal	222	2.41	-	40.58	11.29	34.13
RMS	13.99474G	47.90	68.20	-20.30	30.15	3	Horizontal	222	2.41	-	40.58	11.30	34.13

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98334G	51.84	83.54	-31.70	49.18	1	Vertical	185	1.52	-	37.63	14.74	49.71
AV	20.9858G	39.50	63.54	-24.04	36.85	1	Vertical	185	1.52	-	37.62	14.74	49.71

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98162G	52.21	83.54	-31.33	49.55	1	Horizontal	21	1.55	-	37.63	14.74	49.71
AV	20.98828G	39.26	63.54	-24.28	36.60	1	Horizontal	21	1.55	-	37.62	14.74	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 29
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1018G	106.64	Inf	-Inf	97.59	3	Vertical	193	3.00	-	35.61	6.80	33.36
RMS	7.097G	96.30	Inf	-Inf	87.28	3	Vertical	193	3.00	-	35.58	6.80	33.36
PK	7.1886G	62.30	88.20	-25.90	52.76	3	Vertical	193	3.00	-	36.05	6.89	33.40
RMS	7.1946G	50.81	68.20	-17.39	41.25	3	Vertical	193	3.00	-	36.08	6.89	33.41

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 29
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0938G	106.45	Inf	-Inf	97.47	3	Horizontal	129	1.82	-	35.55	6.79	33.36
RMS	7.0986G	96.71	Inf	-Inf	87.68	3	Horizontal	129	1.82	-	35.59	6.80	33.36
PK	7.1674G	61.98	88.20	-26.22	52.53	3	Horizontal	129	1.82	-	35.97	6.87	33.39
RMS	7.1286G	50.84	68.20	-17.36	41.61	3	Horizontal	129	1.82	-	35.77	6.83	33.37

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 29
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18996G	62.23	88.20	-25.97	43.92	3	Vertical	356	1.56	-	40.98	11.42	34.09
RMS	14.1853G	48.63	68.20	-19.57	30.33	3	Vertical	356	1.56	-	40.97	11.42	34.09

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 29
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19204G	62.11	88.20	-26.09	43.80	3	Horizontal	4	2.61	-	40.98	11.42	34.09
RMS	14.18916G	48.64	68.20	-19.56	30.33	3	Horizontal	4	2.61	-	40.98	11.42	34.09

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 29
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28642G	51.35	83.54	-32.19	48.39	1	Vertical	207	1.56	-	37.64	14.96	49.64
AV	21.28564G	38.30	63.54	-25.24	35.34	1	Vertical	207	1.56	-	37.64	14.96	49.64

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 29
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2806G	52.09	83.54	-31.45	49.13	1	Horizontal	71	1.57	-	37.64	14.96	49.64
AV	21.28424G	38.06	63.54	-25.48	35.10	1	Horizontal	71	1.57	-	37.64	14.96	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	64.09	88.20	-24.11	58.26	3	Vertical	163	2.97	-	32.15	6.06	32.38
RMS	5.9234G	52.77	68.20	-15.43	46.94	3	Vertical	163	2.97	-	32.15	6.06	32.38
PK	5.953G	100.90	Inf	-Inf	95.02	3	Vertical	163	2.97	-	32.20	6.08	32.40
RMS	5.953G	91.09	Inf	-Inf	85.21	3	Vertical	163	2.97	-	32.20	6.08	32.40

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	70.25	88.20	-17.95	64.43	3	Horizontal	134	1.14	-	32.14	6.06	32.38
RMS	5.9226G	57.50	68.20	-10.70	51.67	3	Horizontal	134	1.14	-	32.15	6.06	32.38
PK	5.9618G	106.21	Inf	-Inf	100.34	3	Horizontal	134	1.14	-	32.20	6.08	32.41
RMS	5.9522G	95.67	Inf	-Inf	89.79	3	Horizontal	134	1.14	-	32.20	6.08	32.40

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93148G	56.51	74.00	-17.49	42.32	3	Vertical	140	2.81	-	38.66	9.76	34.23
AV	11.92648G	44.05	54.00	-9.95	29.87	3	Vertical	140	2.81	-	38.65	9.76	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9293G	57.42	74.00	-16.58	43.23	3	Horizontal	265	2.44	-	38.66	9.76	34.23
AV	11.93298G	44.00	54.00	-10.00	29.80	3	Horizontal	265	2.44	-	38.67	9.76	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.89946G	53.71	83.54	-29.83	52.41	1	Vertical	265	1.55	-	37.49	13.83	50.02
AV	17.89706G	41.51	63.54	-22.03	40.21	1	Vertical	265	1.55	-	37.48	13.83	50.01

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.8932G	54.23	83.54	-29.31	52.92	1	Horizontal	99	1.54	-	37.48	13.83	50.00
AV	17.89856G	41.64	63.54	-21.90	40.34	1	Horizontal	99	1.54	-	37.49	13.83	50.02

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 37
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	57.35	88.20	-30.85	51.57	3	Vertical	255	1.01	-	32.10	6.05	32.37
RMS	5.7546G	46.51	68.20	-21.69	40.79	3	Vertical	255	1.01	-	32.00	6.00	32.28
PK	6.1722G	99.75	Inf	-Inf	93.51	3	Vertical	255	1.01	-	32.56	6.19	32.51
RMS	6.1722G	88.73	Inf	-Inf	82.49	3	Vertical	255	1.01	-	32.56	6.19	32.51

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 37
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8986G	57.35	88.20	-30.85	51.57	3	Horizontal	131	2.21	-	32.10	6.05	32.37
RMS	5.7672G	46.46	68.20	-21.74	40.75	3	Horizontal	131	2.21	-	32.00	6.00	32.29
PK	6.1668G	104.52	Inf	-Inf	98.27	3	Horizontal	131	2.21	-	32.57	6.18	32.50
RMS	6.1578G	94.33	Inf	-Inf	88.07	3	Horizontal	131	2.21	-	32.58	6.18	32.50

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 37
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32554G	56.78	74.00	-17.22	42.28	3	Vertical	154	2.71	-	38.57	10.04	34.11
AV	12.32986G	44.11	54.00	-9.89	29.60	3	Vertical	154	2.71	-	38.57	10.05	34.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 37
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32986G	56.16	74.00	-17.84	41.65	3	Horizontal	360	2.61	-	38.57	10.05	34.11
AV	12.33106G	44.07	54.00	-9.93	29.56	3	Horizontal	360	2.61	-	38.57	10.05	34.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 37
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49552G	55.48	83.54	-28.06	53.87	1	Vertical	219	1.54	-	37.79	13.92	50.10
AV	18.49644G	43.16	63.54	-20.38	41.54	1	Vertical	219	1.54	-	37.80	13.92	50.10

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 37
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49976G	55.64	83.54	-27.90	54.02	1	Horizontal	200	1.50	-	37.80	13.92	50.10
AV	18.49594G	43.17	63.54	-20.37	41.55	1	Horizontal	200	1.50	-	37.80	13.92	50.10

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8098G	57.48	88.20	-30.72	51.80	3	Vertical	187	2.78	-	32.00	6.00	32.32
RMS	5.8674G	46.16	68.20	-22.04	40.45	3	Vertical	187	2.78	-	32.03	6.03	32.35
PK	6.3978G	101.35	Inf	-Inf	94.08	3	Vertical	187	2.78	-	33.48	6.40	32.61
RMS	6.3882G	89.24	Inf	-Inf	82.04	3	Vertical	187	2.78	-	33.41	6.39	32.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8362G	57.10	88.20	-31.10	51.41	3	Horizontal	228	2.96	-	32.00	6.02	32.33
RMS	5.8578G	46.14	68.20	-22.06	40.43	3	Horizontal	228	2.96	-	32.02	6.03	32.34
PK	6.393G	106.83	Inf	-Inf	99.60	3	Horizontal	228	2.96	-	33.44	6.39	32.60
RMS	6.3882G	95.93	Inf	-Inf	88.73	3	Horizontal	228	2.96	-	33.41	6.39	32.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8073G	56.84	88.20	-31.36	41.53	3	Vertical	64	1.17	-	38.91	10.41	34.01
RMS	12.81082G	44.46	68.20	-23.74	29.15	3	Vertical	64	1.17	-	38.91	10.41	34.01

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80548G	57.24	88.20	-30.96	41.94	3	Horizontal	152	2.18	-	38.91	10.40	34.01
RMS	12.814G	44.53	68.20	-23.67	29.22	3	Horizontal	152	2.18	-	38.91	10.41	34.01

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21198G	51.13	83.54	-32.41	49.06	1	Vertical	349	1.54	-	37.75	13.96	49.64
AV	19.21552G	38.69	63.54	-24.85	36.63	1	Vertical	349	1.54	-	37.74	13.96	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21476G	51.51	83.54	-32.03	49.45	1	Horizontal	69	1.55	-	37.74	13.96	49.64
AV	19.21766G	38.72	63.54	-24.82	36.66	1	Horizontal	69	1.55	-	37.74	13.96	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	56.84	88.20	-31.36	51.05	3	Vertical	187	2.74	-	32.12	6.05	32.38
RMS	5.7976G	46.20	68.20	-22.00	40.51	3	Vertical	187	2.74	-	32.00	6.00	32.31
PK	6.4528G	102.74	Inf	-Inf	95.32	3	Vertical	187	2.74	-	33.62	6.43	32.63
RMS	6.4294G	90.07	Inf	-Inf	82.72	3	Vertical	187	2.74	-	33.56	6.41	32.62

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.847G	56.41	88.20	-31.79	50.73	3	Horizontal	142	2.22	-	32.00	6.02	32.34
RMS	5.8392G	46.16	68.20	-22.04	40.47	3	Horizontal	142	2.22	-	32.00	6.02	32.33
PK	6.4502G	105.74	Inf	-Inf	98.34	3	Horizontal	142	2.22	-	33.60	6.43	32.63
RMS	6.4502G	94.86	Inf	-Inf	87.46	3	Horizontal	142	2.22	-	33.60	6.43	32.63

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88192G	56.94	88.20	-31.26	41.50	3	Vertical	26	1.80	-	38.98	10.46	34.00
RMS	12.89888G	44.91	68.20	-23.29	29.44	3	Vertical	26	1.80	-	39.00	10.47	34.00

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89288G	57.27	88.20	-30.93	41.81	3	Horizontal	97.5	1.80	-	38.99	10.47	34.00
RMS	12.89456G	44.88	68.20	-23.32	29.42	3	Horizontal	97.5	1.80	-	38.99	10.47	34.00

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3378G	51.93	83.54	-31.61	49.86	1	Vertical	116	1.51	-	37.77	13.97	49.67
AV	19.33982G	39.16	63.54	-24.38	37.09	1	Vertical	116	1.51	-	37.77	13.97	49.67

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33712G	52.10	83.54	-31.44	50.03	1	Horizontal	97	1.56	-	37.77	13.97	49.67
AV	19.33542G	39.16	63.54	-24.38	37.09	1	Horizontal	97	1.56	-	37.77	13.97	49.67

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	56.51	88.20	-31.69	50.82	3	Vertical	185	2.25	-	32.00	6.03	32.34
RMS	5.7906G	46.18	68.20	-22.02	40.48	3	Vertical	185	2.25	-	32.00	6.00	32.30
PK	6.4822G	103.74	Inf	-Inf	96.15	3	Vertical	185	2.25	-	33.79	6.44	32.64
RMS	6.4822G	91.21	Inf	-Inf	83.62	3	Vertical	185	2.25	-	33.79	6.44	32.64
PK	7.1794G	60.44	88.20	-27.76	50.94	3	Vertical	185	2.25	-	36.02	6.88	33.40
RMS	7.1822G	50.68	68.20	-17.52	41.17	3	Vertical	185	2.25	-	36.03	6.88	33.40

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8438G	56.98	88.20	-31.22	51.30	3	Horizontal	124	1.82	-	32.00	6.02	32.34
RMS	5.7934G	46.19	68.20	-22.01	40.50	3	Horizontal	124	1.82	-	32.00	6.00	32.31
PK	6.4822G	106.02	Inf	-Inf	98.43	3	Horizontal	124	1.82	-	33.79	6.44	32.64
RMS	6.4906G	93.26	Inf	-Inf	85.62	3	Horizontal	124	1.82	-	33.84	6.45	32.65
PK	7.1486G	61.07	88.20	-27.13	51.71	3	Horizontal	124	1.82	-	35.89	6.85	33.38
RMS	7.1822G	50.70	68.20	-17.50	41.19	3	Horizontal	124	1.82	-	36.03	6.88	33.40

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96992G	57.72	88.20	-30.48	42.11	3	Vertical	243	1.33	-	39.07	10.53	33.99
RMS	12.96946G	45.24	68.20	-22.96	29.63	3	Vertical	243	1.33	-	39.07	10.53	33.99

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9657G	58.59	88.20	-29.61	42.99	3	Horizontal	350	1.59	-	39.07	10.52	33.99
RMS	12.96954G	45.39	68.20	-22.81	29.78	3	Horizontal	350	1.59	-	39.07	10.53	33.99

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4501G	52.32	83.54	-31.22	50.18	1	Vertical	177	1.51	-	37.86	13.97	49.69
AV	19.45746G	39.54	63.54	-24.00	37.39	1	Vertical	177	1.51	-	37.87	13.97	49.69

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TnomVnom



EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45058G	51.94	83.54	-31.60	49.80	1	Horizontal	14	1.51	-	37.86	13.97	49.69
AV	19.45778G	40.14	63.54	-23.40	37.99	1	Horizontal	14	1.51	-	37.87	13.97	49.69


802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 40
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9118G	56.80	88.20	-31.40	51.00	3	Vertical	178	2.73	-	32.12	6.06	32.38
RMS	5.8278G	46.10	68.20	-22.10	40.42	3	Vertical	178	2.73	-	32.00	6.01	32.33
PK	6.5166G	103.97	Inf	-Inf	96.21	3	Vertical	178	2.73	-	33.97	6.46	32.67
RMS	6.5166G	92.10	Inf	-Inf	84.34	3	Vertical	178	2.73	-	33.97	6.46	32.67
PK	7.1746G	61.44	88.20	-26.76	51.97	3	Vertical	178	2.73	-	36.00	6.87	33.40
RMS	7.2166G	50.95	68.20	-17.25	41.30	3	Vertical	178	2.73	-	36.17	6.90	33.42


802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 40
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	57.22	88.20	-30.98	51.52	3	Horizontal	120	1.80	-	32.01	6.03	32.34
RMS	5.8726G	46.08	68.20	-22.12	40.34	3	Horizontal	120	1.80	-	32.05	6.04	32.35
PK	6.5166G	106.53	Inf	-Inf	98.77	3	Horizontal	120	1.80	-	33.97	6.46	32.67
RMS	6.5362G	93.50	Inf	-Inf	85.69	3	Horizontal	120	1.80	-	34.04	6.47	32.70
PK	7.2166G	61.29	88.20	-26.91	51.64	3	Horizontal	120	1.80	-	36.17	6.90	33.42
RMS	7.2138G	51.01	68.20	-17.19	41.37	3	Horizontal	120	1.80	-	36.16	6.90	33.42

802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




23/10/2021

EUT Y_4TX
 Setting 40
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04772G	58.38	88.20	-29.82	42.67	3	Vertical	124	2.07	-	39.10	10.59	33.98
RMS	13.04726G	45.23	68.20	-22.97	29.52	3	Vertical	124	2.07	-	39.10	10.59	33.98


802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 40
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05196G	57.74	88.20	-30.46	42.03	3	Horizontal	134	1.85	-	39.10	10.59	33.98
RMS	13.04648G	45.40	68.20	-22.80	29.70	3	Horizontal	134	1.85	-	39.10	10.58	33.98


802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 40
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.575G	52.16	83.54	-31.38	50.01	1	Vertical	238	1.56	-	37.87	13.98	49.70
AV	19.57438G	39.77	63.54	-23.77	37.62	1	Vertical	238	1.56	-	37.87	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 40
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57418G	52.21	83.54	-31.33	50.06	1	Horizontal	49	1.54	-	37.87	13.98	49.70
AV	19.57978G	39.90	63.54	-23.64	37.75	1	Horizontal	49	1.54	-	37.87	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	55.79	88.20	-32.41	49.96	3	Vertical	178	2.67	-	32.15	6.06	32.38
RMS	5.925G	46.02	68.20	-22.18	40.19	3	Vertical	178	2.67	-	32.15	6.06	32.38
PK	6.5754G	101.74	Inf	-Inf	93.85	3	Vertical	178	2.67	-	34.15	6.49	32.75
RMS	6.5754G	91.18	Inf	-Inf	83.29	3	Vertical	178	2.67	-	34.15	6.49	32.75
PK	7.1864G	61.11	88.20	-27.09	51.57	3	Vertical	178	2.67	-	36.05	6.89	33.40
RMS	7.215G	50.95	68.20	-17.25	41.31	3	Vertical	178	2.67	-	36.16	6.90	33.42

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	55.89	88.20	-32.31	50.06	3	Horizontal	124	2.40	-	32.15	6.06	32.38
RMS	5.9228G	45.24	68.20	-22.96	39.41	3	Horizontal	124	2.40	-	32.15	6.06	32.38
PK	6.5832G	104.50	Inf	-Inf	96.60	3	Horizontal	124	2.40	-	34.17	6.49	32.76
RMS	6.5728G	94.89	Inf	-Inf	87.00	3	Horizontal	124	2.40	-	34.15	6.49	32.75
PK	7.215G	61.07	88.20	-27.13	51.43	3	Horizontal	124	2.40	-	36.16	6.90	33.42
RMS	7.2124G	50.13	68.20	-18.07	40.50	3	Horizontal	124	2.40	-	36.15	6.90	33.42

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13136G	57.83	88.20	-30.37	42.01	3	Vertical	98	1.96	-	39.13	10.65	33.96
RMS	13.13434G	45.53	68.20	-22.67	29.71	3	Vertical	98	1.96	-	39.13	10.65	33.96

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13274G	58.49	88.20	-29.71	42.67	3	Horizontal	178	1.91	-	39.13	10.65	33.96
RMS	13.13454G	45.30	68.20	-22.90	29.48	3	Horizontal	178	1.91	-	39.13	10.65	33.96

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69512G	51.40	83.54	-32.14	49.30	1	Vertical	75	1.58	-	37.82	13.98	49.70
AV	19.69546G	38.95	63.54	-24.59	36.85	1	Vertical	75	1.58	-	37.82	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69288G	51.41	83.54	-32.13	49.31	1	Horizontal	240	1.55	-	37.82	13.98	49.70
AV	19.69628G	38.93	63.54	-24.61	36.83	1	Horizontal	240	1.55	-	37.82	13.98	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.674G	104.56	Inf	-Inf	96.80	3	Vertical	172	3.00	-	34.10	6.54	32.88
RMS	6.6696G	92.93	Inf	-Inf	85.17	3	Vertical	172	3.00	-	34.10	6.53	32.87
PK	7.1844G	62.06	88.20	-26.14	52.54	3	Vertical	172	3.00	-	36.04	6.88	33.40
RMS	7.235G	51.13	68.20	-17.07	41.42	3	Vertical	172	3.00	-	36.24	6.90	33.43

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6982G	106.01	Inf	-Inf	98.27	3	Horizontal	134	1.90	-	34.10	6.55	32.91
RMS	6.6938G	94.41	Inf	-Inf	86.67	3	Horizontal	134	1.90	-	34.10	6.55	32.91
PK	7.1844G	61.97	88.20	-26.23	52.45	3	Horizontal	134	1.90	-	36.04	6.88	33.40
RMS	7.2262G	51.10	68.20	-17.10	41.42	3	Horizontal	134	1.90	-	36.20	6.90	33.42

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37144G	58.31	74.00	-15.69	41.59	3	Vertical	277	2.84	-	39.80	10.83	33.91
AV	13.36716G	46.00	54.00	-8.00	29.31	3	Vertical	277	2.84	-	39.77	10.83	33.91

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36538G	58.85	74.00	-15.15	42.18	3	Horizontal	138	2.84	-	39.76	10.82	33.91
AV	13.3685G	46.00	54.00	-8.00	29.30	3	Horizontal	138	2.84	-	39.78	10.83	33.91

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05526G	52.53	83.54	-31.01	50.77	1	Vertical	150	1.55	-	37.44	14.04	49.72
AV	20.0558G	40.46	63.54	-23.08	38.70	1	Vertical	150	1.55	-	37.44	14.04	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05996G	53.59	83.54	-29.95	51.82	1	Horizontal	159	1.52	-	37.45	14.04	49.72
AV	20.05846G	40.65	63.54	-22.89	38.88	1	Horizontal	159	1.52	-	37.45	14.04	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8394G	103.52	Inf	-Inf	95.62	3	Vertical	185	2.75	-	34.38	6.62	33.10
RMS	6.8436G	92.26	Inf	-Inf	84.35	3	Vertical	185	2.75	-	34.39	6.62	33.10
PK	7.181G	61.92	88.20	-26.28	52.42	3	Vertical	185	2.75	-	36.02	6.88	33.40
RMS	7.1894G	50.88	68.20	-17.32	41.33	3	Vertical	185	2.75	-	36.06	6.89	33.40

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8324G	108.15	Inf	-Inf	100.26	3	Horizontal	126	2.34	-	34.36	6.62	33.09
RMS	6.8422G	97.42	Inf	-Inf	89.52	3	Horizontal	126	2.34	-	34.38	6.62	33.10
PK	7.1824G	61.50	88.20	-26.70	51.99	3	Horizontal	126	2.34	-	36.03	6.88	33.40
RMS	7.1852G	50.90	68.20	-17.30	41.37	3	Horizontal	126	2.34	-	36.04	6.89	33.40

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68756G	59.74	88.20	-28.46	42.73	3	Vertical	337	2.79	-	39.91	11.07	33.97
RMS	13.69142G	47.66	68.20	-20.54	30.66	3	Vertical	337	2.79	-	39.91	11.07	33.98

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68814G	59.87	88.20	-28.33	42.86	3	Horizontal	203	2.19	-	39.91	11.07	33.97
RMS	13.6877G	47.86	68.20	-20.34	30.85	3	Horizontal	203	2.19	-	39.91	11.07	33.97

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53872G	54.36	83.54	-29.18	52.09	1	Vertical	100	1.53	-	37.75	14.40	49.88
AV	20.53442G	41.06	63.54	-22.48	38.81	1	Vertical	100	1.53	-	37.74	14.40	49.89

802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TnomVnom



EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53856G	54.23	83.54	-29.31	51.96	1	Horizontal	112	1.56	-	37.75	14.40	49.88
AV	20.53946G	41.11	63.54	-22.43	38.84	1	Horizontal	112	1.56	-	37.75	14.40	49.88


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 38
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8864G	103.70	Inf	-Inf	95.67	3	Vertical	196	2.94	-	34.55	6.64	33.16
RMS	6.8822G	92.91	Inf	-Inf	84.89	3	Vertical	196	2.94	-	34.53	6.64	33.15
PK	7.2322G	61.86	88.20	-26.34	52.16	3	Vertical	196	2.94	-	36.23	6.90	33.43
RMS	7.2238G	51.04	68.20	-17.16	41.36	3	Vertical	196	2.94	-	36.20	6.90	33.42

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 38
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8738G	106.32	Inf	-Inf	98.32	3	Horizontal	233	2.03	-	34.50	6.64	33.14
RMS	6.8738G	95.91	Inf	-Inf	87.91	3	Horizontal	233	2.03	-	34.50	6.64	33.14
PK	7.1692G	61.87	88.20	-26.33	52.41	3	Horizontal	233	2.03	-	35.98	6.87	33.39
RMS	7.2336G	51.10	68.20	-17.10	41.40	3	Horizontal	233	2.03	-	36.23	6.90	33.43

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 38
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7738G	60.34	88.20	-27.86	43.11	3	Vertical	73	2.26	-	40.12	11.13	34.02
RMS	13.7694G	47.90	68.20	-20.30	30.67	3	Vertical	73	2.26	-	40.11	11.13	34.01


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 38
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76752G	60.97	88.20	-27.23	43.75	3	Horizontal	336	2.05	-	40.10	11.13	34.01
RMS	13.76946G	48.03	68.20	-20.17	30.80	3	Horizontal	336	2.05	-	40.11	11.13	34.01


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 38
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65252G	52.57	83.54	-30.97	50.04	1	Vertical	132	1.52	-	37.88	14.49	49.84
AV	20.65826G	40.65	63.54	-22.89	38.11	1	Vertical	132	1.52	-	37.89	14.49	49.84

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 38
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65278G	52.75	83.54	-30.79	50.22	1	Horizontal	350	1.50	-	37.88	14.49	49.84
AV	20.65804G	40.23	63.54	-23.31	37.69	1	Horizontal	350	1.50	-	37.89	14.49	49.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.937G	103.23	Inf	-Inf	94.97	3	Vertical	195	3.00	-	34.82	6.67	33.23
RMS	6.9322G	93.58	Inf	-Inf	85.34	3	Vertical	195	3.00	-	34.79	6.67	33.22
PK	7.2178G	61.69	88.20	-26.51	52.04	3	Vertical	195	3.00	-	36.17	6.90	33.42
RMS	7.213G	51.01	68.20	-17.19	41.38	3	Vertical	195	3.00	-	36.15	6.90	33.42

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	105.13	Inf	-Inf	96.96	3	Horizontal	239	2.75	-	34.71	6.66	33.20
RMS	6.9286G	96.20	Inf	-Inf	87.99	3	Horizontal	239	2.75	-	34.77	6.66	33.22
PK	7.1974G	61.55	88.20	-26.65	51.97	3	Horizontal	239	2.75	-	36.09	6.90	33.41
RMS	7.2202G	51.02	68.20	-17.18	41.36	3	Horizontal	239	2.75	-	36.18	6.90	33.42

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84706G	60.15	88.20	-28.05	42.76	3	Vertical	163	1.11	-	40.25	11.19	34.05
RMS	13.84722G	47.79	68.20	-20.41	30.40	3	Vertical	163	1.11	-	40.25	11.19	34.05

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84698G	60.33	88.20	-27.87	42.94	3	Horizontal	166	1.19	-	40.25	11.19	34.05
RMS	13.85498G	47.90	68.20	-20.30	30.52	3	Horizontal	166	1.19	-	40.25	11.19	34.06

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 38
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7763G	52.60	83.54	-30.94	49.85	1	Vertical	96	1.56	-	37.96	14.58	49.79
AV	20.77498G	40.37	63.54	-23.17	37.62	1	Vertical	96	1.56	-	37.96	14.58	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 38
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77624G	52.26	83.54	-31.28	49.51	1	Horizontal	261	1.55	-	37.96	14.58	49.79
AV	20.77552G	39.81	63.54	-23.73	37.06	1	Horizontal	261	1.55	-	37.96	14.58	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0074G	105.33	Inf	-Inf	96.90	3	Vertical	194	2.97	-	35.03	6.71	33.31
RMS	6.997G	95.36	Inf	-Inf	86.98	3	Vertical	194	2.97	-	34.99	6.70	33.31
PK	7.1274G	62.31	88.20	-25.89	53.09	3	Vertical	194	2.97	-	35.76	6.83	33.37
RMS	7.201G	50.95	68.20	-17.25	41.36	3	Vertical	194	2.97	-	36.10	6.90	33.41

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.009G	107.53	Inf	-Inf	99.09	3	Horizontal	232	2.76	-	35.04	6.71	33.31
RMS	7.0186G	97.83	Inf	-Inf	89.36	3	Horizontal	232	2.76	-	35.07	6.72	33.32
PK	7.1922G	61.67	88.20	-26.53	52.12	3	Horizontal	232	2.76	-	36.07	6.89	33.41
RMS	7.1978G	50.97	68.20	-17.23	41.39	3	Horizontal	232	2.76	-	36.09	6.90	33.41

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00572G	61.92	88.20	-26.28	44.14	3	Vertical	161	2.92	-	40.61	11.30	34.13
RMS	14.00932G	49.10	68.20	-19.10	31.30	3	Vertical	161	2.92	-	40.62	11.31	34.13

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0067G	61.17	88.20	-27.03	43.39	3	Horizontal	26	1.83	-	40.61	11.30	34.13
RMS	14.00834G	49.02	68.20	-19.18	31.22	3	Horizontal	26	1.83	-	40.62	11.31	34.13

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01826G	51.85	83.54	-31.69	49.19	1	Vertical	212	1.57	-	37.60	14.76	49.70
AV	21.01748G	39.45	63.54	-24.09	36.79	1	Vertical	212	1.57	-	37.60	14.76	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0134G	51.78	83.54	-31.76	49.12	1	Horizontal	335	1.51	-	37.60	14.76	49.70
AV	21.01676G	39.42	63.54	-24.12	36.76	1	Horizontal	335	1.51	-	37.60	14.76	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.067G	102.68	Inf	-Inf	93.91	3	Vertical	194	2.93	-	35.34	6.77	33.34
RMS	7.067G	92.58	Inf	-Inf	83.81	3	Vertical	194	2.93	-	35.34	6.77	33.34
PK	7.1252G	67.92	88.20	-20.28	58.71	3	Vertical	194	2.93	-	35.75	6.83	33.37
RMS	7.1252G	55.57	68.20	-12.63	46.36	3	Vertical	194	2.93	-	35.75	6.83	33.37

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0784G	107.94	Inf	-Inf	99.08	3	Horizontal	128	2.71	-	35.43	6.78	33.35
RMS	7.0886G	98.12	Inf	-Inf	89.17	3	Horizontal	128	2.71	-	35.51	6.79	33.35
PK	7.1288G	72.54	88.20	-15.66	63.31	3	Horizontal	128	2.71	-	35.77	6.83	33.37
RMS	7.1282G	59.17	68.20	-9.03	49.94	3	Horizontal	128	2.71	-	35.77	6.83	33.37

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16586G	62.48	88.20	-25.72	44.23	3	Vertical	106	1.63	-	40.93	11.41	34.09
RMS	14.16602G	49.86	68.20	-18.34	31.61	3	Vertical	106	1.63	-	40.93	11.41	34.09

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17384G	61.80	88.20	-26.40	43.53	3	Horizontal	271	1.47	-	40.95	11.41	34.09
RMS	14.16706G	49.69	68.20	-18.51	31.44	3	Horizontal	271	1.47	-	40.93	11.41	34.09

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25542G	50.65	83.54	-32.89	47.75	1	Vertical	320	1.51	-	37.61	14.94	49.65
AV	21.2558G	38.12	63.54	-25.42	35.22	1	Vertical	320	1.51	-	37.61	14.94	49.65

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2528G	51.29	83.54	-32.25	48.40	1	Horizontal	200	1.50	-	37.60	14.94	49.65
AV	21.25564G	37.99	63.54	-25.55	35.09	1	Horizontal	200	1.50	-	37.61	14.94	49.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUTY_4TX
Setting 42
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	68.53	88.20	-19.67	61.63	3	Vertical	339	2.76	-	34.89	5.36	33.35
RMS	5.923G	56.54	68.20	-11.66	49.64	3	Vertical	339	2.76	-	34.89	5.36	33.35
PK	5.988G	101.91	Inf	-Inf	94.75	3	Vertical	339	2.76	-	35.15	5.39	33.38
RMS	5.973G	91.12	Inf	-Inf	84.01	3	Vertical	339	2.76	-	35.09	5.39	33.37

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUTY_4TX
Setting 42
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	73.93	88.20	-14.27	67.03	3	Horizontal	310	1.00	-	34.89	5.36	33.35
RMS	5.922G	63.71	68.20	-4.49	56.81	3	Horizontal	310	1.00	-	34.89	5.36	33.35
PK	6.012G	107.21	Inf	-Inf	99.92	3	Horizontal	310	1.00	-	35.25	5.41	33.37
RMS	5.972G	95.97	Inf	-Inf	88.86	3	Horizontal	310	1.00	-	35.09	5.39	33.37

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97304G	57.36	74.00	-16.64	43.05	3	Vertical	180	2.76	-	38.75	9.78	34.22
AV	11.97282G	42.57	54.00	-11.43	28.26	3	Vertical	180	2.76	-	38.75	9.78	34.22

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97252G	56.98	74.00	-17.02	42.67	3	Horizontal	284	1.84	-	38.75	9.78	34.22
AV	11.97294G	42.54	54.00	-11.46	28.23	3	Horizontal	284	1.84	-	38.75	9.78	34.22

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.9562G	53.77	83.54	-29.77	52.47	1	Vertical	359	1.50	-	37.61	13.87	50.18
AV	17.95802G	40.28	63.54	-23.26	38.98	1	Vertical	359	1.50	-	37.61	13.87	50.18

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.95134G	54.44	83.54	-29.10	53.13	1	Horizontal	92	1.55	-	37.60	13.87	50.16
AV	17.95822G	40.31	63.54	-23.23	39.01	1	Horizontal	92	1.55	-	37.61	13.87	50.18

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9128G	57.78	88.20	-30.42	51.97	3	Vertical	157	2.83	-	32.13	6.06	32.38
RMS	5.7742G	46.64	68.20	-21.56	40.93	3	Vertical	157	2.83	-	32.00	6.00	32.29
PK	6.1378G	100.87	Inf	-Inf	94.64	3	Vertical	157	2.83	-	32.55	6.17	32.49
RMS	6.1486G	89.77	Inf	-Inf	83.51	3	Vertical	157	2.83	-	32.59	6.17	32.50

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7562G	57.46	88.20	-30.74	51.74	3	Horizontal	133	2.22	-	32.00	6.00	32.28
RMS	5.7598G	46.74	68.20	-21.46	41.03	3	Horizontal	133	2.22	-	32.00	6.00	32.29
PK	6.1486G	104.23	Inf	-Inf	97.97	3	Horizontal	133	2.22	-	32.59	6.17	32.50
RMS	6.1576G	93.20	Inf	-Inf	86.94	3	Horizontal	133	2.22	-	32.58	6.18	32.50

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29118G	57.45	74.00	-16.55	42.94	3	Vertical	286	1.85	-	38.61	10.02	34.12
AV	12.28684G	44.07	54.00	-9.93	29.56	3	Vertical	286	1.85	-	38.61	10.02	34.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2894G	56.67	74.00	-17.33	42.16	3	Horizontal	150	1.23	-	38.61	10.02	34.12
AV	12.29026G	43.99	54.00	-10.01	29.48	3	Horizontal	150	1.23	-	38.61	10.02	34.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4315G	55.42	83.54	-28.12	53.91	1	Vertical	175	1.52	-	37.72	13.92	50.13
AV	18.4346G	42.89	63.54	-20.65	41.38	1	Vertical	175	1.52	-	37.72	13.92	50.13

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43468G	55.09	83.54	-28.45	53.58	1	Horizontal	296	1.58	-	37.72	13.92	50.13
AV	18.4394G	42.58	63.54	-20.96	41.05	1	Horizontal	296	1.58	-	37.73	13.92	50.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7914G	56.54	88.20	-31.66	50.84	3	Vertical	172	2.81	-	32.00	6.00	32.30
RMS	5.7578G	45.84	68.20	-22.36	40.12	3	Vertical	172	2.81	-	32.00	6.00	32.28
PK	6.3934G	103.07	Inf	-Inf	95.83	3	Vertical	172	2.81	-	33.45	6.39	32.60
RMS	6.413G	90.74	Inf	-Inf	83.41	3	Vertical	172	2.81	-	33.53	6.41	32.61

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.755G	56.58	88.20	-31.62	50.86	3	Horizontal	236	2.01	-	32.00	6.00	32.28
RMS	5.7438G	46.56	68.20	-21.64	40.86	3	Horizontal	236	2.01	-	31.98	6.00	32.28
PK	6.3766G	105.08	Inf	-Inf	97.99	3	Horizontal	236	2.01	-	33.31	6.38	32.60
RMS	6.3766G	92.55	Inf	-Inf	85.46	3	Horizontal	236	2.01	-	33.31	6.38	32.60

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7748G	56.97	88.20	-31.23	41.74	3	Vertical	72	1.91	-	38.87	10.38	34.02
RMS	12.76734G	44.49	68.20	-23.71	29.26	3	Vertical	72	1.91	-	38.87	10.38	34.02

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77192G	57.39	88.20	-30.81	42.16	3	Horizontal	182	1.20	-	38.87	10.38	34.02
RMS	12.77356G	44.47	68.20	-23.73	29.24	3	Horizontal	182	1.20	-	38.87	10.38	34.02

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15554G	51.30	83.54	-32.24	49.16	1	Vertical	20	1.53	-	37.81	13.96	49.63
AV	19.15552G	38.46	63.54	-25.08	36.32	1	Vertical	20	1.53	-	37.81	13.96	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15608G	50.94	83.54	-32.60	48.80	1	Horizontal	82	1.51	-	37.81	13.96	49.63
AV	19.15862G	38.67	63.54	-24.87	36.53	1	Horizontal	82	1.51	-	37.81	13.96	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT V_4TX
Setting 52
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8574G	57.17	88.20	-31.03	51.47	3	Vertical	184	2.27	-	32.01	6.03	32.34
RMS	5.7678G	46.53	68.20	-21.67	40.82	3	Vertical	184	2.27	-	32.00	6.00	32.29
PK	6.437G	102.08	Inf	-Inf	94.71	3	Vertical	184	2.27	-	33.57	6.42	32.62
RMS	6.4566G	90.93	Inf	-Inf	83.49	3	Vertical	184	2.27	-	33.64	6.43	32.63
PK	7.1566G	60.54	88.20	-27.66	51.14	3	Vertical	184	2.27	-	35.93	6.86	33.39
RMS	7.165G	50.62	68.20	-17.58	41.18	3	Vertical	184	2.27	-	35.96	6.87	33.39

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT V_4TX
Setting 52
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7678G	56.71	88.20	-31.49	51.00	3	Horizontal	125	2.40	-	32.00	6.00	32.29
RMS	5.765G	46.60	68.20	-21.60	40.89	3	Horizontal	125	2.40	-	32.00	6.00	32.29
PK	6.4538G	105.13	Inf	-Inf	97.71	3	Horizontal	125	2.40	-	33.62	6.43	32.63
RMS	6.4482G	93.88	Inf	-Inf	86.49	3	Horizontal	125	2.40	-	33.60	6.42	32.63
PK	7.1286G	60.72	88.20	-27.48	51.49	3	Horizontal	125	2.40	-	35.77	6.83	33.37
RMS	7.1622G	50.64	68.20	-17.56	41.22	3	Horizontal	125	2.40	-	35.95	6.86	33.39

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 52
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93114G	58.13	88.20	-30.07	42.60	3	Vertical	203	2.92	-	39.03	10.50	34.00
RMS	12.92698G	45.36	68.20	-22.84	29.83	3	Vertical	203	2.92	-	39.03	10.50	34.00

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 52
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9321G	58.11	88.20	-30.09	42.58	3	Horizontal	193	2.09	-	39.03	10.50	34.00
RMS	12.93234G	45.46	68.20	-22.74	29.93	3	Horizontal	193	2.09	-	39.03	10.50	34.00

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39928G	51.28	83.54	-32.26	49.17	1	Vertical	144	1.57	-	37.82	13.97	49.68
AV	19.39912G	38.97	63.54	-24.57	36.86	1	Vertical	144	1.57	-	37.82	13.97	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TnomVnom



EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39836G	51.45	83.54	-32.09	49.34	1	Horizontal	167	1.55	-	37.82	13.97	49.68
AV	19.39436G	39.00	63.54	-24.54	36.89	1	Horizontal	167	1.55	-	37.82	13.97	49.68


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 48
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	56.63	88.20	-31.57	50.92	3	Vertical	184	2.24	-	32.03	6.03	32.35
RMS	5.859G	46.24	68.20	-21.96	40.54	3	Vertical	184	2.24	-	32.02	6.03	32.35
PK	6.5366G	100.67	Inf	-Inf	92.85	3	Vertical	184	2.24	-	34.05	6.47	32.70
RMS	6.517G	90.40	Inf	-Inf	82.64	3	Vertical	184	2.24	-	33.97	6.46	32.67
PK	7.245G	60.78	88.20	-27.42	51.03	3	Vertical	184	2.24	-	36.28	6.90	33.43
RMS	7.245G	51.21	68.20	-16.99	41.46	3	Vertical	184	2.24	-	36.28	6.90	33.43


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 48
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.859G	57.98	88.20	-30.22	52.28	3	Horizontal	121	1.89	-	32.02	6.03	32.35
RMS	5.8478G	46.27	68.20	-21.93	40.59	3	Horizontal	121	1.89	-	32.00	6.02	32.34
PK	6.5618G	105.01	Inf	-Inf	97.14	3	Horizontal	121	1.89	-	34.12	6.48	32.73
RMS	6.5562G	92.95	Inf	-Inf	85.08	3	Horizontal	121	1.89	-	34.11	6.48	32.72
PK	7.217G	61.43	88.20	-26.77	51.78	3	Horizontal	121	1.89	-	36.17	6.90	33.42
RMS	7.245G	51.21	68.20	-16.99	41.46	3	Horizontal	121	1.89	-	36.28	6.90	33.43


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 48
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08892G	58.65	88.20	-29.55	42.90	3	Vertical	75	1.35	-	39.10	10.62	33.97
RMS	13.08896G	45.64	68.20	-22.56	29.89	3	Vertical	75	1.35	-	39.10	10.62	33.97

802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 48
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09168G	58.21	88.20	-29.99	42.46	3	Horizontal	246	2.45	-	39.10	10.62	33.97
RMS	13.09078G	45.67	68.20	-22.53	29.92	3	Horizontal	246	2.45	-	39.10	10.62	33.97

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63238G	52.64	83.54	-30.90	50.51	1	Vertical	83	1.58	-	37.85	13.98	49.70
AV	19.63802G	40.09	63.54	-23.45	37.97	1	Vertical	83	1.58	-	37.84	13.98	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 45
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6347G	51.97	83.54	-31.57	49.84	1	Horizontal	306	1.53	-	37.85	13.98	49.70
AV	19.63546G	40.05	63.54	-23.49	37.92	1	Horizontal	306	1.53	-	37.85	13.98	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6418G	104.24	Inf	-Inf	96.44	3	Vertical	181	3.00	-	34.12	6.52	32.84
RMS	6.6418G	91.38	Inf	-Inf	83.58	3	Vertical	181	3.00	-	34.12	6.52	32.84
PK	7.2034G	61.29	88.20	-26.91	51.69	3	Vertical	181	3.00	-	36.11	6.90	33.41
RMS	7.2058G	51.08	68.20	-17.12	41.47	3	Vertical	181	3.00	-	36.12	6.90	33.41

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6178G	103.69	Inf	-Inf	95.83	3	Horizontal	135	1.80	-	34.16	6.51	32.81
RMS	6.5986G	92.62	Inf	-Inf	84.70	3	Horizontal	135	1.80	-	34.20	6.50	32.78
PK	7.165G	61.15	88.20	-27.05	51.71	3	Horizontal	135	1.80	-	35.96	6.87	33.39
RMS	7.2226G	51.24	68.20	-16.96	41.57	3	Horizontal	135	1.80	-	36.19	6.90	33.42

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25022G	57.92	74.00	-16.08	41.86	3	Vertical	138	1.26	-	39.25	10.74	33.93
AV	13.25362G	45.67	54.00	-8.33	29.61	3	Vertical	138	1.26	-	39.25	10.74	33.93

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2533G	57.82	74.00	-16.18	41.76	3	Horizontal	329	1.49	-	39.25	10.74	33.93
AV	13.25286G	45.74	54.00	-8.26	29.68	3	Horizontal	329	1.49	-	39.25	10.74	33.93

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87304G	52.71	83.54	-30.83	50.82	1	Vertical	177	1.50	-	37.60	13.99	49.70
AV	19.87586G	40.16	63.54	-23.38	38.27	1	Vertical	177	1.50	-	37.60	13.99	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87328G	53.54	83.54	-30.00	51.65	1	Horizontal	185	1.50	-	37.60	13.99	49.70
AV	19.8759G	40.04	63.54	-23.50	38.15	1	Horizontal	185	1.50	-	37.60	13.99	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.681G	102.18	Inf	-Inf	94.43	3	Vertical	172	3.00	-	34.10	6.54	32.89
RMS	6.675G	91.56	Inf	-Inf	83.80	3	Vertical	172	3.00	-	34.10	6.54	32.88
PK	7.169G	61.43	88.20	-26.77	51.97	3	Vertical	172	3.00	-	35.98	6.87	33.39
RMS	7.203G	51.20	68.20	-17.00	41.60	3	Vertical	172	3.00	-	36.11	6.90	33.41

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.701G	106.21	Inf	-Inf	98.48	3	Horizontal	143	2.86	-	34.10	6.55	32.92
RMS	6.687G	95.29	Inf	-Inf	87.55	3	Horizontal	143	2.86	-	34.10	6.54	32.90
PK	7.205G	61.30	88.20	-26.90	51.69	3	Horizontal	143	2.86	-	36.12	6.90	33.41
RMS	7.205G	50.13	68.20	-18.07	40.52	3	Horizontal	143	2.86	-	36.12	6.90	33.41

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.414G	58.73	88.20	-29.47	41.78	3	Vertical	126	1.64	-	39.99	10.86	33.90
RMS	13.40642G	46.51	68.20	-21.69	29.57	3	Vertical	126	1.64	-	39.99	10.85	33.90

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4146G	58.83	88.20	-29.37	41.88	3	Horizontal	45	2.31	-	39.99	10.86	33.90
RMS	13.41264G	46.57	68.20	-21.63	29.62	3	Horizontal	45	2.31	-	39.99	10.86	33.90

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1103G	53.52	83.54	-30.02	51.69	1	Vertical	179	1.54	-	37.49	14.08	49.74
AV	20.11994G	41.40	63.54	-22.14	39.56	1	Vertical	179	1.54	-	37.50	14.09	49.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11488G	53.93	83.54	-29.61	52.10	1	Horizontal	271	1.50	-	37.49	14.09	49.75
AV	20.11856G	41.28	63.54	-22.26	39.45	1	Horizontal	271	1.50	-	37.49	14.09	49.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7994G	101.52	Inf	-Inf	93.67	3	Vertical	185	2.74	-	34.30	6.60	33.05
RMS	6.7786G	91.26	Inf	-Inf	83.52	3	Vertical	185	2.74	-	34.17	6.59	33.02
PK	7.1562G	61.18	88.20	-27.02	51.79	3	Vertical	185	2.74	-	35.92	6.86	33.39
RMS	7.185G	51.00	68.20	-17.20	41.48	3	Vertical	185	2.74	-	36.04	6.88	33.40

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7882G	104.65	Inf	-Inf	96.86	3	Horizontal	137	2.00	-	34.23	6.59	33.03
RMS	6.7738G	94.17	Inf	-Inf	86.45	3	Horizontal	137	2.00	-	34.14	6.59	33.01
PK	7.1258G	62.03	88.20	-26.17	52.82	3	Horizontal	137	2.00	-	35.75	6.83	33.37
RMS	7.1834G	50.89	68.20	-17.31	41.38	3	Horizontal	137	2.00	-	36.03	6.88	33.40

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57176G	59.19	88.20	-29.01	42.16	3	Vertical	24	2.98	-	39.97	10.98	33.92
RMS	13.5734G	46.89	68.20	-21.31	29.86	3	Vertical	24	2.98	-	39.97	10.98	33.92

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57486G	59.09	88.20	-29.11	42.06	3	Horizontal	297	1.73	-	39.97	10.98	33.92
RMS	13.57424G	47.01	68.20	-21.19	29.98	3	Horizontal	297	1.73	-	39.97	10.98	33.92

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35928G	53.94	83.54	-29.60	51.87	1	Vertical	300	1.50	-	37.64	14.27	49.84
AV	20.35466G	42.21	63.54	-21.33	40.14	1	Vertical	300	1.50	-	37.64	14.27	49.84

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TnomVnom



EUT Y_4TX
Setting 47
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35168G	54.91	83.54	-28.63	52.85	1	Horizontal	156	1.58	-	37.64	14.26	49.84
AV	20.35408G	42.51	63.54	-21.03	40.44	1	Horizontal	156	1.58	-	37.64	14.27	49.84


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 50
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.858G	102.93	Inf	-Inf	94.99	3	Vertical	183	2.74	-	34.43	6.63	33.12
RMS	6.8538G	92.91	Inf	-Inf	84.98	3	Vertical	183	2.74	-	34.42	6.63	33.12
PK	7.1884G	61.46	88.20	-26.74	51.92	3	Vertical	183	2.74	-	36.05	6.89	33.40
RMS	7.2052G	51.17	68.20	-17.03	41.56	3	Vertical	183	2.74	-	36.12	6.90	33.41


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 50
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.858G	106.62	Inf	-Inf	98.68	3	Horizontal	133	2.83	-	34.43	6.63	33.12
RMS	6.8538G	95.49	Inf	-Inf	87.56	3	Horizontal	133	2.83	-	34.42	6.63	33.12
PK	7.2122G	62.16	88.20	-26.04	52.53	3	Horizontal	133	2.83	-	36.15	6.90	33.42
RMS	7.2108G	51.29	68.20	-16.91	41.67	3	Horizontal	133	2.83	-	36.14	6.90	33.42

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




23/10/2021

EUT Y_4TX
 Setting 50
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7275G	61.33	88.20	-26.87	44.24	3	Vertical	287	1.40	-	39.98	11.10	33.99
RMS	13.73216G	48.04	68.20	-20.16	30.94	3	Vertical	287	1.40	-	40.00	11.10	34.00


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 50
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73014G	60.51	88.20	-27.69	43.42	3	Horizontal	270	2.72	-	39.99	11.10	34.00
RMS	13.72822G	48.06	68.20	-20.14	30.97	3	Horizontal	270	2.72	-	39.98	11.10	33.99


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 50
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59472G	54.33	83.54	-29.21	51.93	1	Vertical	195	1.58	-	37.81	14.45	49.86
AV	20.59578G	41.84	63.54	-21.70	39.44	1	Vertical	195	1.58	-	37.81	14.45	49.86

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 50
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59818G	53.92	83.54	-29.62	51.51	1	Horizontal	53	1.51	-	37.82	14.45	49.86
AV	20.59612G	41.69	63.54	-21.85	39.28	1	Horizontal	53	1.51	-	37.82	14.45	49.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 48
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.973G	104.27	Inf	-Inf	95.90	3	Vertical	180	2.57	-	34.95	6.69	33.27
RMS	6.973G	92.12	Inf	-Inf	83.75	3	Vertical	180	2.57	-	34.95	6.69	33.27
PK	7.189G	61.42	88.20	-26.78	51.87	3	Vertical	180	2.57	-	36.06	6.89	33.40
RMS	7.193G	50.24	68.20	-17.96	40.69	3	Vertical	180	2.57	-	36.07	6.89	33.41

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 48
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.938G	106.97	Inf	-Inf	98.70	3	Horizontal	238	2.73	-	34.83	6.67	33.23
RMS	6.933G	96.70	Inf	-Inf	88.45	3	Horizontal	238	2.73	-	34.80	6.67	33.22
PK	7.194G	61.35	88.20	-26.85	51.79	3	Horizontal	238	2.73	-	36.08	6.89	33.41
RMS	7.195G	51.12	68.20	-17.08	41.55	3	Horizontal	238	2.73	-	36.08	6.90	33.41

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88654G	60.47	88.20	-27.73	43.04	3	Vertical	290	1.17	-	40.29	11.21	34.07
RMS	13.8901G	48.02	68.20	-20.18	30.59	3	Vertical	290	1.17	-	40.29	11.22	34.08

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88758G	61.16	88.20	-27.04	43.72	3	Horizontal	272	1.68	-	40.29	11.22	34.07
RMS	13.89042G	48.23	68.20	-19.97	30.80	3	Horizontal	272	1.68	-	40.29	11.22	34.08

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83426G	54.54	83.54	-29.00	51.81	1	Vertical	198	1.57	-	37.87	14.63	49.77
AV	20.83684G	41.42	63.54	-22.12	38.70	1	Vertical	198	1.57	-	37.86	14.63	49.77

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83114G	54.13	83.54	-29.41	51.41	1	Horizontal	341	1.51	-	37.87	14.62	49.77
AV	20.83676G	41.80	63.54	-21.74	39.08	1	Horizontal	341	1.51	-	37.86	14.63	49.77

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUTY_4TX
Setting 50
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9922G	107.90	Inf	-Inf	98.70	3	Vertical	10	3.00	-	36.60	5.89	33.29
RMS	6.997G	96.61	Inf	-Inf	87.40	3	Vertical	10	3.00	-	36.60	5.90	33.29
PK	7.1274G	65.46	88.20	-22.74	56.03	3	Vertical	10	3.00	-	36.91	5.96	33.44
RMS	7.1274G	53.96	68.20	-14.24	44.53	3	Vertical	10	3.00	-	36.91	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUTY_4TX
Setting 50
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0378G	108.32	Inf	-Inf	99.14	3	Horizontal	40	2.39	-	36.60	5.92	33.34
RMS	7.0322G	98.50	Inf	-Inf	89.31	3	Horizontal	40	2.39	-	36.60	5.92	33.33
PK	7.1282G	66.62	88.20	-21.58	57.19	3	Horizontal	40	2.39	-	36.91	5.96	33.44
RMS	7.1274G	54.94	68.20	-13.26	45.51	3	Horizontal	40	2.39	-	36.91	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 50
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04826G	62.88	88.20	-25.32	44.97	3	Vertical	82	2.54	-	40.70	11.33	34.12
RMS	14.05472G	49.49	68.20	-18.71	31.56	3	Vertical	82	2.54	-	40.71	11.34	34.12

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 50
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05302G	61.80	88.20	-26.40	43.88	3	Horizontal	306	2.57	-	40.71	11.33	34.12
RMS	14.05494G	49.76	68.20	-18.44	31.83	3	Horizontal	306	2.57	-	40.71	11.34	34.12

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 50
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07526G	52.19	83.54	-31.35	49.46	1	Vertical	190	1.57	-	37.60	14.81	49.68
AV	21.07536G	39.98	63.54	-23.56	37.25	1	Vertical	190	1.57	-	37.60	14.81	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 50
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07248G	52.50	83.54	-31.04	49.79	1	Horizontal	213	1.53	-	37.60	14.80	49.69
AV	21.07026G	39.93	63.54	-23.61	37.22	1	Horizontal	213	1.53	-	37.60	14.80	49.69

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUTY_4TX
Setting 53
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	61.63	88.20	-26.57	54.74	3	Vertical	38	1.76	-	34.88	5.36	33.35
RMS	5.9242G	48.56	68.20	-19.64	41.65	3	Vertical	38	1.76	-	34.90	5.36	33.35
PK	6.0426G	96.45	Inf	-Inf	88.99	3	Vertical	38	1.76	-	35.37	5.44	33.35
RMS	6.0426G	85.45	Inf	-Inf	77.99	3	Vertical	38	1.76	-	35.37	5.44	33.35

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUTY_4TX
Setting 53
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	59.51	88.20	-28.69	52.70	3	Horizontal	49	2.60	-	34.80	5.35	33.34
RMS	5.9226G	49.74	68.20	-18.46	42.84	3	Horizontal	49	2.60	-	34.89	5.36	33.35
PK	6.0474G	104.11	Inf	-Inf	96.62	3	Horizontal	49	2.60	-	35.39	5.45	33.35
RMS	6.0474G	93.59	Inf	-Inf	86.10	3	Horizontal	49	2.60	-	35.39	5.45	33.35

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05374G	57.04	74.00	-16.96	42.49	3	Vertical	175	2.29	-	38.91	9.84	34.20
AV	12.05296G	45.92	54.00	-8.08	31.37	3	Vertical	175	2.29	-	38.91	9.84	34.20

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04714G	56.38	74.00	-17.62	41.85	3	Horizontal	177	2.46	-	38.89	9.84	34.20
AV	12.04646G	46.36	54.00	-7.64	31.84	3	Horizontal	177	2.46	-	38.89	9.83	34.20

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07518G	56.13	83.54	-27.41	54.86	1	Vertical	255	1.52	-	37.64	13.90	50.27
AV	18.08G	44.39	63.54	-19.15	43.12	1	Vertical	255	1.52	-	37.64	13.90	50.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07614G	54.65	83.54	-28.89	53.38	1	Horizontal	219	1.58	-	37.64	13.90	50.27
AV	18.07026G	44.36	63.54	-19.18	43.09	1	Horizontal	219	1.58	-	37.64	13.90	50.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8058G	57.61	88.20	-30.59	51.92	3	Vertical	171	2.81	-	32.00	6.00	32.31
RMS	5.785G	46.66	68.20	-21.54	40.96	3	Vertical	171	2.81	-	32.00	6.00	32.30
PK	6.161G	102.30	Inf	-Inf	96.04	3	Vertical	171	2.81	-	32.58	6.18	32.50
RMS	6.1562G	90.76	Inf	-Inf	84.49	3	Vertical	171	2.81	-	32.59	6.18	32.50

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	62.59	88.20	-25.61	56.80	3	Horizontal	131	1.88	-	32.12	6.05	32.38
RMS	5.9178G	47.25	68.20	-20.95	41.43	3	Horizontal	131	1.88	-	32.14	6.06	32.38
PK	6.161G	104.67	Inf	-Inf	98.41	3	Horizontal	131	1.88	-	32.58	6.18	32.50
RMS	6.1962G	93.83	Inf	-Inf	87.64	3	Horizontal	131	1.88	-	32.51	6.20	32.52

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36872G	56.21	74.00	-17.79	41.69	3	Vertical	230	2.35	-	38.53	10.08	34.09
AV	12.36822G	46.34	54.00	-7.66	31.82	3	Vertical	230	2.35	-	38.53	10.08	34.09

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36614G	56.79	74.00	-17.21	42.29	3	Horizontal	74	2.90	-	38.53	10.07	34.10
AV	12.36898G	46.58	54.00	-7.42	32.06	3	Horizontal	74	2.90	-	38.53	10.08	34.09

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55082G	56.44	83.54	-27.10	54.78	1	Vertical	218	1.53	-	37.78	13.93	50.05
AV	18.55758G	45.00	63.54	-18.54	43.33	1	Vertical	218	1.53	-	37.78	13.93	50.04

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55602G	55.69	83.54	-27.85	54.02	1	Horizontal	332	1.50	-	37.78	13.93	50.04
AV	18.55018G	45.21	63.54	-18.33	43.55	1	Horizontal	332	1.50	-	37.78	13.93	50.05

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	57.09	88.20	-31.11	51.27	3	Vertical	178	3.00	-	32.14	6.06	32.38
RMS	5.745G	47.29	68.20	-20.91	41.59	3	Vertical	178	3.00	-	31.98	6.00	32.28
PK	6.3642G	101.91	Inf	-Inf	94.93	3	Vertical	178	3.00	-	33.21	6.36	32.59
RMS	6.3786G	91.32	Inf	-Inf	84.21	3	Vertical	178	3.00	-	33.33	6.38	32.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8074G	57.68	88.20	-30.52	51.99	3	Horizontal	235	2.02	-	32.00	6.00	32.31
RMS	5.9178G	46.86	68.20	-21.34	41.04	3	Horizontal	235	2.02	-	32.14	6.06	32.38
PK	6.3522G	103.60	Inf	-Inf	96.71	3	Horizontal	235	2.02	-	33.12	6.35	32.58
RMS	6.3162G	92.84	Inf	-Inf	86.19	3	Horizontal	235	2.02	-	32.90	6.32	32.57

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69214G	56.87	74.00	-17.13	41.81	3	Vertical	68	1.18	-	38.77	10.32	34.03
AV	12.69322G	46.10	54.00	-7.90	31.04	3	Vertical	68	1.18	-	38.77	10.32	34.03

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68896G	56.43	74.00	-17.57	41.38	3	Horizontal	326	1.67	-	38.76	10.32	34.03
AV	12.68876G	46.06	54.00	-7.94	31.01	3	Horizontal	326	1.67	-	38.76	10.32	34.03

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03538G	53.41	83.54	-30.13	51.11	1	Vertical	58	1.57	-	37.96	13.95	49.61
AV	19.03694G	42.67	63.54	-20.87	40.37	1	Vertical	58	1.57	-	37.96	13.95	49.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03272G	53.43	83.54	-30.11	51.13	1	Horizontal	216	1.50	-	37.96	13.95	49.61
AV	19.03064G	42.63	63.54	-20.91	40.33	1	Horizontal	216	1.50	-	37.96	13.95	49.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8784G	57.58	88.20	-30.62	51.84	3	Vertical	187	2.24	-	32.06	6.04	32.36
RMS	5.8732G	46.63	68.20	-21.57	40.89	3	Vertical	187	2.24	-	32.05	6.04	32.35
PK	6.5466G	99.81	Inf	-Inf	91.96	3	Vertical	187	2.24	-	34.09	6.47	32.71
RMS	6.518G	89.13	Inf	-Inf	81.37	3	Vertical	187	2.24	-	33.97	6.46	32.67
PK	7.1472G	60.23	88.20	-27.97	50.88	3	Vertical	187	2.24	-	35.88	6.85	33.38
RMS	7.1498G	50.84	68.20	-17.36	41.47	3	Vertical	187	2.24	-	35.90	6.85	33.38

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8784G	56.95	88.20	-31.25	51.21	3	Horizontal	128	2.22	-	32.06	6.04	32.36
RMS	5.9226G	46.64	68.20	-21.56	40.81	3	Horizontal	128	2.22	-	32.15	6.06	32.38
PK	6.5362G	105.45	Inf	-Inf	97.64	3	Horizontal	128	2.22	-	34.04	6.47	32.70
RMS	6.5622G	93.60	Inf	-Inf	85.73	3	Horizontal	128	2.22	-	34.12	6.48	32.73
PK	7.1472G	61.30	88.20	-26.90	51.95	3	Horizontal	128	2.22	-	35.88	6.85	33.38
RMS	7.1524G	50.85	68.20	-17.35	41.48	3	Horizontal	128	2.22	-	35.91	6.85	33.39

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0085G	57.49	88.20	-30.71	41.82	3	Vertical	31	1.41	-	39.10	10.56	33.99
RMS	13.00918G	46.99	68.20	-21.21	31.32	3	Vertical	31	1.41	-	39.10	10.56	33.99

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0064G	57.45	88.20	-30.75	41.79	3	Horizontal	193	2.53	-	39.10	10.55	33.99
RMS	13.01344G	47.03	68.20	-21.17	31.36	3	Horizontal	193	2.53	-	39.10	10.56	33.99

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51154G	54.32	83.54	-29.22	52.14	1	Vertical	168	1.55	-	37.90	13.98	49.70
AV	19.51512G	43.45	63.54	-20.09	41.28	1	Vertical	168	1.55	-	37.89	13.98	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 58
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51902G	53.76	83.54	-29.78	51.59	1	Horizontal	98	1.58	-	37.89	13.98	49.70
AV	19.5161G	43.10	63.54	-20.44	40.93	1	Horizontal	98	1.58	-	37.89	13.98	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 57
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6958G	103.82	Inf	-Inf	96.08	3	Vertical	178	2.71	-	34.10	6.55	32.91
RMS	6.6958G	91.47	Inf	-Inf	83.73	3	Vertical	178	2.71	-	34.10	6.55	32.91
PK	7.171G	62.24	88.20	-25.96	52.79	3	Vertical	178	2.71	-	35.98	6.87	33.40
RMS	7.2106G	51.42	68.20	-16.78	41.80	3	Vertical	178	2.71	-	36.14	6.90	33.42

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 57
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6892G	105.68	Inf	-Inf	97.94	3	Horizontal	128	2.74	-	34.10	6.54	32.90
RMS	6.6936G	94.51	Inf	-Inf	86.77	3	Horizontal	128	2.74	-	34.10	6.55	32.91
PK	7.204G	61.58	88.20	-26.62	51.97	3	Horizontal	128	2.74	-	36.12	6.90	33.41
RMS	7.2062G	51.50	68.20	-16.70	41.89	3	Horizontal	128	2.74	-	36.12	6.90	33.41

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3263G	58.66	74.00	-15.34	42.31	3	Vertical	179	2.51	-	39.48	10.79	33.92
AV	13.32984G	47.28	54.00	-6.72	30.89	3	Vertical	179	2.51	-	39.51	10.80	33.92

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33338G	58.74	74.00	-15.26	42.33	3	Horizontal	68	1.80	-	39.53	10.80	33.92
AV	13.3302G	47.66	54.00	-6.34	31.27	3	Horizontal	68	1.80	-	39.51	10.80	33.92

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99828G	54.39	83.54	-29.15	52.69	1	Vertical	347	1.54	-	37.40	14.00	49.70
AV	19.99858G	43.26	63.54	-20.28	41.56	1	Vertical	347	1.54	-	37.40	14.00	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99312G	54.06	83.54	-29.48	52.35	1	Horizontal	38	1.56	-	37.41	14.00	49.70
AV	19.99514G	43.26	63.54	-20.28	41.55	1	Horizontal	38	1.56	-	37.41	14.00	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8042G	102.73	Inf	-Inf	94.87	3	Vertical	182	2.66	-	34.31	6.60	33.05
RMS	6.8538G	92.23	Inf	-Inf	84.30	3	Vertical	182	2.66	-	34.42	6.63	33.12
PK	7.2186G	61.08	88.20	-27.12	51.43	3	Vertical	182	2.66	-	36.17	6.90	33.42
RMS	7.2186G	51.57	68.20	-16.63	41.92	3	Vertical	182	2.66	-	36.17	6.90	33.42

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7626G	106.24	Inf	-Inf	98.58	3	Horizontal	123	2.35	-	34.08	6.58	33.00
RMS	6.8026G	96.38	Inf	-Inf	88.52	3	Horizontal	123	2.35	-	34.31	6.60	33.05
PK	7.1882G	61.55	88.20	-26.65	52.01	3	Horizontal	123	2.35	-	36.05	6.89	33.40
RMS	7.2186G	51.56	68.20	-16.64	41.91	3	Horizontal	123	2.35	-	36.17	6.90	33.42

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65372G	60.46	88.20	-27.74	43.43	3	Vertical	287	1.58	-	39.95	11.04	33.96
RMS	13.65444G	49.53	68.20	-18.67	32.50	3	Vertical	287	1.58	-	39.95	11.04	33.96

802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64856G	60.61	88.20	-27.59	43.57	3	Horizontal	89	2.29	-	39.95	11.04	33.95
RMS	13.64684G	49.54	68.20	-18.66	32.50	3	Horizontal	89	2.29	-	39.95	11.04	33.95


802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 59
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.477G	55.83	83.54	-27.71	53.67	1	Vertical	334	1.51	-	37.69	14.36	49.89
AV	20.4772G	44.68	63.54	-18.86	42.52	1	Vertical	334	1.51	-	37.69	14.36	49.89

802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 59
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47188G	55.62	83.54	-27.92	53.47	1	Horizontal	263	1.54	-	37.69	14.35	49.89
AV	20.47164G	44.83	63.54	-18.71	42.68	1	Horizontal	263	1.54	-	37.69	14.35	49.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUTY_4TX
Setting 59
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.007G	104.76	Inf	-Inf	95.56	3	Vertical	12	3.00	-	36.60	5.90	33.30
RMS	7.007G	94.99	Inf	-Inf	85.79	3	Vertical	12	3.00	-	36.60	5.90	33.30
PK	7.127G	67.19	88.20	-21.01	57.76	3	Vertical	12	3.00	-	36.91	5.96	33.44
RMS	7.125G	54.05	68.20	-14.15	44.63	3	Vertical	12	3.00	-	36.90	5.96	33.44

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUTY_4TX
Setting 59
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.028G	107.85	Inf	-Inf	98.66	3	Horizontal	48	2.59	-	36.60	5.91	33.32
RMS	6.953G	97.51	Inf	-Inf	88.33	3	Horizontal	48	2.59	-	36.60	5.85	33.27
PK	7.13G	71.89	88.20	-16.31	62.46	3	Horizontal	48	2.59	-	36.92	5.96	33.45
RMS	7.131G	55.75	68.20	-12.45	46.31	3	Horizontal	48	2.59	-	36.92	5.97	33.45

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9691G	61.13	88.20	-27.07	43.45	3	Vertical	33	1.94	-	40.51	11.28	34.11
RMS	13.97084G	50.07	68.20	-18.13	32.40	3	Vertical	33	1.94	-	40.51	11.28	34.12

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96714G	60.97	88.20	-27.23	43.30	3	Horizontal	0	1.54	-	40.50	11.28	34.11
RMS	13.97086G	50.04	68.20	-18.16	32.37	3	Horizontal	0	1.54	-	40.51	11.28	34.12

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95838G	53.83	83.54	-29.71	51.16	1	Vertical	266	1.57	-	37.67	14.72	49.72
AV	20.95938G	42.77	63.54	-20.77	40.11	1	Vertical	266	1.57	-	37.66	14.72	49.72

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95888G	54.20	83.54	-29.34	51.53	1	Horizontal	295	1.56	-	37.67	14.72	49.72
AV	20.95668G	42.68	63.54	-20.86	40.01	1	Horizontal	295	1.56	-	37.67	14.72	49.72




For radio 3 / beamforming mode

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	RMS	5,919G	62.79	68.20	-5.41	3	Horizontal	311	1.00	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Y_4TX
Setting 26
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8572G	59.59	88.20	-28.61	53.22	3	Vertical	337.8	2.00	-	34.44	7.46	35.53
RMS	5.9022G	47.41	68.20	-20.79	40.76	3	Vertical	337.8	2.00	-	34.70	7.50	35.55
PK	5.964G	104.96	Inf	-Inf	98.35	3	Vertical	337.8	2.00	-	34.63	7.56	35.58
RMS	5.964G	93.31	Inf	-Inf	86.70	3	Vertical	337.8	2.00	-	34.63	7.56	35.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Y_4TX
Setting 26
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	60.58	88.20	-27.62	53.96	3	Horizontal	314	1.27	-	34.65	7.53	35.56
RMS	5.9238G	48.95	68.20	-19.25	42.34	3	Horizontal	314	1.27	-	34.65	7.52	35.56
PK	5.961G	112.18	Inf	-Inf	105.58	3	Horizontal	314	1.27	-	34.62	7.56	35.58
RMS	5.964G	101.08	Inf	-Inf	94.47	3	Horizontal	314	1.27	-	34.63	7.56	35.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Y_4TX
Setting 26
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92116G	56.52	74.00	-17.48	41.75	3	Vertical	253	2.07	-	39.50	10.78	35.51
AV	11.89524G	43.83	54.00	-10.17	29.07	3	Vertical	253	2.07	-	39.50	10.77	35.51
PK	17.8526G	61.83	74.00	-12.17	37.11	3	Vertical	283	1.36	-	44.75	14.70	34.73
AV	17.8608G	48.07	54.00	-5.93	23.33	3	Vertical	283	1.36	-	44.76	14.70	34.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Y_4TX
Setting 26
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90028G	57.10	74.00	-16.90	42.34	3	Horizontal	239	2.31	-	39.50	10.77	35.51
AV	11.89536G	43.69	54.00	-10.31	28.93	3	Horizontal	239	2.31	-	39.50	10.77	35.51
PK	17.9138G	61.96	74.00	-12.04	37.10	3	Horizontal	8	1.46	-	44.81	14.74	34.69
AV	17.915G	48.15	54.00	-5.85	23.29	3	Horizontal	8	1.46	-	44.81	14.74	34.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	59.40	88.20	-28.80	52.78	3	Vertical	20	2.88	-	34.66	7.52	35.56
RMS	5.9222G	47.20	68.20	-21.00	40.58	3	Vertical	20	2.88	-	34.66	7.52	35.56
PK	6.167G	104.71	Inf	-Inf	97.26	3	Vertical	20	2.88	-	35.13	7.85	35.53
RMS	6.167G	92.86	Inf	-Inf	85.41	3	Vertical	20	2.88	-	35.13	7.85	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8086G	59.17	88.20	-29.03	52.86	3	Horizontal	64	2.22	-	34.40	7.41	35.50
RMS	5.847G	47.18	68.20	-21.02	40.85	3	Horizontal	64	2.22	-	34.40	7.45	35.52
PK	6.1702G	107.85	Inf	-Inf	100.38	3	Horizontal	64	2.22	-	35.14	7.86	35.53
RMS	6.1686G	96.88	Inf	-Inf	89.42	3	Horizontal	64	2.22	-	35.14	7.85	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35762G	56.81	74.00	-17.19	42.10	3	Vertical	160	1.26	-	39.04	11.09	35.42
AV	12.36362G	43.80	54.00	-10.20	29.09	3	Vertical	160	1.26	-	39.04	11.09	35.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36056G	56.78	74.00	-17.22	42.07	3	Horizontal	80	1.71	-	39.04	11.09	35.42
AV	12.3569G	43.81	54.00	-10.19	29.10	3	Horizontal	80	1.71	-	39.04	11.09	35.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5574G	46.37	83.54	-37.17	44.70	1	Vertical	295	2.49	-	37.78	13.93	50.04
AV	18.5636G	33.39	63.54	-30.15	31.73	1	Vertical	295	2.49	-	37.77	13.93	50.04

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5424G	45.88	83.54	-37.66	44.23	1	Horizontal	271	2.31	-	37.78	13.93	50.06
AV	18.5666G	33.45	63.54	-30.09	31.78	1	Horizontal	271	2.31	-	37.77	13.93	50.03

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7318G	59.65	88.20	-28.55	53.25	3	Vertical	360	1.46	-	34.40	7.47	35.47
RMS	5.757G	48.21	68.20	-19.99	41.85	3	Vertical	360	1.46	-	34.40	7.44	35.48
PK	6.4094G	100.44	Inf	-Inf	93.28	3	Vertical	360	1.46	-	34.88	7.72	35.44
RMS	6.4234G	90.12	Inf	-Inf	82.95	3	Vertical	360	1.46	-	34.85	7.75	35.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8326G	58.95	88.20	-29.25	52.64	3	Horizontal	64	2.50	-	34.40	7.43	35.52
RMS	5.911G	47.13	68.20	-21.07	40.50	3	Horizontal	64	2.50	-	34.68	7.51	35.56
PK	6.4206G	108.40	Inf	-Inf	101.23	3	Horizontal	64	2.50	-	34.86	7.74	35.43
RMS	6.4234G	96.66	Inf	-Inf	89.49	3	Horizontal	64	2.50	-	34.85	7.75	35.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82364G	56.89	88.20	-31.31	40.73	3	Vertical	267	2.24	-	39.35	11.46	34.65
RMS	12.83372G	44.10	68.20	-24.10	27.88	3	Vertical	267	2.24	-	39.37	11.47	34.62

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83G	57.09	88.20	-31.11	40.90	3	Horizontal	286	1.73	-	39.36	11.46	34.63
RMS	12.83624G	44.09	68.20	-24.11	27.87	3	Horizontal	286	1.73	-	39.37	11.47	34.62

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2944G	46.26	83.54	-37.28	44.22	1	Vertical	13	2.94	-	37.74	13.96	49.66
AV	19.2856G	33.92	63.54	-29.62	31.89	1	Vertical	13	2.94	-	37.73	13.96	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 25
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2402G	46.24	83.54	-37.30	44.22	1	Horizontal	207	1.87	-	37.71	13.96	49.65
AV	19.2466G	33.93	63.54	-29.61	31.92	1	Horizontal	207	1.87	-	37.70	13.96	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 29
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8214G	58.93	88.20	-29.27	52.62	3	Vertical	322	1.78	-	34.40	7.42	35.51
RMS	5.9124G	47.28	68.20	-20.92	40.65	3	Vertical	322	1.78	-	34.68	7.51	35.56
PK	6.4272G	100.70	Inf	-Inf	93.53	3	Vertical	322	1.78	-	34.85	7.75	35.43
RMS	6.4298G	88.42	Inf	-Inf	81.25	3	Vertical	322	1.78	-	34.84	7.76	35.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 29
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8968G	59.03	88.20	-29.17	52.40	3	Horizontal	64	2.50	-	34.68	7.50	35.55
RMS	5.915G	47.28	68.20	-20.92	40.66	3	Horizontal	64	2.50	-	34.67	7.51	35.56
PK	6.4272G	108.72	Inf	-Inf	101.55	3	Horizontal	64	2.50	-	34.85	7.75	35.43
RMS	6.4272G	98.51	Inf	-Inf	91.34	3	Horizontal	64	2.50	-	34.85	7.75	35.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 29
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8574G	57.73	88.20	-30.47	41.40	3	Vertical	71	2.60	-	39.41	11.49	34.57
RMS	12.88362G	44.26	68.20	-23.94	27.79	3	Vertical	71	2.60	-	39.47	11.51	34.51

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 29
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87444G	56.81	88.20	-31.39	40.39	3	Horizontal	147	1.42	-	39.45	11.50	34.53
RMS	12.8757G	44.18	68.20	-24.02	27.76	3	Horizontal	147	1.42	-	39.45	11.50	34.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 29
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2732G	47.08	83.54	-36.46	45.05	1	Vertical	171	1.01	-	37.72	13.96	49.65
AV	19.3416G	33.98	63.54	-29.56	31.91	1	Vertical	171	1.01	-	37.77	13.97	49.67

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 29
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.354G	46.49	83.54	-37.05	44.41	1	Horizontal	228	2.87	-	37.78	13.97	49.67
AV	19.3292G	34.05	63.54	-29.49	31.99	1	Horizontal	228	2.87	-	37.76	13.97	49.67

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_V_4TX
Setting 33
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.815G	60.01	88.20	-28.19	53.70	3	Vertical	11	2.32	-	34.40	7.42	35.51
RMS	5.908G	47.37	68.20	-20.83	40.73	3	Vertical	11	2.32	-	34.68	7.51	35.55
PK	6.478G	104.45	Inf	-Inf	97.20	3	Vertical	11	2.32	-	34.80	7.86	35.41
RMS	6.475G	93.19	Inf	-Inf	85.95	3	Vertical	11	2.32	-	34.80	7.85	35.41
PK	7.192G	62.79	88.20	-25.41	53.66	3	Vertical	11	2.32	-	36.47	8.20	35.54
RMS	7.138G	50.34	68.20	-17.86	41.44	3	Vertical	11	2.32	-	36.23	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_V_4TX
Setting 33
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.776G	59.10	88.20	-29.10	52.77	3	Horizontal	71	2.43	-	34.40	7.42	35.49
RMS	5.884G	47.41	68.20	-20.79	40.87	3	Horizontal	71	2.43	-	34.60	7.48	35.54
PK	6.469G	109.80	Inf	-Inf	102.57	3	Horizontal	71	2.43	-	34.80	7.84	35.41
RMS	6.466G	99.12	Inf	-Inf	91.90	3	Horizontal	71	2.43	-	34.80	7.83	35.41
PK	7.198G	61.99	88.20	-26.21	52.84	3	Horizontal	71	2.43	-	36.49	8.20	35.54
RMS	7.153G	50.43	68.20	-17.77	41.45	3	Horizontal	71	2.43	-	36.31	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94358G	58.20	88.20	-30.00	41.48	3	Vertical	183	1.23	-	39.54	11.55	34.37
RMS	12.95144G	44.80	68.20	-23.40	28.04	3	Vertical	183	1.23	-	39.55	11.56	34.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96476G	57.85	88.20	-30.35	41.04	3	Horizontal	78	2.35	-	39.56	11.57	34.32
RMS	12.95846G	44.81	68.20	-23.39	28.02	3	Horizontal	78	2.35	-	39.56	11.57	34.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4488G	46.61	83.54	-36.93	44.47	1	Vertical	314	2.09	-	37.86	13.97	49.69
AV	19.4394G	34.11	63.54	-29.43	31.98	1	Vertical	314	2.09	-	37.85	13.97	49.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4156G	47.06	83.54	-36.48	44.94	1	Horizontal	68	2.60	-	37.83	13.97	49.68
AV	19.4372G	34.09	63.54	-29.45	31.96	1	Horizontal	68	2.60	-	37.85	13.97	49.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 30
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5738G	47.21	83.54	-36.33	45.06	1	Vertical	141	1.00	-	37.87	13.98	49.70
AV	19.5874G	34.39	63.54	-29.15	32.24	1	Vertical	141	1.00	-	37.87	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 30
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5754G	47.35	83.54	-36.19	45.20	1	Horizontal	195	2.88	-	37.87	13.98	49.70
AV	19.5646G	34.39	63.54	-29.15	32.24	1	Horizontal	195	2.88	-	37.87	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 27
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8602G	59.91	88.20	-28.29	53.52	3	Vertical	0	1.83	-	34.46	7.46	35.53
RMS	5.891G	47.18	68.20	-21.02	40.59	3	Vertical	0	1.83	-	34.65	7.49	35.55
PK	6.5294G	100.76	Inf	-Inf	93.29	3	Vertical	0	1.83	-	34.92	7.96	35.41
RMS	6.5266G	88.85	Inf	-Inf	81.39	3	Vertical	0	1.83	-	34.91	7.95	35.40
PK	7.2126G	62.22	88.20	-25.98	52.95	3	Vertical	0	1.83	-	36.58	8.24	35.55
RMS	7.2294G	50.35	68.20	-17.85	40.93	3	Vertical	0	1.83	-	36.68	8.29	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 27
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	60.19	88.20	-28.01	53.57	3	Horizontal	42	2.41	-	34.66	7.52	35.56
RMS	5.919G	47.35	68.20	-20.85	40.73	3	Horizontal	42	2.41	-	34.66	7.52	35.56
PK	6.535G	105.39	Inf	-Inf	97.89	3	Horizontal	42	2.41	-	34.94	7.97	35.41
RMS	6.5322G	94.62	Inf	-Inf	87.14	3	Horizontal	42	2.41	-	34.93	7.96	35.41
PK	7.137G	61.74	88.20	-26.46	52.85	3	Horizontal	42	2.41	-	36.22	8.20	35.53
RMS	7.2126G	50.54	68.20	-17.66	41.27	3	Horizontal	42	2.41	-	36.58	8.24	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 27
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0598G	58.31	88.20	-29.89	41.02	3	Vertical	17	1.25	-	39.78	11.65	34.14
RMS	13.06058G	45.40	68.20	-22.80	28.11	3	Vertical	17	1.25	-	39.78	11.65	34.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 27
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05518G	58.18	88.20	-30.02	40.92	3	Horizontal	50	1.10	-	39.77	11.64	34.15
RMS	13.055G	45.42	68.20	-22.78	28.16	3	Horizontal	50	1.10	-	39.77	11.64	34.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 27
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5678G	47.54	83.54	-36.00	45.39	1	Vertical	358	1.15	-	37.87	13.98	49.70
AV	19.5668G	34.66	63.54	-28.88	32.51	1	Vertical	358	1.15	-	37.87	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 27
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.649G	46.99	83.54	-36.55	44.87	1	Horizontal	266	2.41	-	37.84	13.98	49.70
AV	19.5782G	34.42	63.54	-29.12	32.27	1	Horizontal	266	2.41	-	37.87	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 26
03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.689G	103.40	Inf	-Inf	95.25	3	Vertical	1	2.02	-	35.48	8.10	35.43
RMS	6.689G	93.73	Inf	-Inf	85.58	3	Vertical	1	2.02	-	35.48	8.10	35.43
PK	7.189G	62.70	88.20	-25.50	53.58	3	Vertical	1	2.02	-	36.46	8.20	35.54
RMS	7.155G	52.04	68.20	-16.16	43.05	3	Vertical	1	2.02	-	36.32	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 26
03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.701G	107.30	Inf	-Inf	99.14	3	Horizontal	44	2.49	-	35.50	8.10	35.44
RMS	6.703G	96.14	Inf	-Inf	87.97	3	Horizontal	44	2.49	-	35.51	8.10	35.44
PK	7.151G	62.23	88.20	-25.97	53.26	3	Horizontal	44	2.49	-	36.30	8.20	35.53
RMS	7.185G	50.68	68.20	-17.52	41.58	3	Horizontal	44	2.49	-	36.44	8.20	35.54

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 26
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4304G	59.62	88.20	-28.58	40.71	3	Vertical	360	1.02	-	40.50	11.94	33.53
RMS	13.4262G	46.99	68.20	-21.21	28.08	3	Vertical	360	1.02	-	40.50	11.94	33.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 26
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4234G	59.49	88.20	-28.71	40.59	3	Horizontal	340	1.46	-	40.50	11.94	33.54
RMS	13.4338G	46.64	68.20	-21.56	27.71	3	Horizontal	340	1.46	-	40.50	11.95	33.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 26
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0616G	47.04	83.54	-36.50	45.26	1	Vertical	304	2.08	-	37.45	14.05	49.72
AV	20.0856G	34.96	63.54	-28.58	33.16	1	Vertical	304	2.08	-	37.47	14.06	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 26
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1054G	47.85	83.54	-35.69	46.03	1	Horizontal	249	1.02	-	37.48	14.08	49.74
AV	20.13G	34.76	63.54	-28.78	32.91	1	Horizontal	249	1.02	-	37.50	14.10	49.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 27
03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8522G	104.35	Inf	-Inf	95.78	3	Vertical	328	1.83	-	35.90	8.13	35.46
AV	6.8494G	94.02	Inf	-Inf	85.46	3	Vertical	328	1.83	-	35.90	8.12	35.46
PK	7.1938G	62.76	88.20	-25.44	53.62	3	Vertical	328	1.83	-	36.48	8.20	35.54
AV	7.1602G	51.95	68.20	-16.25	42.94	3	Vertical	328	1.83	-	36.34	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 27
03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8564G	109.38	Inf	-Inf	100.82	3	Horizontal	57	1.34	-	35.89	8.13	35.46
AV	6.8564G	99.43	Inf	-Inf	90.87	3	Horizontal	57	1.34	-	35.89	8.13	35.46
PK	7.1336G	63.02	88.20	-25.18	54.14	3	Horizontal	57	1.34	-	36.20	8.20	35.52
AV	7.1518G	52.00	68.20	-16.20	43.02	3	Horizontal	57	1.34	-	36.31	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 27
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7558G	62.76	88.20	-25.44	43.20	3	Vertical	358	1.46	-	40.86	12.20	33.50
RMS	13.75G	50.20	68.20	-18.00	30.64	3	Vertical	358	1.46	-	40.85	12.20	33.49

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 27
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7458G	63.07	88.20	-25.13	43.51	3	Horizontal	24	1.80	-	40.85	12.20	33.49
RMS	13.7532G	50.03	68.20	-18.17	30.48	3	Horizontal	24	1.80	-	40.85	12.20	33.50

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 27
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5948G	47.23	83.54	-36.31	44.83	1	Vertical	183	2.21	-	37.81	14.45	49.86
AV	20.565G	35.10	63.54	-28.44	32.77	1	Vertical	183	2.21	-	37.78	14.42	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6855MHz_TnomVnom



EUT Y_4TX
Setting 27
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5822G	48.07	83.54	-35.47	45.70	1	Horizontal	302	2.71	-	37.80	14.44	49.87
AV	20.6014G	34.97	63.54	-28.57	32.56	1	Horizontal	302	2.71	-	37.82	14.45	49.86


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 27
 03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8722G	103.83	Inf	-Inf	95.30	3	Vertical	352	2.01	-	35.86	8.14	35.47
RMS	6.8708G	94.48	Inf	-Inf	85.95	3	Vertical	352	2.01	-	35.86	8.14	35.47
PK	7.148G	63.49	88.20	-24.71	54.53	3	Vertical	352	2.01	-	36.29	8.20	35.53
RMS	7.155G	52.05	68.20	-16.15	43.06	3	Vertical	352	2.01	-	36.32	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 27
 03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.868G	108.15	Inf	-Inf	99.63	3	Horizontal	54	2.51	-	35.86	8.13	35.47
RMS	6.8736G	97.60	Inf	-Inf	89.08	3	Horizontal	54	2.51	-	35.85	8.14	35.47
PK	7.2026G	63.10	88.20	-25.10	53.91	3	Horizontal	54	2.51	-	36.52	8.21	35.54
RMS	7.1494G	52.06	68.20	-16.14	43.09	3	Horizontal	54	2.51	-	36.30	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 27
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7338G	63.01	88.20	-25.19	43.48	3	Vertical	25	2.55	-	40.83	12.19	33.49
RMS	13.7492G	50.07	68.20	-18.13	30.51	3	Vertical	25	2.55	-	40.85	12.20	33.49

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




25/10/2021

EUT Y_4TX
 Setting 27
 03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7496G	62.39	88.20	-25.81	42.83	3	Horizontal	54	2.47	-	40.85	12.20	33.49
RMS	13.797G	50.02	68.20	-18.18	30.39	3	Horizontal	54	2.47	-	40.90	12.24	33.51

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 27
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5904G	48.62	83.54	-34.92	46.23	1	Vertical	356	2.31	-	37.81	14.44	49.86
AV	20.6084G	35.24	63.54	-28.30	32.81	1	Vertical	356	2.31	-	37.83	14.46	49.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 27
 03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6672G	47.57	83.54	-35.97	45.00	1	Horizontal	138	1.42	-	37.90	14.50	49.83
AV	20.671G	35.09	63.54	-28.45	32.51	1	Horizontal	138	1.42	-	37.91	14.50	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	105.51	Inf	-Inf	97.02	3	Vertical	353	2.32	-	35.81	8.15	35.47
RMS	6.9034G	96.89	Inf	-Inf	88.40	3	Vertical	353	2.32	-	35.81	8.15	35.47
PK	7.203G	64.75	88.20	-23.45	55.56	3	Vertical	353	2.32	-	36.52	8.21	35.54
RMS	7.2422G	52.13	68.20	-16.07	42.60	3	Vertical	353	2.32	-	36.75	8.33	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8894G	108.10	Inf	-Inf	99.61	3	Horizontal	305	1.25	-	35.82	8.14	35.47
RMS	6.888G	98.14	Inf	-Inf	89.65	3	Horizontal	305	1.25	-	35.82	8.14	35.47
PK	7.2422G	62.88	88.20	-25.32	53.35	3	Horizontal	305	1.25	-	36.75	8.33	35.55
RMS	7.2338G	52.15	68.20	-16.05	42.70	3	Horizontal	305	1.25	-	36.70	8.30	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8342G	63.76	88.20	-24.44	44.04	3	Vertical	225	1.07	-	40.97	12.27	33.52
RMS	13.8356G	50.38	68.20	-17.82	30.66	3	Vertical	225	1.07	-	40.97	12.27	33.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.756G	62.28	88.20	-25.92	42.72	3	Horizontal	352	2.70	-	40.86	12.20	33.50
RMS	13.8258G	50.20	68.20	-18.00	30.51	3	Horizontal	352	2.70	-	40.95	12.26	33.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7242G	48.19	83.54	-35.35	45.49	1	Vertical	178	2.21	-	37.97	14.54	49.81
AV	20.6888G	35.18	63.54	-28.36	32.55	1	Vertical	178	2.21	-	37.93	14.52	49.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.73G	47.98	83.54	-35.56	45.26	1	Horizontal	61	1.36	-	37.98	14.55	49.81
AV	20.6738G	35.45	63.54	-28.09	32.86	1	Horizontal	61	1.36	-	37.91	14.51	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	105.59	Inf	-Inf	97.17	3	Vertical	354	2.20	-	35.71	8.20	35.49
RMS	7.004G	96.62	Inf	-Inf	88.19	3	Vertical	354	2.20	-	35.72	8.20	35.49
PK	7.186G	62.62	88.20	-25.58	53.52	3	Vertical	354	2.20	-	36.44	8.20	35.54
RMS	7.235G	52.12	68.20	-16.08	42.66	3	Vertical	354	2.20	-	36.71	8.30	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.004G	108.05	Inf	-Inf	99.62	3	Horizontal	306	2.31	-	35.72	8.20	35.49
RMS	7.003G	98.96	Inf	-Inf	90.54	3	Horizontal	306	2.31	-	35.71	8.20	35.49
PK	7.205G	63.50	88.20	-24.70	54.30	3	Horizontal	306	2.31	-	36.53	8.21	35.54
RMS	7.234G	52.13	68.20	-16.07	42.68	3	Horizontal	306	2.31	-	36.70	8.30	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9932G	63.35	88.20	-24.85	43.25	3	Vertical	1	2.41	-	41.29	12.39	33.58
RMS	14.0352G	51.32	68.20	-16.88	31.17	3	Vertical	1	2.41	-	41.37	12.42	33.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9714G	63.84	88.20	-24.36	43.79	3	Horizontal	139	2.93	-	41.24	12.38	33.57
RMS	14.0338G	51.27	68.20	-16.93	31.11	3	Horizontal	139	2.93	-	41.37	12.42	33.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9852G	47.85	74.00	-26.15	45.20	1	Vertical	341	1.74	-	37.62	14.74	49.71
AV	20.9736G	35.23	54.00	-18.77	32.57	1	Vertical	341	1.74	-	37.64	14.73	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9832G	48.11	83.54	-35.43	45.45	1	Horizontal	115	1.73	-	37.63	14.74	49.71
AV	20.985G	35.18	63.54	-28.36	32.53	1	Horizontal	115	1.73	-	37.62	14.74	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1006G	110.18	Inf	-Inf	101.50	3	Vertical	-0	2.31	-	36.00	8.20	35.52
RMS	7.1012G	99.16	Inf	-Inf	90.47	3	Vertical	-0	2.31	-	36.01	8.20	35.52
PK	7.1318G	63.37	88.20	-24.83	54.50	3	Vertical	-0	2.31	-	36.19	8.20	35.52
RMS	7.1252G	52.31	68.20	-15.89	43.48	3	Vertical	-0	2.31	-	36.15	8.20	35.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.101G	114.88	Inf	-Inf	106.19	3	Horizontal	68	2.38	-	36.01	8.20	35.52
RMS	7.0994G	102.29	Inf	-Inf	93.61	3	Horizontal	68	2.38	-	36.00	8.20	35.52
PK	7.1252G	65.23	88.20	-22.97	56.40	3	Horizontal	68	2.38	-	36.15	8.20	35.52
RMS	7.1262G	52.44	68.20	-15.76	43.60	3	Horizontal	68	2.38	-	36.16	8.20	35.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1588G	64.23	88.20	-23.97	43.96	3	Vertical	310	1.67	-	41.62	12.48	33.83
RMS	14.2026G	51.57	68.20	-16.63	31.27	3	Vertical	310	1.67	-	41.70	12.50	33.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.149G	65.42	88.20	-22.78	45.17	3	Horizontal	360	1.81	-	41.60	12.47	33.82
RMS	14.1432G	51.49	68.20	-16.71	31.24	3	Horizontal	360	1.81	-	41.59	12.47	33.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2996G	48.02	83.54	-35.52	45.03	1	Vertical	132	2.07	-	37.66	14.97	49.64
AV	21.2824G	34.47	63.54	-29.07	31.51	1	Vertical	132	2.07	-	37.64	14.96	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 28
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2744G	47.13	83.54	-36.41	44.19	1	Horizontal	17	2.68	-	37.63	14.96	49.65
AV	21.2806G	34.57	63.54	-28.97	31.61	1	Horizontal	17	2.68	-	37.64	14.96	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_2TX
Setting -2
06-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11873G	91.33	Inf	-Inf	82.17	3	Vertical	347.4	1.38	-	35.71	6.82	33.37
RMS	7.1234G	80.08	Inf	-Inf	70.89	3	Vertical	347.4	1.38	-	35.74	6.82	33.37
PK	7.1255G	76.87	88.20	-11.33	67.66	3	Vertical	347.4	1.38	-	35.75	6.83	33.37
RMS	7.1255G	65.93	68.20	-2.27	56.72	3	Vertical	347.4	1.38	-	35.75	6.83	33.37

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_2TX
Setting -2
06-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10995G	97.25	Inf	-Inf	88.14	3	Horizontal	61	2.29	-	35.66	6.81	33.36
RMS	7.11035G	87.59	Inf	-Inf	78.49	3	Horizontal	61	2.29	-	35.66	6.81	33.37
PK	7.1255G	79.99	88.20	-8.21	70.78	3	Horizontal	61	2.29	-	35.75	6.83	33.37
RMS	7.1255G	68.10	68.20	-0.10	58.89	3	Horizontal	61	2.29	-	35.75	6.83	33.37

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_2TX
Setting -2
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2066G	64.07	88.20	-24.13	43.77	3	Vertical	233	2.89	-	41.71	12.50	33.91
RMS	14.2026G	51.13	68.20	-17.07	30.83	3	Vertical	233	2.89	-	41.70	12.50	33.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_2TX
Setting -2
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2164G	64.18	88.20	-24.02	43.87	3	Horizontal	227	2.35	-	41.72	12.51	33.92
RMS	14.264G	51.14	68.20	-17.06	30.85	3	Horizontal	227	2.35	-	41.76	12.53	34.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_2TX
Setting -2
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3012G	47.43	83.54	-36.11	44.43	1	Vertical	360	1.89	-	37.66	14.98	49.64
AV	21.307G	34.71	63.54	-28.83	31.70	1	Vertical	360	1.89	-	37.67	14.98	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_V_2TX
Setting -2
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.311G	47.01	83.54	-36.53	44.00	1	Horizontal	51	2.95	-	37.67	14.98	49.64
AV	21.2984G	34.76	63.54	-28.78	31.77	1	Horizontal	51	2.95	-	37.66	14.97	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 38
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8506G	61.16	88.20	-27.04	54.84	3	Vertical	8	2.95	-	34.40	7.45	35.53
RMS	5.9234G	47.90	68.20	-20.30	41.29	3	Vertical	8	2.95	-	34.65	7.52	35.56
PK	5.9746G	104.57	Inf	-Inf	97.94	3	Vertical	8	2.95	-	34.65	7.57	35.59
RMS	5.9714G	91.70	Inf	-Inf	85.08	3	Vertical	8	2.95	-	34.64	7.57	35.59

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 38
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	70.65	88.20	-17.55	64.03	3	Horizontal	323	1.72	-	34.65	7.53	35.56
RMS	5.925G	55.55	68.20	-12.65	48.93	3	Horizontal	323	1.72	-	34.65	7.53	35.56
PK	5.9474G	108.14	Inf	-Inf	101.55	3	Horizontal	323	1.72	-	34.61	7.55	35.57
RMS	5.9474G	96.15	Inf	-Inf	89.56	3	Horizontal	323	1.72	-	34.61	7.55	35.57

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 38
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93156G	57.25	74.00	-16.75	42.48	3	Vertical	72	2.48	-	39.50	10.78	35.51
AV	11.91986G	43.74	54.00	-10.26	28.97	3	Vertical	72	2.48	-	39.50	10.78	35.51
PK	17.8905G	61.53	74.00	-12.47	36.73	3	Vertical	59	1.71	-	44.79	14.72	34.71
AV	17.89666G	47.33	54.00	-6.67	22.50	3	Vertical	59	1.71	-	44.80	14.73	34.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 38
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93216G	56.84	74.00	-17.16	42.06	3	Horizontal	208	1.63	-	39.50	10.78	35.50
AV	11.91974G	43.58	54.00	-10.42	28.81	3	Horizontal	208	1.63	-	39.50	10.78	35.51
PK	17.89418G	62.83	74.00	-11.17	38.02	3	Horizontal	53	2.39	-	44.79	14.73	34.71
AV	17.89084G	47.31	54.00	-6.69	22.51	3	Horizontal	53	2.39	-	44.79	14.72	34.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8528G	59.92	88.20	-28.28	53.58	3	Vertical	355	1.34	-	34.42	7.45	35.53
RMS	5.9088G	47.07	68.20	-21.13	40.43	3	Vertical	355	1.34	-	34.68	7.51	35.55
PK	6.1468G	99.66	Inf	-Inf	92.28	3	Vertical	355	1.34	-	35.10	7.82	35.54
RMS	6.1468G	88.46	Inf	-Inf	81.08	3	Vertical	355	1.34	-	35.10	7.82	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8794G	60.02	88.20	-28.18	53.50	3	Horizontal	45.6	1.28	-	34.58	7.48	35.54
RMS	5.9158G	47.14	68.20	-21.06	40.51	3	Horizontal	45.6	1.28	-	34.67	7.52	35.56
PK	6.1832G	107.72	Inf	-Inf	100.21	3	Horizontal	45.6	1.28	-	35.17	7.87	35.53
RMS	6.1552G	95.17	Inf	-Inf	87.77	3	Horizontal	45.6	1.28	-	35.11	7.83	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34212G	56.75	74.00	-17.25	42.04	3	Vertical	144	1.98	-	39.06	11.07	35.42
AV	12.3414G	43.53	54.00	-10.47	28.82	3	Vertical	144	1.98	-	39.06	11.07	35.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32124G	56.66	74.00	-17.34	41.95	3	Horizontal	114	2.50	-	39.08	11.06	35.43
AV	12.33186G	43.42	54.00	-10.58	28.70	3	Horizontal	114	2.50	-	39.07	11.07	35.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.523G	47.09	83.54	-36.45	45.45	1	Vertical	7	1.80	-	37.79	13.93	50.08
AV	18.5424G	32.78	63.54	-30.76	31.13	1	Vertical	7	1.80	-	37.78	13.93	50.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5078G	46.13	83.54	-37.41	44.49	1	Horizontal	218	2.43	-	37.80	13.93	50.09
AV	18.5332G	32.79	63.54	-30.75	31.14	1	Horizontal	218	2.43	-	37.79	13.93	50.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8646G	59.40	88.20	-28.80	52.98	3	Vertical	311	1.32	-	34.49	7.46	35.53
RMS	5.915G	46.94	68.20	-21.26	40.32	3	Vertical	311	1.32	-	34.67	7.51	35.56
PK	6.3994G	102.54	Inf	-Inf	95.38	3	Vertical	311	1.32	-	34.90	7.70	35.44
RMS	6.3966G	91.45	Inf	-Inf	84.29	3	Vertical	311	1.32	-	34.90	7.70	35.44

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.761G	59.85	88.20	-28.35	53.49	3	Horizontal	56	2.55	-	34.40	7.44	35.48
RMS	5.7302G	47.14	68.20	-21.06	40.74	3	Horizontal	56	2.55	-	34.40	7.47	35.47
PK	6.3966G	110.16	Inf	-Inf	103.00	3	Horizontal	56	2.55	-	34.90	7.70	35.44
RMS	6.3994G	98.74	Inf	-Inf	91.58	3	Horizontal	56	2.55	-	34.90	7.70	35.44

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82446G	56.93	88.20	-31.27	40.76	3	Vertical	40	2.09	-	39.35	11.46	34.64
RMS	12.82494G	43.91	68.20	-24.29	27.74	3	Vertical	40	2.09	-	39.35	11.46	34.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.822G	57.50	88.20	-30.70	41.35	3	Horizontal	284	2.65	-	39.34	11.46	34.65
RMS	12.8244G	43.88	68.20	-24.32	27.71	3	Horizontal	284	2.65	-	39.35	11.46	34.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.216G	46.33	83.54	-37.21	44.27	1	Vertical	52	1.35	-	37.74	13.96	49.64
AV	19.2558G	33.33	63.54	-30.21	31.32	1	Vertical	52	1.35	-	37.70	13.96	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2602G	46.59	83.54	-36.95	44.57	1	Horizontal	263	2.02	-	37.71	13.96	49.65
AV	19.262G	33.35	63.54	-30.19	31.33	1	Horizontal	263	2.02	-	37.71	13.96	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.836G	59.39	88.20	-28.81	53.07	3	Vertical	358	1.48	-	34.40	7.44	35.52
RMS	5.899G	47.05	68.20	-21.15	40.41	3	Vertical	358	1.48	-	34.69	7.50	35.55
PK	6.442G	102.04	Inf	-Inf	94.86	3	Vertical	358	1.48	-	34.82	7.78	35.42
RMS	6.445G	90.86	Inf	-Inf	83.68	3	Vertical	358	1.48	-	34.81	7.79	35.42
PK	7.144G	62.18	88.20	-26.02	53.25	3	Vertical	358	1.48	-	36.26	8.20	35.53
RMS	7.171G	50.19	68.20	-18.01	41.14	3	Vertical	358	1.48	-	36.38	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_V_4TX
Setting 39
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.83G	59.89	88.20	-28.31	53.58	3	Horizontal	65	2.48	-	34.40	7.43	35.52
RMS	5.749G	47.05	68.20	-21.15	40.67	3	Horizontal	65	2.48	-	34.40	7.45	35.47
PK	6.43G	109.37	Inf	-Inf	102.20	3	Horizontal	65	2.48	-	34.84	7.76	35.43
RMS	6.427G	98.12	Inf	-Inf	90.95	3	Horizontal	65	2.48	-	34.85	7.75	35.43
PK	7.18G	62.60	88.20	-25.60	53.52	3	Horizontal	65	2.48	-	36.42	8.20	35.54
RMS	7.168G	50.15	68.20	-18.05	41.11	3	Horizontal	65	2.48	-	36.37	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88808G	57.85	88.20	-30.35	41.36	3	Vertical	185	1.59	-	39.48	11.51	34.50
RMS	12.90134G	44.50	68.20	-23.70	27.95	3	Vertical	185	1.59	-	39.50	11.52	34.47

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9032G	58.06	88.20	-30.14	41.50	3	Horizontal	67	2.37	-	39.50	11.52	34.46
RMS	12.90326G	44.43	68.20	-23.77	27.87	3	Horizontal	67	2.37	-	39.50	11.52	34.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.362G	46.41	83.54	-37.13	44.32	1	Vertical	249	1.50	-	37.79	13.97	49.67
AV	19.3836G	33.51	63.54	-30.03	31.41	1	Vertical	249	1.50	-	37.81	13.97	49.68

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3144G	46.41	83.54	-37.13	44.35	1	Horizontal	21	1.30	-	37.75	13.97	49.66
AV	19.3738G	33.54	63.54	-30.00	31.44	1	Horizontal	21	1.30	-	37.80	13.97	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 40
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8158G	59.75	88.20	-28.45	53.44	3	Vertical	354.5	1.34	-	34.40	7.42	35.51
RMS	5.9026G	47.00	68.20	-21.20	40.36	3	Vertical	354.5	1.34	-	34.69	7.50	35.55
PK	6.5018G	102.43	Inf	-Inf	95.12	3	Vertical	354.5	1.34	-	34.81	7.90	35.40
RMS	6.5018G	91.48	Inf	-Inf	84.17	3	Vertical	354.5	1.34	-	34.81	7.90	35.40
PK	7.1514G	63.47	88.20	-24.73	54.49	3	Vertical	354.5	1.34	-	36.31	8.20	35.53
RMS	7.157G	50.28	68.20	-17.92	41.28	3	Vertical	354.5	1.34	-	36.33	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_V_4TX
Setting 40
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	59.38	88.20	-28.82	52.76	3	Horizontal	75	2.42	-	34.67	7.51	35.56
RMS	5.9082G	47.01	68.20	-21.19	40.37	3	Horizontal	75	2.42	-	34.68	7.51	35.55
PK	6.5018G	109.17	Inf	-Inf	101.86	3	Horizontal	75	2.42	-	34.81	7.90	35.40
RMS	6.5018G	97.10	Inf	-Inf	89.79	3	Horizontal	75	2.42	-	34.81	7.90	35.40
PK	7.1682G	63.27	88.20	-24.93	54.23	3	Horizontal	75	2.42	-	36.37	8.20	35.53
RMS	7.1458G	50.31	68.20	-17.89	41.37	3	Horizontal	75	2.42	-	36.27	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 40
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9787G	58.29	88.20	-29.91	41.42	3	Vertical	337	1.50	-	39.58	11.58	34.29
RMS	12.9829G	45.20	68.20	-23.00	28.31	3	Vertical	337	1.50	-	39.58	11.59	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 40
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97426G	58.53	88.20	-29.67	41.68	3	Horizontal	193	1.60	-	39.57	11.58	34.30
RMS	12.97888G	45.20	68.20	-23.00	28.33	3	Horizontal	193	1.60	-	39.58	11.58	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 40
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.461G	47.02	83.54	-36.52	44.87	1	Vertical	340	2.34	-	37.87	13.97	49.69
AV	19.4246G	33.69	63.54	-29.85	31.56	1	Vertical	340	2.34	-	37.84	13.97	49.68

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TnomVnom



EUT Y_4TX
Setting 40
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.497G	46.63	83.54	-36.91	44.46	1	Horizontal	189	3.00	-	37.90	13.97	49.70
AV	19.422G	33.85	63.54	-29.69	31.72	1	Horizontal	189	3.00	-	37.84	13.97	49.68


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 39
 03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	59.19	88.20	-29.01	52.66	3	Vertical	3	2.64	-	34.59	7.48	35.54
RMS	5.9034G	46.97	68.20	-21.23	40.33	3	Vertical	3	2.64	-	34.69	7.50	35.55
PK	6.525G	102.76	Inf	-Inf	95.31	3	Vertical	3	2.64	-	34.90	7.95	35.40
RMS	6.5222G	89.61	Inf	-Inf	82.18	3	Vertical	3	2.64	-	34.89	7.94	35.40
PK	7.2082G	62.60	88.20	-25.60	53.37	3	Vertical	3	2.64	-	36.55	8.22	35.54
RMS	7.141G	50.08	68.20	-18.12	41.16	3	Vertical	3	2.64	-	36.25	8.20	35.53


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 39
 03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	59.97	88.20	-28.23	53.40	3	Horizontal	65	2.36	-	34.62	7.49	35.54
RMS	5.9062G	46.96	68.20	-21.24	40.31	3	Horizontal	65	2.36	-	34.69	7.51	35.55
PK	6.5138G	110.12	Inf	-Inf	102.73	3	Horizontal	65	2.36	-	34.86	7.93	35.40
RMS	6.5166G	97.93	Inf	-Inf	90.53	3	Horizontal	65	2.36	-	34.87	7.93	35.40
PK	7.1578G	64.24	88.20	-23.96	55.24	3	Horizontal	65	2.36	-	36.33	8.20	35.53
RMS	7.169G	50.15	68.20	-18.05	41.10	3	Horizontal	65	2.36	-	36.38	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




23/10/2021

EUT Y_4TX
 Setting 39
 03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06206G	59.02	88.20	-29.18	41.72	3	Vertical	72	1.03	-	39.79	11.65	34.14
RMS	13.05054G	45.96	68.20	-22.24	28.73	3	Vertical	72	1.03	-	39.75	11.64	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 39
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0476G	58.86	88.20	-29.34	41.64	3	Horizontal	160	2.97	-	39.74	11.64	34.16
RMS	13.05102G	45.85	68.20	-22.35	28.62	3	Horizontal	160	2.97	-	39.75	11.64	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
Setting 39
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.574G	47.69	83.54	-35.85	45.54	1	Vertical	292	1.74	-	37.87	13.98	49.70
AV	19.5718G	34.21	63.54	-29.33	32.06	1	Vertical	292	1.74	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 39
 03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5412G	47.59	83.54	-35.95	45.43	1	Horizontal	326	2.54	-	37.88	13.98	49.70
AV	19.5662G	34.13	63.54	-29.41	31.98	1	Horizontal	326	2.54	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_V_4TX
Setting 38
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9035G	58.70	88.20	-29.50	52.06	3	Vertical	3.1	2.61	-	34.69	7.50	35.55
RMS	5.9089G	47.14	68.20	-21.06	40.50	3	Vertical	3.1	2.61	-	34.68	7.51	35.55
PK	6.5596G	106.26	Inf	-Inf	98.61	3	Vertical	3.1	2.61	-	35.04	8.02	35.41
RMS	6.5596G	93.56	Inf	-Inf	85.91	3	Vertical	3.1	2.61	-	35.04	8.02	35.41
PK	7.24G	62.86	88.20	-25.34	53.35	3	Vertical	3.1	2.61	-	36.74	8.32	35.55
RMS	7.24G	61.58	68.20	-6.62	52.07	3	Vertical	3.1	2.61	-	36.74	8.32	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_V_4TX
Setting 38
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	59.17	88.20	-29.03	52.55	3	Horizontal	46.4	1.80	-	34.67	7.50	35.55
RMS	5.925G	47.16	68.20	-21.04	40.55	3	Horizontal	46.4	1.80	-	34.65	7.52	35.56
PK	6.5758G	107.06	Inf	-Inf	99.32	3	Horizontal	46.4	1.80	-	35.10	8.05	35.41
RMS	6.5839G	95.39	Inf	-Inf	87.60	3	Horizontal	46.4	1.80	-	35.14	8.07	35.42
PK	7.1779G	62.58	88.20	-25.62	53.51	3	Horizontal	46.4	1.80	-	36.41	8.20	35.54
RMS	7.1563G	50.23	68.20	-17.97	41.23	3	Horizontal	46.4	1.80	-	36.33	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 38
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13948G	58.43	88.20	-29.77	40.79	3	Vertical	146	2.74	-	39.94	11.71	34.01
RMS	13.11734G	44.93	68.20	-23.27	27.37	3	Vertical	146	2.74	-	39.92	11.69	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 38
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12514G	58.13	88.20	-30.07	40.53	3	Horizontal	232	2.56	-	39.93	11.70	34.03
RMS	13.12298G	44.93	68.20	-23.27	27.35	3	Horizontal	232	2.56	-	39.92	11.70	34.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 38
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.743G	47.65	83.54	-35.89	45.56	1	Vertical	248	1.26	-	37.80	13.99	49.70
AV	19.741G	34.41	63.54	-29.13	32.32	1	Vertical	248	1.26	-	37.80	13.99	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 38
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7296G	47.44	83.54	-36.10	45.34	1	Horizontal	208	2.84	-	37.81	13.99	49.70
AV	19.7342G	34.28	63.54	-29.26	32.18	1	Horizontal	208	2.84	-	37.81	13.99	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 36
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7004G	102.97	Inf	-Inf	94.81	3	Vertical	360	1.14	-	35.50	8.10	35.44
RMS	6.7026G	93.40	Inf	-Inf	85.23	3	Vertical	360	1.14	-	35.51	8.10	35.44
PK	7.2064G	62.33	88.20	-25.87	53.11	3	Vertical	360	1.14	-	36.54	8.22	35.54
RMS	7.2174G	50.32	68.20	-17.88	41.02	3	Vertical	360	1.14	-	36.60	8.25	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 36
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6982G	106.78	Inf	-Inf	98.62	3	Horizontal	39	1.65	-	35.50	8.10	35.44
RMS	6.696G	95.67	Inf	-Inf	87.52	3	Horizontal	39	1.65	-	35.49	8.10	35.44
PK	7.1536G	62.47	88.20	-25.73	53.49	3	Horizontal	39	1.65	-	36.31	8.20	35.53
RMS	7.147G	50.16	68.20	-18.04	41.21	3	Horizontal	39	1.65	-	36.28	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 36
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36778G	58.37	74.00	-15.63	39.67	3	Vertical	209	2.46	-	40.44	11.89	33.63
AV	13.3793G	45.64	54.00	-8.36	26.89	3	Vertical	209	2.46	-	40.46	11.90	33.61

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 36
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36694G	59.20	74.00	-14.80	40.51	3	Horizontal	261	2.82	-	40.43	11.89	33.63
AV	13.3817G	45.47	54.00	-8.53	26.71	3	Horizontal	261	2.82	-	40.46	11.91	33.61

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 36
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0342G	47.47	83.54	-36.07	45.72	1	Vertical	54	2.00	-	37.43	14.03	49.71
AV	20.103G	34.37	63.54	-29.17	32.55	1	Vertical	54	2.00	-	37.48	14.08	49.74

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 36
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1028G	47.56	83.54	-35.98	45.74	1	Horizontal	186	2.85	-	37.48	14.08	49.74
AV	20.0816G	34.42	63.54	-29.12	32.62	1	Horizontal	186	2.85	-	37.47	14.06	49.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8498G	102.44	Inf	-Inf	93.88	3	Vertical	358	1.00	-	35.90	8.12	35.46
RMS	6.853G	90.49	Inf	-Inf	81.93	3	Vertical	358	1.00	-	35.89	8.13	35.46
PK	7.173G	64.43	88.20	-23.77	55.37	3	Vertical	358	1.00	-	36.39	8.20	35.53
RMS	7.1794G	50.28	68.20	-17.92	41.20	3	Vertical	358	1.00	-	36.42	8.20	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	109.62	Inf	-Inf	101.07	3	Horizontal	70	2.35	-	35.89	8.12	35.46
RMS	6.8402G	97.84	Inf	-Inf	89.32	3	Horizontal	70	2.35	-	35.86	8.12	35.46
PK	7.1378G	62.72	88.20	-25.48	53.82	3	Horizontal	70	2.35	-	36.23	8.20	35.53
RMS	7.2258G	50.23	68.20	-17.97	40.85	3	Horizontal	70	2.35	-	36.65	8.28	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68508G	61.98	88.20	-26.22	42.53	3	Vertical	329	2.09	-	40.77	12.15	33.47
RMS	13.69144G	48.69	68.20	-19.51	29.24	3	Vertical	329	2.09	-	40.78	12.15	33.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70002G	62.05	88.20	-26.15	42.57	3	Horizontal	199	2.92	-	40.80	12.16	33.48
RMS	13.70422G	48.71	68.20	-19.49	29.23	3	Horizontal	199	2.92	-	40.80	12.16	33.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 34
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4922G	47.77	83.54	-35.77	45.60	1	Vertical	23	1.84	-	37.70	14.37	49.90
AV	20.5686G	34.58	63.54	-28.96	32.24	1	Vertical	23	1.84	-	37.78	14.43	49.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6845MHz_TnomVnom



EUT Y_4TX
Setting 34
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4978G	48.17	83.54	-35.37	46.00	1	Horizontal	209	2.49	-	37.70	14.37	49.90
AV	20.5656G	34.65	63.54	-28.89	32.32	1	Horizontal	209	2.49	-	37.78	14.42	49.87


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 38
 03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9032G	103.41	Inf	-Inf	94.92	3	Vertical	65	1.25	-	35.81	8.15	35.47
RMS	6.9032G	90.81	Inf	-Inf	82.32	3	Vertical	65	1.25	-	35.81	8.15	35.47
PK	7.1552G	62.76	88.20	-25.44	53.77	3	Vertical	65	1.25	-	36.32	8.20	35.53
RMS	7.2028G	50.19	68.20	-18.01	41.00	3	Vertical	65	1.25	-	36.52	8.21	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 38
 03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	111.83	Inf	-Inf	103.32	3	Horizontal	64	2.40	-	35.84	8.14	35.47
RMS	6.8738G	98.43	Inf	-Inf	89.91	3	Horizontal	64	2.40	-	35.85	8.14	35.47
PK	7.193G	64.03	88.20	-24.17	54.90	3	Horizontal	64	2.40	-	36.47	8.20	35.54
RMS	7.1524G	50.22	68.20	-17.98	41.24	3	Horizontal	64	2.40	-	36.31	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 38
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7637G	62.15	88.20	-26.05	42.58	3	Vertical	191	1.62	-	40.86	12.21	33.50
RMS	13.76814G	49.34	68.20	-18.86	29.76	3	Vertical	191	1.62	-	40.87	12.21	33.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 38
 03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76928G	62.91	88.20	-25.29	43.32	3	Horizontal	113	2.67	-	40.87	12.22	33.50
RMS	13.77108G	49.30	68.20	-18.90	29.71	3	Horizontal	113	2.67	-	40.87	12.22	33.50